

CRTS[®]
SPECIALTY CHEMICALS

COLLECTION OF UNBELIEVABLE
ADHESIVES
BASED ON
GERMAN CHEMICALS



Complete Tile Adhesive & Grouting Solutions



INDEX



GTS 315

7



GTS 330

9



**GTS 335/
WTS 335**

11



**GTS 355/
WTS 355**

13



**GTS 390/
WTS 390**

15



**GTS 433/
WTS 433**

17



**Interior
Shield
Epoxy Grout**

19



**Interior
Shield Duet
Epoxy Grout**

20



**Exterior
Armour
Epoxy Grout**

21



**Exterior
Armour Duet
Epoxy Grout**

22



**Unsanded
Tile Grout**

23



Admix Plus

24



**Ultra Shine
(Tile cleaner)**

27



**Tile Master
Kit**

28

ABOUT US

CRTS knows that a building's worth goes beyond its physical structure. Driven by innovation & expertise, CRTS blends cutting-edge technology to provide reliable, affordable, and long-lasting shelter while maintaining the highest quality standards. As a leader in sustainable materials, CRTS incorporates eco-conscious practices at every level and consistently introduces advancements. As a pioneer in manufacturing from floor to roof, CRTS ensures perfection with its range of construction chemical products that enhance strength, durability, and quality.

Founded to introduce modern, innovative technologies to the Indian construction sector, CRTS offers:

- Block Jointing Mortars
- Tile & Stone Adhesives
- Tile Grouts & Sealers
- Epoxy-Based Grouting Systems
- Fillers
- Cement-Based Wall Putty

Our relentless pursuit of quality has established partnerships with leading brands, ensuring customer satisfaction. With a competent workforce, CRTS maintains international quality standards, providing world-class products locally.

Our consumer-centric focus drives us to create better living opportunities and environments, earning trust among builders, architects, and contractors. CRTS invests in R&D to ensure innovation and creativity in our products. Our products bring lasting beauty to infrastructures. We see ecology and economy as two sides of the same coin. Our high-coverage, easy-to-use products reduce material use, processing, transport, and waste, saving resources and minimizing environmental impact. At CRTS, we are committed to transforming the construction industry with innovative, high-quality, sustainable, and eco-friendly solutions.

CERTIFICATION



CRTS blends cutting-edge technology with eco-conscious practices to provide reliable, affordable, and long-lasting shelter.

Our Vision :

To revolutionize the construction industry with CRTS's innovative, high-quality, and sustainable solutions.

Our Mission :

To blend cutting-edge technology with eco-conscious practices, providing reliable and affordable shelter while maintaining the highest quality standards.

Our Motto :

Building the future with CRTS, sustainably.

Excellence in Economy :

CRTS's high-coverage, easy-to-use products reduce material use, processing, transport, and waste, saving resources and minimizing environmental impact.



Our Inspiration

**Be the change that you wish
wish to see in the world..**

Mahatma Gandhi



Smog & Pollution



Heavy Rainfall



Chilly Winters



Intense Heat



**INDIAN
WEATHER
TESTED**

THE ALL-WEATHER CHAMPION

Introducing CRTS All-Weather Solutions: your ultimate defense against the elements. From the blistering heatwaves of Rajasthan to the icy winters of Jammu & Kashmir and the perpetual showers of Mawsynram, India's climate presents unique challenges. CRTS steps in with a range of resilient products designed to withstand these extremes. Crafted with cutting-edge technology and premium materials, CRTS All-Weather Solutions provide lasting protection against weather-induced wear and tear. Our commitment to quality ensures that your space remains shielded from nature's harshest blows, preserving its integrity for years to come.

Whether you prioritize functionality or fashion, CRTS offers solutions tailored to your needs. Made exclusively in India, CRTS products are engineered to excel in the local climate, ensuring optimal performance in any weather condition. Invest in CRTS All-Weather Solutions for peace of mind and a space that stands strong against the forces of nature.

In a world of uncertainty, CRTS provides reliability. Our intelligent design philosophy ensures that your space remains both stylish and secure. With CRTS, you're not just investing in products – you're investing in the longevity of your space. Choose CRTS All-Weather Solutions for premium protection that goes beyond expectations. Experience the difference that quality, craftsmanship, and commitment make in every CRTS product.

GTS 315


Highly porous tiles

Vitrified tiles on internal floor

Ceramic tile on internal floor & wall



**IDEAL FOR NEW
CONSTRUCTION
CERAMIC
FLOORING**



**BETTER
WORKABILITY**



**QUICK
MIXING**

GTS 315



**For Internal
Floor & Wall**



**Ease of
Applocation**



**No Hollow
Sound**



**No Cracking
of Tiles**




**Non - Slip
Adhesive**



Low VOC



Grey



Available in 20 kg pack

GTS 330




Tile on tile application


Ceramic and vitrified tiles on internal floor & wall



GTS 330



NO SAGGING OF VITRIFIED TILES



SUPERIOR ADHESION



BETTER DURABILITY



For Internal Floor & Wall



Tile on tile Application



For Tiles & Natural Stone



Non - Slip Adhesive



Polymer Modified



Low VOC



Grey



White



Available in 20 kg pack


GTS 335 / WTS 335




Granite, marble and all types of stones

Large format vitrified and glass mosaic tiles


Internal & external/vertical & horizontal Surfaces



**SUPERIOR
BOND
STRENGTH**



**SHOCK
RESISTANT**



**SAG
RESISTANT**

GTS 335 / WTS 335



**For Wet
& Dry Area**



**Highly
Polymer
Modified**



Grey



White



**High Bond
Strength**



**Non - Slip
Adhesive**



Low VOC



**Extended
Open Time**




Available in 20 kg pack




Vitrified tiles & glass mosaic tiles, natural stones

Internal & external/vertical & horizontal Surfaces



SUPERIOR BONDING WITH ALL CEMENTITIOUS SUBSTRATES



TILE ON TILE APPLICATION



EASY APPLICATION ON INTERIORS & EXTERIORS

GTS 355 / WTS 355



For Internal Floor, Wall & External Floor



Highly Polymer Modified



Grey



White



For Wet & Dry Area



Non - Slip Adhesive



Extended Open Time



Low VOC



Available in 20 kg pack

GTS 390 / WTS 390



Large format and glass mosaic tiles

Marble, granite, stones and laminated stoneware

Plaster board, fiber-cement sheets, concrete surfaces



GTS 390 / WTS 390



For Internal & External Floor & Wall



For Wet & Dry Area



Highly Flexible



Extended Open Time



Superior Bond Strength



Low VOC



Grey



White



Available in 20 kg pack


GTS 433 / WTS 433




Drywalls, plywood, cement terrazzo

Large format and glass mosaic tiles


Marble, granite and natural stones



EXCELLENT WORKABILITY



HIGH SHEAR BOND STRENGTH



ABSORBS DYNAMIC LOADS

GTS 433 / WTS 433



For Internal & External Floor & Wall



For Vibration Area



Extended Open Time



Superior Bond Strength



Highly Flexible



Low VOC



Grey




White



Available in 20 kg pack



HIGH COMPRESSIVE STRENGTH



EASY TO USE



ZERO STAIN GROUT

INTERIOR SHIELD EPOXY GROUT



Anti-Bacterial



Crack-Free



Low VOC



Flexible



Zero Shrinkage




Available in different Colours




Available in 1 kg, 5kg



HIGH COMPRESSIVE STRENGTH



EASY TO USE



ZERO STAIN GROUT

INTERIOR SHIELD DUET EPOXY GROUT



Anti-Bacterial



Crack-Free



Low VOC



Flexible



Zero Shrinkage




Available in different Colours




Available in 1 kg, 5kg



HIGH BOND STRENGTH



ANTI-BACTERIAL



EASY TO MIX AND APPLY

EXTERIOR ARMOUR EPOXY GROUT



UV Resistance



Waterproof



Acid & Stain Resistant



Low VOC



Flexible




Zero Shrinkage




Available in 1 kg, 5kg



**HIGH BOND
STRENGTH**



ANTI-BACTERIAL



**EASY TO MIX
AND APPLY**

EXTERIOR ARMOUR DUET EPOXY GROUT



UV Resistance



Waterproof



**Acid & Stain
Resistant**



Low VOC



Flexible




Zero Shrinkage




Available in 1 kg, 5kg



**HIGH
STRENGTH**



**EASY TO
USE**



**WATER
RESISTANT**

UNSANDED TILE GROUT



**For Internal
& External
Floor & Wall**



**Available
in different
Colours**



Easy to Clean



Non - Shrinking




Non - Cracking




Low VOC



Available in 1 kg



EASY TO USE



WATER RESISTANT



DURABLE

ADMIX PLUS



For Internal & External Floor & Wall



Easy to Clean



Non - Shrinking



Non - Cracking



Increased Water Resistance



Increased Strength



**Available in
5 ltr, 1ltr, 500ml, 250ml**

**Dusty
Rose**

Canyon Red

Terra Red

Dark Brown

Burgundy

**Alpine
Blue**

Blue

Yellow

**Golden
Yellow**

**Lemon
Yellow**

**Sand
Beige**



**JOINT
FILLER
SHADES**

Mushroom

Beige

Buff

Cream

Ivory

Sable

**Roasted
Brown**

**Chocolate
Brown**

Grey

**Steel
Grey**



**Dark
Grey**

Platinum

**Kota
Green**

Sandstone

**Anthracite
Grey**

Raven

White

**Golden
Sparkle**

**Silver
Sparkle**

**Bronze
Sparkle**

Black



ULTRA SHINE (TILE CLEANER)




For Internal & External Floor & Wall



Dilute with Water



Easy to Clean



Protect the color & shine of tile



Removes difficult stains



Not Harmful



Available in 1 ltr

TILE MASTER KIT

A COMPLETE RANGE OF WORLD-CLASS TILE LAYING EQUIPMENT



Notched trowel



White rubber hammer



Nippers



Building level



Template for diagonal tile laying



Joint scraper



Rubber trowel



Right angle



Safety glasses



Plumb & Rope



Tile spacer



Tile levelling systems



Mortar mixer




Manual Tile cutter








Electric cutter cum drill

Method of Installation : Tile Adhesives



Remove all Dust, Water, Oil & Sealers from surface










RECOMMENDED SURFACES

Concrete	Mortar / Screed Beds
Cement Plaster	Cementitious Backer Units ⁺
Brick or Concrete Masonry	Gypsum Wallboard ⁺








* The Powder: Liquid ratio may vary according to job conditions.

⁺ Refer recommendation chart

Method of Installation : Tile Grouts



Method of Installation: Epoxy Grouts



PRODUCT SELECTOR

Application Areas	GTS 315	GTS 330	GTS 335/ WTS 335	GTS 355/ WTS 355	GTS 390/ WTS 390	GTS 433/ WTS 433
INTERNAL FLOORING						
Ceramic Tiles	✓	✓	✓	✓	✓	✓
Vitrified Tiles	✓	✓	✓	✓	✓	✓
Marble/Granite/ Other Stones	-	-	✓	✓	✓	✓
Glass Mosaic	-	-	-	-	✓	✓
EXTERNAL FLOORING						
Ceramic Tiles	✓	✓	✓	✓	✓	✓
Vitrified Tiles	-	✓	✓	✓	✓	✓
Marble/Granite/Other Stones	-	-	✓	✓	✓	✓
Glass Mosaic	-	-	-	-	✓	✓
INTERNAL WALL (CONCRETE / PLASTERED SUEFACE)						
Ceramic Tiles	✓	✓	✓	✓	✓	✓
Vitrified Tiles	-	✓	✓	✓	✓	✓
Marble/Granite/ Other Stones	-	-	-	✓	✓	✓
Glass Mosaic	-	-	-	-	✓	✓
Drywalls	-	-	-	-	-	✓
Metal Surfaces	-	-	-	-	-	✓
EXTERNAL WALL						
Ceramic/Vitrified Tiles	-	-	✓	✓	✓	✓
Marble/Granite/Other Stones	-	-	-	✓	✓	✓
Glass Mosaic	-	-	-	-	✓	✓
Drywalls	-	-	-	-	-	✓
Metal Surfaces	-	-	-	-	-	✓

Shelf Life & Storage

12 months of shelf life from the date of manufacturing in unopened condition.
Store in cool and dry place.


Health & Safety Precautions

- Always wear protective gears such as gloves and goggles.
- Splash fresh water instantly to treat any contact with skin or eyes.
- Seek medical assistance immediately in case of any unprecedented occurrence.
- Pack should be resealed and product should be stored as per instructions.


Approximate Coverage Area in Sq.Ft. Per 5kg Epoxy Grout

In mm	2mm	3mm	4mm	6mm	8mm	10mm	12mm
100x100x3	264	177	133	90	68	55	46
150x150x4	296	198	149	100	75	61	51
200x150x4	269	181	136	91	69	55	46
150x300x6	263	175	132	88	66	53	44
300x300x6	394	263	198	132	100	80	67
450x300x7	405	270	202	135	101	81	68
600x450x8	506	337	253	169	127	101	85
600x600x8	591	394	295	197	148	119	99
600x900x11	515	343	258	171	129	103	86
900x900x12	590	393	295	197	148	118	99





CRTS[®]
SPECIALTY CHEMICALS



FABRO INDUSTRIES

Level 4 Dynasty, A Wing, Andheri-Kurla

Road, Mumbai, 400059

E-mail: fabroindustries@gmail.com

www.crtscs.co.in

For more Updates, follow us on



Indian Green Building Council



IS-15477:2019
CML No. 9100191512



14001:2015

45001:2018

9001:2015