




## Muscle Groups Focus




### Straight Pull-Up Bar 1900

The straight pull-up provides a great way to perform the basic pull-up exercise of bodyweight training. Performed on a low-volume exercise machine, pull-ups provide an intense workout for the arm, shoulder, abdominal and back muscles.


### Attributes

Product code	1-1-016
Certificate	EN 16630, ASTM F3101
Age group	14 + years
Capacity	1 person
Max. weight load	218.26 lbs
Type	Calisthenics
Difficulty level	Hard

## Side View



## Plan View



### Installation information

Number of installers (concrete)	At least 2 people
Total installation time (concrete)	45-90 min.
Number of installers (equipment)	At least 2 people
Total installation time (equipment)	20-30 min.
Excavation volume	14,13 ft <sup>3</sup>
Concrete volume	14,13 ft <sup>3</sup>
Size of the base structure	2pc 19.69 x 19.69 x 31.5 „
Anchoring options	In-ground or surface
In combined structures, the volume of concrete required varies.	

### Technical specification


Safety surface area	Around 4.92 ft radius
Net weight	48.5 lbs
Material	S235
Critic fall height	55.12"
Color options	

For more color options, discuss with your sales representative.

### Warranty

Structure	25 years
Steel	15 years
Paint	2 years
Plastic	5-10 years
Rubber	1-3 years
Moving parts	2 years
Detailed information in the warranty document	

# Material specification



The element is made of high quality S235 steel, which has been cleaned via sandblasting. A corrosion resistant powder coating finish is then applied. Also available with galvanized surface for even greater protection and longevity!



The clamp system allows for easy assembly and extreme stability.



The connecting elements are fastened with vandal-proof stainless steel screws and nuts.



The ends of the bars and posts are sealed with injection-moulded plastic caps.

# BESTSTRONG

 [beststrongworld](#)  [beststrongworld](#)  [usa.beststrong.com](#)  [usa@beststrong.com](mailto:usa@beststrong.com)

