

Innovate  
Different from the rest

/  
Foreknowledge  
See what one has never seen before

Everything in the cupboard Wisdom of light

We've been exploring the Third World of possession




### Art aesthetics

He has been exploring the boundaries of art, integrating aesthetic concepts into life, creating value with light, and presenting it in a beautiful and dynamic manner.



### Optical design

Professional light control design, anti-glare lens color, light field distribution is soft and uniform, see the light can not see the lamp, give a unique charm for a healthy light environment.



### Intelligent technology

With scientific and technological innovation as the driving force, it makes intelligent applications more humanized and brings immersive experiences and solutions to users.




### Life aesthetics

With the belief of discovering beauty and creating beauty, it interprets the attitude of exquisite life and enjoys the present pleasant life as poetic.



## Start your optical journey

The hope of light, the messenger of light, the charm of light, be with the light!



Vision: Create a new lighting experience;

Make life: light interpretation of exquisite life;

Values: To create and lead by science and technology,  
to benefit his achievements in the future!

# Product catalog

Brand overview

Lighting aesthetics

Antique lamp | Series

Laminated lamp | A Series

Laminated lamp | B Series

> Shadow | Hero in the cabinet

> Yao shadow | Craftsman core all match

Yitong lamp | Grille series

Hands-free | Series


Wall light | Series

Power supply | Power device



The whole cabinet artistic light effect system solution





01

## Antique lamp | Series



02

## Antique lamp | Series-HJ-1010a



### Optical design / Color process



### Research and development innovation




### Functional technology



### Product Parameter \* Tip: The length can be customized according to demand (up to 300cm, can be cut arbitrarily)

Product model	Product size	Lamp power	Color rendering index	Aluminum wall thickness	Thickness of wood plates	Accessories matching	Applicable drive	Applied range	Way to install
HJ-1010a	300cm	8W/M	CRI 97	1.0mm	18 centimetre plate	Reflective cup aluminum plug	Constant voltage drive DC12V	Laminated cabinet	Flushbonding

### Installation instructions \* Tip: Laminate depth minimum retraction 20mm (unit: mm)



# Front laminate light | Series-HJ-3214



### Optical design / Color process



### Research and development innovation




### Functional technology



**Product Parameter** \* Tip: The length can be customized according to demand (up to 300cm, can be cut arbitrarily)

Product model	Product size	Lamp power	Color rendering index	Aluminum wall thickness	Thickness of wood plates	Accessories switching	Applicable drive	Applied range	Way to install
HJ-3214	300cm	8W/M	CRI 97	2.6mm	18 centimeter plate	Lens PC Aluminum plug	Constant voltage drive DC12V	Laminated cabinet	Laminate front clamp

**Installation instructions** \* Tip: Laminate depth minimum retraction 20mm (unit: mm)



# Front laminate light | Series-HJ-2813



### Optical design / Color process



### Research and development innovation




### Functional technology



### Product Parameter \* Tip: The length can be customized according to demand (up to 300cm, can be cut arbitrarily)

Product model	Product size	Lamp power	Color rendering index	Aluminum wall thickness	Thickness of wood plates	Accessories matching	Applicable drive	Applied range	Way to install
HJ-2813	300cm	8W/M	CRI 97	1.5mm	Unlimited	Lens PC Aluminum plug	Constant voltage drive DC12V	Laminated cabinet	Surface mounted magnet

### Installation instructions \* Tip: Laminate depth minimum retraction 20mm (unit: mm)



## Cabinet light | HJ-1212



### Optical design / Color process



### Research and development innovation




### Functional technology



### Product Parameter \* Tip: The length can be customized according to demand (up to 300cm, can be cut arbitrarily)

Product model	Product size	Lamp power	Color rendering index	Aluminum wall thickness	Thickness of wood plates	Accessories switching	Applicable drive	Applied range	Way to install
HJ-1212	300cm	8W/M	CRI 97	1.5mm	Unlimited	Lens PC Aluminum plug	Constant voltage drive DC12V	Laminated cabinet	Open mounting fasteners

### Installation instructions \* Tip: Laminate depth minimum retraction 20mm (unit: mm)



# Laminate insert | HJ-0609



## Optical design / Color process



## Research and development innovation





## Functional technology



## Product Parameter \* Tip: The length can be customized according to demand (up to 300cm, can be cut arbitrarily)

Product model	Product size	Lamp power	Color rendering index	Aluminum wall thickness	Thickness of wood plates	Accessories matching	Applicable drive	Applied range	Way to install
HJ-0609	300cm	8W/M	CRI 97	0.75mm	18 centimetre plate	Silicone lamp shade, aluminum plug	Constant voltage drive DC12V	Laminated cabinet	Laminate embedding

## Installation instructions \* Tip: Laminate depth minimum retraction 20mm (unit: mm)



# Laminate insert | HJ-1010b



### Optical design / Color process



### Research and development innovation





### Functional technology



### Product Parameter \* Tip: The length can be customized according to demand (up to 300cm, can be cut arbitrarily)

Product model	Product size	Lamp power	Color rendering index	Aluminum wall thickness	Thickness of wood plates	Accessories including	Applicable drive	Applied range	Way to install
HJ-1010b	300cm	8W/M	CRI 97	0.75mm	18 centimetre plate	Lens aluminum plug	Constant voltage drive DC12V	Laminated cabinet	Laminate embedding

### Installation instructions \* Tip: Laminate depth minimum retraction 20mm (unit: mm)



## Backboard | HJ-1119



### Optical design / Color process



### Research and development innovation




### Functional technology



### Product Parameter \* Tip: The length can be customized according to demand (up to 300cm, can be cut arbitrarily)

Product model	Product size	Lamp power	Color rendering index	Aluminum wall thickness	Thickness of wood plates	Accessories matching	Applicable drive	Applied range	Way to install
HJ-1119	300cm	8W/M	CRI 97	1.0mm	18 centimetre plate	Lens aluminum plug	Constant voltage drive DC12V	Laminated cabinet	Laminate embedding

### Installation instructions \* Tip: Laminate depth minimum retraction 20mm (unit: mm)



## Extreme optics Phantom Series x Glow series

A masterpiece of ingenuity, unprecedented, born for high quality!

The unique optical design emphasizes the subjective aesthetic function, and achieves the artistic effect of prominent focus and unique environment: rich level, rich atmosphere and colorful.

The light is soft and graceful, which can play a leading role in the lighting of the whole cabinet, and can accurately control the local light effect, focus on the temperament of the exhibits, and create a different light field environment.

17

18

## Phantom Series

## Glow series



### ① UGR optics

See the light and see the lamp. With the development and innovation of the fly eye aesthetic lens, it not only highlights the accuracy and control of the light spot, but also solves the average degree and permeability of the light field scene.




### ② The King of Light

High color rendering, wide color gamut, blooming the charm of light. Create deep anti-glare, no astigmatism, no shadow... And other characteristics, escort for a healthy environment.



### ③ Light adjustment Angle

Subversive to create a more humane application, to achieve smart light tracking Angle effect. The product adopts aluminum texture die-casting, exquisite texture, and solid anti-wear.



### ④ All-in-one combination

Gold and silver dual color, can be selected according to the lighting mode of the cabinet and the structure of various profiles, fashion, elegant, creative, both inside and outside repair, beauty at your reach.



### ① Optical lens

The lens texture adopts the fly eye relief design to achieve the ultimate optical perfection, crystal clear, precise light control, and soft light effect.



### ② Luminous effect

A new generation of optical masterpiece, enriched the rendering level of key lighting, the application of a variety of color temperatures, so that light and shadow color glow, shine but not glare, the atmosphere is extraordinary.



### ③ Adjust the Angle freely

Inspiration, light moves with the scene. With multi-angle free adjustment design, only for high grade demand. Aluminum die-casting, feel delicate, originality quality is far ahead.




### ④ All-in-one combination

Gold and silver dual color, can be selected according to the lighting mode of the cabinet and the structure of various profiles, fashion, elegant, creative, both inside and outside repair, beauty at your reach.



## Shoe cabinet | HJ-4514b



### Optical design / Color process



### Research and development innovation




### Functional technology



**Product Parameter** \* Tip: The length can be customized according to demand (up to 300cm, can be cut arbitrarily)

Product model	Product size	Lamp power	Color rendering index	Aluminum wall thickness	Thickness of wood plates	Accessories matching	Applicable drive	Applied range	Way to install
HJ-4514b	300cm	8W/M	CRI 97	1.5mm	18 centimetre plate	Lens PC	Constant voltage drive DC12V	Laminated shoe cabinet	Laminate front clamp

**Installation instructions** \* Tip: Laminate depth minimum retraction 20mm (unit: mm)



## Laminate insert | HJ-1310



### Optical design / Color process



### Research and development innovation




### Functional technology



### Product Parameter \* Tip: The length can be customized according to demand (up to 300cm, can be cut arbitrarily)

Product model	Product size	Lamp power	Color rendering index	Aluminum wall thickness	Thickness of wood plates	Accessories matching	Applicable drive	Applied range	Way to install
HJ-1310	300cm	8W/M	CRI 97	1.0mm	18 centimetre plate	Lens, PC/aluminum plug	Constant voltage drive DC12V	Laminated cabinet	Laminate embedding

### Installation instructions \* Tip: Laminate depth minimum retraction 20mm (unit: mm)



## Front laminate light | HJ-3614



### Optical design / Color process



### Research and development innovation




### Functional technology



### Product Parameter \* Tip: The length can be customized according to demand (up to 300cm, can be cut arbitrarily)

Product model	Product size	Lamp power	Color rendering index	Aluminum wall thickness	Thickness of wood plates	Accessories matching	Applicable drive	Applied range	Way to install
HJ-3614	300cm	8W/M	CRI 97	2.2mm	18 centimetre plate	Lens PC	Constant voltage drive DC12V	Laminated cabinet	Laminate front clamp

### Installation instructions \* Tip: Laminate depth minimum retraction 20mm (unit: mm)



Cabinet light | Series



27

28

## Wall cupboard | HJ-4620



### Optical design / Color process



### Research and development innovation





### Functional technology



### Product Parameter \* Tip: The length can be customized according to demand (up to 300cm, can be cut arbitrarily)

Product model	Product size	Lamp power	Color rendering index	Aluminum wall thickness	Thickness of wood plates	Accessories matching	Applicable drive	Applied range	Way to install
HJ-4620	300cm	8W/M	CRI 97	1.5mm	18 centimetre plate	Lens PC	Constant voltage drive DC12V	Cabinet	High cabinet front card

### Installation instructions \* Tip: Laminat depth minimum retraction 20mm (unit: mm)



# Cabinet light | HJ-1515



## Optical design / Color process



## Research and development innovation



## Functional technology




**Product Parameter** \* Tip: The length can be customized according to demand (up to 300cm, can be cut arbitrarily)

Product model	Product size	Lamp power	Color rendering index	Aluminum wall thickness	Thickness of wood plates	Accessories matching	Applicable drive	Applied range	Way to install
HJ-1515	300cm	8W/M	CRI 97	1.5mm	Unlimited	Lens PC/ Aluminum plug	Constant voltage drive DC12V	Cabinet	Open mounting clip/adhesive

**Installation instructions** \* Tip: Laminate depth minimum retraction 20mm (unit: mm)




## Yitong light | Grille series



### Product feature:

- 1: the light oblique internal light, no leakage lamp belt, anti-glare;
- 2: paving natural light, uniform light;
- 3: the laminate front installation, enhance the laminate bending ability;
- 4: clamping installation, no screws or glue and other auxiliary parts easy to install and disassemble.

# Yitong light | HJ-4015



## Optical design / Color process




## Research and development innovation



Grille/lens



Infrared induction



Rubber strip mute and reduce noise


## Functional technology




## Product Parameter \* Tip: The length can be customized according to demand (up to 300cm, can be cut arbitrarily)

Product model	Product size	Lamp power	Color rendering index	Aluminum wall thickness	Accessories matching	Applicable drive	Applied range	Way to install
HJ-4015	60-120cm	10W/M	CRI 97	1.7mm	Reflective cup lens rhomboid plate	Constant voltage drive DC12V	Cabinet	Open mounting latch flange

## Installation instructions \* Tip: Laminates depth minimum retraction 20mm (unit: mm)



# Yitong light | HJ-2929



## Optical design / Color process



## Research and development innovation



Grille/lens



Infrared induction



Rubber strip mute and reduce noise


## Functional technology



## Product Parameter \* Tip: The length can be customized according to demand (up to 300cm, can be cut arbitrarily)

Product model	Product size	Lamp power	Color rendering index	Aluminum wall thickness	Accessories matching	Applicable drive	Applied range	Way to install
HJ-2929	60-120cm	8W/M	CRI 97	2.0mm	Reflective cup lens rhomboid plate	Constant voltage drive DC12V	Cabinet	Open mounting latch flange

## Installation instructions \* Tip: Laminates depth minimum retraction 20mm (unit: mm)



# Cabinet | HJ-6642



## Optical design / Color process



## Research and development innovation




## Functional technology




**Product Parameter** \* Tip: The length can be customized according to demand (up to 300cm, can be cut arbitrarily)

Product model	Product size	Lamp power	Color rendering index	Aluminum wall thickness	Thickness of wood plates	Accessories matching	Applicable drive	Applied range	Way to install
HJ-6642	300cm	8W/M	CRI 97	1.5mm	T8 centimetre plate	Silicone lamp shade	Constant voltage drive DC12V	Cabinet	Embedded

**Installation instructions** \* Tip: Laminare depth minimum retraction 20mm (unit: mm)



## Cabinet | HJ-4842



### Optical design / Color process



### Research and development innovation



### Functional technology



### Product Parameter \* Tip: The length can be customized according to demand (up to 300cm, can be cut arbitrarily)

Product model	Product size	Lamp power	Color rendering index	Aluminum wall thickness	Thickness of wood plates	Accessories matching	Applicable drive	Applied range	Way to install
HJ-4842	300cm	8W/M	CRI 97	1.5mm	18 centimetre plate	Silicone lamp shade	Constant voltage drive DC12V	Cabinet	Embedded

### Installation instructions \* Tip: Laminate depth minimum retraction 20mm (unit: mm)




# Drawer | HJ-7326



## Optical design / Color process



## Research and development innovation




## Functional technology



**Product Parameter** \* Tip: The length can be customized according to demand (up to 300cm, can be cut arbitrarily)

Product model	Product size	Lamp power	Color rendering index	Aluminum wall thickness	Thickness of wood plates	Accessories matching	Applicable drive	Applied range	Way to install
HJ-7326	300cm	8W/M	CRI 97	1.5mm	18 centimetre plate	Silicone lamp shade	Constant voltage drive DC12V	Cabinet	Embedded

**Installation instructions** \* Tip: Laminate depth minimum retraction 20mm (unit: mm)



## Drawer | HJ-5726



### Optical design / Color process



### Research and development innovation




### Functional technology



**Product Parameter** \* Tip: The length can be customized according to demand (up to 300cm, can be cut arbitrarily)

Product model	Product size	Lamp power	Color rendering index	Aluminum wall thickness	Thickness of wood plates	Accessories switching	Applicable drive	Applied range	Way to install
HJ-5726	300cm	8W/M	CRI 97	1.5mm	1.8 centimetre plate	Silicone lamp shade	Constant voltage drive DC12V	Cabinet	Embedded

**Installation instructions** \* Tip: Laminate depth minimum retraction 20mm (unit: mm)



# Intelligent dimming | HJ-4521



### Optical design / Color process



### Research and development innovation




### Functional technology



### Product Parameter \* Tip: The length can be customized according to demand (up to 300cm, can be cut arbitrarily)

Product model	Product size	Lamp power	Color rendering index	Aluminum wall thickness	Accessories matching	Applicable drive	Applied range	Way to install
HJ-4521	Customization	8W/M	CRI 97	3.0mm	Silicone lamp shade	Constant voltage drive DC12V	Wall	Hanging panel



Power supply control unit

Integrated design / Core stability / Multi-color options



## Power supply | LED control unit

Slim body, Super powerful

-  Cabinet light
-  Closet light
-  Human body induction
-  Infrared induction
-  No flicker
-  High P



### Product feature:

- 1、 More safe, intelligent, convenient, stable;
- 2、 Five years warranty period;
- 3、 High power factor, high energy efficiency, low power consumption, long life;
- 4、 Over voltage/over current/short circuit/overheating protection;
- 5、 Ultra-thin design, suitable for ultra-small space installation.



One to you, one to the light

Warm heart, what you see is attitude ~



The light of creation is a story inside and out!



Open up our third world

INNOVATE OPTICS




The light guards the love that hides plentifully~

The artistic conception of light is born from the heart




Light and shadow shine brightly  
—  
Stored inside




**Transcender**

It is not necessary to PK with who, but to think about the process of self-iteration, innovation and improvement. The leader's insight, look at the overall situation, strategically, know that he has reached himself!


# Yitong light | HJ-1834




Pc Cover : PC (milky)  
lamp body material: 6063-T5 aluminum  
PCB Width: under 15 mm  
Surface color: sand white, sand black



The plastic endcaps  
The hang clips





## Cabinet application

Flat grooves are installed on common cabinets such as wardrobes, lockers, shoe cabinets, etc., so that the light emitted by the lamp strip illuminates the interior of the cabinet, greatly improving the convenience of use. If the line light is placed in the wine cabinet, bookcase and storage shelf, and the streamer is hidden in the cabinet, then the small layout space will become very high.