



UK Bamboo
Supplies Limited



Product Brochure

Contents

- 3** About Us
- 5** Bamboo Poles
- 9** Bamboo Boards & Veneers
- 13** Bamboo Decking, Cladding & Lumber
- 17** Bamboo Roll Screens & Fence Panels
- 18** Bamboo Garden Products
- 21** Flexible Bamboo Wall Panelling
- 24** Contact Us



UK Bamboo Supplies Ltd. are a leading UK supplier of bamboo fencing, bamboo poles, and bamboo plyboard. Founded in 2004, the business has been supplying the nation with bamboo for two decades and offers the widest range of bamboo materials available on the UK market.

Bamboo is an incredibly versatile natural material and we are proud to work with a range of industries. From architects and events professionals, to landscapers and gardeners, there's always a new project on the horizon to supply. Hero projects have included supplying ITV's 'Love Your Garden with Alan Titchmarsh,' having products featured at the climate change conference COP26, and supplying the Eden Project.

In 2023, UK Bamboo Supplies Ltd. became an official UK agent of the Dasso Group. Known as 'The Global Innovator of Bamboo Products', the alignment with the Group has expanded our product offering with a range of world-class engineered bamboo solutions: decking, cladding, and lumber.

About Us

Purpose

To supply a sustainable timber alternative and champion the versatility of bamboo.

Mission

To improve the UK's accessibility to bamboo materials by offering the widest range of bamboo poles, fencing and plyboards at affordable prices.

Vision

From the gardener to the conglomerate: To be part of a world where the full potential of bamboo is realised.

4



Natural Bamboo Geodesic Dome
by Atlas Domes

Bamboo Poles

Sourced from responsibly managed forests around the world, UK Bamboo have visited partner forests in Asia to inspect first-hand the forest management practices. Over time, we have built up a trusted network of partner plantations, meaning the business can import the finest natural bamboo that has been grown in line with best practice.

Our bamboo poles are divided into 3 easy-to-understand categories, based around species and characteristics: Natural, Dark, & Guadua. Sizes range from 20/25mm all the way up to 120/150mm, and also features the world's strongest bamboo: *Guadua angustifolia*.



Natural

The classic golden bamboo and our best selling poles.



Dark

Naturally tall, dark, and handsome. Bamboo known for its good looks.



Guadua

The world's strongest bamboo, loved by artists and architects.

Diameter Range

- 25/28mm - 120/150mm
- 20/25mm - 80/100mm
- 60/80mm - 80/100mm

Species

- *Phyllostachys edulis*
- *Phyllostachys vivax*
- *Phyllostachys nigra*
- *Gigantochloa atrovioleacea*
- *Phyllostachys bambusoides f. lacrima-deae*
- *Guadua angustifolia*

Guadua Bamboo Poles



Diameter
60/80mm

SKU **Length**
BPG600 4m



Diameter
80/100mm

SKU **Length**
BPG800 5.8m



Dark Bamboo Poles



Diameter
20/25mm

SKU **Length**
BPD200 3m



Diameter
30/35mm

SKU **Length**
BPD300 4m



Diameter
40/50mm

SKU **Length**
BPD400 4m



Diameter
50/60mm

SKU **Length**
BPD500 4m

Natural Bamboo Poles



Diameter
25/28mm

SKU **Length**
BPN200 4m



Diameter
30/35mm

SKU **Length**
BPN300 4m



Diameter
40/45mm

SKU **Length**
BPN400 5.5m



Diameter
50/55mm

SKU **Length**
BPN500 5.5m



Require a length, diameter, or species not shown here?

Get in touch with the UK Bamboo Supplies team with your project requirements. Through our bamboo network, we are able to source just about any bamboo, such as 7m lengths of Guadua, as special orders to make your bamboo project a reality (subject to minimum order quantities).

✉ sales@ukbamboo.com

☎ [01825 890041](tel:01825890041)

Open Mon – Fri 9am – 4:30pm (Excluding bank holidays)

Natural Slat

Craft Pack



Diameter
60/80mm

SKU **Length**
BPD600 4m



Diameter
80/100mm

SKU **Length**
BPD800 4m



Slat width
45/50mm

SKU **Length**
BSM452 2.4m



Diameter
Various assortment

SKU **Length**
CP002 30cm



Diameter
60/70mm

SKU **Length**
BPN600 4m



Diameter
70/80mm

SKU **Length**
BPN700 4m



Diameter
90/120mm

SKU **Length**
BPN1000 4m



Diameter
120/150mm

SKU **Length**
BPN1200 4m



40mm Caramel Bamboo
Kitchen Worktop
(9 Ply)

Bamboo Boards & Veneers

Made from 100% responsibly sourced bamboo.

Bamboo plywood offers a sustainable alternative to traditional timber and MDF. As a giant grass, bamboo is a non-timber forest product, but can be used for all the same applications as timber ply.

From 1.35/1.5mm veneers to 40mm worktops:

UK Bamboo Supplies stocks an extensive range of bamboo ply, with products divided into veneers and boards, based on thickness. 1.35/1.5mm, 3mm and 5mm are veneers, while 7mm and above are boards. In addition to thickness, the products are available in a range of plys (from single ply to 9 ply) and presses (side-pressed & plain-pressed).



Side-pressed

Also known as 'Vertical Press'

The faces of the board are made by arranging the bamboo slats on their sides (thin edge), before pressing. This results in a more detailed face.



Plain-pressed

Also known as 'Horizontal Press'

The faces of the board are made by arranging the bamboo slats face-down before pressing. Individual bamboo slat and node details are clearly visible. A 'plainer' look, compared to the side-pressed.



Strand-woven

High-density 'Tiger' bamboo

Bamboo slats are crushed into fibres and combined with resin and subjected to a hydraulic press. The interwoven bamboo strands make this board impact-resistant. The board's face is uniquely striped, earning the name 'Tiger'.

Sizes available

1.35/1.5 & 3mm

- 300 × 200mm (+/- A4)
- 600 × 400mm (+/- A2)
- 1220 × 410mm
- 2440 × 410mm

5mm & boards up to 40mm

- 300 × 200mm (+/- A4)
- 600 × 400mm (+/- A2)
- 4ft x 4ft
- 8ft x 4ft

Worktops

- 3000 × 630mm
(40mm 9 ply only)

Bamboo Veneers

1.35/1.5mm & 3mm are available in 300 × 200mm (+/- A4), 600 × 400mm (+/- A2), 1220 × 410mm, 2440 × 410mm. 5mm is available in the standard bamboo board sizes

Thickness
1.35/1.5mm



Press Side-pressed
Type Caramel
SKU BVC15
Ply 3

Thickness
3mm



Press Side-pressed
Type Caramel
SKU BVC3
Ply 6

Thickness
5mm



Press Side-pressed
Type Caramel
SKU BVC5
Ply 1



Bamboo Boards

Sizes available: 300 × 200mm (+/- A4), 600 × 400mm (+/- A2), 4ft x 4ft, 8ft x 4ft

Thickness
7mm



Press Side-pressed
Type Caramel
SKU BVC7
Ply 3

Thickness
12mm



Press Side-pressed
Type Caramel
SKU BVC12
Ply 3

Thickness
19/20mm



Press Plain-pressed
Type Caramel
SKU BVCP20
Ply 3

Thickness
19/20mm



Press Side-pressed
Type Caramel
SKU BVC20
Ply 3



Sample Pack

Explore the range



Thickness

All boards & veneers



SKU BVSP

Bamboo Worktop

3000 × 630mm

Thickness

19/20mm



Press Strand-woven

Type Tiger

SKU BVT20

Ply 3

Thickness

30mm



Press Side-pressed

Type Caramel

SKU BVC30

Ply 3

Thickness

40mm



Press Side-pressed

Type Caramel

SKU BVC40

Ply 5

Thickness

40mm



Press Plain-pressed

Type Caramel

SKU BKWC-300

Ply 9



FSC

www.fsc.org

FSC® C193661

The mark of
responsible forestry

FSC® Certified Products *available upon request*

UK Bamboo Supplies Limited are FSC certified, licensed to sell the bamboo boards & veneers (1.35/1.5mm - 40mm) under FSC license C193661 (N5. Bamboo and articles of bamboo). **By choosing the products in this range, you are supporting responsible management of the world's forests.**

*** Subject to FSC stock availability.



Bamboo Decking, Cladding & Lumber



The range of decking, cladding & lumber is the result of 30 years of research and innovation by the Dasso Group. Backed by an Environmental Product Declaration (EPD) and a 25-year Limited Manufacturer's Warranty, for example, the products have been designed to offer a sustainable alternative to traditional materials.

Following careful selection of mature bamboos (aged 4 - 6 years), the bamboo poles are harvested from managed forests. The poles are split into strands with outer layers removed and are then processed into CTECH or XTR. The result is durable Fused Bamboo® with a hardness rating greater than hardwood (Durability Class 1 [EN 1534]) and resistance to rotting, bacteria, fungus, moulds, and insects.



CTECH®

A rich cognac colour

To create CTECH, the bamboo fibres are crystallised with CeramiX® particles and impregnated with phenolic resin (the same resin found in bowling balls), before being compressed to form the Fused Bamboo®. The result is a rich cognac colour: CTECH.



XTR®

A deep shade of espresso

For XTR, the bamboo strands undergo a patented heat-treatment process to remove the nutrients from the bamboo. The fibres are then impregnated with phenolic resin and undergo compression. This creates the deep espresso colour: XTR.

Bamboo Decking

1850 × 137 × 18mm

Download the product certificates from ukbamboo.com

CTECH

ED18-SG2-5TG-PSR



Main Board (G2)
Double groove edges

Side Profile



Tongue & groove end-matched short edge



CTECH

ED18-SG1-5TG-PSR



Starter Board (G1)
Single grooved edge



XTR

XD18-SG2-5TG-PSR



Main Board (G2)
Double groove edges



XTR

XD18-SG1-5TG-PSR



Starter Board (G1)
Single grooved edge



Key Features

- Fire Resistance Class Bfl-s1
- 25 Year Limited Manufacturer's Warranty
- Tongue & groove end-matched short edge
- 2-grooved long edges for hidden clip system
- Durability Class 1 [EN 1534] - Harder than hardwood
- Reversible faces - Choose between smooth or grooved
- Combine with optional single-grooved decking board for a finished edge

Decking Clips

G2 Outer Edge Clip & Screw Set


DC-o6-box



Box of 80 x outer edge decking clips
with 80 Torx screws & 1 Torx drill bit

G1 & G2 Board Clip & Screw Set

DC-o8-box



Box of 80 x decking clips
with 80 Torx screws & 1 Torx drill bit

Manufacturer's recommendation: 20 clips / 1m²

Bamboo Cladding

1850 × 137 × 18mm

CTECH

ES18-MSL-5TG-PSS



CTECH 18mm cladding
Shiplap long edge



XTR

XS18-MSL-5TG-PSS



XTR 18mm cladding
Shiplap long edge




- Durability Class 1 [EN 1534]
- Fire Resistance Class B-s1 d0
- Pairs with the hidden clip system
- 25 Year Limited Manufacturer's Warranty
- Also available in 12mm 2-groove long-edge profile

Cladding Clips

Cladding Clip & Screw Set

CC-18-box



Box of 50 x cladding clips
with 50 Phillips screws & 1 Phillips drill bit

Manufacturer's recommendation: 20 clips / 1m²

Bamboo Lumber

1860 × 205 × 20mm


CTECH

EL20-205-6FT-PAC



XTR

XL20-205-6FT-UAC



^ Image: CTECH Bamboo Decking

FSC® Certified Products

available upon request

UK Bamboo Supplies Limited are FSC certified, licensed to sell the bamboo decking, cladding & lumber under FSC license C193661 (N5. Bamboo and articles of bamboo). **By choosing the products in this range, you are supporting responsible management of the world's forests.**

*** Subject to FSC stock availability.



25/35mm Moso Bamboo Roll Screen,
H: 2.5m x W: 2m

Bamboo Roll Screens & Fence Panels

Bamboo fence panels are a firm favourite for those looking to introduce a high-end contemporary look to their outdoor space. Crafted from high quality bamboo, the panels balance strength and durability with an exotic aesthetic guaranteed to transform any garden. The light natural colour of the Tali bamboo brightens dark areas, while the Java Black pairs well with greenery to make vibrant colours pop.

Versatile and easy to install, bamboo screens make light work of creating a feature area in the garden or disguising an existing fence.

Black*

25/35mm poles



H: 2m x W: 2m
SKU SCB302

Moso*

25/35mm poles



H: 2m x W: 2m
SKU SCM302

Natural

25/40mm poles



H: 2m x W: 2m
SKU BSN-201

Slat

20/25mm slats



H: 2m x W: 3m
SKU SCSM203

Bamboo Fence Panels

60/80mm pole diameter

20mm slats

Java Black

Half Round Panel



H: 2m x W: 1m
SKU SCJP1

Tali

Half Round Panel



H: 2m x W: 1m
SKU SCTP1

Java Black

Full Round Panel



H: 2m x W: 1m
SKU SCJP3

Tali

Full Round Panel



H: 2m x W: 1m
SKU SCTP3

Bisetti

Woven Panel



H: 6ft x W: 3ft
SKU WP601

* Black & Moso screen sizes also available: H:2.5m x W:2m, H:1m x W:2m

Bamboo Garden Products

Introduce rustic charm to the garden with a subtle hint of bamboo. Enhance the ambiance of your outdoor space with the gentle sound of the Shishi Odoshi water feature, or give plants a stylish new home with a bamboo planter. Customers have also used the Bamboo Thatch to great effect, particularly in events and interior design, as decoration for tiki bars.



Bird Feeder

70/80mm pole diameter

H: 35cm x W: 24cm
SKU BBF001



Shishi Odoshi

Bamboo water feature

H: 62cm x W: 55cm
SKU BDS003

(pump not included)



Bamboo Thatch

Also available:

- H: 1.5m x W: 5m

H: 1.8m x W: 5m
SKU BT518





Palm Fibre Twine (3mm)

Black
50 metres



SKU TBL003

Brown
50 metres



SKU TBR003

Trellis

25/35mm slat width

Natural
Half Size Trellis



H: 1.5m x W: 0.5m
SKU BST001

Natural
Full Size Trellis



H: 1.5m x W: 1m
SKU BST002

Rake

Moso Bamboo



H: 144cm x W: 44cm
SKU BLR

Horizontal Planter

80/100mm pole diameter

Natural



H: 10cm x W: 75cm
SKU plant005

Vertical Planter

80/100mm pole diameter

Java Black



H: 2m x W: 10cm
SKU plant002

Tali



H: 2m x W: 10cm
SKU plant003



Hair Salon Interior Design
by Fantoush Interior Design Studio

Flexible Bamboo Wall Panelling

A favourite with interior designers for both residential and commercial projects, the Flexible Bamboo Wall Panelling is made from Moso bamboo (*Phyllostachys edulis*) harvested from sustainably managed bamboo forests in Anji County in China.

Choose from 2 styles of panelling

The **Raised Profile** wall panelling features a naturally textured surface with prominent natural nodes, while the **Smooth Profile** wall panelling has been machined smooth with the nodes removed.



Sample Pack
WPSP

Smooth Profile

H: 2.5m x W: Sold per 1m, up to a max continuous width of 10m



Burnt Honey
WPBH250



Vanilla Stripe
WPVS250



Autumn Wheat
WPAW250



Woven Matting
FM1X2

Raised Profile

H: 2.5m x W: Sold per 1m, up to a max continuous width of 10m



Raw Green
WPRG250



Raw Natural
WPRN250



Mystic Forest
WPMF250



Tortoise
WPT250



| *'The Beacon'*
| by Bamboology



Bamboo is
one of the best performing
RENEWABLE
resources around
especially if
used as a semi-finished
material in a durable application.

P49, Technical Report #35:
"The Environmental Impact of Industrial Bamboo".
International Bamboo & Rattan Organisation (INBAR)

Contact Us



01825 890041



www.ukbamboo.com



sales@ukbamboo.com



Unit 4, New Place Farm, Framfield,
East Sussex, TN22 5EQ

Open: Mon – Fri 9am – 4:30pm (Excl. bank holidays)

Sustainably printed by

printopia


 **Climate neutral**
Print product