

Unsurpassed Simplicity and Reliability

Maintaining an industrial facility can be challenging. That is why Advance developed the SC901™, a simple machine allowing facility operators to focus on core tasks in a productive manner.

The SC901 removes common complexity routinely associated with floor cleaning equipment. The absence of sophisticated electronics and excessive features increases ease of use and uptime while lowering your overall cost to clean.

- Minimal electronics for increased reliability and lower total cost of ownership
- Built with hand select components from top manufacturers for long lasting durability
- Essential functions are uncomplicated for the utmost in reliability
- Powerful motors will provide years of trouble-free operation and powerful performance
- Simplified user interface eliminates operator confusion and makes operator training fast and easy



Picture shown may not represent model quoted

• Standard equipment

Included accessories	Ref. no.	Min. required	SC901 28D W242 SC PH	SC901 28D W310 SC PH	SC901 28D A255 OBC PH
Brush Cylindrical					
BRUSH 180 GRIT 32-BLUE/GREY	56407476	0			
Pad Holder					
PAD HOLDER-14 3 LUG	56505800	0	•	•	•
PAD HOLDER-17 3 LUG	56505780	0			
Disc Brush 430 mm					
DISC BRUSH-17 MIDLITE 3 LUG	56505788	0			
Battery					
BATTERY 6V 312 AH AGM	56112546	0			•
Battery Wet					
BATTERY 6V 242AH WET	56206079	0	•		
On-Board Charger					
CHARGER-ON BOARD-KIT	56115373	0			•

• Standard equipment

Included accessories	Ref. no.	Min. required	SC901 34D W242 SC PH	SC901 34D W310 SC PH	SC901 34D A255 OBC PH
Brush Cylindrical					
BRUSH 180 GRIT 32-BLUE/GREY	56407476	0			
Pad Holder					
PAD HOLDER-14 3 LUG	56505800	0			
PAD HOLDER-17 3 LUG	56505780	0	•	•	•

Unsurpassed Simplicity and Reliability

Included accessories	Ref. no.	Min. required	SC901 34D W242 SC PH	SC901 34D W310 SC PH	SC901 34D A255 OBC PH
Disc Brush 430 mm					
DISC BRUSH-17 MIDLITE 3 LUG	56505788	0			
Battery					
BATTERY 6V 312 AH AGM	56112546	0			•
Battery Wet					
BATTERY 6V 242AH WET	56206079	0	•		
On-Board Charger					
CHARGER-ON BOARD-KIT	56115373	0			•

• Standard equipment

Included accessories	Ref. no.	Min. required	SC901 X28D W242 OBC PH	SC901 X28D W310 OBC PH	SC901 X28D A255 OBC PH
Brush Cylindrical					
BRUSH 180 GRIT 32-BLUE/GREY	56407476	0			
Pad Holder					
PAD HOLDER-14 3 LUG	56505800	0	•	•	•
PAD HOLDER-17 3 LUG	56505780	0			
Disc Brush 430 mm					
DISC BRUSH-17 MIDLITE 3 LUG	56505788	0			
Battery					
BATTERY 6V 312 AH AGM	56112546	0			•
Battery Wet					
BATTERY 6V 242AH WET	56206079	0	•		
On-Board Charger					
CHARGER-ON BOARD-KIT	56115373	0	•	•	•

• Standard equipment

Included accessories	Ref. no.	Min. required	SC901 X34D W242 OBC PH	SC901 X34D W310 OBC PH	SC901 X34D A255 OBC PH
Brush Cylindrical					
BRUSH 180 GRIT 32-BLUE/GREY	56407476	0			
Pad Holder					
PAD HOLDER-14 3 LUG	56505800	0			
PAD HOLDER-17 3 LUG	56505780	0	•	•	•
Disc Brush 430 mm					
DISC BRUSH-17 MIDLITE 3 LUG	56505788	0			
Battery					
BATTERY 6V 312 AH AGM	56112546	0			
Battery Wet					

Unsurpassed Simplicity and Reliability

Included accessories	Ref. no.	Min. required	SC901 X34D W242 OBC PH	SC901 X34D W310 OBC PH	SC901 X34D A255 OBC PH
BATTERY 6V 242AH WET	56206079	0	•		
On-Board Charger					
CHARGER-ON BOARD-KIT	56115373	0	•	•	•

• Standard equipment

Included accessories	Ref. no.	Min. required	SC901 34D W310 OBC MGB	SC901 34D A255 OBC MGB	SC901 X34D W310 OBC MGB
Brush Cylindrical					
BRUSH 180 GRIT 32-BLUE/GREY	56407476	0			
Pad Holder					
PAD HOLDER-14 3 LUG	56505800	0			
PAD HOLDER-17 3 LUG	56505780	0	•	•	•
Disc Brush 430 mm					
DISC BRUSH-17 MIDLITE 3 LUG	56505788	0	•	•	•
Battery					
BATTERY 6V 312 AH AGM	56112546	0		•	
Battery Wet					
BATTERY 6V 242AH WET	56206079	0			
On-Board Charger					
CHARGER-ON BOARD-KIT	56115373	0	•		

• Standard equipment

Included accessories	Ref. no.	Min. required	SC901 X34D A255 OBC MGB	SC901 32C W310 OBC MGB	SC901 32C A255 OBC MGB
Brush Cylindrical					
BRUSH 180 GRIT 32-BLUE/GREY	56407476	0		•	•
Pad Holder					
PAD HOLDER-14 3 LUG	56505800	0			
PAD HOLDER-17 3 LUG	56505780	0	•		
Disc Brush 430 mm					
DISC BRUSH-17 MIDLITE 3 LUG	56505788	0	•		
Battery					
BATTERY 6V 312 AH AGM	56112546	0	•		•
Battery Wet					
BATTERY 6V 242AH WET	56206079	0			
On-Board Charger					
CHARGER-ON BOARD-KIT	56115373	0		•	•

Unsurpassed Simplicity and Reliability

● Standard equipment

Included accessories	Ref. no.	Min. required	SC901 X32C W310 OBC MGB	SC901 X32C A255 OBC MGB
Brush Cylindrical				
BRUSH 180 GRIT 32-BLUE/GREY	56407476	0	●	●
Pad Holder				
PAD HOLDER-14 3 LUG	56505800	0		
PAD HOLDER-17 3 LUG	56505780	0		
Disc Brush 430 mm				
DISC BRUSH-17 MIDLITE 3 LUG	56505788	0		
Battery				
BATTERY 6V 312 AH AGM	56112546	0		●
Battery Wet				
BATTERY 6V 242AH WET	56206079	0		
On-Board Charger				
CHARGER-ON BOARD-KIT	56115373	0	●	

Model	SC901 28D W242 SC PH	SC901 28D W310 SC PH	SC901 28D A255 OBC PH
Ref. no.	56115535	56115536	56115537

PRODUCT FEATURES

Reverse button	●	●	●
Yellow Palm Buttons	●	●	●
Mechanical scrub and vacuum levers	●	●	●
Safety yellow touch points	●	●	●
Convenient thumb controlled cruise control	●	●	●
Control board-free design	●	●	●

Model	SC901 34D W242 SC PH	SC901 34D W310 SC PH	SC901 34D A255 OBC PH
Ref. no.	56115538	56115539	56115540

PRODUCT FEATURES

Reverse button	●	●	●
Yellow Palm Buttons	●	●	●
Mechanical scrub and vacuum levers	●	●	●
Safety yellow touch points	●	●	●
Convenient thumb controlled cruise control	●	●	●
Control board-free design	●	●	●

Unsurpassed Simplicity and Reliability

Model	SC901 X28D W242 OBC PH	SC901 X28D W310 OBC PH	SC901 X28D A255 OBC PH
Ref. no.	56115541	56115542	56115543

PRODUCT FEATURES

Reverse button	•	•	•
Yellow Palm Buttons	•	•	•
Mechanical scrub and vacuum levers	•	•	•
Safety yellow touch points	•	•	•
Convenient thumb controlled cruise control	•	•	•
Control board-free design	•	•	•

Model	SC901 X34D W242 OBC PH	SC901 X34D W310 OBC PH	SC901 X34D A255 OBC PH
Ref. no.	56115544	56115545	56115546

PRODUCT FEATURES

Reverse button	•	•	•
Yellow Palm Buttons	•	•	•
Mechanical scrub and vacuum levers	•	•	•
Safety yellow touch points	•	•	•
Convenient thumb controlled cruise control	•	•	•
Control board-free design	•	•	•

Model	SC901 34D W310 OBC MGB	SC901 34D A255 OBC MGB	SC901 X34D W310 OBC MGB
Ref. no.	56115547	56115548	56115549

PRODUCT FEATURES

Reverse button	•	•	•
Yellow Palm Buttons	•	•	•
Mechanical scrub and vacuum levers	•	•	•
Safety yellow touch points	•	•	•
Convenient thumb controlled cruise control	•	•	•
Control board-free design	•	•	•

Model	SC901 X34D A255 OBC MGB	SC901 32C W310 OBC MGB	SC901 32C A255 OBC MGB
Ref. no.	56115550	56115554	56115555

PRODUCT FEATURES

Reverse button	•	•	•
Yellow Palm Buttons	•	•	•
Mechanical scrub and vacuum levers	•	•	•

Unsurpassed Simplicity and Reliability

Model	SC901 X34D A255 OBC MGB	SC901 32C W310 OBC MGB	SC901 32C A255 OBC MGB
Ref. no.	56115550	56115554	56115555

PRODUCT FEATURES

Safety yellow touch points	•	•	•
Convenient thumb controlled cruise control	•	•	•
Control board-free design	•	•	•

Model	SC901 X32C W310 OBC MGB	SC901 X32C A255 OBC MGB
Ref. no.	56115556	56115557

PRODUCT FEATURES

Reverse button	•	•
Yellow Palm Buttons	•	•
Mechanical scrub and vacuum levers	•	•
Safety yellow touch points	•	•
Convenient thumb controlled cruise control	•	•
Control board-free design	•	•

Technical specifications	SC901 28D W242 SC PH	SC901 28D W310 SC PH	SC901 28D A255 OBC PH
Drive motor hp (W)	0.5 hp	0.5 hp	0.5 hp
Protection class	IPX4	IPX4	IPX4
Sound level	(IEC, ISO 11201) 68 dB A	(IEC, ISO 11201) 68 dB A	(IEC, ISO 11201) 68 dB A
Productivity per tankful	0.25 GPM (0.016 L/ S) - 120 mins / 0.5 GPM (0.032 L/S) - 60 mins / 0.75 GPM (0.047 L/S) - 40 mins / 1.0 GPM (0.063 L/S) - 30 mins	0.25 GPM (0.016 L/ S) - 120 mins / 0.5 GPM (0.032 L/S) - 60 mins / 0.75 GPM (0.047 L/S) - 40 mins / 1.0 GPM (0.063 L/S) - 30 mins	0.25 GPM (0.016 L/ S) - 120 mins / 0.5 GPM (0.032 L/S) - 60 mins / 0.75 GPM (0.047 L/S) - 40 mins / 1.0 GPM (0.063 L/S) - 30 mins
Solution tank (L)	30 gal (114 L)	30 gal (114 L)	30 gal (114 L)
Recovery tank (L)	32 gal (121 L)	32 gal (121 L)	32 gal (121 L)
Brush motor hp (W)	0.75 hp	0.75 hp	0.75 hp
Brush speed (RPM)	250	250	250
Gross vehicle weight lbs (kg)	(310 Ah batteries, Full Solution Tank) 1,189 lb (539.3 kg)	(310 Ah batteries, Full Solution Tank) 1,189 lb (539.3 kg)	(310 Ah batteries, Full Solution Tank) 1,189 lb (539.3 kg)
Gradeability transport % (DEG)	2%, 1.15 degrees	2%, 1.15 degrees	2%, 1.15 degrees
Gradeability working % (DEG)	2%, 1.15 degrees	2%, 1.15 degrees	2%, 1.15 degrees
Length	65.4 in (166 cm)	65.4 in (166 cm)	65.4 in (166 cm)
Height	44.8 in (113.8 cm)	44.8 in (113.8 cm)	44.8 in (113.8 cm)
Max. productivity (per hour)	28,028 sq ft/hr (2,604 sq m/hr)	28,028 sq ft/hr (2,604 sq m/hr)	28,028 sq ft/hr (2,604 sq m/hr)

Unsurpassed Simplicity and Reliability

Technical specifications	SC901 28D W242 SC PH	SC901 28D W310 SC PH	SC901 28D A255 OBC PH
Vacuum motor	0.95 hp	0.95 hp	0.95 hp
Scrub head type	Disc	Disc	Disc
Max. speed	Scrub & Transport - 3.2 mph (5.15 km/ hr)	Scrub & Transport - 3.2 mph (5.15 km/ hr)	Scrub & Transport - 3.2 mph (5.15 km/ hr)
Vacuum airflow	96 CFM (2,718 LPM)	96 CFM (2,718 LPM)	96 CFM (2,718 LPM)
Vacuum waterlift	71 in H2O (17.7 KPA)	71 in H2O (17.7 KPA)	71 in H2O (17.7 KPA)
Flow rate	0-1 GPM (3.8 LPM)	0-1 GPM (3.8 LPM)	0-1 GPM (3.8 LPM)
Cleaning width	28 in (71 cm)	28 in (71 cm)	28 in (71 cm)
Max. brush down pressure	80, 145, 200 lb (36, 66, 91 kg)	80, 145, 200 lb (36, 66, 91 kg)	80, 145, 200 lb (36, 66, 91 kg)
Floor Loading Right Front	147 PSI (1.0 N/sq mm)	147 PSI (1.0 N/sq mm)	147 PSI (1.0 N/sq mm)
Width without squeegee	30.3 in (77 cm)	30.3 in (77 cm)	30.3 in (77 cm)
Width with squeegee	41.8 in (106.6 cm)	41.8 in (106.6 cm)	41.8 in (106.6 cm)
Floor Loading Left Front	107 PSI (0.74 N/sq mm)	107 PSI (0.74 N/sq mm)	107 PSI (0.74 N/sq mm)
Floor Loading Right Rear	205 PSI (1.4 N/sq mm)	205 PSI (1.4 N/sq mm)	205 PSI (1.4 N/sq mm)
Floor Loading Left Rear	521 PSI (5.6 N/sq mm)	521 PSI (5.6 N/sq mm)	521 PSI (5.6 N/sq mm)
Battery options	242 Ah wet, 310 Ah wet, 255 Ah AGM	242 Ah wet, 310 Ah wet, 255 Ah AGM	242 Ah wet, 310 Ah wet, 255 Ah AGM

Technical specifications	SC901 34D W242 SC PH	SC901 34D W310 SC PH	SC901 34D A255 OBC PH
Drive motor hp (W)	0.5 hp	0.5 hp	0.5 hp
Protection class	IPX4	IPX4	IPX4
Sound level	(IEC, ISO 11201) 68 dB A	(IEC, ISO 11201) 68 dB A	(IEC, ISO 11201) 68 dB A
Productivity per tankful	0.25 GPM (0.016 L/ S) - 120 mins / 0.5 GPM (0.032 L/S) - 60 mins / 0.75 GPM (0.047 L/S) - 40 mins / 1.0 GPM (0.063 L/S) - 30 mins	0.25 GPM (0.016 L/ S) - 120 mins / 0.5 GPM (0.032 L/S) - 60 mins / 0.75 GPM (0.047 L/S) - 40 mins / 1.0 GPM (0.063 L/S) - 30 mins	0.25 GPM (0.016 L/ S) - 120 mins / 0.5 GPM (0.032 L/S) - 60 mins / 0.75 GPM (0.047 L/S) - 40 mins / 1.0 GPM (0.063 L/S) - 30 mins
Solution tank (L)	30 gal (114 L)	30 gal (114 L)	30 gal (114 L)
Recovery tank (L)	32 gal (121 L)	32 gal (121 L)	32 gal (121 L)
Brush motor hp (W)	0.75 hp	0.75 hp	0.75 hp
Brush speed (RPM)	250	250	250
Gross vehicle weight lbs (kg)	(310 Ah batteries, Full Solution Tank) 1,206 lb (547 kg)	(310 Ah batteries, Full Solution Tank) 1,206 lb (547 kg)	(310 Ah batteries, Full Solution Tank) 1,206 lb (547 kg)
Gradeability transport % (DEG)	2%, 1.15 degrees	2%, 1.15 degrees	2%, 1.15 degrees
Gradeability working % (DEG)	2%, 1.15 degrees	2%, 1.15 degrees	2%, 1.15 degrees
Length	67.4 in (171 cm)	67.4 in (171 cm)	67.4 in (171 cm)

Unsurpassed Simplicity and Reliability

Technical specifications	SC901 34D W242 SC PH	SC901 34D W310 SC PH	SC901 34D A255 OBC PH
Height	44.8 in (113.8 cm)	44.8 in (113.8 cm)	44.8 in (113.8 cm)
Max. productivity (per hour)	34,034 sq ft/hr (3,162 sq m/hr)	34,034 sq ft/hr (3,162 sq m/hr)	34,034 sq ft/hr (3,162 sq m/hr)
Vacuum motor	0.95 hp	0.95 hp	0.95 hp
Scrub head type	Disc	Disc	Disc
Max. speed	Scrub & Transport - 3.2 mph (5.15 km/ hr)	Scrub & Transport - 3.2 mph (5.15 km/ hr)	Scrub & Transport - 3.2 mph (5.15 km/ hr)
Vacuum airflow	96 CFM (2,718 LPM)	96 CFM (2,718 LPM)	96 CFM (2,718 LPM)
Vacuum waterlift	71 in H2O (17.7 KPA)	71 in H2O (17.7 KPA)	71 in H2O (17.7 KPA)
Flow rate	0-1 GPM (3.8 LPM)	0-1 GPM (3.8 LPM)	0-1 GPM (3.8 LPM)
Cleaning width	34 in (86 cm)	34 in (86 cm)	34 in (86 cm)
Max. brush down pressure	80, 145, 200 lb (36, 66, 91 kg)	80, 145, 200 lb (36, 66, 91 kg)	80, 145, 200 lb (36, 66, 91 kg)
Floor Loading Right Front	128 PSI (0.83 N/sq mm)	128 PSI (0.83 N/sq mm)	128 PSI (0.83 N/sq mm)
Width without squeegee	30.3 in (77 cm)	30.3 in (77 cm)	30.3 in (77 cm)
Width with squeegee	41.8 in (106.6 cm)	41.8 in (106.6 cm)	41.8 in (106.6 cm)
Floor Loading Left Front	132 PSI (1.0 N/sq mm)	132 PSI (1.0 N/sq mm)	132 PSI (1.0 N/sq mm)
Floor Loading Right Rear	432 PSI (3.0 N/sq mm)	432 PSI (3.0 N/sq mm)	432 PSI (3.0 N/sq mm)
Floor Loading Left Rear	640 PSI (4.4 N/sq mm)	640 PSI (4.4 N/sq mm)	640 PSI (4.4 N/sq mm)
Battery options	242 Ah wet, 310 Ah wet, 255 Ah AGM	242 Ah wet, 310 Ah wet, 255 Ah AGM	242 Ah wet, 310 Ah wet, 255 Ah AGM

Technical specifications	SC901 X28D W242 OBC PH	SC901 X28D W310 OBC PH	SC901 X28D A255 OBC PH
Drive motor hp (W)	0.5 hp	0.5 hp	0.5 hp
Protection class	IPX4	IPX4	IPX4
Sound level	(IEC, ISO 11201) 68 dB A	(IEC, ISO 11201) 68 dB A	(IEC, ISO 11201) 68 dB A
Productivity per tankful	0.25 GPM (0.016 L/ S) - 120 mins / 0.5 GPM (0.032 L/S) - 60 mins / 0.75 GPM (0.047 L/S) - 40 mins / 1.0 GPM (0.063 L/S) - 30 mins	0.25 GPM (0.016 L/ S) - 120 mins / 0.5 GPM (0.032 L/S) - 60 mins / 0.75 GPM (0.047 L/S) - 40 mins / 1.0 GPM (0.063 L/S) - 30 mins	0.25 GPM (0.016 L/ S) - 120 mins / 0.5 GPM (0.032 L/S) - 60 mins / 0.75 GPM (0.047 L/S) - 40 mins / 1.0 GPM (0.063 L/S) - 30 mins
Solution tank (L)	30 gal (114 L)	30 gal (114 L)	30 gal (114 L)
Recovery tank (L)	32 gal (121 L)	32 gal (121 L)	32 gal (121 L)
Brush motor hp (W)	0.75 hp	0.75 hp	0.75 hp
Brush speed (RPM)	250	250	250
Gross vehicle weight lbs (kg)	(310 Ah batteries, Full Solution Tank) 1,189 lb (539.3 kg)	(310 Ah batteries, Full Solution Tank) 1,189 lb (539.3 kg)	(310 Ah batteries, Full Solution Tank) 1,189 lb (539.3 kg)

Unsurpassed Simplicity and Reliability

Technical specifications	SC901 X28D W242 OBC PH	SC901 X28D W310 OBC PH	SC901 X28D A255 OBC PH
Gradeability transport % (DEG)	2%, 1.15 degrees	2%, 1.15 degrees	2%, 1.15 degrees
Gradeability working % (DEG)	2%, 1.15 degrees	2%, 1.15 degrees	2%, 1.15 degrees
Length	65.4 in (166 cm)	65.4 in (166 cm)	65.4 in (166 cm)
Height	44.8 in (113.8 cm)	44.8 in (113.8 cm)	44.8 in (113.8 cm)
Max. productivity (per hour)	28,028 sq ft/hr (2,604 sq m/hr)	28,028 sq ft/hr (2,604 sq m/hr)	28,028 sq ft/hr (2,604 sq m/hr)
Vacuum motor	0.95 hp	0.95 hp	0.95 hp
Scrub head type	Disc	Disc	Disc
Max. speed	Scrub & Transport - 3.2 mph (5.15 km/ hr)	Scrub & Transport - 3.2 mph (5.15 km/ hr)	Scrub & Transport - 3.2 mph (5.15 km/ hr)
Vacuum airflow	96 CFM (2,718 LPM)	96 CFM (2,718 LPM)	96 CFM (2,718 LPM)
Vacuum waterlift	71 in H2O (17.7 KPA)	71 in H2O (17.7 KPA)	71 in H2O (17.7 KPA)
Flow rate	0-1 GPM (3.8 LPM)	0-1 GPM (3.8 LPM)	0-1 GPM (3.8 LPM)
Cleaning width	28 in (71 cm)	28 in (71 cm)	28 in (71 cm)
Max. brush down pressure	80, 145, 200 lb (36, 66, 91 kg)	80, 145, 200 lb (36, 66, 91 kg)	80, 145, 200 lb (36, 66, 91 kg)
Floor Loading Right Front	147 PSI (1.0 N/sq mm)	147 PSI (1.0 N/sq mm)	147 PSI (1.0 N/sq mm)
Width without squeegee	30.3 in (77 cm)	30.3 in (77 cm)	30.3 in (77 cm)
Width with squeegee	41.8 in (106.6 cm)	41.8 in (106.6 cm)	41.8 in (106.6 cm)
Floor Loading Left Front	107 PSI (0.74 N/sq mm)	107 PSI (0.74 N/sq mm)	107 PSI (0.74 N/sq mm)
Floor Loading Right Rear	205 PSI (1.4 N/sq mm)	205 PSI (1.4 N/sq mm)	205 PSI (1.4 N/sq mm)
Floor Loading Left Rear	521 PSI (5.6 N/sq mm)	521 PSI (5.6 N/sq mm)	521 PSI (5.6 N/sq mm)
Battery options	242 Ah wet, 310 Ah wet, 255 Ah AGM	242 Ah wet, 310 Ah wet, 255 Ah AGM	242 Ah wet, 310 Ah wet, 255 Ah AGM
Technical specifications	SC901 X34D W242 OBC PH	SC901 X34D W310 OBC PH	SC901 X34D A255 OBC PH
Drive motor hp (W)	0.5 hp	0.5 hp	0.5 hp
Protection class	IPX4	IPX4	IPX4
Sound level	(IEC, ISO 11201) 68 dB A	(IEC, ISO 11201) 68 dB A	(IEC, ISO 11201) 68 dB A
Productivity per tankful	0.25 GPM (0.016 L/ S) - 120 mins / 0.5 GPM (0.032 L/S) - 60 mins / 0.75 GPM (0.047 L/S) - 40 mins / 1.0 GPM (0.063 L/S) - 30 mins	0.25 GPM (0.016 L/ S) - 120 mins / 0.5 GPM (0.032 L/S) - 60 mins / 0.75 GPM (0.047 L/S) - 40 mins / 1.0 GPM (0.063 L/S) - 30 mins	0.25 GPM (0.016 L/ S) - 120 mins / 0.5 GPM (0.032 L/S) - 60 mins / 0.75 GPM (0.047 L/S) - 40 mins / 1.0 GPM (0.063 L/S) - 30 mins
Solution tank (L)	30 gal (114 L)	30 gal (114 L)	30 gal (114 L)
Recovery tank (L)	32 gal (121 L)	32 gal (121 L)	32 gal (121 L)
Brush motor hp (W)	0.75 hp	0.75 hp	0.75 hp

Unsurpassed Simplicity and Reliability

Technical specifications	SC901 X34D W242 OBC PH	SC901 X34D W310 OBC PH	SC901 X34D A255 OBC PH
Brush speed (RPM)	250	250	250
Gross vehicle weight lbs (kg)	(310 Ah batteries, Full Solution Tank) 1,206 lb (547 kg)	(310 Ah batteries, Full Solution Tank) 1,206 lb (547 kg)	(310 Ah batteries, Full Solution Tank) 1,206 lb (547 kg)
Gradeability transport % (DEG)	2%, 1.15 degrees	2%, 1.15 degrees	2%, 1.15 degrees
Gradeability working % (DEG)	2%, 1.15 degrees	2%, 1.15 degrees	2%, 1.15 degrees
Length	67.4 in (171 cm)	67.4 in (171 cm)	67.4 in (171 cm)
Height	44.8 in (113.8 cm)	44.8 in (113.8 cm)	44.8 in (113.8 cm)
Max. productivity (per hour)	34,034 sq ft/hr (3,162 sq m/hr)	34,034 sq ft/hr (3,162 sq m/hr)	34,034 sq ft/hr (3,162 sq m/hr)
Vacuum motor	0.95 hp	0.95 hp	0.95 hp
Scrub head type	Disc	Disc	Disc
Max. speed	Scrub & Transport - 3.2 mph (5.15 km/ hr)	Scrub & Transport - 3.2 mph (5.15 km/ hr)	Scrub & Transport - 3.2 mph (5.15 km/ hr)
Vacuum airflow	96 CFM (2,718 LPM)	96 CFM (2,718 LPM)	96 CFM (2,718 LPM)
Vacuum waterlift	71 in H2O (17.7 KPA)	71 in H2O (17.7 KPA)	71 in H2O (17.7 KPA)
Flow rate	0-1 GPM (3.8 LPM)	0-1 GPM (3.8 LPM)	0-1 GPM (3.8 LPM)
Cleaning width	34 in (86 cm)	34 in (86 cm)	34 in (86 cm)
Max. brush down pressure	80, 145, 200 lb (36, 66, 91 kg)	80, 145, 200 lb (36, 66, 91 kg)	80, 145, 200 lb (36, 66, 91 kg)
Floor Loading Right Front	128 PSI (0.83 N/sq mm)	128 PSI (0.83 N/sq mm)	128 PSI (0.83 N/sq mm)
Width without squeegee	30.3 in (77 cm)	30.3 in (77 cm)	30.3 in (77 cm)
Width with squeegee	41.8 in (106.6 cm)	41.8 in (106.6 cm)	41.8 in (106.6 cm)
Floor Loading Left Front	132 PSI (1.0 N/sq mm)	132 PSI (1.0 N/sq mm)	132 PSI (1.0 N/sq mm)
Floor Loading Right Rear	432 PSI (3.0 N/sq mm)	432 PSI (3.0 N/sq mm)	432 PSI (3.0 N/sq mm)
Floor Loading Left Rear	640 PSI (4.4 N/sq mm)	640 PSI (4.4 N/sq mm)	640 PSI (4.4 N/sq mm)
Battery options	242 Ah wet, 310 Ah wet, 255 Ah AGM	242 Ah wet, 310 Ah wet, 255 Ah AGM	242 Ah wet, 310 Ah wet, 255 Ah AGM
Technical specifications	SC901 34D W310 OBC MGB	SC901 34D A255 OBC MGB	SC901 X34D W310 OBC MGB
Drive motor hp (W)	0.5 hp	0.5 hp	0.5 hp
Protection class	IPX4	IPX4	IPX4
Sound level	(IEC, ISO 11201) 68 dB A	(IEC, ISO 11201) 68 dB A	(IEC, ISO 11201) 68 dB A
Productivity per tankful	0.25 GPM (0.016 L/ S) - 120 mins / 0.5 GPM (0.032 L/S) - 60 mins / 0.75 GPM (0.047 L/S) - 40 mins / 1.0 GPM (0.063 L/S) - 30 mins	0.25 GPM (0.016 L/ S) - 120 mins / 0.5 GPM (0.032 L/S) - 60 mins / 0.75 GPM (0.047 L/S) - 40 mins / 1.0 GPM (0.063 L/S) - 30 mins	0.25 GPM (0.016 L/ S) - 120 mins / 0.5 GPM (0.032 L/S) - 60 mins / 0.75 GPM (0.047 L/S) - 40 mins / 1.0 GPM (0.063 L/S) - 30 mins

Unsurpassed Simplicity and Reliability

Technical specifications	SC901 34D W310 OBC MGB	SC901 34D A255 OBC MGB	SC901 X34D W310 OBC MGB
Solution tank (L)	30 gal (114 L)	30 gal (114 L)	30 gal (114 L)
Recovery tank (L)	32 gal (121 L)	32 gal (121 L)	32 gal (121 L)
Brush motor hp (W)	0.75 hp	0.75 hp	0.75 hp
Brush speed (RPM)	250	250	250
Gross vehicle weight lbs (kg)	(310 Ah batteries, Full Solution Tank) 1,206 lb (547 kg)	(310 Ah batteries, Full Solution Tank) 1,206 lb (547 kg)	(310 Ah batteries, Full Solution Tank) 1,206 lb (547 kg)
Gradeability transport % (DEG)	2%, 1.15 degrees	2%, 1.15 degrees	2%, 1.15 degrees
Gradeability working % (DEG)	2%, 1.15 degrees	2%, 1.15 degrees	2%, 1.15 degrees
Length	67.4 in (171 cm)	67.4 in (171 cm)	67.4 in (171 cm)
Height	44.8 in (113.8 cm)	44.8 in (113.8 cm)	44.8 in (113.8 cm)
Max. productivity (per hour)	34,034 sq ft/hr (3,162 sq m/hr)	34,034 sq ft/hr (3,162 sq m/hr)	34,034 sq ft/hr (3,162 sq m/hr)
Vacuum motor	0.95 hp	0.95 hp	0.95 hp
Scrub head type	Disc	Disc	Disc
Max. speed	Scrub & Transport - 3.2 mph (5.15 km/ hr)	Scrub & Transport - 3.2 mph (5.15 km/ hr)	Scrub & Transport - 3.2 mph (5.15 km/ hr)
Vacuum airflow	96 CFM (2,718 LPM)	96 CFM (2,718 LPM)	96 CFM (2,718 LPM)
Vacuum waterlift	71 in H2O (17.7 KPA)	71 in H2O (17.7 KPA)	71 in H2O (17.7 KPA)
Flow rate	0-1 GPM (3.8 LPM)	0-1 GPM (3.8 LPM)	0-1 GPM (3.8 LPM)
Cleaning width	34 in (86 cm)	34 in (86 cm)	34 in (86 cm)
Max. brush down pressure	80, 145, 200 lb (36, 66, 91 kg)	80, 145, 200 lb (36, 66, 91 kg)	80, 145, 200 lb (36, 66, 91 kg)
Floor Loading Right Front	128 PSI (0.83 N/sq mm)	128 PSI (0.83 N/sq mm)	128 PSI (0.83 N/sq mm)
Width without squeegee	30.3 in (77 cm)	30.3 in (77 cm)	30.3 in (77 cm)
Width with squeegee	41.8 in (106.6 cm)	41.8 in (106.6 cm)	41.8 in (106.6 cm)
Floor Loading Left Front	132 PSI (1.0 N/sq mm)	132 PSI (1.0 N/sq mm)	132 PSI (1.0 N/sq mm)
Floor Loading Right Rear	432 PSI (3.0 N/sq mm)	432 PSI (3.0 N/sq mm)	432 PSI (3.0 N/sq mm)
Floor Loading Left Rear	640 PSI (4.4 N/sq mm)	640 PSI (4.4 N/sq mm)	640 PSI (4.4 N/sq mm)
Battery options	242 Ah wet, 310 Ah wet, 255 Ah AGM	242 Ah wet, 310 Ah wet, 255 Ah AGM	242 Ah wet, 310 Ah wet, 255 Ah AGM

Unsurpassed Simplicity and Reliability

Technical specifications	SC901 X34D A255 OBC MGB	SC901 32C W310 OBC MGB	SC901 32C A255 OBC MGB
Drive motor hp (W)	0.5 hp	0.5 hp	0.5 hp
Protection class	IPX4	IPX4	IPX4
Sound level	(IEC, ISO 11201) 68 dB A	(IEC, ISO 11201) 68 dB A	(IEC, ISO 11201) 68 dB A
Productivity per tankful	0.25 GPM (0.016 L/ S) - 120 mins / 0.5 GPM (0.032 L/S) - 60 mins / 0.75 GPM (0.047 L/S) - 40 mins / 1.0 GPM (0.063 L/S) - 30 mins	0.25 GPM (0.016 L/ S) - 120 mins / 0.5 GPM (0.032 L/S) - 60 mins / 0.75 GPM (0.047 L/S) - 40 mins / 1.0 GPM (0.063 L/S) - 30 mins	0.25 GPM (0.016 L/ S) - 120 mins / 0.5 GPM (0.032 L/S) - 60 mins / 0.75 GPM (0.047 L/S) - 40 mins / 1.0 GPM (0.063 L/S) - 30 mins
Solution tank (L)	30 gal (114 L)	30 gal (114 L)	30 gal (114 L)
Recovery tank (L)	32 gal (121 L)	32 gal (121 L)	32 gal (121 L)
Brush motor hp (W)	0.75 hp	0.75 hp	0.75 hp
Brush speed (RPM)	250	250	250
Gross vehicle weight lbs (kg)	(310 Ah batteries, Full Solution Tank) 1,206 lb (547 kg)	(310 Ah batteries, Full Solution Tank) 1,235 lb (560 kg)	(310 Ah batteries, Full Solution Tank) 1,235 lb (560 kg)
Gradeability transport % (DEG)	2%, 1.15 degrees	2%, 1.15 degrees	2%, 1.15 degrees
Gradeability working % (DEG)	2%, 1.15 degrees	2%, 1.15 degrees	2%, 1.15 degrees
Length	67.4 in (171 cm)	63.1 in (160.3 cm)	63.1 in (160.3 cm)
Height	44.8 in (113.8 cm)	44.8 in (113.8 cm)	44.8 in (113.8 cm)
Max. productivity (per hour)	34,034 sq ft/hr (3,162 sq m/hr)	31,915 sq ft/hr (2,965 sq m/hr)	31,915 sq ft/hr (2,965 sq m/hr)
Vacuum motor	0.95 hp	0.95 hp	0.95 hp
Scrub head type	Disc	Cylindrical	Cylindrical
Max. speed	Scrub & Transport - 3.2 mph (5.15 km/ hr)	Scrub & Transport - 3.2 mph (5.15 km/ hr)	Scrub & Transport - 3.2 mph (5.15 km/ hr)
Vacuum airflow	96 CFM (2,718 LPM)	96 CFM (2,718 LPM)	96 CFM (2,718 LPM)
Vacuum waterlift	71 in H2O (17.7 KPA)	71 in H2O (17.7 KPA)	71 in H2O (17.7 KPA)
Flow rate	0-1 GPM (3.8 LPM)	0-1 GPM (3.8 LPM)	0-1 GPM (3.8 LPM)
Cleaning width	34 in (86 cm)	32 in (81 cm)	32 in (81 cm)
Max. brush down pressure	80, 145, 200 lb (36, 66, 91 kg)	75, 100, 125 lb (34, 45, 57 kg)	75, 100, 125 lb (34, 45, 57 kg)
Floor Loading Right Front	128 PSI (0.83 N/sq mm)	155 PSI (1.1 N/sq mm)	155 PSI (1.1 N/sq mm)
Width without squeegee	30.3 in (77 cm)	30.6 in (77.7 cm)	30.6 in (77.7 cm)
Width with squeegee	41.8 in (106.6 cm)	41.8 in (106.6 cm)	41.8 in (106.6 cm)
Floor Loading Left Front	132 PSI (1.0 N/sq mm)	128 PSI (0.88 N/sq mm)	128 PSI (0.88 N/sq mm)
Floor Loading Right Rear	432 PSI (3.0 N/sq mm)	245 PSI (1.7 N/sq mm)	245 PSI (1.7 N/sq mm)
Floor Loading Left Rear	640 PSI (4.4 N/sq mm)	416 PSI (2.9 N/sq mm)	416 PSI (2.9 N/sq mm)


Unsurpassed Simplicity and Reliability

Technical specifications	SC901 X34D A255 OBC MGB	SC901 32C W310 OBC MGB	SC901 32C A255 OBC MGB
Battery options	242 Ah wet, 310 Ah wet, 255 Ah AGM	242 Ah wet, 310 Ah wet, 255 Ah AGM	242 Ah wet, 310 Ah wet, 255 Ah AGM
Technical specifications		SC901 X32C W310 OBC MGB	SC901 X32C A255 OBC MGB
Drive motor hp (W)		0.5 hp	0.5 hp
Protection class		IPX4	IPX4
Sound level		(IEC, ISO 11201) 68 dB A	(IEC, ISO 11201) 68 dB A
Productivity per tankful		0.25 GPM (0.016 L/S) - 120 mins / 0.5 GPM (0.032 L/S) - 60 mins / 0.75 GPM (0.047 L/S) - 40 mins / 1.0 GPM (0.063 L/S) - 30 mins	0.25 GPM (0.016 L/S) - 120 mins / 0.5 GPM (0.032 L/S) - 60 mins / 0.75 GPM (0.047 L/S) - 40 mins / 1.0 GPM (0.063 L/S) - 30 mins
Solution tank (L)		30 gal (114 L)	30 gal (114 L)
Recovery tank (L)		32 gal (121 L)	32 gal (121 L)
Brush motor hp (W)		0.75 hp	0.75 hp
Brush speed (RPM)		250	250
Gross vehicle weight lbs (kg)		(310 Ah batteries, Full Solution Tank) 1,235 lb (560 kg)	(310 Ah batteries, Full Solution Tank) 1,235 lb (560 kg)
Gradeability transport % (DEG)		2%, 1.15 degrees	2%, 1.15 degrees
Gradeability working % (DEG)		2%, 1.15 degrees	2%, 1.15 degrees
Length		63.1 in (160.3 cm)	63.1 in (160.3 cm)
Height		44.8 in (113.8 cm)	44.8 in (113.8 cm)
Max. productivity (per hour)		31,915 sq ft/hr (2,965 sq m/hr)	31,915 sq ft/hr (2,965 sq m/hr)
Vacuum motor		0.95 hp	0.95 hp
Scrub head type		Cylindrical	Cylindrical
Max. speed		Scrub & Transport - 3.2 mph (5.15 km/hr)	Scrub & Transport - 3.2 mph (5.15 km/hr)
Vacuum airflow		96 CFM (2,718 LPM)	96 CFM (2,718 LPM)
Vacuum waterlift		71 in H2O (17.7 KPA)	71 in H2O (17.7 KPA)
Flow rate		0-1 GPM (3.8 LPM)	0-1 GPM (3.8 LPM)
Cleaning width		32 in (81 cm)	32 in (81 cm)
Max. brush down pressure		75, 100, 125 lb (34, 45, 57 kg)	75, 100, 125 lb (34, 45, 57 kg)
Floor Loading Right Front		155 PSI (1.1 N/sq mm)	155 PSI (1.1 N/sq mm)
Width without squeegee		30.6 in (77.7 cm)	30.6 in (77.7 cm)
Width with squeegee		41.8 in (106.6 cm)	41.8 in (106.6 cm)
Floor Loading Left Front		128 PSI (0.88 N/sq mm)	128 PSI (0.88 N/sq mm)

Unsurpassed Simplicity and Reliability

Technical specifications	SC901 X32C W310 OBC MGB	SC901 X32C A255 OBC MGB
Floor Loading Right Rear	245 PSI (1.7 N/sq mm)	245 PSI (1.7 N/sq mm)
Floor Loading Left Rear	416 PSI (2.9 N/sq mm)	416 PSI (2.9 N/sq mm)
Battery options	242 Ah wet, 310 Ah wet, 255 Ah AGM	242 Ah wet, 310 Ah wet, 255 Ah AGM


● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories	Ref. no.	Min. required	SC901 28D W242 SC PH	SC901 28D W310 SC PH	SC901 28D A255 OBC PH
Ecoflex System					
 ECOFLEX BOTTLE ASSY	56104190	0	○	○	○
Battery Wet					
BATTERY 6V 242AH WET	56206079	0	●		
Battery and Charger					
INDICATOR BATTERY LEVEL	56397453	0	○	○	○
KIT BATTERY WATERING	56314981	0	○	○	○
Brush Cylindrical					
BRUSH 46 GRIT 32-ORANGE/BROWN	56407478	0			
BRUSH 80 GRIT 32-BLACK	56407477	0			
BRUSH 180 GRIT 32-BLUE/GREY	56407476	0			
BRUSH HARD NYLON 32-NATURAL	56407474	0			
BRUSH POLYPROPYLENE 32-RED	56407475	0			
BRUSH SOFT NYLON 32-YELLOW	56407473	0			
Other					
PAD RETAINER	56505195	0	○	○	○
Pad Holder					
PAD HOLDER-14 3 LUG	56505800	0	●	●	●
PAD HOLDER-17 3 LUG	56505780	0			
Disc Brush 430 mm					
DISC BRUSH-17 AGLITE 3 LUG	56505783	0			
DISC BRUSH-17 DYNAGRIT 3 LUG	56505782	0			
DISC BRUSH-17 MAGNAGRIT 3 LUG	56505781	0			
DISC BRUSH-17 MIDGRIT 3 LUG	56505787	0			
DISC BRUSH-17 MIDLITE 3 LUG	56505788	0			
DISC BRUSH-17 PROLENE 3 LUG	56505784	0			
DISC BRUSH-17 PROLITE 3 LUG	56505785	0			
DISC BRUSH-17 UNION MIX 3 LUG	56505786	0			

Unsurpassed Simplicity and Reliability

Accessories		Ref. no.	Min. required	SC901 28D W242 SC PH	SC901 28D W310 SC PH	SC901 28D A255 OBC PH
Disc Brush 370 mm						
	DISC BRUSH-14 AGLITE 3 LUG	56505803	0	○	○	○
	DISC BRUSH-14 DYNAGRIT 3 LUG	56505802	0	○	○	○
	DISC BRUSH-14 MAGNAGRIT 3 LUG	56505801	0	○	○	○
	DISC BRUSH-14 MIDGRIT 3 LUG	56505807	0	○	○	○
	DISC BRUSH-14 MIDLITE 3 LUG	56505808	0	○	○	○
	DISC BRUSH-14 PROLENE 3 LUG	56505804	0	○	○	○
	DISC BRUSH-14 PROLITE 3 LUG	56505805	0	○	○	○
	DISC BRUSH-14 UNION MIX 3 LUG	56505806	0	○	○	○
Accessory						
	KEY 2 PCS	1462887000	0	○	○	○
Option						
	PROTECTANT POLYDUR	50478A	0	○	○	○
Battery						
	BATTERY 6V 312 AH AGM	56112546	0			●
Squeegee Blade						
	SQUEEGEE KIT-BLADE-GUM	56115334	0	○	○	○
	SQUEEGEE KIT-BLADE-LINATEX	56115333	0	○	○	○
	SQUEEGEE KIT-BLADE-PU	56115335	0	○	○	○
On-Board Charger						
	CHARGER-ON BOARD-KIT	56115373	0			●

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	SC901 34D W242 SC PH	SC901 34D W310 SC PH	SC901 34D A255 OBC PH
Ecoflex System						
	ECOFLEX BOTTLE ASSY	56104190	0	○	○	○
Battery Wet						
	BATTERY 6V 242AH WET	56206079	0	●		
Battery and Charger						
	INDICATOR BATTERY LEVEL	56397453	0	○	○	○
	KIT BATTERY WATERING	56314981	0	○	○	○
Brush Cylindrical						
	BRUSH 46 GRIT 32-ORANGE/BROWN	56407478	0			
	BRUSH 80 GRIT 32-BLACK	56407477	0			
	BRUSH 180 GRIT 32-BLUE/GREY	56407476	0			


Unsurpassed Simplicity and Reliability

Accessories		Ref. no.	Min. required	SC901 34D W242 SC PH	SC901 34D W310 SC PH	SC901 34D A255 OBC PH
	BRUSH HARD NYLON 32-NATURAL	56407474	0			
	BRUSH POLYPROPYLENE 32-RED	56407475	0			
	BRUSH SOFT NYLON 32-YELLOW	56407473	0			
Other						
	PAD RETAINER	56505195	0	○	○	○
Pad Holder						
	PAD HOLDER-14 3 LUG	56505800	0			
	PAD HOLDER-17 3 LUG	56505780	0	●	●	●
Disc Brush 430 mm						
	DISC BRUSH-17 AGLITE 3 LUG	56505783	0	○	○	○
	DISC BRUSH-17 DYNAGRIT 3 LUG	56505782	0	○	○	○
	DISC BRUSH-17 MAGNAGRIT 3 LUG	56505781	0	○	○	○
	DISC BRUSH-17 MIDGRIT 3 LUG	56505787	0	○	○	○
	DISC BRUSH-17 MIDLITE 3 LUG	56505788	0	○	○	○
	DISC BRUSH-17 PROLENE 3 LUG	56505784	0	○	○	○
	DISC BRUSH-17 PROLITE 3 LUG	56505785	0	○	○	○
	DISC BRUSH-17 UNION MIX 3 LUG	56505786	0	○	○	○
Disc Brush 370 mm						
	DISC BRUSH-14 AGLITE 3 LUG	56505803	0			
	DISC BRUSH-14 DYNAGRIT 3 LUG	56505802	0			
	DISC BRUSH-14 MAGNAGRIT 3 LUG	56505801	0			
	DISC BRUSH-14 MIDGRIT 3 LUG	56505807	0			
	DISC BRUSH-14 MIDLITE 3 LUG	56505808	0			
	DISC BRUSH-14 PROLENE 3 LUG	56505804	0			
	DISC BRUSH-14 PROLITE 3 LUG	56505805	0			
	DISC BRUSH-14 UNION MIX 3 LUG	56505806	0			
Accessory						
	KEY 2 PCS	1462887000	0	○	○	○
Option						
	PROTECTANT POLYDUR	50478A	0	○	○	○
Battery						
	BATTERY 6V 312 AH AGM	56112546	0			●
Squeegee Blade						
	SQUEEGEE KIT-BLADE-GUM	56115334	0	○	○	○
	SQUEEGEE KIT-BLADE-LINATEX	56115333	0	○	○	○
	SQUEEGEE KIT-BLADE-PU	56115335	0	○	○	○
On-Board Charger						

Unsurpassed Simplicity and Reliability

Accessories	Ref. no.	Min. required	SC901 34D W242 SC PH	SC901 34D W310 SC PH	SC901 34D A255 OBC PH
CHARGER-ON BOARD-KIT	56115373	0			•


• Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories	Ref. no.	Min. required	SC901 X28D W242 OBC PH	SC901 X28D W310 OBC PH	SC901 X28D A255 OBC PH
Ecoflex System					
 ECOFLEX BOTTLE ASSY	56104190	0	○	○	○
Battery Wet					
BATTERY 6V 242AH WET	56206079	0	•		
Battery and Charger					
INDICATOR BATTERY LEVEL	56397453	0	○	○	○
KIT BATTERY WATERING	56314981	0	○	○	○
Brush Cylindrical					
BRUSH 46 GRIT 32-ORANGE/BROWN	56407478	0			
BRUSH 80 GRIT 32-BLACK	56407477	0			
BRUSH 180 GRIT 32-BLUE/GREY	56407476	0			
BRUSH HARD NYLON 32-NATURAL	56407474	0			
BRUSH POLYPROPYLENE 32-RED	56407475	0			
BRUSH SOFT NYLON 32-YELLOW	56407473	0			
Other					
PAD RETAINER	56505195	0	○	○	○
Pad Holder					
PAD HOLDER-14 3 LUG	56505800	0	•	•	•
PAD HOLDER-17 3 LUG	56505780	0			
Disc Brush 430 mm					
DISC BRUSH-17 AGLITE 3 LUG	56505783	0			
DISC BRUSH-17 DYNAGRIT 3 LUG	56505782	0			
DISC BRUSH-17 MAGNAGRIT 3 LUG	56505781	0			
DISC BRUSH-17 MIDGRIT 3 LUG	56505787	0			
DISC BRUSH-17 MIDLITE 3 LUG	56505788	0			
DISC BRUSH-17 PROLENE 3 LUG	56505784	0			
DISC BRUSH-17 PROLITE 3 LUG	56505785	0			
DISC BRUSH-17 UNION MIX 3 LUG	56505786	0			
Disc Brush 370 mm					
DISC BRUSH-14 AGLITE 3 LUG	56505803	0	○	○	○
DISC BRUSH-14 DYNAGRIT 3 LUG	56505802	0	○	○	○

Unsurpassed Simplicity and Reliability

Accessories		Ref. no.	Min. required	SC901 X28D W242 OBC PH	SC901 X28D W310 OBC PH	SC901 X28D A255 OBC PH
	DISC BRUSH-14 MAGNAGRIT 3 LUG	56505801	0	○	○	○
	DISC BRUSH-14 MIDGRIT 3 LUG	56505807	0	○	○	○
	DISC BRUSH-14 MIDLITE 3 LUG	56505808	0	○	○	○
	DISC BRUSH-14 PROLENE 3 LUG	56505804	0	○	○	○
	DISC BRUSH-14 PROLITE 3 LUG	56505805	0	○	○	○
	DISC BRUSH-14 UNION MIX 3 LUG	56505806	0	○	○	○
Accessory						
	KEY 2 PCS	1462887000	0	○	○	○
Option						
	PROTECTANT POLYDUR	50478A	0	○	○	○
Battery						
	BATTERY 6V 312 AH AGM	56112546	0			●
Squeegee Blade						
	SQUEEGEE KIT-BLADE-GUM	56115334	0	○	○	○
	SQUEEGEE KIT-BLADE-LINATEX	56115333	0	○	○	○
	SQUEEGEE KIT-BLADE-PU	56115335	0	○	○	○
On-Board Charger						
	CHARGER-ON BOARD-KIT	56115373	0	●	●	●

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment


Accessories		Ref. no.	Min. required	SC901 X34D W242 OBC PH	SC901 X34D W310 OBC PH	SC901 X34D A255 OBC PH
Ecoflex System						
	ECOFLEX BOTTLE ASSY	56104190	0	○	○	○
Battery Wet						
	BATTERY 6V 242AH WET	56206079	0	●		
Battery and Charger						
	INDICATOR BATTERY LEVEL	56397453	0	○	○	○
	KIT BATTERY WATERING	56314981	0	○	○	○
Brush Cylindrical						
	BRUSH 46 GRIT 32-ORANGE/BROWN	56407478	0			
	BRUSH 80 GRIT 32-BLACK	56407477	0			
	BRUSH 180 GRIT 32-BLUE/GREY	56407476	0			
	BRUSH HARD NYLON 32-NATURAL	56407474	0			
	BRUSH POLYPROPYLENE 32-RED	56407475	0			
	BRUSH SOFT NYLON 32-YELLOW	56407473	0			

Unsurpassed Simplicity and Reliability

Accessories		Ref. no.	Min. required	SC901 X34D W242 OBC PH	SC901 X34D W310 OBC PH	SC901 X34D A255 OBC PH
Other						
	PAD RETAINER	56505195	0	○	○	○
Pad Holder						
	PAD HOLDER-14 3 LUG	56505800	0			
	PAD HOLDER-17 3 LUG	56505780	0	●	●	●
Disc Brush 430 mm						
	DISC BRUSH-17 AGLITE 3 LUG	56505783	0	○	○	○
	DISC BRUSH-17 DYNAGRIT 3 LUG	56505782	0	○	○	○
	DISC BRUSH-17 MAGNAGRIT 3 LUG	56505781	0	○	○	○
	DISC BRUSH-17 MIDGRIT 3 LUG	56505787	0	○	○	○
	DISC BRUSH-17 MIDLITE 3 LUG	56505788	0	○	○	○
	DISC BRUSH-17 PROLENE 3 LUG	56505784	0	○	○	○
	DISC BRUSH-17 PROLITE 3 LUG	56505785	0	○	○	○
	DISC BRUSH-17 UNION MIX 3 LUG	56505786	0	○	○	○
Disc Brush 370 mm						
	DISC BRUSH-14 AGLITE 3 LUG	56505803	0			
	DISC BRUSH-14 DYNAGRIT 3 LUG	56505802	0			
	DISC BRUSH-14 MAGNAGRIT 3 LUG	56505801	0			
	DISC BRUSH-14 MIDGRIT 3 LUG	56505807	0			
	DISC BRUSH-14 MIDLITE 3 LUG	56505808	0			
	DISC BRUSH-14 PROLENE 3 LUG	56505804	0			
	DISC BRUSH-14 PROLITE 3 LUG	56505805	0			
	DISC BRUSH-14 UNION MIX 3 LUG	56505806	0			
Accessory						
	KEY 2 PCS	1462887000	0	○	○	○
Option						
	PROTECTANT POLYDUR	50478A	0	○	○	○
Battery						
	BATTERY 6V 312 AH AGM	56112546	0			
Squeegee Blade						
	SQUEEGEE KIT-BLADE-GUM	56115334	0	○	○	○
	SQUEEGEE KIT-BLADE-LINATEX	56115333	0	○	○	○
	SQUEEGEE KIT-BLADE-PU	56115335	0	○	○	○
On-Board Charger						
	CHARGER-ON BOARD-KIT	56115373	0	●	●	●

Unsurpassed Simplicity and Reliability


● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories	Ref. no.	Min. required	SC901 34D W310 OBC MGB	SC901 34D A255 OBC MGB	SC901 X34D W310 OBC MGB
Ecoflex System					
 ECOFLEX BOTTLE ASSY	56104190	0	○	○	○
Battery Wet					
BATTERY 6V 242AH WET	56206079	0			
Battery and Charger					
INDICATOR BATTERY LEVEL	56397453	0	○	○	○
KIT BATTERY WATERING	56314981	0	○	○	○
Brush Cylindrical					
BRUSH 46 GRIT 32-ORANGE/BROWN	56407478	0			
BRUSH 80 GRIT 32-BLACK	56407477	0			
BRUSH 180 GRIT 32-BLUE/GREY	56407476	0			
BRUSH HARD NYLON 32-NATURAL	56407474	0			
BRUSH POLYPROPYLENE 32-RED	56407475	0			
BRUSH SOFT NYLON 32-YELLOW	56407473	0			
Other					
PAD RETAINER	56505195	0	○	○	○
Pad Holder					
PAD HOLDER-14 3 LUG	56505800	0			
PAD HOLDER-17 3 LUG	56505780	0	●	●	●
Disc Brush 430 mm					
DISC BRUSH-17 AGLITE 3 LUG	56505783	0	○	○	○
DISC BRUSH-17 DYNAGRIT 3 LUG	56505782	0	○	○	○
DISC BRUSH-17 MAGNAGRIT 3 LUG	56505781	0	○	○	○
DISC BRUSH-17 MIDGRIT 3 LUG	56505787	0	○	○	○
DISC BRUSH-17 MIDLITE 3 LUG	56505788	0	●	●	●
DISC BRUSH-17 PROLENE 3 LUG	56505784	0	○	○	○
DISC BRUSH-17 PROLITE 3 LUG	56505785	0	○	○	○
DISC BRUSH-17 UNION MIX 3 LUG	56505786	0	○	○	○
Disc Brush 370 mm					
DISC BRUSH-14 AGLITE 3 LUG	56505803	0			
DISC BRUSH-14 DYNAGRIT 3 LUG	56505802	0			
DISC BRUSH-14 MAGNAGRIT 3 LUG	56505801	0			
DISC BRUSH-14 MIDGRIT 3 LUG	56505807	0			

Unsurpassed Simplicity and Reliability

Accessories		Ref. no.	Min. required	SC901 34D W310 OBC MGB	SC901 34D A255 OBC MGB	SC901 X34D W310 OBC MGB
	DISC BRUSH-14 MIDLITE 3 LUG	56505808	0			
	DISC BRUSH-14 PROLENE 3 LUG	56505804	0			
	DISC BRUSH-14 PROLITE 3 LUG	56505805	0			
	DISC BRUSH-14 UNION MIX 3 LUG	56505806	0			
Accessory						
	KEY 2 PCS	1462887000	0	○	○	○
Option						
	PROTECTANT POLYDUR	50478A	0	○	○	○
Battery						
	BATTERY 6V 312 AH AGM	56112546	0		●	
Squeegee Blade						
	SQUEEGEE KIT-BLADE-GUM	56115334	0	○	○	○
	SQUEEGEE KIT-BLADE-LINATEX	56115333	0	○	○	○
	SQUEEGEE KIT-BLADE-PU	56115335	0	○	○	○
On-Board Charger						
	CHARGER-ON BOARD-KIT	56115373	0	●		

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment


Accessories		Ref. no.	Min. required	SC901 X34D A255 OBC MGB	SC901 32C W310 OBC MGB	SC901 32C A255 OBC MGB
Ecoflex System						
	ECOFLEX BOTTLE ASSY	56104190	0	○	○	○
Battery Wet						
	BATTERY 6V 242AH WET	56206079	0			
Battery and Charger						
	INDICATOR BATTERY LEVEL	56397453	0	○	○	○
	KIT BATTERY WATERING	56314981	0	○	○	○
Brush Cylindrical						
	BRUSH 46 GRIT 32-ORANGE/BROWN	56407478	0		○	○
	BRUSH 80 GRIT 32-BLACK	56407477	0		○	○
	BRUSH 180 GRIT 32-BLUE/GREY	56407476	0		●	●
	BRUSH HARD NYLON 32-NATURAL	56407474	0		○	○
	BRUSH POLYPROPYLENE 32-RED	56407475	0		○	○
	BRUSH SOFT NYLON 32-YELLOW	56407473	0		○	○
Other						

Unsurpassed Simplicity and Reliability

Accessories		Ref. no.	Min. required	SC901 X34D A255 OBC MGB	SC901 32C W310 OBC MGB	SC901 32C A255 OBC MGB
	PAD RETAINER	56505195	0	○		
Pad Holder						
	PAD HOLDER-14 3 LUG	56505800	0			
	PAD HOLDER-17 3 LUG	56505780	0	●		
Disc Brush 430 mm						
	DISC BRUSH-17 AGLITE 3 LUG	56505783	0	○		
	DISC BRUSH-17 DYNAGRIT 3 LUG	56505782	0	○		
	DISC BRUSH-17 MAGNAGRIT 3 LUG	56505781	0	○		
	DISC BRUSH-17 MIDGRIT 3 LUG	56505787	0	○		
	DISC BRUSH-17 MIDLITE 3 LUG	56505788	0	●		
	DISC BRUSH-17 PROLENE 3 LUG	56505784	0	○		
	DISC BRUSH-17 PROLITE 3 LUG	56505785	0	○		
	DISC BRUSH-17 UNION MIX 3 LUG	56505786	0	○		
Disc Brush 370 mm						
	DISC BRUSH-14 AGLITE 3 LUG	56505803	0			
	DISC BRUSH-14 DYNAGRIT 3 LUG	56505802	0			
	DISC BRUSH-14 MAGNAGRIT 3 LUG	56505801	0			
	DISC BRUSH-14 MIDGRIT 3 LUG	56505807	0			
	DISC BRUSH-14 MIDLITE 3 LUG	56505808	0			
	DISC BRUSH-14 PROLENE 3 LUG	56505804	0			
	DISC BRUSH-14 PROLITE 3 LUG	56505805	0			
	DISC BRUSH-14 UNION MIX 3 LUG	56505806	0			
Accessory						
	KEY 2 PCS	1462887000	0	○	○	○
Option						
	PROTECTANT POLYDUR	50478A	0	○	○	○
Battery						
	BATTERY 6V 312 AH AGM	56112546	0	●		●
Squeegee Blade						
	SQUEEGEE KIT-BLADE-GUM	56115334	0	○	○	○
	SQUEEGEE KIT-BLADE-LINATEX	56115333	0	○	○	○
	SQUEEGEE KIT-BLADE-PU	56115335	0	○	○	○
On-Board Charger						
	CHARGER-ON BOARD-KIT	56115373	0		●	●

Unsurpassed Simplicity and Reliability

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	SC901 X32C W310 OBC MGB	SC901 X32C A255 OBC MGB
Ecoflex System					
	ECOFLEX BOTTLE ASSY	56104190	0	○	○
Battery Wet					
	BATTERY 6V 242AH WET	56206079	0		
Battery and Charger					
	INDICATOR BATTERY LEVEL	56397453	0	○	○
	KIT BATTERY WATERING	56314981	0	○	○
Brush Cylindrical					
	BRUSH 46 GRIT 32-ORANGE/BROWN	56407478	0	○	○
	BRUSH 80 GRIT 32-BLACK	56407477	0	○	○
	BRUSH 180 GRIT 32-BLUE/GREY	56407476	0	●	●
	BRUSH HARD NYLON 32-NATURAL	56407474	0	○	○
	BRUSH POLYPROPYLENE 32-RED	56407475	0	○	○
	BRUSH SOFT NYLON 32-YELLOW	56407473	0	○	○
Other					
	PAD RETAINER	56505195	0		
Pad Holder					
	PAD HOLDER-14 3 LUG	56505800	0		
	PAD HOLDER-17 3 LUG	56505780	0		
Disc Brush 430 mm					
	DISC BRUSH-17 AGLITE 3 LUG	56505783	0		
	DISC BRUSH-17 DYNAGRIT 3 LUG	56505782	0		
	DISC BRUSH-17 MAGNAGRIT 3 LUG	56505781	0		
	DISC BRUSH-17 MIDGRIT 3 LUG	56505787	0		
	DISC BRUSH-17 MIDLITE 3 LUG	56505788	0		
	DISC BRUSH-17 PROLENE 3 LUG	56505784	0		
	DISC BRUSH-17 PROLITE 3 LUG	56505785	0		
	DISC BRUSH-17 UNION MIX 3 LUG	56505786	0		
Disc Brush 370 mm					
	DISC BRUSH-14 AGLITE 3 LUG	56505803	0		
	DISC BRUSH-14 DYNAGRIT 3 LUG	56505802	0		
	DISC BRUSH-14 MAGNAGRIT 3 LUG	56505801	0		
	DISC BRUSH-14 MIDGRIT 3 LUG	56505807	0		

Unsurpassed Simplicity and Reliability

Accessories		Ref. no.	Min. required	SC901 X32C W310 OBC MGB	SC901 X32C A255 OBC MGB
	DISC BRUSH-14 MIDLITE 3 LUG	56505808	0		
	DISC BRUSH-14 PROLENE 3 LUG	56505804	0		
	DISC BRUSH-14 PROLITE 3 LUG	56505805	0		
	DISC BRUSH-14 UNION MIX 3 LUG	56505806	0		
Accessory					
	KEY 2 PCS	1462887000	0	○	○
Option					
	PROTECTANT POLYDUR	50478A	0	○	○
Battery					
	BATTERY 6V 312 AH AGM	56112546	0		●
Squeegee Blade					
	SQUEEGEE KIT-BLADE-GUM	56115334	0	○	○
	SQUEEGEE KIT-BLADE-LINATEX	56115333	0	○	○
	SQUEEGEE KIT-BLADE-PU	56115335	0	○	○
On-Board Charger					
	CHARGER-ON BOARD-KIT	56115373	0	●	