

STAINLESS STEEL Plates




TABLE OF CONTENTS

HOT ROLLED	2
Hot rolled EN 1.4404, AISI 316L	3
Hot rolled EN 1.4307, AISI 304L	3
COLD ROLLED	4
Cold rolled EN 1.4404, AISI 316L	5
Cold rolled EN 1.4307, AISI 304L	5
POLISHED	6
Polished EN 1.4307, AISI 304L	7

ABOUT ALUMECO GROUP



Alumeco is a global wholesaler, founded in 1983 with headquarters in Odense, Denmark.

Alumeco Group offers a wide range of metals, so you can buy everything in one place. We offer both standardized and customized solutions, and we are ready to support you at every step. As your preferred metal partner, we ensure the best guidance, solution and quality every time.

SUBSIDIARIES

Alumeco ApS			Alumeco Austria GmbH
Alumeco NL			Alumeco Service GmbH
Alumeco Norge AS			Metalcenter West GmbH
Alumeco Sverige AB			Alcobra GmbH
Alumeco CZ s.r.o.			Metalcenter Group GmbH
UAB Alumeco Baltic			Aluteam-Alumeco Sp. z o.o.
Alumeco Finland OY AB			Alumeco Metal Products (Jiangmen) Co.,Ltd.
Metalcenter Group OY AB			




1000 (2022)
Employees



1046 (2022)
mio. EUR



40.000
m² stock



Hot rolled

HERE YOU WILL FIND HOT ROLLED PLATES IN THE ALLOYS EN 1.4301/1.4307, EN 1.4404, EN 1.4541, EN 1.4571 AND EN 1.4462. IF YOU ARE LOOKING FOR A DIFFERENT ALLOY OR QUALITY, WE CAN ORDER IT FOR YOU. HOT ROLLED STAINLESS PLATES ARE USED IN A WIDE RANGE OF INDUSTRIES THAT DOES NOT REQUIRE A LOW RA VALUE. WITH ITS HIGH STRENGTH AND RESISTANCE TO CORROSION, HOT ROLLED STAINLESS STEEL IS VERY WELL SUITED FOR E.G. CONSTRUCTION. WE CAN INCLUDE A 3.1 / EN 10204 CERTIFICATE FOR ALL OF OUR STAINLESS STEEL PLATES UPON REQUEST.


HOT ROLLED

HOT ROLLED EN 1.4404, AISI 316L

Thickness	3000 x 1500 mm	6000 x 2000 mm	2500 x 1250 mm	2000 x 1000 mm
	Weight (kg)	Weight (kg)	Weight (kg)	Weight (kg)
5	180.00		125.00	80.00
6	216.00	576.00	150.00	96.00
8	288.00		200.00	128.00
10	360.00		250.00	160.00
12	432.00		300.00	192.00
15	550.80			
20	720.00			
25	900.00			
30	1080.00			
40	1440.00			
50	1800.00			

HOT ROLLED EN 1.4307, AISI 304L

Thickness	3000 x 1500 mm	4000 x 2000 mm	2000 x 1000 mm	2500 x 1250 mm
	Weight (kg)	Weight (kg)	Weight (kg)	Weight (kg)
4	144.00			
5	180.00		80.00	125.00
6	216.00		96.00	150.00
8	288.00		128.00	200.00
10	360.00	640.00	160.00	250.00
12	432.00		192.00	300.00
15	540.00			
20	720.00			
25	900.00			
30	1080.00			
40	1440.00			
50	1800.00			



Cold rolled

HERE YOU WILL FIND COLD ROLLED PLATES IN THE ALLOYS EN 1.4016, EN 1.4301/1.4307, EN 1.4404, EN 1.4462, EN 1.4541 AND EN 1.4571. IF YOU ARE LOOKING FOR A DIFFERENT ALLOY OR QUALITY, WE CAN ORDER IT FOR YOU. COLD ROLLED STAINLESS STEEL PLATES ARE USED FOR PRODUCTS THAT REQUIRE A LOW RA VALUE (MAX 0.80 MM). IT IS COMMONLY USED FOR E.G. PROCESSING FACILITIES IN THE FOOD INDUSTRY OR HOUSEHOLD APPLIANCES SUCH AS REFRIGERATORS OR EXTRACTOR HOODS. WE CAN INCLUDE A 3.1 / EN 10204 CERTIFICATE FOR ALL OF OUR STAINLESS STEEL PLATES UPON REQUEST.

COLD ROLLED

COLD ROLLED EN 1.4404, AISI 316L

Thickness	2500 x 1250 mm	3000 x 1500 mm	2000 x 1000 mm	4000 x 2000 mm
	Weight (kg)	Weight (kg)	Weight (kg)	Weight (kg)
0.7	17.50		11.20	
0.8	20.00		12.80	
1	25.00	36.00	16.00	
1.2	30.00			
1.5	37.50	54.00	24.00	96.00
2	50.00	72.00	32.00	128.00
2.5	62.50	90.00		
3	75.00	108.00	48.00	192.00
4	100.00	144.00	64.00	256.00
5	125.00	180.00	80.00	320.00
6	150.00	216.00	96.00	384.00
8	200.00	288.00		512.00

COLD ROLLED EN 1.4307, AISI 304L

Thickness	2000 x 1000 mm	2500 x 1250 mm	4000 x 2000 mm	3000 x 1500 mm	6000 x 2000 mm
	Weight (kg)	Weight (kg)	Weight (kg)	Weight (kg)	Weight (kg)
0.5	8.00	12.50			
0.6		15.00			
0.7	11.20	17.50			
0.8	12.80	20.00		28.80	
1	16.00	25.00		36.00	
1.2	19.20	30.00		43.79	
1.5	24.00	37.50	96.00	54.00	144.00
2	32.00	50.00	128.00	72.00	
2.5	40.00	62.50		90.00	
3	48.00	75.00	192.00	108.00	
4	64.00	100.00	256.00	144.00	
5	80.00	125.00	320.00	180.00	
6	96.00	150.00	384.00	216.00	
8		200.00	512.00	288.00	

Polished



POLISHED EN 1.4307, AISI 304L

POLISHED EN 1.4307, AISI 304L

Thickness	2500 x 1250 mm	2000 x 1000 mm	3000 x 1500 mm	Thickness	2500 x 1250 mm	2000 x 1000 mm	3000 x 1500 mm
	Weight (kg)	Weight (kg)	Weight (kg)		Weight (kg)	Weight (kg)	Weight (kg)
0.7	17.50	11.20		1.5	37.50	24.00	54.00
0.8	20.00			2	50.00	32.00	72.00
1	25.00	16.00	36.00	3	75.00	48.00	108.00
1.2	31.25	19.20	45.00	4		64.00	144.00
1.25		20.00					



