



**YOUR FACTORY DIRECT LINK**



**2024 PRODUCT CATALOG**





**SERVING  
CONSTRUCTION  
INDUSTRIAL  
AUTOMOTIVE  
& HARDWARE  
MARKETS**

**Bull Sales Inc.** is a Canadian based Sales and Marketing company founded over 25 years ago. Our company has hundreds of years of combined experience in managing the Canadian Professional Distribution market.

We pride ourselves in becoming the Canadian partners of our Principal Factories and work very closely with them to define the best programs for the Canadian Distributor market.

We are headquartered in Southern Ontario and serve Canada with a national team of 14 Outside Sales Representatives and 2 Inside Account Managers.

**BSI Distributor Source Inc.** (BSIDS) Opened in 2016 to serve a specific need in the Canadian Industrial, Contractor's Supply, Hardware, Retail and Automotive markets for Canadian warehousing and distribution. We are proud to serve and support our Distribution Networks. We do not sell directly to end user customers.

All products sold in Canadian Dollars with attractive low prepaid freight programs. Distributors can mix and match items from this catalogue to meet freight prepaid policy.

Our warehouse is conveniently located in Thorold, ON close to 406 Highway (easy access to QEW- 1 hour drive from GTA).

**PROGRAM HIGHLIGHTS**

- ▶ CANADIAN DOLLAR BILLING
- ▶ PRODUCTS STOCKED IN OUR CANADIAN WAREHOUSE
- ▶ PAYMENT TERMS - NET 30 OAC
- ▶ MIX / MATCH ITEMS TO MEET PPD \$800 FREIGHT
- ▶ NO MINIMUM ORDER
- ▶ FOB THOROLD ON
- ▶ MOST ORDERS SHIP SAME OR NEXT DAY



|  |              |
|--|--------------|
| <b><u>CHANNELLOCK®</u></b> - PLIERS & HAND TOOLS .....                                       | <b>4-12</b>  |
| <b><u>DEWALT®</u></b> - WET/DRY VACUUMS, ACCESSORIES, AIR MOVERS & AIR PURIFIERS .....       | <b>13-14</b> |
| <b><u>STANLEY®</u></b> - WET/DRY VACUUMS & ACCESSORIES.....                                  | <b>15</b>    |
| <b><u>STEALTH®</u></b> - WET/DRY VACUUM UNIVERSAL FIT ACCESSORIES.....                       | <b>16-17</b> |
| <b><u>STANLEY®</u></b> - TV WALL MOUNTS.....   | <b>18-19</b> |
| <b><u>CHICAGO PNEUMATIC®</u></b> - AIR TOOLS & ACCESSORIES .....                             | <b>20-27</b> |
| <b><u>FEIN®</u></b> - POWER TOOLS & ACCESSORIES .....  | <b>28-33</b> |
| <b><u>KOMELON®</u></b> - MEASURING TAPES, MEASURING WHEELS & KNIVES .....                    | <b>34-37</b> |
| <b><u>ECOWELL™</u></b> - LULU® CORDLESS MULTI-SURFACE VACUUM/ CLEANERS .....                 | <b>37</b>    |
| <b><u>ZIRCON®</u></b> - STUD FINDERS & ELECTRONIC DETECTION EQUIPMENT .....                  | <b>38-40</b> |
| <b><u>MECH TOOLS®</u></b> - SOFT-SIDED LEATHER TOOL STORAGE .....                            | <b>41-45</b> |
| <b><u>COAST®</u></b> - FLASHLIGHTS, HEADLAMPS, AREA LIGHTS & LED PPE .....                   | <b>46-47</b> |
| <b><u>EKLIND®</u></b> - HEX KEYS .....   | <b>48-50</b> |
| <b><u>ABC HAMMERS®</u></b> - UNBREAKABLE SLEDGE, DEADBLOW, BRASS & BRONZE NON-SPARKING ..... | <b>51-52</b> |
| <b><u>DURABULL®</u></b> - COMMERCIAL FANS .....  | <b>53</b>    |
| <b><u>ROLGEAR®</u></b> - RATCHETING SCREWDRIVERS.....  | <b>53</b>    |
| <b><u>HYDRAULIC TECHNOLOGIES®</u></b> - POWER TEAM® HIGH FORCE HYDRAULIC TOOLS.....          | <b>54-74</b> |

### Tongue & Groove Plier Straight Jaw



| PART # | DESCRIPTION               |
|--------|---------------------------|
| CHA426 | 6.5" STRAIGHT JAW         |
| CHA420 | 9.5" STRAIGHT JAW         |
| CHA430 | 10" STRAIGHT JAW          |
| CHA440 | 12" STRAIGHT JAW          |
| CHA460 | 16" STRAIGHT JAW          |
| CHA480 | 20" BIG AZZ® STRAIGHT JAW |

### Tongue & Groove Plier Straight Jaw



| PART # | DESCRIPTION     |
|--------|-----------------|
| CHA428 | 8" SAFE-T-STOP® |

### Tongue & Groove Plier



| PART # | DESCRIPTION                |
|--------|----------------------------|
| CHA410 | 10" NUTBUSTER® PARROT NOSE |
| CHA414 | 14" NUTBUSTER® PARROT NOSE |

### Tongue & Groove Plier Straight Jaw



| PART #  | DESCRIPTION    |
|---------|----------------|
| CHA428X | 8" SPEEDGRIP®  |
| CHA430X | 10" SPEEDGRIP® |
| CHA440X | 12" SPEEDGRIP® |

### Tongue & Groove Plier V-Jaw



| PART #  | DESCRIPTION    |
|---------|----------------|
| CHA432X | 10" SPEEDGRIP® |
| CHA442X | 12" SPEEDGRIP® |

### Slip Joint Plier Shear



| PART # | DESCRIPTION |
|--------|-------------|
| CHA524 | 4"          |
| CHA526 | 6"          |
| CHA528 | 8"          |

## Cutting Plier-High Leverage



| PART # | DESCRIPTION                      |
|--------|----------------------------------|
| CHA336 | DIAGONAL E SERIES, LAP XLT™ - 6" |
| CHA337 | DIAGONAL E SERIES, LAP XLT™ - 7" |
| CHA338 | DIAGONAL E SERIES, LAP XLT™ - 8" |

## Cutting Plier-High Leverage



| PART # | DESCRIPTION                            |
|--------|--|
| CHA447 | DIAGONAL E SERIES CURVED LAP JOINT 8"  |
| CHA449 | DIAGONAL E SERIES, CURVED LAP JOINT 9" |

## Cutting Plier High Leverage Centre Cut



| PART # | DESCRIPTION           |
|--------|-----------------------|
| CHA458 | 8" E SERIES, LAP XLT™ |

## Cutting Plier-End Cut



| PART # | DESCRIPTION |
|--------|-------------|
| CHA356 | 6"          |
| CHA357 | 7"          |
| CHA358 | 8"          |

## Cutting Plier-Nipper



| PART #   | DESCRIPTION |
|----------|-------------|
| CHA14810 | 10"         |

## Cutting Plier-Concrete Nipper



| PART #   | DESCRIPTION |
|----------|-------------|
| CHA35250 | 10"         |

## Cutting Plier-Combination XLT™



| PART # | DESCRIPTION |
|--------|-------------|
| CHA348 | 8"          |

## Cutting Linemans Round Nose XLT™



## Long Nose Plier XLT™



| PART #  | DESCRIPTION                   |
|---------|-------------------------------|
| CHA326  | 6" SIDE CUTTER                |
| CHA317  | 8" SIDE CUTTER                |
| CHA3017 | 8"                            |
| CHA318  | 8" E SERIES                   |
| CHA388  | 8" BENT LONG NOSE-SIDE CUTTER |

## Long Nose Plier-Long Reach



| PART # | DESCRIPTION  |
|--------|--------------|
| CHA718 | 8" FLAT NOSE |

### Long Nose Plier-Long Reach



| PART # | DESCRIPTION    |
|--------|----------------|
| CHA738 | 8" NEEDLE NOSE |

### Long Nose Plier-Long Reach



| PART # | DESCRIPTION      |
|--------|------------------|
| CHA748 | 8" END-CUT PLIER |

### Long Nose Plier-Long Reach



| PART # | DESCRIPTION               |
|--------|---------------------------|
| CHA758 | 8" DIAGONAL FLUSH CUTTING |

### Little Champs



| PART # | DESCRIPTION                     |
|--------|---------------------------------|
| CHA424 | 4" TONGUE & GROOVE STRAIGHT JAW |

### Oil Filter/PVC Plier



| PART # | DESCRIPTION     |
|--------|-----------------|
| CHA209 | 9"              |
| CHA212 | 12"             |
| CHA202 | 12" ANGLED HEAD |
| CHA215 | 15.5"           |

### Iron Worker Plier



| PART #  | DESCRIPTION           |
|---------|-----------------------|
| CHA350S | 9" BEVEL NOSE, SPRING |

### Welding Plier



| PART # | DESCRIPTION |
|--------|-------------|
| CHA360 | 9"          |

### Fence Plier



| PART # | DESCRIPTION |
|--------|-------------|
| CHA85  | 10"         |

### Rescue Tool- Combination



| PART # | DESCRIPTION |
|--------|-------------|
| CHA86  | 9"          |

### Rescue Tool-Cable Cutter



| PART # | DESCRIPTION |
|--------|-------------|
| CHA87  | 9"          |

## Cable Cutter Shear, Compound



| PART # | DESCRIPTION |
|--------|-------------|
| CHA910 | 9"          |

## Retaining Ring Plier



| PART # | DESCRIPTION |
|--------|-------------|
| CHA926 | 6"          |
| CHA927 | 8"          |
| CHA929 | 10"         |

## Retaining Ring Plier Tip Kit



| PART #  | DESCRIPTION                   |
|---------|-------------------------------|
| CHA926T | 5PC UNIVERSAL TIP KIT FOR 926 |
| CHA927T | 5PC UNIVERSAL TIP KIT FOR 927 |
| CHA929T | 5PC UNIVERSAL TIP KIT FOR 929 |

## Locking Plier-Curved Jaw



| PART #   | DESCRIPTION |
|----------|-------------|
| CHA1025  | 5"          |
| CHA1027  | 7"          |
| CHA10210 | 10"         |

## Locking Plier-C-Clamp w/Swivel Pads



| PART #   | DESCRIPTION |
|----------|-------------|
| CHA1076  | 6"          |
| CHA10712 | 12"         |

## Cable Cutter



| PART # | DESCRIPTION |
|--------|-------------|
| CHA911 | 9"          |

## Retaining Ring Plier Set



| PART # | DESCRIPTION |
|--------|-------------|
| CHART3 | 3PC SET     |

## Locking Plier-Straight Jaw



| PART #   | DESCRIPTION |
|----------|-------------|
| CHA1017  | 7"          |
| CHA10110 | 10"         |

## Locking Plier-C-Clamp



| PART #   | DESCRIPTION |
|----------|-------------|
| CHA1066  | 6"          |
| CHA10612 | 12"         |

## Locking Plier-Long Nose



| PART #   | DESCRIPTION |
|----------|-------------|
| CHA1036  | 6"          |
| CHA10310 | 10"         |

### **Locking Plier-Large Jaw**



### **Locking Plier-Sheet Metal**



| PART #   | DESCRIPTION |
|----------|-------------|
| CHA10410 | 10"         |

### **1000V Rated Plier**



| PART #  | DESCRIPTION |
|---------|-------------|
| CHA1088 | 8"          |

### **1000V Rated Plier**



| PART #  | DESCRIPTION  |
|---------|--------------|
| CHA318I | 8" LONG NOSE |

| PART #  | DESCRIPTION                    |
|---------|--------------------------------|
| CHA337I | 7" DIAGONAL CUTTING, LAP JOINT |

### **1000V Rated Plier**



### **Plier Set**



| PART #  | DESCRIPTION    |
|---------|----------------|
| CHA348I | 8" COMBINATION |

| PART # | DESCRIPTION                |
|--------|----------------------------|
| CHAGS1 | 2PC SET-INCLUDES 426 / 420 |

### **Plier Set**



### **Plier Set**



| PART # | DESCRIPTION                      |
|--------|----------------------------------|
| CHAGS3 | 3PC SET-INCLUDES 426 / 420 / 440 |

| PART #  | DESCRIPTION                        |
|---------|------------------------------------|
| CHAGS1X | 3PC SET-SPEEDGRIP® NCL 428X / 430X |

### **Plier Set**



### **Plier Set**



| PART #  | DESCRIPTION                 |
|---------|-----------------------------|
| CHAGLS1 | 2PC SET-INCLUDES GL6 / GL12 |

| PART #  | DESCRIPTION                        |
|---------|------------------------------------|
| CHAGLS3 | 3PC SET-INCLUDES GL6 / GL10 / GL12 |

## Crimping / Cutter Plier



| PART # | DESCRIPTION |
|--------|-------------|
| CHA909 | 9"          |

## Wire Stripper



| PART # | DESCRIPTION |
|--------|-------------|
| CHA968 | 8" FORGED   |

## Wire Stripper



| PART # | DESCRIPTION  |
|--------|--------------|
| CHA958 | 6" 10-20 AWG |

## Ultra Access Uni-fit -Tool Set Pass Thru



| PART #   | DESCRIPTION |
|----------|-------------|
| CHA39100 | 16 PC       |

## Mechanics Tool Set



| PART #   | DESCRIPTION |
|----------|-------------|
| CHA39067 | 132 PC      |

## Wire Stripper



| PART # | DESCRIPTION            |
|--------|------------------------|
| CHA908 | 8" 10-22 AWG CRIMP,CUT |

## Wire Stripper



| PART # | DESCRIPTION    |
|--------|----------------|
| CHA957 | 7" ERGO HANDLE |

## Wire Stripper



| PART # | DESCRIPTION       |
|--------|-------------------|
| CHA959 | 8" 8-22 AWG CRIMP |

## Mechanics Tool Set



| PART #   | DESCRIPTION |
|----------|-------------|
| CHA39070 | 94 PC       |

## Mechanics Tool Set



| PART #   | DESCRIPTION |
|----------|-------------|
| CHA39053 | 171 PC      |

## Mechanics Tool Set-1/4" Drive



| PART #   | DESCRIPTION      |
|----------|------------------|
| CHA34211 | 21PC 1/4" SAE    |
| CHA34212 | 21PC 1/4" METRIC |

## Mechanics Tool Set-3/8" Drive



| PART #   | DESCRIPTION      |
|----------|------------------|
| CHA38181 | 18PC 3/8" SAE    |
| CHA38182 | 18PC 3/8" METRIC |

## Mechanics Tool Set-1/2" Drive



| PART #   | DESCRIPTION      |
|----------|------------------|
| CHA32161 | 16PC 1/2" SAE    |
| CHA32162 | 16PC 1/2" METRIC |

## Pry Bar Set



| PART #   | DESCRIPTION        |
|----------|--------------------|
| CHAPRY3C | 3PC: 12", 17", 25" |

## Phillips® Demolition Driver



| PART #    | DESCRIPTION |
|-----------|-------------|
| CHADP206H | #2 X 6"     |

## Demolition Driver Set S&P



| PART #  | DESCRIPTION |
|---------|-------------|
| CHADS2H | 2PC         |

## Pry Bar



| PART #   | DESCRIPTION     |
|----------|-----------------|
| CHAPR8C  | 8"- 1/2" X 4"   |
| CHAPR12C | 12"- 3/8" X 7"  |
| CHAPR17C | 17"- 5/8" X 12" |
| CHAPR25C | 25"- 1/2" X 18" |
| CHAPR31C | 31"- 1/2" X 24" |
| CHAPR36C | 36"- 5/8" X 28" |
| CHAPR45C | 45"- 5/8" X 38" |

## Mechanics Ratcheting Wrench Set



| PART #  | DESCRIPTION |
|---------|-------------|
| CHA841M | 2PC METRIC  |
| CHA841S | 2PC SAE     |

## Slotted Demolition Driver



| PART #    | DESCRIPTION |
|-----------|-------------|
| CHADS146H | 1/4" X 6"   |

## Precision Torx® Driver Set



| PART #  | DESCRIPTION |
|---------|-------------|
| CHATP5H | 5PC         |

## Precision Hook & Pick Set



| PART #  | DESCRIPTION |
|---------|-------------|
| CHAHP4H | 4PC         |

## Ratcheting Multi-Bit Screwdriver



| PART #   | DESCRIPTION |
|----------|-------------|
| CHA131CB | 13-IN-1     |

## Adjustable Wrench Code Blue®



| PART #    | DESCRIPTION |
|-----------|-------------|
| CHA806WCB | 6"          |
| CHA808WCB | 8"          |
| CHA810WCB | 10"         |
| CHA812WCB | 12"         |

## Adjustable Wrench Extra Slim Jaw



| PART #   | DESCRIPTION |
|----------|-------------|
| CHA806SW | 6"          |

## Adjustable Wrench Slim Jaw



| PART #   | DESCRIPTION              |
|----------|--------------------------|
| CHA6SWCB | WIDEAZZ® CODE BLUE® - 6" |
| CHA8SWCB | WIDEAZZ® CODE BLUE® - 8" |

## Professional Multi-Bit Screwdriver



| PART # | DESCRIPTION |
|--------|-------------|
| CHA61H | 6-IN-1      |

## Adjustable Wrench



| PART #   | DESCRIPTION             |
|----------|-------------------------|
| CHA6WCB  | WIDEAZZ® CODE BLUE® 6"  |
| CHA8WCB  | WIDEAZZ® CODE BLUE® 8"  |
| CHA10WCB | WIDEAZZ® CODE BLUE® 10" |

## Adjustable Wrench-Chrome




| PART #  | DESCRIPTION |
|---------|-------------|
| CHA804S | 4"          |
| CHA806W | 6"          |
| CHA808W | 8"          |
| CHA810W | 10"         |
| CHA812W | 12"         |
| CHA815  | 15"         |
| CHA818  | 18"         |
| CHA824  | 24"         |
| CHA830  | 30"         |

## Adjustable Wrench-Chrome



| PART #   | DESCRIPTION                 |
|----------|-----------------------------|
| CHA806PW | REVERSIBLE (PIPE) JAW - 6"  |
| CHA808PW | REVERSIBLE (PIPE) JAW - 8"  |
| CHA810PW | REVERSIBLE (PIPE) JAW - 10" |
| CHA812PW | REVERSIBLE (PIPE) JAW - 12" |

## Aviation Snip-Offset



| PART #   | DESCRIPTION   |
|----------|---------------|
| CHA610FL | 10" LEFT CUT  |
| CHA610FR | 10" RIGHT CUT |

## Aviation Snip



| PART #   | DESCRIPTION      |
|----------|------------------|
| CHA610AS | 10" STRAIGHT CUT |
| CHA610AL | 10" LEFT CUT     |
| CHA610AR | 10" RIGHT CUT    |

## Aviation Snip-Upright



| PART #   | DESCRIPTION   |
|----------|---------------|
| CHA610UL | 10" LEFT CUT  |
| CHA610UR | 10" RIGHT CUT |

## Aviation Snip



| PART #   | DESCRIPTION  |
|----------|--------------|
| CHA612TD | 12" DUCKBILL |

## Aviation Snip - Tinner



| PART #   | DESCRIPTION |
|----------|-------------|
| CHA608TS | 8"          |
| CHA610TS | 10"         |
| CHA612TS | 12"         |

## Aviation Snip - Utility



| PART #   | DESCRIPTION |
|----------|-------------|
| CHA610SS | 10"         |

## DeWALT 8G Stainless Steel Vacuum



| PART #    | DESCRIPTION                 |
|-----------|-----------------------------|
| ALTDXV08S | 8 GAL 5.0HP STAINLESS STEEL |

## DeWALT 10G Poly Vacuum



| PART #     | DESCRIPTION       |
|------------|-------------------|
| ALTDXV10PL | 10 GAL 5.0HP POLY |

## DeWALT 12G Poly Vacuum



| PART #    | DESCRIPTION       |
|-----------|-------------------|
| ALTDXV12P | 12 GAL 5.5HP POLY |

## DeWALT Stealthsonic® Vacuums



| PART #       | DESCRIPTION                         |
|--------------|-------------------------------------|
| ALTDXV09PQTA | 9 GAL 5.0HP 50% QUIETER- POLY       |
| ALTDXV12PQTA | 12 GAL 5.5HP 50% QUIETER- POLY      |
| ALTDXV16PQTA | 16 GAL 6.5HP 50% QUIETER- POLY CART |

## DeWALT 16G Poly Vacuum



| PART #    | DESCRIPTION            |
|-----------|------------------------|
| ALTDXV16P | 16 GAL 6.5HP POLY CART |

## DeWALT 14G Poly Vacuum



| PART #    | DESCRIPTION            |
|-----------|------------------------|
| ALTDXV14P | 14 GAL 6.0HP POLY CART |

## DeWALT 600CFM Air Mover



| PART #      | DESCRIPTION                                |
|-------------|--|
| ALTDXAM2260 | 600CFM AIR MOVER, 1/5HP, 3 SPEED, 10' CORD |

## DeWALT Air Filtration



| PART #      | DESCRIPTION                          |
|-------------|--------------------------------------|
| ALTDWXAF101 | 3 SPEED, 2 STAGE FILTRATION FOR SHOP |

## DeWALT High Efficiency Filter Bags



| PART #        | DESCRIPTION                           |
|---------------|---------------------------------------|
| ALTDXVA194111 | FINE DUST/ DRYWALL 6-10 GAL (3 BAGS)  |
| ALTDXVA194112 | FINE DUST/ DRYWALL 12-16 GAL (3 BAGS) |

## DeWALT Filter Cartridge



**DXVC6910**



**DXVC4002**



**DXVC6914**

| PART #      | DESCRIPTION                          |
|-------------|--------------------------------------|
| ALTDXVC4001 | REGULAR 4-5.8 GAL                    |
| ALTDXVC4002 | FINE DUST/ DRYWALL 4 - 5, 8 GAL      |
| ALTDXVC4003 | HEPA 4-5.8 GAL                       |
| ALTDXVC6910 | REGULAR 6-16 (EXC. 8) GAL            |
| ALTDXVC6912 | FINE DUST/ DRYWALL 6-16 (EXC. 8) GAL |
| ALTDXVC6914 | HEPA 6-16 (EXC. 8) GAL               |

## DeWALT 1800CFM Air Mover



| PART #      | DESCRIPTION                                 |
|-------------|---|
| ALTDXAM2818 | 1800CFM AIR MOVER, 3/4HP, 3 SPEED, 30' CORD |

## DeWALT Vacuum Hose



| PART #        | DESCRIPTION                |
|---------------|----------------------------|
| ALTDXVA192500 | ULTRA DURABLE- 1-7 / 8"-7' |
| ALTDXVA192501 | ULTRA DURABLE- 2-1 / 2"-7' |

## DeWalt Filter Bags



| PART #        | DESCRIPTION       |
|---------------|-------------------|
| ALTDXVA254040 | 4 GAL (3 BAGS)    |
| ALTDXVA194104 | 5-8 GAL (3 BAGS)  |
| ALTDXVA194101 | 6-10 GAL (3 BAGS) |

## DeWalt Premium Vacuum Accessories



| PART #          | DESCRIPTION  |
|-----------------|--|
| ① ALTDXVA001200 | PIVOTING EXTENSION WAND 1-1/4" TO 2-1/2"<br>WET / DRY VAC. 2-PIECE |
| ② ALTDXVA001500 | DUST COLLECTOR 1/4" TO 2-1/2" WET/DRY VAC.                         |
| ③ ALTDXVA000301 | CONDUIT LINE PULLER KIT 1-1/4" TO 2-1/2"<br>WET / DRY VAC.         |
| ④ ALTDXVA004300 | CLAW UTILITY NOZZLE BRUSH 1-1/4" TO 2-1/2"<br>WET / DRY VAC        |
| ⑤ ALTDXVA001501 | MAGNETIC UTILITY NOZZLE 1-1/4" TO 2-1/2"<br>WET / DRY VAC.         |

## Stanley 3G Poly Vacuum



| PART #      | DESCRIPTION      |
|-------------|------------------|
| ALTS18910P3 | 3 GAL 3.0HP POLY |

## Stanley 8G Stainless Steel Vacuum



| PART #    | DESCRIPTION                 |
|-----------|-----------------------------|
| ALTS18117 | 8 GAL 4.0HP STAINLESS STEEL |

## Stanley Poly Vacuum



| PART #       | DESCRIPTION       |
|--------------|-------------------|
| ALTS18115P4H | 5 GAL 4.0HP POLY  |
| ALTS18117P   | 8 GAL 5.0HP POLY  |
| ALTS18191P   | 10 GAL 4.0HP POLY |
| ALTS18199P   | 12 GAL 5.5HP POLY |

## Stanley 16G Stainless Steel Vacuum



| PART #       | DESCRIPTION                       |
|--------------|-----------------------------------|
| ALTS1860116B | 16 GAL 6.5HP STAINLESS STEEL CART |

## Ash Vacuum & Accessories



| PART #    | DESCRIPTION                  |
|-----------|------------------------------|
| ALTS18184 | 4 GAL 4.0HP STAINLESS STEEL  |
| ALT251040 | PRE-FILTER FOR ASH VAC       |
| ALT251041 | CARTRIDGE FILTER FOR ASH VAC |

## Porter Cable 5G Stainless Steel Vacuum



| PART #      | DESCRIPTION                 |
|-------------|-----------------------------|
| ALTPCX18115 | 5 GAL 4.0HP STAINLESS STEEL |

## Universal Filter Bags



| PART #      | DESCRIPTION                            |
|-------------|--|
| ALTST193100 | FINE DUST/ DRYWALL 4-9 GAL (3 BAGS)    |
| ALTST193101 | FINE DUST/ DRYWALL 9-14 GAL (3 BAGS)   |
| ALTST193102 | FINE DUST/ DRYWALL 14- 22 GAL (3 BAGS) |

## Universal High Efficiency Filter Bags



| PART #      | DESCRIPTION        |
|-------------|--------------------|
| ALTST194214 | 4-8 GAL (3 BAGS)   |
| ALTST194112 | 15-22 GAL (3 BAGS) |

## Universal Foam Filter



| PART #      | DESCRIPTION |
|-------------|-------------|
| ALTST191600 | 5-18 GAL    |

## Universal Cartridge Filter



| PART #      | DESCRIPTION       |
|-------------|-------------------|
| ALTST082551 | 2-5 GAL           |
| ALTST082566 | 5-18 GAL          |
| ALTST251045 | HEPA 5-18 GAL     |
| ALTST082587 | FOR RIDGID VACUUM |

## Reusable Paper Filter



| PART #      | DESCRIPTION |
|-------------|-------------|
| ALTST191500 | 5-18 GAL    |

## Universal Car Nozzle



| PART #      | DESCRIPTION |
|-------------|-------------|
| ALTST134333 | 1-7/8" DIA  |

## Universal Cleaning Kit



| PART #      | DESCRIPTION  |
|-------------|--|
| ALTST133303 | 1-1/4" DIA (UTILITY NOZZLE, CREVICE TOOL, ROUND BRUSH) |
| ALT080301   | 1-7/8" DIA (UTILITY NOZZLE, CREVICE TOOL, ROUND BRUSH) |
| ALT190302   | 2-1/2" DIA (UTILITY NOZZLE, CREVICE TOOL, ROUND BRUSH) |



| PART #      | DESCRIPTION                   |
|-------------|-------------------------------|
| ALTST131584 | 1-1/4" DIA MICRO CLEANING KIT |

## Universal Vacuum Hose



| PART #      | DESCRIPTION                   |
|-------------|-------------------------------|
| ALTST251207 | 1-1/4" X 8'                   |
| ALTST152401 | 1-7/8"X12' CRUSH PROOF        |
| ALTST082518 | 2-1/2"X 8' W/2 ENDS & ADAPTOR |

## Universal Hose Coupler



| PART #      | DESCRIPTION |
|-------------|-------------|
| ALTST192748 | 1-7/8" DIA  |
| ALTST082714 | 2-1/2" DIA  |

## **Universal Extension Wand**



| PART #      | DESCRIPTION      |
|-------------|------------------|
| ALTST251205 | 1-1/4" X 13-1/2" |
| ALTST191200 | 1-7/8" X 20"     |
| ALTST082502 | 2-1/2" X 20"     |

## **Universal Crevice Tool**



| PART #      | DESCRIPTION |
|-------------|-------------|
| ALTST131508 | 1-1/4" DIA  |
| ALTST191400 | 1-7/8" DIA  |
| ALTST082506 | 2-1/2" DIA  |

## **Universal Floor Brush**



| PART #      | DESCRIPTION |
|-------------|-------------|
| ALTST131505 | 1-1/4" DIA  |
| ALTST082591 | 2-1/2" DIA  |

## **Universal Floor Nozzle**



| PART #      | DESCRIPTION |
|-------------|-------------|
| ALTST131570 | 1-1/4" DIA  |
| ALTST191900 | 1-7/8" DIA  |

## **Universal Gulper Nozzle**



| PART #      | DESCRIPTION |
|-------------|-------------|
| ALTST131588 | 1-1/4" DIA  |

## **Universal Round Brush**



| PART #      | DESCRIPTION |
|-------------|-------------|
| ALTST131580 | 1-1/4" DIA  |
| ALTST192400 | 1-7/8" DIA  |
| ALTST082401 | 2-1/2" DIA  |

## **Universal Utility Nozzle**



| PART #      | DESCRIPTION |
|-------------|-------------|
| ALTST191300 | 1-7/8" DIA  |
| ALTST082503 | 2-1/2" DIA  |

## **Universal Adaptor**



| PART #      | DESCRIPTION                 |
|-------------|-----------------------------|
| ALTST082788 | 4 PIECE KIT (1-1/4"-2-1/2") |
| ALTST082712 | 2-1/2"-1-1/4"               |

## **Universal Inflation Nozzle**



| PART #      | DESCRIPTION |
|-------------|-------------|
| ALTST134002 | 1/4" DIA    |

## **Universal Adaptor**



| PART #      | DESCRIPTION          |
|-------------|----------------------|
| ALTST151000 | 1-1/4" TO 2-1/2" DIA |

## TV Top Shelf



## TV Static Mount



| PART #    | DESCRIPTION |
|-----------|-------------|
| SUNATS106 | 6" WIDE     |
| SUNATS112 | 12" WIDE    |
| SUNATS124 | 24" WIDE    |

| PART #     | DESCRIPTION  |
|------------|--------------|
| SUNTLS210S | FITS 40"-65" |

## TV Tilt Mount



| PART #        | DESCRIPTION  |
|---------------|--------------|
| SUNTMSDS1113T | FITS 23"-55" |

## TV Tilt Mount



| PART #        | DESCRIPTION  |
|---------------|--------------|
| SUNTLREC3211T | FITS 32"-70" |

## TV Tilt Mount w/HDMI Cable & Cleaner



| PART #         | DESCRIPTION  |
|----------------|--------------|
| SUNTLR3270TKIT | FITS 37"-80" |

## TV Tilt Mount



| PART #        | DESCRIPTION   |
|---------------|---------------|
| SUNTHREC3816T | FITS 40"-100" |

### **TV Small Full Motion Mount**



| PART #      | DESCRIPTION  |
|-------------|--------------|
| SUNTMX022FM | FITS 13"-37" |

### **TV Small Full Motion Mount**



| PART #      | DESCRIPTION  |
|-------------|--------------|
| SUNTMX102FM | FITS 13"-37" |

### **TV Medium Full Motion Mount**



| PART #      | DESCRIPTION  |
|-------------|--------------|
| SUNTMX104FM | FITS 23"-55" |

### **TV Large Full Motion Mount Single Arm**



| PART #         | DESCRIPTION  |
|----------------|--------------|
| SUNTHXSS1364FM | FITS 37"-80" |

### **TV Large Full Motion Mount**



| PART #         | DESCRIPTION  |
|----------------|--------------|
| SUNTLXES4501FM | FITS 37"-70" |

### **TV Large Full Motion Mount**



| PART #          | DESCRIPTION  |
|-----------------|--------------|
| SUNTHXDDS6415FM | FITS 37"-80" |

### **TV Extension Mount Pro Series**



| PART #         | DESCRIPTION          |
|----------------|----------------------|
| SUNTLXDS3105FM | FITS 37"-80" LG TV'S |

### **TV Tabletop Compact Stand**



| PART #      | DESCRIPTION  |
|-------------|--------------|
| SUNTTL6485A | FITS 32"-70" |



**Chicago**  
**Pneumatic™**

**BOLTING - 3/8" Pneumatic Impact Wrenches**



**CP7731C**  
Max. Torque  
346 ft.lbs.



**CP7729**  
Max. Torque  
415 ft.lbs.



**CP721**  
Max. Torque  
81 ft.lbs.



**CP6300 RSR**  
Max. Torque  
179 ft.lbs.

| PART #       | DRIVE SIZE (IN.) | FREE SPEED (RPM) | MAX TORQUE (REV. FT. LBS.) | WEIGHT (LBS.) | LENGTH (IN.) |
|--------------|------------------|------------------|----------------------------|---------------|--------------|
| CHICP7731C   | 3/8"             | 9,000            | 346                        | 2.20          | 4.33         |
| CHICP7729    | 3/8"             | 9,400            | 415                        | 2.76          | 6.42         |
| CHICP721     | 3/8"             | 15,000           | 81                         | 1.17          | 5.51         |
| CHICP6300RSR | 3/8"             | 6,800            | 179                        | 3.53          | 5.98         |

**BOLTING - 1/2" Pneumatic Impact Wrenches**



**CP7732**  
Max. Torque  
450 ft.lbs.



**CP7732C**  
Max. Torque  
461 ft.lbs.



**CP7741**  
Max. Torque  
715 ft.lbs.



**CP7741-2**  
Max. Torque  
715 ft.lbs. (2" Anvil)



**CP7748**  
Max. Torque  
959 ft.lbs.



**CP734H**  
Max. Torque  
425 ft.lbs.



**CP749**  
Max. Torque  
610 ft.lbs.



**CP6500 RS**  
Max. Torque  
627 ft.lbs.

| PART #      | DRIVE SIZE (IN.) | FREE SPEED (RPM) | MAX TORQUE (REV. FT. LBS.) | WEIGHT (LBS.) | LENGTH (IN.) |
|-------------|------------------|------------------|----------------------------|---------------|--------------|
| CHICP7732   | 1/2"             | 9,000            | 450                        | 2.87          | 4.41         |
| CHICP7732C  | 1/2"             | 9,410            | 461                        | 2.20          | 4.25         |
| CHICP7741   | 1/2"             | 10,000           | 715                        | 4.96          | 7.64         |
| CHICP77412  | 1/2"             | 10,000           | 715                        | 5.18          | 9.65         |
| CHICP7748   | 1/2"             | 7,000            | 959                        | 4.41          | 6.89         |
| CHICP734H   | 1/2"             | 8,400            | 425                        | 5.11          | 7.52         |
| CHICP749    | 1/2"             | 6,400            | 610                        | 5.51          | 7.01         |
| CHICP6500RS | 1/2"             | 6,400            | 627                        | 5.84          | 7.01         |

## BOLTING - 3/4" Pneumatic Impact Wrenches



**CP7762**

Max. Torque  
1,050 ft.lbs.



**CP7763**

Max. Torque  
1,200 ft.lbs.



**CP6763**

Max. Torque  
1,200 ft.lbs.



**CP6060-P15H**  
w/ Hole  
Max. Torque  
1,100 ft.lbs.

**CP6060-P15R**

w/ Retaining Ring  
Max. Torque  
1,100 ft.lbs.

| PART #        | DRIVE SIZE (IN.) | FREE SPEED (RPM) | MAX TORQUE (REV. FT. LBS.) | WEIGHT (LBS.) | LENGTH (IN.) |
|---------------|------------------|------------------|----------------------------|---------------|--------------|
| CHICP7762     | 3/4"             | 4,850            | 1,050                      | 6.39          | 6.22         |
| CHICP7763     | 3/4"             | 6,300            | 1,200                      | 11.50         | 9.02         |
| CHICP6763     | 3/4"             | 6,300            | 1,200                      | 12.10         | 8.74         |
| CHICP6060P15H | 3/4"             | 4,000            | 1,100                      | 11.60         | 8.74         |
| CHICP6060P15R | 3/4"             | 4,000            | 1,100                      | 11.60         | 8.74         |

## BOLTING - 1" Pneumatic Impact Wrenches



**CPO611P RS**  
Max. Torque  
627 ft.lbs.  
1" Square Drive



**CPO611P RLS**  
Max. Torque  
627 ft.lbs.  
#5 Spline Drive



**CPO611-D28H**  
Max. Torque  
627 ft.lbs.  
1" Square Drive



**CPO611-D28L**  
Max. Torque  
627 ft.lbs.  
#5 Spline Drive

| PART #        | DRIVE SIZE (IN.) | FREE SPEED (RPM) | MAX TORQUE (REV. FT. LBS.) | WEIGHT (LBS.) | LENGTH (IN.) |
|---------------|------------------|------------------|----------------------------|---------------|--------------|
| CHICP0611PRS  | 1" DRIVE         | 3,500            | 2,800                      | 23.10         | 10.71        |
| CHICP0611PRLS | #5 SPLINE        | 3,500            | 2,800                      | 23.10         | 10.71        |
| CHICP0611D28H | 1" DRIVE         | 3,500            | 2,800                      | 22.90         | 14.17        |
| CHICP0611D28L | #5 SPLINE        | 3,500            | 2,800                      | 22.90         | 14.17        |

## GRINDING - Light Duty Die Grinders & Pens



**CP9104Q**  
1/8" Pencil Die Grinder



**CP9161**  
Engraving Pen



**CP9361**  
Engraving Pen



**CP9361-1**  
Engraving Pen Kit w/Case

| PART #     | FREE SPEED (RPM) | POWER (HP) | WEIGHT (LBS.) | LENGTH (IN.)   |
|------------|------------------|------------|---------------|----------------|
| CHICP9104Q | 60,000           | 0.05       | 0.44          | 5.24           |
| CHICP9161  | N/A              | N/A        | 0.31          | 5.00           |
| CHICP9361  | N/A              | N/A        | 0.31          | 5.00           |
| CHICP93611 | N/A              | N/A        | 1.60          | 11 x 9.5 x 3.2 |

## GRINDING - 1/4" Pneumatic Die Grinders



| PART #    | DRIVE SIZE (IN.) | FREE SPEED (RPM) | MAX TORQUE (FT.LBS.) | WEIGHT (LBS.) | LENGTH (IN.) |
|-----------|------------------|------------------|----------------------|---------------|--------------|
| CHICP875  | 1/4"             | 22,500           | 0.30                 | 1.00          | 4.90         |
| CHICP876  | 1/4"             | 30,000           | 0.30                 | 0.80          | 4.80         |
| CHICP872  | 1/4"             | 27,000           | 0.63                 | 1.26          | 6.50         |
| CHICP860  | 1/4"             | 24,000           | 0.54                 | 1.30          | 5.80         |
| CHICP7405 | 1/4"             | 28,000           | 0.34                 | 1.10          | 6.93         |
| CHICP7406 | 1/4"             | 23,000           | 0.34                 | 1.32          | 6.42         |
| CHICP7408 | 1/4"             | 23,000           | 0.34                 | 1.37          | 7.68         |
| CHICP7410 | 1/4"             | 27,000           | 0.34                 | 1.43          | 9.76         |
| CHICP7411 | 1/4"             | 22,000           | 0.56                 | 1.54          | 7.09         |

## GRINDING - Angle Grinders



| PART #      | MAX WHEEL CAP (IN.) | FREE SPEED (RPM) | POWER (HP) | WEIGHT (LBS.) |
|-------------|---------------------|------------------|------------|---------------|
| CHICP7500D  | 2"                  | 22,000           | 0.20       | 1.20          |
| CHICP7550B  | 5"                  | 12,000           | 1.10       | 3.50          |
| CHICP854E   | 5"                  | 12,000           | 0.70       | 3.80          |
| CHICP9121BR | 5"                  | 12,000           | 0.80       | 4.60          |
| CHICP9123   | 7"                  | 7,500            | 1.10       | 7.50          |

## FINISHING - Sanders



| PART #        | MAX WHEEL CAP (IN.) | FREE SPEED (RPM) | POWER (HP) | WEIGHT (LBS.) |
|---------------|---------------------|------------------|------------|---------------|
| CHICP301912AF | 3"                  | 12,000           | 0.50       | 1.40          |
| CHICP301920AF | 3"                  | 20,000           | 0.50       | 1.40          |
| CHICP3510     | 5"                  | 12,000           | 0.30       | 1.30          |
| CHICP7215     | 6"                  | 12,000           | 0.30       | 1.70          |
| CHICP7215SVE  | 6"                  | 12,000           | 0.30       | 1.80          |

## DRILLING - Pneumatic Drills



CP1014 SERIES



CP1114 SERIES



CP1117 SERIES

**See Chart Below For Models, Specs & Prices**

### 1/4" Pneumatic Drills

| PART #       | CHUCK CAPACITY (IN.) | CHUCK STYLE | FREE SPEED (RPM) | POWER (HP) |
|--------------|----------------------|-------------|------------------|------------|
| CHICP1014P24 | 1/4"                 | KEYED       | 2,400            | 0.50       |
| CHICP1014P33 | 1/4"                 | KEYED       | 3,300            | 0.50       |
| CHICP1014P45 | 1/4"                 | KEYED       | 4,500            | 0.50       |

### 3/8" Pneumatic Drills

| PART #           | CHUCK CAPACITY (IN.) | CHUCK STYLE | FREE SPEED (RPM) | POWER (HP) |
|------------------|----------------------|-------------|------------------|------------|
| CHICP1114R26     | 3/8"                 | KEYED       | 2,600            | 0.50       |
| CHICP1114R40     | 3/8"                 | KEYED       | 4,000            | 0.50       |
| CHICP1117P26ATEX | 3/8"                 | KEYED       | 2,600            | 1.00       |
| CHICP1117P26K    | 3/8"                 | KEYED       | 2,600            | 1.00       |
| CHICP1117P26KL   | 3/8"                 | KEYLESS     | 2,600            | 1.00       |
| CHICP1117P32K    | 3/8"                 | KEYED       | 3,200            | 1.00       |
| CHICP1117P32KL   | 3/8"                 | KEYLESS     | 3,200            | 1.00       |
| CHICP1117P60K    | 3/8"                 | KEYED       | 6,000            | 1.00       |
| CHICP1117P60KL   | 3/8"                 | KEYLESS     | 6,000            | 1.00       |

### 1/2" Pneumatic Drills

| PART #         | CHUCK CAPACITY (IN.) | CHUCK STYLE | FREE SPEED (RPM) | POWER (HP) |
|----------------|----------------------|-------------|------------------|------------|
| CHICP1114R05   | 1/2"                 | KEYED       | 500              | 0.50       |
| CHICP1014P05K  | 1/2"                 | KEYED       | 500              | 0.50       |
| CHICP1114R09   | 1/2"                 | KEYED       | 900              | 0.50       |
| CHICP1117P05K  | 1/2"                 | KEYED       | 500              | 1.00       |
| CHICP1117P05KL | 1/2"                 | KEYLESS     | 500              | 1.00       |
| CHICP1117P09K  | 1/2"                 | KEYED       | 900              | 1.00       |
| CHICP1117P09KL | 1/2"                 | KEYLESS     | 900              | 1.00       |

## DRILLING - Specialty Pneumatic Drills



**CP7300C**

1/4" Pneumatic Drill



**CP1720R22**

7/8" Pneumatic Corner Drill

| PART #       | CHUCK CAPACITY (IN.) | CHUCK STYLE   | FREE SPEED (RPM) | POWER (HP) |
|--------------|----------------------|---------------|------------------|------------|
| CHICP7300C   | 1/4"                 | KEYED         | 3,300            | 0.31       |
| CHICP1720R22 | 7/8"                 | MORSE TAPER 2 | 430              | 1.19       |

## FASTENING - Pneumatic Ratchets



**CP9426**  
1/4" Drive



**CP886**  
3/8" Drive



**CP828**  
3/8" Drive



**CP828H**  
1/2" Drive

| PART #    | DRIVE SIZE (IN.) | MAX. TORQUE (FT.LBS.) | WEIGHT (LBS.) | LENGTH (IN.) |
|-----------|------------------|-----------------------|---------------|--------------|
| CHICP9426 | 1/4"             | 25.80                 | 1.08          | 10.24        |
| CHICP886  | 3/8"             | 50.20                 | 2.62          | 10.24        |
| CHICP828  | 3/8"             | 51.60                 | 2.43          | 10.00        |
| CHICP828H | 1/2"             | 51.60                 | 2.43          | 10.00        |

## CHIPPING - Pneumatic Needle Scalers



**CP7115**  
14mm Bore



**CP7120**  
25mm Bore



**CP7125**  
21mm Bore

| PART #    | STROKE (MM) | BORE SIZE   | NEEDLE CAPACITY QTY X O.D.(MM) | WEIGHT (LBS.) |
|-----------|-------------|-------------|--------------------------------|---------------|
| CHICP7115 | 32.00       | 1/2" / 12mm | 12 x 3.00                      | 2.90          |
| CHICP7120 | 28.40       | 1" / 24mm   | 19 x 3.00                      | 6.20          |
| CHICP7125 | 33.50       | 1" / 24mm   | 19 x 3.00                      | 6.20          |

## ACCESSORIES - Replacement Needles & Chisels



**8951011504**  
29 pcs  
2mm X 120mm



**P100146**  
19 pcs  
3mm X 178mm



**8940159860**  
19 pcs  
3mm X 178mm



**2050499653**  
CP7120  
35mm



**A046073**  
Round Shank  
0.401"

| PART #        | DESCRIPTION   |
|---------------|---|
| CHI8951011504 | REPLACEMENT NEEDLE SET - 29 PCS.   2MM X 120MM      |
| CHIP100146    | REPLACEMENT FLAT NEEDLE SET - 19 PCS.   3MM X 178MM |
| CHI8940159860 | REPLACEMENT NEEDLE SET - 19 PCS.   3MM X 178MM      |
| CHI2050499653 | REPLACEMENT CHISEL FOR CP7120   35MM                |
| CHIA046073    | REPLACEMENT FLAT CHISEL - ROUND SHANK   0.401"      |

## CHIPPING - Air Hammers



**CP714**

0.60" Bore



**CP7110KIT**

0.75" Bore



**CP7111K**

0.80" Bore



**CP717K**

0.80" Bore



**CP7150**

0.75" Bore

ROUND 0.401"



**CP7150K**

0.75" Bore



**CP7165K**

0.75" Bore



**RA2H**

0.71" Bore

1/2" Hex

| PART #       | BORE SIZE (IN.) | STROKE (MM) | SHANK (SHAPE/SIZE) | POWER (JOULE) |
|--------------|-----------------|-------------|--------------------|---------------|
| CHICP714     | 0.60            | 3.50        | ROUND / 0.401      | 4.70          |
| CHICP7110KIT | 0.75            | 2.64        | ROUND / 0.401      | 7.20          |
| CHICP7111K   | 0.80            | 2.60        | ROUND / 0.401      | 7.20          |
| CHICP717K    | 0.80            | 2.70        | ROUND / 0.498      | 7.30          |
| CHICP7150    | 0.75            | 3.50        | ROUND / 0.401      | 9.50          |
| CHICP7150K   | 0.75            | 3.50        | ROUND / 0.401      | 9.50          |
| CHICP7165K   | 0.75            | 3.50        | ROUND / 0.401      | 11.00         |
| CHIRA2H      | 0.71            | 2.28        | HEX / 0.50         | 5.60          |

## BOLTING - Manual Torque Wrenches



The CP89 Series Manual Torque Wrenches are available in  
1/4" Drive - 1" Drive sizes with a capacity of 50 in.lbs. - 750 ft. lbs.

| PART #     | DRIVE SIZE (IN.) | TORQUE CAP.       | WEIGHT (LBS.) | LENGTH (IN.) |
|------------|------------------|-------------------|---------------|--------------|
| CHICP8905  | 1/4"             | 50 - 250 IN.LBS.  | 2.82          | 9.65         |
| CHICP8905E | 1/4"             | 5 - 25 NM         | 2.82          | 9.65         |
| CHICP8910  | 3/8"             | 15 - 75 FT.LBS.   | 3.31          | 16.14        |
| CHICP8910E | 3/8"             | 20 - 100 NM       | 3.31          | 16.14        |
| CHICP8915  | 1/2"             | 40 - 200 NM       | 3.46          | 19.49        |
| CHICP8917  | 1/2"             | 50 - 250 FT.LBS.  | 3.88          | 24.02        |
| CHICP8917E | 1/2"             | 60 - 340 NM       | 3.88          | 24.02        |
| CHICP8920  | 3/4"             | 100 - 550 FT.LBS. | 13.70         | 41.73        |
| CHICP8920E | 3/4"             | 150 - 750 NM      | 13.70         | 41.73        |
| CHICP8925  | 1"               | 150 - 750 FT.LBS. | 15.00         | 49.41        |
| CHICP8925E | 1"               | 200 - 1000 NM     | 15.00         | 49.41        |

## BOLTING - Pneumatic Torque Wrenches



**CP6613**

3/4" Drive  
Max. Torque 959 ft.lbs.

**CP6613 FRL**

Kit with FRL included



**CP6626**

1" Drive  
Max. Torque 1,920 ft.lbs.

**CP6626-FRL**

Kit with FRL included



**CP6641**

1" Drive  
Max.Torque 3,020 ft.lbs.

**CP6641-FRL**

Kit with FRL included

| PART #        | DRIVE SIZE (IN.) | MAX. TORQUE @ 6.3 BARS (FT.LBS.) | AIR CONSUMPTION @ LOAD (CFM) | REACTION BAR INCLUDED | WEIGHT (LBS.) |
|---------------|------------------|----------------------------------|------------------------------|-----------------------|---------------|
| CHICP6613     | 3/4"             | 960                              | 48                           | S-TYPE                | 9.70          |
| CHICP6613FRL  | 3/4"             | 960                              | 48                           | S-TYPE                | 9.70          |
| CHICP6626     | 1"               | 1,900                            | 48                           | S-TYPE                | 12.50         |
| CHICP6626FRL  | 1"               | 1,900                            | 48                           | S-TYPE                | 12.50         |
| CHICP6641     | 1"               | 3,100                            | 65                           | S-TYPE                | 21.80         |
| CHICP6641-FRL | 1"               | 3,100                            | 65                           | S-TYPE                | 21.80         |

## BOLTING - Cordless Torque Wrenches

**CP8613**

3/4" Drive  
960 ft.lbs.

**CP8613C**

"Connected"

**CP8613CQ**

"Connected Quality"



**CP8626**

1" Drive  
1,910 ft.lbs.

**CP8626C**

"Connected"

**CP8626CQ**

"Connected Quality"



**CP8641**

1" Drive  
3,020 ft.lbs.

**CP8641C**

"Connected"

**CP8641CQ**

"Connected Quality"



**CP8681**

1-1/2" Drive  
5,970 ft.lbs.

**CP8681C**

"Connected"

**CP8681CQ**

"Connected Quality"



\*All Units Include Case, 2X 36V Batteries & Charger - Please Contact Us For More Information

| PART #      | DRIVE SIZE | MAX. TORQUE (FT.LBS.) | BLUETOOTH CONNECTED | DOWNLOAD DATA TO EXCEL |
|-------------|------------|-----------------------|---------------------|------------------------|
| CHICP8613   | 3/4"       | 960                   | NO                  | NO                     |
| CHICP8613C  | 3/4"       | 960                   | YES                 | NO                     |
| CHICP8613CQ | 3/4"       | 960                   | YES                 | YES                    |
| CHICP8626   | 1"         | 1,910                 | NO                  | NO                     |
| CHICP8626C  | 1"         | 1,910                 | YES                 | NO                     |
| CHICP8626CQ | 1"         | 1,910                 | YES                 | YES                    |
| CHICP8641   | 1"         | 3,020                 | NO                  | NO                     |
| CHICP8641C  | 1"         | 3,020                 | YES                 | NO                     |
| CHICP8641CQ | 1"         | 3,020                 | YES                 | YES                    |
| CHICP8681   | 1-1/2"     | 5,970                 | NO                  | NO                     |
| CHICP8681C  | 1-1/2"     | 5,970                 | YES                 | NO                     |
| CHICP8681CQ | 1-1/2"     | 5,970                 | YES                 | YES                    |

## BOLTING - Vehicle Service Cordless Torque Wrenches

### CP8609C

Wheel Service Tool  
Stand Alone Version

### CP8609CC

Wheel Service Tool  
Basic Bluetooth  
"Connected" Version

### CP8609CCQ

Wheel Service Tool  
Deluxe Bluetooth "Connected Quality"  
Version with Downloadable  
Data to Excel



**CP8609 Wheel Service Tools:** 3 Versions of Connectivity, All 1" Drive, 665 ft. lbs. Max Torque.  
Each Tool comes complete with 2 x CP 36V Batteries, Charger and Deluxe Carrying Case.

| PART #       | DRIVE SIZE (IN.) | MAX. TORQUE (FT.LBS.) | BLUETOOTH CONNECTED | DOWNLOAD DATA TO EXCEL |
|--------------|------------------|-----------------------|---------------------|------------------------|
| CHICP8609C   | 1"               | 665                   | NO                  | NO                     |
| CHICP8609CC  | 1"               | 665                   | YES                 | NO                     |
| CHICP8609CCQ | 1"               | 665                   | YES                 | YES                    |

## ACCESSORIES - Air Flex

### 8940171569

1/4" NPT  
Bottom Weighted  
45 Deg. Fitting w/  
360 Deg. Swivel



### 8940171571

3/8" NPT  
Bottom Weighted  
45 Deg. Fitting w/  
360 Deg. Swivel



### 8940171567

1/2" NPT  
Bottom Weighted  
45 Deg. Fitting w/  
360 Deg. Swivel



*A Must for All Pneumatic Tools. No More Tangled Hoses.*

*The Swivel Fitting Allows The Hose to Drop at the Operator's Side*

## ACCESSORIES - Miscellaneous



8940158924



C123029



8940162768

| PART #        | DESCRIPTION                           |
|---------------|---------------------------------------|
| CHI8940158924 | QUICK CHANGE RETAINER - CHISEL HOLDER |
| CHIC123029    | BUSHING - COLLET HOLDER               |
| CHI8940162768 | 2" GRINDING WHEEL #60 (PACK OF 5)     |

**PLEASE CONTACT US FOR PRICE AND DELIVERY ON  
ANY CHICAGO PNEUMATIC INDUSTRIAL TOOL ACCESSORIES**



# FEIN

## Oscillating Tools - Cordless



#71293661090



#71293861090



#71293862090



#71293665090

| PART #      | DESCRIPTION  |
|-------------|--|
| 71293661090 | AMM700 MAX TOP SET CORDLESS MULTIMASTER AMPSHARE 18V 4AH             |
| 71293861090 | AMM500 PLUS TOP SET CORDLESS MULTIMASTER AMPSHARE 18V 4AH            |
| 71293862090 | AMM500 PLUS CORDLESS MULTIMASTER SELECT AMPSHARE 18V (TOOL ONLY)     |
| 71293865090 | AMM500 STARTER KIT 2AH CORDLESS MULTIMASTER IN NYLONBAG AMPSHARE 18V |

## Oscillating Tools - Corded



#72296769090



#72296770090



#72296962090



#72297264090

| PART #      | DESCRIPTION   |
|-------------|---|
| 72296769090 | MM500 PLUS BASIC MULTIMASTER OSCILLATING TOOL L-BOXX  |
| 72296770090 | MM500 PLUS TOP MULTIMASTER OSCILLATING TOOL L-BOXX    |
| 72296962090 | MM700 1.7 BASIC MULTIMASTER L-BOXX                    |
| 72297264090 | MM300 PLUS START MULTIMASTER OSCILLATING TOOL L-BOX X |

## Angle Grinders



#72219760390



#72226760090

#72227660090  
#72227760090

| PART #      | DESCRIPTION   |
|-------------|---|
| 72219760390 | WSG7-115 4 1/2" COMPACT ANGLE GRINDER 760W 6.6A 120V SPINDLE LOCK |
| 72226760090 | CG15-125BL 5" BRUSHLESS ANGLE GRINDER N09 120V                    |
| 72227660090 | CG15-125BLP 5" BRUSHLESS ANGLE GRINDER PADDLE SWITCH N09 120V     |
| 72227760090 | CG15-150BLP 6" BRUSHLESS ANGLE GRINDER PADDLE SWITCH N09 120V     |

## Magnetic Drills



**#72704761120**



**#72705461120**



**#72705661120**



**#72705861120**

| PART #      | DESCRIPTION  |
|-------------|--|
| 72704761120 | JCM256U UNIVERSAL MAGNETIC CORE DRILL 2-9/16" MT3 120V N12       |
| 72705461120 | JMU137QW UNIVERSAL MAGNETIC CORE DRILL 1-3/8" 120V N12           |
| 72705661120 | JMU137MQW UNIVERSAL MAGNETIC CORE DRILL 1-3/8" MT2 120V N12      |
| 72705861120 | JMU137-2QW UNIVERSAL MAGNETIC CORE DRILL 1-3/8" 2-SPEED 120V N12 |

## Magnetic Drills



**#72705961090**



**#72706961090**



**#72709461090**



**#72707361090**

| PART #      | DESCRIPTION   |
|-------------|---|
| 72705961090 | JME HOLEMAKER III - ENDURANCE CORE DRILL 1-3/8" 120V N09    |
| 72706961090 | JME USA202M MAGNETIC CORE DRILL 2" N09 120V60H              |
| 72709461090 | JME SHORTSLUGGER II MAGNETIC CORE DRILL N09                 |
| 72707361090 | JMU137PQW PERMANENT MAGNET UNIVERSAL CORE DRILL 1-3/8" 120V |

## Magnetic Drills



**#72725261124**



**#72725361127**



**#72732362090**



**#72732461090**

| PART #      | DESCRIPTION                                     |
|-------------|---|
| 72725261124 | JHM USA101 MAGNETIC DRILL ENDURANCE 1-1/2" 120V |
| 72725361127 | JHM MAGFORCE ENDURANCE CORE DRILL 1-5/8" 120V   |
| 72732362090 | JMC MAGFORCE 90 COMPACT SET IN L-BOXX 120V      |
| 72732461090 | JME MAGSPEED 150 MAGNETIC DRILL PRESS           |

## Dust Extractors



#92030060090  
#92035060090



#92035236090  
#92036236090

| PART #      | DESCRIPTION   |
|-------------|---|
| 92030060090 | 92030 TURBO II X AC WET/DRY DUST EXTRACTOR WITH AUTO-CLEAN 120V |
| 92035060090 | 92035 SET TURBO I WET/DRY DUST EXTRACTOR 120V 60H N09           |
| 92035236090 | 92035 TURBO 1 WET/DRY DUST EXTRACTOR 120V N09                   |
| 92036236090 | 92036 TURBO II WET/DRY DUST EXTRACTOR 120V N09                  |

## Metal Cutting Saws



#72905361120



#69908120001



#69908030047

| PART #      | DESCRIPTION                                    |
|-------------|--|
| 72905361120 | MCCS14 SLUGGER METAL CUTTING CHOP SAW 14" 120V |
| 69908120001 | SLUGGER 9" METAL CUTTING SAW                   |
| 69908030047 | NG120XL FEMI PORTABLE BAND SAW 120V 60 HZ      |

## Abrasives



#69908030614  
#69908030615  
#69908030616  
#69908030628  
#69908031106



#69908030609  
#69908030620  
#69908030625  
#69908030629

| PART #      | DESCRIPTION  |
|-------------|--|
| 69908030614 | F-459645 (E-25) SP STAINLESS STEEL CUT OFF WHEEL 5 X .045 X 7/8 TYPE 27                  |
| 69908030615 | F-459652 (E-25) SP STAINLESS STEEL CUT OFF WHEEL 7 X .045 X 7/8 TYPE 27                  |
| 69908030616 | F-459669 (E-25) SP STAINLESS STEEL CUT OFF WHEEL 4 1/2 X .045 X 7/8 TYPE 27              |
| 69908030628 | F-538341 (E-25) GP CUT-OFF WHEEL<br>GENERAL PURPOSE STAINLESS 4-1/2 X .045 X 7/8 TYPE 27 |
| 69908031106 | F-470398 (E-10) SP STAINLESS STEEL GRINDING WHEEL-BLUE 7X1/4X7/8 TYPE 27                 |
| 69908030609 | F-355442 (E-25) SP STAINLESS STEEL CUT OFF WHEEL 4 1/2 X .045X 7/8 TYPE 1                |
| 69908030620 | F-499733 (E-25) SP STAINLESS STEEL CUT OFF WHEEL 5 X .040X 7/8 TYPE 1                    |
| 69908030625 | F-538142 (E-25) GP CUT-OFF WHEEL - GENERAL PURPOSE STAINLESS 5 X .045 X7/8 TYPE 1        |
| 69908030629 | F-538781 (E-25) GP CUT-OFF WHEEL - GENERAL PURPOSE STAINLESS 4-1/2 X.045 X 7/8 TYPE 1    |

## Slugger HSS Annular Cutters



| PART #      | DESCRIPTION             |
|-------------|-------------------------|
| 63134111041 | 7/16" - PILOT PIN 1"    |
| 63134127041 | 1/2" - PILOT PIN 1"     |
| 63134143041 | 9/16" - PILOT PIN 1"    |
| 63134158041 | 5/8" - PILOT PIN 1"     |
| 63134175041 | 11/16" - PILOT PIN 1"   |
| 63134191041 | 3/4" - PILOT PIN 1"     |
| 63134238041 | 15/16" - PILOT PIN 1"   |
| 63134254041 | 1" - PILOT PIN 1"       |
| 63134269041 | 1-1/16" - PILOT PIN 1"  |
| 63134286041 | 1-1/8" - PILOT PIN 1"   |
| 63134302041 | 1-3/16" - PILOT PIN 1"  |
| 63134318041 | 1-1/4" - PILOT PIN 1"   |
| 63134333041 | 1-5/16" - PILOT PIN 1"  |
| 63134349041 | 1-3/8" - PILOT PIN 1"   |
| 63134365041 | 1-7/16" - PILOT PIN 1"  |
| 63134381041 | 1-1/2" - PILOT PIN 1"   |
| 63134397041 | 1-9/16" - PILOT PIN 1"  |
| 63134413041 | 1-5/8" - PILOT PIN 1"   |
| 63134429041 | 1-11/16" - PILOT PIN 1" |
| 63134445041 | 1-3/4" - PILOT PIN 1"   |
| 63134460041 | 1-13/16" - PILOT PIN 1" |
| 63134476041 | 1-7/8" - PILOT PIN 1"   |
| 63134492041 | 1-5/16" - PILOT PIN 1"  |
| 63134508041 | 2" - PILOT PIN 1"       |
| 63134524041 | 2-1/16 " - PILOT PIN 1" |

## Slugger HSS Annular Cutters



| PART #      | DESCRIPTION             |
|-------------|-------------------------|
| 63134111042 | 7/16" - PILOT PIN 2"    |
| 63134127042 | 1/2" - PILOT PIN 2"     |
| 63134143042 | 9/16" - PILOT PIN 2"    |
| 63134158042 | 5/8" - PILOT PIN 2"     |
| 63134175042 | 11/16" - PILOT PIN 2"   |
| 63134191042 | 3/4" - PILOT PIN 2"     |
| 63134238042 | 15/16" - PILOT PIN 2"   |
| 63134254042 | 1" - PILOT PIN 2"       |
| 63134269042 | 1-1/16" - PILOT PIN 2"  |
| 63134286042 | 1-1/8" - PILOT PIN 2"   |
| 63134302042 | 1-3/16" - PILOT PIN 2"  |
| 63134318042 | 1-1/4" - PILOT PIN 2"   |
| 63134349042 | 1-3/8" - PILOT PIN 2"   |
| 63134365042 | 1-7/16" - PILOT PIN 2"  |
| 63134381042 | 1-1/2" - PILOT PIN 2"   |
| 63134397042 | 1-9/16" - PILOT PIN 2"  |
| 63134413042 | 1-5/8" - PILOT PIN 2"   |
| 63134429042 | 1-11/16" - PILOT PIN 2" |
| 63134445042 | 1-3/4" - PILOT PIN 2"   |
| 63134460042 | 1-13/16" - PILOT PIN 2" |
| 63134476042 | 1-7/8" - PILOT PIN 2"   |
| 63134492042 | 1-15/16" - PILOT PIN 2" |
| 63134508042 | 2" - PILOT PIN 2"       |
| 63134524042 | 2-1/16" - PILOT PIN 2"  |

## Annular Cutters Carbide with Pilot Pin 1"



| PART #      | DESCRIPTION   |
|-------------|---|
| 69908036701 | FC130TCT 15/16 X1 IN. CARBIDE ANNULAR CUTTER WITH PIN 3/4 SHANK |
| 69908036703 | FC111TCT 1/2"X1" CARBIDE ANNULAR CUTTER WITH PIN 3/4" SHANK     |
| 69908036705 | FC113TCT 9/16"X1" CARBIDE ANNULAR CUTTER WITH PIN 3/4" SHANK    |
| 69908036706 | FC116TCT 5/8"X1" CARBIDE ANNULAR CUTTER WITH PIN 3/4" SHANK     |
| 69908036707 | FC119TCT 11/16"X1" CARBIDE ANNULAR CUTTER WITH PIN 3/4" SHANK   |
| 69908036708 | FC121TCT 3/4"X1" CARBIDE ANNULAR CUTTER WITH PIN 3/4" SHANK     |
| 69908036709 | FC124TCT 13/16"X1" CARBIDE ANNULAR CUTTER WITH PIN 3/4" SHANK   |
| 69908036710 | FC127TCT 7/8"X1" CARBIDE ANNULAR CUTTER WITH PIN 3/4" SHANK     |
| 69908036711 | FC133TCT 1"X1" CARBIDE ANNULAR CUTTER WITH PIN 3/4" SHANK       |
| 69908036712 | FC136TCT 1-1/16"X1" CARBIDE ANNULAR CUTTER WITH PIN 3/4" SHANK  |
| 69908036713 | FC139TCT 1-1/8"X1" CARBIDE ANNULAR CUTTER WITH PIN 3/4" SHANK   |
| 69908036714 | FC142TCT 1-3/16"X1" CARBIDE ANNULAR CUTTER WITH PIN 3/4" SHANK  |
| 69908036715 | FC145TCT 1-1/4"X1" CARBIDE ANNULAR CUTTER WITH PIN 3/4" SHANK   |
| 69908036716 | FC148TCT 1-5/16"X1" CARBIDE ANNULAR CUTTER WITH PIN 3/4" SHANK  |
| 69908036717 | FC151TCT 1-3/8"X1" CARBIDE ANNULAR CUTTER WITH PIN 3/4" SHANK   |
| 69908036718 | FC154TCT 1-7/16"X1" CARBIDE ANNULAR CUTTER WITH PIN 3/4" SHANK  |
| 69908036719 | FC157TCT 1-1/2"X1" CARBIDE ANNULAR CUTTER WITH PIN 3/4" SHANK   |
| 69908036720 | FC160TCT 1-9/16"X1" CARBIDE ANNULAR CUTTER WITH PIN 3/4" SHANK  |
| 69908036721 | FC163TCT 1-5/8"X1" CARBIDE ANNULAR CUTTER WITH PIN 3/4" SHANK   |
| 69908036722 | FC166TCT 1-11/16"X1" CARBIDE ANNULAR CUTTER WITH PIN 3/4" SHANK |
| 69908036723 | FC169TCT 1-3/4"X1" CARBIDE ANNULAR CUTTER WITH PIN 3/4" SHANK   |
| 69908036724 | FC172TCT 1-13/16"X1" CARBIDE ANNULAR CUTTER WITH PIN 3/4" SHANK |
| 69908036725 | FC175TCT 1-7/8"X1" CARBIDE ANNULAR CUTTER WITH PIN 3/4" SHANK   |
| 69908036726 | FC178TCT 1-15/16"X1" CARBIDE ANNULAR CUTTER WITH PIN 3/4" SHANK |
| 69908036727 | FC181TCT 2"X1" CARBIDE ANNULAR CUTTER WITH PIN 3/4" SHANK       |
| 69908036728 | FC183TCT 2-1/16"X1" CARBIDE ANNULAR CUTTER WITH PIN 3/4" SHANK  |

## Annular Cutters Carbide with Pilot Pin 2"



| PART #      | DESCRIPTION  |
|-------------|--|
| 69908036702 | FC230TCT 15/16" x 2 in. Carbide Annular Cutter with Pin 3/4" Shank |
| 69908036729 | FC211TCT 1/2"x2" Carbide Annular Cutter with Pin 3/4" Shank        |
| 69908036730 | FC213TCT 9/16"x2" Carbide Annular Cutter with Pin 3/4" Shank       |
| 69908036731 | FC216TCT 5/8"x2" Carbide Annular Cutter with Pin 3/4" Shank        |
| 69908036732 | FC219TCT 11/16"x2" Carbide Annular Cutter with Pin 3/4" Shank      |
| 69908036733 | FC221TCT 3/4"x2" Carbide Annular Cutter with Pin 3/4" Shank        |
| 69908036734 | FC224TCT 13/16"x2" Carbide Annular Cutter with Pin 3/4" Shank      |
| 69908036735 | FC227TCT 7/8"x2" Carbide Annular Cutter with Pin 3/4" Shank        |
| 69908036736 | FC233TCT 1"x2" Carbide Annular Cutter with Pin 3/4" Shank          |
| 69908036737 | FC236TCT 1-1/16"x2" Carbide Annular Cutter with Pin 3/4" Shank     |
| 69908036738 | FC239TCT 1-1/8"x2" Carbide Annular Cutter with Pin 3/4" Shank      |
| 69908036739 | FC242TCT 1-3/16"x2" Carbide Annular Cutter with Pin 3/4" Shank     |
| 69908036740 | FC245TCT 1-1/4"x2" Carbide Annular Cutter with Pin 3/4" Shank      |
| 69908036741 | FC248TCT 1-5/16"x2" Carbide Annular Cutter with Pin 3/4" Shank     |
| 69908036742 | FC251TCT 1-3/8"x2" Carbide Annular Cutter with Pin 3/4" Shank      |
| 69908036743 | FC254TCT 1-7/16"x2" Carbide Annular Cutter with Pin 3/4" Shank     |
| 69908036744 | FC257TCT 1-1/2"x2" Carbide Annular Cutter with Pin 3/4" Shank      |
| 69908036745 | FC260TCT 1-9/16"x2" Carbide Annular Cutter with Pin 3/4" Shank     |
| 69908036746 | FC263TCT 1-5/8"x2" Carbide Annular Cutter with Pin 3/4" Shank      |
| 69908036747 | FC266TCT 1-11/16"x2" Carbide Annular Cutter with Pin 3/4" Shank    |

| PART #      | DESCRIPTION   |
|-------------|---|
| 69908036748 | FC269TCT 1-3/4"x2" Carbide Annular Cutter with Pin 3/4" Shank         |
| 69908036749 | FC272TCT 1-13/16"x2" Carbide Annular Cutter with Pin 3/4" Shank       |
| 69908036750 | FC275TCT 1-7/8"x2" Carbide Annular Cutter with Pin 3/4" Shank         |
| 69908036751 | FC278TCT 1-15/16"x2" Carbide Annular Cutter with Pin 3/4" Shank       |
| 69908036752 | FC281TCT 2"x2" Carbide Annular Cutter with Pin 3/4" Shank             |
| 69908032826 | FC283TCT 2-1/16" x 2 in Carbide Annular Cutter with Pin 3/4" in Shank |
| 69908037302 | FC284TCT 2-1/8" x 2" Carbide Annular Cutter with Pin 3/4" Shank       |
| 69908037303 | FC285TCT 2-3/16" x 2" Carbide Annular Cutter with Pin 3/4" Shank      |
| 69908037304 | FC286TCT 2-1/4" x 2" Carbide Annular Cutter with Pin 3/4" Shank       |
| 69908037305 | FC287TCT 2-5/16" x 2" Carbide Annular Cutter with Pin 3/4" Shank      |
| 69908037306 | FC288TCT 2- 3/8" x 2" Carbide Annular Cutter with Pin 3/4" Shank      |
| 69908037307 | FC289TCT 2-7/16" x 2" Carbide Annular Cutter with Pin 3/4" Shank      |
| 69908037308 | FC290TCT 2-1/2" x 2" Carbide Annular Cutter with Pin 3/4" Shank       |
| 69908037312 | FC293TCT 2-11/16" x 2" Carbide Annular Cutter with Pin 3/4" Shank     |
| 69908037313 | FC294TCT 2-3/4" x 2" Carbide Annular Cutter with Pin 3/4" Shank       |
| 69908037314 | FC295TCT 2-13/16" x 2" Carbide Annular Cutter with Pin 3/4" Shank     |
| 69908037315 | FC296TCT 2-7/8" x 2" Carbide Annular Cutter with Pin 3/4" Shank       |
| 69908037316 | FC297TCT 2-15/16" x 2" Carbide Annular Cutter with Pin 3/4" Shank     |
| 69908037317 | FC298TCT 3" x 2" Carbide Annular Cutter with Pin 3/4" Shank           |
| 69908037318 | FC299TCT 3-1/16" x 2" Carbide Annular Cutter with Pin 3/4" Shank      |

## Oscillating Accessories



| PART #      | DESCRIPTION                                  |
|-------------|--|
| 35222942080 | BEST OF E-CUT STARLOCKPLUS WOOD + METAL- N09 |
| 35222967010 | BEST OF E-CUT STARLOCK WOOD + METAL          |
| 35222967070 | COMBO STARLOCK TILE WORKING                  |
| 35222967270 | BEST OF STARLOCK METAL N09                   |
| 35222967290 | COMBO STARLOCK RENOVATION PRO N09            |
| 35222967300 | COMBO E-CUT STARLOCK WOOD N09                |

## Oscillating Accessories



#63502127290



#63502133290  
#63502134290



#63502151290



#63502160260  
#63502160270  
#63502160290



#63502161260  
#63502161270  
#63502161290

| PART #      | DESCRIPTION   |
|-------------|---|
| 63502127290 | SLP SAW BLADE E-CUT PRECISION HCS 65 X 50MM 10-PACK               |
| 63502133290 | STARLOCK SAW BLADE SL E-CUT STANDARD HCS 35 X 50MM 10-PACK        |
| 63502134290 | STARLOCK PLUS SLP E-CUT SAW BLADE STANDARD HCS 65 X 50MM 10-PACK  |
| 63502151290 | SLP E-CUT SAW BLADE UNIVERSAL BIM 28 X 60MM 10-PACK               |
| 63502160260 | STARLOCK SL E-CUT SAW BLADE LONG-LIFE BIM 35 X 50MM 1-PACK        |
| 63502160270 | STARLOCK SL E-CUT SAW BLADE LONG-LIFE BIM 35 X 50MM 3-PACK        |
| 63502160290 | STARLOCK SL E-CUT SAW BLADE LONG-LIFE BIM 35 X 50MM 10-PACK       |
| 63502161260 | STARLOCK PLUS SLP E-CUT SAW BLADE LONG-LIFE BIM 65 X5 0MM 1-PACK  |
| 63502161270 | STARLOCK PLUS SLP E-CUT SAW BLADE LONG-LIFE BIM 65 X 50MM 3-PACK  |
| 63502161290 | STARLOCK PLUS SLP E-CUT SAW BLADE LONG-LIFE BIM 65 X 50MM 10-PACK |

## Carbide Burrs



| PART #      | DESCRIPTION  |
|-------------|--|
| 69908038002 | CBS-8 CARBIDE BURR SET - 8 PIECES- 1/4" SHANK DIA. |

## Vise



| PART #      | DESCRIPTION                         |
|-------------|-------------------------------------|
| 90701004020 | VERSAMAG SET WITH VISE INCLUDED N09 |

## Metal Cutting Saw Blades



| PART #      | DESCRIPTION   |
|-------------|---|
| 63502007500 | 7" METAL CUTTING SAW BLADE - MILD STEEL<br>MCBL07         |
| 63502009540 | 9" METAL CUTTING SAW BLADE - MILD STEEL<br>MCBL09         |
| 63502014600 | 14" 66 TEETH METAL CUTTING SAW BLADE<br>MILD STEEL MCBL14 |
| 69908120441 | 8" METAL CUTTING SAW BLADE MILD STEEL 42<br>TEETH         |

## Annular Cutters Set



| PART #      | DESCRIPTION   |
|-------------|---|
| 69908032827 | FC791TC 6 PIECE CARBIDE CUTTER SET<br>(1/2, 9/16, 5/8, 3/4, 7/8, 1 IN) 1" DOC       |
| 69908032828 | FC792TCT 6 PIECE CARBIDE CUTTER SET<br>(1/2, 9/16, 5/8, 3/4, 7/8, 1 PO.) 2" PO. DOC |
| 63134999020 | SLUGGER 11-PIECE STRUCTURAL CUTTER SET<br>1" DEPTH (7/16 TO 1-1/16) 70350           |
| 63134999091 | 6-PIECE HSS CUTTER SET<br>1" DOC WITH 2 PILOT PINS                                  |
| 63134999092 | 6-PIECE HSS CUTTER SET<br>2" DOC WITH 2 PILOT PINS                                  |

**Contractor TS™ 12' TrueStandout  
2 Side Print Nylon Coated**



| PART #     | DESCRIPTION                       |
|------------|-----------------------------------|
| KOM93416   | 16' X 1-1/4"                      |
| KOM93416IM | 16'/5M X 1-1/4"                   |
| KOM93425   | 25' X 1-1/4" FINGER STOP          |
| KOM79425   | 25' X 1-1/4" FINGER STOP MAGNETIC |
| KOM93425IM | 25'/8M X 1-1/4" FINGER STOP       |
| KOM93435   | 35' X 1-1/4" FINGER STOP          |
| KOMM93440  | 40' X 1-1/4" FINGER STOP          |

**Contractor LT™ 3:1 Ratio  
Hi Vis Blade Clean Magnetic Hook**



| PART #   | DESCRIPTION |
|----------|-------------|
| KOMN9100 | 100' X 1/2" |
| KOMN9200 | 200' X 1/2" |

**ABS PowerBlade™  
Hi-Hi Vis, 2 Side Print**



| PART #     | DESCRIPTION                 |
|------------|-----------------------------|
| KOM52416   | 16' X 1-1/16"               |
| KOM52425   | 25' X 1-1/16"               |
| KOM52425IE | 25' X 1-1/16" INCH/ENGINEER |
| KOMSL52425 | 25' X 1-1/16" SELF LOCK     |
| KOM73425   | 25' X 1-1/16" MAGNETIC      |
| KOM52430   | 30' X 1-1/16"               |

**SelfLock Evolution™ Push Release  
2 Side Print, Hi Vis Dual Hook**



| PART #     | DESCRIPTION |
|------------|-------------|
| KOMEV28116 | 16' X 1"    |
| KOMPSE55E  | 16'/5M X 1" |
| KOMEV2825  | 25' X 1"    |
| KOMPSE85E  | 26'/8M X 1" |

**Contractor LR™ Lifetime Retract  
2 Side Print Double Nylon Coated**



| PART #   | DESCRIPTION |
|----------|-------------|
| KOMM16LR | 16' X 1"    |
| KOMM25LR | 25' X 1"    |

**LED Tape™ Rechargeable  
2 Side Print Dual End Hook**



| PART #     | DESCRIPTION |
|------------|-------------|
| KOM25LED   | 25' X 1"    |
| KOM25LEDIM | 26'/8M X 1" |

**Flat Tape™  
Adhesive, Steel, Cut to Length**



| PART # | DESCRIPTION |
|--------|-------------|
| KOMF12 | 12' X 1/2"  |

**Stainless Steel™ Spring & End  
Hook Non-Glare Blade 2 Side Print**



| PART #   | DESCRIPTION |
|----------|-------------|
| KOMSS116 | 16' X 1"    |
| KOMSS125 | 25' X 1"    |

**MagGrip™ Pro Magnetic  
Dual End, 2 Side Print, Nylon Coated**



| PART #  | DESCRIPTION |
|---------|-------------|
| KOM7116 | 16' X 1"    |
| KOM7125 | 25' X 1"    |

## **MagGrip™ Magnetic End Acrylic Blade**



| PART #    | DESCRIPTION            |
|-----------|------------------------|
| KOM7325   | 25' X 1" FRACTIONAL    |
| KOM7425IM | 25' X 1" INCH / METRIC |

## **The Professional™ The Tradesman™ Nylon Coated**



| PART #    | DESCRIPTION                         |
|-----------|-------------------------------------|
| KOM4912   | 12' X 5/8" THE PROFESSIONAL™        |
| KOM4912IM | 12/3.5M X 5/8" THE PROFESSIONAL™    |
| KOM4925   | 25' X 1" THE PROFESSIONAL™          |
| KOM4925IM | 25/7.5M X 1" THE PROFESSIONAL™      |
| KOM4930IM | 30/9M X 1" THE PROFESSIONAL™        |
| KOMT3925  | 25 X 1" THE TRADESMAN™ NYLON COATED |

## **Non-Glare Fractional Graduations Assorted Colours**



| PART #  | DESCRIPTION               |
|---------|---------------------------|
| KOM3516 | 16' X 1" ASSORTED COLOURS |

## **FastBack™ 3:1 Ratio ABS, Bumper, Fiberglass**



| PART #  | DESCRIPTION |
|---------|-------------|
| KOM8811 | 100' X 1/2" |

## **Gripper™ Steel Long Tape Rubber Jacket Nylon Coated**



| PART #    | DESCRIPTION     |
|-----------|-----------------|
| KOM9901   | 100' X 3/8"     |
| KOM9901IM | 100'/30M X 3/8" |

## **The Chrome Professional™ Nylon Coated High Visibility**



| PART #     | DESCRIPTION            |
|------------|------------------------|
| KOM416HV   | 16' X 3/4"             |
| KOM425HV   | 25' X 1"               |
| KOM425IEHV | 25' X 1" INCH/ENGINEER |
| KOM430HV   | 30' X 1"               |

## **Gripper™ Acrylic Coated, Rubber Jacket**



| PART #    | DESCRIPTION              |
|-----------|--------------------------|
| KOMSM5416 | 16' X 1" SPEEDMARK BLADE |
| KOMSM5425 | 25' X 1" SPEEDMARK BLADE |
| KOMPG85   | 8M X 25MM                |

## **TouchLock™ Compact Centre Brake Diameted Scale, Magnetic Case**



| PART #  | DESCRIPTION                 |
|---------|-----------------------------|
| KOM3110 | 10' X 1/2" ASSORTED COLOURS |

## **Fiber Reel™ ABS, Bumper, Fiberglass Blade**



| PART #     | DESCRIPTION      |
|------------|------------------|
| KOM6611IM  | 100'/30M X 1/2"  |
| KOM6622IM  | 200'/60M X 1/2"  |
| KOM66330IM | 330'/100M X 1/2" |

## **Quick Draw Belt Clip™ Fits Most Brands - 2 Adaptors**



| PART # | DESCRIPTION          |
|--------|----------------------|
| KOMQD1 | QUICK DRAW BELT CLIP |

## MeterMan™ Measuring Wheel Series 12



## MeterMan™ Measure Marker



## MeterMan™ Measuring Wheel Series 18



## MeterMan™ Measuring Wheel Series 31, 45, 60



## MeterMan™ Measuring Wheel 79 Series



## MeterMan™ Metal Measuring Wheel



## Cutter Knife Auto Lock



## Cutter Knife Wheel Lock



## Replacement Blades



## Utility Knife



| PART #   | DESCRIPTION       |
|----------|-------------------|
| KOMSB410 | 9MM (PACK OF 10)  |
| KOMLB510 | 18MM (PACK OF 10) |
| KOMHB710 | 25MM (PACK OF 10) |

| PART #   | DESCRIPTION                 |
|----------|-----------------------------|
| KOMUDFN6 | 19 MM FOLDING UTILITY KNIFE |

## Pruning Saw Folding Blade



| PART #    | DESCRIPTION                 |
|-----------|-----------------------------|
| KOMFB240  | 9-1/2" FOLDING BLADE SAW    |
| KOMFB240B | REPLACEMENT BLADE FOR FB240 |

## Pruning Saw Folding Curved Blade




| PART #    | DESCRIPTION                 |
|-----------|-----------------------------|
| KOMFC210  | 8" FOLDING CURVED BLADE SAW |
| KOMFC210B | REPLACEMENT BLADE FOR FC210 |

## Pruning Saw Curved Blade



| PART #     | DESCRIPTION                  |
|------------|------------------------------|
| KOMCWC330  | 13" CURVED BLADE SAW W/ CASE |
| KOMCWC330B | REPLACEMENT BLADE FOR CWC330 |

## Torch Safe™



| PART # | DESCRIPTION          |
|--------|----------------------|
| KOMTS1 | UTILITY TORCH HOLDER |

Ecowell™

## Cordless LULU Quick Clean



the spruce

| PART # | DESCRIPTION  |
|--------|--|
| ALTP03 | 25 MIN RUN-TIME  |
| ALTP04 | 25 MIN. RUN-TIME, DUAL TANK, LCD, SELF CLEANING                                    |
| ALTP05 | 30 MIN. RUN-TIME, DUAL TANK, LCD, BATTERY LIFE, WATER STATUS, SELF-CLEANING /DRYER |

## StudSensor™



## StudSensor™ SL



| PART #   | DESCRIPTION       |
|----------|-------------------|
| ZIR64936 | EDGE FINDING, LED |

| PART #   | DESCRIPTION                 |
|----------|-----------------------------|
| ZIR62264 | EDGE FINDING, LED, SPOTLITE |

## StudSensor™ Pro SL



## StudSensor™ Pro SL-AC



| PART #   | DESCRIPTION                            |
|----------|--|
| ZIR62262 | EDGE FINDING, LED, SPOTLITE, DEEP SCAN |

| PART #   | DESCRIPTION   |
|----------|---|
| ZIR62260 | EDGE FINDING, LED , SPOTLITE, DEEP SCAN, WIRE WARNING |

## StudSensor™ Pro LCD



## StudSensor™ Edge



| PART #   | DESCRIPTION   |
|----------|---|
| ZIR62258 | EDGE FINDING, LCD , SPOTLITE, DEEP SCAN, WIRE WARNING |

| PART #   | DESCRIPTION       |
|----------|-------------------|
| ZIR63404 | EDGE FINDING, LED |

## StudSensor™ E-series



## StudSensor™ i65 OneStep®



| PART #   | DESCRIPTION   |
|----------|---|
| ZIR63825 | E30-EDGE FINDING, LED, SPOTLITE, WIRE WARNING             |
| ZIR63811 | E40-EDGE FINDING, LED , SPOTLITE, WIRE WARNING, DEEP SCAN |
| ZIR63813 | E50 EDGE FINDING, LCD , SPOTLITE, WIRE WARNING, DEEP SCAN |

| PART #   | DESCRIPTION  |
|----------|--|
| ZIR62254 | CENTRE FINDING, LCD, SPOTLITE, WIRE WARNING, DEEP SCAN |

### **MultiScanner® i520 OneStep®**



| PART #   | DESCRIPTION  |
|----------|--|
| ZIR62244 | CENTRE FINDING, LCD , SPOTLITE, METAL / AC SCAN, DEEP SCAN |

### **MultiScanner® x85 OneStep®**



| PART #   | DESCRIPTION  |
|----------|--|
| ZIR65180 | CENTRE FINDING, LCD , METAL / AC / WATER SCAN, DEEP SCAN |

### **MetalliScanner® m60C**



| PART #   | DESCRIPTION   |
|----------|---|
| ZIR70088 | METAL SCAN- NON-FERROUS <1.5", FERROUS <3", WIRE WARNING, AC, LCD |

### **ElectriScanner® e60C**



| PART #   | DESCRIPTION   |
|----------|---|
| ZIR70083 | AC SCAN, NON-FERROUS <1.5", FERROUS <3", WIRE WARNING, METAL, LCD |

### **MetalliScanner® MT7**



| PART #   | DESCRIPTION  |
|----------|--|
| ZIR68996 | DEEP SCAN, 1/2" DIA. FERROUS/NON-FERROUS METAL <6" DEEP, LCD |

### **MetalliScanner® m40**



| PART #   | DESCRIPTION           |
|----------|-----------------------|
| ZIR62518 | METAL SCAN < 4" DEPTH |

### **MetalliScanner® MTX**



| PART #   | DESCRIPTION                                   |
|----------|---|
| ZIR70092 | REBAR <4" DEPTH, LCD, BATTERY/SIGNAL STRENGTH |

### **Breaker ID**



| PART #   | DESCRIPTION           |
|----------|-----------------------|
| ZIR70079 | 120 V, LIGHT, AUDIBLE |

## **Breaker ID Pro Kit - 300**



## **Breaker ID Pro Kit - 600**



| PART #   | DESCRIPTION                   |
|----------|-------------------------------|
| ZIR70220 | 300V, LED, AUDIBLE, KIT, CASE |

| PART #   | DESCRIPTION                   |
|----------|-------------------------------|
| ZIR70241 | 600V, LED, AUDIBLE, KIT, CASE |

## **ExitPoint™ XL300**



| PART #   | DESCRIPTION                       |
|----------|-----------------------------------|
| ZIR67820 | NON-MAGNETIC MATERIALS <12" DEPTH |

## **WaterLevel 25**



| PART #   | DESCRIPTION           |
|----------|-----------------------|
| ZIR58829 | 25' HOSE, 95DB SIGNAL |

## **Leak Alert Water Detection**



## **Leak Alert - WIFI**



| PART #   | DESCRIPTION                         |
|----------|-------------------------------------|
| ZIR58217 | 95DB, FLOATS, LOW BATTERY INDICATOR |
| ZIR60819 | BULK - NON-RETAIL PKG.              |

| PART #   | DESCRIPTION                                      |
|----------|--|
| ZIR70490 | 105DB, LOW BATTERY INDICATOR, WIFI, EMAIL ALERTS |

**Pro Series Top Grain Leather/Polyester Electrician's Rig**



| PART #     | DESCRIPTION   |
|------------|---------------|
| MECMT14461 | SMALL 30-38"  |
| MECMT14462 | MEDIUM 33-41" |
| MECMT14463 | LARGE 37-45"  |
| MECMT14464 | XL 41-49"     |
| MECMT14465 | XXL 45-53"    |

**Pro Series Top Grain Leather/Polyester Framer's Rig**



| PART #     | DESCRIPTION   |
|------------|---------------|
| MECMT14466 | SMALL 30-38"  |
| MECMT14467 | MEDIUM 33-41" |
| MECMT14468 | LARGE 37-45"  |
| MECMT14469 | XL 41-49"     |
| MECMT14470 | XXL 45-53"    |

**Pro Series Top Grain Saddle Leather/Polyester**



| PART #     | DESCRIPTION |
|------------|-------------|
| MECMT14453 | TOOL BAG    |

**Pro Series Top Grain Saddle Leather**



| PART #     | DESCRIPTION         |
|------------|---------------------|
| MECMT14454 | PLIER/HAMMER HOLDER |

**Pro Series Top Grain Saddle Leather Electricians Tool Bag**



| PART #     | DESCRIPTION |
|------------|-------------|
| MECMT14452 | 25 POCKETS  |

**Pro Series Top Grain Saddle Leather/Polyester**



| PART #     | DESCRIPTION  |
|------------|--------------|
| MECMT14451 | FASTENER BAG |

**Pro Series Top Grain Saddle Leather**



| PART #     | DESCRIPTION       |
|------------|-------------------|
| MECMT14450 | TAPE/KNIFE HOLDER |

**Pro Series Top Grain Saddle Wax Leather Belt**



| PART #     | DESCRIPTION            |
|------------|------------------------|
| MECMT14455 | 3" WIDE, SMALL 30-38"  |
| MECMT14456 | 3" WIDE, MEDIUM 33-41" |
| MECMT14457 | 3" WIDE, LARGE 37-45"  |
| MECMT14458 | 3" WIDE, XL 41-49"     |
| MECMT14459 | 3" WIDE, XXL 45-53"    |

**Carpenter's Apron  
Split Grain 2 Hammer Holders**



| PART #     | DESCRIPTION   |
|------------|---------------|
| MECMT14401 | 5 PKT, 38-47" |

**Carpenter's Apron  
Split Grain 2 Hammer Holders**



| PART #     | DESCRIPTION   |
|------------|---------------|
| MECMT14413 | 5 PKT, 34-51" |

**Carpenter's Apron Split Grain**



| PART #     | DESCRIPTION   |
|------------|---------------|
| MECMT14431 | 11 PKT, COMBO |

**Top Grain, Oil Tanned  
Leather Carpenter's Apron**



| PART #     | DESCRIPTION                 |
|------------|-----------------------------|
| MECMT14407 | 11 PKT, HAMMER RING, 36-51" |

**Top Grain, Oil Tanned  
Leather Carpenter's Apron**



| PART #     | DESCRIPTION                                  |
|------------|--|
| MECMT14423 | 12 PKT, 2 HAMMER HOLDERS, PENCIL PKT, 36-54" |

**Carpenter's Apron  
Split Grain 2 Hammer Holders**




| PART #     | DESCRIPTION    |
|------------|----------------|
| MECMT14402 | 11 PKT, 34-51" |

**Carpenter's Apron Split Grain**



| PART #     | DESCRIPTION |
|------------|-------------|
| MECMT14436 | 11 PKT      |

**Leather Apron**



| PART #     | DESCRIPTION         |
|------------|---------------------|
| MECMT14443 | WAIST TO KNEE APRON |

**Top Grain, Oil Tanned  
Leather Carpenter's Apron**



| PART #     | DESCRIPTION  |
|------------|--|
| MECMT14417 | 12 PKT, 2 HAMMER / TAPE MEASURE HOLDER, PENCIL PKT, 36-54" |

**Top Grain, Oil Tanned Leather  
Carpenter's Apron**



| PART #     | DESCRIPTION                                  |
|------------|--|
| MECMT14449 | 12 PKT, 2 HAMMER HOLDERS, PENCIL PKT, 39-52" |

## ***Oil Tanned Leather Carpenter's Apron***



| PART #     | DESCRIPTION                                |
|------------|--|
| MECMT14430 | SM/MED/LG PKT, TAPE MEASURE HOLDER, 34-50" |

## ***Nail - Tool Drywall Pouch***



| PART #     | DESCRIPTION |
|------------|-------------|
| MECMT14412 | 3 PKT       |

## ***Nail / Fastener Pouch w/ Hammer Holder***



| PART #     | DESCRIPTION |
|------------|-------------|
| MECMT14432 | 5 PKT       |

## ***Top Grain Nail Tool Pouch***



| PART #     | DESCRIPTION |
|------------|-------------|
| MECMT14425 | 5 PKT       |

## ***Top Grain Nail Tool Bag***



| PART #     | DESCRIPTION                      |
|------------|----------------------------------|
| MECMT14441 | DRILL HOLSTER, 2 PKT, REVERSABLE |

## ***PVC Tool Roll***



| PART #     | DESCRIPTION |
|------------|-------------|
| MECMT14448 | 14 PKT      |

## ***Split Grain Nail/Tool Bag***



| PART #     | DESCRIPTION |
|------------|-------------|
| MECMT14414 | 5 PKT       |

## ***Split Grain Nail-ToolDrywall Pouch***



| PART #     | DESCRIPTION |
|------------|-------------|
| MECMT14400 | 4 PKT       |

## ***Top Grain Nail Tool Bag***



| PART #     | DESCRIPTION                       |
|------------|-----------------------------------|
| MECMT14437 | TOOL POUCH FOR LEFT HANDERS, 5PKT |

## ***Top Grain Nail Tool Bag***



| PART #     | DESCRIPTION                   |
|------------|-------------------------------|
| MECMT14445 | MAINTENANCE TOOL POUCH, 6 PKT |

### **Top Grain Nail Tool Bag**



| PART #     | DESCRIPTION               |
|------------|---------------------------|
| MECMT14424 | DRYWALL TOOL POUCH, 7 PKT |

### **Nail/Tool Bag**



| PART #     | DESCRIPTION                      |
|------------|----------------------------------|
| MECMT14444 | 600 DENIER, 18" TOOL BAG, 32 PKT |

### **Premium Leather Belt**



| PART #     | DESCRIPTION   |
|------------|---------------|
| MECMT14427 | BLACK, 30-47" |

### **Saddle Leather Belt**



| PART #     | DESCRIPTION             |
|------------|-------------------------|
| MECMT14446 | DBL BUCKLE, TAN, 29-45" |

### **Hammer Holder**



| PART #     | DESCRIPTION              |
|------------|--------------------------|
| MECMT14406 | HAMMER RING FOR 2"" BELT |

### **Oil Tanned Leather Nail/Tool Bag**



| PART #     | DESCRIPTION               |
|------------|---------------------------|
| MECMT14428 | ELECTRICIAN POUCH, 10 PKT |

### **Premium Leather Belt**



| PART #     | DESCRIPTION |
|------------|-------------|
| MECMT14410 | TAN, 30-47" |

### **Premium Leather Belt**



| PART #     | DESCRIPTION   |
|------------|---------------|
| MECMT14433 | BLACK, 36-54" |

### **Oil Tanned Leather Belt**



| PART #     | DESCRIPTION               |
|------------|---------------------------|
| MECMT14447 | DBL BUCKLE, BROWN, 29-45" |

### **Hammer Holder**



| PART #     | DESCRIPTION                       |
|------------|-----------------------------------|
| MECMT14409 | SWIVELING HAMMER RING FOR 2" BELT |

## Accessory Holder



| PART #     | DESCRIPTION         |
|------------|---------------------|
| MECMT14415 | KNIFE/PENCIL HOLDER |

## Accessory Holder



| PART #     | DESCRIPTION                     |
|------------|---------------------------------|
| MECMT14411 | KNIFE HOLDER WITH HAMMER HOLDER |

## Suspenders



| PART #     | DESCRIPTION            |
|------------|------------------------|
| MECMT14426 | NON-ELASTIC SUSPENDERS |

## Knee Pads



| PART #     | DESCRIPTION       |
|------------|-------------------|
| MECMT14440 | LEATHER KNEE PADS |

## Bench Vise Cast Body, Forged Serated Jaws



| PART #     | DESCRIPTION   |
|------------|---------------|
| MECMT13960 | FIXED BASE-3" |
| MECMT13961 | FIXED BASE-4" |
| MECMT13962 | FIXED BASE-5" |
| MECMT13963 | FIXED BASE-6" |

## Accessory Holder



| PART #     | DESCRIPTION                |
|------------|----------------------------|
| MECMT14408 | KNIFE/PENCIL HOLDER, 3 PKT |

## Accessory Holder



| PART #     | DESCRIPTION                    |
|------------|--------------------------------|
| MECMT14438 | KNIFE/TOOL/PENCIL/PLIER HOLDER |

## Suspenders



| PART #     | DESCRIPTION        |
|------------|--------------------|
| MECMT14442 | LEATHER SUSPENDERS |

## Leather Shop Apron



| PART #     | DESCRIPTION    |
|------------|----------------|
| MECMT14429 | 6 PKT, D-RINGS |

## Bench Vise Cast Body, Forged Serated Jaws



| PART #     | DESCRIPTION    |
|------------|----------------|
| MECMT13966 | SWIVEL BASE-3" |
| MECMT13967 | SWIVEL BASE-4" |
| MECMT13968 | SWIVEL BASE-5" |
| MECMT13969 | SWIVEL BASE-6" |

## Dual Power Flashlight



| PART #   | DESCRIPTION   |
|----------|---|
| COA30574 | XP6R 400 LUMEN PRO SERIES<br>RECHARGEABLE & CR123   |
| COA30612 | XP9R 1200 LUMEN PRO SERIES<br>RECHARGEABLE & CR123  |
| COA30575 | XP11R 2600 LUMEN PRO SERIES<br>RECHARGEABLE & CR123 |

## Tactical Flashlight



| PART #   | DESCRIPTION                                      |
|----------|--|
| COA30778 | TX17R 1300 LUMEN PURE<br>BEAM FOCUS RECHARGEABLE |

## Waterproof Flashlight



| PART #   | DESCRIPTION                                       |
|----------|---|
| COA30920 | SLAYER PRO 1150 LUMEN FIXED<br>FOCUS RECHARGEABLE |

## Waterproof Flashlight



| PART #   | DESCRIPTION                       |
|----------|-----------------------------------|
| COA30944 | GX30 DUAL POWER, 2300 LUMENS, 6AA |

## Pure Beam Flashlight



| PART #   | DESCRIPTION                             |
|----------|---|
| COA20466 | PS200 435 LUMEN FOCUSING POLYSTEEL 3AAA |

## Safety Rated Flashlight



| PART #   | DESCRIPTION                                       |
|----------|---|
| COA30047 | HZ050 CLASS I DIV I LED 260 LUMENS (3AA NOT INCL) |

## Bulls-Eye Spot Beam Flashlight



| PART #   | DESCRIPTION       |
|----------|-------------------|
| COA30143 | G24 400 LUMEN 2AA |

## Inspection Beam Penlight



| PART #   | DESCRIPTION        |
|----------|--------------------|
| COA20254 | G20 WITH CLIP 2AAA |

## Rechargeable LED LASER Pen Light



| PART #   | DESCRIPTION   |
|----------|---|
| COA31119 | PM50R 185 LUMENS-MAGNET BOTTOM,<br>BATTERY LIFE INDICATOR, CLIP ON BACK |

## Safety Helmet Light



| PART #   | DESCRIPTION  |
|----------|--|
| COA30916 | SHL2R 500 LUMEN FOCUSABLE<br>SIDE LIGHT RECHARGEABLE |

## Dual Optic Headlamp



| PART #   | DESCRIPTION                                   |
|----------|---|
| COA30899 | RL20R 1000 LUMEN OPTIC TRI-COLOR RECHARGEABLE |

## Dual Power Headlamp



| PART #   | DESCRIPTION                                     |
|----------|---|
| COA30611 | XPH30R 1000 LUMEN PROFESSIONAL SERIES, MAGNETIC |

## Dual Colour Headlamp



| PART #   | DESCRIPTION                             |
|----------|---|
| COA21705 | FL13 380 LUMEN C.O.B. UTILITY BEAM 3AAA |

## Rechargeable Worklight



| PART #   | DESCRIPTION                   |
|----------|-------------------------------|
| COA30684 | CL20R 1750 LUMEN UTILITY BEAM |
| COA30685 | CL40R 3900 LUMEN UTILITY BEAM |

## Headlamp & 360° Lighted Strap



| PART #   | DESCRIPTION                    |
|----------|--------------------------------|
| COA31036 | LHS500R 515 LUMEN RECHARGEABLE |

## Dual Colour Headlamp



| PART #   | DESCRIPTION                |
|----------|----------------------------|
| COA30936 | RL10 560 LUMEN REAR LOADED |

## Safety Rated Headlamp



| PART #   | DESCRIPTION                                       |
|----------|---|
| COA30049 | HZ025 CLASS I DIV I LED 250 LUMENS (3AA NOT INCL) |

## Zithion-X Rechargeable Battery



| PART #    | DESCRIPTION                     |
|-----------|---------------------------------|
| COA30982  | AA USB-C PORTED BATTERY GB 4PK  |
| COA 30985 | AAA USB-C PORTED BATTERY GB 4PK |

## Lighted Safety Glasses, Lighted Rope Vest, Lighted Safety Armband



#COA30376



#COA30950



#COA30399

## Ball-Hex-L Key Set



| PART #   | DESCRIPTION               |
|----------|---------------------------|
| EKL13207 | 7PC 5/64"-1/4" SHORT      |
| EKL13607 | 7PC 1.5MM-6MM             |
| EKL13211 | 11PC .050"-1/4"           |
| EKL13213 | 13PC .050"-3/8"           |
| EKL13222 | COMBO PACK, 13213 & 13609 |

## Fold-Up Set



| PART #   | DESCRIPTION      |
|----------|------------------|
| EKL20511 | #51 3/16"-3/8"   |
| EKL20811 | #81 .050"-5/32"  |
| EKL20911 | #91 5/64"-1/4"   |
| EKL20912 | #91S .050"-3/16" |
| EKL21171 | #M17 1.5MM-6MM   |
| EKL22571 | T10-T40 TORX®    |

## Hex-L Key Set



| PART #   | DESCRIPTION                  |
|----------|------------------------------|
| EKL10107 | 7PC 5/64"-1/4" SHORT         |
| EKL10507 | 7PC 1.5MM-6MM SHORT          |
| EKL10609 | 9PC 1.5MM-10MM LONG          |
| EKL10111 | 11PC .050"-1/4" SHORT        |
| EKL10213 | 13PC .050"-3/8" LONG         |
| EKL10018 | 18PC 5/16"-1/4" SHORT & LONG |
| EKL10222 | 22PC COMBO 10213 & 10609     |

## Double-Ball Hex Key Set Double Ball



| PART #   | DESCRIPTION             |
|----------|-------------------------|
| EKL17609 | 9PC METRIC LONG         |
| EKL17213 | 13PC SAE LONG           |
| EKL17222 | 22PC COMBO SAE & METRIC |

## Ergo-Fold Cushion Grip Key Set



| PART #   | DESCRIPTION              |
|----------|--------------------------|
| EKL25611 | 6PC 5/32"-3/8"           |
| EKL25161 | 6PC 3MM-10MM             |
| EKL25171 | 7PC 1.5MM-6MM            |
| EKL25581 | 8PC T8-T40 TORX®         |
| EKL25911 | 9PC 5/64"-1/4"           |
| EKL25912 | 9PC .050"-3/16"          |
| EKL25919 | 9PC 5/64"-1/4" BALL      |
| EKL25024 | 3 PACK-25911,25171,25581 |

## Cush Grip Hex T-Key Set in Stand - 9"




| PART #   | DESCRIPTION            |
|----------|------------------------|
| EKL56198 | 8 PC METRIC W/POUCH 9" |

## Cush Grip Hex T-Key Set 6"



| PART #   | DESCRIPTION           |
|----------|-----------------------|
| EKL53168 | 8PC SAE W/POUCH 6"    |
| EKL55166 | 6PC METRIC W/POUCH 6" |

## Cush Grip Hex T-Key 6" Arm




| PART #   | DESCRIPTION |
|----------|-------------|
| EKL51606 | 3/32" - 6"  |
| EKL51607 | 7/64" - 6"  |
| EKL51608 | 1/8" - 6"   |
| EKL51609 | 9/64" - 6"  |
| EKL51610 | 5/32" - 6"  |
| EKL51612 | 3/16" - 6"  |
| EKL51614 | 7/32" - 6"  |
| EKL51616 | 1/4" - 6"   |
| EKL51620 | 5/16" - 6"  |
| EKL51624 | 3/8" - 6"   |
| EKL54620 | 2MM - 6"    |
| EKL54625 | 2.5MM - 6"  |
| EKL54630 | 3MM - 6"    |
| EKL54640 | 4MM - 6"    |
| EKL54650 | 5MM - 6"    |
| EKL54660 | 6MM - 6"    |
| EKL54680 | 8MM - 6"    |
| EKL54690 | 10MM - 6"   |

## Display-Cushion Grip T-Key - 6"



| PART #   | DESCRIPTION   |
|----------|---|
| EKL42446 | INCLUDES: 51606(5)-51607(5)-51608(5)-51609(5)-51610(5)-51612(5)-51614(5)-51616(5)-51620(2)-51624(2) |

## Cush Grip Hex T-Key Set 9"



| PART #   | DESCRIPTION        |
|----------|--------------------|
| EKL53198 | 8PC SAE W/POUCH 9" |

## Cush Grip Hex T-Key 9" Arm



| PART #   | DESCRIPTION |
|----------|-------------|
| EKL51905 | 5/64" - 9"  |
| EKL51906 | 3/32" - 9"  |
| EKL51907 | 7/64" - 9"  |
| EKL51908 | 1/8" - 9"   |
| EKL51909 | 9/64" - 9"  |
| EKL51910 | 5/32" - 9"  |
| EKL51912 | 3/16" - 9"  |
| EKL51914 | 7/32" - 9"  |
| EKL51916 | 1/4" - 9"   |
| EKL51920 | 5/16" - 9"  |
| EKL51924 | 3/8" - 9"   |
| EKL51928 | 7/16" - 9"  |
| EKL51932 | 1/2" - 9"   |
| EKL54920 | 2MM - 9"    |
| EKL54925 | 2.5MM - 9"  |
| EKL54930 | 3MM - 9"    |
| EKL54940 | 4MM - 9"    |
| EKL54950 | 5MM - 9"    |
| EKL54960 | 6MM - 9"    |
| EKL54980 | 8MM - 9"    |
| EKL54990 | 10MM - 9"   |
| EKL54991 | 11MM - 9"   |
| EKL54992 | 12MM - 9"   |

## Display-Cushion Grip T-Key - 9"



| PART #   | DESCRIPTION   |
|----------|---|
| EKL42449 | INCLUDES: 51906(5)-51907(5)-51908(5)-51909(5)-51910(5)-51912(5)-51914(5)-51916(5)-51920(2)-51924(2) |

## Display-Fold Cushion Grip Planogram



| PART #   | DESCRIPTION   |
|----------|---|
| EKL42190 | INCLUDES: 20511(2)-20811(4)-20911(4)-20912(2)-21171(2)-22571(2)-53168(2)-55166(1) |

## Display-Ergo Planogram



| PART #   | DESCRIPTION  |
|----------|--|
| EKL45140 | INCLUDES: 25161(2)-25171(2)-25581(2)-25611(2)-25911(2)-25912(2)-25919(2) |

## Display-Ball Hex-L-Handle Planogram



| PART #   | DESCRIPTION  |
|----------|--|
| EKL42100 | INCLUDES: 13207(2)-13211(2)-13213(2)-13607(2)-13609(2) |

## Display-Hex L-Handle Planogram



| PART #   | DESCRIPTION   |
|----------|---|
| EKL42243 | INCLUDES: 10018(4)-10107(6)-10111(6)-10213(4)-10507(2)-10609(2) |

### **StrykerPro Hammer Unbreakable Rubber Handle**



| PART #         | DESCRIPTION                        |
|----------------|------------------------------------|
| ABC PRO 2414BP | 1.5 LB-14" STEEL REINFORCED HANDLE |
| ABC PRO 3214BP | 2 LB-14" STEEL REINFORCED HANDLE   |
| ABC PRO 4014BP | 2.5 LB-14" STEEL REINFORCED HANDLE |

### **StrykerPro Hammer Unbreakable Rubber Handle**



| PART #       | DESCRIPTION                        |
|--------------|------------------------------------|
| ABC PRO 212S | 2.5 LB-12" STEEL REINFORCED HANDLE |
| ABC PRO 412S | 4 LB-12" STEEL REINFORCED HANDLE   |
| ABC PRO 416S | 4 LB-16" STEEL REINFORCED HANDLE   |
| ABC PRO 616S | 6 LB-16" STEEL REINFORCED HANDLE   |

### **StrykerXHD Hammer Unbreakable Poly Handle**



| PART #        | DESCRIPTION                        |
|---------------|------------------------------------|
| ABC XHD 212S  | 2.5 LB-12" STEEL REINFORCED HANDLE |
| ABC XHD 412S  | 4 LB-12" STEEL REINFORCED HANDLE   |
| ABC XHD 624S  | 6 LB-24" STEEL REINFORCED HANDLE   |
| ABC XHD 630S  | 6 LB-30" STEEL REINFORCED HANDLE   |
| ABC XHD 824S  | 8 LB-24" STEEL REINFORCED HANDLE   |
| ABC XHD 830S  | 8 LB-30" STEEL REINFORCED HANDLE   |
| ABC XHD 1030S | 10 LB-30" STEEL REINFORCED HANDLE  |
| ABC XHD 1230S | 12 LB-30" STEEL REINFORCED HANDLE  |
| ABC XHD 1430S | 14 LB-30" STEEL REINFORCED HANDLE  |

### **Brass Hammer - Fiberglass Handle**



| PART #   | DESCRIPTION      |
|----------|------------------|
| ABC 6BF  | 6 LB 33" HANDLE  |
| ABC 8BF  | 8 LB 33" HANDLE  |
| ABC 10BF | 10 LB 33" HANDLE |
| ABC 12BF | 12 LB 33" HANDLE |
| ABC 14BF | 14 LB 33" HANDLE |
| ABC 20BF | 20 LB 33" HANDLE |

### **StrykerPro Hammer Unbreakable Rubber Handle**



| PART #         | DESCRIPTION                        |
|----------------|------------------------------------|
| ABC PRO 2516CP | 2.5 LB-16" STEEL REINFORCED HANDLE |
| ABC PRO 3516CP | 3.5 LB-16" STEEL REINFORCED HANDLE |

### **StrykerPro Hammer Unbreakable Rubber Handle**



| PART #        | DESCRIPTION                       |
|---------------|-----------------------------------|
| ABC PRO 624S  | 6 LB-24" STEEL REINFORCED HANDLE  |
| ABC PRO 630S  | 6 LB-30" STEEL REINFORCED HANDLE  |
| ABC PRO 824S  | 8 LB-24" STEEL REINFORCED HANDLE  |
| ABC PRO 830S  | 8 LB-30" STEEL REINFORCED HANDLE  |
| ABC PRO 836S  | 8 LB-36" STEEL REINFORCED HANDLE  |
| ABC PRO 1030S | 10 LB-30" STEEL REINFORCED HANDLE |
| ABC PRO 1036S | 10 LB-36" STEEL REINFORCED HANDLE |
| ABC PRO 1230S | 12 LB-30" STEEL REINFORCED HANDLE |
| ABC PRO 1236S | 12 LB-36" STEEL REINFORCED HANDLE |
| ABC PRO 1430S | 14 LB-30" STEEL REINFORCED HANDLE |
| ABC PRO 1436S | 14 LB-36" STEEL REINFORCED HANDLE |

### **Deadblow Hammer Polyurethane One-Piece Hot Cast**



| PART #   | DESCRIPTION          |
|----------|----------------------|
| ABC S1DB | 18 OZ-10-1/2" HANDLE |
| ABC 1DB  | 21 OZ-11-1/4" HANDLE |
| ABC 2DB  | 26 OZ 12-3/4" HANDLE |
| ABC 3DB  | 45 OZ 14-3/8" HANDLE |
| ABC 4DB  | 53 OZ 15-1/4" HANDLE |
| ABC 7DB  | 5.5 LB 20" HANDLE    |
| ABC 9DB  | 9.0 LB 20" HANDLE    |
| ABC 10DB | 9.0 LB 30" HANDLE    |
| ABC 12DB | 10.5 LB 30" HANDLE   |
| ABC 14DB | 12 LB 36" HANDLE     |

## Brass Hammer - Wood Handle



## Brass Hammer - Fiberglass Handle



| PART #   | DESCRIPTION         |
|----------|---------------------|
| ABC1BW   | 1 LB 10" HANDLE     |
| ABC15BW  | 1.5 LB 12.5" HANDLE |
| ABC2BW   | 2 LB 12.5" HANDLE   |
| ABC3BW   | 3 LB 12.5" HANDLE   |
| ABC4BW   | 4 LB 15" HANDLE     |
| ABC5BW   | 5 LB 15" HANDLE     |
| ABC6BWS  | 6 LB 24" HANDLE     |
| ABC6BW   | 6 LB 32" HANDLE     |
| ABC8BWS  | 8 LB 24" HANDLE     |
| ABC8BW   | 8 LB 32" HANDLE     |
| ABC10BWS | 10 LB 24" HANDLE    |
| ABC10BW  | 10 LB 32" HANDLE    |
| ABC12BW  | 12 LB 32" HANDLE    |
| ABC14BW  | 14 LB 32" HANDLE    |
| ABC20BW  | 20 LB 32" HANDLE    |

## Brass Hammer - Fiberglass Handle



| PART #    | DESCRIPTION       |
|-----------|-------------------|
| ABC1BFB   | 1 LB 10" HANDLE   |
| ABC15BFB  | 1.5 LB 10" HANDLE |
| ABC2BFB   | 2 LB 12" HANDLE   |
| ABC3BFB   | 3 LB 12" HANDLE   |
| ABC4BFB   | 4 LB 12" HANDLE   |
| ABC5BFB   | 5 LB 12" HANDLE   |
| ABC6BFB   | 6 LB 16" HANDLE   |
| ABC6BFBS  | 6 LB 24" HANDLE   |
| ABC8BFBS  | 8 LB 24" HANDLE   |
| ABC10BFBS | 10 LB 24" HANDLE  |

## Bronze/Copper - Wood Handle



| PART #  | DESCRIPTION     |
|---------|-----------------|
| ABC2BFS | 2 LB 8" HANDLE  |
| ABC3BFS | 3 LB 8" HANDLE  |
| ABC4BFS | 4 LB 8" HANDLE  |
| ABC5BFS | 5 LB 8" HANDLE  |
| ABC3BF  | 3 LB 14" HANDLE |
| ABC4BF  | 4 LB 14" HANDLE |
| ABC5BF  | 5 LB 14" HANDLE |

## Bronze/Copper - Fiberglass Handle



| PART #    | DESCRIPTION       |
|-----------|-------------------|
| ABC1BZFB  | 1 LB 10" HANDLE   |
| ABC15BZFB | 1.5 LB 10" HANDLE |
| ABC2BZFS  | 2 LB 8" HANDLE    |
| ABC2BZFB  | 2 LB 12" HANDLE   |
| ABC3BZFB  | 3 LB 12" HANDLE   |
| ABC3BZFS  | 3 LB 8" HANDLE    |
| ABC3BZF   | 3 LB 14" HANDLE   |
| ABC4BZFS  | 4 LB 8" HANDLE    |
| ABC4BZFB  | 4 LB 12" HANDLE   |
| ABC4BZF   | 4 LB 14" HANDLE   |
| ABC5BZFS  | 5 LB 8" HANDLE    |
| ABC5BZFB  | 5 LB 12" HANDLE   |
| ABC5BZF   | 5 LB 14" HANDLE   |
| ABC6BZFB  | 6 LB 16" HANDLE   |
| ABC6BZFS  | 6 LB 24" HANDLE   |
| ABC8BZFS  | 8 LB 24" HANDLE   |
| ABC10BZFS | 10 LB 24" HANDLE  |
| ABC6BZF   | 6 LB 33" HANDLE   |



| PART #    | DESCRIPTION         |
|-----------|---------------------|
| ABC1BZW   | 1 LB 10" HANDLE     |
| ABC15BZW  | 1.5 LB 12.5" HANDLE |
| ABC2BZW   | 2 LB 12.5" HANDLE   |
| ABC3BZW   | 3 LB 12.5" HANDLE   |
| ABC4BZW   | 4 LB 15" HANDLE     |
| ABC5BZW   | 5 LB 15" HANDLE     |
| ABC6BZWS  | 6 LB 24" HANDLE     |
| ABC6BZW   | 6 LB 32" HANDLE     |
| ABC8BZWS  | 8 LB 24" HANDLE     |
| ABC8BZW   | 8 LB 32" HANDLE     |
| ABC10BZWS | 10 LB 24" HANDLE    |
| ABC10BZW  | 10 LB 32" HANDLE    |
| ABC12BZW  | 12 LB 32" HANDLE    |
| ABC14BZW  | 14 LB 32" HANDLE    |
| ABC20BZW  | 20 LB 32" HANDLE    |

## Bronze/Copper - Fiberglass Handle



| PART #   | DESCRIPTION      |
|----------|------------------|
| ABC8BZF  | 8 LB 33" HANDLE  |
| ABC10BZF | 10 LB 33" HANDLE |
| ABC12BZF | 12 LB 33" HANDLE |
| ABC14BZF | 14 LB 33" HANDLE |
| ABC20BZF | 20 LB 33" HANDLE |

### **20" Commercial Floor Fan**



| PART #   | DESCRIPTION                                   |
|----------|---|
| DURFGD20 | 3 SPD. W/ CEILING/WALL BRACKET 5,500CFM-1/6HP |

### **30" Commercial Pedestial Fan**



### **36" Commercial Drum Fan**



| PART #    | DESCRIPTION                      |
|-----------|----------------------------------|
| DURFGD36T | 3 SPD. W/ WHEELS 11,500CFM-1/2HP |

| PART #    | DESCRIPTION  |
|-----------|--|
| DURFGSB30 | 3 SPD. OSCILLATING W/ CEILING-WALL<br>BRACKET 7,500CFM-1/4HP |

## **ROLGEAR®**

### **Smooth Ratcheting Screwdriver**



| PART #    | DESCRIPTION              |
|-----------|--------------------------|
| ROLMBR315 | 15 IN 1 MULTI BIT DRIVER |
| ROLMBR38  | 8 IN 1 MULTI BIT DRIVER  |

**"C" SERIES SINGLE ACTING / SPRING RETURN CYLINDERS**


RUGGED, HIGH QUALITY SINGLE ACTING CYLINDERS  
USED FOR LIFTING AND PRESSING.

5 - 100 TON / 1" - 16" STROKE LENGTHS

| PART #    | WEIGHT CAP. | STROKE  | USEABLE OIL CAP. (CU.IN.) | RETRACTED HEIGHT (IN.) | EXTENDED HEIGHT (IN.) |
|-----------|-------------|---------|---------------------------|------------------------|-----------------------|
| PWTC51C   | 5 TON       | 1"      | 1.10                      | 4.34                   | 5.44                  |
| PWTC53C   | 5 TON       | 3-1/4"  | 3.20                      | 6.50                   | 9.75                  |
| PWTC55C   | 5 TON       | 5-1/4"  | 5.20                      | 8.50                   | 13.75                 |
| PWTC57C   | 5 TON       | 7-1/4"  | 7.20                      | 10.75                  | 18.00                 |
| PWTC59C   | 5 TON       | 9-1/4"  | 9.20                      | 12.75                  | 22.00                 |
| PWTC101C  | 10 TON      | 1"      | 2.20                      | 3.63                   | 4.63                  |
| PWTC102C  | 10 TON      | 2-1/8"  | 4.80                      | 4.75                   | 6.88                  |
| PWTC104C  | 10 TON      | 4-1/8"  | 9.20                      | 6.75                   | 10.88                 |
| PWTC106C  | 10 TON      | 6-1/8"  | 13.70                     | 9.75                   | 15.88                 |
| PWTC108C  | 10 TON      | 8-1/8"  | 19.90                     | 11.75                  | 19.88                 |
| PWTC1010C | 10 TON      | 10-1/8" | 22.60                     | 13.75                  | 23.88                 |
| PWTC1012C | 10 TON      | 12-1/8" | 27.10                     | 15.75                  | 27.88                 |
| PWTC1014C | 10 TON      | 14-1/8" | 31.60                     | 17.75                  | 31.88                 |
| PWTC1016C | 10 TON      | 16"     | 36.10                     | 20.50                  | 36.50                 |
| PWTC151C  | 15 TON      | 1"      | 3.10                      | 4.88                   | 5.88                  |
| PWTC152C  | 15 TON      | 2-1/8"  | 6.70                      | 5.88                   | 8.00                  |
| PWTC154C  | 15 TON      | 4-1/8"  | 12.90                     | 7.88                   | 12.00                 |
| PWTC156C  | 15 TON      | 6-1/8"  | 19.20                     | 10.69                  | 16.81                 |
| PWTC158C  | 15 TON      | 8-1/8"  | 25.50                     | 12.69                  | 20.81                 |
| PWTC1510C | 15 TON      | 10-1/8" | 31.80                     | 14.69                  | 24.81                 |
| PWTC1512C | 15 TON      | 12-1/8" | 38.10                     | 16.69                  | 28.81                 |
| PWTC1514C | 15 TON      | 14-1/8" | 44.40                     | 18.69                  | 32.81                 |
| PWTC1516C | 15 TON      | 16"     | 50.30                     | 20.56                  | 36.56                 |
| PWTC251C  | 25 TON      | 1"      | 5.10                      | 5.50                   | 6.50                  |
| PWTC252C  | 25 TON      | 2"      | 10.30                     | 6.50                   | 8.50                  |
| PWTC254C  | 25 TON      | 4"      | 20.60                     | 8.50                   | 12.50                 |
| PWTC256C  | 25 TON      | 6-1/4"  | 32.20                     | 10.75                  | 17.00                 |
| PWTC258C  | 25 TON      | 8-1/4"  | 42.50                     | 12.75                  | 21.00                 |
| PWTC2510C | 25 TON      | 10-1/4" | 52.80                     | 14.75                  | 25.00                 |
| PWTC2512C | 25 TON      | 12-1/4" | 63.20                     | 16.75                  | 29.00                 |
| PWTC2514C | 25 TON      | 14-1/4" | 73.50                     | 18.75                  | 33.00                 |
| PWTC552C  | 55 TON      | 2"      | 22.10                     | 6.88                   | 8.88                  |
| PWTC554C  | 55 TON      | 4-1/4"  | 46.90                     | 9.13                   | 13.38                 |
| PWTC556C  | 55 TON      | 6-1/4"  | 69.00                     | 11.13                  | 17.38                 |

**"RA" SERIES SINGLE ACTING / SPRING RETURN, ALUMINUM CYLINDERS**


LIGHTWEIGHT, ALUMINUM DESIGN. EASY TO TRANSPORT.  
USED FOR LIFTING AND PRESSING.

20 - 100 TON / 2" - 10" STROKE LENGTHS

| PART #   | WEIGHT CAP. | STROKE | USEABLE OIL CAP. (CU.IN.) | RETRACTED HEIGHT (IN.) | EXTENDED HEIGHT (IN.) |
|----------|-------------|--------|---------------------------|------------------------|-----------------------|
| PWTRA202 | 20 TON      | 2-1/8" | 9.41                      | 6.38                   | 8.50                  |
| PWTRA204 | 20 TON      | 4-1/8" | 18.27                     | 8.38                   | 12.50                 |
| PWTRA206 | 20 TON      | 6-1/8" | 27.13                     | 10.38                  | 16.50                 |
| PWTRA302 | 30 TON      | 2"     | 13.79                     | 7.38                   | 9.50                  |
| PWTRA304 | 30 TON      | 4"     | 26.77                     | 9.38                   | 13.50                 |
| PWTRA306 | 30 TON      | 6"     | 39.75                     | 11.38                  | 17.50                 |

PLEASE CALL US FOR A COMPLETE LIST OF SIZES AVAILABLE.

## "RH" SERIES SINGLE ACTING / SPRING RETURN, HOLLOW CYLINDERS



IDEAL FOR CABLE PULLING AND TENSIONING, ANCHOR BOLTS, FORCING SCREWS, ETC.

10 - 100 TON / 2" - 8" STROKE LENGTHS

| PART #   | WEIGHT CAPACITY | STROKE | USEABLE OIL CAP (CU.IN.) | RETRACTED HEIGHT (IN.) | EXTENDED HEIGHT (IN.) |
|----------|-----------------|--------|--------------------------|------------------------|-----------------------|
| PWTRH102 | 10 TON          | 2-1/2" | 5.52                     | 5.31                   | 7.81                  |
| PWTRH108 | 10 TON          | 8"     | 17.68                    | 11.31                  | 19.31                 |
| PWTRH120 | 12 TON          | 5/16"  | 0.87                     | 2.19                   | 2.50                  |
| PWTRH121 | 12 TON          | 1-5/8" | 4.49                     | 4.81                   | 6.44                  |
| PWTRH123 | 12 TON          | 3"     | 8.29                     | 7.25                   | 10.25                 |
| PWTRH202 | 20 TON          | 2"     | 9.45                     | 6.13                   | 8.13                  |
| PWTRH203 | 20 TON          | 3"     | 11.76                    | 6.06                   | 9.06                  |
| PWTRH206 | 20 TON          | 6"     | 28.35                    | 12.13                  | 18.13                 |
| PWTRH302 | 30 TON          | 2-1/2" | 15.85                    | 6.25                   | 8.75                  |
| PWTRH303 | 30 TON          | 3"     | 17.60                    | 7.06                   | 10.06                 |
| PWTRH306 | 30 TON          | 6"     | 38.10                    | 9.75                   | 15.75                 |

## "RLS" SERIES SINGLE ACTING / SPRING RETURN / LOW PROFILE CYLINDERS



IDEAL FOR LOW CLEARANCE OR TIGHT CONSTRAINT APPLICATIONS REQUIRING HIGH FORCES.

5 - 150 TON - 7/16" - 5/8" STROKE LENGTHS

| PART #    | WEIGHT CAPACITY | STROKE | USEABLE OIL CAP (CU.IN.) | RETRACTED HEIGHT (IN.) | EXTENDED HEIGHT (IN.) |
|-----------|-----------------|--------|--------------------------|------------------------|-----------------------|
| PWTRLS50  | 5 TON           | 9/16"  | 0.62                     | 1.63                   | 2.19                  |
| PWTRLS100 | 10 TON          | 7/16"  | 1.00                     | 1.75                   | 2.19                  |
| PWTRLS200 | 20 TON          | 7/16"  | 2.00                     | 2.00                   | 2.44                  |
| PWTRLS300 | 30 TON          | 1/2"   | 3.20                     | 2.31                   | 2.81                  |

## "RSS" SERIES SINGLE ACTING / SPRING RETURN / SHORTY CYLINDERS



IDEAL FOR CONFINED AREAS WITH 3-1/2" TO 11-7/16" CLEARANCE.

10 - 250 TON / 1-1/2" - 3" STROKE LENGTHS

| PART #    | WEIGHT CAPACITY | STROKE  | USEABLE OIL CAP. (CU.IN.) | RETRACTED HEIGHT (IN.) | EXTENDED HEIGHT (IN.) |
|-----------|-----------------|---------|---------------------------|------------------------|-----------------------|
| PWTRSS101 | 10 TON          | 1-1/2"  | 3.40                      | 3.50                   | 5.00                  |
| PWTRSS202 | 20 TON          | 1-3/4"  | 7.70                      | 3.75                   | 5.50                  |
| PWTRSS302 | 30 TON          | 2-7/16" | 15.80                     | 4.63                   | 7.06                  |
| PWTRSS502 | 50 TON          | 2-3/8"  | 22.80                     | 5.00                   | 7.38                  |

## "RD" SERIES DOUBLE ACTING / HYDRAULIC RETURN CYLINDERS



HIGH TONNAGE PREMIUM DESIGN FOR LONG CYCLE LIFE. PERFECT FOR BRIDGE LIFTING, BUILDING RECONSTRUCTION, SHIPYARD, UTILITY AND MINING EQUIPMENT MAINTENANCE.

10 - 500 TON / 1-1/2" - 3" STROKE LENGTHS

| PART #    | WEIGHT CAPACITY | STROKE (CU.IN.) | USEABLE OIL CAP (CU.IN.) | RETRACTED HEIGHT (IN.) | EXTENDED HEIGHT (IN.) |
|-----------|-----------------|-----------------|--------------------------|------------------------|-----------------------|
| PWTRD256  | 25 TON          | 6-1/4"          | 32.20 / 10.10            | 12.38                  | 18.63                 |
| PWTRD556  | 55 TON          | 6-1/4"          | 69.00 / 35.20            | 12.97                  | 19.22                 |
| PWTRD5513 | 55 TON          | 13-1/8"         | 144.90 / 73.90           | 19.84                  | 32.97                 |

LET US HELP YOU WITH YOUR APPLICATION.

## "RGG/RDG" NITRIDE COATED, SINGLE ACTING & DOUBLE ACTING CYLINDERS



RGG SERIES (SINGLE ACTING) AND RDG SERIES (DOUBLE ACTING) CYLINDERS OFFER OPTIONS FOR HEAVY LIFT, GENERAL PURPOSE AND TOUGH MRO APPLICATIONS.

AVAILABLE IN RANGES FROM  
55 – 600 TONS / STROKE LENGTHS FROM 2" – 14".

"Power Tech" Nitro-Carburization Surface Treatment inhibits corrosion and provides exceptional durability. Patented "U-Cup" Swivel Cap provides concentrated load centering up to 5 degrees.

## "RGP" NITRIDE COATED LOW PROFILE (PANCAKE) LOCKING COLLAR CYLINDERS



RGP SINGLE ACTING, LOCKING COLLAR CYLINDERS ARE IDEAL FOR CONFINED AREAS. THE MECHANICAL LOCKING COLLAR MECHANISM SAFELY SUPPORTS LOADS FOR AN EXTENDED PERIOD OF TIME REMOVING THE CHANCE OF A HYDRAULIC LEAK OR SHUT DOWN CAUSING A LOAD SHIFT.

AVAILABLE IN RANGES FROM  
67 – 565 TONS / STROKE LENGTH 1.75".

"Power Tech" Nitro-Carburization Surface Treatment inhibits corrosion and provides exceptional durability. Patented "U-Cup" Swivel Cap provides concentrated load centering up to 5 degrees.

## "RGL" NITRIDE COATED LOCKING COLLAR CYLINDERS



RGL SINGLE ACTING, LOCKING COLLAR CYLINDERS ARE IDEAL FOR APPLICATIONS WHERE THE LOAD NEEDS TO BE HELD FOR A PROLONGED PERIOD OF TIME. THE MECHANICAL LOCKING COLLAR MECHANISM SAFELY SUPPORTS LOADS FOR AN EXTENDED PERIOD, REMOVING THE CHANCE OF A HYDRAULIC LEAK OR SHUT DOWN CAUSING A LOAD SHIFT.

AVAILABLE IN RANGES FROM  
55 – 600 TONS / STROKE LENGTHS FROM 2" – 12".

"Power Tech" Nitro-Carburization Surface Treatment inhibits corrosion and provides exceptional durability. Patented "U-Cup" Swivel Cap provides concentrated load centering up to 5 degrees.

## "P" SERIES HAND PUMPS - SINGLE ACTING / 1 STAGE



STEEL HAND PUMPS BEST SUITED FOR MRO APPLICATIONS.

1 Stage pumps always behave as though under load and will provide a consistent speed of travel for the cylinder.

Foot pump conversion kits available for some models.

For use with 10,000psi Single Acting Cylinders / Tools only.

| PART # | VOLUME PER STROKE (CU. IN.) | OIL CAPACITY (CU. IN.) | USEABLE OIL CAPACITY (CU. IN.) |
|--------|-----------------------------|------------------------|--------------------------------|
| PWTP12 | 0.069                       | 12.00                  | 9.00                           |
| PWTP23 | 0.16                        | 23.80                  | 20.30                          |
| PWTP55 | 0.16                        | 55.00                  | 45.00                          |

## "P" SERIES HAND PUMPS - SINGLE ACTING / 2 STAGE



STEEL HAND PUMPS BEST SUITED FOR MRO APPLICATIONS.

2 Stage pumps will stay in a low pressure / high flow stage until the cylinder meets resistance, at which point the high pressure stage kicks in to move the load.

Foot pump conversion kits available for some models.

For use with 10,000psi Single Acting Cylinders / Tools only.

| PART #  | VOLUME PER STROKE (CU. IN.) | OIL CAPACITY (CU. IN.) | USEABLE OIL CAPACITY (CU. IN.) |
|---------|-----------------------------|------------------------|--------------------------------|
| PWTP19  | .076 - .305                 | 24.4                   | 20                             |
| PWTP59  | 0.16 - .662                 | 55                     | 45.00                          |
| PWTP157 | 0.16 - 0.65                 | 152                    | 137                            |
| PWTP159 | .16 - 2.60                  | 152                    | 137                            |

## "P" SERIES "LIGHTWEIGHT ALUMINUM" - SINGLE ACTING / 2 STAGE



LIGHTWEIGHT ALUMINUM HAND PUMPS BEST SUITED FOR MRO APPLICATIONS.

2 Stage pumps will stay in a low pressure / high flow stage until the cylinder meets resistance, at which point the high pressure stage kicks in to move the load.

Lightweight aluminum body is easy to move around and more durable than plastic resin materials.

For use with 10,000psi Single Acting Cylinders / Tools only.

| PART #  | VOLUME PER STROKE (CU. IN.) | OIL CAPACITY (CU. IN.) | USEABLE OIL CAPACITY (CU. IN.) |
|---------|-----------------------------|------------------------|--------------------------------|
| PWTP19L | 0.25 - 0.050                | 29                     | 27                             |
| PWTP59L | 0.72 - 0.150                | 69                     | 66                             |

## "P" SERIES HAND PUMPS - DOUBLE ACTING / 2 STAGE



STEEL HAND PUMPS BEST SUITED FOR MRO APPLICATIONS.

2 Stage pumps will stay in a low pressure / high flow stage until the cylinder meets resistance, at which point the high pressure stage kicks in to move the load.

For use with 10,000 PSI Single Acting or Double Acting Cylinders / Tools.

| PART # | VOLUME PER STROKE (CU. IN.) | OIL CAPACITY (CU. IN.) | USEABLE OIL CAPACITY (CU. IN.) |
|--------|-----------------------------|------------------------|--------------------------------|
| P157D  | 0.160                       | 152                    | 137                            |
| P159D  | 0.160                       | 152                    | 137                            |
| P300D  | 0.160                       | 1.5 GAL                | 310                            |
| P460D  | 0.294                       | 2.5 GAL                | 460                            |

## "PA" SERIES AIR PUMPS - SINGLE ACTING / 1 STAGE



COMPACT LIGHTWEIGHT AND PORTABLE, SINGLE-SPEED, AIR MOTOR PUMPS DESIGNED TO DRIVE SMALL TO MEDIUM SIZED SINGLE-ACTING CYLINDERS.  
(FOOT PEDAL ACTIVATED VALVE)

For use with 10,000 PSI Single Acting Cylinders / Tools only.

| PART #   | REG. AIR SUPPLY | OIL CAPACITY (CU. IN.) | USEABLE OIL CAPACITY (CU. IN.) |
|----------|-----------------|------------------------|--------------------------------|
| PWTPA6   | 40-120 PSI      | 105                    | 98                             |
| PWTPA6M  | 40-120 PSI      | 105                    | 98                             |
| PWTPA6M1 | 40-120 PSI      | 1 GAL                  | 185                            |

## "PA" SERIES AIR PUMPS - DOUBLE ACTING / 1 STAGE



COMPACT LIGHTWEIGHT AND PORTABLE, SINGLE-SPEED, AIR MOTOR PUMPS DESIGNED TO DRIVE SMALL TO MEDIUM SIZED SINGLE-ACTING OR DOUBLE ACTING CYLINDERS.

For use with 10,000 PSI Single Acting Cylinders / Tools only.

| PART #   | REG. AIR SUPPLY | OIL CAPACITY (CU. IN.) | USEABLE OIL CAPACITY (CU. IN.) |
|----------|-----------------|------------------------|--------------------------------|
| PWTPA6D  | 40-120 PSI      | 105                    | 98                             |
| PWTPA6DM | 40-120 PSI      | 105                    | 98                             |

## "PB" SERIES CORDLESS (BATTERY) PUMPS / SINGLE & DOUBLE ACTING



COMPACT, PORTABLE, CORDLESS 10,000 PSI HYDRAULIC PUMPS FOR MRO & LIFTING APPLICATIONS.

AVAILABLE IN OUR PB10 SERIES  
(10 CU.IN. PER MINUTE) FOR SMALL TO MEDIUM SIZED APPLICATIONS, OR IN OUR PB43 SERIES (43 CU.IN. PER MINUTE)

\*PB10 - SMALL TO MEDIUM SIZE

\*PB43 - FOR LARGER, HEAVY DUTY APPLICATIONS

| PART #       | DESCRIPTION                                      | BATTERY INFO          | OPTIONS                    | USEABLE OIL CAPACITY (CU. IN.) |
|--------------|--|-----------------------|----------------------------|--------------------------------|
| PWTPB1021    | SINGLE ACTING BATTERY PUMP AUTO-DUMP 2 WAY VALVE | MILWAUKEE M18 - 18VDC | HAND & FOOT PENDANT        | 70                             |
| PWTPB43MA1P1 | SINGLE ACTING OR DOUBLE ACTING BATTERY PUMP      | POWER TEAM 60V        | ROLL CAGE, CHARGER,BATTERY | 295                            |

## "PE17" / "PE18" SERIES PORTABLE ELECTRIC PUMPS / SINGLE ACTING



FOR MAINTENANCE AND CONSTRUCTION APPLICATIONS.

FOR USE WITH 10,000 PSI SINGLE ACTING OR DOUBLE ACTING CYLINDERS AND TOOLS.

| PART #   | DESCRIPTION   | FLOW RATE @ 10,000 PSI | MOTOR  | USABLE OIL CAPACITY (CU. IN.) |
|----------|---|------------------------|--|-------------------------------|
| PWTPE172 | 2 WAY VALVE (ADVANCE/RETURN) / 10' REMOTE MOTOR CONTROL PENDANT | 17 CU.IN./MIN.         | 1/2 HP, 110/115 VAC 50/60HZ, SINGLE PHASE      | 295                           |
| PWTPE182 | 2 WAY VALVE (ADVANCE/RETURN) / 10' REMOTE MOTOR CONTROL PENDANT | 18 CU.IN./MIN.         | 1/2 HP, 110/115 VAC 50/60HZ A.C., SINGLE PHASE | 104                           |

## "PE17" / "PE18" SERIES PORTABLE ELECTRIC PUMPS / DOUBLE ACTING



FOR MAINTENANCE AND CONSTRUCTION APPLICATIONS.

FOR USE WITH 10,000 PSI SINGLE ACTING OR DOUBLE ACTING CYLINDERS AND TOOLS.

| PART #   | DESCRIPTION  | FLOW RATE @ 10,000 PSI | MOTOR                                     | USABLE OIL CAPACITY (CU. IN.) |
|----------|--|------------------------|---|-------------------------------|
| PWTPE174 | 4 WAY VALVE (ADVANCE/HOLD/RETURN) / 10' REMOTE MOTOR CONTROL PENDANT | 17 CU.IN./MIN.         | 1/2 HP, 110/115 VAC 50/60HZ, SINGLE PHASE | 295                           |
| PWTPE184 | 4 WAY VALVE (ADVANCE/HOLD/RETURN) / 10' REMOTE MOTOR CONTROL PENDANT | 18 CU.IN./MIN.         | 1/2 HP, 110/115 VAC 50/60HZ SINGLE PHASE  | 104                           |

## COUPLERS - QUICK DISCONNECT



**#9795**  
FULL SET: 1X MALE END  
1X FEMALE END



**#9796**  
FEMALE: CYLINDER /  
TOOL END




**#9798**  
MALE: HOSE END

PLEASE ASK US ABOUT OUR SELECTION OF COUPLERS AND FITTINGS.  
THE ITEMS SHOWN ABOVE ARE COMPATIBLE WITH MOST COMPETITIVE 10,000 PSI BRANDS.

| PART #  | DESCRIPTION                                      |
|---------|--|
| PWT9795 | QUICK COUPLER, COMPLETE SET (MALE/FEMALE HALVES) |
| PWT9796 | QUICK COUPLER - 3/8" NPTF - FEMALE HALF, W/CAP   |
| PWT9798 | QUICK COUPLER - 3/8" NPTF - MALE HALF, W/CAP     |

## GAUGE ADAPTORS



**#9699**

45 DEGREE GAUGE ADAPTOR CROSS-SECTION SHOWN.  
3/8" NPTF FITTING PORTS WITH 1/4" NPTF GAUGE PORT.

ASK US ABOUT OUR COMPLETE SELECTION OF  
FITTINGS AND ADAPTORS.

| PART #  | TYPE         | STYLE   |
|---------|--------------|---------|
| PWT9699 | PASS-THROUGH | 45 DEG. |
| PWT9670 | PASS-THROUGH | 90 DEG. |

## GAUGES - ANALOG



**#9052**



**#9040GA**

HEAVY DUTY HYDRAULIC PRESSURE GAUGES  
A MUST FOR ALL SYSTEMS!

ASK US ABOUT OUR COMPLETE SELECTION OF  
GAUGES FOR ALL APPLICATIONS.

| PART #    | DESCRIPTION   | SIZE (IN.) | SCALE        | CYLINDER TYPES    | SILICONE FILLED |
|-----------|---|------------|--------------|-------------------|-----------------|
| PWT9040GA | NEW! 2.5" GAUGE W/ COUPLER & 45 DEG. ADAPTOR          | 2.50       | 2500/500 PSI | UNIVERSAL         | YES             |
| PWT9040   | 10,000 PSI GAUGE / 500-2500 PSI GRADUATIONS           | 2.50       | 2500/500 PSI | UNIVERSAL         | YES             |
| PWT9052   | 10,000 PSI GAUGE / 200/1000 PSI GRADUATIONS           | 4.00       | 10K/2000 PSI | UNIVERSAL         | YES             |
| PWT9077   | 10,000 PSI GAUGE / 2000 PSI AND 10-20 TON GRADUATIONS | 4.00       | 0-150 TON    | C/R/RD/RLS SERIES | NO              |
| PWT9079   | 10,000 PSI GAUGE / 2000 PSI AND 10-20 TON GRADUATIONS | 4.00       | 0-200 TON    | R/RD/RH SERIES    | NO              |

## GAUGES - DIGITAL




EASIER TO READ THAN A STANDARD ANALOG GAUGE WITH GREATER ACCURACY. BACK-LIT LED SCREEN WITH MULTIPLE DISPLAY SETTINGS.

"AA" BATTERY POWERED WITH A 2000 HOUR LIFE.

| PART #    | DESCRIPTION  | SIZE (IN.) | SCALE          | CYLINDER TYPES | SILICONE FILLED |
|-----------|--|------------|----------------|----------------|-----------------|
| PWT9042DG | 10,000 PSI / 700 BAR DIGITAL GAUGE<br>BACK-LIT - 2X AA BATTERIES | 2.5        | MULTI SETTINGS | UNIVERSAL      | N/A             |

## MANIFOLDS - BLOCKS



SELECT FROM A WIDE ASSORTMENT OF 10,000 PSI HIGH PRESSURE MANIFOLD BLOCKS TO CUSTOMIZE YOUR SYSTEM.

MANIFOLD BLOCKS WILL ALLOW EQUAL FLOW TO ALL PORTS WITHOUT NEEDLE VALVES OR OTHER EXTERNAL FLOW CONTROL.

| PART #  | # OF PORTS | PORT SIZE |
|---------|------------|-----------|
| PWT9617 | 6          | 3/8" NPTF |
| PWT9634 | 4          | 3/8" NPTF |
| PWT9648 | 7          | 3/8" NPTF |
| PWT9691 | 3          | 3/8" NPTF |

## MANIFOLDS - WITH NEEDLE VALVES



#9642



#9644

MANIFOLD BLOCKS WITH NEEDLE VALVES ALLOW FOR INDEPENDENT CONTROL MULTIPLE-CYLINDER OPERATION FROM A SINGLE HYDRAULIC PUMP SOURCE.

| PART #  | # OF PORTS | PORT SIZE |
|---------|------------|-----------|
| PWT9642 | 2          | 3/8" NPTF |
| PWT9644 | 4          | 3/8" NPTF |

## MANIFOLDS - "LM" SERIES 4 PORT LIFTING MANIFOLD



4 PORT LIFTING CONTROL MODULES. SINGLE AND DOUBLE ACTING CONFIGURATIONS FOR SIMPLE LIFTING APPLICATIONS.

PLUG & PLAY / FIELD READY OUT OF THE BOX.

| PART #  | DESCRIPTION                                  |
|---------|--|
| PWTLM4S | NEW! 4 PORT LIFTING MANIFOLD - SINGLE ACTING |
| PWTLM4D | NEW! 4 PORT LIFTING MANIFOLD - DOUBLE ACTING |

## VALVES - HYDRAULIC IN-LINE (SHUT-OFF/REGULATOR)



#9596



#9633



#9575

ASK US ABOUT OUR COMPLETE SELECTION OF HYDRAULIC IN-LINE VALVES TO CUSTOMIZE YOUR SYSTEM.

| PART #  | DESCRIPTION                       |
|---------|-----------------------------------|
| PWT9596 | VALVE, LOAD LOWERING, RM, MANUAL  |
| PWT9633 | PRESSURE REGULATOR VALVE, IN-LINE |
| PWT9575 | VALVE, SHUT OFF, 3/8" NPTF PORTS  |

## HYDRAULIC OIL



AVAILABLE IN 4 DIFFERENT TYPES:

**STANDARD  
FLAME-OUT (FIRE-RESISTANT)  
BIODEGRADABLE  
LOW-TEMPERATURE**

(1 QUART - 55 GALLON DRUMS)

| PART #  | TYPE           | SIZE       |
|---------|----------------|------------|
| PWT9636 | STANDARD       | 1 QUART    |
| PWT9637 | STANDARD       | 1 GALLON   |
| PWT9638 | STANDARD       | 2.5 GALLON |
| PWT9647 | LOW TEMP       | 1 GALLON   |
| PWT9639 | FLAME-OUT      | 1 GALLON   |
| PWT9640 | FLAME-OUT      | 2.5 GALLON |
| PWT9645 | BIO-DEGRADABLE | 1 GALLON   |
| PWT9646 | BIO-DEGRADABLE | 2.5 GALLON |

## HOSES - RUBBER / WIRE BRAID - 20,000 PSI RATED

### RUBBER HOSES FOR USE WITH 10,000 PSI HYDRAULIC EQUIPMENT ONLY.



RUBBER HOSES ARE MORE FLEXIBLE BUT DON'T OFFER THE SAME DURABILITY AS POLYURETHANE.

STANDARD FLOW HOSES (1 / 4" I.D.) & HIGH FLOW (3 / 8" I.D.) – LENGTHS FROM 3' TO 50'.

ALL HOSES COME EQUIPPED WITH 3 / 8" NPTF MALE ENDS, BUT DO NOT ALL COME WITH QD COUPLERS.

| PART #  | INTERNAL DIA. (IN.) | LENGTH (FT.) |
|---------|---------------------|--------------|
| PWT9755 | 1/4"                | 3'           |
| PWT9756 | 1/4"                | 6'           |
| PWT9757 | 1/4"                | 8'           |
| PWT9758 | 1/4"                | 10'          |
| PWT9759 | 1/4"                | 12'          |
| PWT9760 | 1/4"                | 20'          |
| PWT9776 | 3/8"                | 6'           |
| PWT9777 | 3/8"                | 10'          |
| PWT9734 | 3/8"                | 15'          |
| PWT9778 | 3/8"                | 20'          |

## HOSES POLYURETHANE (NYLON CORE TUBE) 20,000 PSI RATED

### POLYURETHANE HOSES FOR USE WITH 10,000 PSI HYDRAULIC EQUIPMENT ONLY.



POLYURETHANE HOSES FOR USE WITH 10,000 PSI HYDRAULIC EQUIPMENT. POLYURETHANE HOSES ARE MORE DURABLE BUT DON'T OFFER THE SAME FLEXIBILITY AS RUBBER.

STANDARD FLOW HOSES (1 / 4" I.D.) AND HIGH FLOW (3 / 8" I.D.) – LENGTHS FROM 2' TO 50'

ALL HOSES COME EQUIPPED WITH 3 / 8" NPTF MALE ENDS, BUT DO NOT ALL COME WITH QD COUPLERS.

| PART #  | INTERNAL DIA. (IN.) | LENGTH (FT.) |
|---------|---------------------|--------------|
| PWT9765 | 1/4"                | 2'           |
| PWT9767 | 1/4"                | 6'           |
| PWT9768 | 1/4"                | 8'           |
| PWT9769 | 1/4"                | 10'          |
| PWT9770 | 1/4"                | 12'          |
| PWT9771 | 1/4"                | 20'          |
| PWT9780 | 3/8"                | 6'           |
| PWT9781 | 3/8"                | 10'          |
| PWT9782 | 3/8"                | 20'          |

## START UP KITS - 10 TON / 25 TON



VERSATILE 10/25 TON MAINTENANCE KITS  
COMPLETE WITH HIGH QUALITY CARRYING CASE.

EACH KIT CONTAINS ONE OF OUR LIGHTWEIGHT  
ALUMINUM HAND PUMPS, A 1 TON HYDRAULIC  
SPREADER, 4 DIFFERENT SIZED CYLINDERS, HOSE,  
GAUGE AND FITTINGS.

| PART #   | DESCRIPTION   | INCLUDES CYLINDERS        | INCLUDES TOOLS |
|----------|---|---------------------------|----------------|
| PWTSK10T | 10 TON KIT - P19L PUMP / CYL. / TOOLS & ACCESSORIES | C106C-RSS101-RH123-RLS100 | HS2000         |
| PWTSK25T | 25 TON KIT - P59L PUMP / CYL. / TOOLS & ACCESSORIES | C256C-RSS302-RH302-RLS300 | HS2000         |

## HYDRAULIC MAINTENANCE SET - 10 TON



TURNKEY, EXTREMELY VERSATILE MECHANICS MAINTENANCE  
SETS. GREAT FOR MULTIPLE APPLICATIONS.

KITS COME WITH PUMP CHOICE, 2 X 10 TON CYLINDERS  
WITH DIFFERENT STROKE LENGTHS, A VARIETY OF  
EXTENSION BARS AND CYLINDER MOUNTING  
ACCESSORIES, 1 TON SPREADER, HOSE,  
GAUGE AND FITTINGS.

LARGE CARRY CASE INCLUDED.

| PART #   | DESCRIPTION                     | INCLUDES CYLINDERS | INCLUDES TOOLS    |
|----------|---------------------------------|--------------------|-------------------|
| PWTIM10H | MAINTENANCE SET, HAND PUMP P59  | C106CBT            | CYL.BASE/EXT.RODS |
| PWTIM10L | MAINTENANCE SET, HAND PUMP P59L | C106CBT            | CYL.BASE/EXT.RODS |

## HYDRAULIC SPREADERS - 1 / 1.5 TON



HYDRAULIC SPREADERS OFFER A GREATER FORCE THAN  
TRADITIONAL MECHANICAL TOOLS.

GREAT FOR TIGHT AREAS IN LIFTING OR TO SPREAD  
CONCRETE FORMS OR REBAR.

| PART #    | CAPACITY (TONS) | OIL CAPACITY (CU. IN.) | TYPE      | MAX. SPREAD (IN.) |
|-----------|-----------------|------------------------|-----------|-------------------|
| PWTHS2000 | 1.0             | 0.63                   | DUCK BILL | 4.00"             |
| PWTHS3000 | 1.5             | 3.50                   | DUCK BILL | 11.50"            |

## HYDRAULIC NUT SPLITTERS



SPECIFICALLY DESIGNED "TOOL STEEL" CUTTER BLADE PENETRATES THE NUT TO THE PRECISE POINT WHERE IT CRACKS, STOPPING SHORT OF THE BOLT THREADS.

| PART #     | CAPACITY | TYPE     |
|------------|----------|----------|
| PWTHNS150  | 15 TON   | STRAIGHT |
| PWTHNS150A | 15 TON   | ANGLED   |
| PWTHNS225  | 25 TON   | STRAIGHT |

## HYDRAULIC TORQUE WRENCHES - SQUARE DRIVE

### BOLTING SYSTEMS



10,000 PSI, PREMIUM QUALITY HYDRAULIC SQUARE DRIVE TORQUE WRENCHES.

AVAILABLE IN DRIVE SIZES FROM 3 / 4" – 2 - 1 / 2" WITH TORQUE CAPACITIES FROM 170 – 53,000 FT. LBS. ALTERNATE REACTION BARS AND ACCESSORIES ARE ALSO AVAILABLE.

PLEASE CONTACT US FOR ASSISTANCE IN SELECTING THE CORRECT TOOL FOR THE JOB!

MORE SIZES AVAILABLE

| PART #   | DESCRIPTION           | DRIVE SIZE        | MIN. TORQUE | MAX. TORQUE    | WEIGHT    |
|----------|-----------------------|-------------------|-------------|----------------|-----------|
| PWTTWHC1 | TORQUE WRENCH, SQ DRV | 3/4" SQUARE DRIVE | 170 FT.LBS. | 1,413 FT. LBS. | 6.2 LBS.  |
| PWTTWHC3 | TORQUE WRENCH, SQ DRV | 1" SQUARE DRIVE   | 376 FT.LBS. | 3,136 FT. LBS. | 11.7 LBS. |

## HYDRAULIC TORQUE WRENCHES - LOW CLEARANCE

### BOLTING SYSTEMS



OUR TWLC SERIES WRENCH WAS DESIGNED FOR THE MOST INACCESSIBLE BOLTING AREAS FOUND IN THE INDUSTRY. EACH WRENCH CONSISTS OF 2 PIECES – A DRIVE BODY AND A SPECIFICALLY SIZED LINK OR CASSETTE.

\*THESE PIECES ARE ALWAYS ORDERED SEPARATELY.

WITH LINK SIZES FROM 1" – 6 - 1 / 8" AND TORQUE CAPACITIES FROM 256 – 28,800 FT.LBS. WE HAVE A TOOL FOR MOST ANY APPLICATION.

PLEASE CONTACT US FOR ASSISTANCE IN SELECTING THE CORRECT TOOL FOR THE JOB!

## HYDRAULIC TORQUE WRENCH PUMPS - 10,000 PSI

### BOLTING SYSTEMS



#PE55TWP-BS



#PE601BA1P

OUR CLASSIC PE55TWP SERIES 10,000 PSI TORQUE WRENCH PUMP REMAINS THE INDUSTRY STANDARD AND CONTINUES TO PERFORM IN A VARIETY OF ENVIRONMENTS.

WITH THE ADDITION OF OUR NEW PE60 SERIES PUMPS, WE ARE ABLE TO OFFER THE NEXT GENERATION OF FEATURES AND BENEFITS INCLUDING A "GLOVE FRIENDLY" LCD TOUCHSCREEN WITH REAR HEATER, SLIGHT INCREASE IN FLOW RATE AND PERFORMANCE AND OPTIONAL TANKS, COOLERS AND MANIFOLDS (SINGLE TOOL OR 4 TOOL).

PLEASE CONTACT US WITH HELP SELECTING THE CORRECT PUMP FOR YOUR PROJECT.

| PART #       | DESCRIPTION                               | MANIFOLD    | MOTOR  | USEABLE OIL CAP. | WEIGHT   |
|--------------|---|-------------|--|------------------|----------|
| PWTPE55TWPBS | TORQUE WRENCH PUMP, ELEC / HYD - 110/115V | SINGLE TOOL | 1-1/8 HP, 12,000 RPM, 110/115 VAC 50/60HZ, 25 AMPS | 324              | 6.2 LBS  |
| PWTPE601BA1P | NEW! TORQUE WRENCH PUMP, ELEC / HYD       | SINGLE TOOL | 115 VAC 50/60HZ, SINGLE PHASE - 28 AMPS            | 295              | 11.7 LBS |

## HYDRAULIC TORQUE WRENCH HOSE SET

### BOLTING SYSTEMS



OUR SPECIALLY DESIGNED TWIN LINE TORQUE WRENCH HOSES FEATURE OPPOSITE MALE/FEMALE 3/8" NPTF COUPLERS ON EACH END TO AVOID INCORRECT HOOK UP AT THE PUMP & TOOL ENDS. THE LINES ARE COLOUR CODED BLACK AND GREEN FOR FURTHER DIFFERENTIATION IN THE FIELD AND OVERALL INCREASED SAFETY.

AVAILABLE IN LENGTHS OF 15' / 20' / 50'.

PLEASE CONTACT US FOR PRICE AND AVAILABILITY.

| PART #    | DESCRIPTION                                 |
|-----------|---|
| PWTWH15BS | HOSE,TWIN TORQUE WRENCH 15' LENGTH, BLK/GRN |

## HYDRAULIC "C" CLAMPS



FOR CLAMPING, PRESSING AND BENDING. IDEAL FOR WELDING & METAL FABRICATION FOR "FIT UP" OF SHEET OR PLATE STEEL.

AVAILABLE IN 5 / 10 / 25 TON CAPACITIES FOR USE WITH POWER TEAM "C" SERIES SINGLE ACTING CYLINDERS (CYLINDER NOT INCLUDED).

(CYLINDER SWIVEL CAPS ARE ALSO AVAILABLE TO AVOID SIDE LOADING.)

| PART #  | CAPACITY | USE W/ CYLINDERS |
|---------|----------|------------------|
| PWTCC5  | 5 TON    | C51C - C57C      |
| PWTCC10 | 10 TON   | C101C - C1010C   |
| PWTCC25 | 25 TON   | C251C - C214C    |

## JIMMY / PRY BARS



IDEAL FOR GENERAL LIFTING OR PRYING.  
HIGH QUALITY, HEAT TREATED CHROME ALLOY STEEL RESISTS BENDING OR BREAKING.

AVAILABLE IN LENGTHS 6" - 54"

| PART #  | LENGTH | DIAMETER |
|---------|--------|----------|
| PWT7167 | 24"    | 3/4"     |
| PWT7168 | 30"    | 7/8"     |

## BOTTLE JACKS "SIDEWINDER" 5-20 TON MINI JACKS



COMPACT SIDEWINDER MINI JACK FITS IN YOUR PALM AND DELIVERS BETWEEN 5-20 TONS OF LIFTING FORCE.

STROKE LENGTHS FROM 3/4" - 1-1/8"  
RETRACTED HEIGHTS FROM 2-1/2" - 5-1/8".

| PART #   | CAPACITY | STROKE LENGTH (IN.) | RETRACTED HEIGHT (IN.) | MAX. HEIGHT (IN.) |
|----------|----------|---------------------|------------------------|-------------------|
| PWT9105A | 5 TON    | 3/4"                | 2.5                    | 3.38              |
| PWT9205A | 5 TON    | 1-1/2"              | 3.5                    | 5.13              |

## BOTTLE JACKS - LOW PROFILE



THE RIGHT CHOICE FOR THOSE LOWER CLEARANCE JOBS OR APPLICATIONS.

12-30 TON CAPACITIES  
EXTENDED HEIGHTS FROM 10-1/4" - 13-1/2"

| PART #   | CAPACITY | STROKE LENGTH (IN.) | RETRACTED HEIGHT (IN.) | MAX. HEIGHT (IN.) |
|----------|----------|---------------------|------------------------|-------------------|
| PWT9012A | 12 TON   | 3-3/4"              | 6.75                   | 13.50             |
| PWT9020A | 20 TON   | 3-3/8"              | 7.13                   | 12.00             |
| PWT9130A | 30 TON   | 3-1/8"              | 7.13                   | 10.25             |

## BOTTLE JACKS - STANDARD



IDEAL FOR INDUSTRIAL/MRO LIFTING AND PUSHING APPLICATIONS.

2 - 110 TON CAPACITIES / STROKE LENGTHS FROM 4 - 1/2" - 6 - 1/8"

| PART #   | CAPACITY | STROKE LENGTH (IN.) | RETRACTED HEIGHT (IN.) | MAX. HEIGHT (IN.) |
|----------|----------|---------------------|------------------------|-------------------|
| PWT9002A | 2 TON    | 4-1/2"              | 7.13                   | 13.56             |
| PWT9005A | 5 TON    | 4-3/4"              | 7.88                   | 15.38             |
| PWT9008A | 8 TON    | 4-3/4"              | 7.88                   | 15.38             |
| PWT9120A | 20 TON   | 6-1/8"              | 10.63                  | 20.5              |
| PWT9022B | 22 TON   | 6-1/8"              | 9.44                   | 20.5              |

## BOTTLE JACKS - TELESCOPING



EXTENDED STROKE LENGTHS FOR ELIMINATION OF CRIBBING. IDEAL FOR INDUSTRIAL/MRO LIFTING APPLICATIONS.

6 - 13 TON CAPACITIES / STROKE LENGTHS FROM 10" - 12" EXTENDED HEIGHTS OF 20" - 22 - 1/2"

| PART #   | CAPACITY | STROKE LENGTH (IN.) | RETRACTED HEIGHT (IN.) | MAX. HEIGHT (IN.) |
|----------|----------|---------------------|------------------------|-------------------|
| PWT9006X | 6 TON    | 12"                 | 8.50                   | 20.50             |
| PWT9011X | 11 TON   | 10-3/8"             | 7.88                   | 20.88             |

## SHOP PRESS - BENCH TOP - 10 TON



IDEAL FOR SMALL PRESSING JOBS, REPAIRING SMALL MOTOR ARMATURES, REMOVING AND INSTALLING GEARS, BEARINGS AND OTHER PRESS FIT PARTS.

SMALL BENCH TOP PROFILE REDUCES THE NEED FOR A LARGE FLOOR STANDING PRESS WHERE ONLY SMALL APPLICATIONS ARE REQUIRED.

15 - 3/8" X 18" WORK AREA. AVAILABLE WITH MANUAL, ELECTRIC AND AIR PUMP OPTIONS.

| PART #     | CAPACITY | STROKE LENGTH (IN.) | PUMP TYPE               |
|------------|----------|---------------------|-------------------------|
| PWTSPM1010 | 10 TON   | 10-1/8"             | 1 STAGE HAND PUMP - P55 |



## HEAVY DUTY INDUSTRIAL, USA MADE "H" FRAME PRESSES.

THESE FLOOR STANDING "H" FRAME PRESSES COME IN CAPACITIES OF 10 – 200 TON WITH 6" – 14" STROKE LENGTHS.

MANUAL, ELECTRIC, AIR PUMP AND NO PUMP OPTIONS ARE AVAILABLE. PLEASE CONTACT US FOR ASSISTANCE IN SELECTING THE RIGHT PRESS FOR YOUR APPLICATION!

| PART #        | CAPACITY | STROKE LENGTH (IN.) | PUMP TYPE                          |
|---------------|----------|---------------------|------------------------------------|
| PWTSPH1010    | 10 TON   | 10-1/8"             | 1 STAGE HAND PUMP - P55            |
| PWTSPE1010    | 10 TON   | 10-1/8"             | 2 STAGE ELECTRIC PUMP - PE102      |
| PWTSP1010A    | 10 TON   | 10-1/8"             | 1 STAGE AIR PUM - PA9H             |
| PWTSPE1010D   | 10 TON   | 10-1/8"             | 2 STAGE ELECTRIC PUMP - PE104      |
| PWTSPA256     | 25 TON   | 6-1/4"              | 1 STAGE AIR PUMP - PA6             |
| PWTSPM256     | 25 TON   | 6-1/4"              | 2 STAGE HAND PUMP - P59            |
| PWTSPE256     | 25 TON   | 6-1/4"              | 2 STAGE ELECTRIC PUMP - PE172      |
| PWTSPM2514    | 25 TON   | 14-1/4"             | 2 STAGE HAND PUMP - P159           |
| PWTSPA2514    | 25 TON   | 14-1/4"             | 1 STAGE AIR PUMP - PA6             |
| PWTSPE2514    | 25 TON   | 14-1/4"             | 2 STAGE ELECTRIC PUMP - PE172      |
| PWTSPE2514DS  | 25 TON   | 14-1/4"             | 2 STAGE ELECTRIC PUMP - PE214      |
| PWTSPM556     | 55 TON   | 6-1/4"              | 2 STAGE HAND PUMP - P159           |
| PWTSPA556     | 55 TON   | 6-1/4"              | 1 STAGE AIR PUMP - PA6             |
| PWTSPE556     | 55 TON   | 6-1/4"              | 2 STAGE ELECTRIC PUMP - PE172      |
| PWTSPM5513    | 55 TON   | 13-1/4"             | 2 STAGE HAND PUMP - P460           |
| PWTSPE5513D   | 55 TON   | 13-1/4"             | 2 STAGE ELECTRIC PUMP D/A - PE174  |
| PWTSPE5513DS  | 55 TON   | 13-1/4"             | 2 STAGE ELECTRIC PUMP D/A - PQ604S |
| PWTSPM10010   | 100 TON  | 10-1/8"             | 2 STAGE HAND PUMP - P460           |
| PWTSPE10010   | 100 TON  | 10-1/8"             | 2 STAGE ELECTRIC PUMP - PQ603      |
| PWTSPE10013DS | 100 TON  | 13-1/4"             | 2 STAGE ELECTRIC PUMP - PQ1204S    |
| PWTSPE15013DS | 150 TON  | 13-1/4"             | 2 STAGE ELECTRIC PUMP - PQ1204S    |
| PWTSPE20013DS | 200 TON  | 13-1/4"             | 2 STAGE ELECTRIC PUMP - PQ1204S    |

## SHOP PRESSES - "H" FRAME ROLL BED



THE ORIGINAL PATENTED "ROLL BED" EXTENDS OUT FOR EASY LOADING OR UNLOADING WITH A CRANE OR OTHER LIFTING DEVICE.

SUPPORTS LOADS UP TO 3,000 LBS. AVAILABLE IN CAPACITIES OF 80 / 100 / 150 / 200 TON ALL WITH 13" STROKE "RD" SERIES DOUBLE ACTING CYLINDERS.

CALL US FOR ASSISTANCE IN SELECTING THE BEST PRESS FOR YOUR APPLICATION.

## PULLERS - MECHANICAL 2 & 3 JAW PULLERS




VERSATILE DESIGN OFFERS A TIGHT GRIP FOR YOUR PULLING APPLICATIONS.

CAPACITIES FROM 10 - 25 TON - 2 JAW, 3 JAW AND 2 / 3 JAW COMBOS AVAILABLE.

CONTACT US FOR A COMPLETE LISTING OF AVAILABLE SIZES AND STYLES.

| PART #  | CAPACITY (TONNAGE) | # OF JAWS | SPREAD (IN.) | REACH (IN.) |
|---------|--------------------|-----------|--------------|-------------|
| PWT1024 | 5                  | 2 / 3     | 6.00         | 3.25        |
| PWT1027 | 5                  | 2 LONG    | 7.00         | 5.50        |
| PWT1036 | 7                  | 2 LONG    | 9.50         | 8.75        |
| PWT1037 | 7                  | 2 / 3     | 10.50        | 5.00        |
| PWT1041 | 13                 | 2 / 3     | 12.00        | 11.00       |

## PULLERS - PULLER LEGS



PULLER LEGS FOR OUR MECHANICAL BI-DIRECTIONAL PULLERS.

SIZES FROM 4 - 1/2" - 30"

| PART #  | LENGTH (IN.) | WEIGHT (LBS.) |
|---------|--------------|---------------|
| PWT1104 | 16.50        | 6.50          |
| PWT1106 | 9.50         | 4.50          |
| PWT1109 | 8.00         | 8.00          |
| PWT1110 | 18.00        | 15.00         |

## PULLERS - BEARING PULLER ATTACHMENTS



IDEAL FOR TIGHT SPACES WHERE HOOKING PULLER JAWS DIRECTLY ONTO THE PART IS NOT AN OPTION.

PLEASE CONTACT US FOR A LIST OF ALL AVAILABLE SIZES & PRICING.

| PART #  | CAPACITY (TONNAGE) | MAX. SPREAD (IN.) | MIN. SPREAD (IN.) |
|---------|--------------------|-------------------|-------------------|
| PWT1123 | 17.5               | 4.63              | 0.5               |
| PWT1124 | 17.5               | 5.75              | 0.5               |
| PWT1126 | 30                 | 8                 | 0.63              |

## PULLERS - GEAR & PULLEY



GEAR & PULLEY PULLER - SPREAD RANGE 1.50" - 4.25"

## PULLERS - PULLER THREADED ADAPTORS (MALE / FEMALE)



MALE AND FEMALE PULLER ADAPTORS FOR USE WITH BI-DIRECTIONAL PULLER FORCING SCREWS, LEGS OR SLIDE-HAMMERS IN THE REMOVAL AND INSTALLATION OF SHAFTS, AXELS AND HOUSINGS.

CONTACT US FOR A COMPLETE LIST OF AVAILABLE ADAPTORS.

| PART #  | FEMALE END (IN.) | MALE END (IN.) | LENGTH (IN.) |
|---------|------------------|----------------|--------------|
| PWT8005 | 5/8" - 18        | 3/8" - 16      | 2.25         |
| PWT8007 | 5/8" - 18        | 1/2" - 13      | 2.25         |
| PWT8013 | 5/8" - 18        | 3/4" - 16      | 2.25         |
| PWT8035 | 1/2" - 20        | 5/8" - 18      | N/A          |
| PWT8038 | 5/8" - 18        | 3/4" - 16      | N/A          |

## PULLERS - SHAFT PROTECTORS & SETS



#7393

POWER TEAM SHAFT PROTECTORS ARE DESIGNED TO PROTECT SHAFT CENTRES FROM DISTORTION WHEN EXTREME PRESSURES ARE APPLIED WITH JAW-TYPE PULLERS OR BI-DIRECTIONAL PULLERS.

CONTACT US FOR A COMPLETE LIST OF ALL AVAILABLE SIZES AND SETS.

PULLER SHAFT PROTECTOR SET - SET OF 6 (0.63" - 1.50")

## PULLERS - PUSH / PULL



VERSATILE DESIGN CAPABLE OF PUSH OR PULL APPLICATIONS DEPENDING ON THE SET UP.

10 TON / 17.5 TON / 30 TON MODELS AVAILABLE.

| PART # | CAPACITY (TONNAGE) | SPREAD (IN.) | REACH (IN.) | SCREW SIZE         |
|--------|--------------------|--------------|-------------|--------------------|
| PWT927 | 10                 | 2.13 - 7.25  | 8.25        | 3/4 - 16 X 12.00   |
| PWT938 | 17.5               | 3.13 - 11.75 | 11.13       | 1 - 14 X 13.25     |
| PWT939 | 30                 | 7.00 - 16.25 | 10.5        | 1-1/2 - 12 X 17.25 |

## HIGH TONNAGE / RAIL JACKS



POWER TEAM OFFERS A RANGE OF HIGH TONNAGE, PORTABLE JACKS FOR MAINTENANCE OF RAIL WHEELS AND MANY OTHER HEAVY EQUIPMENT MAINTENANCE APPLICATIONS.

WE ALSO OFFER A COMPLETE RANGE OF CRIBBING BLOCKS AND EXTENSION ACCESSORIES FOR THIS EQUIPMENT.

CONTACT US FOR ASSISTANCE IN SELECTING THE BEST PRODUCT FOR YOUR APPLICATION.

## POSILOCK PULLERS - MANUAL



POSILOCK MECHANICAL PULLERS OFFER THE ULTIMATE IN PORTABILITY AND HIGH FORCE WITH UNPARALLELED EASE OF USE.

POSILOCK'S PATENTED SAFETY CAGE GUIDES JAWS FOR FAST & EASY SET-UP, SOLID CONTACT AND SUPERIOR SAFETY.

AVAILABLE IN CAPACITIES OF 1 - 40 TONS.

| PART #   | CAPACITY (TONNAGE) | # OF JAWS | SPREAD (IN.) | REACH (IN.) |
|----------|--------------------|-----------|--------------|-------------|
| PWTPT103 | 2                  | 3         | 4.5          | 3.00        |
| PWTPT104 | 5                  | 3         | 5            | 4.00        |
| PWTPT106 | 10                 | 3         | 7            | 6.00        |
| PWTPT108 | 17                 | 3         | 12           | 8.00        |
| PWTPT110 | 20                 | 3         | 15           | 9.67        |
| PWTPT204 | 2                  | 2         | 5            | 4.00        |
| PWTPT206 | 6                  | 2         | 7            | 6.00        |
| PWTPT208 | 12                 | 2         | 12           | 8.00        |
| PWTPT210 | 14                 | 2         | 15           | 9.67        |

## POSILOCK PULLERS - HYDRAULIC



POSILOCK HYDRAULIC PULLERS OFFER A SOLUTION WHERE MORE FORCE IS REQUIRED THAN A TYPICAL MECHANICAL PULLER IN A MORE COMPACT FORMAT.

THE HYDRAULIC CYLINDER REPLACES THE TRADITIONAL MECHANICAL CENTRE SCREW.

THE SAME POSILOCK PATENTED SAFETY CAGE GUIDES JAWS FOR FAST & EASY SET-UP, SOLID CONTACT AND SUPERIOR SAFETY.

AVAILABLE IN CAPACITIES OF 5 - 50 TONS.

| PART #      | CAPACITY (TONNAGE) | # OF JAWS | SPREAD (IN.) | REACH (IN.) |
|-------------|--------------------|-----------|--------------|-------------|
| PWTPTPHB106 | 5                  | 3         | 0.5 - 8      | 6.00        |
| PWTPTPHB108 | 10                 | 3         | 0.75 - 12    | 8.00        |
| PWTPTPHB110 | 15                 | 3         | 01.15        | 9.67        |
| PWTPTPHB113 | 25                 | 3         | 2.5 - 18     | 12.00       |
| PWTPTPHB206 | 5                  | 2         | 0.5 - 8      | 6.00        |
| PWTPTPHB208 | 10                 | 2         | 0.75 - 12    | 8.00        |
| PWTPTPHB210 | 15                 | 2         | 01.15        | 9.67        |
| PWTPTPHB213 | 25                 | 2         | 2.5 - 18     | 12.00       |

## POSILOCK PULLERS - SETS

**POSILOCK**



POSILOCK MECHANICAL PULLER SETS OFFER A RANGE OF OUR MOST POPULAR MECHANICAL PULLERS FOR INDUSTRIAL MAINTENANCE.

5 - 20 TON KIT / 2 - 20 TON KIT AVAILABLE.

| PART #   | DESCRIPTION                      | CAPACITY (TONNAGE) |
|----------|----------------------------------|--------------------|
| PWTPTPM4 | SET, PULLER 5 TO 20 TON POSILOCK | 5 / 20             |
| PWTPTPM5 | SET, PULLER 2 TO 20 TON POSILOCK | 2 / 20             |

## POSILOCK HYDRAULIC BENCH VISE - 5 TON CAPACITY

**POSILOCK**



THE POSILOCK HYDRAULIC BENCH VISE OFFERS THE ULTIMATE SOLUTION IN CLAMPING FORCE.

A HANDS-FREE BENCH VISE WITH 5 TONS OF CLAMPING FORCE, WHEN NEEDED, CONTROLLED BY A POWER TEAM PA6 AIR/HYDRAULIC FOOT PUMP.

VISES CAN BE PURCHASED AS A STAND ALONE VISE / A BASIC KIT WITH THE VISE AND ACCESSORIES BUT NO PA6 PUMP / AND THE DELUXE VERSION WHICH INCLUDES EVERYTHING IN THE ACCOMPANYING PHOTO INCLUDING THE PA6 PUMP AND ACCESSORIES)

| PART #          | INCLUDED                        |
|-----------------|---------------------------------|
| PWTPTPHV859     | VISE ONLY                       |
| PWTPTPHV859SPX  | VISE, HOSE & FITTINGS - NO PUMP |
| PWTPTPHV859ASPX | VISE, PA6 PUMP AND ACCESSORIES  |

## PULLERS - CART MOUNTED AND ROLLER BEARING PULLERS (55-200 TON)



POWER TEAM AND POSILOCK HIGH TONNAGE CART MOUNTED PULLERS OFFER A RANGE OF PRODUCTS FOR ALL HEAVY EQUIPMENT MAINTENANCE AND INDUSTRIAL NEEDS.

FROM 55 - 200 TON, WE OFFER MANY UNIQUE PRODUCTS THAT ARE IDEAL FOR APPLICATIONS IN MINING, PULP & PAPER, RAIL AND MUCH MORE.

CONTACT US FOR ASSISTANCE IN SELECTING THE CORRECT PULLER FOR YOUR APPLICATION.

# NOTES



CANADIAN  
DOLLAR  
BILLING



SHIPPED  
FROM  
ONTARIO



PRE PAID  
FREIGHT ON  
\$800 ORDERS



YOU CAN  
MIX & MATCH  
PRODUCTS

