





PERTH (08) 9459 8600

KALGOORLIE (08) 9021 8300

ADELAIDE (08) 8231 1513 **NEWMAN**

DARWIN (08) 8963 5621

MT ISA (07) 4743 6458 ⊠ sales@bendtechgroup.com.au

mbendtechgroup.com.au

2-10 Kewdale Road, Welshpool WA 6106





FIXED PLANT SOLUTIONS

INDEX

***	CDEC PROCESS	2-4
***	ACCESS AND INSPECTION DOORS	5-8
***	SCAFFOLD REPLACEMENT PLATFORMS	9
	FIXED PLANT PLATFORMS	11-22
***	CONVEYOR PLATFORMS	23
***	GENERAL PURPOSE PLATFORMS	25 - 29
•••	CONVEYOR PRODUCTS	31 - 33
***	WORKSHOP TRESTLES	35 - 37
•••	WORKSHOP EQUIPMENT BENCHES AND CUTTING TABLES	39 - 43
***	WORKSHOP EFFICIENCY STATIONS	45 - 46
111	WORKSHOP STORAGE BENCHES	47
***	WORKSHOP STORAGE CONTAINERS	48 - 51
	WORKSHOP STORAGE RACKS	52 - 59
***	WORKSHOP STANDS 1 - 15 TONNE	60 - 63
•••	WORKSHOP STANDS 16 - 30 TONNE	64 - 65
111	WORKSHOP STANDS 31 - 60 TONNE	66 - 67
	WORKSHOP STANDS 80+ TONNE	68 - 69

www.bendtechgroup.com.au

WE OFFER A FULL CONSULTING, 3D SCANNING AND ENGINEERING SERVICE

Projects and the associated challenges often require custom solutions, we take pride in our CDEC system. Consultation, Design, Engineering and Construction is our holistic approach to solution development making maintenance on-site safe, efficient and easy.

CDEC PROCESS



CONSULTATION We come to you and visit your site to get a hands-on feel for your project. The aim of our consultation is to listen to and understand your requirements. If the project requires it, our 3D scanning capabilities will streamline measurement and data capture. This approach allows us to develop and discuss with you on-site, possible solutions to your problem, and the benefits we can offer.





DESIGN After the consultation we go back to our design team to begin the development of your custom solution. Our team produce designs in CAD Design complete with all drafting documentation ensuring an advanced manufacturing process. Our process allows and encourages you to be involved in the design stage and collaborate with our highly skilled team.





ENGINEERING Once the design is approved, we begin the development and engineering process. This ensures that the right material is used for your project to guarantee structural and functional integrity. We provide full certification that includes WLL, load ratings, integrity reports as well as certificate plates and identifications. We design and engineer all our solutions to ensure full compliance to ensure full compliance with Australian standards.





.......

CONSTRUCTION Finally, once the project is ready and certified for construction, we manufacture your solution. We test, machine, fabricate and surface treat as well as trial fit your custom project. We only manufacture high quality products that provide long lasting, safe and efficient solutions.



Our long-standing relationships, expertise and dynamic team of solutions engineers has enabled us to provide certified efficiencies across a range of fixed plant scenarios. We understand that fixed plant maintenance requires safety, speed, accuracy and reliable execution to achieve operational efficiency. This has led us to develop a range of solutions designed and engineered to satisfy these very requirements.

The ability to 3D scan, process, design, engineer and fabricate means we can solve your on-site problems. Ensuring certification and compliance is at the forefront of every product or service and understanding that some situations require customisation; we are trusted partners in safety, efficiency and productivity.

FIXED PLANT DESIGN, ENGINEERING AND FABRICATION

Although we have a comprehensive range of standard products which we have developed over an extended period of partnerships between planning, site personnel, management and ourselves. Most of these solutions started out as a specific problem which required us to develop a solution that enabled the actions required for operational efficiency.

OUR APPROACH MEANS YOUR PROBLEMS ARE IN THE HANDS OF THOSE THAT SOLVE THEM.

COMFORT We take ownership of our role in operational efficiency with a system that

provides a holistic solution.

CERTAINTY Being available, mobile and equipped to provide on-site consultations and

scanning to ensure drawings, scopes of works and solutions are correct is

invaluable.

CONTROL Design and engineering capabilities are crucial to providing certified and

compliant solutions. We enable control over the situation.

MOTION Enabling processes and production to continue on-time is a crucial. We provide

reliable, consistent pathways towards this goal.

IMPACT Solutions that are executed on-time consistently leaves an impact on the

bottom line. Productivity receives a boost which is compounded by the benefits of the efficient use of resources which are freed up due to efficient

solution development.


If you have a problem on-site, get in contact with the team and we will provide you with the certified salutation that you need.



ACCESS AND INSPECTION DOORS

THE THREE-LEVEL SAFETY SYSTEM FOR CHUTE DOORS

A three-level safety access system protects staff and keeps operations up and running. This system consists of three parts: the outer door, the second door and a cross bar protection system on the inside of the doors to prevent the door from being opened without a tool.



1st level of safety

The inside of the outer door is fitted with a rubber seal to reduce noise, vibration and dust from escaping the chute. When an operator opens this outer door, the operator is able to view the internal mechanisms of the chute but cannot access the chute due to the second door.

2nd level of safety

The second door is similar to a jail bar door which gives operators the ability to view the areas of hazard or concern without allowing them the ability to access the chute. A fixed bolt system included for additional protection and to prevent the door from being opened without a tool. The operator could now perform routine inspection or maintenance tasks without the risk associated with having free access to the chute when no second door is fitted.

3rd level of safety

The third level of protection is a cross bar protection system on the inside of the doors, to prevent any personnel accessing the chute. This final fail safe mechanism is the last line of a very good defence against workplace accidents involving chute doors.



JAIL BAR DOOR 450MM X 450MM

Part No. 5000045



CONSTRUCTION

Heavy-duty steel

• WLL: Painted Y14 Golden Yellow

Height: 450mmWidth: 450mm

• Available off-the-shelf

JAIL BAR DOOR 600MM X 600MM

Part No. 5000040



CONSTRUCTION

Heavy-duty steel

 WLL: Y14 Golden Yellow and Galvanised Door

Height: 600mmWidth: 600mm

Available off-the-shelf

ACCESS AND INSPECTION DOORS

JAIL BAR DOUBLE DOOR TOP 1000MM X 450MM

Part No. 5000107



CONSTRUCTION

• Heavy-duty steel

• WLL: Painted Y14 Golden Yellow

Height: 1000mmWidth: 450mm

• Available off-the-shelf

JAIL BAR DOOR 1200MM X 600MM

Part No. 5000109



CONSTRUCTION

Heavy-duty steel

• WLL: Painted Y14 Golden Yellow

Height: 1200mmWidth: 600mm

• Available off-the-shelf

JAIL BAR DOUBLE DOOR SQUARE 750MM X 750MM

Part No. 5000108



CONSTRUCTION

Heavy-duty steel

• WLL: Painted Y14 Golden Yellow

Height: 750mmWidth: 750mm

Available off-the-shelf

JAIL BAR DOUBLE DOOR 1000MM X 750MM

Part No. 5000114



CONSTRUCTION

• Heavy-duty steel

• WLL: Painted Y14 Golden Yellow

Height: 1000mmWidth: 750mm

• Available off-the-shelf

ACCESS AND

INSPECTION DOORS

We also have a custom door service which can incorporate the features shown in the below range. If you have a custom access and inspection point or special construction and performance requirements we can design, engineer and fabricate a door to suit.

MESH MACHINE GUARDING DOOR

Part No. 5001844



CONSTRUCTION

• Heavy-duty steel


• WLL: Painted Y14 Golden Yellow

Height: 950mmWidth: 600mm

• Available off-the-shelf

JAIL BAR DOOR — GALVANISED 600MM X 600MM

Part No. 5000181



CONSTRUCTION

• Heavy-duty steel

• WLL: Painted Y14 Golden Yellow

.

Height: 600mmWidth: 600mm

Available off-the-shelf

ARMOUR DOOR - HIGH IMPACT & ABRASION DOORS

Part No. 5501553



CONSTRUCTION

• Heavy-duty steel

• WLL: Painted Y14 Golden Yellow

Height: 1000mmWidth: 750mm

Available off-the-shelf



SCAFFOLD REPLACEMENT PLATFORMS

We have a range of certified and Australian Standard compliant access and scaffold replacement solutions developed for specific scenarios on-site. Our experience developing solutions, coupled with the ability to 3D scan, design, engineer and construct access solutions means we can customise an access or scaffold replacement platform for your exact requirements.

CRUSHER ACCESS PLATFORM - BELT FEEDER

Part No. 5501476

CONSTRUCTION

- Heavy-duty aluminium
- Safety handrails
- Step style ladder access
- Counterweighted to provide a safe overhang -2.3m clearance
- Heavy duty castor wheels for easy mobility



CRUSHER ACCESS PLATFORM

Part No. 5501477

- Heavy-duty aluminium
- Access platform with overhang – 3m clearance
- Safety handrails
- Step type ladder access
- Counterweight for overhang
- Heavy duty castor wheels





CRUSHER BOWL ACCESS PLATFORM

Part No. 5501474

A safe, certified and compliant access platform designed and engineered to access the crusher bowl

CONSTRUCTION

- Heavy-duty aluminium
- Fitted jacking stands
- Drop in ladder on other side
- Fork pockets for easy mobility
- Stair access up to top of crusher externally




CRUSHING MAINTENANCE FLOOR PLATFORM

Part No. 5501944

A safe, certified and compliant access platform designed and engineered for maintenance on the secondary sizer

- Heavy-duty steel
- Ladder access with cage
- Full assembly bolts together for ease of transport
- Handrails around crushing hub maintenance floor
- Grating and platform structure completely hot dip galvanised
- · Handrails finished in Y14 safety yellow
- Bolts to existing plant structure



STEEL BALL MILL PLATFORM

Part No. 5501779

Designed and engineered to safely and efficiently access steel ball mills.

CONSTRUCTION

- · Heavy-duty aluminium
- Increased height handrails
- Non-slip step nosings
- · Heavy-duty non-slip step and platform landings



CHUTE ACCESS PLATFORM

Part No. 5501630

A certified and compliant access platform designed and engineered for the access of the Mill Grizzly Chutes

CONSTRUCTION

- Heavy-duty aluminium
- Double self-closing doors
- Safety handrails
- German made Blickle castor wheels
- Certified and compliant with Australian Standards



TERTIARY CRUSHING ROCK BOX ACCESS

Part No. 5501789

Designed and engineered to safely and efficiently access crusher rock boxes.

CONSTRUCTION

- Heavy-duty aluminium
- Fitted with heavy-duty castors
- Fitted with non-slip step nosing's
- Certified and compliant with Australian Standards



TERTIARY CRUSHING HEAD CHUTE PLATFORM

Part No. 5501746

A designed and engineered tertiary crushing head chute platform for safe and efficient maintenance.

CONSTRUCTION

· Heavy-duty aluminium

Height: 1880mmLength: 2700mmWidth: 6000mm

• Can be customised to suit your requirements

Non-slip walkwaySelf-closing gates



FIXED PLANT CANTILEVER PLATFORM

Part No. 5501333

Fixed plant cantilever platform designed and engineered for safe, efficient and easy maintenance.

CONSTRUCTION

• Heavy-duty steel

Length: 6150mmWidth: 3000mmHot-dip galvanised

• Handrails finished in Y14 safety yellow

• Certified and compliant with Australian Standards



CIRCULAR PLATFORM FOR CRUSHER BOWL ACCESS

Part No. 5501329

Crusher bowl access platform designed and engineered for safe, efficient and easy maintenance.

CONSTRUCTION

• Heavy-duty aluminium

• WLL 150kg

• Height: 1815mm

• Fitted with lifting lugs

• Certified and compliant with Australian Standards



CONE CRUSHER ACCESS PLATFORM

Part No. 5501188

Cone crusher access platform designed and engineered for safe, efficient and easy maintenance.

CONSTRUCTION

- Heavy-duty aluminium
- Certified and compliant with Australian Standard
- Fitted with heavy-duty lockable castors
- Fitted with heavy-duty jacking stands



PRIMARY CRUSHER WORK PLATFORM

Part No. 5503196

Primary crusher maintenance platform designed and engineered for safe and efficient fixed plant maintenance.

- Heavy-duty steel
- Fitted with handrails
- Fitted with cable shafts
- Fitted with access ladder



VIBE FEEDER ACCESS AND SUPPORT SET

Part No. 5501113

Designed to provide support of vibe screen when out of screen house for shut down. The screen can sit flat and platforms provide full protection from working at heights at all times.

CONSTRUCTION

- Heavy-duty aluminium
- · Large industrial castors and levelling jacks
- · Non-slip stairway and work area
- Self-closing gates




STACKER MAINTENANCE **PLATFORM AND CRADLE**

Part No. 5501544

A safe, certified and compliant maintenance cradle bay platform designed and engineered for stacker maintenance

CONSTRUCTION

- Heavy-duty steel
- Cyclone tie downs
- Dual parallel stairways
- Self-closing doors at top of deck
- Permanent structure bolted down to concrete blocks
- · Safety handrails bolt to structure






WALKWAY SHEDDER

Part No. 5501269

Designed to handle the elements within a higher then average risk of overhanging hazards.

CONSTRUCTION

- Cyclone Rated to Region "C"
- Fully Modular design and flat packed for transport
- · Concrete blocks supplied with fork slots and lifting points




OVERHANG PLATFORM

Part No. 5001997

Certified and compliant access platform designed and engineered to overhang the side of tanks ons-ite. Can be customised to suit your requirements.

CONSTRUCTION

- Heavy-duty aluminium
- · Non-slip stairway and work area
- Locking bolts with rubber
- Lanyard Points
- Stabilising legs with rubber



SCREEN ACCESS PLATFORM

Part No. 5501802

Designed and engineered, safe and efficient screen access platform.

CONSTRUCTION

- Heavy-duty aluminium
- Height: 2300mmLength: 2173mm
- Width: 750mm
- Fitted with heavy-duty castors
- Fitted with jacking stands
- · Fitted with self-closing gate



SCREEN ACCESS PLATFORM

Part No. 5501718

A designed and engineered screen access platform for safe and efficient maintenance.

- Heavy-duty aluminium
- Height: 2400mmLength: 7500mm
- Width: 1100mm
- Non-slip walkway
- Self-closing gates
- Can be customised to suit other mobile equipment



GENERAL PURPOSE CRUSHER ACCESS PLATFORMS

Part No. 5001972

A safe, certified and compliant access platform designed and engineered for your various access requirements, where there are existing structures.

CONSTRUCTION

- · Heavy-duty aluminium
- WLL: 200kg
- · Fitted with non-slip step nosings
- Fitted with ladder extensions
- Fitted with self-closing gate



TRENCH ACCESS PLATFORM AND LADDER

Part No. 5502991

Designed and engineered solution to providing safe and efficient access to trenches. Simply place the platform over the trench and fold the ladder down.

CONSTRUCTION

- Heavy-duty aluminium
- WLL: 400kg • Height: 1850mm
- Hinged ladder to allow for varying trench depths
- Fitted with self-closing gate
- Non-slip grating deck



STEEL CHUTE ACCESS PLATFORM

Part No. 5001995

Certified and compliant access platform designed and engineered for chute access.

- Heavy-duty steel
- Bolt-on handrails
- Bolt-in step treads
- · Fitted with non-slip nosings
- · Grating and treads hot dip galvanised



STEEL CHUTE ACCESS PLATFORM V2

Part No. 5001990

Certified and compliant access platform designed and engineered for chute access.

CONSTRUCTION

- Heavy-duty aluminium
- Bolt-on handrails
- Bolt-in step treads
- Fitted with lifting lugs
- · Fitted with non-slip nosings
- · Grating and treads hot dip galvanised



RECLAIMER CURTAIN ACCESS PLATFORM

Part No. 5002001

Our aluminium Reclaimer Curtain Access Platforms are used in the inspection, refurbishment or replacement of rubber curtains on reclaimers in iron ore stock yards.

CONSTRUCTION

• Heavy-duty aluminium

Height: 850mmLength: 2800mmWidth: 2000mm

· Self-closing gate and safety handrails

• Wheels for ease of manoeuvrability on site




CRUSHER BOWL AND CONE SUPPORT PLATFORM

Part No. 5501397

A safe, certified and compliant maintenance cradle bay platform designed and engineered for stacker maintenance

,,,,,,,,,,,,,,,,,,,,,,,

- Heavy-duty steel
- WLL: 40 Tonne
- Ventilation holes in base
- Removable aluminium grating in centre
- Steel grating fixed, all sides



MILL GRIZZLY CHUTE ACCESS PLATFORM

Part No. 5501909

A safe, certified and compliant access platform designed and engineered for chute access.

CONSTRUCTION

- · Heavy-duty aluminium
- · Non-slip stairway and work area
- Self-closing gate at the top of the stairs
- A total of 8 wheels 4 on the horizontal and 4 on the vertical plane



LOWER HOPPER ACCESS PLATFORM

Part No. 5501810

Designed and engineered to safely and efficiently access the lower hopper in fixed plant operations.

CONSTRUCTION

- Heavy-duty aluminium
- · Non-slip stairway and work area
- Self-closing gate
- Fitted with heavy-duty castors
- Fitted with heavy-duty jacking stands
- Certified and compliant with Australian Standards



RECLAIMER BUCKET ACCESS PLATFORM

Part No. 5501842

Designed and engineered, safe and efficient reclaimer bucket access platform.

- Heavy-duty aluminium
- Fitted with self-closing gates
- Fitted with heavy-duty castors
- Fitted with counterweights
- Fitted with jacking stands




CENTRE SHAFT PROTECTION AND ACCESS

Part No. 5001979

Certified and compliant shaft protection and access platform. Designed and engineered for safe maintenance.

CONSTRUCTION

- Heavy-duty steel
- Finished in Y14 safety yellow
- Fitted with maintenance platform




LOWER CRUSHER ROUND ACCESS PLATFORM

Part No. 5001980

Designed and engineered crusher access platform. This item can be customized to suit many different applications, such as crusher access.

CONSTRUCTION

- Heavy-duty steel
- Height: 250mm
- Length: 2630mm
- Width: 2630mm
- Blasted, primed and coated
- Checkplate walkway
- Fitted with lifting lugs



TOP CRUSHER ROUND ACCESS PLATFORM

Part No. 5001981

Designed and engineered crusher access platform. This item can be customized to suit many different applications, such as crusher access.

- Heavy-duty steel
- Height: 2500mm
- Length: 2630mm
- Width: 2630mm
- Blasted, primed and coated
- Checkplate walkway
- Fitted with lifting lugs




CUSTOM HAND RAILING AND PLATFORMS

Part No. TBA

Our Custom Hand Railing and Platforms include customised design, engineering and fabrication of handrails, stairways and platforms for mobile and fixed plant applications.

CONSTRUCTION

- Heavy-duty steel, aluminium or stainless steel
- Modular style build hand railing for ease of transport and installation
- · Detailed drawings available for client



PERMANENT ACCESS STAIRS

Part No. 5414051

Bend-tech's lightweight aluminum Access Stairs are used for permanent access to tanks, buildings or other structures.

CONSTRUCTION

- Heavy-duty aluminium
- Height: 1300mmLength: 1370mmWidth: 900mmSafety handrails
- Extended height handrails



,,,,,,,,,,,,,,,,,,,,,,

CERTIFIED AND COMPLIANT SCAFFOLD ELIMINATION AND ACCESS PLATFORMS

BELT SPLICING WALKWAY

Part No. 5414115

Our Aluminium Access walkway is used on reclaimers and stackers to provide safe access to belt splicing tables and associated work areas.

CONSTRUCTION

- · Heavy-duty aluminium
- Modular design and build to ensure ease of use and installation
- Non-slip stairways and grating
- Removable handrails



RECLAIMER BEARING ACCESS PLATFORM

Part No. 5414116

Our Aluminium Reclaimer Bearing Access Platform provides the ability to access and inspect reclaimer bearings easily and quickly during shutdown.

.......

- Heavy-duty aluminium
- · Non-slip grating and work area
- Large industrial castors and levelling jacks
- Removable handrails for ease of access to work area when required



CONVEYOR PLATFORMS

LOWER CONVEYOR ACCESS PLATFORM

Part No. 5413064

Our Aluminium Lower Conveyor Access Platform provides safe access to the underneath of conveyors when idlers need to be inspected or changed out. The platform features foldout handrails to provide fall protection for site personnel when in use, and is installed by a forklift or telehandler.

CONSTRUCTION

- Heavy-duty aluminium
- Weather resistant
- Safety liner

BELT SPLICING ACCESS PLATFORM

Part No. 5001991

Certfied and compliant belt splicing platform designed and engineered to safely access conveyors when performing maintenance.

CONSTRUCTION

- Heavy-duty aluminium
- Height: 3050mm
- Length: 5215mm
- Width: 1200mm
- Ladder Access
- Self-closing gate
- Safety handrails
- Gridmesh deck for non-slip work area



,,,,,,,,,,,,,,,,,,,,,,,



ACCESS PLATFORM 430MM

Part No. 5502890



CONSTRUCTION

• Heavy-duty aluminium

Length: 750mmWidth: 850mmSafety handrails

Self-closing gates

• Non-slip stairway and work area

ACCESS PLATFORM 500MM

Part No. 5502630



CONSTRUCTION

Heavy-duty aluminium

WLL: 150kgLength: 2000mmWidth: 500mmSafety handrails

• Fitted with a Boom Rail

• Non-slip stairway and work area

ACCESS STEP PLATFORM 500MM

Part No. 5504040



CONSTRUCTION

• Heavy-duty aluminium

WLL: 150kg
Length: 850mm
Width: 650mm
Safety handrails
Boom rail

• Non-slip stairway and work area

ACCESS PLATFORM 700MM

Part No. 5502631



CONSTRUCTION

• Heavy-duty aluminium

WLL: 150kgLength: 2000mmWidth: 500mmSafety handrails

• Fitted with a Boom Rail

• Non-slip stairway and work area

ACCESS STEP PLATFORM 800MM

Part No. 5504041



CONSTRUCTION

• Heavy-duty aluminium

WLL: 150kgLength: 1200mm

Width: 650mmSafety handrails

Boom rail

Non-slip stairway and work area

ACCESS PLATFORM 1200MM

Part No. 5412174



CONSTRUCTION

• Heavy-duty aluminium

Length: 1100mmWidth: 1000mmSelf-levelling jacks

• Self-closing gate and safety handrails

........................

• Non-slip stairway and work area

ACCESS PLATFORM 1100MM

Part No. 5503138



CONSTRUCTION

• Heavy-duty aluminium

WLL: 200kgLength: 1191mmWidth: 850mmSafety handrailsBoom rail

• Non-slip stairway and work area

ACCESS PLATFORM 1400MM

Part No. 5401235



CONSTRUCTION

• Heavy-duty aluminium

Length: 2783mmWidth: 900mmSelf-levelling jacksSelf-closing gate

Safety handrails

Non-slip stairway and work area

DOOR ACCESS PLATFORM 1500MM

Part No. 5501803



CONSTRUCTION

• Heavy-duty aluminium

• Length: 1100mm • Width: 800mm

- Fitted with removable handrails
- Fitted with self-closing gates
- Fitted with Heavy-duty castors

ACCESS PLATFORM WITH OVERHANG 1600MM

Part No. 5001982



CONSTRUCTION

- Heavy-duty aluminium
- WLL: 150kg
- Drop-in type boom rail
- Non-Slip Gridmesh Decking
- Lifting lugs included for easy lifting
- SWL markings attached to platform
- Counterweights included for stability

ACCESS PLATFORM 1600MM

Part No. 5401183



CONSTRUCTION

• Heavy-duty aluminium

Length: 824mmWidth: 780mmSelf-closing gateSafety handrails

• Non-slip stairway and work area

ACCESS PLATFORM 1700MM

Part No. 5414112



CONSTRUCTION

Heavy-duty aluminium

Length: 1200mmWidth: 950mmSelf-levelling jacks

Self-closing gate

Safety handrails

· Non-slip stairway and work area

ACCESS PLATFORM 1800MM

Part No. 5502287



CONSTRUCTION

- Heavy-duty aluminium
- WLL: 250kg
- Self-closing gates
- Fitted with leveling jacks
- Fitted with forklift slots and wheels
- Non-slip serrated grating stairway and work area

ACCESS PLATFORM 1900MM

Part No. 5412036



CONSTRUCTION

- Heavy-duty aluminium
- Length: 3903mmWidth: 1000mmSelf-levelling jacks
- Self-closing gate and safety handrails

.......................

• Non-slip stairway and work area

ACCESS PLATFORM 1850MM

Part No. 5414025



CONSTRUCTION

- Heavy-duty aluminium
- Length: 2000mmWidth: 1200mm
- Safety handrails
- · Non-slip stairway and work area

ACCESS PLATFORM 2200MM

Part No. 5412038



- Heavy-duty aluminium
- Length: 4003mmWidth: 1100mmSelf-levelling jacks
- Self-closing gate and safety handrails
- Non-slip stairway and work area

ACCESS PLATFORM 2400MM

Part No. 5502756



CONSTRUCTION

• Heavy-duty aluminium

WLL: 150kgLength: 2062mmWidth: 1276mmBoom rail

Non-slip stairway and work area

ACCESS PLATFORM 2500MM

Part No. 5401237




CONSTRUCTION

• Heavy-duty aluminium

Length: 4480mmWidth: 1200mmSelf-levelling jacks

• Self-closing gate and safety handrails

Non-slip stairway and work area





CONVEYOR PRODUCTS

Our range of certified conveyor products, parts and solutions is aimed at delivering your site or plant with maintenance solutions that transform safety and streamline processes.

We stock certain parts such as conveyor puller plates and bull noses on the shelf ready for immediate despatch.

We also have a range of spreader bars, racks, support frames and ladders which can be fabricated to your requirements.

CONVEYOR BELT PULLER CLAMP KIT — 6 TONNE

Part No. 5000227




CONSTRUCTION

- WLL: 6 Tonne
- 1x Plate
- Pin assembly
- Countersunk bolts, washers and nuts

CONVEYOR BELT PULLER CLAMP KIT — 9 TONNE

,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,

Part No. 5300037



CONSTRUCTION

- WLL: 9 Tonne
- 1x Plate
- Pin assembly
- Countersunk bolts, washers and nuts

CONVEYOR CLAMP ASSEMBLY BULL NOSE PULLER PLATE — 9 TONNE

Part No. 5300035



CONSTRUCTION

- WLL: 9 Tonne
- 1x Bull-nose plate
- Pin Assembly



,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,

CONVEYOR PRODUCTS

CONVEYOR BELT LIFTER SPREADER BAR

Part No. 5501321



CONSTRUCTION

- Designed for lifting conveyor belts
- Rollers included for ease of lifting
- Various sizes and SWL available

CONVEYOR IDLER STORAGE AND LIFTING RACK

Part No. 5000223



CONSTRUCTION

- Fold over locking shroud
- Lifting points and forklift slots for transportation
- We are able to accommodate up to 24 idlers of different sizes and weights.

HYDRAULIC CONVEYOR BELT LIFTER

Part No. 5502465



CONSTRUCTION

- Heavy-duty steel and aluminium
- Electronic hydraulic pump included
- · Lightweight and easy to handle
- Various designs available for different belt widths and angles

CONVEYOR IDLER STORAGE AND TRANSPORT PALLET

Part No. 5000217



- Forklift friendly
- Fitted with lifting lugs for easy mobility
- Able to accommodate up to 20 different idlers of various diameters and lengths

CONVEYOR PRODUCTS

ALUMINIUM BELT LIFTING SPREADER BAR 1500MM

Part No. 5000235



ALUMINIUM BELT LIFTING SPREADER BAR 1800MM

Part No. 5000234



CONSTRUCTION

- Heavy-duty T6 aluminium
- Height: 128mm
- Engineered tough
- Lightweight
- Certified and compliant with Australian Standards – SWL 1 TONNE

ALUMINIUM BELT LIFTER SPREADER BAR 1850MM

Part No. 5502263

CONSTRUCTION

- Heavy-duty T6 aluminium
- Height: 155mm
- Engineered tough
- Lightweight
- Certified and compliant with Australian Standards – SWL 1 TONNE

3000MM ALUMINIUM SPREADER BAR

Part No. 5502431



CONSTRUCTION

• Heavy-duty T6 aluminium

WLL: 2 Tonne
Height: 285mm
Length: 1955mm
Width: 155mm
Engineered tough



CONSTRUCTION

• Heavy-duty T6 aluminium

WLL: 2 TonneHeight: 285mmLength: 3110mmWidth: 155mm

• Engineered lightweight and tough

Raw finish



WORKSHOP TRESTLES



www.bendtechgroup.com.au

WORKSHOP TRESTLES

2 TONNE TRESTLE STAND 1000MM (L) X 900MM (H)

Part No. 5001747



CONSTRUCTION

- Heavy-duty steel
- Width: 660mm
- Replaceable top section
- Fully engineered and certified
- Stocked off-the-shelf, available for immediate delivery

5 TONNE TRESTLE STAND 1000MM (L) X 900MM (H)

Part No. 5001805



CONSTRUCTION

- Heavy-duty steel
- Width:660mm
- Replaceable top section
- Fully engineered and certified
- Stocked off-the-shelf, available for immediate delivery

2 TONNE TRESTLE 1000MM (L) X 500MM (H)

Part No. 5503752



CONSTRUCTION

- Heavy-duty steel
- Width: 320mm
- Replaceable top section
- Fully engineered and certified
- Stocked off-the-shelf, available for immediate delivery

5 TONNE TRESTLE STAND 2400MM (L) X 900MM (H)

Part No. 5001760



CONSTRUCTION

- Heavy-duty steel
- Width:656mm
- Replaceable top section
- Fully engineered and certified
- Stocked off-the-shelf, available for immediate delivery

WORKSHOP TRESTLES

10 TONNE TRESTLE STAND 2400MM (L) X 650MM (H)

Part No. 5001813



CONSTRUCTION

- Heavy-duty steel
- Width: 515mm
- Replaceable top section
- Fully engineered and certified
- Stocked off-the-shelf, available for immediate delivery

2 TONNE TRESTLE WITH WHEELS

Part No. 5503294



CONSTRUCTION

- Heavy-duty steel
- Width: 760mm
- Replaceable top section
- Fully engineered and certified
- Stocked off-the-shelf, available for immediate delivery

10 TONNE TRESTLE STAND 1200MM (L) X 1000MM (H)

Part No. 5504266




CONSTRUCTION

- Heavy-duty steel
- Replaceable top section
- · Fully engineered and certified
- Stocked off-the-shelf, available for immediate delivery

2 TONNE TRESTLE REPLACEMENT TOP

Part No. 5503163



- Heavy-duty steel
- Height: 85mm
- Width: 100mm
- Length: 1000mm
- Bolts straight to the trestle
- Solution for stable and safer support of pipe

WORKSHOP TRESTLES

ADJUSTABLE TRESTLE 2T

Part No. 5502938




CONSTRUCTION

- Heavy-duty steel
- Height: 700mm 900mm
- Length: 1000mm
- Replaceable top section
- Height adjustable by 200mm via jacking stands
- Stocked off-the-shelf, available for immediate delivery

ADJUSTABLE TRESTLE 5T

Part No. 5502940



- Heavy-duty steel
- Height: 700mm 900mm
- Length: 1000mm
- Replaceable top section
- Height adjustable by 200mm via jacking stands



WORKSHOP BENCHES / CUTTING TABLES



www.bendtechgroup.com.au

BENCHES / CUTTING TABLES

2 TONNE WORKBENCH 900MM (H)

Part No. 5500766



CONSTRUCTION

- Heavy-duty steel
- Certified and compliant with Australian Standards
- This item can be customised to meet your specific needs

WORK BENCH 1.5T

Part No. 5502217



CONSTRUCTION

- Heavy-duty steelLength: 2500mmWidth: 1200mmHeight: 1000mm
- Finished in Y-14 safety yellow
- Certified and compliant with Australian Standards

WORKBENCH 2 TONNE 1800MM (L) X 880MM (H)

Part No. 5504008



CONSTRUCTION

- Heavy-duty steel
- Fitted with 12mm bench top
- Certified and compliant with Australian Standards

WORK BENCH WITH BACKBOARD

Part No. 5502194



CONSTRUCTION

- Heavy-duty steelLength: 1800mmWidth: 800mmHeight: 900mm
- Customised to meet specific requirements

........

• Certified and compliant with Australian Standards

BENCHES / CUTTING TABLES

WORK BENCH 5T 2400MM (L) X 1200MM (W)

Part No. 5502201



CONSTRUCTION

- Heavy-duty steel
- Height: 900mm
- Fitted with adjustable feet
- Frame blasted, primed and painted red oxide, top unpainted

HEAVY DUTY WORK BENCH 2400 X 1200MM

Part No. 5502330



CONSTRUCTION

- Heavy-duty steel
- Height: 965mm
- 25mm top
- Bottom shelf for storage
- OSHA high-visibility Bench Vise included

HEAVY DUTY WORK BENCH 3000MM X 2000MM

Part No. 5502331



CONSTRUCTION

- Heavy-duty steel
- Height: 965mm
- 25mm top
- Bottom shelf for storage
- OSHA high-visibility Bench Vise included
- Angle drain channel around edge with drain point

WORKBENCH WITH VICE 1 TONNE



CONSTRUCTION

- Heavy-duty steel
- Length: 3000mm
- Includes Dawn 150mm Offset Standard Vise

(Part no: 60181)

• Fitted with 10mm bench top

BENCHES / CUTTING TABLES

WORK BENCH WITH ENCLOSED STORAGE

Part No. 5503297



CONSTRUCTION

• Heavy-duty steel and hinges

Length: 2500mmWidth: 1270mmHeight: 965mm

- Oil drain lip around perimeter with drain point
- Includes storage underneath with latched access doors

HEAVY DUTY WORK BENCH 3000MM X 2000MM

Part No. 5504057



CONSTRUCTION

- · Heavy-duty steel and caster wheels
- Height: 965mm
- 25mm top
- Enclosed bottom shelf for storage
- Angle drain channel around edge with drain point

HEAVY DUTY WORK BENCH 2400MM X 1500MM

Part No. 5503412



CONSTRUCTION

- Heavy-duty steel
- Height: 965mm
- Bottom shelf for storage
- DAWN right hand offset bench vise included

WELDING WORK BENCH 3000MM (L) X 1800MM (W)

Part No. 5504542



CONSTRUCTION

- · Heavy-duty steel with vice
- Height: 900mm
- 4x welding torch holsters
- Earth cable connection point

,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,

BENCHES / CUTTING TABLES

TOOL STORAGE AND WORKBENCH

Part No. 5503327

CONSTRUCTION

Heavy-duty steelLength: 6500mmWidth: 800mmHeight: 2850mm

LED lighting fitting at top3x BAC storage modules

6x power outlets

• Large shadow boards

Finished in heavy-duty Y-14 safety yellow



MOBILE WORK BENCH WITH COVER

Part No. 5602050

CONSTRUCTION

Heavy-duty steelLength: 3600mmHeight: 1100mm

• Certified and compliant with Australian Standards

• Heavy-duty German made lockable castors

Heavy-duty mine spec construction

• Can be customised to meet specific needs





CATERPILLAR 793F STEERING PUMP DRIVE WORK STAND AND BENCH

.............

Part No. 5503047

CONSTRUCTION

Heavy-duty steel

WLL: 600kgLength: 1600mmWidth: 700mmHeight: 1830mm

Fitted with lifting lugsFitted with forklift slots

• Finished in Y-14 safety yellow

BENCHES / CUTTING TABLES

MOBILE FLAME CUTTING TABLE

Part No. 5501032



CONSTRUCTION

• SWL: 1T

Length: 1200mmHeight: 900mm

- Replaceable support bars
- Heavy duty lockable wheels
- Safer slag collection and easy to empty slag bin

ALUMINIUM HANDRAIL MOUNTED WORK BENCHES

Part No. 5504026



CONSTRUCTION

- Heavy-duty aluminium
- SWL: 1T
- Length: 1000mm • Width: 500mm
- · Edging to stop items falling off
- Attaches securely to handrails

HEAVY DUTY PLATE CUTTING TABLE

Part No. 5501163



CONSTRUCTION

• SWL: 3T

Length: 2830mmHeight: 1000mm

- Replaceable support bars
- Heavy duty lockable wheels
- Safer slag collection and easy to empty slag bin

WORKSHOP TROLLEY AND LOCK BOX

Part No. 5501443



CONSTRUCTION

- Heavy-duty steel
- Certified and compliant with Australian Standards

- Fitted with lockable toolbox
- Fitted with heavy-duty castors



EFFICIENCY STATIONS

E-HUB EFFICIENCY WORK STATION

Part No. 5000030

CONSTRUCTION

- Supervisors office to have visual and audible notification on receiver unit
- Wireless transmitter
- Phone Call function
- 40 inch screen
- Up to 12-16 units to network
- Transportable
- Robust pipe surrounds
- Powder-coated steel cabinet
- Dust proof cabinets and housing
- Large lockable castors
- · Air-cooling system
- Anti-reflective laminated safety glass



E-HUB EFFICIENCY WORK STATION MINI

Part No. 5500866

- 25-inch screen included
- Small whiteboard on front
- Flip-up whiteboard at rear
- 3x heavy duty document clips
- Transportable with handles
- Adequate storage shelving
- Storage for Tags
- Robust pipe surrounds
- Powder-coated steel cabinet
- Dust proof cabinets and housing
- Large lockable castors
- · Plug and play



EFFICIENCY STATIONS

WHITEBOARD BENCH WITH DRAWER

Part No. 5501318



CONSTRUCTION

- Heavy-duty steel
- Fitted with clear perspex on drawer to place drawings under
- Fitted with heavy-duty castors
- Can be customised to suit your requirements

ALUMINIUM WORKSHOP BENCH 1220MM (H)

Part No. 5501874



CONSTRUCTION

• Heavy-duty aluminium

Length: 1300mmWidth: 700mmHeight: 700mm

• Fitted with bottom shelf for storage

• Fitted with heavy-duty wheels for easy mobility

WORKSHOP WHITEBOARD BENCH

Part No. 5001812



CONSTRUCTION

• Heavy-duty mine spec

Length: 1480mmWidth: 700mm

• Height: 2000mm

Heavy duty castors for workshop mobility

 Can be used for shutdowns or planned maintenance

WHITEBOARD BENCH COMPARTMENT KIT

Part No. 5000033



CONSTRUCTION

Heavy-duty mine spec

• Length: 1480mm

• Width: 700mm

• Height: 1900mm

Compartments kit for storing safety and lockout tags

STORAGE BENCHES

RATED SERVICE WORKBENCH

Part No. 5503300



CONSTRUCTION

Heavy-duty steel

• WLL: 1T

• Length: 1500mm • Width: 800mm • Height: 1010mm 2x lockable doors

• Fitted with heavy-duty caster wheels

TOOLBOX TROLLEY

Part No. 5501875



CONSTRUCTION

• Length: 900mm • Width: 670mm • Height: 945mm

Large industrial castors

Lockable doors and drawers

· All drawers on heavy duty rollers

 Heavy-duty top bench for component servicing

AIR CONDITIONING WORKBENCH

Part No. 5501062



CONSTRUCTION

• Length: 904mm Width: 682mm · Height: 959mm

Large industrial castors

Lockable doors and drawers

All drawers on heavy duty rollers

· Heavy duty top bench for component servicing

STORAGE WORK BENCH WITH VICE

Part No. 5504569



CONSTRUCTION

Heavy-duty steel

• WLL: 1T

• Length: 2700mm • Width: 1050mm • Height: 1075mm • 5-drawer cabinet • 2-door cabinet

STORAGE CONTAINERS

SPECIALISED TOOL BOX 1295MM X 1200MM

Part No. 5500903



CONSTRUCTION

- Heavy-duty steel
- · Height: 500mm
- Gas Struts for lid
- Key Lock
- Heavy Duty hydrocarbon resistant foam cut out
- Each Tool has a Specifically CNC routed cutout

793F TRAY REMOVAL TOOLING KIT

Part No. 5501445



CONSTRUCTION

- Heavy-duty steel
- Height: 577mm
- Gas Struts for lid
- Key Lock
- Heavy Duty hydrocarbon resistant foam cut out

,,,,,,,,,,,,,,,,,,,,,,,,

• Each Tool has a Specifically CNC routed cutout

SPECIALISED TOOL BOX 1550MM X 900MM

Part No. 5501068



CONSTRUCTION

- Heavy-duty steel
- Height: 535mm
- Gas Struts for lid
- Key Lock
- · Heavy Duty hydrocarbon resistant foam cut out
- Each Tool has a Specifically CNC routed cutout

SPECIALISED TOOL BOX 1750MM X 900MM

Part No. 5500957



- Heavy-duty steel
- Height: 500mm
- Gas Struts for lid
- Key Lock
- Heavy Duty hydrocarbon resistant foam cut out
- Each Tool has a Specifically CNC routed cutout

STORAGE CONTAINERS

SPECIALISED TOOLBOX WITH DRAWER

Part No. 5501871



CONSTRUCTION

Heavy-duty steelHeight: 730mmWidth: 790mmGas Struts for lid

- Heavy Duty hydrocarbon resistant foam cut out
- Each Tool has a Specifically CNC routed cutout

EPIROC D65 CLAMP STORAGE TOOLBOX

Part No. 5504044



CONSTRUCTION

Heavy-duty steelHeight: 500mm

• Gas struts for lid

- Key lock with T handles
- Heavy-duty hydrocarbon resistant foam cut out
- Each tool has a specifically CNC routed cutout

RATED LIFTING AND TRANSPORT BOX 2T

Part No. 5503167



CONSTRUCTION

Heavy-duty steelWLL: 2 TonneHeight: 600mmWidth: 1200mm

• `T' locking handles

Gas strut lid

RAG AND OIL SOAK BIN

Part No. 5502328



CONSTRUCTION

Heavy-duty steelHeight: 965mmWidth: 860mm

• Length: 1410mm

• Finished in Y-14 safety yellow

STORAGE CONTAINERS

ALUMINIUM OIL TROLLEY

Part No. 5503434



CONSTRUCTION

- Heavy-duty aluminium
- Oil Capacity: 545L
- Drain point at bottom with BSPT fitting
- Heavy-duty caster wheels
- Push handles at each end
- · Grafting at top

5T CRANE BIN

Part No. 5500970



,,,,,,,,,,,,,,,,,

CONSTRUCTION

- Heavy-duty steel
- WLL: 5 Tonne
- · Length: 2460mm
- Width: 1612mm
- Height: 1010mm

TRANSPORT BOXES

Part No. 5503054



CONSTRUCTION

- Heavy-duty steel
- WLL: 200kg
- Height: 460mm
- Fitted with lifting lugs
- ID tags
- Finished in Y-14 safety yellow

GET BIN

Part No. 5000096



- Heavy-duty steel
- · Length: 1200mm
- Width: 1200mm
- Height: 425mm
- · Stackable to maximise site space
- Different size and tonnage available

STORAGE CONTAINERS

GET BIN 2400MM X 1200MM

Part No. 5503151



SPECIALISED FRONT ACCESS TOOLBOX

Part No. 5501946



CONSTRUCTION

Heavy-duty steelLength: 2400mmWidth: 1200mmHeight: 450mm

• Stackable to maximise site space

• Available in different size/tonnage

RATED SERVICE WORKBENCH

Part No. 5503300



CONSTRUCTION

• Heavy-duty steel

• WLL: 1T

Length: 1500mmWidth: 800mmHeight: 1010mm

• Fitted with heavy-duty caster wheels

• 2x lockable doors


CONSTRUCTION

- Heavy-duty steel
- Pins for tool positioning
- Labeled small parts bin with adjustable partitions

Labeled double height bin with adjustable partitions

FLAT PLATE STEEL STORAGE RACK - LONG

Part No. 5503197




CONSTRUCTION

Heavy-duty steel
WLL: 4T per shelf
Height: 2075mm
Length: 5500mm
Width: 2100mm

• 4 shelves with easy forklift access

STEEL FREE STANDING STORAGE RACK

Part No. 5003285



CONSTRUCTION

Heavy-duty steel

• SWL: 4.8 Tonne Capacity or 400kg per shelf

Height: 2250mmLength: 6000mm

Lifting eyes for ease of transport

Forklift friendly for loading your product

FLAT PLATE STEEL STORAGE RACK

Part No. 5500831



CONSTRUCTION

• Heavy-duty steel

• WLL: 12T

Height: 3010mmLength: 4625mmWidth: 2525mm

4 shelves with easy fork truck access

Engineered and certified

HORIZONTAL PLATE STORAGE RACK

Part No. 5000220



CONSTRUCTION

Heavy-duty steel

• SWL: 6.5 Tonne per level (bottom level 10 Tonne)

Height: 2004mmLength: 8000mm


Forklift friendly for plate loading

Cantilevered to ensure optimum space utilisation

 Modular design for ease of transport and erection on site

GENERAL PURPOSE STEEL RACK - LARGE

Part No. 6m - 5000222 7.5m - 5000221 9m - 5000219



CONSTRUCTION

- Heavy-duty steel
- SWL: 3 Tonne per shelf
- 8 shelves (4 either side)
- Fully engineered and certified
- Lifting eyes for ease of transport
- Modular construction for ease of transport and erection on site
- Cantilevered to ensure optimum space utilisation

SLOPING VERTICAL STEEL PLATE RACK

Part No. 5501254



CONSTRUCTION


Heavy-duty steelWLL: 4.25T per bayHeight: 2617mmLength: 5747mm

• Width: 2865mm

 Modular design and Lifting eyes for ease of transport

GENERAL PURPOSE STEEL RACK – SMALL

Part No. 5501168



CONSTRUCTION

Heavy-duty steel

WLL: 3T per level

• Height: 2144mm

· Length: 2500mm

• Width: 1852mm

 Modular design and Lifting eyes for ease of transport

STORAGE RACKS

VERTICAL STORAGE RACK, STEEL PLATE

Part No. 5500758



CONSTRUCTION

Heavy-duty steel

• WLL: 8.5T per bay (51T total)

Height: 2617mmLength: 8175mmWidth: 2423mm

 Modular design and Lifting eyes for ease of transport

DRILL ROD RACK

Part No. 5501719



CONSTRUCTION

Heavy-duty steelHeight: 2525mmLength: 1784mm

• 5 shelves

• Modular design for easy transport and assembly

.......

• Cantilevered to maximise space utilisation

HALF SLOPING VERTICAL STEEL RACK

Part No. 5000232



CONSTRUCTION

Heavy-duty steel
WLL: 4.25T per bay
Height: 2650mm
Length: 3325mm
Width: 2865mm

 Modular design and Lifting eyes for ease of transport

EXTRA HEAVY DUTY VERTICAL PLATE STORAGE RACK

Part No. 5503023



CONSTRUCTION

Heavy-duty steelWLL: 42T (6T per bay)Height: 1500mm

Length: 4090mmWidth: 2865mm

Fitted with lifting eyes for ease of transport

ALUMINIUM CHAIN RACK

Part No. 5001978



CONSTRUCTION

• Heavy-duty aluminium

• WLL: 2T


Height: 600mmLength: 700mm

Completely TIG welded

• Fitted with handles on each end

ELECTRICAL CABLE RACKING

Part No. 5502253



CONSTRUCTION

- Heavy-duty steel
- 600kg WLL Bottom Horizontal Bar
- 300kg WLL Top Horizontal Bar
- Finished in Safety Yellow

BORE PUMP CRADLE FRAME

Part No. 5501688



CONSTRUCTION

- Heavy-duty steel
- WLL: 1T per level (4T total)
- On-sided Steel Storage rack
- Finished in Safety Yellow
- SWL marking attached

LIGHTWEIGHT STEEL RACK

Part No. 5501352



CONSTRUCTION

- Heavy-duty steel
- WLL: 180kg per shelf
- Height: 1855mm
- Length: 5080mm
- Designed to store pipework and steel sections

• Finished in Y14 safety yellow

SHEET STORAGE RACK

Part No. 5502120



CONSTRUCTION

Heavy-duty steel

• WLL: 300kg per shelf


Height: 1700mmLength: 2800mm

Lifting eyes

 Cantilevered to ensure optimum space utilisation

FLEXIBLE SHEETING AND GRIDMESH STORAGE RACK

Part No. 5502251



CONSTRUCTION

Heavy-duty steel

WLL: 3T per shelf

Height: 2080mmLength: 5850mm

Lifting eyes

• Cantilevered to ensure optimum space utilisation

......................

ELECTRICAL EQUIPMENT STORAGE RACK

Part No. 5502091



CONSTRUCTION

Heavy-duty steel

• WLL: 400kg per level

 Modular design and Lifting eyes for ease of transport

• Finished in Y-14 safety yellow

 Certified and compliant with Australian Standards

STEEL PLATE RACK ON WHEELS

Part No. 5502344



CONSTRUCTION

Heavy-duty steel

• WLL: 3T

Height: 1510mmLength: 2900mm

· Handles for easy mobility

• Fitted with high quality German made

Caster Wheels

STEEL PIPE STORAGE RACK - SMALL

Part No. 5502817



CONSTRUCTION

Heavy-duty steel

WLL: 400kg per shelfHeight: 1200mmLength: 5808mm

Free standing

• Finished in Y-14 safety yellow

STEEL PIPE STORAGE RACK

Part No. 5502089



CONSTRUCTION

Heavy-duty steel

• WLL: 400kg per level

• Finished in Safety Yellow

 Free standing, eliminating the need to bolt to the ground

TRAY ROPES STORAGE RACK

Part No. 5502714



CONSTRUCTION

Heavy-duty steel

• WLL: 250kg per arm

• Height: 1700mm

• Length: 2050mm

• Fitted with lifting lugs

• Finished in Y-14 safety yellow

MOBILE STORAGE SIGN RACK

Part No. 5413086



CONSTRUCTION

• Heavy-duty steel

• WLL: 500kg

• Height: 850mm

• Length: 1200mm

• Width: 1200mm

••••

Compact design for back of ute transport

GENERAL WORKSHOP STORAGE RACK

Part No. 5412138



CONSTRUCTION

Heavy-duty steel
WLL: 250kg per shelf
Height: 1795mm
Length: 2200mm
Width: 1000mm

Wheel chock storage compartment

MOBILE STEEL PLATE RACK

Part No. 5501647



CONSTRUCTION

Heavy-duty steelHeight: 1000mmLength: 2000mmWidth: 2300mm

• Can be customised to your requirements

,,,,,,,,,,,,,,,,,,,

STEEL CHAIN RACK

Part No. 5501752



CONSTRUCTION

• Heavy-duty steel

WLL: 100kg per hook on outside of frame
WLL: 200kg per hook on other location

Height: 1450mmFitted with lifting lugs

FREESTANDING CHAIN RACK

Part No. 5501441



CONSTRUCTION

Heavy-duty steel

• WLL: 50kg per hanger

• Finished in Y-14 safety yellow

 Certified and compliant with Australian Standards

DRILL HAMMER STORAGE RACK

Part No. 5500867



CONSTRUCTION

- Heavy-duty steel
- WLL: 720kg
- Height: 1000mm
- Engineered and certified
- Chain restraints for drill hammers
- Easily moved around

LIFTING CHAIN STORAGE RACK

Part No. 5502174



CONSTRUCTION

- Heavy-duty steel
- WLL: 200kg per arm (2T total)
- Height: 1670mmLength: 2000mmWidth: 1000mm
- Certified and compliant with Australian Standards

CABLE DRUM STAND

Part No. 5501144



CONSTRUCTION

- Heavy-duty steel
- WLL: 3T
- Height: 1460mm • Length: 1800mm
- Width: 1600mm

=

 Certified and compliant with Australian Standards

WORKSHOP STANDS 1 - 15 TONNE

GENERAL PURPOSE WORK STAND 3 TONNE 500MM (H)

Part No. 5412026



CONSTRUCTION

- Heavy-duty steel
- SWL: 3 Tonne
- · Fully engineered and certified

GENERAL PURPOSE WORK STAND 10 TONNE 1020MM (H)

Part No. 5414124



,,,,,,,,,,,,,,,,,,,,

CONSTRUCTION

- Heavy-duty steel
- SWL: 10 Tonne
- Engineered and certified

GENERAL PURPOSE WORK STAND 10 TONNE 500MM (H)

Part No. 5414004



CONSTRUCTION

- Heavy-duty steel
- SWL: 10 Tonne
- Fully engineered and certified

GENERAL PURPOSE WORK STAND 10 TONNE 1700MM (H)

Part No. 5413031



- Heavy-duty steel
- SWL: 10 Tonne
- Length: 600mm
- Width: 600mm
- Engineered and certified

WORKSHOP STANDS 1 - 15 TONNE

GENERAL PURPOSE WORK STAND 10 TONNE 2400MM (H)

Part No. 5414068



CONSTRUCTION

- Heavy-duty steel
- SWL: 10 Tonne
- Fully engineered and certified

GENERAL PURPOSE WORK STAND 10 TONNE SQUARE TOP

Part No. 5000004



CONSTRUCTION

- Heavy-duty steel
- SWL: 10 Tonne • Length: 500mm
- Width: 500mm
- Engineered and certified

GENERAL PURPOSE WORK STAND 10 TONNE 3000MM (H)

Part No. 5412204



CONSTRUCTION

- Heavy-duty steel
- SWL: 10 Tonne
- Fully engineered and certified

GENERAL PURPOSE WORK STAND 10 TONNE

Part No. 5501658



- Heavy-duty steel
- SWL: 10 Tonne
- Length: 2000mm
- Width: 2300mm
- Engineered and certified

WORKSHOP STANDS

1-15 TONNE

WORK STAND WITH RETRACTABLE WHEELS 10 TONNE 2400MM (H)

Part No. 5501592



CONSTRUCTION

- Heavy-duty steel
- WLL: 10 Tonne
- Fitted with forklift slots
- Fitted with retractable wheels
- Fully engineered and certified

GENERAL PURPOSE WORK STAND 10 TONNE 3300MM (H)

Part No. 5504681



CONSTRUCTION

- Heavy-duty steelWLL: 10 Tonne
- Length: 1000mmWidth: 1150mm
- · Fully engineered and certified

........

STEEL SUPPORT STAND ON WHEELS

Part No. 5501714




CONSTRUCTION

- Heavy-duty steel
- WLL: 500kg
- Height: 740mm
- Length: 600mm
- Width: 720mm
- Fully engineered and certified

WATER PUMP DRIVE STAND

Part No. 5502871



- Heavy-duty steel
- WLL: 1.5 Tonne
- Height: 1105mm
- Length: 1100mm
- Width: 1200mm
- Painted in company or site colours upon request

WORKSHOP STANDS 1 - 15 TONNE

GENERAL PURPOSE WORK STAND 10 TONNE 2400MM (H)

Part No. 5502846



CONSTRUCTION

• Heavy-duty steel

• WLL: 10 Tonne

Length: 1000mmWidth: 1150mm

• Fittd with forklift slots

GENERAL PURPOSE WORK STAND 15 TONNE 730MM (H)

Part No. 5401121



CONSTRUCTION

Heavy-duty steel

• SWL: 15 Tonne

• Height: 730mm

· Forklift friendly for plate loading

• Fully engineered and certified

GENERAL PURPOSE ADJUSTABLE STAND 10 TONNE

Part No. 5503166



CONSTRUCTION

Heavy-duty steel

• WLL: 10 Tonne

• Pin-lock adjusting system

• 100mm increments

Lifting lugs on top section to remove manual handling risks

WORKSHOP STANDS 16 - 30 TONNE

GENERAL PURPOSE WORK STAND 20 TONNE 800MM (H)

Part No. 5401137



CONSTRUCTION

- Heavy-duty steel • WLL: 20 Tonne • Height: 800mm
- Fully engineered and certified

GENERAL PURPOSE WORK STAND 25 TONNE 600MM (H)

Part No. 5401116




CONSTRUCTION

- Heavy-duty steel
- WLL: 25 Tonne
- · Height: 600mm
- Fully engineered and certified

GENERAL PURPOSE WORK STAND 25 TONNE 400MM (H)

Part No. 5000006



CONSTRUCTION

- Heavy-duty steel • SWL: 25 Tonne • Height: 400mm
- · Fully engineered and certified

GENERAL SUPPORT WORK STAND 30 TONNE 655MM (H)

Part No. 5501038




- Heavy-duty steel
- SWL: 30 Tonne
- Fully engineered and certified

WORKSHOP STANDS 16 - 30 TONNE

GENERAL PURPOSE WORK STAND 30 TONNE 270MM (H)

Part No. 5412032




CONSTRUCTION

Heavy-duty steelSWL: 30 TonneHeight: 270mm

• Fully engineered and certified

GENERAL SUPPORT WORK STAND 16 TONNE 458MM (H)

Part No. 5001963



CONSTRUCTION

Heavy-duty steelWLL: 25 TonneLength: 900mmWidth: 375mm

Fully engineered and certified

GENERAL PURPOSE WORK STAND 30 TONNE 2000MM (H)

Part No. 5410135



CONSTRUCTION


Heavy-duty steelSWL: 30 TonneLength: 1400mmWidth: 1400mm

Fully engineered and certified

WORKSHOP STANDS 31 - 60 TONNE

GENERAL PURPOSE WORK STAND 45 TONNE 305MM (H)

Part No. 5401153



CONSTRUCTION

- Heavy-duty steelWLL: 45 TonneHeight: 305mm
- · Fully engineered and certified

GENERAL SUPPORT STAND 50 TONNE 670MM (H)

Part No. 5511038



CONSTRUCTION

- Heavy-duty steel
- WLL: 50 Tonne
- Fully engineered and certified

GENERAL PURPOSE WORK STAND 45 TONNE 680MM (H)

Part No. 5413077



CONSTRUCTION

- Heavy-duty steelWLL: 45 TonneHeight: 680mm
- Fully engineered and certified

GENERAL SUPPORT STAND 50 TONNE 600MM (H)

Part No. 5500988



- Heavy-duty steelWLL: 50 Tonne
- Height: 600mm

WORKSHOP STANDS 31 - 60 TONNE

GENERAL PURPOSE WORK STAND 60 TONNE 1160MM (H)

Part No. 5412029




CONSTRUCTION

- Heavy-duty steel
- WLL: 60 Tonne
- Height: 1160mm
- Fully engineered and certified

GENERAL PURPOSE WORK STAND 60 TONNE 500MM (H)

Part No. 5503149




- Heavy-duty steel
- WLL: 60 Tonne
- Height: 500mm
- Fully engineered and certified

WORKSHOP STANDS 80+ TONNE

GENERAL PURPOSE WORK STAND 80 TONNE 300MM (H)

Part No. 5000009



CONSTRUCTION

Heavy-duty steelSWL: 80 TonneLength: 900mm

Fully engineered and certified

GENERAL PURPOSE WORK STAND 80 TONNE 1200MM (H)

Part No. 5001749



CONSTRUCTION

Heavy-duty steelSWL: 80 Tonne


• Length: 780mm

Fully engineered and certified

.......

GENERAL PURPOSE STAND 80 TONNE 650MM (H)

Part No. 5502989



CONSTRUCTION

Heavy-duty steelWLL: 80 TonneLength: 720mm

Fully engineered and certified

GENERAL PURPOSE WORK STAND 90 TONNE 1200MM (H)

Part No. 5412079



CONSTRUCTION

Heavy-duty steelSWL: 90 TonneHeight: 1200mm

· Fully engineered and certified

WORKSHOP STANDS 80+ TONNE

GENERAL PURPOSE WORK STAND 100 TONNE SQUARE TOP

Part No. 5512169



CONSTRUCTION

- Heavy-duty steelSWL: 100 TonneHeight: 1200mm
- Fully engineered and certified

GENERAL PURPOSE STAND 120 TONNE 970MM (H)

Part No. 5503835



CONSTRUCTION

- Heavy-duty steel
- WLL: 120 TonneLength: 560mm
- Fully engineered and certified

GENERAL PURPOSE WORK STAND 100 TONNE ROUND TOP

Part No. 5401192



CONSTRUCTION

- Heavy-duty steelWLL: 100 TonneLength: 1200mm
- Fully engineered and certified

GENERAL PURPOSE WORK STAND 270 TONNE

Part No. 5001988



CONSTRUCTION

- Heavy-duty steel
- WLL: 270 Tonne
- Fully engineered and certified

,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,

BIGGER THAN BUSINESS

TAKE NOTE

