

# Fasson EXACT™ Update

Includes Ready Width™  
Products

## June 2026 EXACT™ Service Program Additions and Removals

### Additions

Spec#	Product Description	Action
77841	1 Mil Clear TC Polyester/S8020/40#BG	Add EXACT™ 2.5K in PFF
B5650	Pharmaceutical High Gloss FSC®/S727/1.5M PET	Add ReadyWidth™ in PFF
79059	2.6M White BOPP TC/S727/1.2M Polyester	Add EXACT™ 10K in PFF
C4900	Direct Thermal Platinum White/AT2550/40#SCK	Add EXACT™ 5K in PFF
B9369	505C - 1 MIL CLR S/W BOPP	Add EXACT™ 10K in OAK
B5530	Natural Label™/AT20/40#SCK	Add EXACT™ 5K in PFF
78146	2.6 Mil White BOPP TC/S692N/1.2 Mil Polyester	Add EXACT™ 10K in GFD
54294	60# Semi-Gloss Elite™ FSC®/AT2550/40#SCK	Add EXACT™ 10K in MTL
54291	54#SemiGloss FSC®/AT2550/40#SCK	Add EXACT™ 5K in MTL

### Removals

Spec#	Product Description	Action
C2008	2M CL BOPP TC/S717P/1.2M 90% rPET	Remove EXACT™ 5K in PFF
C2064	2.6M WH BOPP TC/S727/1.2M 90% rPET	Remove EXACT™ 5K in PFF
77841	1 Mil Clear TC Polyester/S8020/40#BG	Remove EXACT™ 2.5K, EXACT™ 5K in NNH
B5650	Pharmaceutical High Gloss FSC®/S727/1.5M PET	Remove EXACT™ 5K in PFF
54330	Pharmaceutical SemiGloss FSC®/S246/40#SCK	Remove EXACT™ 15K in PTC
B6168	Pharmaceutical Semi-Gloss FSC®/S246/1.2M Polyester	Remove EXACT™ 7.5K in PTC
79059	2.6M White BOPP TC/S727/1.2M Polyester	Remove EXACT™ 5K in PFF
B9369	505C - 1 MIL CLR S/W BOPP	Remove EXACT™ 5K in OAK
B9424	531 - 1 Mil Matte Self-wound BOPP	Remove EXACT™ 5K in NNH
75758	White Cosmetic Web 350 SB	Remove EXACT™ 10K in WCD
78146	2.6 Mil White BOPP TC/S692N/1.2 Mil Polyester	Remove EXACT™ 10K in NNH
54294	60# Semi-Gloss Elite™ FSC®/AT2550/40#SCK	Remove EXACT™ 10K in TDC
C0732	2.3 Mil White BOPP TC2000/S6600/50#SCK	Remove EXACT™ 5K in PFF
54291	54#SemiGloss FSC®/AT2550/40#SCK	Remove EXACT™ 5K in TDC
54423	Dairy Print FSC®/C4510/40#SCK	Remove EXACT™ 5K, EXACT™ 10K in DAL

Finishing, Packaging and Shipping Standards Update: cradle packing will now be unavailable below 20" combined width due to safety issues.

FSC® C018096

Location names have been adjusted to align with internal location names

Locations: DAL-Dallas, TX; GFD-Greenfield, IN; MTL-Montreal; NNH-Neenah, WI; OAK - Oak Harbor, OH  
PFF-Painesville, OH; PTC-Peachtree City, GA; QTN-Quakertown, PA; SEA-Seattle, WA; TDC-Toronto; WCD-West Coast

All new programs will have a trial period of 3 months. Programs are subject to change without notice.

Numbers indicate length of program in thousands of feet (5 = 5,000). RW = Ready Width™

Fasson® Facestock	Adhesive	Liner	Spec#	GFD	PTC	PFF	QTN	DAL	NNH	SEA	WCD	MTL	TDC	Comments
<b>Prime Paper</b>														
54# Semi-Gloss FSC®	AT2550	40#SCK	<a href="#">54291</a>	5/10/15	5/10		5/10	5/10	5/10	5/10	5/10	5/10	10	
	AT2550	1.2M PET	<a href="#">C2006</a>	10/15					10	10	10	10		
	AT2550	.92PET	<a href="#">C2104</a>					10	10					
	C4500	40#SCK	<a href="#">54369</a>	5/10	3/5/10		5/10/15	5/10	5/10	10	5/10	5/10	10	
	C4500	1.2 Mil PET	<a href="#">54372</a>		10				10					
	R5195	46#LF	<a href="#">54116</a>	15										
	S2550	40#SCK	<a href="#">54146</a>	10										
	C4510	40#SCK	<a href="#">54413</a>		10		10							
	AT2550	40#SCK	<a href="#">54293</a>						10					
	C4500	.92 Mil PET	<a href="#">54371</a>						10					
60# Semi-Gloss Elite FSC®	C4510	40#SCK	<a href="#">54414</a>		5/10				5/10	5/10			10	
	C4500	40#SCK	<a href="#">54373</a>		5/10		5/10		10	10	5/10			
	AT2550	40#SCK	<a href="#">54294</a>	5/10			5/10	5/10	5/10	5/10	5/10	10		
	AT2550	1.2M PET	<a href="#">C2766</a>	10				10			10			
	S246	40#CK	<a href="#">15337</a>	5/10					5/10		5/10		10	
	AT3550	40#SCK	<a href="#">B6780</a>	10										
	AT2550	1.02 Mil PET	<a href="#">B7374</a>				10							
	AT1	40#SCK	<a href="#">15476</a>				5							
	C4500	1.2 Mil PET	<a href="#">54377</a>	5/10	5/10						10			
	R5195	40#CK	<a href="#">18328</a>	5/10			5/10		5/10		5/10			
54# Semi-Gloss FasCover2	C4500	40#SCK	<a href="#">54383</a>		5									
60# Semi-Gloss Elite FSC®	C2075	40#SCK	<a href="#">17714</a>		5/10									
	LP1000	40#SCK	<a href="#">54149</a>			5								
	C2580	40#SCK	<a href="#">53919</a>		10					10				
60# Semi-Gloss Elite Piggyback	S2550	40#SCK /40#SCK	<a href="#">B5007</a>	5										
60# Archival Semi-Gloss FSC®	R5195	40#LF	<a href="#">18559</a>	10										6" cores
	S490	40#LF	<a href="#">18392</a>			10								
60# Semi-Gloss Elite™ FasCover™ 2	AT2550	40#SCK	<a href="#">B5626</a>			5								
54# Semi-Gloss ITC	AT2550	40#SCK	<a href="#">54300</a>	5/10										

**Prime Paper**

GFD	PTC	PFF	QTN	DAL	NNH	SEA	WCD	MTL	TDC
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

**Program Guidelines**

- Roll lengths can vary by +/- 10%.
- The standard lead time for EXACT programs is 3 business days for orders booked before 12:00 pm and 4 business days after 12:00 pm according to the time zone for each site. Orders from Oak Harbor will be shipped in 2 days if placed before 12:00 pm EST.
- Minimum slit width & maximum order size are location-specific.
- Standard pallets. No core labels. One pallet might be identified as containing mixed widths.
- Cradle pack available on 5000' and above programs (with 27" minimum order size per pallet for safety)..
- Arrow stamping not available on EXACT orders.

Fasson® Facestock	Adhesive	Liner	Spec#	GFD	PTC	PFF	QTN	DAL	NNH	SEA	WCD	MTL	TDC	Comments
60# Gloss	C4500	40#SCK	<a href="#">54380</a>				5/10							
	S246	40#SCK	<a href="#">17411</a>		5/10							10		
	AT2550	40#SCK	<a href="#">B4338</a>	10										
55# Cast Gloss Elite™	C4500	40#SCK	<a href="#">54378</a>		5					10				
	AT2550	40#SCK	<a href="#">54302</a>	5/10										
60# Cast Gloss	AT2550	40#SCK	<a href="#">54301</a>	5/10							5			
	C2075	40#SCK	<a href="#">17715</a>		5									
	S246	50#CK	<a href="#">07605</a>				5							
	R5195	40#SCK	<a href="#">18445</a>	5										
High Gloss + FasCover™ 2	AT2550	40#SCK	<a href="#">B5253</a>	5										
Dairy Print FSC®	C4510	40#NK	<a href="#">54421</a>		10			10	10	10		10		
	C4510	40#SCK	<a href="#">54423</a>		5/10									
	C4510	.92 Mil PET	<a href="#">54424</a>		10				10					
50# FM Litho FSC®	Z3000	40#SCK	<a href="#">53645</a>		RW 5									WCD Widths: 4.59375", 6", 10"
Matte Litho FSC®	AT2550	40#SCK	<a href="#">B4336</a>	10										
	C4500	40#SCK	<a href="#">54384</a>		5				5	5				
	S246	40#CK	<a href="#">03558</a>		5						5			
	R5195	40#SCK	<a href="#">18444</a>	2.5										
8 Pt. Tag	AT2550	40#SCK	<a href="#">B4942</a>	5										
	S246	40#SCK	<a href="#">17698</a>		5									
Red Fluorescent	C4500	40#SCK	<a href="#">54409</a>		3/5/10									
Green Fluorescent	C4500	40#SCK	<a href="#">54406</a>		3/5									
Orange Fluorescent FSC®	C4500	40#SCK	<a href="#">54407</a>		3/5									
Chartreuse Fluorescent	C4500	40#SCK	<a href="#">54405</a>		5									
Pink Fluorescent	C4500	40#SCK	<a href="#">54408</a>		2.5									
Bright Silver Foil FSC®	C4500	40#SCK	<a href="#">54385</a>		5									
Bright Gold Foil FSC®	C4500	40#SCK	<a href="#">54387</a>		3/5									
Dull Silver Foil	AT20	1.2 Mil PET	<a href="#">53459</a>								10			
	C4500	40#SCK	<a href="#">54386</a>		5									
Dissolvable FSC®	S2600	40#SCK	<a href="#">15666</a>					5						
Natural Label™	AT20	40#SCK	<a href="#">B5530</a>			5								
Dispersible Paper FSC®	S2600	40#SCK	<a href="#">54353</a>					10						

## Pharmaceutical

Pharma Semi Gloss FSC®	S246	40#SCK	<a href="#">54330</a>		5/10									
	S246	1.2 Mil PET	<a href="#">B6168</a>		10									
	S246	1.5 Mil PET	<a href="#">54331</a>		7.5									
	S727	1.5 Mil PET	<a href="#">54334</a>			5								
	S727	40#SCK	<a href="#">54332</a>			5								
54# Pharmaceutical Semi-Gloss FSC®	S246	1.2MPET	<a href="#">54473</a>		RW 10									Widths 10" & 12"
				<b>GFD</b>	<b>PTC</b>	<b>PFF</b>	<b>QTN</b>	<b>DAL</b>	<b>NNH</b>	<b>SEA</b>	<b>WCD</b>	<b>MTL</b>	<b>TDC</b>	

<b>Fasson® Facestock</b>	Adhesive	Liner	Spec#	GFD	PTC	PFF	QTN	DAL	NNH	SEA	WCD	MTL	TDC	Comments
Pharma High Gloss	S727	40#SCK	<a href="#">53168</a>			5								
	S727	1.5 Mil PET	<a href="#">B5650</a>			RW 5								Widths 10" & 12"
Pharma Lightweight Litho FSC®	S727	1.5 Mil PET	<a href="#">19458</a>			5								
Lightweight Pharma Litho	S727	40#SCK	<a href="#">07944</a>				5							
2 Mil Clear BOPP TC	S717P	1.2Mil PET	<a href="#">B3582</a>			5								
	S692NP	1.2Mil PET	<a href="#">B4722</a>			RW 5								Width: 12"
2.3 Mil White TC PP	C0196	40#BG	<a href="#">77392</a>						RW 1.7					Width: 6.5"
2.6 Mil White BOPP TC	S727	1.2Mil PET	<a href="#">79059</a>			10								
	S717P	40#BG	<a href="#">79040</a>			10								
	S692NP	1.2Mil PET	<a href="#">79049</a>			RW 5								Width: 12"

## Wine & Spirits

100# Silver Hammered Metal	Z2010B	1.2 Mil PET	<a href="#">B5834</a>			RW 2.5								Wine; Width: 13"
47# Estate 8 WS FSC®	Z2010	1.2 Mil PET	<a href="#">B9874</a>			RW 5								Wine; Width: 12"
48# Uncoated Paper	Z2010	1.2 Mil PET	<a href="#">B9875</a>			RW 5								Wine; Width: 12"
54# Semi-Gloss WS FSC®	Z2010	1.2 Mil PET	<a href="#">B9833</a>			RW 5								Wine; Width: 12"
56# MaxFlex™ Bright Silver FSC®	C4500	40#SCK	<a href="#">54394</a>		5/10						10		5/10	
	AT20	1 Mil PET	<a href="#">53380</a>	10										Core: 6"
	AT20	1.2 Mil PET	<a href="#">53381</a>	10							10			
	Z2010	44#PK	<a href="#">B5796</a>								RW 5			Widths: 10", 12"
	Z2010	1.2 Mil PET	<a href="#">B5798</a>			RW 5								Wine; Width: 12"
	AT20	40#SCK	<a href="#">53352</a>				10							
60# Cast Gloss	AT20N	1.2 Mil PET	<a href="#">B2504</a>								10			Wine
60# Estate Label® #4 Wet-Strength FSC®	Z2010	1.2 Mil PET	<a href="#">B5787</a>								5			
	Z2010	44#PK	<a href="#">B5845</a>								5			Wine
60# Estate Label® #8 Wet-Strength FSC®	Z2010	44#PK	<a href="#">B5579</a>								5			Wine
	Z2010	1.2 Mil PET	<a href="#">B5580</a>								5/10	10		Wine
	AT20N	1.2 Mil PET	<a href="#">19650</a>				10				5/10			Wine
60# Estate Label® #9 Wet-Strength FSC®	Z2010	44#PK	<a href="#">B5848</a>			5				5				Wine
60# Estate Label® #25 Black Wet-Strength FSC®	Z2010	1.2 Mil PET	<a href="#">B5804</a>								5			
	Z2010	44#PK	<a href="#">B5842</a>								5			Width: 10"
60# Classic® Linen Solar White Wet-Strength FSC®	Z2010	1.2 Mil PET	<a href="#">B5786</a>								10			
	Z2010	44#PK	<a href="#">B5849</a>							5				Wine
60# Classic Crest® Solar White Wet-Strength FSC®	AT20N	1.2 Mil PET	<a href="#">19648</a>								5/10			
	Z2010	1.2 Mil PET	<a href="#">B8581</a>			10					10			Core: 6"

GFD	PTC	PFF	QTN	DAL	NNH	SEA	WCD	MTL	TDC
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

<b>Fasson® Facestock</b>	Adhesive	Liner	Spec#	GFD	PTC	PFF	QTN	DAL	NNH	SEA	WCD	MTL	TDC	Comments
60# Semi-Gloss Elite™	AT20N	1.2 Mil PET	<a href="#">19655</a>	10							10			Wine
	Z2010	44# PK	<a href="#">B8863</a>								5			Wine
	Z2010	1.2 Mil PET	<a href="#">B5797</a>			10								Wine

## Wine & Spirits

60# Classic Crest® Natural White Wet-Strength FSC®	Z2010	44#PK	<a href="#">B5784</a>								5			
60# Classic® Laid Solar White Wet-Strength FSC®	Z2010	44#PK	<a href="#">B5850</a>								5			
Classic® Felt Natural White Wet-Strength FSC®	Z2010	44#PK	<a href="#">B5844</a>								5			
	Z2010	1.2 Mil PET	<a href="#">B5810</a>								5			
70# Eggshell Felt Wet-Strength FSC®	Z2010B	44#PK	<a href="#">B8849</a>			5					5			Wine
	Z2010B	1.2 Mil PET	<a href="#">B5581</a>								5/10			6" cores: 10K
70# Bright White Felt Wet-Strength FSC®	Z2010B	44#PK	<a href="#">B5815</a>			5					5			
	Z2010B	1.2Mil PET	<a href="#">B5584</a>			5					5/10	10		6" cores WCD, MTL
70#Bright White Felt WS FSC® Weld	Z2010B	1.2M PET	<a href="#">B5576</a>								10			6" cores
60# Matte Litho WN	Z2010	1.2 Mil PET	<a href="#">B5792</a>								5			Wine
60# Matte Litho Wet-Strength	AT20	44#PK	<a href="#">19298</a>							5				Wine
60# Uncoated Litho Wet-Strength FSC®	Z2010	1.2 Mil PET	<a href="#">B5582</a>								10			
	AT20N	1.2 Mil PET	<a href="#">19993</a>			10					10			
60# Uncoated Litho Wet-Strength/OPP Weld	AT20N	1.2 Mil PET	<a href="#">53007</a>								10			6" Core
60# Estate Label #8 WS FSC® / Weld*	AT20N	1.2 Mil PET	<a href="#">53476</a>								10			
70# Bright White Felt Wet-Strength FSC® / Weld	Z2010B	44#PK	<a href="#">B5820</a>								5			Wine
70# 100% Pure Cotton Wet Strength	Z2010B	1.2M PET	<a href="#">B5779</a>				RW 5							Width: 12"
70# 25% Cotton Feel 30% PCW Wet Strength	Z2010B	1.2 Mil	<a href="#">B5780</a>				RW 5							Width: 12"
70# Houndstooth 30% PCW WS FSC®	Z2010B	1.2 Mil PET	<a href="#">B8487</a>				RW 5							Width: 13"

## Prime Films - Conformables

High Performance FasClear® TC	S7000ER	1.2 Mil PET	<a href="#">B8019</a>				10				10			Full-Squeeze 6" Core
High Performance PRIMAX® TC	S7000ER	1.2 Mil PET	<a href="#">B7735</a>				10							Full-Squeeze 6" Core
IF Metallized PRIMAX® 250	S1000	44#PK	<a href="#">75312</a>			2.5								Full-Squeeze
3.0 Mil Clear MDO	S692N	1.2 Mil PET	<a href="#">77964</a>	10										Full-Squeeze 6" Core
	S692N	40#BG	<a href="#">78097</a>	10									10	Full-Squeeze

GFD	PTC	PFF	QTN	DAL	NNH	SEA	WCD	MTL	TDC
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

<b>Fasson® Facestock</b>	Adhesive	Liner	Spec#	GFD	PTC	PFF	QTN	DAL	NNH	SEA	WCD	MTL	TDC	Comments
3.0 Mil White MDO	S692N	1.2 Mil PET	<a href="#">77980</a>	10				10	10					Full-Squeeze 6" Core
	S692N-ER	1.2 Mil PET	<a href="#">B7801</a>	10										Full-Squeeze 6" Core
	S692N	44#PK	<a href="#">77988</a>			5								
	S692N	40#BG	<a href="#">78098</a>	5/10									10	
SF Crystal Fasclear® TC	S2001	1.5 Mil PET	<a href="#">B8163</a>			10								6" core
FasClear® 250	S692N	1.2 Mil PET	<a href="#">77234</a>				10							Full-Squeeze 6" Core
	S692N	44#PK	<a href="#">76908</a>			5					7.5			Full-Squeeze
PRIMAX® 250	S692N	44#PK	<a href="#">76905</a>			5					7.5			
	S692N	40#BG	<a href="#">76994</a>	5							5			
PRIMAX® 350	S692N	44#PK	<a href="#">76904</a>			5					5			Full-Squeeze
	S692N	1.5 Mil PET	<a href="#">76990</a>				5							Full-Squeeze
	S1000	44#PK	<a href="#">71800</a>			5								
	R143	1.5 Mil PET	<a href="#">75394</a>			5								
	R143	50#SCK	<a href="#">77967</a>			5								
PE 85 White NTC	S692N	1.2 Mil PET	<a href="#">78225</a>	10										6" core
PE 85 Clear NTC	S692N	1.2 Mil PET	<a href="#">76957</a>				15							Full-Squeeze 6" Core
Global MDO Clear NTC	S7000ER	PET 23	<a href="#">B7725</a>				15							Semi-Squeeze 6" Cores
Global MDO Next Gen Clear	S7000ER	.92 PET	<a href="#">B7656</a>				15							
Global MDO Next Gen White	S7000ER	.92 PET	<a href="#">B7657</a>				15							6" Core
	S692NER	.92 PET	C2013				10							6" Core
Global MDO Clear TC	S7000ER	PET 23	<a href="#">B8021</a>				15							Semi-Squeeze 6" Cores
Global MDO White TC	S7000ER	PET 23	<a href="#">B8020</a>				15							
Global Co-Ex™ Clear NTC	S692N	PET 30	<a href="#">77178</a>				10							
	S692N-ER	PET 30	<a href="#">B7797</a>				10							
Global Co-Ex™ Clear TC	S692N	PET 30	<a href="#">77381</a>				10							
	S692N-ER	PET 30	<a href="#">B7796</a>				10							
Global Co-Ex™ White NTC	S692N	PET 30	<a href="#">77179</a>	10			10							
	S692N-ER	PET 30	<a href="#">B7794</a>	10			10							
Global Co-Ex™ White TC	S692N	PET 30	<a href="#">77382</a>				10							
	S692N-ER	PET 30	<a href="#">B8022</a>						10					

**Rigid Films**

GFD	PTC	PFF	QTN	DAL	NNH	SEA	WCD	MTL	TDC
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

Locations: DAL-Dallas, TX; GFD-Greenfield, IN; MTL-Montreal; NNH-Neenah, WI; OAK - Oak Harbor, OH; PFF-Painesville, OH; PTC-Peachtree City, GA; QTN-Quakertown, PA; SEA-Seattle, WA; TDC-Toronto; WCD-West Coast  
 Numbers indicate length of program in thousands of feet (5 = 5,000'). RW = Ready Width™

<b>Fasson® Facestock</b>	Adhesive	Liner	Spec#	GFD	PTC	PFF	QTN	DAL	NNH	SEA	WCD	MTL	TDC	Comments	
1.6 Mil Clear BOPP TC	S7000ER	.92Mil PET	<a href="#">B7754</a>	15			15				15			6" cores	
	S7400ER	.92Mil PET	<a href="#">B7351</a>	20							20			6" cores	
1.6 Mil Clear BOPP NTC	S7400ER	.92 Mil PET	<a href="#">B7775</a>	20										6" cores	
1.6 Mil Metallized BOPP TC	S7000ER	.92 Mil PET	<a href="#">B7766</a>	15											
2 Mil Clear BOPP TC	S7000ER	40#BG	<a href="#">B7348</a>	5/10	10		5/10	10		5/10	5/10		10		
	S692N	40#BG	<a href="#">77008</a>	5/10							5		10		
	S692N-ER	40#BG	<a href="#">B7347</a>	5/10											
	S7000ER	1.2 Mil PET	<a href="#">B7350</a>	5/10			10	10			10		10	6" cores QTN/ WCD	
	S692N	1.2 Mil PET	<a href="#">77138</a>	5/10			10							6" cores	
	S692N-ER	1.2 Mil PET	<a href="#">B7349</a>				10							6" cores	
	S7000ER	.92Mil PET	<a href="#">B7744</a>	10										6" core	
	S7400ER	.92Mil PET	<a href="#">B7781</a>	10/20			20		20		10			GFD, QTN, NNH: 6" cores	
	S2001	1.5 Mil PET	<a href="#">75386</a>			10				10	7.5/10				NNH 3" cores: PFF and WCD: 6" cores:
	S2001	44#PK	<a href="#">74477</a>			5				10					
	S3000	1.5 Mil PET	<a href="#">74279</a>			5/10									6" cores on 10K only
	R3500	40#SCK	<a href="#">78148</a>							5					
	R3500	1.2 Mil PET	<a href="#">B2809</a>							15					6" cores
2 Mil Clear BOPP ITC	S7000ER	40#BG	<a href="#">B7745</a>	5											
2 Mil Clear Polystyrene	S246	40#SCK	<a href="#">12323</a>		10										
2 Mil White BOPP TC	S7000ER	.92 Mil PET	<a href="#">B7741</a>				15		15					6" cores	
	S7000ER	40#BG	<a href="#">B7753</a>	5/10							10				
	S7000ER	1.2 Mil PET	<a href="#">B7740</a>	10			10				10			QTN: 6" cores	
2.3 Mil White BOPP TC	R3500	40#SCK	<a href="#">78149</a>			5									
	S692N	40#BG	<a href="#">78333</a>	5/10						10					
	S692N-ER	40#BG	<a href="#">B7760</a>	10						10					
	S692N	1.2 Mil PET	<a href="#">78330</a>	5/10			5/10	10	5/10		5/10				
	S692N-ER	1.2Mil PET	<a href="#">B7761</a>	5/10			5/10				10				
	R3500	1.2 Mil PET	<a href="#">77461</a>						10						
AT2550	1.2 Mil PET	<a href="#">B8303</a>						10						6" core	

**Rigid Films**

GFD	PTC	PFF	QTN	DAL	NNH	SEA	WCD	MTL	TDC
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

Fasson® Facestock	Adhesive	Liner	Spec#	GFD	PTC	PFF	QTN	DAL	NNH	SEA	WCD	MTL	TDC	Comments
2.4 Mil White BOPP TC	S692N	1.2 Mil PET	<a href="#">B3136</a>						10					
	S692N	40#BG	<a href="#">B3255</a>						5/10				10	
	S692N-ER	40#BG	<a href="#">B7756</a>	5/10									10	
	S692N-ER	1.2MIL PET	<a href="#">B7758</a>						10					
	S7000ER	.92 Mil PET	<a href="#">B7750</a>				15							6" core
	S7000ER	.92 Mil 30% rPET	<a href="#">B7747</a>				10							6" Core
	S7000ER	40#BG	<a href="#">B7729</a>	5/10	5/10		5/10	5/10	5/10	5/10	5/10		5/10	
	S7000ER	1.2 Mil PET	<a href="#">B7655</a>	10	10		10	10	10	10	10		10	
	S7400ER	1.2 Mil PET	<a href="#">B7771</a>	10				10						
AT20N	40#BG	<a href="#">79102</a>						10		10				
2.4 Mil White BOPP ITC	S7000ER	40#BG	<a href="#">B7751</a>	5/10										
SF 2.4 Mil White BOPP NTC	S692N	40#BG	<a href="#">B3138</a>	5										
SF 2.6 Mil White BOPP NTC	S692N	40#BG	<a href="#">76912</a>	5										
2.6 Mil White BOPP TC	FA20	40#SCK	<a href="#">75413</a>		5									
	C4510	40#SCK	<a href="#">79954</a>					5/10	10	10				
	C4510	0.92 Mil	<a href="#">B9116</a>		10									6" cores
	C2075	40#SCK	<a href="#">78200</a>		10									
	S246	1.2 Mil PET	<a href="#">77532</a>		5									
	S692N	1.2Mil PET	<a href="#">78146</a>	10									10	
	S692N-ER	1.2Mil PET	<a href="#">B7693</a>						10					
	S692N	1.5 Mil PET	<a href="#">76999</a>				5/10				10			
	S692N	40#BG	<a href="#">76910</a>	5/10						5/10	5/10		10	
	S692N-ER	40#BG	<a href="#">B7816</a>	5/10							10			
	S246	40#SCK	<a href="#">75607</a>		5									
	AT20	40#SCK	<a href="#">76684</a>			10			10					
	R300	40#BG	<a href="#">77563</a>			5								
	C4500B	1.2 Mil PET	<a href="#">79949</a>		10			10						
2.6 Mil White BOPP NTC	S7400ER	.92 Mil PET	<a href="#">B7782</a>				10/20							6" cores
2 Mil Metallized BOPP TC	S7000	40#BG	<a href="#">79101</a>		10	10					10		10	
	S692N	1.2 Mil PET	<a href="#">77269</a>	10				10						6" Cores
	S692N-ER	1.2Mil PET	<a href="#">B7763</a>	10										6" Cores
	S692N	40#BG	<a href="#">77036</a>			10			10	10				
	S7000ER	1.2 Mil PET	<a href="#">B7764</a>	10			10				5/10			WCD 10K/QTN: 6" cores
3 Mil Matte White BOPP TC	AT20N	40#SCK	<a href="#">77609</a>			10								
2 Mil Totally Seamless Rainbow BOPP 30% PCW	S692N	40#SCK	<a href="#">B5352</a>			5								

## Direct Thermal Film

3 Mil Direct-Therm BOPP	AT2550	40#SCK	<a href="#">B2866</a>	5/10										
				<b>GFD</b>	<b>PTC</b>	<b>PFF</b>	<b>QTN</b>	<b>DAL</b>	<b>NNH</b>	<b>SEA</b>	<b>WCD</b>	<b>MTL</b>	<b>TDC</b>	

Locations: **DAL**-Dallas, TX; **GFD**-Greenfield, IN; **MTL**-Montreal; **NNH**-Neenah, WI; **OAK** - Oak Harbor, OH  
**PFF**-Painesville, OH; **PTC**-Peachtree City, GA; **QTN**-Quakertown, PA; **SEA**-Seattle, WA; **TDC**-Toronto; **WCD**-West Coast  
 Numbers indicate length of program in thousands of feet (5 = 5,000). RW = Ready Width™

Fasson® Facestock	Adhesive	Liner	Spec#	GFD	PTC	PFF	QTN	DAL	NNH	SEA	WCD	MTL	TDC	Comments
4 Mil Direct-Therm BOPP	AT2550	40#SCK	<a href="#">B3041</a>	10										
Direct-Therm Platinum	AT2550	40#SCK	<a href="#">C0678</a>			5								
Direct-Therm Platinum White	AT2550	40#SCK	<a href="#">C4900</a>			5								

### Thermal Transfer/Durable/Vinyl Film

1 Mil Clear PET TC	S730	1Mil PET	<a href="#">77855</a>						5					
	S8020	40#BG	<a href="#">77841</a>			2.5								
1 Mil Clear Print-Treated PET	S8020	40#BG	<a href="#">77844</a>			2.5/5					2.5			
	S8020	1Mil PET	<a href="#">77955</a>						2.5					
2 Mil White Print-Treated PET	S333	50#SCK	<a href="#">72828</a>			5					5			
	S730	50#SCK	<a href="#">82737</a>						2.5					
	R143	50#SCK	<a href="#">71055</a>						2.5					
2 Mil White PET TC	S333	50#SCK	<a href="#">72825</a>			5								
	S730	50#SCK	<a href="#">40443</a>						5		2.5			
	S8001	50#SCK	<a href="#">78385</a>			5								
	S8015	50#SCK	<a href="#">76656</a>						1.7/5					All 1.7 length programs are actually 1668'
	S8025	50#SCK	<a href="#">77920</a>			5								
	S8049	50#SCK	<a href="#">79453</a>			2.5								
2 Mil White Void PET TC	S8015A	50#SCK	<a href="#">B6003</a>						1.7					
2 Mil Silver Void PET TC	S8015	50#SCK	<a href="#">78195</a>						1.7					
2 Mil Clear Print-Treated PET	S333	50#SCK	<a href="#">72829</a>			2.5								
	S730	50#SCK	<a href="#">61319</a>						1.7					
2 Mil Clear PET TC	S333	50#SCK	<a href="#">72823</a>						2.5					
	S730	50#SCK	<a href="#">61320</a>						1.7					
	S8025	50#SCK	<a href="#">77921</a>						5					
Fasfilm Clear TC	S2001	40#SCK	<a href="#">78233</a>									RW 7.5	Widths: 10" & 7.5"	
2 Mil White PET TCD	S8025	50#SCK	<a href="#">78981</a>			5								
2 Mil Bright Chrome PET TC	S333	50#SCK	<a href="#">72824</a>						2.5					
	S8025	50#SCK	<a href="#">77923</a>						5					
2 Mil Matte Chrome Polyester TC	S333	50#SCK	<a href="#">72826</a>						5		2.5			
	S8001	50#SCK	<a href="#">78387</a>						5					
	S8025	50#SCK	<a href="#">77922</a>						5					
	S8015	50#SCK	<a href="#">76660</a>						1.7					
2 Mil Brushed Chrome Polyester TC	S333	50#SCK	<a href="#">73303</a>					1.7						
4 Mil White Flexible Vinyl TC	S4650	50#SCK	<a href="#">C2447</a>			3.3								
	S730	50#SCK	<a href="#">40087</a>			2.5/5					2.5			
Tamperfas™ Satin Vinyl	S730	50#SCK	<a href="#">79449</a>			1.7								
TransCode® PLUS CLEAR	S4905L	50#BRN	<a href="#">B6115</a>			7.5								
TransCode® White	S475	50#SCK	<a href="#">72197</a>			5					5			

GFD	PTC	PFF	QTN	DAL	NNH	SEA	WCD	MTL	TDC
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

Locations: DAL-Dallas, TX; GFD-Greenfield, IN; MTL-Montreal; NNH-Neenah, WI; OAK - Oak Harbor, OH  
 PFF-Painesville, OH; PTC-Peachtree City, GA; QTN-Quakertown, PA; SEA-Seattle, WA; TDC-Toronto; WCD-West Coast  
 Numbers indicate length of program in thousands of feet (5 = 5,000'). RW = Ready Width™

<b>Fasson® Facestock</b>	Adhesive	Liner	Spec#	GFD	PTC	PFF	QTN	DAL	NNH	SEA	WCD	MTL	TDC	Comments
3 Mil White Synthetic Paper	S333	50#SCK	<a href="#">75570</a>			5/10					5/10			
	S4600	50#SCK	<a href="#">76693</a>			5								
	S8001	50#SCK	<a href="#">78401</a>			5					10			
	C2580	40#SCK	<a href="#">79520</a>		10					10				
Smudgeproof Kimdura®	S4650	50#SCK	<a href="#">B8560</a>			5								
SCANback™	S730	50#SCK ABC	<a href="#">73739</a>			RW 2.5								Widths: 6.5",8.5"
3 Mil Velvet LEXAN™	S730	1.5 Mil PET	<a href="#">75849</a>						1.7					
5 Mil Velvet LEXAN™	S730	1.5 Mil PET	<a href="#">75850</a>						1.7					
2 Mil Clear BOPP TC	S4905L	40# SCK	<a href="#">B7195</a>			5								
2.3M WH BOPP TC2000	S8001	50#SCK	<a href="#">C0733</a>						5					
	S6650	50#SCK	<a href="#">C2621</a>			5								

### Thermal Transfer/Paper

Trans-Therm® C-ECO FSC®	S1550	1.7 Mil SCK	<a href="#">54341</a>	20										
Trans-Therm® 2C FSC®	LP1000	40# SCK	<a href="#">B7699</a>			5								
Trans-Therm® C FSC®	S2550	40# SCK	<a href="#">53870</a>	7.5/15				15	15		15	15		
	S2550	40# SCK	<a href="#">53872</a>	5/10/20	5/10			5/10	10	10	10	5/10	10	
	S2550	1.2M PET	<a href="#">B7597</a>	10										
	AT2550	40#CK	<a href="#">54314</a>	10/15					15			7.5/15		
Trans-Therm® 1C FSC®	S246	40#CK	<a href="#">13605</a>	7.5										
	S2550	40#SCK	<a href="#">54091</a>	5/10	10		5/10	5/10	5/10	5/10	5/10		10	
	AT2550	40#SCK	<a href="#">54312</a>	5/10					10		5/10		10	
	R423	40#SCK	<a href="#">98203</a>			5								
	R5195	40#CK	<a href="#">18327</a>	10				10						
Trans-Therm® 1C FSC Piggyback FSC®	S2550	40#/40#SCK	<a href="#">B5661</a>	5										
Trans-Therm® 1C FasCover™ 2 FSC®	AT2550	40#CK	<a href="#">B6853</a>			5								
Trans-Therm® 2C FSC®	S246	40#SCK	<a href="#">08027</a>	10										
	S2550	40#SCK	<a href="#">53873</a>	5/7.5/15										
Trans-Therm® 2	S246	40#SCK	<a href="#">02116</a>		5									

### Direct Thermal Paper

Direct-Therm 300LD PF FSC®	S2550	40#SCK	<a href="#">C2331</a>	7.5/15	7.5/15			15			7.5/15	15	10	
	AT2550	40#SCK	<a href="#">C2779</a>	7.5/10/15					15		10/15	10/15		
	S2550	1.7M SCK	<a href="#">C2785</a>	15										
	AT2550	1.7M SCK	<a href="#">C2780</a>	15										
				<b>GFD</b>	<b>PTC</b>	<b>PFF</b>	<b>QTN</b>	<b>DAL</b>	<b>NNH</b>	<b>SEA</b>	<b>WCD</b>	<b>MTL</b>	<b>TDC</b>	

<b>Fasson® Facestock</b>	Adhesive	Liner	Spec#	GFD	PTC	PFF	QTN	DAL	NNH	SEA	WCD	MTL	TDC	Comments
Direct-Therm 200GP PF FSC®	S2550	40#SCK	<a href="#">C2794</a>	5/10							10	5/10		General Purpose
	S2550	40#SCK	<a href="#">C2929</a>	15										
	AT2550	40# SCK	<a href="#">C2708</a>	5/10	10			10		10	5/10	10		
	AT2550	1.7M SCK	<a href="#">C2709</a>	15										
	C4510	40#SCK	<a href="#">C2774</a>		10									10
	R5195	40#SCK	<a href="#">C2776</a>	7.5/15									10	
	AT2550	40#SCK	<a href="#">C2777</a>	15							15			
Direct-Therm 200HD PF FSC®	S2501	40# SCK	<a href="#">C2802</a>	10										
	AT2550	40# SCK	<a href="#">C2800</a>	5/10	10			10	10	5/10	10	10		
	S2550	40# SCK	<a href="#">C2801</a>	5/10										
	LP1000	40# SCK	<a href="#">C2931</a>			5								
Direct-Therm 200HD Plus	R5195	40#CK	<a href="#">18685</a>	5/10										High Durability
	S2550	40#SCK	<a href="#">54220</a>	10/15							5/10			
Direct-Therm 200HD RX	S2501	40#SCK	<a href="#">54247</a>	10/15										Prescription
Direct-Therm 300 NIR PF FSC®	S2550	40#SCK	<a href="#">C5045</a>	5										
Direct-Therm 330TM FSC®	S9010N	40#CK	<a href="#">53710</a>	5/10										Tight Mandrel
Direct-Therm 300HD FSC®	AT2550	40#SCK	<a href="#">54320</a>	5/10										High Durability
	FA20B	40#SCK	<a href="#">15862</a>		5									

**Laser/EDP**

50# DSX™ FSC®	S9010N	50#CK	<a href="#">53138</a>	5/10										
			<a href="#">53139</a>	15										
	AT2550	50#CK	<a href="#">54296</a>	7.5/15										
	R5195	50#CK	<a href="#">18329</a>	10										
	S9010N	45#BK	<a href="#">19046</a>	10										
	S2550	40#CK	<a href="#">54157</a>	5/15										
50# DSX™ FSC® Piggyback	S2550	40# /50#SCK	<a href="#">B6154</a>	RW 10										Widths: 6.25", 9.25"
54 #SG Laser FSC® 2M White Laser PET	S2501	53#LF	<a href="#">53057</a>	15										6" Cores
	S4650	66#PK	<a href="#">B4101</a>						5					
Scrip Label FSC®	S9010N	46#LF	<a href="#">18890</a>	10										6" cores
Laser-Rite™ Durable FSC®	R5423	50#MF	<a href="#">53763</a>	10										6" Cores
Standard Laser-Rite™ FSC®	R5423	50#MF	<a href="#">18345</a>	10										6" Cores
Laser Copy™ Jet 300 FSC®	S9010N	46#LF	<a href="#">18884</a>	10				10			10		10	6" cores
			<a href="#">53698</a>	15									6" cores	
	S9010N	44#LF	<a href="#">18117</a>	10									6" cores	
	S8511	46#LF	<a href="#">18447</a>			10							6" cores	
	R5195	46#LF	<a href="#">18303</a>	10							10		6" cores	
	AT2550	46#LF	<a href="#">B8392</a>	10									6" cores	
Laser Code™ Drum Label TC	S4650	79# MF	<a href="#">C1688</a>			5			5					6" cores
Laser Code™ Drum Label	S4650	79#MF	<a href="#">C1674</a>			RW 7.5								6" cores; Width: 9"
Laser Code™ II 3480XX NTC	R120	80#CC	<a href="#">79718</a>			7.5								6" cores
34# Translucent	S2501	40#SCK	<a href="#">B5313</a>			15								

<b>Fasson® Facestock</b>	Adhesive	Liner	Spec#	GFD	PTC	PFF	QTN	DAL	NNH	SEA	WCD	MTL	TDC	Comments
<b>UV Inkjet</b>														
55# Semi-Gloss UV Inkjet	AT2550	40#SCK	<a href="#">B5251</a>	5										
3 Mil Matte White C Synthetic	S333	50#SCK	<a href="#">79865</a>			10								
<b>Water-Based Inkjet</b>														
Demand Jet™ 500HG	AT20	40#SCK	<a href="#">53109</a>						2.5					
	S2501	40#SCK	<a href="#">53110</a>				2.5/5/7.5							
Premium Matte Inkjet	AT2550	40#SCK	<a href="#">B6889</a>	2.5										
	S2501	41# LF	<a href="#">53708</a>	2.5										
Gloss White BOPP WBIJ	S7000	40#BG	<a href="#">79659</a>			2.5								
4.5 Mil White WBIJ Kimdura®	S4650	50#SCK	<a href="#">C1283</a>			5								
3 Mil Matte White Synthetic	S8001	50#SCK	<a href="#">79404</a>			2.5								
3.5 Mil Matte White Synthetic	S4650	50#SCK	<a href="#">B8559</a>			10								
				GFD	PTC	PFF	QTN	DAL	NNH	SEA	WCD	MTL	TDC	

Fasson® Facestock	Spec#	GFD	PFF	QTN	DAL	NNH	SEA	WCD	MTL	TDC	Comments
<b>Fasson® Rapid-Roll®</b>											
60# C1S Semi-Gloss Elite™ FSC®	<a href="#">54450</a>					10					
60# C25 Semi-Gloss FSC®	<a href="#">54457</a>					10		10			
8 Pt. C1S RR Brite White FSC®	<a href="#">B4478</a>					7.5					
8 Pt. C1S Semi-Gloss® FSC®	<a href="#">B4485</a>					10					
10 Pt. C1S RR Brite White FSC®	<a href="#">B4480</a>					7.5					
10 Pt. C1S Semi-Gloss® FSC®	<a href="#">B4486</a>					7.5					
12 Pt. C1S RR Brite White FSC®	<a href="#">B4481</a>					5					
14PT C1S SEMI-GLOSS FSC®	<a href="#">B9666</a>					5					
8 Pt. C2S RR Brite White FSC®	<a href="#">B4482</a>					7.5					
10 Pt. C2S RR Brite White FSC®	<a href="#">B4483</a>					7.5					
3 Pt. C1S Thermal Transfer FSC®	<a href="#">53751</a>					10					
5 Pt. C1S TT FSC®	<a href="#">53752</a>					10					
7.5 Pt. Uncoated Thermal Transfer	<a href="#">16816</a>					5					
5 Pt. C1S Integrity Thermal Transfer	<a href="#">16817</a>					10					
7 Pt. C1S Thermal Transfer FSC®	<a href="#">53753</a>					7.5		7.5			
7 Pt. C1S Integrity Thermal Transfer	<a href="#">16786</a>					7.5					
8 Pt. C2S Thermal Transfer w/OB FSC®	<a href="#">53745</a>					7.5					
10 Pt C1S+ Thermal Transfer OB FSC®	<a href="#">C0275</a>					10					
7.5 Pt. Direct-Therm 200HD FSC®	<a href="#">B2399</a>					7.5					
50M Clear High Shrink PETG	<a href="#">79765</a>			10/20	10						6" cores QTN
1025D Tyvek®	<a href="#">79108</a>					5					
1082D Tyvek®	<a href="#">75724</a>					5					
7.5 Mil C2S Valeron®	<a href="#">75728</a>					7.5					
7.5 Mil V-Max® Select™	<a href="#">75947</a>					5		5			
7.5 Mil HS HDPE	<a href="#">B0930</a>					5					
6 Mil Polyolith® GC-3	<a href="#">78251</a>					7.5					
7 Mil Polyolith® GC-3	<a href="#">78232</a>					10					
10 Mil Polyolith® GC-2	<a href="#">75736</a>					5					6" cores
25# PPF w/Surlyn FSC®	<a href="#">B4986</a>					7.5					
25# FSC PFP	<a href="#">C0650</a>					10					
35# FSC PFP	<a href="#">C0651</a>					10					
White StickPak Surlyn® 280HB	<a href="#">79343</a>				10						
White Metallized Snack Web	<a href="#">79355</a>					10					
Metallized Coffee Web	<a href="#">79426</a>					10					
WH 86G CELLO STICKPACK SURLYN HB PLUS	<a href="#">B9543</a>					10					
White Cosmetic Web 350 HB	<a href="#">79332</a>					10		10			
White Cosmetic Web 350 SB	<a href="#">75758</a>					10					
Silver Cosmetic Web 350 HB	<a href="#">79333</a>					10					
White Cosmetic Web Ultra	<a href="#">77553</a>					10					
White Cosmetic Web Ultra Plus	<a href="#">79334</a>					10					
White Stand Up Pouch 360 HB	<a href="#">79935</a>					5					6" cores
		<b>GFD</b>	<b>PFF</b>	<b>QTN</b>	<b>DAL</b>	<b>NNH</b>	<b>SEA</b>	<b>WCD</b>	<b>MTL</b>	<b>TDC</b>	

	Spec#	OAK	NNH	SEA	Comments
<b>Overlaminates</b>					
404 - CLASSIC EXACT S/W BOPP	<a href="#">B9077</a>	5/10		10/15	
410 - CLR S/W BOPP	<a href="#">B9082</a>	5/10/20	5/10	10	
320 - .71 MIL MATTE S/W BOPP	<a href="#">B9332</a>	5/10		10	
1132 - TTP SUPERTHIN	<a href="#">B9334</a>	5			
505F - 1 MIL CLR S/W BOPP	<a href="#">B9337</a>	10			
643 - .5 MIL SOFSENS 643 PET	<a href="#">B9339</a>	5			
609 - 1 MIL CLR S/W PET MR	<a href="#">B9353</a>	5			
505B - 1 MIL CLR S/W BOPP	<a href="#">B9366</a>	5	5		
505T - 1 MIL CLR BOPP TT PRTBL	<a href="#">B9367</a>	5/10			
505C - 1 MIL CLR S/W BOPP	<a href="#">B9369</a>	10			
505E - 1 MIL CLR S/W BOPP	<a href="#">B9371</a>	10			
700E - 2 MIL CLR S/W BOPP	<a href="#">B9372</a>	5			
610T - 1 MIL CLR S/W PET TT	<a href="#">B9416</a>	5/10		5	
531 - 1 MIL MATTE S/W BOPP	<a href="#">B9424</a>	5/10	10	5/10	
531T - 1 MIL MATTE S/W BOPP TT	<a href="#">B9432</a>	5/10			
410DIG - DIG CLR S/W BOPP	<a href="#">B9436</a>	5/10			
531DIG - 1 MIL DIG MATTE S/W BOPP	<a href="#">B9437</a>	5			
		<b>OAK</b>	<b>NNH</b>	<b>SEA</b>	

Fasson EXACT™ and Fasson Ready Width™ are powerful service programs designed to help you acquire just the material you need. Achieve reduced scrap, lower inventory costs, reduced freight, and better operational efficiencies – making your wallet and our world a little bit greener.

**800-944-8511 • [label.averydennison.com](http://label.averydennison.com)**

[label.averydennison.com](http://label.averydennison.com)

06/2026

All Avery Dennison statements, technical information and recommendations are based on tests believed to be reliable but do not constitute a guarantee or warranty. All Avery Dennison products are sold with the understanding that purchaser has independently determined the suitability of such products for its purposes. All Avery Dennison products are sold subject to Avery Dennison's general terms and conditions of sale found at [label.averydennison.com/en/home/terms-and-conditions.html](http://label.averydennison.com/en/home/terms-and-conditions.html).



©2026 Avery Dennison Corporation. All rights reserved. Avery Dennison® is a registered trademark of Avery Dennison Corporation. Avery Dennison brands, product names, antenna designs and codes or service programs are trademarks of Avery Dennison Corporation.