

Fasson EXACT™ Update

Includes Ready Width™
Products

April 2026 EXACT™ Service Program Additions and Removals

Additions

Spec#	Product Description	Action
C2621	2.3 MIL White BOPP TC2000/S6650/50# SCK	Add EXACT™ 5K in PFF
78146	2.6 Mil White BOPP TC/S692N/1.2 Mil Polyester	Add EXACT™ 10K in NNH
C2104	54# SemiGloss FSC® /AT2550/92M Polyester	Add EXACT™ 10K in NNH
B3136	2.4 Mil White BOPP TC/S692N/1.2 Mil PET	Add EXACT™ 10K in NNH
53919	60# Semi-Gloss Elite™ FSC®/C2580/40#SCK	Add EXACT™ 10K in PTC

Removals

Spec#	Product Description	Action
78146	2.6 Mil White BOPP TC/S692N/1.2 Mil Polyester	Remove EXACT™ 10K in GFD
C2104	54# SemiGloss FSC® /AT2550/92M Polyester	Remove EXACT™ 10K in GFD
B3136	2.4 Mil White BOPP TC/S692N/1.2 Mil PET	Remove EXACT™ 10K in GFD
53919	60# Semi-Gloss Elite™ FSC®/C2580/40#SCK	Remove EXACT™ 10K in QTN

Finishing, Packaging and Shipping Standards Update: cradle packing will now be unavailable below 20" combined width due to safety issues.

FSC® C018096

Location names have been adjusted to align with internal location names

Locations: **DAL**-Dallas, TX; **GFD**-Greenfield, IN; **MTL**-Montreal; **NNH**-Neenah, WI; **OAK** - Oak Harbor, OH
PFF-Painesville, OH; **PTC**-Peachtree City, GA; **QTN**-Quakertown, PA; **SEA**-Seattle, WA; **TDC**-Toronto; **WCD**-West Coast

All new programs will have a trial period of 3 months. Programs are subject to change without notice.

Numbers indicate length of program in thousands of feet (5 = 5,000). RW = Ready Width™

Fasson® Facestock	Adhesive	Liner	Spec#	1DayLT	GFD	PTC	PFF	QTN	DAL	NNH	SEA	WCD	MTL	TDC	Comments
Prime Paper															
54# Semi-Gloss FSC®	AT2550	40#SCK		54291	5/10/15	5/10		5/10	5/10	5/10	5/10	5/10	10	5/10	
	AT2550	1.2M PET		C2006	10/15					10	10	10	10		
	AT2550	.92PET	C2104						10	10					
	C4500	40#SCK		54369	5/10	3/5/10		5/10/15	5/10	5/10	10	5/10	5/10	10	
	C4500	1.2 Mil PET	54372			10				10					
	R5195	46#LF	54116		15										
	S2550	40#SCK	54146		10										
	C4510	40#SCK	54413			10									
	AT2550	40#SCK	54293							10					
	C4500	.92 Mil PET	54371							10					
60# Semi-Gloss Elite FSC®	C4510	40#SCK	54414			5/10				5/10	5/10			10	
	C4500	40#SCK	54373			5/10		5/10		10	10	5/10		10	
	AT2550	40#SCK		54294	5/10			5/10	5/10	5/10	5/10	5/10		10	
	AT2550	1.2M PET	C2766		10				10			10			
	S246	40#CK	15337		5/10					5/10		5/10		10	
	AT3550	40#SCK	B6780		10										
	AT2550	1.02 Mil PET	B7374				10								
	AT1	40#SCK	15476				5								
	C4500	1.2 Mil PET	54377		5/10	5/10						10			
	R5195	40#CK	18328		5/10			5/10		5/10		5/10			
54# Semi-Gloss FasCover2	C4500	40#SCK	54383			5									
60# Semi-Gloss Elite FSC®	C2075	40#SCK	17714			5/10									
	LP1000	40#SCK	54149				5								
	C2580	40#SCK	53919			10					10				
60# Semi-Gloss Elite Piggyback	S2550	40#SCK /40#SCK	B5007		5										
60# Archival Semi-Gloss FSC®	R5195	40#LF	18559		10										6" cores
	S490	40#LF	18392				10								
60# Semi-Gloss Elite™ FasCover™ 2	AT2550	40#SCK	B5626		5										
54# Semi-Gloss ITC	AT2550	40#SCK	54300		5/10										

Prime Paper

GFD	PTC	PFF	QTN	DAL	NNH	SEA	WCD	MTL	TDC
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

Program Guidelines

- Roll lengths can vary by +/- 10%.
- The standard lead time for EXACT programs is 3 business days for orders booked before 12:00 pm and 4 business days after 12:00 pm according to the time zone for each site. Orders from Oak Harbor will be shipped in 2 days if placed before 12:00 pm EST.
- Minimum slit width & maximum order size are location-specific.
- Standard pallets. No core labels. One pallet might be identified as containing mixed widths.
- Cradle pack available on 5000' and above programs (with 27" minimum order size per pallet for safety)..
- Arrow stamping not available on EXACT orders.

Fasson® Facestock	Adhesive	Liner	Spec#	1DayLT	GFD	PTC	PFF	QTN	DAL	NNH	SEA	WCD	MTL	TDC	Comments
60# Gloss	C4500	40#SCK	54380					5/10							
	S246	40#SCK	17411			5/10							10		
	AT2550	40#SCK	B4338		10										
55# Cast Gloss Elite™	C4500	40#SCK	54378			5					10				
	AT2550	40#SCK	54302		5/10										
60# Cast Gloss	AT2550	40#SCK	54301		5/10						5				
	C2075	40#SCK	17715			5									
	S246	50#CK	07605					5							
	R5195	40#SCK	18445		5										
High Gloss + FasCover™ 2	AT2550	40#SCK	B5253		5										
Dairy Print FSC®	C4510	40#NK		54421		10			10	10	10		10		
	C4510	40#SCK	54423			5/10									
	C4510	.92 Mil PET	54424			10				10					
50# FM Litho FSC®	Z3000	40#SCK	53645			RW 5									WCD Widths: 4.59375", 6", 10"
Matte Litho FSC®	AT2550	40#SCK	B4336		10										
	C4500	40#SCK	54384			5				5	5				
	S246	40#CK	03558			5						5			
	R5195	40#SCK	18444		2.5										
8 Pt. Tag	AT2550	40#SCK	B4942		5										
	S246	40#SCK	17698			5									
Red Fluorescent	C4500	40#SCK	54409			3/5/10									
Green Fluorescent	C4500	40#SCK	54406			3/5									
Orange Fluorescent FSC®	C4500	40#SCK	54407			3/5									
Chartreuse Fluorescent	C4500	40#SCK	54405			5									
Pink Fluorescent	C4500	40#SCK	54408			2.5									
Bright Silver Foil FSC®	C4500	40#SCK	54385			5									
Bright Gold Foil FSC®	C4500	40#SCK	54387			3/5									
Dull Silver Foil	AT20	1.2 Mil PET	53459									10			
	C4500	40#SCK	54386			5									
Dissolvable FSC®	S2600	40#SCK	15666						5						
Dispersible Paper FSC®	S2600	40#SCK	54353						10						

Pharmaceutical

Pharma Semi Gloss FSC®	S246	40#SCK	54330			5/10/15									
	S246	1.2 Mil PET	B6168			7.5/10									
	S246	1.5 Mil PET	54331			7.5									
	S727	1.5 Mil PET	54334				5								
	S727	40#SCK	54332				5								
54# Pharmaceutical Semi-Gloss FSC®	S246	1.2MPET	54473			RW 10									Widths 10" & 12"
Pharma High Gloss	S727	40#SCK	53168				5								
	S727	1.5 Mil PET	B5650				5								

GFD PTC PFF QTN DAL NNH SEA WCD MTL TDC

Fasson® Facestock	Adhesive	Liner	Spec#	1DayLT	GFD	PTC	PFF	QTN	DAL	NNH	SEA	WCD	MTL	TDC	Comments
Pharma Lightweight Litho FSC®	S727	1.5 Mil PET	19458				5								
Lightweight Pharma Litho	S727	40#SCK	07944					5							
2 Mil Clear BOPP TC	S717P	1.2Mil PET	B3582				5								
	S692NP	1.2Mil PET	B4722				RW 5								Width: 12"
	S717P	1.2 Mil 90% rPET	C2008				5								
2.3 Mil White TC PP	C0196	40#BG	77392							RW 1.7					Width: 6.5"
2.6 Mil White BOPP TC	S727	1.2Mil PET	79059				5								
	S717P	40#BG	79040				10								
	S727	1.2 Mil 90% rPET	C2064				5								
	S692NP	1.2Mil PET	79049				RW 5								Width: 12"

Wine & Spirits

144# Silver Alloy	Z2010B	1.2 Mil PET	C2909				RW 5								Width: 12"
100# Silver Hammered Metal	Z2010B	1.2 Mil PET	B5834				RW 2.5								Wine; Width: 13"
47# Estate 8 WS FSC®	Z2010	1.2 Mil PET	B9874				RW 5								Wine; Width: 12"
48# Uncoated Paper	Z2010	1.2 Mil PET	B9875				RW 5								Wine; Width: 12"
54# Semi-Gloss WS FSC®	Z2010	1.2 Mil PET	B9833				RW 5								Wine; Width: 12"
56# MaxFlex™ Bright Silver FSC®	C4500	40#SCK	54394			5/10						10		5/10	
	AT20	1Mil PET	53380		10										Core: 6"
	AT20	1.2 Mil PET	53381		10							10			
	Z2010	44#PK	B5796									RW 5			Widths: 10", 12"
	Z2010	1.2 Mil PET	B5798				RW 5								Wine; Width: 12"
	AT20	40#SCK	53352				10								
60# Cast Gloss	AT20N	1.2 Mil PET	B2504									10			Wine
60# Estate Label® #4 Wet-Strength FSC®	Z2010	1.2 Mil PET	B5787									5			
	Z2010	44#PK	B5845									5			Wine
60# Estate Label® #8 Wet-Strength FSC®	Z2010	44#PK	B5579									5			Wine
	Z2010	1.2 Mil PET	B5580									5/10	10		Wine
	AT20N	1.2 Mil PET	19650				10					5/10			Wine
60# Estate Label® #9 Wet-Strength FSC®	Z2010	44#PK	B5848				5					5			Wine
60# Estate Label® #25 Black Wet-Strength FSC®	Z2010	1.2 Mil PET	B5804									5			
60# Classic® Linen Solar White Wet-Strength FSC®	Z2010	44#PK	B5842									5			Width: 10"
	Z2010	1.2 Mil PET	B5786									10			
60# Classic Crest® Solar White Wet-Strength FSC®	Z2010	44#PK	B5849									5			Wine
	AT20N	1.2 Mil PET	19648									5/10			
	Z2010	1.2Mil PET	B8581				10					10			Core: 6"

Fasson® Facestock	Adhesive	Liner	Spec#	1DayLT	GFD	PTC	PFF	QTN	DAL	NNH	SEA	WCD	MTL	TDC	Comments
60# Semi-Gloss Elite™	AT20N	1.2 Mil PET	19655		10							10			Wine
	Z2010	44# PK	B8863									5			Wine
	Z2010	1.2 Mil PET	B5797				10								Wine

Wine & Spirits

60# Classic Crest® Natural White Wet-Strength FSC®	Z2010	44#PK	B5784									5			
60# Classic® Laid Solar White Wet-Strength FSC®	Z2010	44#PK	B5850									5			
Classic® Felt Natural White Wet-Strength FSC®	Z2010	44#PK	B5844									5			
	Z2010	1.2 Mil PET	B5810									5			
70# Eggshell Felt Wet-Strength FSC®	Z2010B	44#PK	B8849				5					5			Wine
	Z2010B	1.2 Mil PET	B5581									5/10			6" cores: 10K
70# Bright White Felt Wet-Strength FSC®	Z2010B	44#PK	B5815				5					5			
	Z2010B	1.2Mil PET	B5584				5					5/10		10	6" cores WCD, TDC
70#Bright White Felt WS FSC® Weld	Z2010B	1.2M PET	B5576									10			6" cores
70# 30% PCW Bright White Felt Wet-Strength FSC®	Z2010B	1.2Mil PET	C1301									10			6" cores
60# Matte Litho WN	Z2010	1.2 Mil PET	B5792									5			Wine
60# Matte Litho Wet-Strength	AT20	44#PK	19298								5				Wine
60# Uncoated Litho Wet-Strength FSC®	Z2010	1.2 Mil PET	B5582									10			
	AT20N	1.2 Mil PET	19993				10					10			
60# Uncoated Litho Wet-Strength/OPP Weld	AT20N	1.2 Mil PET	53007									10			6" Core
60# Estate Label #8 WS FSC® / Weld*	AT20N	1.2 Mil PET	53476									10			
70# Bright White Felt Wet-Strength FSC® / Weld	Z2010B	44#PK	B5820									5			Wine
70# 100% Pure Cotton Wet Strength	Z2010B	1.2M PET	B5779												Width: 12"
70# 25% Cotton Feel 30% PCW Wet Strength	Z2010B	1.2 Mil	B5780												Width: 12"
70# Houndstooth 30% PCW WS FSC®	Z2010B	1.2 Mil PET	B8487												Width: 13"

Prime Films – Conformables

High Performance FasClear® TC	S7000ER	1.2 Mil PET	B8019					10				10			Full-Squeeze 6" Core
High Performance PRIMAX® TC	S7000ER	1.2 Mil PET	B7735					10							Full-Squeeze 6" Core
IF Metallized PRIMAX® 250	S1000	44#PK	75312				2.5								Full-Squeeze
					GFD	PTC	PFF	QTN	DAL	NNH	SEA	WCD	MTL	TDC	

Locations: DAL-Dallas, TX; GFD-Greenfield, IN; MTL-Montreal; NNH-Neenah, WI; OAK - Oak Harbor, OH
 PFF-Painesville, OH; PTC-Peachtree City, GA; QTN-Quakertown, PA; SEA-Seattle, WA; TDC-Toronto; WCD-West Coast
 Numbers indicate length of program in thousands of feet (5 = 5,000). RW = Ready Width™

Fasson® Facestock	Adhesive	Liner	Spec#	1DayLT	GFD	PTC	PFF	QTN	DAL	NNH	SEA	WCD	MTL	TDC	Comments
3.0 Mil Clear MDO	S692N	1.2 Mil PET	77964		10										Full-Squeeze 6" Core
	S692N	40#BG	78097		10									10	Full-Squeeze
3.0 Mil White MDO	S692N	1.2 Mil PET	77980		10				10						Full-Squeeze 6" Core
	S692N-ER	1.2Mil PET	B7801		10										Full-Squeeze 6" Core
	S692N	44#PK	77988				5								
	S692N	40#BG	78098		5/10									10	
SF Crystal Fasclear® TC	S2001	1.5Mil PET	B8163				10								6" core
FasClear® 250	S692N	1.2Mil PET	77234					10							Full-Squeeze 6" Core
	S692N	44#PK	76908				5				7.5				Full-Squeeze
PRIMAX® 250	S692N	44#PK	76905				5					7.5			
	S692N	40#BG	76994		5							5			
PRIMAX® 350	S692N	44#PK	76904				5					5			Full-Squeeze
	S692N	1.5 Mil PET	76990					5							
	S1000	44#PK	71800				5								Full-Squeeze
	R143	1.5 Mil PET	75394				5								
	R143	50#SCK	77967				5								
PE 85 White NTC	S692N	1.2 Mil PET	78225		10										6" core
PE 85 Clear NTC	S692N	1.2 Mil PET	76957					15							Full-Squeeze 6" Core
Global MDO Clear NTC	S7000ER	PET 23	B7725					15							Semi-Squeeze 6" Cores
Global MDO Next Gen Clear	S7000ER	.92 PET	B7656					15							
Global MDO Next Gen White	S7000ER	.92 PET	B7657					15							6" Core
Global MDO Clear TC	S7000ER	PET 23	B8021					15							
Global MDO White TC	S7000ER	PET 23	B8020					15							
Global Co-Ex™ Clear NTC	S692N	PET 30	77178					10							
	S692N-ER	PET 30	B7797					10							
Global Co-Ex™ Clear TC	S692N	PET 30	77381					10							Semi-Squeeze 6" Cores
	S692N-ER	PET 30	B7796					10							
Global Co-Ex™ White NTC	S692N	PET 30	77179		10			10							
	S692N-ER	PET 30	B7794		10			10							
Global Co-Ex™ White TC	S692N	PET 30	77382					10							
	S692N-ER	PET 30	B8022							10					
					GFD	PTC	PFF	QTN	DAL	NNH	SEA	WCD	MTL	TDC	

Fasson® Facestock	Adhesive	Liner	Spec#	1DayLT	GFD	PTC	PFF	QTN	DAL	NNH	SEA	WCD	MTL	TDC	Comments
Rigid Films															
1.6 Mil Clear BOPP TC	S7000ER	.92Mil PET		B7754	15			15				15			6" cores
	S7400ER	.92Mil PET	B7351		20							20			6" cores
1.6 Mil Clear BOPP NTC	S7400ER	.92 Mil PET	B7775		20										6" cores
1.6 Mil Metallized BOPP TC	S7000ER	.92 Mil PET	B7766		15										
2 Mil Clear BOPP TC	S7000ER	40#BG	B7348		5/10	10		5/10	10		5/10	5/10		10	
	S692N	40#BG	77008		5/10							5		10	
	S692N-ER	40#BG	B7347		5/10										
	S7000ER	1.2 Mil PET	B7350		5/10			10	10			10		10	6" cores QTN/WCD
	S692N	1.2 Mil PET	77138		5/10			10							6" cores
	S692N-ER	1.2 Mil PET		B7349				10							6" cores
	S7000ER	.92Mil PET	B7744		10										6" core
	S7400ER	.92Mil PET	B7781		10/20			20				10			GFD, QTN: 6" cores
	S2001	1.5 Mil PET	75386				10			10		7.5/10			NNH 3" cores; PFF and WCD: 6" cores;
	S2001	44#PK	74477				5			10					
	S3000	1.5 Mil PET	74279				5/10								6" cores on 10K only
	R3500	40#SCK	78148							5					
	R3500	1.2 Mil PET	B2809							15					6" cores
2 Mil Clear BOPP ITC	S7000ER	40#BG	B7745		5										
2 Mil Clear Polystyrene	S246	40#SCK	12323			10									
2 Mil White BOPP TC	S7000ER	.92 Mil PET	B7741					15		15					6" cores
	S7000ER	40#BG	B7753		5/10							10			
	S7000ER	1.2 Mil PET	B7740		10			10				10			QTN: 6" cores
2.3 Mil White BOPP TC	R3500	40#SCK	78149				5								
	S692N	40#BG	78333		5/10						10				
	S692N-ER	40#BG	B7760		10						10				
	S692N	1.2 Mil PET	78330		5/10			5/10	10	5/10		5/10			
	S692N-ER	1.2Mil PET	B7761		5/10			5/10				10			
	R3500	1.2 Mil PET	77461							10					
	AT2550	1.2 Mil PET	B8303							10					6" core

Rigid Films															
					GFD	PTC	PFF	QTN	DAL	NNH	SEA	WCD	MTL	TDC	

Fasson® Facestock	Adhesive	Liner	Spec#	1DayLT	GFD	PTC	PFF	QTN	DAL	NNH	SEA	WCD	MTL	TDC	Comments
2.4 Mil White BOPP TC	S692N	1.2 Mil PET	B3136							10					
	S692N	40#BG	B3255							5/10				10	
	S692N-ER	40#BG	B7756		5/10									10	
	S692N-ER	1.2MIL PET		B7758						10					
	S7000ER	.92 Mil PET		B7750				15							6" core
	S7000ER	.92 Mil 30% rPET	B7747					10							6" Core
	S7000ER	40#BG	B7729		5/10	5/10		5/10	5/10	5/10	5/10	5/10		5/10	
	S7000ER	1.2 Mil PET	B7655		10	10		10	10	10	10	10		10	
	S7400ER	1.2 Mil PET	B7771		10				10						6" Core
AT20N	40#BG	79102				10					10				
2.4 Mil White BOPP ITC	S7000ER	40#BG	B7751		5/10										
SF 2.4 Mil White BOPP NTC	S692N	40#BG	B3138		5										
SF 2.6 Mil White BOPP NTC	S692N	40#BG	76912		5										
2.6 Mil White BOPP TC	FA20	40#SCK	75413			5									
	C4510	40#SCK	79954						5/10	10	10				
	C4510	0.92 Mil	B9116			10									6" cores
	C2075	40#SCK	78200			10									
	S246	1.2 Mil PET	77532			5									
	S692N	1.2Mil PET	78146							10					
	S692N-ER	1.2Mil PET	B7693							10					
	S692N	1.5 Mil PET	76999					5/10				10			
	S692N	40#BG	76910		5/10						5/10	5/10		10	
	S692N-ER	40#BG	B7816		5/10							10			
	S246	40#SCK	75607			5									
	AT20	40#SCK	76684				10			10					
	R300	40#BG	77563				5								
	C4500B	1.2 Mil PET	79949			10									
	2.6 Mil White BOPP NTC	S7400ER	.92 Mil PET	B7782					10/20						
2 Mil Metallized BOPP TC	S7000	40#BG	79101			10	10					10		10	
	S692N	1.2 Mil PET	77269		10				10						6" Cores
	S692N-ER	1.2Mil PET	B7763		10										6" Cores
	S692N	40#BG	77036				10			10	10				
	S7000ER	1.2 Mil PET	B7764		10			10				5/10			WCD 10K/QTN: 6" cores
3 Mil Matte White BOPP TC	AT20N	40#SCK	77609				10								
2 Mil Totally Seamless Rainbow BOPP 30% PCW	S692N	40#SCK	B5352				5								

Direct Thermal Film

3 Mil Direct-Therm BOPP	AT2550	40#SCK	B2866		5/10										
					GFD	PTC	PFF	QTN	DAL	NNH	SEA	WCD	MTL	TDC	

Fasson® Facestock	Adhesive	Liner	Spec#	1DayLT	GFD	PTC	PFF	QTN	DAL	NNH	SEA	WCD	MTL	TDC	Comments
4 Mil Direct-Therm BOPP	AT2550	40#SCK	B3041		10										
Direct-Therm Platinum	AT2550	40#SCK	C0678				5								
Thermal Transfer/Durable/Vinyl Film															
1 Mil Clear PET TC	S730	1Mil PET	77855							5					
	S8020	40#BG	77841							2.5/5					
1 Mil Clear Print-Treated PET	S8020	40#BG	77844				2.5/5					2.5			
	S8020	1Mil PET	77955							2.5					
2 Mil White Print-Treated PET	S333	50#SCK	72828				5					5			
	S730	50#SCK	82737							2.5					
	R143	50#SCK	71055							2.5					
2 Mil White PET TC	S333	50#SCK	72825				5								
	S730	50#SCK	40443							5		2.5			
	S8001	50#SCK	78385				5								
	S8015	50#SCK	76656							1.7/5					All 1.7 length programs are actually 1668'
	S8025	50#SCK	77920				5								
	S8049	50#SCK	79453				2.5								
2 Mil White Void PET TC	S8015A	50#SCK	B6003							1.7					
2 Mil Silver Void PET TC	S8015	50#SCK	78195							1.7					
2 Mil Clear Print-Treated PET	S333	50#SCK	72829				2.5								
	S730	50#SCK	61319							1.7					
2 Mil Clear PET TC	S333	50#SCK	72823							2.5					
	S730	50#SCK	61320							1.7					
	S8025	50#SCK	77921							5					
Fasfilm Clear TC	S2001	40#SCK	78233											RW 7.5	Widths: 10" & 7.5"
2 Mil White PET TCD	S8025	50#SCK	78981				5								
2 Mil Bright Chrome PET TC	S333	50#SCK	72824							2.5					
	S8025	50#SCK	77923							5					
2 Mil Matte Chrome Polyester TC	S333	50#SCK	72826							5		2.5			
	S8001	50#SCK	78387							5					
	S8025	50#SCK	77922							5					
	S8015	50#SCK	76660							1.7					
2 Mil Brushed Chrome Polyester TC	S333	50#SCK	73303						1.7						
4 Mil White Flexible Vinyl TC	S4650	50#SCK	C2447				3.3								
	S730	50#SCK	40087				2.5/5					2.5			
Tamperfas™ Satin Vinyl	S730	50#SCK	79449				1.7								
TransCode® PLUS CLEAR	S4905L	50#BRN	B6115				7.5								
TransCode® White	S475	50#SCK	72197				5					5			
					GFD	PTC	PFF	QTN	DAL	NNH	SEA	WCD	MTL	TDC	

Locations: DAL-Dallas, TX; GFD-Greenfield, IN; MTL-Montreal; NNH-Neenah, WI; OAK - Oak Harbor, OH
 PFF-Painesville, OH; PTC-Peachtree City, GA; QTN-Quakertown, PA; SEA-Seattle, WA; TDC-Toronto; WCD-West Coast
 Numbers indicate length of program in thousands of feet (5 = 5,000'). RW = Ready Width™

Fasson® Facestock	Adhesive	Liner	Spec#	1DayLT	GFD	PTC	PFF	QTN	DAL	NNH	SEA	WCD	MTL	TDC	Comments
3 Mil White Synthetic Paper	S333	50#SCK	75570				5/10					5/10			
	S4600	50#SCK	76693				5								
	S8001	50#SCK	78401				5					10			
	C2580	40#SCK	79520			10					10				
Smudgeproof Kimdura®	S4650	50#SCK	B8560				5								
SCANback™	S730	50#SCK ABC	73739				RW 2.5								Widths: 6.5",8.5"
3 Mil Velvet LEXAN™	S730	1.5 Mil PET	75849							1.7					
5 Mil Velvet LEXAN™	S730	1.5 Mil PET	75850							1.7					
2 Mil Clear BOPP TC	S4905L	40# SCK	B7195				5								
2.3M WH BOPP TC2000	S8001	50#SCK	C0733								5				
	S6650	50#SCK	C2621				5								
	S6600	50#SCK	C0732				5								

Thermal Transfer/Paper

Trans-Therm® C-ECO FSC®	S1550	1.7 Mil SCK	54341		20										
Trans-Therm® 2C FSC®	LP1000	40# SCK	B7699				5								
Trans-Therm® C FSC®	S2550	40# SCK		53870	7.5/15				15	15		15	15		
	S2550	40# SCK		53872	5/10/20	5/10		5/10	10	10	10	10	5/10	10	
	S2550	1.2M PET	B7597		10										
	AT2550	40#CK		54314	10/15								7.5/15		
Trans-Therm® C RPC	S1550	1.7 Mil SCK	C0570		10										
Trans-Therm® 1C FSC®	S246	40#CK	13605		7.5										
	S2550	40#SCK	54091		5/10	10		5/10	5/10	5/10	5/10	5/10		10	
	AT2550	40#SCK	54312		5/10					10		5/10		10	
	R423	40#SCK	98203				5								
	R5195	40#CK	18327		10			10							
Trans-Therm® 1C FSC Piggyback FSC®	S2550	40#/40#SCK	B5661		5										
Trans-Therm® 1C FasCover™ 2 FSC®	AT2550	40#CK	B6853		5										
Trans-Therm® 2C FSC®	S246	40#SCK	08027		10										
	S2550	40#SCK	53873		5/7.5/15										
Trans-Therm® 2	S246	40#SCK	02116			5									

Direct Thermal Paper

Direct-Therm 300LD PF FSC®	S2550	40#SCK		C2331	7.5/15	7.5/15			15			7.5/15	15	10	
	AT2550	40#SCK		C2779	7.5/10/15					15		10/15	10/15		
	S2550	1.7M SCK	C2785		15										
	AT2550	1.7M SCK	C2780		15										
					GFD	PTC	PFF	QTN	DAL	NNH	SEA	WCD	MTL	TDC	

Fasson® Facestock	Adhesive	Liner	Spec#	1DayLT	GFD	PTC	PFF	QTN	DAL	NNH	SEA	WCD	MTL	TDC	Comments
Direct-Therm 200GP PF FSC®	S2550	40#SCK		C2794	5/10							10	5/10		General Purpose
	S2550	40#SCK		C2929	15										
	AT2550	40# SCK		C2708	5/10	10			10		10	5/10	10		
	AT2550	1.7M SCK	C2709		15										
	C4510	40#SCK	C2774			10								10	
	R5195	40#SCK		C2776	7.5/15									10	
	AT2550	40#SCK		C2777	15										
Direct-Therm 200HD PF FSC®	S2501	40# SCK	C2802		5/10										
	AT2550	40# SCK		C2800	5/10	10			10	10	5/10	10		10	
	S2550	40# SCK	C2801		5/10										
	LP1000	40# SCK	C2931				5								
Direct-Therm 200HD Plus	R5195	40#CK	18685		5/10										High Durability
	S2550	40#SCK	54220		10/15							5/10			
Direct-Therm 200HD RX	S2501	40#SCK	54247		10/15										Prescription
Direct-Therm 300 NIR PF FSC®	S2550	40#SCK	C5045		5										
Direct-Therm 330TM FSC®	S9010N	40#CK	53710		5/10										Tight Mandrel
Direct-Therm 300HD FSC®	AT2550	40#SCK	54320		5/10										High Durability
	FA20B	40#SCK	15862			5									

Laser/EDP

50# DSX™ FSC®	S9010N	50#CK	53138	5/10											
			53139	15											
	AT2550	50#CK	54296	7.5/15											
	R5195	50#CK	18329	10											
	S9010N	45#BK	19046	10											
	S2550	40#CK	54157	5/15											
50# DSX™ FSC® Piggyback	S2550	40# /50#SCK	B6154	RW 10											Widths: 6.25", 9.25"
54 #SG Laser FSC® 2M White Laser PET	S2501	53#LF	53057	15											6" Cores
	S4650	66#PK	B4101							5					
Scrip Label FSC®	S9010N	46#LF	18890	10											6" cores
Laser-Rite™ Durable FSC®	R5423	50#MF	53763	10											6" Cores
Standard Laser-Rite™ FSC®	R5423	50#MF	18345	10											6" Cores
Laser Copy™ Jet 300 FSC®	S9010N	46#LF	18884	10					10			10		10	6" cores
			53698	15										6" cores	
	S9010N	44#LF	18117	10											6" cores
	S8511	46#LF	18447				10								6" cores
	R5195	46#LF	18303	10								10			6" cores
	AT2550	46#LF	B8392	10											6" cores
Laser Code™ Drum Label TC	S4650	79# MF	C1688				5								6" cores
Laser Code™ Drum Label	S4650	79#MF	C1674				RW 7.5								6" cores; Width: 9"
Laser Code™ II 3480XX NTC	R120	80#CC	79718				7.5								6" cores
34# Translucent	S2501	40#SCK	B5313				15								

GFD PTC PFF QTN DAL NNH SEA WCD MTL TDC

Fasson® Facestock	Adhesive	Liner	Spec#	1DayLT	GFD	PTC	PFF	QTN	DAL	NNH	SEA	WCD	MTL	TDC	Comments
UV Inkjet															
55# Semi-Gloss UV Inkjet	AT2550	40#SCK	B5251		5										
3 Mil Matte White C Synthetic	S333	50#SCK	79865				10								
Water-Based Inkjet															
Demand Jet™ 500HG	AT20	40#SCK	53109							2.5					
	S2501	40#SCK	53110					2.5/ 5/ 7.5							
Premium Matte Inkjet	AT2550	40#SCK	B6889		2.5										
	S2501	41# LF	53708		2.5										
Gloss White BOPP WBIJ	S7000	40#BG	79659				2.5								
4.5 Mil White WBIJ Kimdura®	S4650	50#SCK	C1283				5								
3 Mil Matte White Synthetic	S8001	50#SCK	79404				2.5								
3.5 Mil Matte White Synthetic	S4650	50#SCK	B8559				10								
					GFD	PTC	PFF	QTN	DAL	NNH	SEA	WCD	MTL	TDC	

Fasson® Facestock	Spec#	1Day LT	GFD	PFF	QTN	DAL	NNH	SEA	WCD	MTL	TDC	Comments
Fasson® Rapid-Roll®												
60# C1S Semi-Gloss Elite™ FSC®	54450						10					
60# C25 Semi-Gloss FSC®	54457						10		10			
8 Pt. C1S RR Brite White FSC®	B4478						7.5					
8 Pt. C1S Semi-Gloss® FSC®	B4485						10					
10 Pt. C1S RR Brite White FSC®	B4480						7.5					
10 Pt. C1S Semi-Gloss® FSC®	B4486						7.5					
12 Pt. C1S RR Brite White FSC®	B4481						5					
14PT C1S SEMI-GLOSS FSC®	B9666						5					
8 Pt. C2S RR Brite White FSC®	B4482						7.5					
10 Pt. C2S RR Brite White FSC®	B4483						7.5					
3 Pt. C1S Thermal Transfer FSC®	53751						10					
5 Pt. C1S TT FSC®	53752						10					
7.5 Pt. Uncoated Thermal Transfer	16816						5					
5 Pt. C1S Integrity Thermal Transfer	16817						10					
7 Pt. C1S Thermal Transfer FSC®	53753						7.5		7.5			
7 Pt. C1S Integrity Thermal Transfer	16786						7.5					
8 Pt. C2S Thermal Transfer w/OB FSC®	53745						7.5					
10 Pt C1S+ Thermal Transfer OB FSC®	C0275						10					
7.5 Pt. Direct-Therm 200HD FSC®	B2399						7.5					
50M Clear High Shrink PETG	79765				10/20	10						6" cores QTN
1025D Tyvek®	79108						5					
1082D Tyvek®	75724						5					
7.5 Mil C2S Valeron®	75728						7.5					
7.5 Mil V-Max® Select™	75947						5		5			
7.5 Mil HS HDPE	B0930						5					
6 Mil Polyolith® GC-3	78251						7.5					
7 Mil Polyolith® GC-3	78232						10					
10 Mil Polyolith® GC-2	75736						5					6" cores
25# PPF w/Surlyn FSC®	B4986						7.5					
25# FSC PFP	C0650						10					
35# FSC PFP	C0651						10					
White StickPak Surlyn® 280HB	79343					10						
White Metallized Snack Web	79355						10					
Metallized Coffee Web	79426						10					
WH 86G CELLO STICKPACK SURLYN HB PLUS	B9543						10					
White Cosmetic Web 350 HB	79332						10		10			
White Cosmetic Web 350 SB	75758						10		10			
Silver Cosmetic Web 350 HB	79333						10					
White Cosmetic Web Ultra	77553						10					
White Cosmetic Web Ultra Plus	79334						10					
White Stand Up Pouch 360 HB	79935						5					6" cores
			GFD	PFF	QTN	DAL	NNH	SEA	WCD	MTL	TDC	

	Spec#	1Day LT	OAK	NNH	SEA	Comments
Overlaminates						
404 - CLASSIC EXACT S/W BOPP	B9077		5/10		10/15	
410 - CLR S/W BOPP	B9082		5/10/20	5/10	10	
320 - .71 MIL MATTE S/W BOPP		B9332	5/10		10	
1132 - TTP SUPERTHIN	B9334		5			
505F - 1 MIL CLR S/W BOPP	B9337		10			
643 - .5 MIL SOFSENS 643 PET		B9339	5			
609 - 1 MIL CLR S/W PET MR	B9353		5			
505B - 1 MIL CLR S/W BOPP	B9366		5	5		
505T - 1 MIL CLR BOPP TT PRTBL	B9367		5/10			
505C - 1 MIL CLR S/W BOPP	B9369		5			
505E - 1 MIL CLR S/W BOPP	B9371		10			
700E - 2 MIL CLR S/W BOPP	B9372		5			
610T - 1 MIL CLR S/W PET TT	B9416		5/10		5	
531 - 1 MIL MATTE S/W BOPP	B9424		5/10	5/10	5/10	
531T - 1 MIL MATTE S/W BOPP TT	B9432		5/10			
410DIG - DIG CLR S/W BOPP	B9436		5/10			
531DIG - 1 MIL DIG MATTE S/W BOPP	B9437		5			
			OAK	NNH	SEA	

Fasson EXACT™ and Fasson Ready Width™ are powerful service programs designed to help you acquire just the material you need. Achieve reduced scrap, lower inventory costs, reduced freight, and better operational efficiencies – making your wallet and our world a little bit greener.

800-944-8511 • label.averydennison.com

label.averydennison.com

04/2026

All Avery Dennison statements, technical information and recommendations are based on tests believed to be reliable but do not constitute a guarantee or warranty. All Avery Dennison products are sold with the understanding that purchaser has independently determined the suitability of such products for its purposes. All Avery Dennison products are sold subject to Avery Dennison's general terms and conditions of sale found at label.averydennison.com/en/home/terms-and-conditions.html.



©2026 Avery Dennison Corporation. All rights reserved. Avery Dennison® is a registered trademark of Avery Dennison Corporation. Avery Dennison brands, product names, antenna designs and codes or service programs are trademarks of Avery Dennison Corporation.