

CORE

CONSUMABLES CATALOGUE

Edition: October 2025



T: 1300 255 266
W: www.allcongroup.com.au
E: sales@allcongroup.com.au

TABLE OF CONTENTS

3	About Us Allcon Owned Brands	21	Chemicals and Curing Hydrocarbon Curing Compound Evaporation Retarder Foil Faced Curing Blankets Reusable Curing Blankets Hessian Expose Retarder (Horizontal) Expose Retarder (Vertical) Concrete Sealer Dust Suppressants [NEW]	31	Tie Wire Tie Wire Max Twintier Wire
4	Capabilities			32	Trowel Blades Trowel Machine Blades
9	Concrete Jointing Systems Expansion Foam Control Joints Bitumen Impregnated Board [NEW] Dowel Bars Dowel Sleeves Connolly Expansion Joint	25	Repairs, Grouts and Waterproofing Concrete Mix Cement Caulking Corflute Non Shrink Grout Levelling Compound Fairing Coat Mortar High Build Repair Mortar Light Weight Panel Patch Hydrotite Waterstop Megapoxy [NEW]	33	Cutting Scharf Diamond Blades [NEW] Scharf Combo Blades [NEW] Scharf Cured Blades [NEW] Scharf Green Cut Blades [NEW]
13	Formwork Consumables Z Bar Sacrificial Formwork Column Formwork Ribform [NEW]	28	Fasteners Chemical Anchors Nails Screws Screw Bolts	34	Grinding Scharf Grinding Blocks [NEW] Scharf Grinding Cups [NEW]
14	Site Set Up Consumables Steel Post Bar Guards Spray Marking Paint Concrete Washout Bags Sand Bags Malthoid Bitumen Road Tape Duct Tape [NEW] Denso Tape [NEW]	30	Equipment Vibrating Shafts Drive Units Pumps	35	Drilling SDS Max range [NEW] SDS Plus range [NEW]
18	Slab Supplies Builders Film Slab On Ground Bar Chairs Concrete Spacers Metal Spider Chairs Spider Chairs Pizza Plate Tall Combination Chairs Shims			36	Site Safety Traffic Bollards Barrier Mesh Bunting Barrier Tape
				37	PPE Gloves Glasses
				39	Warehouse Location



SEARCH TIPS: For additional product information visit www.allcongroup.com.au - and add the product SKU code into the Search bar.

PRICING ACCESS: Please contact your **Business Development Manager** for your companies trade pricing access - or contact us at sales@allcongroup.com.au

ABOUT US

Allcon Group is Australia's premier infrastructure supplies partner. With a proud history of nearly four decades, Allcon Group has been a trade-only, Australian-owned company dedicated to providing exceptional products, innovative solutions, and unparalleled service to the construction industry.

Our commitment to product development, innovation, and manufacturing has led to the creation of industry-first solutions that have revolutionised the Australian construction industry. This same spirit of ingenuity continues today as modern construction techniques and demands evolve rapidly.

Allcon's solutions specialists are from construction backgrounds, allowing us to build a solid reputation for our commitment to quality, knowledge, and customer fulfilment. Our extensive range of products and tailored solutions cater to the unique needs of private, civil, and commercial infrastructure projects.

At Allcon Group, we understand that every project is unique. From the initial consultation to the final delivery, our team is committed to exceeding expectations and fostering long-lasting partnerships built on trust and reliability.

Allcon Group solutions empower you to build the future, one sturdy foundation at a time.

ALLCON OWNED BRANDS



CAPABILITIES

Allcon Group brings nearly four decades of experience supporting Australia's construction sector, delivering tailored solutions across private, civil, and commercial projects.

With a strong track record of involvement in major national infrastructure developments, Allcon has consistently supplied premium construction products, equipment, and expert support to some of the country's most significant builds.

Our deep industry knowledge, responsive service, and commitment to innovation make us a trusted partner for large-scale infrastructure works across roads, rail, airports, and public utilities.



CONSTRUCTION SECTOR: BUILDINGS

- Hospitals
- Schools
- Child Care Centres
- Aquatic Centres/Water Parks
- Sports Facilities
- Aged Care Facilities
- Low/High Rise living
- Shopping Centres
- Factories
- Warehousing
- Prison/Detention Centres

KEY PROJECTS

- Ballarat Base Hospital
- Latrobe Base Hospital
- Shoalhaven Hospital
- Geelong Arts Centre
- Urbn Surf
- Bundha Sports Centre
- Fawknor Leisure Centre
- Inverell Aquatic Park
- Lauren Jackson Centre
- Mel07 Data Centre
- Mel01 Data Centre
- Bunnings (Smithfield)
- Spotlight Development
- Storage King (Leppington)
- Youth Justice Centre
- Donnybrook Quarantine
- 88 Melbourne
- McNab Avenue high rise
- Lifestyle Retirement (Cowes)

CLIENTS



SOLUTIONS PROVIDED

- Bar Chairs
- Jointing systems
- Waterproofing
- Stego Wrap
- Underslab Foam
- Void Former
- Sacrificial Formwork
- Recyclable Formwork
- Retarder
- Curing Solutions
- Adhesives
- Sealers
- Grouts
- Pressure Washers
- Trowel Machines
- Concrete Placement Tools
- Finishing Tools
- Site Consumables
- Site Safety equipment
- PPE



CONSTRUCTION SECTOR: TRANSPORT

- Roads
- Bridges
- Rail
- Tunnels
- Ports/Marine
- Airports
- Parking Facilities

KEY PROJECTS


- | | | |
|--|---|--|
| ▪ M7/M12 Upgrade | ▪ Vic Inland Rail Tranche 1 | ▪ Molonglo River Bridge |
| ▪ M1 2RT Pacific Hwy Extension North & South | ▪ Corio Quay Redevelopment | ▪ New Bridgewater Bridge |
| ▪ M12 Motorway | ▪ Westgate Tunnel | ▪ Tram Maintenance Facilities |
| ▪ Epping Road Upgrade | ▪ North East Link | ▪ WSA - Terminal & Airside |
| ▪ Coffs Harbour Bypass | ▪ Sydney Metro West - Eastern Tunneling | ▪ RAAF Base – Edinburgh |
| ▪ Singleton Bypass | ▪ Sydney Light Rail | ▪ Puckapunyal Hangar Refurb |
| ▪ Healesville/Koo-Wee-Rup Upgrade | ▪ Suburban Rail Loop | ▪ Somerton Intermodal Hub |
| ▪ M80 Ring Road | ▪ Level Crossing Removing - VIC | ▪ Hobart Airport Runway & Airfield Expansion |

CLIENTS



SOLUTIONS PROVIDED

- | | | | | |
|------------------------|----------------------|----------------------------|-------------------------|-----------------|
| ▪ Pneumatic Drills | ▪ Waterstops | ▪ Void Former | ▪ Site Safety Equipment | ▪ Shims |
| ▪ Sacrificial Formwork | ▪ Jointing Solutions | ▪ Concrete Placement Tools | ▪ PPE | ▪ BIF Boards |
| ▪ Recyclable Formwork | ▪ Curing Compounds | ▪ Finishing Tools | ▪ Spacers | ▪ Builders Film |
| ▪ Waterproofing | ▪ Curing Blankets | ▪ Site Consumables | | ▪ Bitumen Tape |





CONSTRUCTION SECTOR: UTILITIES

- Windfarms
- Substations
- Power Generation
- Reservoirs
- Solar Farms
- Pipelines
- Water Treatment Plants

KEY PROJECTS


- Golden Plains Windfarm
- Melbourne WTP
- Lilydale WTP
- Remediation
- Gigarre Solar Farm
- Warrnambool STP Upgrade
- Murray Irrigation Scheme
- Clarrie Hall Dam Spillway Upgrade
- Mortlake Battery Energy
- Mardi WTP Upgrade
- Roaches Reservoir
- OFO Fuel Shed
- Snowy Hydro 2.0
- M4 Service Centre
- Kununurra Dam

CLIENTS



SOLUTIONS PROVIDED

- Power Screeds
- Waterstops
- Formwork
- Grouts
- Curing Solutions
- Concrete Vibrators
- Waterproofing
- Jointing Solutions
- Spacers





CONSTRUCTION SECTOR: RESOURCES

- Mining
- Recycling/Waste
- Refineries
- Data Centres
- Management
- Service Stations

KEY PROJECTS

- Port Headland Windwall
- Mel07 Data Centre
- West Camden Water Recycling
- Bluescope Steel Berth Modifications
- Newmont Tanami Project
- Mel01 Data Centre
- Snowy 2.0

CLIENTS



SOLUTIONS PROVIDED

- Formwork
- Edge Protection
- Jointing Systems
- Curing Solutions
- Waterstop
- Void Former
- Oxide

CONSTRUCTION SECTOR: PUBLIC SPACES

- Water Parks
- Aquatic Centres
- Hardscapes
- Streetscapes
- Parking Facilities

KEY PROJECTS

- Urban Surf (Sydney)
- Inverell Aquatic Park
- Northcote Aquatic Centre
- Oran Park Aquatic Centre
- Essex Heights Tennis Club
- Tullamarine Tennis Centre
- Mernda Station
- Egan Lee Soccer Reserve
- Fawkner Leisure Centre
- Canterbury Leisure & Aquatic Centre

CLIENTS



SOLUTIONS PROVIDED

- Waterproofing
- Waterstops
- Void Former
- Stegowrap
- Jointing Systems





IMPORTANT NOTES:

Pricing Information: Please contact your **Business Development Manager** to gain your pricing access levels on the Allcon website.

Product Search: For product information - visit the Allcon website and type in the product SKU code. Watch this video to find out how to view your prices online.

JOINTING SYSTEMS

Expansion Foam



Expansion foam is a common material in concrete construction, is used in isolation joints to allow for concrete expansion and prevent cracking. It typically comes in 10mm thick, 25m rolls with an optional adhesive backing and a tear-off strip for joint sealant application.



SKU	Item	Pallet Qty
EXP75	Set-Up 75mm x 25m - Standard	14
EXP75A	Set-Up 75mm x 25m - Adhesive	14
EXP100	Set-Up 100mm x 25m - Standard	10
EXP100A	Set-Up 100mm x 25m - Adhesive	10
EXP125	Set-Up 125mm x 25m - Standard	8
EXP125A	Set-Up 125mm x 25m - Adhesive	8
EXP150	Set-Up 150mm x 25m - Standard	7
EXP150A	Set-Up 150mm x 25m - Adhesive	7
EXP200	Set-Up 200mm x 25m - Standard	5
EXP200A	Set-Up 200mm x 25m - Adhesive	5
EXP300	Set-Up 300mm x 25m - Standard	3
EXP300A	Set-Up 300mm x 25m - Adhesive	3

Other sizes and thicknesses available

Control Joints



Dowel cradles are an innovative load transfer system for construction joints commonly used in warehouse flooring and similar settings. The wire cradle acts as both a chair and spacer to ensure all the dowels are aligned and maintained at the correct height and spacing during the pouring of a slab.



SKU	Item	Pallet Qty
DCP6G450150	6mm - for 150mm slabs (gal)	50
DCP6G450180	6mm - for 180mm slabs (gal)	50
DCP6G450200	6mm - for 200mm slabs (gal)	50
DCP10G450150	10mm - for 150mm slabs (gal)	50
DCP10G450180	10mm - for 180mm slabs (gal)	50
DCP10G450200	10mm - for 200mm slabs (gal)	50
DCP6B450150	6mm - for 150mm slabs (black)	50
DCP6B450180	6mm - for 180mm slabs (black)	50
DCP6B450200	6mm - for 200mm slabs (black)	50
DCP10B450150	10mm - for 150mm slabs (black)	50
DCP10B450180	10mm - for 180mm slabs (black)	50
DCP10B450200	10mm - for 200mm slabs (black)	50

Bitumen Impregnated Board



Bitumen fibre board, also called Bitumen Canite, is a semi-rigid, compressible joint filler for movement joints. The dense fibre board is impregnated with bitumen to create a self-sealing joint. This prevents debris such as gravel and sand from entering the joint which could hinder expansion and contraction.



SKU	Item	Box Qty	Pallet Qty
BIF75225	Bitumen Fibre Board 75mm x 2250mm	10	1650
BIF100225	Bitumen Fibre Board 100mm x 2250mm	10	1320
BIF125225	Bitumen Fibre Board 125mm x 2250mm	10	990
BIF150225	Bitumen Fibre Board 150mm x 2250mm	10	880
BIF200225	Bitumen Fibre Board 200mm x 2250mm	10	660
BIF250225	Bitumen Fibre Board 250mm x 2250mm	10	550
BIF300225	Bitumen Fibre Board 300mm x 2250mm	10	440
BIF900225	Bitumen Fibre Board 900mm x 2250mm	1	110
BIF1200225	Bitumen Fibre Board 1200mm x 2250mm	1	110

Dowel Bars



Dowel bars are essential for concrete pavements, preventing deflection while allowing natural joint movement. Allcon's premium dowel bars are cut, not cropped, to ensure smooth ends that facilitate proper joint movement. Cropping can leave burrs or deformations that hinder performance.



SKU	Item	Box Qty	Pallet Qty
DBS12R300G	Set-Up 12 x 300mm - Round - Galvanised	45	2430
DBS12R450G	Set-Up 12 x 450mm - Round - Galvanised	50	2400
DBS16R450G	Set-Up 16 x 450mm - Round - Galvanised	35	1400
DBS16R600G	Set-Up 16 x 600mm - Round - Galvanised	25	1100
DBS16S450G	Set-Up 16 x 450mm - Square - Galvanised	25	1200
DBS20R450G	Set-Up 20 x 450mm - Round - Galvanised	20	720
DBS20S450G	Set-Up 20 x 450mm - Square - Galvanised	20	720
DBS20R600G	Set-Up 20 x 600mm - Round - Galvanised	20	720
DBS24R450G	Set-Up 24 x 450mm - Round - Galvanised	21	672
DBS25S400G	Set-Up 25 x 400mm - Square - Galvanised	20	480
DBS28R450G	Set-Up 28 x 450mm - Round - Galvanised	10	480
DBS32R450G	Set-Up 32 x 450mm - Round - Galvanised	1	200

Dowel Sleeves



Dowel sleeves are essential components for aligning and protecting dowel bars in concrete pours. They ensure proper joint function, enhance structural durability, and simplify the construction process.



SKU	Item	Box Qty	Pallet Qty
DSCR1623025	Connolly Round 16 x 230mm Pink (Pack of 25)	4	72
DSCR1630025	Connolly Round 16mm x 300mm Pink (Pack of 25)	4	72
DSCR2023025	Connolly Round 20mm x 230mm Blue (Pack of 25)	4	72
DSCR2030025	Connolly Round 20mm x 300mm Blue (Pack of 25)	4	72
DSCR2422525	Connolly Round 24mm x 225mm Brown (Pack of 25)	4	72
DSSS16240	Speed Sleeve Round 16mm x 240mm - (Box of 100)	1	

Connolly Expansion Joint



The Connolly expansion joint system is a market leader in continuous pour solutions for expansion joints in slab on ground applications. The roll-formed galvanised steel section holds the pre-adhered expansion foam in place to enable expansion joints to be set up prior to pouring. The expansion joint profile has pre-formed holes every 150mm to accommodate dowels for load transfer. Connolly universal dowel sleeves simply twist and fix into place ensuring correct alignment and spacing. Finally, the patented peg & wedge system fixes the joint to the substrate and can be adjusted to the exact height.



SKU	Item	Box Qty	Pallet Qty
EK10030S	Connolly 100mm x 3m Expansion Joint System	10	
EK12530S	Connolly 125mm x 3m Expansion Joint System	10	
EK15030S	Connolly 150mm x 3m Expansion Joint System	10	
EK20030S	Connolly 200mm x 3m Expansion Joint System	6	
EK10030	Connolly 100mm x 3m Expansion Joint Only	10	250
EK12530	Connolly 125mm x 3m Expansion Joint Only	10	150
EK15030	Connolly 150mm x 3m Expansion Joint Only	10	120
EK20030	Connolly 200mm x 3m Expansion Joint Only	6	120

ZBar




Zbar is a coarsely threaded tie bar used to support formwork. The coarse thread means the bar can be cut at any point and nuts and couplers can be threaded straight on without the need to de-burr the cut section. In formwork applications, hot rolled zbar must be used as cold rolled zbar is much lower strength. Zbar is typically enclosed in conduit and passed through the centre of formwork, ensuring that the bar can be removed and reused once the concrete has been poured.



SKU	Item	Box Qty	Pallet Qty
ZBAR3	3.0m ZBar	100	100
ZBAR6	5.8m ZBar	100	100
ZBWN2	2-Arm ZBar Wingnut	50	
ZBFP	ZBar Flange Plate	25	

Sacrificial Formwork



Sacrificial formwork, also known as permanent formwork, is designed to be left in place once the concrete has been poured. Depending on the application, sacrificial formwork may also provide additional features such as aggregate interlock, reduce concrete usage and reduce installation time.



SKU	Item	Box Qty	Pallet Qty
FNF600	Form N Fill 600 x 2250mm	1	300
FNF900	Form N Fill 900 x 2250mm	1	150
FNF1200	Form N Fill 1200 x 2250mm	1	150
FNF1500	Form N Fill 1500 x 2250mm	1	150
FNF1800	Form N Fill 1800 x 2250mm	1	150

Ribform



Ribform, also known as HyRib, is a high ribbed permanent sacrificial formwork for large construction joints such as wall, beam, column and soffit slab construction or where the formed surface won't be visible. The ribs provide strength while the perforations create aggregate interlock, enhancing the mechanical key between pours.



SKU	Item	Box Qty
FWSHR4523	Ribform High Ribbed Expanded Mesh	12

Column Formwork



Formatube is a trusted solution for creating concrete tube forms and concrete forming tubes for inground or above-ground columns. Designed for efficiency, these cardboard concrete form tubes allow concrete to be poured directly into the tube and left to cure. Once set, the cardboard is stripped away, revealing a smooth, well-finished column. This cost-effective and easy-to-use column formwork tube requires minimal bracing to stand upright. Featuring a wax-coated interior, Formatube ensures easy stripping and can also be used for constructing concrete piles and columns below ground, making it a versatile choice for various concrete forming tube applications.



SKU	Item	Box Qty
FT3003	Formatube 300mm x 3m	1
FT3004	Formatube 300mm x 4m	1
FT4503	Formatube 450mm x 3m	1
FT4504	Formatube 450mm x 4m	1
FT6003	Formatube 600mm x 3m	1
FT6004	Formatube 600mm x 4m	1

Other sizes available in stock.

Steel Posts



Steel Pegs, often called star posts or steel droppers, have a range of uses on the construction site. Smaller pegs are used to support boxing in slab on ground applications whilst larger pegs are used to create temporary barriers when using bunting, barrier mesh or tape. Our steel posts are thicker and stronger than most other pegs on the market, because we know most contractors expect to be able to reuse them time & time again. They are also a wider grade to offer more support to formwork and more resistance in softer soils.



SKU	Item	Pallet Qty
STP45	Set-up Steel Post 450mm - Bundle of 10	40
STP60	Set-up Steel Post 600mm - Bundle of 10	40
STP90	Set-up Steel Post 900mm - Bundle of 10	40
STP135	Set-up Steel Post 1350mm - Bundle of 10	40
STP150	Set-up Steel Post 1500mm - Bundle of 10	40
STP165	Set-up Steel Post 1650mm - Bundle of 10	40
STP180	Set-up Steel Post 1800mm - Bundle of 10	40

Bar Guards



Modfix Bar Guards provide protection from exposed reo bar/ star posts and other construction hazards. Modfix Bar Guards are made from a flexible UV resistant plastic which lasts longer and allows for reuse on short term projects and formwork.



SKU	Item	Box Qty	Pallet Qty
BG100	Bar Guards / Star Picket Caps - Bag of 100	1	60

Spray Marking Paint



Site set-out and marking is much easier to follow when you use bright and vibrant colours. When you're trying to follow site setout markers from the cab of an excavator, the markings need to be bright and visible otherwise you'll be wasting a lot of time getting in and out checking markings.



SKU	Item	Box Qty	Pallet Qty
SMPSIBLU	SPRAY MARKING PAINT - Signet 350g Cans - Blue	12	1440
SMPSIWHI	SPRAY MARKING PAINT - Signet 350g Cans - White	12	
SMPSIYEL	SPRAY MARKING PAINT - Signet 350g Cans -Yellow	12	

Other Colours available in stock

Concrete Washout Bags



Concrete washout bags are a quick and convenient solution for containing concrete waste when washing out concrete pumps and trucks - bags meet AS3668-1989 compliance standards.



SKU	Item	Box Qty	Pallet Qty
CWB2470	1770 x 1050 x 390mm Concrete Washout Bags - 2470 KG	1	120

Sand Bags



Sandbags are most commonly used to contain flooding, but they can also be used to prevent erosion, weigh down signage frames and provide temporary support during pit construction.



SKU	Item	Box Qty	Pallet Qty
SBAG33148	33 x 14" (8oz) Hessian Sandbag (Unfilled)	50	2000

Malthoid



Malthoid is a 2 ply felt material impregnated with bitumen and covered with fine sand to prevent sticking when rolled. Traditionally it has been used as a dampcourse on brick and blockwork walls however our customers often use it as an economical debonding layer between a capping beam and the transfer slab. The malthoid acts as a slip joint allowing the slab to move independently of the capping beam. Malthoid is available in a 20m roll and is available in widths of 90mm up to 1000mm wide.



SKU	Item
MT11020	Malthoid 110mm x 20m Roll
MT15020	Malthoid 150mm x 20m Roll
MT23020	Malthoid 230mm x 20m Roll
MT30020	Malthoid 300mm x 20m Roll

Other sizes available

Bitumen Road Tape



Bituminous tape is a composite membrane of nonwoven geotextile and self adhesive rubberised bitumen with high strength and elongation properties. Designed as a joint sealant tape, Bituminous tape seals joints in precast elements such as culverts and bridge decks and inhibits reflective cracking to the pavement above. Bituminous tape also provides stress relief to waterproofing membranes in concrete and asphalt pavements.



SKU	Item	Box Qty	Pallet Qty
BRTS15020	150mm x 20m	4	64
BRTS20020	200mm x 20m	3	48
BRTS25020	250mm x 20m	2	64
BRTS30020	300mm x 20m	2	32
BRTPS20	20L Road Tape Primer	1	32

Builders Film



4m x 50m High Impact Polyethylene Builders Film (or builders plastic) is typically used under concrete as a moisture barrier. In some areas of Australia, building code specifies the use of a high-impact builders film. Whilst the film is still 200micron thick, the film has higher impact resistance and strength than standard builders film.



SKU	Item	Box Qty	Pallet Qty
PT4	4m x 50m Medium Impact Polythene Builders Film	1	36
PTH14	4m x 50m High Impact Polyethylene Builders Film		

Other sizes, thicknesses and impact resistance options in stock.

Duct Tape



Duct Tape is a stretchy multipurpose PVC tape with a water resistant, pressure sensitive adhesive. The high stretch and excellent adhesive makes it ideal for taping joints in builders film and conforms to irregular shapes and surfaces. The tough PVC tape also has hundreds of uses on the jobsite and is an essential in any tool box or site shed.



SKU	Item	Box Qty	Pallet Qty
DTBG16-6	Boomerang duct tape (grey) - 6 pack	10	560
DTBB16-6	Boomerang duct tape (black) - 6 pack	10	560

Denso Tape



Denso Petrolatum Tape is a non-woven, synthetic tape impregnated with petrolatum gel and are used to provide long term corrosion protection steel. Whilst Denso tape is designed to protect pipes, flanges, and valves, it is often used to protect dowel bars in load transfer construction joints.



SKU	Item	Box Qty	Pallet Qty
TDP10010	Denso Tape (100mm x 10mm)	1	13
TDP15010	Denso Tape (150mm x 10mm)	1	13

Slab On Ground Bar Chairs



Combination bar chairs are the most common type of spacer due to their functionality. Combination chairs have two height settings and can be simply adjusted by turning the chair 90°. They also feature a clip-top on the chair meaning the chairs can be clipped onto the mesh while flat on the ground; then the mesh is lifted, the chairs swing into place.



SKU	Item	Box Qty	Pallet Qty
BC25/40C	25/40 Clip Top SOG Chair - Bag of 100	1	50
BC50/65C	50/65 Clip Top SOG Chair - Bag of 100	1	60
BC75/90C	75/90 Clip Top SOG Chair - Bag of 100	1	60
BC85/100C	85/100 Clip Top SOG Chair - Bag of 100	1	60

Concrete Spacers



Concrete spacers, also known as concrete aspros, are essential in construction for providing reliable support and maintaining accurate reinforcement cover. These concrete materials are made from high-strength concrete and feature integrated galvanised tie wire, ensuring durability and easy installation. Designed for high-load applications, such as slab-on-ground, civil, and infrastructure projects, Allcon's concrete spacers meet Australian Standards and comply with most Australian Road Authorities' requirements. Their precision and strength make them ideal for maintaining alignment and ensuring structural integrity across a wide range of construction projects.



SKU	Item	Box Qty	Pallet Qty
BCC20-S	20mm Concrete Spacer - Pack of 200	1	108
BCC25-S	25mm Concrete Spacer - Pack of 100	1	144
BCC30-S	30mm Concrete Spacer - Pack of 100	1	144
BCC35-S	35mm Concrete Spacer - Pack of 50	1	112
BCC40-S	40mm Concrete Spacer - Pack of 50	1	96
BCC45-S	45mm Concrete Spacer - Pack of 50	1	125
BCC50-S	50mm Concrete Spacer - Pack of 50	1	80
BCC55-S	55mm Concrete Spacer - Pack of 50	1	80
BCC60-S	60mm Concrete Spacer - Pack of 25	1	90
BCC65-S	65mm Concrete Spacer - Pack of 25	1	81
BCC70-S	70mm Concrete Spacer - Pack of 25	1	81
BCC75-S	75mm Concrete Spacer - Pack of 25	1	72
BCC80-S	80mm Concrete Spacer - Pack of 15	1	120
BCC90-S	90mm Concrete Spacer - Pack of 15	1	80
BCC100-S	100mm Concrete Spacer - Pack of 15	1	80

Metal Spider Chairs



Metal spider bar chairs or wire bar chairs are perhaps the earliest known method of supporting reinforcing in concrete. The 4-legged, factory welded, steel chair has an indentation in the top to support rebar or mesh. The chairs legs are dipped in a light grey plastic to prevent rust and to provide minimal exposure on precast and off-form concrete. Their strong and stable construction makes them ideal for use in precast, tilt-up, suspended and off-form applications. For slab-on-ground applications, a metal "Pizza" plate can be used to support the chair preventing the chairs from sinking into the sub-base.



SKU	Item	Box Qty	Pallet Qty
BCS20-S	Set-Up Metal Spider Chairs 20mm - Bag of 100	1	450
BCS25-S	Set-Up Metal Spider Chairs 25mm Bag of 100	1	378
BCS30-S	Set-Up Metal Spider Chairs 30mm Bag of 100	1	324
BCS35-S	Set-Up Metal Spider Chairs 35mm Bag of 100	1	
BCS40-S	Set-Up Metal Spider Chairs 40mm Bag of 100	1	252
BCS45-S	Set-Up Metal Spider Chairs 45mm Bag of 100	1	176
BCS50-S	Set-Up Metal Spider Chairs B50mm Bag of 100	1	176
BCS60-S	Set-Up Metal Spider Chairs 60mm Bag of 100	1	162
BCS65-S	Set-Up Metal Spider Chairs 65mm Bag of 100	1	162
BCS70-S	Set-Up Metal Spider Chairs 70mm Bag of 100	1	153
BCS75-S	Set-Up Metal Spider Chairs 75mm Bag of 100	1	153
BCS80-S	Set-Up Metal Spider Chairs 80mm Bag of 100	1	144
BCS90-S	Set-Up Metal Spider Chairs 90mm Bag of 100	1	128
BCS100-S	Set-Up Metal Spider Chairs 100mm Bag of 100	1	92
BCS110-S	Set-Up Metal Spider Chairs 110mm Bag of 50	1	184
BCS120-S	Set-Up Metal Spider Chairs 120mm Bag of 50	1	178
BCS130-S	Set-Up Metal Spider Chairs 130mm Bag of 50	1	168
BCS140-S	Set-Up Metal Spider Chairs 140mm Bag of 50	1	147
BCS150-S	Set-Up Metal Spider Chairs 150mm Bag of 50	1	140

Spider Chairs Pizza Plate



154mm Pizza plate is designed to support metal spider chairs in slab-on-ground applications. The plate prevents the thin legs of the chair from penetrating vapour barriers, waterproof membranes or sinking into the sub-base.



SKU	Item	Box Qty	Pallet Qty
BCSP154	Set-Up Spider Chair Pizza Plate 154mm - Pack of 100	1	72

Tall Combination Chairs



Tall combination chairs, as the name suggests, are taller than standard combination chairs and are used to set the reinforcing bar and mesh in heavy-duty slab on ground applications. Tall combination chairs feature two height settings and can simply be adjusted by turning the chair 90°.



SKU	Item	Box Qty	Pallet Qty
BC105/110	Tall Combination Bar Chairs 105/110 - Bag of 100	1	50
BC115/120	Tall Combination Bar Chairs 115/120 - Bag of 100	1	25
BC125/130	Tall Combination Bar Chairs 125/130 - Bag of 100	1	25
BC135/140	Tall Combination Bar Chairs 135/140 - Bag of 100	1	25
BC145/150	Tall Combination Bar Chairs 145/150 - Bag of 100	1	25
BC155/160	Tall Combination Bar Chairs 155/160 - Bag of 100	1	25
BC165/170	Tall Combination Bar Chairs 165/170 - Bag of 100	1	25

Shims



Panel shims or panel packers are thin plastic sheets and are available in a range of thicknesses. They are used to provide temporary support when levelling objects such as precast elements and structural steel. Shims range from 1mm thick to 15mm thick and can be stacked in any combination to achieve the correct height.



SKU	Item	Pallet Qty
SFH01	SHIM - Full Shim 150 x 100 x 1mm Brown x 50	99
SFH02	SHIM - Full Shim 150 x 100 x 2mm Blue x 50	99
SFH03	SHIM - Full Shim 150 x 100 x 3mm Green x 50	99
SFH05	SHIM - Full Shim 150 x 100 x 5mm Yellow x 50	99
SFH10	SHIM - Full Shim 150 x 100 x 10mm Black x 20	66
SFH15	SHIM - Full Shim 150 x 100 x 15mm Grey x 20	99

PVA Curing Compound



Bosscore 100 is a PVA based curing compound. Whilst not quite reaching the AS3799 standard, Bosscore is an economical, highly effective curing compound for curing concrete pavements, slabs and other concrete structures.



SKU	Item	Box Qty	Pallet Qty
CUB10020	Bosscore 100 - 20L	1	48
CUB100200	Bosscore 100 - 200L	1	4
CUB1001000	Bosscore 100 - 1000L		1

Acrylic Curing Compound



Achieving a water retention greater than 90%, Bosscore 400 satisfies AS3799 standard for concrete curing. The compound dries to a clear finish providing a permanent seal and sheen to the surface of the concrete.



SKU	Item	Box Qty	Pallet Qty
CUB40020	Bosscore 400 - 20L	1	32
CUB400200	Bosscore 400 - 200L		3
CUB4001000	Bosscore 400 - 1000L		1

Hydrocarbon Curing Compound



Bosscore 600 exceeds AS3799 standard and is designed breakdown and leave the surface after 45- 55 days when subjected to UV exposure. The unique formulation also seals micro cracks should they form.



SKU	Item	Box Qty	Pallet Qty
CUB60020	Bosscore 600 - 20L	1	32
CUB600200	Bosscore 600 - 200L	1	4
CUB6001000	Bosscore 600 - 1000L		1

Evaporation Retarder



Not be confused with a curing compound, Boss Finish Aid is an aliphatic alcohol based evaporation retarder which acts as a curing aid. It will form a temporary film over the surface of freshly screeded or floated concrete preventing moisture evaporation. Boss finish aid also assists in finishing the concrete by retaining moisture in the surface to bring up the cream.



SKU	Item	Box Qty	Pallet Qty
EVBFA20	Boss Finish Aid - 20L	1	32
EVBFA200	Boss Finish Aid - 200L		32
EVBFA1000	Boss Finish Aid - 1000L		

Foil Faced Curing Blankets



Made in Australia from up to 80% recycled material, Boss foil faced blankets are a low cost alternative to reusable curing blankets. The 8mm closed cell foam sheet combined with the foil face provide excellent insulation against extreme temperatures. Foil faced blankets can easily be cut with scissors or a utility knife to go around penetrations or cover irregular shapes.



SKU	Item	Box Qty	Pallet Qty
CBBF0830	8mm Foil Faced Blanket - 1350mm x 22.25m	1	4

Reusable Curing Blankets



Boss green curing blankets insulate freshly poured concrete to ensure optimal results in cold and hot weather. Insulating the concrete from extreme temperatures can prevent cracking and unevenness, resulting in a better-finished product. This insulation protects against heat loss or gains and offers critical weather protection.



SKU	Item	Box Qty	Pallet Qty
CBB1264	12mm Reusable ICB - 6 x 4m	1	16

Hessian



Hessian is a woven fabric made from jute or sisal fibres and has a wide range of uses. On the construction site, hessian is most commonly used to protect freshly laid concrete from light rain and prevent water run-off washing off the surface. Hessian can also be used as a form of curing. Laying wet hessian over freshly laid concrete helps hydrate the surface and works as a wet curing method.



SKU	Item	Box Qty	Pallet Qty
HES1850	Hessian 50m x 1.8m - 18oz	1	20

Expose Retarder (Horizontal)



Expose retarder is sprayed on to the surface of freshly placed concrete to retard the top layer of concrete slurry. Once the concrete has set sufficiently, the top layer of slurry is washed off revealing the aggregate below. Whilst predominately used for decorative applications, expose retarders are also used in precast applications to create a scabbled surface to enhance the bond of subsequent pours.



SKU	Item	Box Qty	Pallet Qty
EXPMSF20	Milano Stone Finish - 20L	1	32
EXPMBT20	Masterfinish 380 - 20L	1	32
EXPRC10	Sika Rugasol C - 10L	1	50

Expose Retarder (Vertical)



Expose retarder is sprayed on to the surface of freshly placed concrete to retard the top layer of concrete slurry. Once the concrete has set sufficiently, the top layer of slurry is washed off revealing the aggregate below. Whilst predominately used for decorative applications, expose retarders are also used in precast applications to create a scabbled surface to enhance the bond of subsequent pours.



SKU	Item	Box Qty	Pallet Qty
EXPMVG10	Milano V-Gel - 10L	1	64
EXPRMH10	Sika Rugasol MH - 10L	1	32

Concrete Sealer



Clear concrete sealer is an effective way to protect or rejuvenate concrete surfaces. Acrylic sealer, often referred to as a wet look sealer, enhances the colour of concrete, creating a glossy “wet look” and is available in matte, gloss, and high-gloss finishes. For those seeking a natural look, Allcon also offers clear sealers that protect against stains without altering the appearance, suitable for natural stone, slate, and pavers.



SKU	Item	Pallet Qty
MS20CL	Milano Clear Sealer - 20L	39
MCS20CL	Milano Primer Coat - 20L	48
MHG20CL	Milano Top Coat - 20L	48
SVS20	Milano Solvent / Thinners - 20L	48
DSBWC1000	Boss Water Cart Additive – 1000L	
DSBRS1000	Boss Road Stabiliser – 1000L	
DSBEC1000	Boss Erosion Control – 1000L	

Dust Suppressants



Effective dust suppression is essential for maintaining site safety, environmental compliance, and operational efficiency. Dust suppressant products help control airborne particles in construction sites, gravel roads, quarries, landfills, and other areas where dust can be hazardous. When applied, dust suppression solutions bind loose soil particles together, forming a protective crust that prevents dust from becoming airborne.



SKU	Item	Pallet Qty
DSBWC1000	Boss Water Cart Additive – 1000L	
DSBRS1000	Boss Road Stabiliser – 1000L	
DSBEC1000	Boss Erosion Control – 1000L	

Concrete Mix



Boral HS Concrete is a high strength, MPa bagged concrete containing quality aggregate, sands, and cement. It is generally only required for small pours, remediation jobs, footings, post setting, or where site access is limited. The 50MPa mix is also ideal for structural repairs or where a higher strength concrete is required.



SKU	Item	Box Qty	Pallet Qty
CBHS20	Boral 50mPA Concrete Mix - 20kg Bag	1	72

Cement



Boral general purpose cement is made in Australia and exceeds the AS3972 requirements for general purpose and blended cements. Boral GP cement has a wide range of uses on the jobsite including mortar mixes, render, site mixed concrete, screeds, and more.



SKU	Item	Box Qty	Pallet Qty
CGP20	Boral GP Cement - 20kg Bag	1	72

Caulking



Caulking compounds, also called joint sealant or mastic, are a flexible compound used to seal construction joints in buildings, pavements, tunnels, bridges, etc. The sealant prevents the ingress of water, dust, air, debris, chemicals, or anything that may compromise the joint. There is a wide range of caulking compounds, each with varying attributes such as movement capacity, elongation, chemical resistance, trafficability, colour, joint width, etc. Caulking compounds are generally supplied in a plastic cartridge or a foil sausage and are typically applied using a cartridge or caulking gun.



SKU	Item	Box Qty
CCD100-GREY	Tremco Dymonic 100 - 600ml Sausage	15
CCSF11FC-GREY	Sikaflex 11FC - 600ml Sausage - Grey	20

Non Shrink Grout



Boss Grout A is a Class A construction grout for general-purpose grouting including; grouting under precast elements, anchorbolt filling, filling cavities, gaps, base infills, and blockwork corefilling. As most grouts cure, they shrink as the water content reduces. This effect is undesirable when underpinning precast elements etc. The unique blend of cement, aggregates, and additives in Boss Grout A compensates for the shrinkage and controls expansion whilst the grout is in the plastic state.



SKU	Item	Pallet Qty
GBXL20	BossGrout A - 20kg	48

Levelling Compound



Boss Level standard is an economical self-levelling compound ideal for creating a level surface prior to the application of floor coverings such as carpet, tiles, vinyl, and floating timber floors. Simply mix with water, apply to the prepared surface and let Boss Level do the rest. The compound will naturally flow to the lowest point creating a perfectly flat surface.



SKU	Item	Pallet Qty
LFBS20	BossLevel Standard - 20kg	64

Fairing Coat Mortar



Fairing Coat Mortar also called "FC" for short, is a fine textured, fast setting compound for patching small pin holes and deformations in precast and off-form concrete. Fairing coat mortar can be applied up to 5mm thick and is designed to set quickly with negligible shrinkage.



SKU	Item	Pallet Qty
RMAFC20	Fairing Coat Mortar - 20kg - Grey	64

Hydrotite Waterstop



Hydrophilic waterstops are advanced sealing solutions designed to prevent water ingress at critical construction joints. These waterstops expand upon contact with water, creating a tight, durable hydrophilic seal to protect against leakage and ensure structural integrity. Their ability to self-seal makes them highly effective for waterproofing floor-to-wall joints, butt joints, and construction joints in concrete structures. Ideal for basements, water tanks, and underground facilities, hydrophilic waterstops are easy to install and provide long-lasting performance. They are often used alongside other waterstop accessories to ensure comprehensive protection.



SKU	Item	Box Qty
WSHT0220	Hydrotite 2 x 20mm - 25m Roll	4
WSHT0725	Hydrotite 7 x 25mm - 10m Roll	4
WSHT1020	Hydrotite 10 x 20mm - 10m Roll	5
WSHTLM	Hydrotite Leakmaster LV-Z 320ml	6

High Build Repair Mortar



PenaPatch HB50 is a high strength, high build, medium weight, shrinkage compensated structural repair mortar for vertical, overhead, and horizontal repairs. Reaching an ultimate strength of 55MPa and the ability to build up to 120mm in a single application, HB50 is ideal for large repairs where structural strength is required. HB50 is often overcoated with fairing coat mortar for a smooth finish which can be blended into the surrounding surface.



SKU	Item	Pallet Qty
RMAHB50	PenaPatch HB50 - 20kg	64

Light Weight Panel Patch



PenaPatch Panel LW repair mortar is a fire-rated, lightweight patching mortar for patching stitch plates in tilt slab or pre-cast construction. The lightweight aggregates used in LW allow for a build-up to 100mm in one application. The mortar provides strong adhesion with little slump and negligible shrinkage.



SKU	Item	Pallet Qty
RMALW10	Light Weight Panel Patch - 10kg	64

Megapoxy H



Megapoxy H is a multi-purpose, low-viscosity, slow-cure epoxy resin binder system. As a standalone product, it can be used as an epoxy primer for bonding old concrete to new concrete or as a primer for toppings and repair products. It can also be used to anchor rebar or steel into horizontal concrete.



SKU	Item	Box Qty	Pallet Qty
REMPH20	Megapoxy H	1	13

Megapoxy P1



Megapoxy P1 is a two-component high-strength epoxy paste with a wide range of applications for civil engineering. It is easy to mix and apply and is free of VOC's making it safe to use in structures that are in contact with potable water.



SKU	Item	Box Qty	Pallet Qty
REMPPP120	Megapoxy P1	1	13

FASTENERS

Chemical Anchors



Chemical Anchors are used for fastening rebar and anchors into concrete or masonry substrates. The two-part chemical is typically injected into the masonry and the anchor is inserted. The mixed chemical sets hard around the anchor fastening it to the masonry.



SKU	Item	Box Qty	Pallet Qty
ACFVP300T	Fischer V300T - 300ml Cartridge	20	300
ACFVP410C	Fischer V410C - 410ml Cartridge	16	320
ACFEM390	Fischer EM - 390ml Cartridge	20	
AER502J	Chemset Reo 502 Plus - 600ml Cartridge	9	540

Nails



We stock a range of nails for formwork and general construction applications. From standard bullet head nails, concrete nails and to impulse nails and brads, our range is generally packaged in larger quantities for great value for money.



SKU	Item	Box Qty	Pallet Qty
NB502815	Set-Up Bullet Head Nails 50 x 2.8mm - 15kg Bucket	1	48
NB753715	Set-Up Bullet Head Nails 75 x 3.75mm - 15kg Bucket	1	48

Screws



Set-Up Type 17 Hex Head timber screws are ideal for fixing timber to timber or fixing brackets to timber. We know that contractors and form workers reuse screws so we have specifically sourced them in durable plastic buckets for convenient storage.



SKU	Item	Box Qty	Pallet Qty
SZ174038B	Set-Up 40mm - 3/8 Head - Bucket of 1000	1	48
SZ1750516B	Set-Up 50mm - 5/16 Head - Bucket of 1000	1	48
SZ175038B	Set-Up 50mm - 3/8 Head - Bucket of 1000	1	48
SZ1765516B	Set-Up 65mm - 5/16 Head - Bucket of 1000	1	48
SZ176538B	Set-Up 65mm - 3/8 Head - Bucket of 1000	1	48
SZ1775B	Set-Up 75mm - 3/8 Head - Bucket of 500	1	48
SZ17100B	Set-Up 100mm - 3/8 Head - Bucket of 500	1	36
SZ1715038B	Set-Up 150mm - 3/8 Head - Bucket of 250	1	36

Screw Bolts



Heavy duty screw anchors are available in a range of lengths, gauges, and head sizes. The one-piece design makes installation easy and fast for a strong reliable anchor - and it also fully removable. The anchor is designed to resist structural and nonstructural loading in cracked and uncracked concrete.



SKU	Item	Pallet Qty
SBZ855	M8 x 55mm Zinc - Box of 50 (Socket - 13mm)	400
SBZ865	M8 x 65mm Zinc - Box of 50 (Socket - 13mm)	400
SBZ875	M8 x 75mm Zinc - Box of 50 (Socket - 13mm)	
SBZ8100	M8 x 100mm Zinc - Box of 25 (Socket - 13mm)	100
SBZ1060	M10 x 60mm Zinc - Box of 50 (Socket - 17mm)	200
SBZ10100	M10 x 100mm Zinc - Box of 25 (Socket - 17mm)	100
SBZ10120	M10 x 120mm Zinc - Box of 25 (Socket - 17mm)	100
SBZ1280	M12 x 80mm Zinc - Box of 25 (Socket - 19mm)	100
SBZ12100	M12 x 100mm Zinc - Box of 25 (Socket - 19mm)	100
SBZ12150	M12 x 150mm Zinc - Box of 20 (Socket - 19mm)	100
SBZ16150	M16 x 150mm Zinc - Box of 10 (Socket - 24mm)	

Vibrating Shafts



Our concrete vibrating shaft range is available in both 6m and 9m lengths in a range of head sizes from 38mm through to 60mm. Resilient nosed (rubber tipped) shafts are also available to protect sensitive formwork from vibrator damage.



SKU	Item	Box Qty	Pallet Qty
VSF256	Forza Vibrating Shaft 25mm x 6m	1	13
VSF356	Forza Vibrating Shaft 35mm x 6m	1	13
VSF456	Forza Vibrating Shaft 45mm x 6m	1	13
VSF459	Forza Vibrating Shaft 45mm x 9m	1	13
VSF556	Forza Vibrating Shaft 55mm x 6m	1	13
VSF559	Forza Vibrating Shaft 55mm x 9m	1	13

Drive Units



Drive units provide the ideal power source for concrete vibrators, water pumps and other flexible shaft equipment. They are suitable for use on worksites requiring a portable power source, allowing you to get on with the job.



SKU	Item
FDU65	Forza GX200 Drive Unit

Pumps and Hoses



Sludge pumps are heavy-duty pumps designed to handle thick, abrasive, and viscous fluids such as slurry, sludge, and wastewater containing solids.



SKU	Item	Box Qty	Pallet Qty
SPFP2	Forza Premium Sludge Pump 7m	1	20
LFHK20	Forza Lay Flat Hose Kit 20m x 50mm	4	96

Tie Wire



Tie wire coils are our most common form of tie wire and are the pliable annealed wire used to secure reinforcing bar and mesh prior to concrete placement. The wire can easily be formed into a shape around the reinforcing and twisted together using end nips.



SKU	Item	Box Qty	Pallet Qty
TWS14	1.4kg Coils - Box of 10	10	64

Max Twintier Wire



Rebar Tie wire coils to suit the Max TwinTier Range. As the name suggests, TwinTier cartridges come spooled with two wires on the coil due to the unique operation of the TwinTier tools. TW1061T is unique to the Max TwinTier range and cannot be used in other rebar tie guns.



SKU	Item	Box Qty	Pallet Qty
TW1061T	Max TW1061T Coils to suit Max TwinTier Guns	30	48

Trowel Machine Blades



Power trowels, Trowel Machines, power floats, helicopters... whatever you prefer to call them, have blades or shoes which will wear as you trowel the concrete. These blades will need replacing regularly to ensure the correct finishing of concrete. However, there are numerous different styles and sizes of blades intended for different finishes and purposes such as: Combination Blades Finish Blades, Wide Finish Blades, Black Steel, Polished Steel, Blue Steel Blades Plastic or Teflon Blades Float pans.



SKU	Item	Box Qty	Pallet Qty
TBF24F	24" Finish Blades - Set of 4	1	50
TBH30FE	30" Finish Blades - Set of 4	1	50
TBFP36C	36" Combination Blades - Set of 4	1	50
TBFP36F	36" Finish Blades - Set of 4	1	50
TBFP46C	46" Combination Blades - Set of 4	1	50
TBFP46F	46" Finish Blades - Set of 4	1	50

Scharf Diamond Blades



Diamond blades come in a range of sizes and types yet they can typically fall into categories depending on their intended use. Scharf Diamond Blades will cut most masonry substrates including; cured & green concrete, stone, clay products, engineered brick & block, and even steel. Their versatility makes them the most popular type of blade.



SKU	Item	Box Qty	Pallet Qty
DBSM20009	230mm (9") Scharf Multi Diamond Blade	1	48
DBSM200014	350mm (14") Scharf Multi Diamond Blade	1	4
DBSM200014	400mm (16") Scharf Multi Diamond Blade		1

Scharf Combo Blades



The Scharf Premium Combination blade is an economical, high-performance combination blade for cutting most masonry substrates including; green & cured concrete, asphalt, natural stone, clay products and engineered brick and block.



SKU	Item	Box Qty	Pallet Qty
DBSCO600014	350mm (14") Scharf Premium Combo Blade	1	48
DBSCO600016	400mm (16") Scharf Premium Combo Blade	1	4

Scharf Cured Blades



The Scharf Premium Cured blade is an economical high-performance diamond blade specifically for cutting reinforced cured concrete. The wave segment is designed to reduce vibrations and increase cutting performance.



SKU	Item	Box Qty
DBSC600014	350mm (14") Scharf Premium Cured Blade	1
DBSC600016	400mm (16") Scharf Premium Cured Blade	1

CUTTING

Scharf Green Cut Blades



The Scharf Premium Green cut blade is specifically designed for cutting Green (New) concrete and asphalt. Green concrete is typically more abrasive than cured concrete and causes the diamond to wear prematurely.



SKU	Item	Box Qty
DBSG600014	350mm (14") Scharf Premium Green Cut Blade	1
DBSG600016	400mm (16") Scharf Premium Green Cut Blade	1

GRINDING

Scharf Grinding Blocks



Grinding blocks are available in a number of bond hardnesses, for use on materials ranging from porous ceramic glues and soft and rain-damaged concrete to very hard concrete. These surface preparation tools are designed for use on Husqvarna's PG floor grinders.



SKU	Item	Box Qty
GBS-S300	Scharf Single Segment Unilock - 30 Grit Soft Bond (set of 3)	1
GBS-M30R-3	Scharf Single Segment Unilock - 30 Grit Med Bond (set of 3)	1
GBS-H30B-3	Scharf Single Segment Unilock - 30 Grit Hard Bond (set of 3)	1

Scharf Grinding Cups



Grinding cups are steel cup with diamond segments arranged on its surface and designed to fit on small electric grinders. They are typically used for quick grinding of small areas of concrete, surface preparation, removing high spots, and removing adhesives or coatings.



SKU	Item	Box Qty
GCST4	Scharf Turbo 100mm (4") Grinding Cup	1
GCST5	Scharf Turbo 125mm (5") Grinding Cup	1
GCST7	Scharf Turbo 175mm (7") Grinding Cup	1
GCSS7	Scharf Single Row 175mm (7") Grinding Cup	1
GCSA7	Scharf Arrow Segment 175mm (7") Grinding Cup	1

SDS Max range



SDS Max Masonry Drill Bits feature a hardened chisel-shaped head and are specifically designed to drill through concrete, brick and masonry. Manufactured in Germany, SDS Max Masonry Drill Bit feature a centering 4 cutter chisel head and multi-flute spiral for maximum drilling capacity.



SKU	Item	Box Qty
SDS Max range	SDS Max Cutter 4 Masonry Drill bits- multiple sizes	1

SDS Plus range



Masonry drill bits feature a hardened chisel-shaped head and are specifically designed to drill through concrete, brick and masonry. Most rotary hammer drills require an SDS-type shank. Smaller battery rotary hammer drills usually accept SDS Plus, whilst larger electric hammer drills require the larger SDS Max shank. These unique shanks allow the bit to move back and forward in the drill increasing the drilling speed.



SKU	Item	Box Qty
SDS Plus range	SDS Plus Cutter 2 Masonry Drill bits- multiple sizes	1

Traffic Bollard



Traffic Bollards or T-top bollards are used to create temporary barriers or direct pedestrian or vehicle traffic. The T-top makes it easy to attach barrier tape or bunting to create a continuous barrier. It also features a reflective strip around the top of the bollard for excellent nighttime visibility. The 8kg base, keeps the bollard firmly on the ground and can be easily removed for storage. Bollards are a great temporary barrier as they are self supporting and don't need to be fixed into the ground.



SKU	Item	Pallet Qty
TRBOL8	Traffic Bollard 8kg	50

Bunting




Bunting or flagging is a series triangular PVC flags sewn onto a heavy duty rope. Bunting is ideal for marking out exclusion zones, walkways and hazards on site. The PVC flags are brightly coloured and UV stable to provide maximum visibility in both internal and external applications. Bunting is available in a range of colours and is supplied in a 30m roll.



SKU	Item	Box Qty	Pallet Qty
BUNTORA30	Orange Bunting / Flagging 30m	20	1000

Barrier Mesh



Barrier mesh is a flexible plastic mesh designed to create full length barriers and walkways on construction sites. The fluoro orange polythene mesh is highly visible and UV resistant making it ideal for medium term barricading applications.



SKU	Item	Box Qty	Pallet Qty
BMPOLY	Barrier Mesh 1m x 50m	1	50

Barrier Tape



Candy tape, barrier tape, danger tape, idiot tape... what ever you like to call it is a brightly coloured red and white tape used to create a temporary barrier or to identify hazards on a job site. The light weight tape is strong enough to span between objects but can be cut easily with scissors or a utility knife. Barrier tape is available in 100m rolls and packaged in boxes of 20 rolls.



SKU	Item	Box Qty	Pallet Qty
BTRW100	Red & White 75mm x 100m	20	1000

Gloves



Concretors hands are constantly exposed to rough surfaces, sharp edges and hazards which can be brutal to gloves, let alone hands. Our glove collection includes; nitrile gloves, economy gloves, high cut resistant gloves, riggers gloves and more.



SKU	Item	Box Qty
GLAE9	Allcon GripMaster Size 9 - Pack of 12	144
GLAE10	Allcon GripMaster Size 10 - Pack of 12	144
GLAE11	Allcon GripMaster Size 11 - Pack of 12	144

Glasses



Your average sunglasses offer little to no protection from projectiles, especially when they're coming at you with speed or force. We've got clear, smoked and amber safety glasses at affordable prices so you can keep stock in your truck or site shed to make sure they're readily accessible.



SKU	Item	Box Qty
SGCC	Safetek Clear	12
SGCS	Safetek Smoked	12

[illegible]

OUR FACILITIES

MELBOURNE HEAD OFFICE

- Warehouse
- Call & Collect

50 Merrindale Drive, Croydon South, VIC 3136

1300 255 266

OPENING HOURS

Monday – Friday
6:30AM – 4:30PM



SYDNEY

- Warehouse
- Call & Collect

18 John Hines Ave, Minchinbury, NSW, 2770

1300 255 266

OPENING HOURS

Monday – Friday
6:30AM – 4:30PM



Melbourne and Sydney warehouses (collect/delivery) – and national delivery available



RANGE
Large Product
Range



QUALITY
Quality
Products



WARRANTY
Backup
Service



KNOWLEDGE
Helpful
Staff



DELIVERY
Where & when
you need it

ERRORS AND OMISSIONS STATEMENT

All reasonable care has been taken in the preparation of this catalogue to ensure the accuracy of product descriptions, specifications, and other information at the time of publication. However, Allcon Group accepts no responsibility for any errors, omissions, or inaccuracies that may occur.

Product specifications, availability, and pricing are subject to change without notice. Images are for illustrative purposes only and may not represent the actual product. Customers are encouraged to confirm details with our team before making purchasing decisions.

Allcon Group reserves the right to correct any errors or update product information at any time without prior notice.

