

Produit : **LANODIP PREPOST**

Updated : 11/09/19

version 1.2

Kilco[®]
SCIENCE IN SOLUTION

Code : 073N1D

LANODIP PREPOST

Disinfection of teats of milk producing animals by dipping, foaming or spraying before milking

Disinfection of teats of milk producing animals by dipping, foaming or spraying after milking

Ready to use liquid for professional use only

Manual or automatic application - Indoor

BIOCIDAL PRODUCT - Active substance(s) per 100g of product : Iodine 0,25g ; CAS number 7553-56-2 ; EC

Number 231-442-4

MAIN GROUP 1: Disinfectants and general biocidal products; Product-type 3: Veterinary hygiene biocidal products.

AL - Any other liquid. Authorization number : EU-0018397-0003 1-2. Authorisation holder HYPRED SAS: 55,

boulevard Jules Verger 35803 DINARD France

PRESENTATION

- . Homogeneous, opaque liquid, brown
- . Undiluted pH-value : 5 ± 0.5
- . pH at 10 g/l : Not available
- . Density at 20° C : 1.02 ± 0.01 g/cm³
- . Freezing point : 0 °C

USAGE

Before or after milking

- cows and buffaloes (3 to 10ml : 5 to 8 ml recommended) - sheep (1.5 to 5 ml : 1.5 to 3 ml recommended) - goats (2.5 to 6 ml : 2.5 to 4 ml recommended)

Kilco (International) Ltd
Broomhouses 2 Industrial Estate
Old Glasgow Roa - Lockerbie
United Kingdom DG11 2SD

Frequency : 2 to 3 times per day

Always read the label or leaflet before use and follow all the instructions provided.

The product must be brought to a temperature above 20°C before use.

The use of a dosing pump for filling the product into the application equipment is recommended. Fill the dipping/foaming cup/sprayer manually or automatically with the ready to use product.

Where necessary repeat the application at each milking

Clean the application equipment regularly with warm water.

Before milking

LANODIP PREPOST is a bactericidal and yeasticidal disinfectant.

Eliminate all visible dirt before applying the product.

Manual or automatic dipping/foaming/spraying on animal's teats on the full length of the teat before milking.

Let the product act at least one minute.

Use the teat cleaning and wiping method systematically before attaching the milking cluster.

After milking

LANODIP PREPOST is a bactericidal, yeasticidal and algacidal disinfectant.

Manual or automatic dipping / foaming / spraying on animal's teats on the full length of the teat after milking.

Leave the product until next milking. Keep the cows standing until the product has dried. (at least 5 minutes)

At the next milking, use the teat cleaning and wiping method systematically before attaching the milking cluster.

Produit : **LANODIP PREPOST**

Updated : 11/09/19

version 1.2



Code : 073N1D

Do not store at a temperature higher than 30°C.

PACKAGING

Jerrycan 25l Dark green 24,48kg

Drum 220l Dark green 215,42kg

IBC 1000l Natural colour 979,2kg

Use the product within 24 months from its manufacturing date.

Keep in a clean, cool and well-ventilated place away from sources of heat and intense light.

SECURITY

Refer to the Safety Data Sheets available on the Internet : <http://www.kersia-group.com>

Refer to the Safety Data Sheets available on the Internet : <http://www.kersia-group.com>

LEGISLATION

Use biocides safely. Always read the label and product information before use.

For disinfecting products, efficiency tests have been carried out in compliance with relevant regulations.

Produit : **LANODIP PREPOST**
Updated : 11/09/19
version 1.2



Code : 073N1D