

GREAT EVENTS

BEGIN WITH

A FIRM

FOUNDATION.







Table of Contents

Chairs

Series 5	4
Series A5	5
Gala Series	6
Gala Series Garden	6
Chiavari	7
Auditorium	8
Bariatric	9
Superb Banquet	C
Chair EvenTRUX I	I
Tables	
Commercialite	2
Laminate I	3
ProRent Plywood I	4
ProSlim Plywood I	5
ProRent Pedestal I	6
Laminate Pedestal I	7
Spring Lock Square Leg	8
Table EvenTRUX	9
Dance Floors	
Ovation	C
Specifications	
Chairs22-2	5
Tables	9
Dance Floor	C



Series 5TM Stackable Folding Chairs







The McCourt Series 5 is the only chair of its kind completely produced in the United States. We use only U.S. steel, plastic, components and craftsmanship to manufacture this classic chair.

- Made in the USA ensures consistent quality as well as excellent customer service before and after the sale
- Series 5 constructed of HSLA (High Strength Low Alloy) tempered U.S. steel provides light weight without compromising strength
- Small details make a big difference: custom designed high strength rivets, not screws; taper crimped braces; drain holes for a dry seat and optional hot stamp I.D.







Series A5TM Stackable Folding Chairs









Our Series A5 is the only aluminum polyfold chair completely produced in the United States. We use only U.S. aluminum, plastic, components and craftsmanship to manufacture this light weight chair.

- Made in the USA ensures consistent quality, superb customer service, and a variety of options.
- Series A5 constructed of aluminum and stainless steel for rust free performance.
- Custom designed high strength rivets, not screws; taper crimped braces; drain holes for a dry seat and optional hot stamp I.D.



McCourt Exclusive!

Gala SeriesTM Resin Folding Chairs

Beautiful, lightweight design offers classic style and easy installation.

- Heavy duty construction prevents rear legs from bends or breaks
- UV stabilized polypropylene
- Replaceable padded seat
- Indoor and outdoor use





Gala Series Garden™

Resin Folding Chairs

Same high quality and strength of the Gala Series TM , but with a slatted seat for enhanced outdoor use.

- UV stabilized polypropylene
- Slatted seat and upscale design make it perfect for use in outdoor events and patio areas.















A reliable chair for high profile events and elegant functions. Light weight aluminum construction offers extreme strength and virtually maintenance free years of service.

- 100% welded aluminum construction, no assembly required
- Holds 1000 lbs static weight
- Stacks 6 high
- Waterproof, will not crack, warp or split like wooden chairs
- Baked on powder coat finished in 5 popular colors



Auditorium



The McCourt Auditorium chair is perfect for churches, waiting rooms and any area where comfortable seating is desired. This chair is constructed for maximum strength - suitable for bariatric use.

- Welded frame of mandrel bent square steel tubing and load tested to over 1500 lbs
- 20" wide chairs features a 2.75" seat cushion and padded lumbar support in back rest
- Standard features include ganging clips for seamless bench-like seating and rear access book rack.





Bariatric Auditorium



The McCourt Bariatric Auditorium chair is excellent for waiting rooms, classrooms and conference rooms. It is constructed for maximum strength and features an extra wide 22" width.

- Welded frame of mandrel bent square steel tubing and load tested to over 1500 lbs
- Seat cushion is 2.75" thick and back offers padded lumbar support
- Ganging clips provide auditorium style seating.





Able to hold over 1500 pounds in static weight, this chair offers strength and elegance in convention centers, banquet halls, restaurants, meeting rooms and hotels.

- High crown back is stylish while providing a handle for easy transport
- Welded frame with Silvervein powder coat finish for extreme commercial use
- Double stitched seat perimeter provides durability
- Polyolefin fabric is strong, color fast and resistant to stains and odors






Chair EVENTrux™



Make moving, set-up, tear-down and storage of your chairs easy. Heavy duty construction provides years of service in the daily use of event rental, convention center and hospitality industries.

- · Large wheels and casters provide greater mobility
- Wide selection to offer the most effective storage and mobility for your application
- Made in the USA with high quality materials, craftsmanship and customer service



Commercialite®
Folding Tables

Our industrial strength plastic folding table is one of the strongest, lightest, most affordable indoor / outdoor folding tables on the market! Made in the U.S.A!

- Easy to clean polyethylene plastic top is stain, heat, and impact resistant as well as UV inhibited for outdoor use
- Blow molded tops are hermetically sealed against biological contamination and meet BIFMA standards
- Heavy duty leg assembly supports over 3500 pounds and is bolted through the table top to provide the strength needed for the rough handling of industrial use
- Accepts 3/4" skirting clips





McCourt Exclusive!



Our Laminate tables offer a linen free look construction for long use in high demand situations like classroom and banquet settings.

- Six standard Wilsonart® Laminate choices with other laminates available.
- Standard wishbone style folding legs with detent leg lock, "H" style folding leg standard on 18" wide tables
- Optional leg styles include
 - Roman Style
 - "L" Style





Our ProRentTM 3/4" plywood tables are built with the best materials available and feature all the options the industry requires:

- Bolt-Through construction
- Vinyl Bull Nose edging standard
- Aluminum SuperEdge for maximum durability available
- Specialty Shapes and Sizes upon request
- Exclusive SuperCorner! Replace vulnerable corners with our exclusive SuperCorner insert. Transforms rectangle tables into stronger and longer lasting tables!







Our ProSlimTM 5/8" plywood tables offer a slim profile for extra storage space. Constructed for outstanding toughness and durability in the hospitality and event market:

- Aluminum SuperEdge standard
- Bolt-Through construction
- Wishbone folding legs with detent leg lock
- Specialty Shapes and Sizes upon request



ProRent[™] Pedestal



Our ProRentTM pedestal tables allow easy assembly and tear down for your special event needs. Each plywood pedestal table is PolyCoat finished and requires no tools for assembly.

- Options include
 - Telescopic column
 - Aluminum SuperEdge
 - Black column and base
 - Trumpet base







Laminate Pedestal

Pedestal Tables

Party Pack Tables





- Six standard Wilsonart[®] Laminate choices with other laminates available.
- Options include
 - Telescopic column
 - Black column and base
 - Trumpet base

A Party On Wheels! The Party PackTM includes our exclusive Party Cart and

- 8 30" or 36" Pedestal Tops
- 8 30" Columns
- 8 42" Columns
- 8 Pedestal Bases





Spring Lock Square Leg



These tables provide the extreme strength and elagant look demanded by the Hospitality Industry. Choose Laminate or PolyCoat finished plywood table tops on our rugged square spring lock folding legs.

- 1.5" Square Legs lock in the open position.
- Vinyl Bull Nose edging standard
- Available in Seminar, Banquet, Round, Square, and Serpentine shapes.
- Six standard Wilsonart® Laminate choices with the option to choose from the complete Wilsonart® line.
- PolyCoat finish is cured with Ultraviolet Light.







Table EVENTrux™



Make moving, set-up, tear-down and storage of your tables easier. Heavy duty construction provides years of service in the daily use of event rental, convention center and hospitality industries.

- · Large wheels and casters provide greater mobility
- Wide selection to offer the most effective storage and mobility for your application
- Made in the USA with high quality materials, craftsmanship and customer service



Ovation™

Portable Dance Floor

McCourt Exclusive!



Precision construction combines beautiful premium flooring with the easy Cam-Lock system for a luxurious, durable and safe indoor/outdoor floor.

- Easy to handle 3'x3' sections are constructed of luxury flooring 3/4" over plywood core.
- Available in Light Oak, Windsor Oak vinyl, and Black or White laminate.
- Back is sealed using nonskid GatorBack[™] coating.
- Ribbed aluminum edging features 11 degree slope for no slip easy access.
- All pieces fasten securely with the Cam-Lock system.









Series 5[™] and A5[™] Stackable Chair

Frame

Series 5 - .75" dia. x .038" thick wall in HSLA (High Strength Low Alloy) tubing, the industry leader in light weight and high strength chair frame work. All tubing is rolled on the foot end for durability. Braces of .625" x .023" thick cold rolled tubing precision bent and crimped with proprietary ends to prevent moisture entrapment in joints. Back brace comes standard with bottom drain holes. Rivets are semi-tubular, zinc plated. Brace and back rivets are 3/16" diameter, all others are 1/4". Seat retaining plate is .038" thick CRCQ steel.

Series A5 - .76" dia. \times .084" anodized aluminum tubing for even lighter weight and greater rust resistance. High strength cross braces of .625" dia \times .049" thick tubing. All rivets, buttons, seat clips and seat plate are stainless steel.

Seat & Back

100% Virgin Polypropylene with color blended throughout formulated with anti-static and ultra violet additives. Feet are Linear Low Density Polyethylene for high strength and foot retention.

Powder Coating and Pre-Treatment

Series 5 - Tubing is pretreated in a 5 stage industrial cleaning treatment for enhanced corrosion resistance and maximum molecular bonding of the powder coating. Baked-on polyester powder coating has outstanding toughness, excellent weathering

17.75°

15.5°

15.5°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

18.0°

1





Folds thin for compact storage. Stack of 10 chairs = 12 3/4"



Free Hot Stamp ID (100 chair minimum)



Ganging Clip

properties and a smooth, glossy appearance. For chrome frames, all parts are chromed before assembly with a 4 stage cleaning process then are duplex nickel plated, chrome plated and double rinsed.

Testing and Specifications

Random lot testing of production chairs to failure by calibrated load versus deflection. Series 5 chairs test to load bearing capacity of 1000# and are BIFMATM Certified.

Weight

Series 5 - 6.5 lbs. Ships in 70 lb 10 pack or 710 lb 100 pack on pallets.

Series A5 - 5.5 lbs. Ships in 57 lb 10 pack or 580 lb 100 pack on pallets.

FanBack Style

Available in Black/Black or White/White. Other color combinations available with minimum order.

Guarantee

The Series 5 and Series A5 are manufactured in the USA with U.S. components and craftsmanship.

Full 3 year limited warranty against manufacturing defects under normal use. McCourt Manufacturing will repair or replace (at our option) at no charge; customer assumes all freight charges.



010	020
Burgundy	Black
030	040
Charcoal	Blue
OEO	060
OWenight	Classic Wt
070	080
Bone	Camel
090	200
Brown	Gray
000	II0
Neutral	Green

Color Options				
Frame Color				
11 = Bronze				
21 = Black				
31 = Gray				
41 = Classic White				
51 = Bright White				
61 = Chrome				
65 = Neutral				
67 = Aluminum				
Seat/back Color				
010 = Burgundy				
020 = Black				
030 = Charcoal				
040 = Blue				
050 = Bright White				
060 = Classic White				
070 = Bone				
080 = Camel				
090 = Brown				
200 = Gray				
000 = Neutral				
110 = Green				
Complete Part Number Is				
Frame + Seat/back				
Ex: Brown Bronze = 11090				



Gala Series[™] and Gala Series Garden[™]

Construction

The Gala Series[™] Chair is made from 100% polypropylene resin. This virgin material is UV stabilized for weatherproofing and to prevent fading. The zinc-coated screws used in construction prevent rust and go all the way through the legs for better support. Two seat bars carry the seat load, not the screws. The padded, upholstered foam seat snaps in and out easily with sturdy clips made into the seat. Interlocking features allow for better stacking, allowing up to 30 chairs to be stacked on a dolly.

Load Testing: Load tested by SGS Laboratories to over 1000 lbs.



Weight & Dimensions

Each chair weighs 9.95 pounds. Carton of 4: 39.8 lbs Open: 30.5" H \times 17.5" W \times 18.5" D Seat: 18" H \times 15.5" W \times 14" D

Flat: 34.5" H x 17.5" W x 2.5" D

Colors

Gala Series [™] and Gala Series Garden[™] available in white. Gala Series [™] also available in black.

Guarantee

I year limited warranty against manufacturing defects under normal use. McCourt Manufacturing will repair or replace (at our option) at no charge; customer assumes all freight charges.



Style Options			
Item#	Chair		
77100 =	= Gala Series™ White		
77101 :	= Gala Series™ Black		
77202 =	= Gala Series Garden™		

Interlock for outstanding stacking capabilities

Chiavari Chair

Construction


100% welded for superior strength. Main frame 1 1/4" diameter \times 2.0 mm aluminum tubing. 4 leg braces of 7/8" diameter aluminum tubing. Seat is stamped aluminum with 5/8" square aluminum tubing cross brace for strength and durability. Static load tested to 1000 lbs.

Glides and Stacking Buttons

Each leg is capped with non-marring ABS plastic glides. Side leg braces feature two rubber stack buttons to protect the seat surface of the chair below when stacked.

Weight & Dimensions

Individual chair weight 7 lbs. Chair: 36" H x 18.5" W x 17" D. Seat: 18" H x 16" W x 16" D. Stacks 6 high for storage: 64" H x 18.5" W x 25" D, 42 lbs. Ships in 5 pack carton: 58" H x 18" W x 26" D, 42 lbs.



Color



Optional Cushion - Polyester cover

features piping on upper and lower seam, hook & loop fasteners and zippered back for laundering. Cushion is 2" thick and 15"W x15.5" D. Available in White, lvory or Black.

Guarantee

Full I year limited warranty against manufacturing defects under normal use. McCourt Manufacturing will repair or replace (at our option) at no charge; customer assumes all freight charges.

C	olor Options
Item#	Chair Color
77200	= Gold
77205	= Champagne
77201	= Silver
77202	= White
77203	= Black
77204	= Mahogany
77210	= Cushion

Auditorium and Bariatric Chair

Main Frame

Constructed of 18 gauge 1" square steel tubing. Braces are 3/4" square tubing. Frame is mandrel bent and welded at two points each side. Storage rack underneath is 1/8" wire welded on 1 ³/₄" centers with holder for small sacramental glasses. Ganging clips of 1/4" gauge wire provides easy chair to chair attachment. Frame is finished in baked on powder coat for extreme commercial use.

Cushion Platforms

Seat and back platforms are 3/8" hardwood plywood to which upholstery is stapled. Each platform is fastened to the frame with four #10 screws. Back platform is tapered at the waist to allow stacking without upholstery wear.

Padding and Upholstery

Seat padding is comprised of 2 3/4" virgin polyurethane base pad with a foam density of 1.6 lb/cf. Back padding is 1 1/2" virgin polyurethane foam sculpted with 1 1/4" lumbar pad.

Fabric upholstery is a backed, heavy-hand Polyolefin fiber which is stapled to padded platforms. Polyolefin fabric is strong, color fast and resistant to stains and odors.

Vinyl upholstery is a superior leather alternative which is strong, durable and mildew resistant.

Chair Glides and Stacking Buttons

Glides are injection molded polyethylene with half circle profile. Stacking buttons allow stacking up to 8 high with no marring.

Weight and Dimensions

20" Wide Seat - Chair weighs 18.5 pounds. 22" Wide Seat - Chair weighs 19.5 pounds. Can be stacked 8 high safely for storage.



Guarantee

Full 3 year warranty against upholstery seam failures and frame damage due to materials and workmanship under normal use. Fabric tears and stains not covered. McCourt Manufacturing will repair or replace (at our option) at no charge; customer assumes all freight charges.

Color

Standard upholstery colors are Charcoal, Navy Blue, Forest Green, Burgundy, Grape, Purple and Beige on custom fabrics and vinyl available. Frame is silvervein powder coat finish for extreme commercial application.

Custom fabrics, vinyl and extra wide chair



Contact us for pricing and lead time.



20" Color Options Upholstery Options

Frame = Silvervein

Item# Fabric Color

10520 = Charcoal 10530 = Navy Blue

10000 110119 21110

10540 = Forest Green

10550 = Burgundy

10560 = Grape

10561 = Purple

10570 = Beige

Frame = Coppervein

10590 = Espresso

Item# Vinyl Color

Frame = Silvervein

10600 = Tan

10601 = Forest Green

10602 = Charcoal

10603 = Steel Blue

10604 = Buck

10605 = Antelope

10606 = Black

10607 = Camel

10608 = Burgundy

10609 = Parchement

10610 = Gold



Black	Steel Blue
Dark Green	Forest Green
Gold	Parchment
Camel	Antelope
Burgundy	Tan
Buck	Charcoal



22" Color Options **Upholstery Options** Frame = Silvervein Item# Fabric Color 1052XW = Charcoal **10530XW** = Navy Blue **10540XW**= Forest Green 10550XW = Burgundy 10560XW= Grape 10570XW = Beige Item# Vinyl Color Frame = Silvervein 10600XW = Tan 10601XW = Forest Green 10602XW = Charcoal 10603XW = Steel Blue 10604XW = Buck 10605XW = Antelope 10606XW = Black 10607XW = Camel 10608XW = Burgundy 10609XW = Parchement 10610XW = Gold

Superb Banquet Chair

Main Frame

Constructed of 18 gauge 7/8" square steel tubing. Braces are 5/8" square tubing. Frame is welded at 2 points each side. Frame is finished in baked on powder coat for extreme commercial use.

Cushion Platforms

Seat platform is 1/2" plywood and back platform is 3/8" plywood to which upholstery is stapled. Seat platforms are fastened to frame with #10 screws. Back platform is bolted at four interior perimeter points with #8 screws. Back cover is blind tacked to back platform.

Padding and Upholstery

Seat padding is comprised of 1 1/2" virgin polyurethane foam. Back padding is 5/8" virgin polyurethane foam trapped by material and platform. Back cover has 1/8" virgin polyurethane foam.

Fabric Upholstery is a backed, heavy-hand Polyolefin fiber with double stitched seat perimeter for durability. Polyolefin fabric is strong, color fast and resistant to stains and odors.

Vinyl upholstery is a superior leather alternative which is strong, durable and mildew resistant.

Chair Glides and Stacking Buttons

Glides are injection molded with half circle profile. Stacking buttons allow stacking up to 10 high with no marring.

Weight and Dimensions

Chair weighs 14.5 pounds. Can be stacked 10 high for storage.

Guarantee

Full I year warranty against upholstery seam failures and frame damage due to materials and workmanship under normal use. Fabric tears and stains not covered. McCourt Manufacturing will repair or replace (at our option) at no charge; customer assumes all freight charges.



Color

Upholstery color available in Charcoal, Navy Blue, Forest Green, Burgundy, Beige or Black fabric and Burgundy or Black Vinyl with Silvervein powder coat finish, and Espresso fabric with Coppervein powder coat finish.





Color Options	
Frame = Silvervein	
Upholstery Option	S
Item # Fabric Color	
10325 = Charcoal	
10335 = Navy Blue	
10345 = Forest Green	
10355 = Burgundy	
10385 = Black	
Item # Vinyl Color	
10358 = Burgundy	
10388 = Black	
Frame = Coppervein	
10395 = Espresso	

Commercialite® Table

Table Top

Blow molded table top of polyethylene plastic formulated for minimal fade or thermal stress cracking (indoor storage recommended). Average thickness to be .140". Table edge is 7/8" to accept standard skirting clips. Round tables made of two half circle parts permanently bonded together. Top is attached to main frame with bolts and nylon nuts to provide extreme durability.

Main Frame and Leg Assembly

Main frame constructed of U.S. steel: rails of 14 gauge rolled steel, legs of 16 gauge 1" steel tubing and braces of 11 gauge stamped steel. Legs permanently swaged into rails to ensure no separation during rough handling. Glides are non-marring inserts. Wishbone style legs on all but 4' and 5' rectangle tables which feature "H" style legs. Adjustable height and 23" child height legs available on certain sizes.

Pre-Paint Treatment and Powder Coating

Frame and legs are pretreated for rust resistance and paint adhesion. Baked on polyester powder coat finished.

Color

Gray tops with black powder coat frame and legs.

TABLE	SIZE	WT	ITEM
SHAPE	LxWxH	LBS	NUMBER
SEMINAR			
Y	6' x 18" x 30"	32	77815
A II	8' x 18" x 30"	40	77835
BANQUET			
	4' x 30" x 30"	40	77790
MARIA	5' x 30" x 30"	43	77794
	6' x 30" x 30"	44	77800
. / \	8' x 30" x 30"	56	77820
ROUND			
	60" Dia x 30"	66	77840
M	72" Dia x 30"	80	77860
BENCH			
A	6' x 18" x 17"	30	77815B
N	8' x 18" x 17"	38	77835B

Guarantee

Full 10 year limited warranty against manufacturing defects under normal use. McCourt Manufacturing will repair or replace (at our option) at no charge; customer assumes all freight charges.

Laminate Table

Table Top

3/4" commercial grade plywood core with Wilsonart® high pressure laminate top surface and backer sheet. Six stock laminate choices, other options available upon request. Edging is T-style black vinyl molding.

Main Frame and Leg Assembly

Frame constructed of U.S. steel rails and folding legs. I 7/8" Apron formed of 14 gauge steel and fitted to ABS plastic corners. Legs are 16 gauge 1" tubing with braces of 11 gauge steel. Wishbone style legs on all but 18" wide seminar tables which feature "H" style legs. Legs are capped with non-marring insert style glides. Detent leg locks secure in the open and closed positions. Frame and legs secured to the tabletop with screws.

Pre-Paint Treatment and Powder Coating

Frame and legs are pretreated for rust resistance and paint adhesion. Baked on polyester powder coat finished.

Options

Modesty Panel - 9" wide with the same construction as the table top. Folds for storage.

Leg Styles

- Roman Style in 1.25" diameter steel tubing.
- "L" Style in 1.25" diameter steek tubing.
- Other leg styles available upon request




"L" Style Roman Style

TABLE	SIZE	WT	ITEM		
SHAPE LxWxH		LBS	NUMBER		
SEMINAR					
	6' x 18" x 30" **	34	71000L		
	6' x 24" x 30"	44	70009L		
	8' x 18" x 30" **	46	71010L		
1	8' x 24" x 30"	56	70002L		
BANQUET					
	6' x 30" x 30"	51	70005L		
	6' x 36" x 30"	53			
1	8 'x 30" x 30"	63	70000L		
	8' x 36" x 30"	64	70003L		
ROUND					
The same of the sa	48" Dia x 30"	48	70035L		
A A	60" Dia x 30"	69	70010L		
SQUARE					
Van d	48" x 48" x 30"	55	70100L		
MA	60" x 60" x 30"	65	70105L		
SERPENTINE & BAR SHELVES					
	W x I/O Radius x H				
	30" x 30"/60" x 30"	63	70950L		
	60" SERP x 13" x 12"	27	72013L		
1	6' x 13" x 12"	27	72014L		

Guarantee

Full 2 year limited warranty against manufacturing defects under normal use. McCourt Manufacturing will repair or replace (at our option) at no charge; customer assumes all freight charges.

8' x 13" x 12"



Stock Laminate Other options available upon request

72015L

35



3/4" ProRent™ Plywood Table

Table Top

Commercial grade plywood precision formed, drilled and stained a medium oak color. PolyCoat finished with a thickness of 3 mils on top and 1.5 mil on bottom surfaces. Edging is T-style black vinyl molding.

Support Rails

Solid hardwood rails are counter bored for through-bolt mounting and stained to match top.

Legs

Legs are fully welded of 16 gauge 1" dia. tubing with braces of 11 gauge stamped steel. Standard legs style is wishbone except on 18" wide tables which use "H" style legs. Detent leg locks secure in the open and closed positions. Complete leg assembly is finished with Black powder coating. Glides are non-marring inserts.


Assembly

Through-bolt attachment of rails and folding legs ensures strength and durability.



Options

SuperCorner - ABS plastic insert reinforces corners to guard against corner damage. Available on rectangle tables only.



SuperSquare - Square corners with SuperEdge.



Guarantee

Full 2 year limited warranty against manufacturing defects under normal use. McCourt Manufacturing will repair or replace (at our option) at no charge; customer assumes all freight charges.

5/8" ProSlim™ Plywood Table

Table Top

Commercial grade plywood precision formed, drilled and stained a medium oak color. PolyCoat finished with a thickness of 3 mils on top and 1.5 mil on bottom surfaces. Edging is aluminum SuperEdge, a smooth wrap around T-style edging for superior edge protection.

Support Rails

Solid hardwood rails are counter bored for through-bolt mounting and stained to match top.

Legs


Legs are fully welded of 16 gauge 1" dia. tubing with braces of 11 gauge stamped steel. Standard legs style is wishbone except on 18" wide tables which use "H" style legs. Detent leg locks secure in the fully open and fully closed positions. Complete leg assembly is finished with Black powder coating. Glides are non-marring inserts.

Assembly

Through-bolt attachment of rails and folding legs ensures strength and durability.

Options

SuperSquare –Square corners with aluminum SuperEdge.



Guarantee

Full 2 year limited warranty against manufacturing defects under normal use. McCourt Manufacturing will repair or replace (at our option) at no charge; customer assumes all freight charges.

ProRent[™] Plywood Pedestal Table

Tabletop

3/4" commercial grade plywood precision formed, drilled and stained a medium oak color. PolyCoat finished with 3 mils on top and 1.5 mil on bottom surfaces. Edge is T-style black vinyl molding.

Mounting Cap

Cap of cast aluminum mounts to underside of table top with three I I/4" elevator bolts and nylon nuts. Center hole accepts standard tapered column.

Base

Base is 4 prong style, cast aluminum with metal glide inserts. Underside is painted satin black with polished aluminum top surface. 24" base used for 24" & 30" dia. tops. 28" base used for 36" dia. tops. Center hole accepts standard tapered column.

Column

Columns 16 gauge 1 3/4" dia. welded steel tubing nickel-chrome plated with standard tapers at both ends. Columns give standard heights of 30" and 42" with 3/4" table top thickness.

Options

Telescopic Column gives table heights of 30", 36" and 42" from a single column. Height adjustment is button operation, secures with locking bolt.

Aluminum SuperEdge - smooth wrap around T-style edging for superior edge protection.

Trumpet Base of 20" & 24" Diameter

Black Finish - All bases and columns available in black finish.



TABLE TOP	COLUMN	WT	ITEM		
SIZE	HEIGHT	LBS	NUMBER		
24"	30"	15	72012		
	42"	16	72012H		
	30"/36"/42"	18	72018		
30"	30"	19	72011		
	42"	21	72010		
	30"/36"/42"	24	72009		
36"	30"	25	72001		
	42"	27	72000		
	30"/36"/42"	28	72002		
Standard - Polycoat Top With Vinyl T-mold Edge					

Options: Aluminum SuperEdge, Trumpet Base, Telescopic Column, Black Base, Black Stationary 30" Or 42" Column

Guarantee

Full 2 year limited warranty against manufacturing defects under normal use. McCourt Manufacturing will repair or replace (at our option) at no charge; customer assumes all freight charges.

Laminate Pedestal Table

Tabletop

3/4" commercial grade plywood precision formed. Wilsonart® high pressure laminate on top surface with backer sheet on underside. Six stock laminate choices, other options available upon request. Edging is T-style black vinyl molding.

Mounting Cap

Cap of cast aluminum mounts with three 5/8" bolts and blind nut inserts. Center hole in cap accepts standard tapered column.

Base

Base is 4 prong style, cast aluminum with metal glide inserts. Underside is painted satin black with polished aluminum top surface. 24" base used for 24" & 30" dia. tops. 28" base used for 36" dia. tops. Center hole accepts standard tapered column.

Column


Columns 16 gauge I 3/4" dia. welded steel tubing nickel-chrome plated with standard tapers at both ends. Columns give standard heights of 30" and 42" with 3/4" table top thickness.

Options

Telescopic Column gives table heights of 30", 36" and 42" from a single column. Height adjustment is button operation, secures with locking bolt.


Trumpet Base of 20" & 24" Diameter

Black Finish - All bases and columns available in black finish.



Guarantee

Full 2 year limited warranty against manufacturing defects under normal use. McCourt Manufacturing will repair or replace (at our option) at no charge; customer assumes all freight charges.



Stock Laminate Other options available upon request

Spring Lock Square Leg Laminate Table

Laminate Table Top

3/4" commercial grade plywood core with Wilsonart® high pressure laminate top surface and backer sheet. Six stock laminate choices, other options avialable upon request. Edging is T-style black vinyl molding.

Main Frame and Leg System

Frame constructed of U.S. steel. Rails are formed of 14 gauge steel and fitted to ABS plastic corners. Spring Lock folding legs of 1.5" square steel tubing. Legs are capped with non-marring insert style glides. Frame and legs are pretreated for rust resistance and paint adhesion. The legs have a black powder coat finish.




Legs and Frame are secured to the tabletop with Spring Lock rigid brackets and 5/8" washer screws. Tension spring provides positive locking in the open position. Legs lock in the closed position with clamshell locking unit.

Options

Modesty Panel - 12" wide with the same construction as the table top. Folds for storage. Available only on rectangle tables.

Guarantee

Full 2 year limited warranty against manufacturing defects under normal use. McCourt Manufacturing will repair or replace (at our option) at no charge; customer assumes all freight charges.



Stock Laminate Other options available upon request

BLACK

MONTANA

GRANITE

GRAPHITE NEBULA

GREY GLA

Spring Lock Square Leg Plywood Table

Plywood Table Top

3/4" commercial grade plywood precision formed, drilled and stained a medium oak color. PolyCoat finished with a thickness of 3 mils on top and 1.5 mil on bottom surfaces. Edging is T-style black vinyl molding.

Main Frame and Leg System

Frame constructed of U.S. steel. Rails are formed of 14 gauge steel and fitted to ABS plastic corners. Spring Lock folding legs of 1.5" square steel tubing. Legs are capped with non-marring insert style glides. Frame and legs are pretreated for rust resistance and paint adhesion. The legs have a black powder coat finish.

Legs and Frame are secured to the tabletop with ridged brackets and 5/8" washer screws. Tension spring provides positive locking in the open position. Legs lock in the closed position with clamshell locking unit.

Options

SuperCorner - ABS plastic insert reinforces corners to guard against corner damage. Available on rectangle tables only. Aluminum SuperEdge - smooth wrap around T-style edging for superior edge protection.

SuperSquare - Square corners with SuperEdge.

Guarantee

Full 2 year limited warranty against manufacturing defects under normal use. McCourt Manufacturing will repair or replace (at our option) at no charge; customer assumes all freight charges.







ie			
TABLE	SIZE	WT	ITEM
SHAPE	LxWxH	LBS	NUMBER
SEMINAR			
A	6' x 18" x 30" **	34	71000Q
A	6' x 24" x 30"	44	70009Q
-	8' x 18" x 30" **	46	71010Q
	8' x 24" x 30"	56	70002Q
BANQUET			
	6' x 30" x 30"	51	70005Q
M	6' x 36" x 30"	53	70007Q
	8 'x 30" x 30"	63	70000Q
	8' x 36" x 30"	64	70003Q
ROUND			
	48" Dia x 30"	48	70035Q
	60" Dia x 30"	69	70010Q
SQUARE			
TA	48" SQ x 30"	55	70100Q
	60" SQ x 30"	65	70105Q
SERPENTINE			
1 1	W x I/O Radius x H 30" x 30"/60" x 30"	63	70950L

EVENTruxTM

TRUIS!		PROBLICT		1110155 0175	0) (50 4) 1, 0175	\ A (T	0.4.0.TED
TRUCK	ITEM NUMBER	PRODUCT	MAXIMUM	INSIDE SIZE	OVERALL SIZE	LBS	CASTER
IMAGE	NUMBER	ACCEPTED	CAPACITY	LxWxH	LxWxH	LB9	SIZE
	01800	Series 5	66	39" x 18.5" x -	41" x 18.75" x 43.5"	35	5"
	01000	Gladiator, Wimbledon	25	39 X 10.3 X -	41 10.75 145.5	33	5
	01800FB	FanBack Series 5	66	43" x 18.5" x -	45" x 18.75" x 43.5"	37	5"
	Chair Cover	Series 5	50	39" x 18.5" x 58"	39" x 18.5" x 58"	5	J
	01900			39 X 10.3 X 30	39 X 10.3 X 30	5	-
	01900	Gladiator, Wimbledon	25				
Of one							
7	01800H48	Cladiator Wimbladan	40	8 - 12" wide tines	45" y 20" y 70"	90	4"
	01800H48	Gladiator, Wimbledon Gladiator, Wimbledon	48 70		45" x 32" x 70" 66" x 32" x 70"		4 4"
赵	01000072	Giadiator, willibledon	72	12 - 12" wide tines	00 X 32 X 7 U	100	4
· rece -							
	01800H56	Econolite	40	8 - 13.5" wide tines	45" x 32" x 73.5"	90	4"
		Series 5	56				
1	01800H84	Econolite	60	12 - 13.5" wide tines	66" x 32" x 73.5"	100	4"
		Series 5	84				
1							
17							
	01800T	Gladiator, Wimbledon	25	pallet required	29" x 22" x 64"	56	5", 10"
		Series 5 , FanBack S5	50				
6							
	01808	Superb Banquet	10	11.5" wide platform	43" x 22" x 50"	56	3", 5", 10"
		Auditorium	11	manus management parents.		mo== 1	7 7
5-18-14-14-14-14-14-14-14-14-14-14-14-14-14-		Chiavari	10				
		2					
	01814	Chiavari	20	10" wide	27" x 78" x 75"	192	6"
E BLEEVE AV	018145	Chiavari	20	platform	27" x 78" x 75"	280	6"
	010140	Ciliavaii	20	plationii	21 10 110	200	U
	01804	60", 72" Dia Commercialite	6	32.75" wide	60" x 33" x 46"	62	5"
	01004	60", 72" Dia Plywood	8	02.70 WIGO	00 X 00 X 10	0L	Ü
		60", 71" Dia Econolite	10				
U		oo , 71 Bia Economic	10				
— <u>)</u>							
	01810	30" x 72" or 96"		29" wide	72" x 30.25" x 37"	60	5"
C G		Commercialite, Plywood	18				
	01809	30" x 72" Banquet	10 on side	2 sections	75" x 41.25" x 41"	115	5"
Die Control	3.000	18" x 72" Seminar	20 flat	72" x 18" x 34"	A THEO ATT		J
		48", 60", 72" Round	8-10 on side				
—			too de vi substitut tabilitat et		001 11 001		
The state of the s	01811	30" x 96" Banquet	10 on side	2 sections	99" x 41.25" x 41"	130	5"
		18" x 96" Seminar	20 flat	96" x 18" x 34"			
4							
1 A	01813	30" x 72" or 96" Banquet	6-7				
	0.010	18" x 72" or 96" Seminar	edge	19" wide	45" x 30" x 60.25"	٩A	5", 10"
		IS ATE OF SO DEFINITION	stacked	10 WIGE	TO A OU A OU.ZU	50	5, 10
			oldoned				
THE PART OF THE PA							
	01806	30" or 36" Pedestal	8	custom fit	57" x 22" x 68"	148	6"
	01000	JU DI JU FEUESIAI	U	GUSTOTT III	JI A ZZ A UU	140	U
	01850	3' x 3' Dance Floor Panel	24	2 outer sections	56.5" x 32" x 46"	185	5"
	0 1000		24 24	center sections	JU.J A JZ A 40	100	J
-7		and Edging	<u> </u>	Center Section			

Ovation[™] Portable Dance Floor

Panels

Each panel is 3'x3' and has two tongue and two groove panel trim edges imbedded into the sides and precisely squared. All panels are exactly the same and interchangeable for fast, easy floor assembly.

Core - 3/4" solid plywood.

Surface - Premium luxury vinyl is bonded to core with environmentally compatible commercial grade adhesive. Vinyl surface is maintenance free and easy to clean.

Backing - Panel backs are spray sealed with GatorBack[™] coating providing traction and moisture resistance for protection against slippage and outdoor elements.



Trim- Anodized extruded aluminum is precision formed and perfectly squared when assembled to core.

Perimeter Trim

Anodized extruded aluminum precision formed to fit Panel trim. The 4.25" wide perimeter is ribbed and features an 11° slope allowing safe and easy access to floor surface.

Cam-Lock

Constructed into each panel and tongue perimeter trim are Cam-Locks. The provided T-handle hex key wrench will be used to lock and unlock the panels and perimeter trim together.



Options

Standard finish in Windsor Oak or Light Oak vinyl. Black or White Laminate and other color options available upon request.

Ovation™ Portable Dance Floor Transport Truck. Holds 24 3'x3' panels and perimeter trim.

Guarantee

Full 2 year limited warranty against manufacturing defects under normal use. McCourt Manufacturing will repair or replace (at our option) at no charge; customer assumes all freight charges.



BLACK

FLOOR	SQ	* GUEST		CARTS	ITEM
SIZE	FT	CAPACITY	PANELS	NEEDED	NUMBER
6x9	54	12	6	1	DF6X9
9x9	81	18	9	1	DF9X9
9x12	108	24	12	1	DF9X12
9x15	135	30	15	1	DF9X15
9x18	162	36	18	1	DF9X18
12x12	144	32	16	1	DF12X12
12x15	180	40	20	1	DF12X15
12x18	216	48	24	1	DF12X18
12x21	252	56	28	2	DF12X21
12x24	288	64	32	2	DF12X24
15x15	225	50	25	2	DF15X15
15x18	270	60	30	2	DF15X18
15x21	315	70	35	2	DF15X21
15x24	360	80	40	2	DF12X24
15x27	405	90	45	2	DF15X27
15x30	450	100	50	3	DF15X30
18x18	324	72	36	2	DF18X18
18x21	378	84	42	2	DF18X21
18x24	432	96	48	2	DF18X24
18x27	486	108	54	3	DF18X27
18x30	540	120	60	3	DF18X30
21x21	441	98	49	3	DF21X21
21x24	504	112	56	3	DF21X24
21x27	567	126	63	3	DF21X27
21x30	630	140	70	3	DF21X30
21x33	693	154	77	4	DF21X33
24x24	576	128	64	3	DF24X24
* NOTE: ASSUME 1/3 OF CHEST WILL DANCE CADACITY					

* NOTE: ASSUME 1/3 OF GUEST WILL DANCE. CAPACITY SHOWN IN THIS CHART IS 1/3 OF TOTAL GUESTS.





Contact Us

**** 1-888-856-7800

BRITISH COLUMBIA #113-19097-26 Avenue,

113-19097-26 Avenue, Surrey, BC VS3 3V7

ALBERTA

#100, 7211 – 8th Street NE, Calgary, Alberta T2E 8A2

ONTARIO

15 McLaren Avenue, Cambridge, Ontario N1R 8K9

Jonathan Morgan & Company Limited mail@jmclimited.ca

••• leaders in design