

GERKO

PAINT RELATED PRODUCTS



GERKO
PAINT RELATED PRODUCTS



2025

PRODUCT CATALOGUE [EN]

www.gerkoproducts.com

A photograph of a museum gallery featuring classic cars. In the foreground, a white vintage convertible is prominently displayed. In the background, other classic cars are visible, with people standing around them. The scene is lit with warm, ambient lighting. The text is overlaid on the image, with some words in white and others in cyan. There are also abstract geometric shapes in shades of blue and purple on the left side of the image.

“GERKO
INTERNATIONAL
FOR THOSE
WHO VALUE
EFFICIENCY,
INNOVATION
& QUALITY”



GERKO INTERNATIONAL IS PROUD TO PRESENT YOU OUR NEW CATALOGUE. GERKO INTERNATIONAL DESIGNS AND DEVELOPS NON-PAINT AND PAINT PRODUCTS FOR THE PROFESSIONAL BODY SHOP WITH THE FOCUS TO BECOME A ONE-STOP-SHOP FOR OUR DISTRIBUTORS. EFFICIENCY, INNOVATION AND QUALITY TOGETHER SET THE STANDARD FOR EXCELLENCE IN AUTOMOTIVE REPAIR. WHAT DOES THIS MEAN FOR YOU? IT MEANS STREAMLINED WORKFLOWS AND ENHANCED EFFICIENCY WITH PRODUCTS DESIGNED TO BE BOTH EASY TO USE AND EXCEPTIONALLY EFFECTIVE. SAVE TIME AND REDUCE EFFORT AT EVERY STAGE. SAY GOODBYE TO SUBPAR RESULTS AND WELCOME FLAWLESS SURFACES THAT SHOWCASE YOUR EXPERTISE AND PROFESSIONALISM. ELEVATE YOUR SKILLS WITH GERKO AND EXPERIENCE THE TRUE IMPACT OF EXPERIENCE, INNOVATION, AND QUALITY.



OUR MISSION

IT IS GERKO'S MISSION TO HELP OUR DISTRIBUTORS GROW AS A BUSINESS BY SUPPORTING THEM WITH THE MOST COMPLETE RANGE POSSIBLE, FOCUSING ON QUALITY, EFFICIENCY AND APPEARANCE OF OUR PRODUCTS ALLOWING OUR DISTRIBUTORS TO TAKE FULL FOCUS ON THE CUSTOMER.

PROTECTION

ONE STOP SHOP

AMBITION



QUALITY

CUSTOMER FOCUS

EFFICIENCY

COMMITMENT TO RESULTS

GROWTH



OUR VISION

IT IS GERKO'S VISION TO CONTINUOUSLY EXPAND WITH QUALITY AND INNOVATIVE PRODUCTS THAT IMMEDIATELY LEAD TO GREATER EFFICIENCY IN CAR BODY REPAIR. THIS COUPLED WITH PROTECTING OUR BRAND FOR OUR DISTRIBUTOR.



GERKO INTERNATIONAL IS READY FOR THE FUTURE WITH THE INVESTMENT OF A BRAND NEW DISTRIBUTION CENTER WHERE WE CAN STORE UP TO MORE THAN 7000 PALLETS. WE ORGANISE COURSES AND WORKSHOPS IN OUR TECHNICAL TRAINING CENTER AT OUR HEADQUARTERS IN BELGIUM WHERE DISTRIBUTORS FROM ALL OVER THE WORLD CAN SEE THE PERFORMANCE OF OUR GERKO PRODUCTS AND HOW TO USE THEM.

GERKO
PAINT RELATED PRODUCTS



OUR PRODUCTS



MASKING



Page
10 - 25



SANDING



Page
26 - 41



PAINT PREPARATION



Page
42 - 59



GLUES AND ADHESIVES



Page
60 - 67



PUTTIES



Page
68 - 75



PAINTING



Page
76 - 99



CLEANING & POLISHING



Page
100 - 113



SPRAY BOOTH



Page
114 - 119



PERSONAL PROTECTION



Page
120 - 129



PROMOTIONAL ITEMS



Page
130 - 131





MASKIN

MASKING

Automotive masking tape, paper and film are the core products for accurate masking of cars and other vehicles, resulting in professional finishes. Careful masking is essential for a superior and neat appearance after painting. It requires time and attention to detail. Gerko offers an extensive range of professional masking products that not only save time, but also ensure a flawless finish.



MASKING FILM



DESCRIPTION	THICKNESS	PAINT ADHESIVE	MOISTURE ABSORBING	STATIC POWER	COLOUR	PAGE
Masking film	10 µm	✓	-	✓	Transparent	13
Superior masking film	15 µm	✓	✓	✓	Blue	13
Masking film with integrated tape	8 µm	✓	-	✓	Transparent	14
Rim masking film	20 µm	✓	-	✓	Blue	14

Masking film

PM4015 4 x 150 m	PM40 4 x 300 m	PM48 4,8 x 300 m	PM50 5 x 120 m	PM60 6 x 100 m
---------------------	-------------------	---------------------	-------------------	-------------------

- Translucent HDPE masking film to protect from overspray, dirt and dust
- Corona treated with Gerko logo on the paintable side
- Easy to use by one person
- Strong and elastic performance
- Easy to cut
- Static properties, clings to the object surface
- Per roll in a carton box
- Can be used with infrared drying
- Thickness: 10 microns



Superior masking film moisture absorption

SPM50 5 x 120 m	SPM40 4 x 150 m
--------------------	--------------------

- Corona treated for optimal adhesion of paint and overspray
- Special addition that ensures moisture absorption, in addition to the breathable functionality
- Foil thickness: 15 microns
- Easy to apply by one person
- Strong and elastic performance
- Easy to cut
- Statically charged, causing the film to be attracted to the surface
- Packed per roll in a carton box
- Can be used with infrared drying
- Temperature resistant up to 120°C
- Gerko logo on spray side





Masking film with integrated tape

MFT35 35 cm x 25 m	MFT60 60 cm x 25 m	MFT90 90 cm x 25 m	MFT120 120 cm x 25 m
MFT180 180 cm x 25 m	MFT260 260 cm x 25 m		

- Transparent masking film with paint absorption and tape on one side
- Can be easily torn by hand
- Sticks to the surface by itself due to the static properties



Rim masking film

RMF80
80 pcs.

- Quick and professional way to spray/repair rims without completely disassembling the tire
- Can be used on rims from 300 mm to 480 mm
- Economical to use and time-saving
- With elastic band
- Thickness: 20 microns



Magnetic foil cutter

MFC10

- Simple and safe cutting
- Suitable for masking film and masking paper
- Easy storage thanks to the magnetic back



Sensor covers

SC18
Ø 18 mm

- Saves time
- The sensors do not need to be disassembled
- Provides protection during the various processes (sanding, polishing and varnishing)
- Prevents contamination of the sensors
- Packed per 60 pieces



Cover set 5 in 1

CS05

- Including of plastic car seat cover
+ paper floor mat + plastic car steering
wheel cover + gear cover + brake cover





Masking film dispenser

MFD10

- Holds rolls of masking paper
- Enables one person to easily and efficiently mask the complete vehicle
- Unroll the film over the vehicle and cut along the cutter guide with the film cutter
- Saves space in the workshop
- Up to 40" (100cm) width



Masking film dispenser & cutter

MFD20

- Large tyres for problem-free manoeuvring in the paint workshop
- Moveable and highly robust construction with guide roller, facilitates complete masking of a vehicle by one person
- Simple to cut off cover film with specially fitted U-profile rail
- Holds rolls of masking paper up to 120cm width



Masking paper dispenser 3 rolls

MS30

- Ideal for quick and easy masking when doing auto body repair work
- Includes 3 bars to hold 3 paper rolls and 3 tape rolls
- Sharp, anodized blade for clean smooth cutting
- Adjustable washers to always keep tape and paper properly aligned
- Holds 3 widths of masking paper: 30-60-90 cm



Masking paper dispenser 6 rolls

MS60

- Ideal for quick and easy masking when doing auto body repair work
- Includes 3 bars to hold 5 paper rolls and 5 tape rolls
- Sharp, anodized blades for clean smooth cutting
- Moveable tape holder to always keep tape and paper properly aligned
- Hold width from 30 to 120 cm paper





Masking paper

MP020 20 cm x 300 m	MP030 30 cm x 300 m
MP040 40 cm x 300 m	MP060 60 cm x 300 m
MP090 90 cm x 300 m	MP100 100 cm x 300 m
MP120 120 cm x 300 m	MP150 150 cm x 300 m

- 50 gr./m² recycled brown paper
- Extremely suitable for masking cars, parts, etc.
- Dust-free
- Good absorption properties
- The lacquer does not penetrate the masking paper under normal conditions
- Available in different sizes



Masking paper kraft

MPK020 20 cm x 300 m	MPK030 30 cm x 300 m
MPK040 40 cm x 300 m	MPK060 60 cm x 300 m
MPK090 90 cm x 300 m	MPK100 100 cm x 300 m
MPK120 120 cm x 300 m	MPK150 150 cm x 300 m

- 40 g/m² high-quality kraft paper
- Good density and puncture resistance
- 100% pure, not recycled
- Smooth, non-porous surface on one side to prevent paper fibres from fluffing
- Increased water resistance
- Suitable for all types of solvent- and water-based car paints
- Available in different sizes




Silicone paper

SP020 20 cm x 240 m	SP030 30 cm x 240 m
SP040 40 cm x 240 m	SP050 50 cm x 240 m
SP060 60 cm x 240 m	SP090 90 cm x 240 m
SP100 100 cm x 240 m	SP120 120 cm x 240 m
SP150 150 cm x 240 m	

- 58 gr./m² paper
- Extremely suitable for masking cars, parts, etc.
- One side is glossy, making this paper waterproof
- Dust-free
- Available in different sizes



MASKING TAPE



DESCRIPTION	TEMPERATURE RESISTANCE 30 min.	THICKNESS	TENSILE STRENGTH N/25 mm	ELONGATION %	PEEL ADHESION N/25 mm R	COLOUR	PAGE
Superior masking tape	100°C	125µm	95	9%	5	Yellow	21
Azure masking tape	120°C	130µm	90	9%	5,75	Blue	21
Aqua masking tape	120°C	135µm	110	10%	5	Green	22
Washi tape gold	120°C	90µm	75	3%	3	Gold	23
Double-sided tape	149°C	1,1mm	61	50%	87,5	Red	23
Fine line tape	140°C	150µm	210	100%	100	Green	23
Duct tape	60°C	300µm	44	9%	9	Grey/Black	24

Superior masking tape

SMT18 18 cm x 50 m	SMT24 24 cm x 50 m	SMT30 30 cm x 50 m	SMT36 36 cm x 50 m
-----------------------	-----------------------	-----------------------	-----------------------

SMT48
48 cm x 50 m

- Ideal for spraying with high quality oven use
- Clean edges for precise and easy application
- Excellent tape on tape application
- Suitable for both metal and plastic surfaces
- Different surface options to meet special requirements
- Easy to remove without leaving glue residue
- Temperature resistance: 30 min at 100°C, 60 min at 80°C
- Adhesion to steel: 5 N/25 mm
- Total thickness: 125 microns
- Resistant to solvents
- Suitable for waterbased and solventbased paints
- Easy to tear
- Excellent formability
- Suitable for IR and UV drying



Azure masking tape

MAT18 18 cm x 50 m	MAT24 24 cm x 50 m	MAT30 30 cm x 50 m	MAT36 36 cm x 50 m
-----------------------	-----------------------	-----------------------	-----------------------

MAT48
48 cm x 50 m

- Strong adhesion
- Excellent adhesion
- Excellent formability on curved profiles
- Easy to remove without adhesive transfer
- High visibility
- Suitable for IR and UV curing
- 3 days UV resistance
- Premium quality





Aqua masking tape

AMT18 18 cm x 50 m	AMT24 24 cm x 50 m	AMT30 30 cm x 50 m	AMT38 38 cm x 50 m
AMT48 48 cm x 50 m			

- Suitable for waterbased paints
- Excellent adhesion to rubber and metal
- Easily removable and leaves no adhesive residue
- Paper: impregnated green crepe paper
- Thickness: 135 microns
- Temperature resistance: 30 min at 120°C
- Adhesion to steel: 5 N/25 mm
- Excellent tape on tape adhesion
- Sharp and clean edge for precise sticking and easy application
- Solvent and water resistant
- Suited for IR and UV drying



Washi masking tape gold

WTG18 18 mm x 50 m	WTG24 24 mm x 50 m	WTG36 36 mm x 50 m	WTG48 48 mm x 50 m
-----------------------	-----------------------	-----------------------	-----------------------

- Suitable for waterbased and solventbased paints
- Very good adhesion to all surfaces, including all plastics and rubbers
- Flexible and can therefore be applied in soft curves so that no fine line tape has to be used
- Presents perfect wet removability at 15, 30 and 60 minutes after application of paint on walls
- Very good oven resistance and does not change colour or leave adhesive residue
- Gives excellent paint break line
- Also extremely suitable for painters and plasterers
- Is also sometimes called rice paper or fine line tape
- Temperature resistance: 60 min at 120°C
- Adhesion to steel: 5 N/25 mm
- Thickness: ≤90 microns
- Solvent and water resistant
- UV-resistant



Double-sided tape

DST06 6 mm x 10 m	DST09 9 mm x 10 m	DST12 12 mm x 10 m	DST19 19 mm x 10 m
----------------------	----------------------	-----------------------	-----------------------


- Acrylic-based adhesive tape for attaching strips and accessories to vehicles
- Thanks to the acrylic layer, the tape offers a strong initial bond, which ensures a fast and reliable connection at any temperature
- Maximum adhesive strength is achieved in a very short time
- Resistant to UV light
- Degrease the surface thoroughly before starting



Fine line tape

FLT03 3 mm x 55 m	FLT06 6 mm x 55 m	FLT09 9 mm x 55 m	FLT12 12 mm x 55 m
----------------------	----------------------	----------------------	-----------------------

- Specially developed for tight masking when spraying multiple colours, lettering or custom painting
- Extremely smooth and flexible
- Suitable for different surfaces
- Leaves no adhesive residue
- Temperature resistant up to 140°C





Duct tape

CTZ50
50 mm x 50 m

CTG50
50 mm x 50 m

- Excellent adhesion properties at low & high temperatures
- Good performance on rough surface
- Excellent tearing & unwinding
- Clean removal for long period
- Silicone-free
- Easy to tear off in both length and width
- Can be applied to plastic parts, spoilers, bumper strips, mirrors, but also sheet metal



Foam masking tape

FT13
13 mm x 50 m

FT19
19 mm x 35 m

- To use for masking gaps between bonnets, doors and car body parts
- It protects the joint perfectly, absorbs the paint and avoids edge building
- The foam allows an easy cutting to desired length and size and ensures a proper isolation
- The adhesive ensures a successful use without leaving any residue once used



T-foam tape



TFT25
25 m

- Easy placement
- Perfect edge finish
- No glue residue
- Flexible and easy to shape around contours
- Unwinds easily from the roll for fast application
- Solvent resistant
- No bleed through
- Eliminates paint build up and hard edges



Lifting tape

LT10
10 mm x 10 m

- Makes masking corners easier
- Prevents spraying onto rubbers
- Pre-cut every 46 mm for easy application
- Leaves no residue once finished the application
- Always tear from the plastic side to the tape side



Lifting tape multi

LT20
9+11 mm x 10 m

- Makes masking corners easier
- Prevents spraying onto rubbers
- Pre-cut every 42 mm for easy application
- Leaves no residue once finished the application
- The combination of 2 plastic strips makes it possible to use one tape for different applications
- Always tear from the plastic side to the tape side



OUR DISTRIBUTORS

ISRAEL

ROUVEN ULMAN

The decision of selling Gerko infinity discs and infinity foam discs was easy made. As the word infinity says, the lifetime of this abrasive is really amazing. In our opinion, Gerko infinity abrasive can compete with the highest quality of abrasives on the market.



SANDIN

SANDING

With the introduction of eco-friendly paints, high solid products, UV primers, water-based paints in the world of automotive refinish, the requirements for abrasives have changed significantly in the 21st century. It is not only important that sandpapers offer a wide range of shapes and sizes for both manual and machine use. The choice of sandpaper also affects costs and working times, such as durability, speed, accuracy, and suitability for modern applications.

G





Sanding strips blue ceramic 70 x 198 mm

SCB060
(P60) 50 pcs.

SCB080
(P80) 50 pcs.

SCB120
(P120) 50 pcs.

SCB150
(P150) 50 pcs.

SCB180
(P180) 50 pcs.

SCB240
(P240) 50 pcs.

SCB320
(P320) 50 pcs.

SCB400
(P400) 50 pcs.

- Ceramic aluminium oxide grains
- High initial cutting power for efficient sanding
- Durable and lower labour costs



Sanding strips blue ceramic 70 x 420 mm

SCD060
(P60) 50 pcs.

SCD080
(P80) 50 pcs.

SCD120
(P120) 50 pcs.

SCD150
(P150) 50 pcs.


SCD180
(P180) 50 pcs.

SCD240
(P240) 50 pcs.

SCD320
(P320) 50 pcs.

SCD400
(P400) 50 pcs.

- Ceramic aluminium oxide grains
- High initial cutting power for efficient sanding
- Durable and lower labour costs



Sanding strips blue ceramic 115 x 230 mm

SCC060
(P60) 50 pcs.

SCC080
(P80) 50 pcs.

SCC120
(P120) 50 pcs.

SCC150
(P150) 50 pcs.


SCC180
(P180) 50 pcs.

SCC240
(P240) 50 pcs.

SCC320
(P320) 50 pcs.

SCC400
(P400) 50 pcs.


- Ceramic aluminium oxide grains
- High initial cutting power for efficient sanding
- Durable and lower labour costs



Sanding disc blue ceramic

SPC0040 (P80) 50 pcs.	SPC0060 (P60) 50 pcs.	SPC0080 (P80) 50 pcs.	SPC0120 (P120) 50 pcs.
SPC0150 (P150) 50 pcs.	SPC0180 (P180) 50 pcs.	SPC0220 (P220) 50 pcs.	SPC0240 (P240) 50 pcs.
SPC0280 (P280) 50 pcs.	SPC0320 (P320) 50 pcs.	SPC0400 (P400) 50 pcs.	SPC0500 (P500) 50 pcs.
SPC0600 (P600) 50 pcs.	SPC0800 (P800) 50 pcs.		

- Ceramic aluminium oxide grains
- High initial cutting power for efficient sanding
- Durable because of anti-clogging coating
- Reduces labour costs
- Longer disc life






Sanding disc green

SPG0040 (P80) 50 pcs.	SPG0060 (P60) 50 pcs.	SPG0080 (P80) 100 pcs.	SPG0120 (P120) 100 pcs.
SPG0150 (P150) 100 pcs.	SPG0180 (P180) 100 pcs.	SPG0220 (P220) 100 pcs.	SPG0240 (P240) 100 pcs.
SPG0280 (P280) 100 pcs.	SPG0320 (P320) 100 pcs.	SPG0360 (P360) 100 pcs.	SPG0400 (P400) 100 pcs.
SPG0500 (P500) 100 pcs.	SPG0600 (P600) 100 pcs.	SPG0800 (P800) 100 pcs.	SPG1000 (P1000) 100 pcs.
SPG1200 (P1200) 100 pcs.	SPG1500 (P1500) 100 pcs.	SPG2000 (P2000) 100 pcs.	

- Film backing
- Aluminium oxide abrasive grain
- High cutting performance without clogging
- Longer lifespan through durability
- Stearate coating prevents clogging of the sandpaper
- Double gluing of the grain
- Perfect sanding surface
- Ø150 mm with 15 holes for good dust pick-up





Gernet sanding strips 70 x 198 mm

SNB080
(P80) 50 pcs.

SNB120
(P120) 50 pcs.

SNB150
(P150) 50 pcs.

SNB180
(P180) 50 pcs.

SNB240
(P240) 50 pcs.

SNB320
(P320) 50 pcs.

SNB400
(P400) 50 pcs.

- Extremely dust-reduced sanding
- The characteristic of the net provides a very long lifetime
- Works excellent on primer sanding applications



Gernet sanding strips 70 x 420 mm

SND080
(P80) 50 pcs.

SND120
(P120) 50 pcs.

SND150
(P150) 50 pcs.

SND180
(P180) 50 pcs.

SND240
(P240) 50 pcs.

SND320
(P320) 50 pcs.

SND400
(P400) 50 pcs.

- Extremely dust-reduced sanding
- The characteristic of the net provides a very long lifetime
- Works excellent on primer sanding applications



Sanding block with extraction

SB198
70 x 198 mm

SB420
70 x 420 mm

SB230
115 x 230 mm


- One plastic hand sanding block with dust extraction
- Ergonomic handle
- Even pressure due to balanced weight distribution
- Equipped with connection for extraction hose



Sanding disc Infinity

SPI0040 (P40) 50 pcs.	SPI0060 (P60) 50 pcs.	SPI0080 (P80) 50 pcs.	SPI0120 (P120) 50 pcs.
SPI0180 (P180) 50 pcs.	SPI0220 (P220) 50 pcs.	SPI0240 (P240) 50 pcs.	SPI0320 (P320) 50 pcs.
SPI0400 (P400) 50 pcs.	SPI0500 (P500) 50 pcs.	SPI0600 (P600) 50 pcs.	SPI0800 (P800) 50 pcs.
SPI1000 (P1000) 50 pcs.			

- Premium ceramic grit for exceptional performance
- Wide range of surface preparation tasks
- Longer abrasive life
- Superior cutting power for efficient and precise sanding
- High cutting speed, significantly saves on work hours
- Anti-clogging coating increases the durability of the sanding discs
- Ceramic grains are self-sharpening
- Ø150 mm with 15 holes for good dust pick-up



Infinity sanding sheet roll

SRI080 (P80)	SRI120 (P120)	SRI150 (P150)	SRI180 (P180)
SRI240 (P240)	SRI320 (P320)	SRI400 (P400)	

- Ceramic - durable & longer life
- Hook and loop - easy to use
- Multi-holes for dust extraction
- Pre-cut for easy tear off
- High cutting speed, significantly saves on work hours
- Anti-clogging coating increases the durability of the sanding discs
- Ceramic grains are self-sharpening
- Roll size: 70mm x 12m
- Sheet size: 70mm x 70mm








Foam sanding discs

FD10
Brown / fine
(P320 - P500)

FD20
Green / superfine
(P600 - P1000)

FD30
Blue / microfine
(P1000 - P1500)

- Saves money and reduces wastage
- 3 versions available, one version for each fine sanding job
- Uniform sanding pattern
- No clogging
- Ensures perfect finish for the next working step
- Ø150 mm
- Flexible foam discs which follows the substrate irregularities and body contours
- Can be used wet or dry, best results obtained when used dry
- Offers the maximum performance to the user
- Packed per 20 pcs.



Double sided sanding sponge

DSP10
Brown / fine
(P320 - P500)

DSP20
Green / superfine
(P600 - P1000)

DSP30
Blue / microfine
(P1000 - P1500)

- Lasts 3x longer than conventional abrasive sponges
- 3 versions available, one version for each fine sanding job
- Uniform sanding pattern
- No clogging
- Ensures perfect finish for the next working step
- Pad size: 120 x 98 x 13 mm
- Flexible sponge pad which follows the substrate irregularities and body contours
- Can be used wet or dry, best results obtained when used dry
- Packed per 100 pcs.





Triflex foam sanding discs



TFS3000
Triflex foam sanding discs
Ø75 (P3000) 15 pcs.

TFS5000
Triflex foam sanding discs
Ø75 (P5000) 15 pcs.

TFB3000
Triflex foam sanding discs
Ø150 (P3000) 15 pcs.

TFB5000
Triflex foam sanding discs
Ø150 (P5000) 15 pcs.

- Sanding discs consisting of identical, evenly distributed pyramids over a foam carrier, in which several layers of a sanding mineral are processed
- Due to the constant sanding, a particularly even surface with a perfect finish without recurring scratches is achieved
- Your work is carried out with maximum speed, efficiency, quality and precision
- Ideal for removing sanding scratches
- The ideal base for polishing
- Longer service life
- Time saving



Infinity foam discs



IFD0600
P600
20 pcs.

IFD0800
P800
20 pcs.

IFD1000
P1000
20 pcs.

IFD1200
P1200
20 pcs.

IFD1500
P1500
20 pcs.

IFD2000
P2000
20 pcs.

- Sanding discs on flexible foam are a high-quality product for professional sanding and matting of car paint or clear coat
- The laser-applied holes ensure that you have optimum control over dust and water while sanding
- Can be used wet or dry
- Sanding disc adapts to the shape of the surface
- Ideal for wet sanding of headlights
- Aluminium oxide sanding grain
- Suitable for use by hand or machine
- Excellent dust control
- Velcro backing
- Special discs with excellent cutting action and finish





Soft flex abrasive

SR0150 (P150)	SR0240 (P240)	SR0320 (P320)	SR0400 (P400)
SR0500 (P500)	SR0600 (P600)	SR800 (P800)	SR1000 (P1000)

- Sandpaper on a roll with a foam surface
- For manual sanding of difficult, profiled surfaces
- Stearate coating prevents clogging of the sandpaper
- Easily adapts to round, convex or concave shapes
- The foam base ensures an even pressure distribution, which reduces the risk of sanding through
- Half open grain distribution



Wet & dry sanding sheets

WDS0080 (P80) 50 pcs.	WDS0120 (P120) 50 pcs.	WDS0150 (P150) 50 pcs.	WDS0220 (P220) 50 pcs.
WDS0240 (P240) 50 pcs.	WDS0320 (P320) 50 pcs.	WDS0400 (P400) 50 pcs.	WDS0600 (P600) 50 pcs.
WDS0800 (P800) 50 pcs.	WDS1000 (P1000) 50 pcs.	WDS1200 (P1200) 50 pcs.	WDS1500 (P1500) 50 pcs.
WDS2000 (P2000) 50 pcs.	WDS2500 (P2500) 50 pcs.		

- 230 x 280 mm sanding sheets for wet or dry sanding of paintwork
- Silicon carbide abrasive grain
- Easily remove scratches from painted parts
- Optimal sanding quality
- Very smooth finish
- Can be used both dry and wet



Control powder

CP150
150 gr.

- Control powder with applicator
- Abrasion control for use on putty or primer surfaces
- Rapid detection of imperfections
- Tool for regaining original contours
- No drying time
- Contains 150 gr. powder





Matting compound

MC1
1 kg

- Removes all traces of wax, grease and silicone and at the same time provides matt surface, all in one action
- Used in combination with Gerko scuff rolls SB01 and SB02, which leads to a clear improvement of the sanding and matting effect
- Water-based product
- Easy to use



Scuff roll

SB01
Red / extrafine
(P360)

SB02
Grey / ultrafine
(P1500)

SB03
Gold / microfine
(P2000)

- Ideal for matting surfaces for the next coat of paint
- Can be used both wet and dry
- Retains its effectiveness due to its three-dimensional fiber structure
- Suitable for use on both painted and unpainted surfaces
- 115 mm x 10 m roll



Backing pad

BP150

- Ø150 mm sanding machine pad with 15 holes
- Medium hardness
- Removes a lot of dust and thus prevents the sanding disc from getting clogged
- Including the necessary washers and various bolts



Interface velcro

IP10
10 mm

IP05
5 mm

- Ø150 mm
- Ideally suited to combine with finer sandpaper
- The foam adapts perfectly to curves and contours
- High performance and quality





Electric sanding machine 70 x 198 mm

ESM70
70 x 198 mm

- Electric sanding machine 70 x 198 mm - deviation 3 mm
- Powerfull performance
- Compact sizebrushless motor
- Lightweightlow vibrations
- Standard 5m cable



Electric sanding machine Ø150

ESM05
Ø150 mm

- Electric sanding machine Ø150 mm - deviation 5 mm
- Easy and fast sanding with a minimum of noise are just a few advantages of electric sanding
- Powerful performance (350W)
- Suitable for sanding hard-to-reach areas due to its compact shape
- Lightweight sander 1 kg
- Sander without transformer
- Standard 5 m cable
- Carbon-free engine
- With soft start function
- Energy saving
- Constant speed, even under heavy loads
- Cascading speed control
- Deviation 5 mm



Pneumatic sanding machine

SM05
5 mm deviation

SM06
2,5 mm deviation

- Pneumatic sanding machine Ø150 mm - deviation 5 mm
- Premium quality
- Very low noise level
- Perfectly balanced centre of gravity
- Vibration-free
- Delivered with sanding pad: diameter Ø150 mm, bottom velcro, 15 holes
- Very light
- Built-in option to work with or without dust extraction



OUR DISTRIBUTORS
UNITED KINGDOM
WARREN BLACKETT

Our collaboration with Gerko International started in 2020 and has grown and developed every year since, despite the very competitive nature of the UK refinishing market. This is mostly as a result of the excellent quality and ongoing development of new innovative products. we continues to have a very close and open relationship with Gerko International which makes us feel part of the growing Gerko family.



PAINT PREPARAT

PAIN PREPARATION

The topcoat remains the most outstanding step in the entire process of damage repair. Colour matching, gloss level and surface texture play a crucial role in determining whether a repair has been carried out professionally. Therefore, the correct preparation and application of paint products is essential for achieving a high-quality final result. Gerko offers an extensive range of paint preparation products.



ION



Mixing cups

GMX0385 385 ml 200 pcs.	GMX0750 750 ml 200 pcs.	GMX1400 1400 ml 200 pcs.	GMX2300 2300 ml 100 pcs.	GMX5000 5000 ml 40 pcs.
-------------------------------	-------------------------------	--------------------------------	--------------------------------	-------------------------------

- Available in 385 ml, 750 ml, 1400 ml and 2300 ml
- 10 different mixing ratios
- Base feet protecting against cold transfer during mixing
- Stackable to save space



Lids for mixing cups

GML0385 385 ml 200 pcs.	GML0750 750 ml 200 pcs.	GML1400 1400 ml 200 pcs.	GML2300 2300 ml 100 pcs.	GML5000 5000 ml 40 pcs.
-------------------------------	-------------------------------	--------------------------------	--------------------------------	-------------------------------

- To cover the mixing cups and protect paint against dirt and dust
- Easy application



Mixing cup dispenserset

MXSET

- Mixing cup dispenserset made of durable metal for Gerko mixing cups
- The mixing cups are easily dispensed one at a time, keeping them clean and free from dust
- Set of 4 sizes (385 ml, 750 ml, 1400 ml and 2300 ml)



Smart performance spray gun

SPSG-0.8
Spray gun HVLP
0.8 nozzle set

SPSG-1.0
Spray gun HVLP
1.0 nozzle set

SPSG-1.2
Spray gun HVLP
1.2 nozzle set

- Developed for more compact spraying and spraying small objects
- Good ergonomics and balance of the spray gun
- HVLP technology
- Lightweight anodized aluminum handle with ergonomic grip
- Parts made from 100% stainless steel
- No rubber parts
- Fine atomization and adjustable spray pattern
- Available with 0.8 mm, 1.0 mm, 1.2 mm needle set
- Nozzle sets 0.8 mm, 1.0 mm, 1.2 mm also available separately
- Including 100 ml top cup
- Air consumption: 200 L/min, 7.1 CFM
- Required spray pressure: 1.5 bar/22 psi



Performance pro spray gun

PSG-1.3
Spray gun HVLP
1.3 nozzle set

PSG-1.4
Spray gun HVLP
1.4 nozzle set

PSG-1.6
Spray gun HVLP
1.6 nozzle set

PSG-1.8
Spray gun HVLP
1.8 nozzle set

PSG-2.0
Spray gun HVLP
2.0 nozzle set

PSG-2.5
Spray gun HVLP
2.5 nozzle set

- Good ergonomics and balance of the spray gun
- HVLP technology
- Lightweight anodized aluminum handle with ergonomic grip
- Parts made from 100% stainless steel
- No rubber parts
- Fine atomization and adjustable spray pattern
- Available with 1.3 mm, 1.4 mm, 1.6 mm, 1.8 mm, 2.0 mm, 2.5 mm needle set
- Nozzle sets 1.3 mm, 1.4 mm, 1.6 mm, 1.8 mm, 2.0 mm, 2.5 mm also available separately
- Including 600 ml top cup
- Air consumption: 400 L/min, 14.1 CFM
- Required spray pressure: 2 bar/29 psi



Elite1 spray gun

E1SG-1.2
Spray gun HVLP
1.2 nozzle set


E1SG-1.3
Spray gun HVLP
1.3 nozzle set

E1SG-1.4
Spray gun HVLP
1.4 nozzle set

E1SG-1.6
Spray gun HVLP
1.6 nozzle set

E1SG-1.8
Spray gun HVLP
1.8 nozzle set

- Top quality spray gun
- Good ergonomics and balance of the spray gun
- HVLP+ technology
- Fast and easy application
- Lightweight anodized aluminum handle with ergonomic grip
- Parts made from 100% stainless steel
- No rubber parts
- Consistent spray pattern
- High efficiency
- Available with 1.2 mm, 1.3 mm, 1.4 mm, 1.6 mm, 1.8 mm nozzle
- Nozzle sets 1.2 mm, 1.3 mm, 1.4 mm, 1.6 mm, 1.8 mm, also available separately
- Including 600 ml top cup
- Air consumption: 400 L/min, 14.1 CFM
- Required spray pressure: 1.6/2.0 bar/29 psi



ACCESSORIES



SMART PERFORMANCE SPRAY GUN



Nozzle set HVLP
NS-0.8SPSG
NS-1.0SPSG
NS-1.2SPSG



Air control replacement kit
ACSPSG



Pattern control assembly
PCSPSG



Maintenance kit
MKSPSG



PERFORMANCE PRO SPRAY GUN



Nozzle set HVLG

- NS-1.3PSG
- NS-1.4PSG
- NS-1.6PSG
- NS-1.8PSG
- NS-2.0PSG
- NS-2.5PSG



Air control replacement kit

ACPSG



Pattern control assembly

PCPSG



Maintenance kit

MKPSG



ELITE1 SPRAY GUN



Nozzle set HVLG

- NS-1.2E1SG
- NS-1.3E1SG
- NS-1.4E1SG
- NS-1.6E1SG
- NS-1.8E1SG



Air control replacement kit

ACE1SG



Pattern control assembly

PCE1SG



Maintenance kit

MKE1SG


AVAILABLE NEEDLES

1

2

3

DESCRIPTION	Includes nozzle	Includes needle	Includes gravity cup	0.8 mm	1.0 mm	1.2 mm	1.3 mm	1.4 mm	1.6 mm	1.8 mm	2.0 mm	2.5 mm
Smart performance spray gun	✓	✓	✓	✓	✓	-	-	-	-	-	-	-
Performance Pro spray gun	✓	✓	✓	-	-	✓	✓	✓	✓	✓	✓	✓
Elite1 spray gun	✓	✓	✓	-	-	✓	✓	✓	✓	✓	-	-



Pressure regulator for Gerko spray gun

PRSG

- Pressure regulator for Gerko spray guns



Gravity cup

C100
100 ml
for smart
performance
spray gun

C600
600 ml

C600UV
600 ml UV

- Loose top cup for Gerko spray guns
- 100 ml or 600 ml cup
- Equipped with a lid to seal it airtight

Spray gun cleaning kit

SGCK23

- Ideal for cleaning the paint channel, inner head, needle and air cap of the spray gun
- A reusable box with 22 items including brushes and various small accessories for perfect cleaning of all types of spray guns





Degreasing cloths



OD10
42 x 30 cm
200 pcs.

- Degreasing cloths with a high absorption capacity
- Suitable for waterbased and solventbased degreasers
- Lint-free and silicone-free



Pressure sprayer / Assortment coding caps

HV10
1 liter

CC05
5 pcs.

- Pressure sprayer for spraying all kinds of liquids such as degreasers and cleaners
- Set of 5 coding caps including 2 colour identification charts (art. CC05)



Waterbased degreaser



WD05
5 liter

WD25
25 liter

- Antistatic effect on the surface
- Does not affect an underlying layer of paint
- Can be applied without a mask
- Leaves no traces
- Eco friendly, biodegradable
- Universal product for the preparation of sanding, spraying and cleaning
- Removes salt and soap residues
- No damage to plastic rubbers
- To be used with Gerko degreasing cloths



Solventbased degreaser

OS01
1 liter

OS05
5 liter

OS05-F
5 liter

OS25
25 liter

- Powerful degreaser
- Not aggressive for sensitive paint surfaces
- Cleans the surface and removes all silicones
- OS05-F is a fast version





Waterbased tack cloths

TCW20
43 x 31 cm
20 pcs.

- Waterbased tack cloth made of polyester and viscose
- Impregnated with a waterbased product
- Environmentally friendly and odorless
- Antistatic effect
- Extremely suitable for waterbased paints
- With perforated structure which ensures an even better accumulation of dirt
- Suitable for small, medium and large dust particles
- Low stickiness
- Leaves no adhesive residue or residue
- Packed per 20 pcs.



Tack rags

TR50
80 x 90 cm
50 pcs.

- High quality, large textured cotton cloth with superior dust holding capacity
- The cotton wipe is specially designed to collect and remove loose contamination such as dust, dirt, hair and lint from surfaces
- The tack rag is recommended for large dust particles but also eliminates the smallest dust particles in an instant
- For pre-paint wiping of all surfaces
- Works antistatic
- Never leaves traces of glue that could possibly cause a reaction with any paint



Nylon paint strainers

VF125
Blue - 125 microns - extra fine
4 x 250 pcs.

VF280
Green - 280 microns - coarse
4 x 250 pcs.

VF190
Red - 190 microns - fine
4 x 250 pcs.

- Paint strainers for both conventional and water-based paints (blue and red)
- Paint strainers especially for high solid base materials or primers (green)
- Highest quality nylon strainer
- Equipped with a perfect nylon grid



Mixing sticks

MP20
24 cm
500 pcs.

MP30
30 cm
200 pcs.

- Made of recycled plastic
- Stirring very easily
- Optimal mixing thanks to S-shaped holes
- Dimensions: 24 x 2 cm
- Dimensions: 30 x 2 cm



Metal spray cards

MSC10
White
100 pcs.

MSC20
Medium grey
100 pcs.

MSC30
Dark grey
100 pcs.


- Black coverage line to check if the color covers after spraying
- For checking color accuracy
- Suitable for water-based and conventional coatings
- Ø 15 mm hole for color control
- Available in 3 colors: white, medium grey and dark grey
- Dimensions: 148 x 105mm



Metal spray card holder

MSCH10

- Metal spray card holder for automotive refinishing color check
- Keep your hands clean while spraying your spray samples
- Steel with powder coated +Magnet
- Rubber grip handle
- Dimensions: 36.5 x 9.5 x 3cm
- 5 pieces per stack per polybag/ display box







Color inspection lamp

CIL03

- Echargeable inspection lamp for precise colour control and detecting paint imperfections
- Recognise irregularities quickly and easily
- Equipped with 3 colour temperatures: 2700K, 4500K, 6500K
- Improves quality and prevents respraying of your work
- Equipped with an integrated hook and magnet on the bottom and back
- The lens can be easily removed and cleaned



Touch up bottle + pen

TUP20
20 ml
100 pcs.

- Ideal for simple and quick repairs of damaged lacquer layers due to, for example, stone chips
- Fine needle tip with a good sealable cap for small, minor damage
- Soft brush in closable cap for larger repairs
- Transparent and soft plastic bottle for precise dosing
- The supplied sealing needle ensures that the paint can not dry out in the metal point of application
- Use both vertically and horizontally
- 20 ml content of auto paint
- Equipped with a stainless steel ball



Touch up bottle 20 ml

TUB20
20 ml
100 pcs.

- Plastic bottle of 20 ml with a lid with integrated brush, to touch up car paint
- Supplied with a metal mixing bullet which makes this bottle suitable for waterbased paints and solventbased paints
- Self-adhesive labels to record information
- Equipped with a small funnel to make pouring easier
- Transparent



Touch up bottle 50 ml

TUB50
50 ml
60 pcs.

- Plastic bottles from 50 ml including a lid with integrated brush, to touch up car paint
- Supplied with a plastic mixing bullet which makes this bottle suitable for waterbased paints and solventbased paints
- Self-adhesive labels to record information
- Semi-transparent



GLUES & ADHESIVE

OUR DISTRIBUTORS
IRELAND
CIARAN FOX

We are proud to represent Gerko, a brand of exceptional quality and strength, in the Irish market. From its branding to the superior quality of its products, Gerko embodies excellence and reliability. We look forward to continuing this exciting journey of growth and success together.



GLUES & ADHESIVES

We carry a wide range of adhesives and sealants, including products for plastic repair and sprayable seam sealants. We also offer materials for bonding windows.





Plastic repair

<p>PR01 Fast / 30 sec Black - 50 ml</p>	<p>PR02 Medium / 90 sec Black - 50 ml</p>	<p>PR03 Medium / 90 sec Black - 25 ml</p>
---	---	---

- Very high initial strength
- Excellent adhesion
- Very fast drying
- Perfectly sandable and paintable



Metal bonding MMA

<p>MB50 50 ml</p>


- Does not attack surfaces
- Room temperature cured with short open time
- Over paintable
- Very good UV resistance and excellent ageing properties
- Gap filling up to 5 mm
- Non sagging thixotropic formulation, perfect for horizontal and vertical applications
- Excellent impact, peel and shear strength



Panel bonding adhesive

PBA195
195 ml

- Room temperature curing, heat acceleration possible
- Long open time of 60 minutes, handling within 4 hours @23°C, full cure in 24 hours
- Bond line thickness is controlled by 0,25 mm glass beads
- Withstands automotive e-coat, powder prime, and paint oven temperatures up to 230°C
- Spot weldable (uncured!)
- Excellent corrosion protection
- High energy absorption and very good crash performance



Brushable seam sealer / Nylon brush

BSS10
1 kg

NB30

- Designed for sealing welded joints, pressure welds and metal soldered joints
 - Forms a durable and elastic seal that ensures resistance to water, petrol, oils and high temperatures (to 60°C)
 - Drip-free
 - Displays original structure
 - Very strong adhesion
 - Very easy to brush
- Nylon Brush for applying the Gerko brushable seam sealer.
 - Provides an original factory finish
 - Solvent resistant
 - 30mm width



Seam sealer MS polymer

SS10
White - 290 ml

SS20
Grey - 290 ml

SS30
Black - 290 ml

- Durable, permanent elastic
- Universal bonding-, sealing- and assembling sealant, inside and outside for building- and industry constructions
- Paintable with waterbased paints, alkyd resin paint can cause curing inhibition of the paint (test in advance)
- No fouling on natural stone
- Fast curing, wet on wet applicable
- Free of isocyanates, phthalat, solvents and silicone (shrinkage nil)
- Resistant to UV radiation, weather, water, moist and mould
- Very good adhesion on several substrates even damp surfaces
- Neutral curing, almost odourless
- Non-corrosive to metals
- High mechanical resistant, strength and E-modulus
- Absorb acoustical and mechanical vibrations
- Non bubbling, sandable and grindable after complete curing through



Screenbond MS polymer

SCB10
Black - 290 ml

- Very high initial strength, the window does not sag
- Good resistance to sagging
- Good torsional rigidity contributes to the rigidity of the bodywork
- Excellent adhesion to old window bond, glass and ceramic walls, without using a primer
- Easy to use, with no by-products
- Free of solvents, isocyanate and silicone
- Long shelf life after opening
- Easy to remove from the hands
- Good UV-resistance



Instant glue

IG20
20 gr.

- A very fast drying glue based on cyanoacrylat
- Universally applicable on different materials
- Medium viscosity
- 1 component product
- Dries at normal room temperature and humidity



Applicator gun for plastic repair

SPR50

- Suited for 2-component adhesives
- Compact and lightweight



Rubber eraser pad Ø100

REP100
Ø100 - 25 mm

- Delivered with adapter
- Removes without damaging the surface
- Recommended speed between 2,000 and 4,000 rpm
- Due to the ridge the paint doesn't heat up which results in no paint damage
- Works 3x faster than traditional eraser pad
- There is no need to use chemicals that can damage the paint



Mixer tips for plastic repair

MT50
10 pcs.

- Mixer tips for 2-component adhesives glue
- Packed by 10 pcs.



Rubber eraser pad Ø88

REP200
Ø88 - 15 mm

- Delivered with adapter
- Removes without damaging the surface
- Recommended speed between 2,000 and 4,000 rpm
- There is no need to use chemicals that can damage the paint



Mixer tips for panel bonding

MT195
10 pcs.

- Mixer tips for 2-component adhesives glue
- Packed by 10 pcs.





PUTTY



PUTTIES

Gerko putties are mainly aimed at the automotive repair sector and are highly appreciated by bodyshops worldwide. With the continuous increase in labour costs and its impact on total repair costs, all our putties meet high quality standards. Our range includes 2-component putties, which are suitable for various applications.



PUTTIES



CODE	DESCRIPTION	STEEL	GALVANIZED STEEL	ALUMINIUM	PLASIC	WOOD	GRP	COLOUR	PACKAGING	POTLIFE AT 20°C	SANDING TIME AT 20°C	PAGE
PC20	Polycream putty	✓	✓	✓	-	✓	✓		2 kg	3 - 4 min	20 min	71
MF10	Multi blue putty	✓	✓	✓	-	✓	✓		1,6 kg	3 - 4 min	20 min	71
MF30	Multi blue putty	✓	✓	✓	-	✓	✓		3 liter	3 - 4 min	20 min	71
EG10	Easygo putty	✓	✓	✓	-	✓	✓		1 liter	3 - 4 min	20 min	72
FP18	Fiber putty	✓	-	✓	-	✓	✓		1,8 kg	4 - 5 min	20 min	72
UF20	Uniflex putty	✓	-	✓	✓	✓	✓		1,8 kg	4 - 5 min	20 - 30 min	73
AP18	Aluminium putty	✓	✓	✓	-	✓	✓		1,8 kg	4 - 5 min	20 min	73
TR20	Tin replacer putty	✓	✓	✓	-	✓	✓		2 kg	4 - 6 min	20 min	74
MG14	Multi green putty	✓	✓	✓	-	✓	✓		1,4 kg	3 - 4 min	20 min	74
SP12	Spray putty	✓	-	✓	✓	✓	✓		1,2 kg	20 - 30 min	90 - 120 min	74



Polycream putty (Multi)

PC20
2 kg

- Universal 2K polyester putty
- Maximum stability on vertical surfaces
- Excellent adhesion to galvanized and electro zinc coated metals, steel surfaces and aluminium
- Very easy to spread
- Non-porous, smooth surface
- Excellent sanding
- High filling power
- Fine grain composition
- No cracking on the edges by fine sanding
- Can be finished afterwards with multi blue putty or directly with primer or filler
- Colour: beige
- Hardener: BPO red
- Mixing ratio in %: 2-3



Multi blue putty (Soft)

MF10
1,6 kg

MF30
3 liter

- Universal polyester putty with lower specific weight 1,6 kg/L
- Colour change to aid timing of the start of the sanding process
- Can be used as filling and fine putty
- Excellent sanding, beginning with P120
- Adhesion to various substrates (steel, galvanized steel, aluminium, polyester laminates, old paint, ...)
- Extra creamy for easy mixing & application
- Very easy to spread
- Non-porous, smooth surface
- Colour: light blue
- Hardener: BPO red
- Mixing ratio in %: 2-3





Easygo putty (Light)

EG10
1 liter

- Universal light polyester filler
- Extreme adhesion on metal surfaces
- Colour change to facilitate timing of the start of the sanding process
- With glass balls as filling material
- Low shrink ratio
- Extreme adhesion to various surfaces such as steel, E-coat, galvanized steel, glass fiber reinforced plastics (FRP) and wood
- Combines excellent sanding properties with an absolutely compact surface
- Vibration resistant and more flexible on thin metal
- High stability in the can
- Easy to sand
- Short drying time
- Specific weight 1,3 kg/L
- Colour: yellow
- Hardener: BPO red
- Mixing ratio in %: 2-3



Fiber putty

FP18
1,8 kg

- Universal polyester putty with glass fibers to fill up larger surfaces and bigger irregularities
- Impregnated fibers for easy and equal spreading and finishing
- Perfect for polyester applications and repairs
- High mechanical strength while maintaining good flexibility
- For bridging of cracks, small holes and rusted-through areas
- Excellent sanding, beginning with P120
- Waterproof; ideal for boat & marine repairs
- Good adhesion on glass fiber reinforced materials
- High stability
- Colour: green
- Hardener: BPO red
- Mixing ratio in %: 2-3





Uniflex putty

UF20
1,8 kg

- Putty specially designed for plastic surfaces
- Universal black putty
- High flexibility
- Smooth finishing
- Easy sanding
- Built-in sanding guide: during sanding the putty fades from black to grey
- Universal adhesion on old painted surfaces, steel, light metals, galvanized steel, aluminium, wood and MDF
- Perfect for finishing plastic repairs
- Colour: black
- Hardener: BPO red
- Mixing ratio in %: 2-3



Aluminium putty

AP18
1,8 kg

- Polyester putty refined with aluminum particles
- Perfect for use on body parts subject to mechanical stress
- Used to fill coarse irregularities, pores and holes
- Good adhesion on iron, steel, aluminum, galvanized substrates and glass fiber reinforced materials
- Good stability on vertical surfaces
- High elasticity
- Good sandability
- Colour: aluminium grey
- Hardener: BPO red
- Mixing ratio in %: 2-3



Tin replacer putty

TR20
2 kg

- Once fully cured, it is resistant to hydrocarbons (petrol, diesel fuel) and some acids (battery acid)
- Reshaping rough edges, wheel arches, doors and roofs
- Perfect for restoring alloy wheels
- High elasticity
- With aluminium pigmentation
- Colour: steel grey
- Hardener: White
- Mixing ratio in %: 2



Spray putty

SP12
1,2 kg

- Used for filling smaller and larger uneven areas
- Creates a smooth coating, even on large surfaces
- Excellent adhesion on different surfaces
- Dries up rapidly and produces a pore-free surface
- High filling capability
- Is easy to sand



Multi green putty

MG14
1,4 kg

- Can be used as a filling or finishing filler
- Excellent sandability, starting with P120
- Adhesion to various substrates (steel, galvanised steel, aluminium, old paint, etc.)
- Extra creamy for easy mixing and application
- Very easy to spread
- Non-porous, smooth surface
- Colour: green
- Hardener: BPO red
- Mixing ratio in %: 2*3
- To be used with Gerko filler dispenser for perfect distribution of hardener and filler



Dispenser for UV Putty

DUV15

- Portable manual putty dispenser for use with Gerko Multi green putty
- Extremely practical and light
- Net weight 0.7 kg



Rubber spreaders

PMR20
20 pcs.

- Very flexible rubber spreaders for a softer finish
- Adapts very well to special shapes
- Dimensions: 100 mm x 70 mm



Plastic spreaders

PS50
50 pcs.


- Plastic spreaders made of flexible, solvent resistant material
- For single use
- Dimensions: 116 mm x 78 mm



Metal spreaders

MS04
4 pcs.

- Highly-versatile tool set for applying and filling with soft compound, makes great edgers for painting
- Steel-sheet blades
- High-flex to give more control
- Width: 50/80/100/120 (mm)
- 1 set contains 4 pieces



Mixing board

MB100
100 sheets

- For manual putty mixing
- No cleaning necessary
- Rip off the first page after use and it is ready for the next job
- Made of non-absorbing treated paper



Tube hardener for putty

HFP50
Red / 50 gr.

- Tube hardener for putty
- Maximum use of 3%





PAINTING

PAINTING

Technical sprays are specialised chemical products designed for the protection, maintenance and repair of automotive components. They offer a fast, convenient and cost-effective way to apply paint products. In doing so, Gerko offers a wide range of technical sprays that support the professional car repairer at every stage of the damage repair process.



GERKO EXPRESS REFINISH



**EXTREMELY FAST
DRYING TIMES**



**HIGHER
PRODUCTIVITY**



**UNBEATABLE BALANCE
BETWEEN GLOSS AND SPEED**





OUR DISTRIBUTORS
SWITZERLAND
 DALI SOTONICA

To start cooperating with Gerko 3 years ago was a perfect decision. After 3 years we have convinced the Swiss market of Gerko Express products. The fast drying time combined with the perfect gloss has lead us to one of the market leaders in fast drying refinish.



Diamond clearcoat 'scratch resistant'

CD05-5 5 liter	HSCD-0,5 - hardener Slow - 0,5 liter	HSCD-2,5 - hardener Slow - 2,5 liter
CD05-1 1 liter	HNCD-0,5 - hardener Normal - 0,5 liter	HNCD-2,5 - hardener Normal - 2,5 liter
	HFCD-0,5 - hardener Fast - 0,5 liter	HFCD-2,5 - hardener Fast - 2,5 liter

- Clearcoat in Medium Solid system which is characterized by good hardness and resistance to UV rays
- Resistant to troublesome weather conditions. It has very good resistance to stone impact, coating does not chip off even with strong strokes of stones
- Durability and excellent gloss gives the coating the "colour depth" effect and guarantees its high quality
- Is compatible with all solvent basecoats including water basecoats
- Occurs with hardener in standard or rapid version



Cristal clearcoat UHS

CC10-5 5 liter	HSCC-0,5 - hardener Slow - 0,5 liter	HSCC-2,5 - hardener Slow - 2,5 liter
CC10-1 1 liter	HNCC-0,5 - hardener Normal - 0,5 liter	HNCC-2,5 - hardener Normal - 2,5 liter
	HFCC-0,5 - hardener Fast - 0,5 liter	HFCC-2,5 - hardener Fast - 2,5 liter

- Can be used for both partial and complete repairs
- Very easy application
- High quality finish
- High gloss
- Easy to polish



Speed clearcoat UHS

CS10-5 5 liter	HCS10-2,5 - hardener 2,5 liter
-------------------	-----------------------------------

CS10-1 1 liter	HCS10-0,5 - hardener 0,5 liter
-------------------	-----------------------------------

- Extremely fast drying
- Can be used for air drying
- Significant energy savings
- High gloss level
- Excellent flow properties
- For small to big paint works
- Can be diluted 0-5%
- 2 full layer system



Express clearcoat VHS

CX10-5 5 liter	HCX10-2,5 - hardener 2,5 liter
-------------------	-----------------------------------

CX10-1 1 liter	HCX10-0,5 - hardener 0,5 liter
-------------------	-----------------------------------

- Extremely fast drying
- Can be used for air drying
- Significant energy savings
- High gloss level
- Excellent flow properties
- For small to big paint works
- Use without thinner
- 1,5 layer system



2:1 Matt clearcoat

MC10
1 liter

HMC05 - hardener
0,5 liter

- Top quality clearcoat allowing you to create matt surfaces
- It is resistant to weather conditions, UV rays and stones



Fade out thinner

FOT01
1 liter

AS140
500 ml

- Blender for spot repair coatings
- Easy and quick application
- Very good solving properties between new and old coat
- Effect is immediately visible and can be influenced directly
- Soft transition zones
- Minimal polishing work
- Ready to use



Acrylic thinner

AV01 1 liter	AV05 5 liter	AV25 25 liter
AV01-S Slow - 1 liter	AV05-S Slow - 5 liter	

- Gerko acrylate thinner is a versatile paint thinner based on oxygenated and aromatic hydrocarbons
- Colourless and clear
- AV01-S and AV05-S are a slow version



Paint system 180 ml

GPS125180
125 µm
180 ml - 50 sets

PSB180
Out cup
180 ml

- Available in 125 microns
- Suitable for solventbased and waterbased paints
- With caps to preserve your paint if necessary
- Including outer cup (also available separately)

Paint system 400 ml

GPS125400
125 µm
400 ml - 50 sets

PSB400
Out cup
400 ml

- Available in 125 microns
- Suitable for solventbased and waterbased paints
- With caps to preserve your paint if necessary
- Including outer cup (also available separately)

Paint system 600 ml

GPS125600
125 µm
600 ml - 50 sets

GPS190600
190 µm
600 ml - 50 sets

PSB600
Out cup
600 ml

GPS125600L
Lid
600 ml - 100 pcs.

- Available in 125 en 190 microns
- Suitable for solventbased and waterbased paints
- With caps to preserve your paint if necessary
- Including outer cup (out cup and lid also available separately)



UV-paint system 600 ml

GPS190600UV
190 µm
600 ml - 50 sets

PSB600
Out cup
600 ml

- Available in 190 microns
- Suitable for solventbased and waterbased paints
- With caps to preserve your paint if necessary
- Including outer cup (also available separately)



Paint system 800 ml

GPS125800
125 µm
800 ml - 50 sets

PSB800
Out cup
800 ml

- Available in 125 microns
- Suitable for solventbased and waterbased paints
- With caps to preserve your paint if necessary
- Including outer cup (also available separately)



Adapters for paint system

AD10	AD20	AD30	AD40	AD50
AD60	AD70	AD80	AD90	AD100

AD10	Adapter 1/4	quick adaptor
AD20	Adapter M12	external thread
AD30	Adapter 3/8	external thread
AD40	Adapter M16	internal thread
AD50	Adapter 1/4	internal thread
AD60	Adapter M12 x 1	external thread
AD70	Adapter M16	external thread
AD80	Adapter M14 x 1	internal thread
AD90	Adapter 7/16	external thread
AD100	Adapter 1/8	external thread

BRAND	MODEL	CODE	BRAND	MODEL	CODE
ADIR	GRAVITY SERIES	AD40	CENTRAL PNEUMATIC	GRAVITY SERIES	AD40
ACCUSPRAY	PERFORMAX 05-100 PRIMER	AD70		PROFESSIONAL MINI	AD60
ADVANTAGE	90115	AD40		MINI	AD80
AES	150	AD40	CORNWELL	PSG-1400	AD40
AIRGUNSA	AZ3 HTE 2	AD10		PSG-1200 MINI	AD80
AIRVERTER	GG-100	AD40	CRAFTSMAN	9-15531	AD40
	CT-100 MINI	AD80	DART PRODUCTS	AB17G	AD40
AMPRO	AR6025	AD40		H827A/H881A	AD40
	AR6029 MINI	AD80		H2000MG MINI	AD60
ANI	F1-S	AD30	DEFYNIK	GRAVITY SERIES	AD20
ASTRO	GF6S MINI	AD80	DEVILBISS	FINISHLINE FLG-653G	AD30
	6GFS MINI HVLP	AD80		GFHV-510	AD30
	4020 MINI	AD80		GTI 600G/625G WATERBORNE	AD30
	STAR QUL/M-STAR	AD40		GTI MILLENNIUM 620G/2000	AD30
	EVO 4014/4018	AD40		GTI PRO BASE/CLEAR/DIGITAL	AD30
	ECO-S/SX	AD40		GTIW WATERBORNE	AD30
	QUANTUM ULTRA	AD40		PRI 601G PRIMER	AD30
ASTURO	ECO-S/SX	AD40		TEKNA PROLITE/QUICKCLEAN/COPPER	AD30
ASTUROMEC	9011 SERIES	AD60		CVI 522G/620G/620GW	AD30
ATD	GRAVITY SERIES	AD40		DRD/EXL620G	AD30
	6900 SERIES	AD40		FLG 4 GRAVITY	AD30
	LEONARDO 6865/6872/6913/6914/6915/6918	AD70		FLG 615/635/643/645/647WB/648/651G/654/691/695	AD30
	6845/6900 MINI SERIES	AD80		GFG 5/516/517/618/670PLUS	AD30
BINKS	M1-G	AD30		GTI FAMILY/DV1	AD30
	MGI1.8 PRIMER	AD30		JGA 535G/635G	AD30
	630/95G	AD30		PRI/TEKNA	AD30
	BBR/MH-G	AD30		COMPACT 506/510 GRAVITY	AD30
	CUB SLG MINI GRAVITY	AD90		COMPACT MINI HVLP	AD90
C.A. TECHNOLOGIES	JAGUAR J100H/SLP/100C/300C	AD40		COMPACT MINI TRANS TECH	AD90
	TECHLINE T3	AD40		SRI MINI	AD90
	TECHLINE TJR	AD80		SRIW MINI	AD90
CAMPBELL HAUSFELD	DH-6500/7800/7900	AD40		SRI PRO MINI	AD90
CAPSPRAY	3100 GRAVITY SERIES	AD40		LT200/LT300	AD40
	MINI	AD80	DURA-BLOCK	AF900K	AD40
CARQUEST	PROVALUE 2304-PV/2305-PV	AD40		007 EXTREME PERFORMANCE	AD40
				MINI	AD80



BRAND	MODEL	CODE	BRAND	MODEL	CODE	
DUX	GRAVITY SERIES	AD20	PROVALUE (CARQUEST)	2304/2305-PV	AD40	
ECCO	652-S	AD30	SAGOLA	403G/433G/434G/444G/450G	AD30	
EVERCRAFT (NAPA)	BK7703758	AD40		3300G/4100G/4200G	AD40	
FUJII	5175G T75 SERIES HVLP	AD40		MINI EXTREME	AD40	
GERKO	PERFORMANCE PRO	AD40		CLASSIC PRO	AD40	
	ELITE1	AD40	SATA	MINIJET 4400 B HVLP QCC/4400 B RP QCC	AD10	
	SMART PERFORMANCE	AD80		JET B	AD40	
GONI	321	AD40		JET B NR-92/NR-95	AD40	
GRACO	DELTA GF	AD30		QCC FAMILY	AD10	
	LT100 MINI	AD60		KL-PRIMER	AD30	
GRIP	H827W	AD40		MCB-93	AD30	
	MINI	AD80		KLC-B/P/RP	AD40	
GRIZZLY	H7669	AD40		LM-92	AD40	
HUSKY	HDS-780/790/890 PRO	AD40		LM2000B/LM2000K	AD40	
INGERSOL RAND	210G/270G	AD40		MCB PRIMER/90	AD40	
	200G	AD80		JET90	AD40	
IWATA	W400/W400LV/WR400	AD40		JET90-2 RP/HVLP	AD40	
	LPA94/LPH440	AD40		NR2000 RP/HVLP	AD40	
	LPH400 PRIMER	AD40	SATAJET	100 BF HVLP QCC/RP QCC	AD10	
	LPH400LV/LVB/LVX	AD40		100 BF QCC	AD10	
	VX929/VXL949 PRIMER	AD40		2000/3000 HVLP QCC	AD10	
	SUPERNOVA LS400/SUPERNOVA WS400	AD50		2000/3000/4000 RP QCC	AD10	
	AZ3 HTE 2	AD50		1000/3000/4000 B HVLP QCC	AD10	
	LPH80	AD100		1000/3000 B RP QCC	AD10	
JONNESWAY	JA-6111	AD40	SEM	71001 PRO-TEX TRUCK BED LINER GUN	AD30	
KOBALT (LOWE'S)	KC-566CG/577HG	AD40	SHARP	FX200	AD40	
	SGY-AIR86/AIR88	AD40		FX300 HVLP	AD40	
KRAUTZBERGER	MIGNON 3	AD20		COBALT HVLP(EU)	AD30	
MAC	SG1250/SG1300 SERIES	AD40	SHARPE (GRACO)	FX-100 MINI	AD80	
	ECONOCOAT	AD40	SMART (FINISHMASTER)	SPRAY GUN KIT (STD)	AD40	
	SG610K	AD30		SPRAY GUN KIT (MINI)	AD80	
	SG1100-10 MINI	AD80	SNAP-ON	BLUE POINT BF325 MINI	AD80	
MARK I	AF7003	AD40	SPITZNAGEL	W2000A	AD40	
	AF7002 MINI	AD80	SPRAY-IT	522	AD40	
MATCO	GRAVITY SERIES	AD40	STAR	III	AD40	
	MTDPGHV/MTDPGHV8 DETAIL GUN	AD80		SUNEX	9002A/9004A	AD40
	RL-75 MINI	AD80	TITAN	VAPER 1.0MM MINI	AD80	
	MTPGHE 13/15	AD70		VAPER 1.4/1.7MM	AD40	
MAX AIR	W98	AD40	TRANSTAR	6613/6614/6617	AD40	
MOUNTAIN	STAR MINI	AD80		6618 MINI	AD80	
MSB	GRAVITY SERIES	AD40	TREM PRO	GRAVITY SERIES	AD40	
M-STAR	GRAVITY SERIES	AD40	U-POL	MAXIMUM	AD40	
NAPA (EVERCRAFT)	#BK7703758	AD40		MAXIMUM MINI	AD80	
NESCO	840/868/870	AD40	WALCOM	GEO/EGO	AD60	
	880	AD70		GENESI	AD70	
	808 MINI	AD80	WARWICK	861-C/863	AD40	
NIKOTA	HVLP-G	AD40		H881W	AD40	
PORTER-CABLE	PSH-1/3	AD40		881H/904H	AD40	
	PSH2 MINI	AD80		827-C/878	AD70	
PRO-TEK	2600	AD40		828-C	AD80	
	4000GH	AD40		MINI	AD80	
	764X	AD40				
	2500/2550 MINI	AD80				

Dispenser for paint system cups 600 & 800 ml

D600
600 & 800 ml

- Dosing cups for the Gerko paint system (600 ml and 800 ml)
- The cups can be taken out of the dispenser one by one
- Can be attached to the wall
- Refilling supplies from the side
- Ensures that the Gerko paint system cups are always clean and dust free



Dispenser for paint system lids

DGPSL

- Dosing lids for the Gerko paint system
- The lids can be taken out of the dispenser one by one
- Can be attached to the wall
- Refilling supplies from above
- Ensures that the Gerko paint system lids are always clean and dust free





UV curing lamp

UVCL

- Radiation with maximum UV-A intensity of 55 $\mu\text{W} / \text{cm}^2$ at 20 cm and 200 $\mu\text{W} / \text{cm}^2$ at 5 cm
- Successfully tested on UV paint products from all major paint manufacturers
- Works perfectly in combination with Gerko UV primer
- Produces only UV-A (395nm) and no UV-B or UV-C
- Built-in cooling system with fan keeps the lamp cooler to maintain optimal light output during prolonged use



Tripod for the Gerko UV lamp

TUVCL

- Tripod for the Gerko UV lamp
- Contributes to an efficient process



UV primer

UVPF10 1 liter

- UV-dried 1-component primer for fast and economical repairs
- Due to the extremely short drying time, this UV primer filler offers a huge advantage compared to conventional 2-component systems
- Perfectly matched with the Gerko UV lamp
- Builds up a high layer thickness
- Easy to sand
- Increases efficiency by up to 55%
- Perfect use for small and medium-sized repairs
- Cost reduction



2K HS primer filler

PFW10 - primer White - 1 liter	PFW40 - primer White - 4 liter
PFG10 - primer Grey - 1 liter	PFG40 - primer Grey - 4 liter
PFB10 - primer Black - 1 liter	PFB40 - primer Black - 4 liter
HPF025 - hardener Normal - 250 ml	HPF10 - hardener Normal - 1 liter
HPF026 - hardener Fast - 250 ml	HPF20 - hardener Fast - 1 liter
	HPF30 - hardener Extra fast - 1 liter

- Very high solids content
- Fast drying
- Easy sanding
- Reduced sanding dust
- Short overspray times
- Can also be used wet on wet



2K HS Express primer

PXW10 - primer White - 1 liter	PXW35 - primer White - 3,5 liter
PXG10 - primer Grey - 1 liter	PXG35 - primer Grey - 3,5 liter
PXB10 - primer Black - 1 liter	PXB35 - primer Black - 3,5 liter
HPX025 - hardener 250 ml	HPX085 - hardener 875 ml

- Innovative and high-filling
- Extremely fast drying time
- Excellent adhesion
- High effectiveness
- Easy further processing after drying
- Ideal for professionals





Epoxy primer

EP750 - primer
800 ml

EH375 - hardener
800 ml

- Settable as wet on wet
- High corrosion resistance
- Excellent sandability
- 1:1 ratio
- Can be painted over with 2K acrylic filler, 2K acrylic topcoats and polyester putty



1K Plastic primer

PP10
1 liter

- 1-component colourless primer for application by brush or spray gun on plastic body parts
- Used as a primer coating
- Ensures good adhesion of the topcoat to plastic



Superior primer 500 ml

SAS010
Light grey
500 ml

SAS030
Dark grey
500 ml

SAS040
White
500 ml

- High build primer
- Fast drying hard and flexible primer
- Excellent adhesion
- Easy sandability
- Anti-corrosion properties to the use of zinc phosphate
- Can be applied straight on bare metals
- Petrol resistant
- Can be painted over with most modern paints
- Can be applied on almost all plastics



Primer 400 ml

AS010
Light grey
400 ml

AS020
Grey
400 ml

AS030
Dark grey
400 ml

AS040
White
400 ml

- Fast drying hard and flexible primer
- Excellent adhesion
- Easy sandability
- Anti-corrosion properties to the use of zinc phosphate
- Can be applied straight on bare metals
- Petrol resistant
- Can be painted over with most modern paints





Plastic primer 500 ml

AS050
500 ml

- Universal applicable
- Effective adhesion promotor
- Fast drying
- Can be painted over after just 10 minutes
- Excellent to build up your repair



Etch primer 500 ml

AS060
500 ml

- Outstanding etching properties
- Excellent anti-corrosive properties
- Fast drying and flexible primer
- Can be applied straight on bare metals
- Petrol resistant
- Super smooth finish
- Can be painted over with a wide range of other paints as alkyd, cellulose or epoxy based coatings



High gloss black 500 ml

AS080
500 ml

- 100% glossy paint in the colour deep black
- Fast drying
- Excellent adhesion on many surfaces and materials
- Exceptional hiding power
- Smooth finish
- Resistant to chemicals and weather conditions



Semi gloss black 500 ml

AS090
500 ml

- 50% glossy paint in the colour deep black
- Fast drying
- Excellent adhesion on many surfaces and materials
- Exceptional hiding power
- Smooth finish
- Resistant to chemicals and weather conditions



Matt black 500 ml

AS100
500 ml

- Fast drying
- Excellent adhesion on many surfaces and materials
- Exceptional hiding power
- Smooth finish
- Resistant to chemicals and weather conditions



Wheelspray 500 ml

AS130
500 ml

- Very fast drying, good adhesion
- Glossy, good flexibility, good hardness
- Excellent UV protection
- Good outdoor durability
- Non yellowing



Clearcoat 1K 500 ml

AS300
500 ml

- Ultra gloss finish with excellent gloss retention
- Superior build
- Ideal distance to object is 25 cm
- Apply 2 full layers with a flash-off time of 10 minutes for a good result
- UV and petrol resistant 1K lacquer
- Fast drying 1K lacquer



Clearcoat 2K 400 ml

AS400
400 ml

- 2K clearcoat with deep high gloss
- Ideal for smart-repair
- Apply two full coats and allow to evaporate for 10 minutes to achieve a result comparable to using a spray gun
- Extremely scratch-resistant
- Resistant to UV, chemicals and weather influences



Bumper spray structurant 500 ml

AS150
Black - 500 ml

AS160
Grey - 500 ml

- Flexible textured finish coating for plastics and bumpers
- Allows structural rebuilding of damaged plastic parts
- After application and drying can be painted over with all current paint systems
- The Bumper Spray structurant reforms the structure close to the original and can be painted directly on the plastic without plastic primer



Anti gravel 500 ml

AS110
Black - 500 ml

AS120
Grey - 500 ml

- A tough closed, elastic and structured coating layer
- Excellent rust and gravel protection
- Sound dampening properties reduces noise inside cars
- Quick drying at room temperature or at elevated temperatures up to 60°C
- Can be applied drip-free
- Good adhesion to a wide range of materials especially car underbody
- Can be painted over with any kind of lacquer system



Prefill solvent 400 ml / Fillon technology

AS210
400 ml

AS220
Cap

- Prefilled aerosol replaces the spray gun at small body shops when small parts need to be painted
 - Best results are obtained with acrylic based lacquers
 - Also suitable for diluting a wide range of alkyd and cellulose based lacquers
 - A special filling machine is required
 - Not suitable for most waterbased basecoats
 - Prefill cans (400 ml) can be filled with up to 100 ml paint
-
- With the fillon patented lid, the aerosol can is filled with lacquer without the need for any cleaning work on the device
 - In combination with fillon technology machine



1K Basecoat RAL9005

GB9005
1 liter

- Basecoat designed for painting car bodies
- Requires no chemical curing
- Air dries
- Requires a clear coat finish



Anti gravel 1 liter

AG100
Black - 1 liter

AG110
Grey - 1 liter

AG120
White - 1 liter

- Protects car bodies against stone chips, water, salt and oil
- Rubber base with added synthetic resins
- Forms an elastic, fine-grained coating
- Sound-damping effect
- Suitable for door thresholds, wheel arches, spoilers and other body parts
- Drying time of 3 - 4 hours at 20°C, then paintable
- Suitable for any topcoat after drying
- Surfaces: steel, galvanized steel, aluminium, polyester putties, epoxy fillers, 2-component acrylic fillers and plastics

2K Accelerating

AA05
500 ml

- Fully professional accelerator of the hardening processes and drying processes of two-component polyurethane and acrylic products
- Should be used in an amount of 1-2% of the total weight of the varnish and hardener
- Do not increase the proportion because this may result in cracking and excessive loss of gloss of clearcoat



Under coating gun

USG10

- This gun is great for use applying herculiner and all other single and two component sprayable truck bed liner coatings
- Die-cast aluminum alloy body with nickel-plated, easy grip trigger handle
- Suitable for 1 L bottles
- Include: 1pc long flexible extension wand with a multi-directional nozzle



Underbody coating

UBC100
Black - 1 liter

- Bitumen-based corrosion protection for the underbody of all vehicle types.
- Provides excellent protection against climatic influences, stone chips, rust and is sound-absorbing.
- This coating provides excellent protection against climatic influences, stone chips and rust and is sound-absorbing.
- Extremely high wear resistance





CLEANING POLISHING

CLEANING & POLISHING

At Gerko, you will find an extensive range of products for both cleaning, polishing, care and maintenance of both the interior and exterior of your car. Our professional systems and tools are designed to save time and make work easier, keeping your customers happy.



Premium cellulose thinner

PCT24
24 liter

- Cellulose thinner 100% pure
- Professional cellulose thinner for diluting cellulose paint or removing glue
- Dilution of paint
- Removing glue
- Cleaning guns and tools
- Reduces the chance of orange peel skin



Cellulose thinner

CT05
5 liter

CT10
10 liter

CT25
25 liter

- For optimum cleaning of spray guns with water-based paints
- Mainly used cellulose thinner for cleaning paint spray guns, tools, brushes, parts, ...
- Can be used with both manual spray gun cleaners and all automatic spray gun cleaners



H²O gun shampoo



GS20
20 liter

- Gun shampoo for cleaning your spray guns for waterbased paint
- Coagulation is no longer necessary
- Can be used in combination with all automatic spray gun cleaners or in combination with a manual spray gun cleaner
- Clean gun within 5 minutes after spraying with the H2O gun shampoo



Cleaning paper

PB30
38 x 37 cm
500 pcs.

PW20
38 x 28 cm
1000 pcs.

- Cleaning paper white (2 layers) and cleaning paper blue (3 layers) for all kinds of maintenance
- Lint-free



Cleaning cloths

RD10
38 x 32 cm
500 pcs.

RD20
42 x 40 cm
12 packs x 35 pcs.

- Universal cleaning cloth with a large absorption capacity
- Easy to use and soft to the touch
- Suitable for all kinds of applications such as degreasing and cleaning with solventbased products or oil
- Available on rolls or in box



Polishing cloths

PD10
32 x 36 cm
400 pcs.

- Non-woven cloths made to polish any kind of surface without scratching or leaving traces
- Plush-free and free of silicone
- Can also be used for cockpit cleaning
- Available perforated on a roll





Multi foam cleaner

MFC750
750 ml

- Multifunctional foam cleaner with a wide application spectrum
- Universal use for soft and hard surfaces
- Can be used for cleaning cars, indoors and outdoors
- Leaves a fresh scent



Superior microfiber cloth

SMC40
40 x 40 cm
3 pcs.

- 550g/m²
- 80% polyester/20% polyamide
- Edges cut with fully circulating ultrasonic vibrations
- Attracts dust and dirt
- Give a high gloss after polishing
- Washable up to 30°C
- Polishing and removal of dried polishes
- Interior and exterior cleaning



Headlamp restoration kit

HRK600

- Has a very good effect on car light scratches, yellow oxidized, hazy and other oxidation
- Renews the brightness of damaged headlights
- Easy and quick to apply
- Protects against UV rays
- Applicable on new headlights as a protective layer
- Extends the life of your headlights



- 1. DEGREASE** Clean headlight with Gerko degreaser and dry with Gerko degreasing cloths.
- 2. MASKING** Use masking tape to protect nearby painted surfaces.
- 3. SAND AND CLEAN** Sand with Gerko film discs. Use the following steps: P320/ P500/P800/P1000/P1200/P1500. Clean the surface to make sure that the whole headlight is sanded homogeneously.
- 4. ADD POLYMER** Add headlight restoration polymer up to half of the vaporizer and cover with the cap.
- 5. CONNECT + HEAT** Connect the coating cup and heat for about 5 minutes until vapor is coming out of the cap.
- 6. VAPORIZING** Start to vapor 1 cm away from the headlight, apply from bottle to top until the headlight turns bright. Make sure the pipe opening is upward to avoid steam turning into water drops. Keep your face at least 40 cm away from the pipe opening.
- 7. TURN OFF AND COOL** Power off after using. Wait 5 minutes for the polymer to cool down and pour the remaining liquid back into the bottle.

Headlamp restoration polymer

HRP600
600 ml

- Refill headlight repair polymer 600 ml





Dust needle set

DNS10

- Fabric needle set consisting of a pen holder and 10 dust needles packed in blister
- The dust needles are provided with microscopic brackets. This allows dirt and dust to be removed without damaging the surface
- Easily removes dust particles from wet paint.
- Due to the surface tension of the lacquer, the microfine cavities are automatically closed



Refill dust needles

RDN10
10 pcs.

- Dust needles refill, for removing dust and dirt from wet lacquer
- Individually packed in a blister pack of 10 pieces



Paint touch-up sticks

PTUS10
Very fine 1,0 mm
100 pcs.

PTUS15
Fine 1,0 mm
100 pcs.

PTUS20
Regular 2,0 mm
100 pcs.

- Ideal for retouching minor paint damage
- Perfect for applying a small amount of basecoat, clear coat or primer for minor repairs
- The tip of the touch-up stick is lint-free and made of non-absorbent fibers
- Can also be used for cleaning or removing dust on very small parts





Orange foam pad

POL10 Ø150 / 30 mm 2 pcs.	POL50 Ø80 / 25 mm 5 pcs.
---------------------------------	--------------------------------

- For hard jobs
- To touch up small scratches and imperfections in the paint
- Open structure



Green foam pad

POL20 Ø150 / 30 mm 2 pcs.	POL60 Ø80 / 25 mm 5 pcs.
---------------------------------	--------------------------------

- To polish old paints and areas without gloss
- Can also be used to touch up small scratches and imperfections in the paint
- Open structure



Yellow foam pad

POL30 Ø150 / 30 mm 2 pcs.	POL70 Ø80 / 25 mm 5 pcs.
---------------------------------	--------------------------------

- For obtaining a high gloss
- With the waffled shape, minimal effort is created for a perfect mirror shine
- Minimal aggressive
- Can be used for gloss optimization



Black foam pad

POL40 Ø150 / 30 mm 2 pcs.	POL80 Ø80 / 25 mm 5 pcs.
---------------------------------	--------------------------------

- Soft foam pad for removing holograms
- For obtaining a high gloss
- With the waffled shape, minimal effort is created for a perfect mirror shine
- Minimal aggressive
- Can be used for gloss optimization



Advanced cut polish paste - foam pad

POL130
Cut polish - 1 kg

POL90
Ø150 / 20 mm - 2 pcs.

- Polishes and produces gloss in one step
- Saves time thanks to a one-step polishing process
- High efficiency
- High gloss level
- Silicone-free and solvent-free
- Heavy cut, medium cut and finish in 1 bottle
- Easy clean up
- Waterbased
- Low dust formation
- Specially developed foam pad to be used with the Gerko advanced cut polishing compound
- Ensures optimal results
- In combination with the advanced cut polishing paste, scratches can be removed very quickly and thus time can be saved



Anti-hologram polish paste - foam pad

POL140
Cut polish - 1 liter

POL100
Ø150 / 20 mm - 2 pcs.

- Perfect to remove holograms and micro-scratches
- High efficiency
- High gloss level
- Silicone-free and solvent-free
- Easy clean up
- Waterbased
- Low dust formation
- Special developed foam pad for optimal results in combination with the Gerko anti-hologram polishing compound
- Provides an optimal result and perfect shine



Electric polishing machine

CPM10

- Electric polishing machine of 900W
- 5 m cable
- Including backing pad
- With extra carbon brushes
- Light weight ± 3 kg



Electric polishing machine

EPM10
Eccentric

- Electric polishing machine with a 21 mm deviation
- 5 m cable
- Including backing pad and extra carbon brushes
- Light weight ± 3 kg
- 1000 - 3800 rpm



Polishing pad

PP120
Ø120 mm - M14

- Universal polishing pad for Gerko polishing machine







Polishing machine with battery Centric

BACPM05
Centric

- Cordless polisher equipped with a brushless motor
- Features a spindle-lock function for quick and easy pad changes
- With LCD screen to display speed in real-time
- Anti-dust switch to ensure longer lifetime
- Attractive and ergonomic design for user comfort
- Soft grip for comfortable use

Polishing machine with battery Eccentric

BAEPM05
Eccentric

- Cordless polisher equipped with a brushless motor
- Features a spindle-lock function for quick and easy pad changes
- With LCD screen to display speed in real-time
- Anti-dust switch to ensure longer lifetime
- Attractive and ergonomic design for user comfort
- Soft grip for comfortable use
- 15mm eccentric diameter to realize higher efficiency and better polishing results

Mini polishing machine with battery - Centric/eccentric

BACPM01
Centric - Eccentric

- Mini polisher equipped with a brushless motor
- For reaching difficult places
- With spindle lock function for quick and easy pad changes
- Attractive and ergonomic design for user comfort
- Including 2 batteries, 1 charger, 2 pads



GERKO
PAINT RELATED PRO

SPRAY BOO



SPRAY BOOTH

For perfect, trouble-free spraying, you need a well-maintained spray booth. In our range, we have products that offer a professional solution to keep the environment in which a vehicle is sprayed as dust-free as possible. With optimal protection combinations, you create a spray booth that is squeaky clean, resulting in the highest possible quality of paintwork.



GERKO

PAINT RELATED PRODUCTS



Dust control

DC05
5 liter

DC10
10 liter

DC25
25 liter

- Due to the ionizing effect, upwelling dust is immediately attracted and retained
- Removable with water
- Biodegradable, non-toxic
- User and environmentally friendly
- Saves cleaning time
- Can be used on walls as well as on the floor
- Silicone-free
- Economical in use
- Temperature resistance: 80°C
- Waterbased liquid



Cabine coating pro

CCP05
5 liter

CCP25
25 liter

- Cabine coating pro is a clear aqueous coating for protection against overspray in spraybooths
- It can be applied to walls, windows and light armatures
- The sticky properties contribute to a dust free surrounding, because airborne particles will be collected and hold
- After 2 - 8 weeks, depending on the amount of contamination, the tacky coating can be easily removed with warm water
- Biodegradable and silicone-free
- Temperature resistance: 65°C





Butterfly trestle

PS10

- Folding trestle that can be adjusted in height and width by means of 2 chains
- Feet are attached by means of an extra bar
- Premium quality



X-trestle

PS20

- Universal trestle
- Adjustable in different heights
- Including bumper supports



Portal rotating panel stand

PS30

- Mobile panel stand with rotating central axis that can be locked under different angles
- Supplied with extensions for the axis so that 2 doors can be fitted
- Strong and easy to move



Telescopic universal stand

TUS10

- Ideal for windscreens and other panel repairs
- Easy to move around the workshop
- Vertical and horizontal adjustability



Wheel rim holder

WRH

- Designed for perfect positioning of wheel rims while spraying
- To be used with Gerko portal rotating panel stand





PERSONAL PROTECTION

PERSONAL PROTECTION

To economically protect you from the risks of using products in the car repair sector, we have a number of safety products that meet the highest standard of comfort.



Disposable spray overall

DSC10 M - 50	DSC20 L - 52	DSC30 XL - 54	DSC40 XXL - 56
-----------------	-----------------	------------------	-------------------

- Premium dual material technology provides both protective performance and comfort
- Excellent barrier against dry particles and limited liquid chemical splash (CE Type 5/6)
- Soft and light, super low-linting laminated microporous material
- Back panel made of breathable SMS material for improved air circulation and reduced heat stress
- Two-way zipper with fully sealable flap
- Knitted cuffs and elasticated waist and ankles for increased comfort and freedom of movement
- Antistatic treated
- No linting



Polyester spray overall

POW10 M - 50	POW20 L - 52	POW30 XL - 54	POW40 XXL - 56
-----------------	-----------------	------------------	-------------------

- 100% polyester
- Flame retardant
- Blue in colour for minimal reflection in the paint
- Lint-free, silicone-free, antistatic
- Equipped with air ventilation on the armpits for optimal heat regulation
- Equipped with a hood
- Equipped with 2 pockets at the back
- Elastic hood, elastic band around ankles, wrist and waist, two-way zipper with flap
- Washable at 30°C or dry cleaning



Superior nylon spray overall

SNC10 S - 48	SNC20 M - 50	SNC30 L - 52	SNC40 XL - 54	SNC50 XXL - 56	SNC60 XXXL - 58
-----------------	-----------------	-----------------	------------------	-------------------	--------------------

- Very comfortable to wear
- Antistatic coating
- Dust-, silicone- and lint-free
- Durable with concealed zipper
- Protects against overspray
- Tight-fitting neck, sleeve and ankle cuffs
- Breathable and ventilated back ensures efficient heat regulation
- Optimal wearing comfort throughout the working day
- Long lasting
- Washable at 30°C



Dust mask FFP2 with valve

DM10
15 pcs.

- Protects the breathing against all kinds of external influences such as dust, etc.
- Equipped with a soft foam on the inside at the height of the nose
- Comfortable wearing comfort
- Equipped with a nose clip
- Easy breathing/speaking
- With exhalation valve
- Suitable for people with glasses, glass fumes not on



Carbon dust mask FFP2 with valve

DM30
15 pcs.

- FFP2 dust mask with carbon charcoal filter
- Carbon filter parts provide extra respiratory protection
- Protects the breathing against all kinds of external influences such as dust, etc.
- Equipped with a soft foam on the inside at the height of the nose
- Comfortable wearing comfort
- Equipped with a nose clip
- Easy breathing/speaking
- With exhalation valve
- Suitable for people with glasses, glass fumes not on





GERKO
MULTI-USE
KN
CE 9907

GERKO 



Spray mask A1P2

SMA1P2

- Flexible synthetic material fits the face well
- High comfort
- Adjustable headband with neck clip for customised fit
- Easy breathing thanks to two gas filters
- Airtight storage box extending the life of the filters
- Contains: 2x A1 gas filters, 2x P2 dust prefilters, 2x plastic cartridge



Spray mask A2P3

SMA2P3

- Flexible synthetic material fits the face well
- High comfort
- Adjustable headband with neck clip for customised fit
- Easy breathing thanks to two gas filters
- Airtight storage box extending the life of the filters
- Contains: 2x A2 gas filters and 2x P3 dust prefilters



Gas filter A1 for spray mask

FA1
2 units - 1 pair

- Protects against organic vapors and odors
- Sweep-back design can improve visibility and comfort
- Bayonet compatibility, can be used with various half-face and full-face designs
- Very easy to install and use
- Filters completely replaced after an intensive use of 40 hours



Gas filter A2P3 R D for spray mask

FA2P3
2 units - 1 pair

- A2P3 filters include pre-built pre-filter P3
- Protects against organic vapors and odors
- Sweep-back design can improve visibility and comfort
- Bayonet compatibility, can be used with various half-face and full-face designs
- Very easy to install and use
- Filters completely replaced after an intensive use of 40 hours



Dust pre-filter P2 for spray mask

FP2
10 units

- The P2 dust pre-filter protects the carbon filters and prevents contamination during spraying.
- To be used in combination with gas filter A1 for spray mask (SMA1P2)





Diamond nitrile gloves

NDG10 M - 50 pcs.	NDG20 L - 50 pcs.	NDG30 XL - 50 pcs.
----------------------	----------------------	-----------------------

- Thickness 6 mil (0.15 mm)
- Extremely strong
- Diamond structure for a perfect grip
- Non-slip gloves
- Extremely suitable for mechanical work and spraying
- Extremely suitable for working with paint and solvent
- Latex-free
- Silicone- and powder-free to prevent contamination of the paint



Nitrile disposable gloves black

NGB10 M - 100 pcs.	NGB20 L - 100 pcs.	NGB30 XL - 100 pcs.
-----------------------	-----------------------	------------------------

- Thickness 6 mil (0.15 mm)
- Roughened fingertips and palm for a better grip
- Extremely suitable for working with paint and solvent
- Latex-free
- Silicone and powder free to prevent contamination of the paint



Allclean wipes

AW100 Bucket with 100 wipes

- Impregnated orange cleaning wipes with high performance
- Developed for removing stubborn industrial soiling such as: 2K paint, Glue, Varnish, Epoxy, Polyester, Kit, Grease and lubricants
- Suitable for cleaning hands and tools
- No water required for use
- Solvent-free
- Dermatologically tested
- Biodegradable
- Paraben-free
- Cloth dimensions: 26x30 cm





Pro hand cleaner

PHC38
3,8 liter

PHC03
300 ml

- Powerful citrus hand cleaner which is especially developed for quick removal of daily soiling
- It's unique product formulation easily removes stubborn soiling like grease, tar, ink, adhesive and paint
- Cleans and moisturises the hands and prevents skin irritation
- Contains natural scrubbing particles



Superior hand cleaner

SHC38
3,8 liter

SHC03
300 ml

- Powerful hand cleaner for removing heavy duty industrial soiling
- It's unique product formulation easily removes stubborn soiling like paints, resins, silicones, adhesives and sealants
- Cleans and moisturises the hands and prevents skin irritation
- Formulated with skin friendly, natural and biodegradable cornmeal scrub



Wall holder

WH38

- Practical wall holder for Gerko hand cleaner 3,8 liter



PROMOTIONAL ITEMS

Roll-up banner 1

RUB01
100 x 200 cm



Roll-up banner 2

RUB02
100 x 200 cm



Roll-up banner 3

RUB03
100 x 200 cm



Rack

REK01
H 220 cm x B 95 cm x D 53 cm

REK02 - extension module
H 220 cm x B 95 cm x D 53 cm



Shirt blue

SHB01 Blue - S	SHB02 Blue - M	SHB03 Blue - L
-------------------	-------------------	-------------------

SHB04 Blue - XL	SHB05 Blue - XXL
--------------------	---------------------



Shirt white

SHW01 White - S	SHW02 White - M	SHW03 White - L
--------------------	--------------------	--------------------

SHW04 White - XL	SHW05 White - XXL
---------------------	----------------------



Polo white

PL01 White - S	PL02 White - M	PLW03 White - L
-------------------	-------------------	--------------------

PL04 White - XL	PL05 White - XXL
--------------------	---------------------



T-shirt blue

TS01 Blue - M	TS02 Blue - L	TS03 Blue - XL	TS04 Blue - XXL
------------------	------------------	-------------------	--------------------



Sweater

SW01 M	SW02 L	SW03 XL	SW04 XXL
-----------	-----------	------------	-------------



Pen

P01



GERKO

PAINT RELATED PRODUCTS



GERKO INTERNATIONAL

Beemdenstraat 36, 2340 Beerse, Belgium
info@gerkoproducts.com



www.gerkoproducts.com | shop.gerkoproducts.com/en

FOLLOW US ON SOCIAL MEDIA

