

**wonen in
hout.nl**
natuurlijk betaalbaar wonen

Catalogue of ideas 2026



Products classification:

CATEGORY	PAGE
● SIP Residential Houses	7
● Log cabins 0–20 m ²	29
● Log cabins 21–40 m ²	47
● Log cabins 41–60 m ²	71
● Log cabins 60+ m ²	92
● Camping PODs	135
● Garages	144
● Constructions	151

Product index

● SIP Residential Houses

7	Dakota	46	Ohrid	79	Waterton	113	Amur	147	Namak	
8	Kimiko	● Cabins 21-40 m ²	47	Cairo	80	Helsinki	114	Riga	148	Basalt
9	Narvi		48	Matano	81	Sofia	115	Riga Modern	● Constructions	
10	Jago		49	Michigan	82	Moderna	116	Portofino	150	Fuji
11	Bongo		50	Peyron	83	Denver	117	Ebro	151	Elbrus
12	Frida		51	Como	84	Manitoba	118	Pandora	152	Etna
13	Aspen		52	Escur	85	Winnipeg	119	Arca	153	Sinai
14	Leon		53	Lantan	86	Victoria	120	Krakow	154	Ararat
15	Aurora		54	Granada	87	Fortuna	121	Dijon	155	Everest
16	Magnum		55	Malawi	88	Dublin	122	Bremen	156	Kilimanjaro
17	Aksel		56	Ladoga	89	Tinto	123	Geneva	157	
18	Freja		57	Huron	● Cabins 60+ m ²		124	Nile		
19	Ijo		58	Onega XL	91	Milan	125	Gdansk		
20	Siena		59	Cami	92	Burgas	126	Lung		
21	Liverpool		60	Ontario	93	Nantes	127	Kare		
● Cabins 0-20 m ²			61	Lena	94	Tallinn	128	Romer		
29	Ripon		62	Vaga	95	Duero	129	Laguna		
30	Vervain			Hamburg	96	Ferrero	130	Ericeira		
31	Bluestar		64	Rond XL	97	Genoa	131	Rio Grande		
32	Phlox		65	Navarra	98	Sintra	132	Amazon		
33	Melton		66	Bora	99	Nasser	● Camping PODs			
34	Wisteria		67	Urmia XL	100	Volta	134	Oslo 4x4 + overhang		
35	Honesty with		68	Gandia	101	Genil	135	Pamplona 4x4		
36	flat roof		69	Valencia XL	102	Suvingis	136	Oslo 4x4 + overhang + ngoverhang		
37	Mahonia	● Cabins 41-60 m ²			103	Veleta	137	Pamplona 4x4		
38	Lotus		71	Mephis	104	Don	138	Oslo 4x6		
39	Aral		72	Giza	105	Grasse	139	Pamplona 4x6		
40	Lily		73	Tulare	106	Alcantucio	140	Oslo 4x6 + overhang		
41	Daisy		74	Gila	107	Bona	141	Pamplona 4x6		
42	Bitan		75	Marseille	108	Garda	● Garages			
43	Balaton		76	Lisabona	109	Congo	143	Maracaibo		
44	Claret		77	Van XL	110	Milk	144	Negratin		
45	Sepik		78	Treviso	111	Aldan	145	Skadar		
					112	Elbe	146	Lugano		




SIP Residential Houses

SIP (Structural Insulated Panels) houses offer significant energy efficiency due to their **excellent insulation properties, reducing heating and cooling costs.** They are quick to construct, providing strength and durability while withstanding harsh weather conditions. Additionally, SIP homes are environmentally friendly, **offering low maintenance and design flexibility.**

Every house model of
Timber Cabins can be
made to your desired
class.




Silver class house



Gold class house



Platinum class house





● **SIP Residential Houses**

NEW



Modifications available



DAKOTA

78 m²

Surface area


64.5 m²

Living area

Log length dimensions: 11860 x 7990 mm

Zone number: 4

Bedrooms: 2



KIMIKO

38.5 m²

Surface area

25.5 m²

Living area

Log length dimensions: 9320 x 3560 mm

Zone number: 3

Bedrooms: 1

NEW



Modifications available



NARVI

80 m²

Surface area

60 m²

Living area

Log length dimensions: 9594 x 8387 mm

Zone number: 3

Bedrooms: 2



Modifications available



JAGO

96 m²

Surface area

72 m²

Living area

Log length dimensions: 11010 x 8000 mm

Zone number: 4

Bedrooms: 2

NEW



Modifications available



BONGO

43 m²

Surface area

24 m²

Living area

Log length dimensions: 9710 x 4460 mm

Zone number: 3

Bedrooms: 1



NEW

Modifications available



FRIDA

52 m²

Surface area

40 m²

Living area

Log length dimensions: 11210 x 4660 mm

Zone number: 4

Bedrooms: 2

NEW



Modifications available



ASPEN

83 m²

Surface area

77 m²

Living area

Log length dimensions: 12460 x 8930 mm

Zone number: 3

Bedrooms: 2



LEON

42 m²

Surface area

24 m²

Living area

Log length dimensions: 9000 x 5400 mm

Zone number: 3

Bedrooms: 1

NEW



Modifications available



AURORA

76 m²

Surface area

50 m²

Living area

Log length dimensions: 1326 x 9010 mm

Zone number: 4

Bedrooms: 2

NEW



Modifications available



MAGNUM

57 m²

Surface area

44 m²

Living area

Log length dimensions: 11410 x 7460 mm

Zone number: 3

Bedrooms: 1

NEW



AKSEL

55 m²

Surface area

42 m²

Living area

- Log length dimensions: 11900 x 4650 mm
- Zone number: 4
- Bedrooms: 1



FREJA

63 m²

Surface area

49 m²

Living area

Log length dimensions: 14210 x 4460 mm

Zone number: 4

Bedrooms: 2



Modifications available



IJO

109 m²

Surface area

77 m²

Living area

Log length dimensions: 18700 x 4600 mm

Zone number: 5

Bedrooms: 3



SIENA

84 m²

Surface area

50 m²

Living area

Log length dimensions: 10297 x 8187 mm

Zone number: 4

Bedrooms: 2

NEW



Modifications available



LIVERPOOL

73 m²

Surface area

46 m²

Living area

Log length dimensions:

13000 x 5671 mm

Zone number:

4

Bedrooms:

2



- **Log cabins**



Options

You can choose a standard house from the catalogue or order a house according to your own design on a bespoke basis.

To achieve the best possible result, the combination of various parts of the house has to be planned:



Walls



Roof



Floor



Doors



Windows




Walls

Our products are available in 2 quality grades: **summer house grade** (houses with a wall thickness of 34 mm or more) and **living house grade** (houses with a wall thickness of 68 mm or more).

Solid timber

STANDARD




Thickness options:

34 mm; 42 mm; 44 mm; 68 mm.

Glued timber

OPTIONAL



Thickness options:

68 mm; 90 mm; 120 mm; 160 mm.


Additional reinforcement



U profile



Wall reinforcement



Window / door reinforcement



Doors




Windows

We are a manufacturer of wooden houses, but we can also offer our customers high-quality windows and doors of our own production. We offer our customers several options for wooden windows and doors. We can offer standard products or modify them according to our customers' needs.

Colour palette

We can also offer our customers factory painted wooden windows, in 3 different colours. For other product colours, please contact the manager.



White
(RAL9016)



Anthracite grey
(RAL7016)




Brown wood
(RAL5070)

Standard sizes

We are offering standard sizes to simplify your ordering. However, we can produce custom size doors and windows according to your specification.



Doors dimensions



Windows dimensions

More information about windows and doors on page 158

Doors and windows types



Windows shutters

Shutters can only be ordered with inside-opening windows. Hence, shutters cannot be applied for Silver line quality.





Roof



Floor

Choose between two board thicknesses:
19 or 28 mm floor boards; 19 mm or 28 mm roof boards. Solid roof beams as standard or glued as an option.

Boards available



Floor boards



Roof boards



Terrace boards (*impregnated*)

Floor board thickness



19 mm



28 mm

Roof board thickness



19 mm



28 mm



Insulation

We can offer insulation kits for **Roof, Floor and Walls**, including the cladding boards. Insulation can be from 50mm to 400mm depending on insulation kit.





- **Log cabins 0-20m²**



Modifications available



RIPON

3.6 m²

Surface area

2.8 m²

Living area

1 window, 1 door included

Log length dimensions: 1950 x 1840

Ridge height: 1890 mm

Wall height: 2192 mm

Minimal wall thickness: 34 mm



Modifications available



VERVAIN

4 m²

Surface area

3 m²

Living area

1 door included

Log length dimensions: 2000 x 2000 mm

Ridge height: 2518 mm

Wall height: 2160 mm

Minimal wall thickness: 34 mm



Modifications available



BLUESTAR

7.4 m²

Surface area

6.2 m²

Living area

1 window, 1 door included

Log length dimensions: 2500 x 2990

Ridge height: 2387 mm

Wall height: 2160 mm

Minimal wall thickness: 34 mm



Modifications available



PHLOX

10.5 m²

Surface area

9 m²

Living area

1 window, 1 door included

Log length dimensions: 3500 x 3000 mm

Ridge height: 2591 mm

Wall height: 2100

Minimal wall thickness: 34 mm



Modifications available



MELTON

11.7 m²

Surface area

10.2 m²

Living area

2 windows, 1 door included

Log length dimensions: 3000 x 4000 mm

Ridge height: 2492 mm

Wall height: 2025 mm

Minimal wall thickness: 34 mm



Modifications available



WISTERIA

12 m² | 10.45 m²
Surface area | Living area

1 window, 1 door included

Log length dimensions: 3000 x 4000 mm

Ridge height: 2654 mm

Wall height: 2160 mm

Minimal wall thickness: 34 mm



HONESTY WITH FLAT ROOF

11.7 m²

Surface area

10.2 m²

Living area

2 windows, 1 door included

Log length dimensions: 3000 x 4000 mm

Ridge height: 2372 mm

Wall height: 2025 mm

Minimal wall thickness: 34 mm



Modifications available



MAHONIA

16 m²

Surface area

14 m²

Living area

1 window, 1 door included

Log length dimensions: 4000 x 4000 mm

Ridge height: 2854 mm

Wall height: 2295 mm

Minimal wall thickness: 34 mm



Modifications available



LOTUS

5.8 m²

Surface area

4.73 m²

Living area

1 door included

Log length dimensions: 2000 x 2900 mm

Ridge height: 2275 mm

Wall height: 2200 mm

Minimal wall thickness: 34 mm



ARAL

6 m²

Surface area

4.9 m²

Living area

1 window, 1 door included

Log length dimensions: 3000 x 2000 mm

Ridge height: 2242 mm

Wall height: 1890 mm

Minimal wall thickness: 34 mm



Modifications available



LILY

7.54 m²

Surface area

6.32 m²

Living area

1 window, 2 doors included

Log length dimensions: 2300 x 2300 mm

Ridge height: 2370 mm

Wall height: 2160 mm

Minimal wall thickness: 34 mm



Modifications available



DAISY

7.62 m²

Surface area

6.41 m²

Living area

1 door included

Log length dimensions: 3000 x 4000 mm

Ridge height: 2482 mm

Wall height: 2025 mm

Minimal wall thickness: 34 mm



BITAN

12 m²

Surface area

5.01 m²

Living area

A terrace, 1 window and 1 door included

Log length dimensions: 6000 x 2000 mm

Ridge height: 2377 mm

Wall height: 2025 mm

Minimal wall thickness: 34 mm



Modifications available



BALATON

13.5 m² | 7.6 m²
Surface area | Living area

A terrace, 3 windows and 2 doors included

Log length dimensions: 3000 x 3000 mm
Ridge height: 2654 mm
Wall height: 2160 mm
Minimal wall thickness: 34 mm



Modifications available



CLARET

15.9 m²

Surface area

10.52 m²

Living area

A terrace, 3 windows and 2 doors included

Log length dimensions: 5300 x 3000 mm

Ridge height: 2742 mm

Wall height: 2160 mm

Minimal wall thickness: 34 mm



Modifications available



SEPIK

19.25 m²

Surface area

14.44 m²

Living area

A terrace, 2 windows and 2 doors included

Log length dimensions: 5500 x 3500 mm

Ridge height: 2503 mm

Wall height: 2295 mm

Minimal wall thickness: 34 mm



OHRID

20 m² | 16.08 m²
 Surface area | Living area

A terrace, 3 windows and 2 doors included

Log length dimensions: 5000 x 4000 mm
 Ridge height: 2368 mm
 Wall height: 2160 mm
 Minimal wall thickness: 34 mm



- **Log cabins 21-42 m²**



Modifications available



CAIRO

30 m²

Surface area

24 m²

Living area

3 windows, 2 doors included

Log length dimensions: 3908 x 6107 mm

Ridge height: 4484 mm

Wall height: 1350mm

Minimal wall thickness: 44 mm



Modifications available



MATANO

20.72 m²

Surface area

18.55 m²

Living area

5 windows and 2 doors included

Log length dimensions: 5660 x 3660 mm

Ridge height: 2503 mm

Wall height: 2295 mm

Minimal wall thickness: 34 mm



Modifications available



MICHIGAN

21.19 m² | 13.34 m²
Surface area | Living area

A terrace, 5 windows and 2 doors included

Log length dimensions: 3960 x 5350 mm

Ridge height: 2936 mm

Wall height: 2295 mm

Minimal wall thickness: 34 mm



Modifications available



PEYRON

21.26 m² | 15 m²
 Surface area | Living area

A terrace, 5 windows and 2 doors included

Log length dimensions: 4160 x 5110 mm
 Ridge height: 2750 mm
 Wall height: 2160 mm
 Minimal wall thickness: 34 mm



Modifications available



COMO

21.34 m²

Surface area

11.4 m²

Living area

A terrace, 3 windows and 3 doors included

Log length dimensions: 4620 x 4620 mm

Ridge height: 3203 mm

Wall height: 2160 mm

Minimal wall thickness: 34 mm



Modifications available



ESCUR

21.34 m²

Surface area

19.1 m²

Living area

5 windows and 3 doors included

Log length dimensions: 4620 x 4620 mm

Ridge height: 2902 mm

Wall height: 2160 mm

Minimal wall thickness: 34 mm



Modifications available



LANTAN

21.34 m²

Surface area

19.19 m²

Living area

3 windows and 2 doors included

Log length dimensions:

4620 x 4620 mm

Ridge height:

3037 mm

Wall height:

2295 mm

Minimal wall thickness:

34 mm



Modifications available



GRANADA

21.35 m² | 18.98 m²
Surface area | Living area

3 windows and 3 doors included

Log length dimensions: 6100 x 3500 mm
Ridge height: 2644 mm
Wall height: 2160 mm
Minimal wall thickness: 34 mm



Modifications available



MALAWI

24.9 m²

Surface area

22.84 m²

Living area

A terrace, 4 windows and 3 doors included

Log length dimensions:

5566 x 6000 mm

Ridge height:

2654 mm

Wall height:

2160 mm

Minimal wall thickness:

34 mm



Modifications available



LADOGA

24.96 m² | 10.57 m²
Surface area | Living area

A terrace, 3 windows and 2 doors included

Log length dimensions: 4160 x 6000 mm

Ridge height: 2832 mm

Wall height: 2160 mm

Minimal wall thickness: 34 mm



Modifications available



HURON

26 m²

Surface area

17.9 m²

Living area

A terrace, 3 windows and 2 doors included

Log length dimensions: 4000 x 5000 mm

Ridge height: 2942 mm

Wall height: 2295 mm

Minimal wall thickness: 34 mm



ONEGA XL

28.9 m²

Surface area

26.19 m²

Living area

4 windows and 3 doors included

Log length dimensions: 5780 x 5000 mm

Ridge height: 3095 mm

Wall height: 2295 mm

Minimal wall thickness: 34 mm



Modifications available



CAMI

29.2 m²

Surface area

33.75 m²

Living area

A terrace, 7 windows and 3 doors included

Log length dimensions:

5160 x 5660 mm

Ridge height:

4940 mm

Wall height:


2970 mm

Minimal wall thickness:

34 mm



Modifications available



ONTARIO

30 m²

Surface area

27.33 m²

Living area

5 windows and 3 doors included

Log length dimensions:

6000 x 5000 mm

Ridge height:

3095 mm

Wall height:

2295 mm

Minimal wall thickness:

34 mm



Modifications available



LENA

31.79 m²

Surface area

17.71 m²

Living area

A terrace, 2 windows and 4 doors included

Log length dimensions: 6160 x 5160 mm

Ridge height: 2641 mm

Wall height: 2160 mm

Minimal wall thickness: 34 mm



Modifications available



VAGA

34.02 m² | 18.69 m²
 Surface area | Living area

A terrace, 4 windows and 2 doors included

Log length dimensions: 6424 x 5296 mm

Ridge height: 2629 mm

Wall height: 2160 / 1755 mm

Minimal wall thickness: 34 mm



HAMBURG

34.68 m² | 31.28 m²
Surface area | Living area

6 windows, 3 doors included

Log length dimensions: 7270 x 4770 mm
Ridge height: 3948 mm
Wall height: 2295 mm
Minimal wall thickness: 44 mm



Modifications available



ROND XL

34.8 m² | 25.91 m²
Surface area | Living area

A terrace, 4 windows and 3 doors included

Log length dimensions:	6000 x 5800 mm
Ridge height:	3217 mm
Wall height:	2295 mm
Minimal wall thickness:	34 mm



Modifications available



NAVARRA

35 m²

Surface area

31.95 m²

Living area

7 windows and 4 doors included

Log length dimensions: 5000 x 7000 mm

Ridge height: 3411 mm

Wall height: 2565 mm

Minimal wall thickness: 34 mm



Modifications available



BORA

35.95 m² | 37.37 m²
 Surface area | Living area

9 windows, 2 doors included

Log length dimensions: 5996 x 5996 mm

Ridge height: 3881 mm

Wall height: 2295 mm

Minimal wall thickness: 44 mm



URMIA XL

36 m²

Surface area

30.12 m²

Living area

A terrace, 5 windows and 3 doors included

Log length dimensions: 6000 x 6000 mm

Ridge height: 3248 mm

Wall height: 2295 mm

Minimal wall thickness: 34 mm



Modifications available



GANDIA

36.5 m²

Surface area

36.27 m²

Living area

15 windows, 2 doors included

Log length dimensions:

8496 x 4296 mm

Ridge height:

3990 mm

Wall height:

3645 mm

Minimal wall thickness:

44 mm



Modifications available



VALENCIA XL

40 m² | 27.14 m²
Surface area | Living area

A terrace, 6 windows and 3 doors included

Log length dimensions:	8000 x 5000 mm
Ridge height:	3189 mm
Wall height:	2295 mm
Minimal wall thickness:	34 mm



- **Log cabins 41-60 m²**



Modifications available



MEPHIS

45 m²

Surface area

31.5 m²

Living area

2 windows, 4 doors included

Log length dimensions: 4500 x 7050 mm

Ridge height: 5110 mm

Wall height: 1485 mm

Minimal wall thickness: 44 mm



GIZA

54.69 m² | 29.95 m²
Surface area | Living area

4 windows, 2 doors included

Log length dimensions: 5985 x 9145 mm

Ridge height: 6550 mm

Wall height: -

Minimal wall thickness: 44 mm



Modifications available



TULARE

40.93 m² | 41.13 m²
Surface area | Living area

4 windows, 3 doors included

Log length dimensions:	5350 x 7650 mm
Ridge height:	4423 mm
Wall height:	2430 mm
Minimal wall thickness:	44 mm



Modifications available



GILA

41.09 m²

Surface area

31.8 m²

Living area

A terrace, 4 windows, 5 doors included

Log length dimensions: 5870 x 7000 mm

Ridge height: 2966 mm

Wall height: 2295 mm

Minimal wall thickness: 34 mm



Modifications available



MARSEILLE

41.28 m² | 20.9 m²
Surface area | Living area

A terrace, 3 windows, 2 doors included

Log length dimensions: 7796 x 5296 mm
Ridge height: 2832 mm
Wall height: 2295 mm
Minimal wall thickness: 34 mm

NEW



Modifications available



LISABONA

41.38 m² | 36.37 m²
Surface area | Living area

A terrace, 4 windows, 5 doors included

Log length dimensions: 4296 x 12932 mm
Ridge height: 4363 mm
Wall height: 2565 mm
Minimal wall thickness: 44 mm



Modifications available



VAN XL

42 m²

Surface area

33.26 m²

Living area

A terrace, 6 windows, 4 doors included

Log length dimensions: 7000 x 6000 mm

Ridge height: 3401 mm

Wall height: 2295 mm

Minimal wall thickness: 34 mm



Modifications available



TREVISO

45.44 m² | 36.2 m²
Surface area | Living area

A terrace, 5 windows, 4 doors included

Log length dimensions: 6696 x 6786 mm
Ridge height: 3351 mm
Wall height: 2295 mm
Minimal wall thickness: 44 mm



WATERTON

49 m² | 27.51 m²
Surface area | Living area

A terrace, 4 windows, 3 doors included

Log length dimensions:	7000 x 7000 mm
Ridge height:	3401 mm
Wall height:	2295 mm
Minimal wall thickness:	34 mm



Modifications available



HELSINKI

49.05 m²

Surface area

58.51 m²

Living area

A terrace, 4 windows, 6 doors included

Log length dimensions:

4960 x 9890 mm

Ridge height:

4926 mm

Wall height:

3510 mm

Minimal wall thickness:

68 mm



SOFIA

49.68 m²
Surface area

58.46 m²
Living area

A terrace, 4 windows, 6 doors included

Log length dimensions: 5160 x 9628 mm

Ridge height: 6012 mm

Wall height: 3510 mm

Minimal wall thickness: 68 mm



Modifications available



MODERNA

53.52 m² | 49.7 m²
Surface area | Living area

8 windows, 3 doors included

Log length dimensions: 9430 x 5676 mm

Ridge height: 2949 mm

Wall height: 2295 mm

Minimal wall thickness: 34 mm

NEW



Modifications available



DENVER

55.81 m²

Surface area

60.15 m²

Living area

8 window, 5 doors included

Log length dimensions:

9509 x 7420 mm

Ridge height:

5202 mm

Wall height:

2700 mm

Minimal wall thickness:

68 mm



Modifications available



MANITOBA

56 m² | 43.21 m²
 Surface area | Living area

A terrace, 6 windows, 4 doors included

Log length dimensions: 8000 x 7000 mm
 Ridge height: 3272 mm
 Wall height: 2295 mm
 Minimal wall thickness: 34 mm



WINNIPEG

56 m² | 37.51 m²
Surface area | Living area

A terrace, 6 windows, 4 doors included

Log length dimensions: 8000 x 7000 mm
Ridge height: 3270 mm
Wall height: 2295 mm
Minimal wall thickness: 34 mm



Modifications available



VICTORIA

56.68 m² | 69.42 m²
Surface area | Living area

A terrace, 6 windows, 4 doors included

Log length dimensions:	5800 x 10000 mm
Ridge height:	5840 mm
Wall height:	4050 mm
Minimal wall thickness:	68 mm



Modifications available



FORTUNA

56.96 m² | 42.08 m²
Surface area | Living area

A terrace, 5 windows, 4 doors included

Log length dimensions: 5496 x 10364 mm
Ridge height: 2909 mm
Wall height: 2295 mm
Minimal wall thickness: 34 mm



Modifications available



DUBLIN

58.34 m²

Surface area

81.91 m²

Living area

A terrace, 7 windows, 8 doors included

Log length dimensions: 11306 x 5160 mm

Ridge height: 6147 mm

Wall height: 3645 mm

Minimal wall thickness: 68 mm



Modifications available



TINTO

60 m² | 56.01 m²
Surface area | Living area

8 windows, 4 doors included

Log length dimensions:	7500 x 8000 mm
Ridge height:	3612 mm
Wall height:	2430 mm
Minimal wall thickness:	34 mm



- **Log cabins 61+ m²**

NEW



Modifications available



MILAN

61.39 m² | 38.75 m²
 Surface area | Living area

A terrace, 1 window, 8 doors included

Log length dimensions:	13145 x 4670 mm
Ridge height:	3348 mm
Wall height:	2295 mm
Minimal wall thickness:	44 mm



Modifications available



BURGAS

62 m²

Surface area

48.48 m²

Living area

A terrace, 9 windows, 5 doors included

Log length dimensions: 7160 x 8660 mm

Ridge height: 2639 mm

Wall height: 2160 mm

Minimal wall thickness: 34 mm



Modifications available



NANTES

62.29 m² | 55.44 m²
Surface area | Living area

3 windows, 4 doors included

Log length dimensions: 7832 x 10880 mm


Ridge height: 3308 mm

Wall height: 2295 mm

Minimal wall thickness: 44 mm



Modifications available



TALLINN

63.96 m² | 50.84 m²
 Surface area | Living area

A terrace, 9 windows, 5 doors included

Log length dimensions: 9364 x 6830 mm
 Ridge height: 5221 mm
 Wall height: 4050 mm
 Minimal wall thickness: 68 mm



DUERO

64 m² | 43.96 m²
 Surface area | Living area

A terrace, 7 windows, 4 doors included

Log length dimensions:	8000 x 8000 mm
Ridge height:	3193 mm
Wall height:	2295 mm
Minimal wall thickness:	34 mm



Modifications available



FERRERO

65.15 m² | 41.14 m²
Surface area | Living area

A terrace, 5 windows, 3 doors included

Log length dimensions:	8938 x 8420 mm
Ridge height:	3925 mm
Wall height:	2295 mm
Minimal wall thickness:	44 mm



Modifications available



GENOA

65.87 m² | 35.46 m²
 Surface area | Living area

A terrace, 1 window, 5 doors included

Log length dimensions: 7000 x 9410 mm
 Ridge height: 4556 mm
 Wall height: 2295 mm
 Minimal wall thickness: 44 mm



Modifications available



SINTRA

66.9 m²

Surface area

58.42 m²

Living area

A terrace, 6 windows, 5 doors included

Log length dimensions: 10796 x 6196 mm

Ridge height: 3982 mm

Wall height: 2295 mm

Minimal wall thickness: 34 mm



Modifications available



NASSER

68.24 m²

Surface area

61.03 m²

Living area

A terrace, 7 windows, 9 doors included

Log length dimensions:

7503 x 9095 mm

Ridge height:

5621 mm

Wall height:

3105 mm

Minimal wall thickness:

68 mm



Modifications available



VOLTA

68.38 m²

Surface area

45.3 m²

Living area

A terrace, 11 windows, 4 doors included

Log length dimensions: 7340 x 11716 mm

Ridge height: 3023 mm

Wall height: 2295 mm

Minimal wall thickness: 44 mm



Modifications available



GENIL

72 m²

Surface area

59.45 m²

Living area

A terrace, 6 windows, 4 doors included

Log length dimensions: 9000 x 8000 mm

Ridge height: 3686 mm

Wall height: 2430 mm

Minimal wall thickness: 44 mm



Modifications available



SUVINGIS

72.64 m² | 42.31 m²
Surface area | Living area

A terrace, 5 windows, 4 doors included

Log length dimensions:	8000 x 7500 mm
Ridge height:	3628 mm
Wall height:	2295 mm
Minimal wall thickness:	34 mm



Modifications available



VELETA

75 m²

Surface area

70.54 m²

Living area

A terrace, 8 windows and 4 doors included

Log length dimensions: 7500 x 10000 mm

Ridge height: 3817 mm

Wall height: 2565 mm

Minimal wall thickness: 34 mm



Modifications available



DON

76.5 m²

Surface area

84.04 m²

Living area

A terrace, 9 windows, 9 doors included

Log length dimensions:

9280 x 9412 mm

Ridge height:

6192 mm

Wall height:


3510 mm

Minimal wall thickness:

68 mm



Modifications available



GRASSE

76.8 m²

Surface area

72.87 m²

Living area

A terrace, 7 windows, 8 doors included

Log length dimensions: 12296 x 6246 mm

Ridge height: 5674 mm

Wall height: 2730 mm

Minimal wall thickness: 68 mm



Modifications available



ALCANTUCIO

78.05 m² | 44.6 m²
Surface area | Living area

A terrace, 6 windows, 3 doors included

Log length dimensions: 12212 x 6392 mm
Ridge height: 3622 mm
Wall height: 2430 mm
Minimal wall thickness: 34 mm



BONA

78.89 m²

Surface area

51.42 m²

Living area

A terrace, 6 windows, 4 doors included

Log length dimensions: 9396 x 8396 mm

Ridge height: 3459 mm

Wall height: 2295 mm

Minimal wall thickness: 34 mm



Modifications available



GARDA

79.28 m²

A terrace, 7 windows, 4 doors included

Surface

Log length dimensions:

10128 x 7828 mm

area

54.99 m²

Minimal wall thickness:

44 mm

Living area

Ridge height:

3177 mm

Wall height:

2970 mm

A terrace, 7 windows, 4 doors included

Minimal wall thickness:

44 mm



Modifications available



CONGO

79.605 m² | 98.46 m²
 Surface area | Living area

A terrace, 11 windows, 9 doors included

Log length dimensions: 10620 x 8352 mm
 Ridge height: 5723 mm
 Wall height: 2970 mm
 Minimal wall thickness: 68 mm



MILK

81 m²

75.23 m²

7 windows, 7 doors included

Log length dimensions: 9000 x 9000 mm

Ridge height: 3538 mm

Minimal wall thickness: 44 mm

Surface area

Living area

Wall height:

2295 mm



Modifications available

Log cabins 61+ m²

111

7 windows, 7 doors included

Minimal wall thickness:

44 mm



Modifications available



ALDAN

81.6 m² | 57.72 m²
Surface area | Living area

A terrace, 5 windows, 7 doors included

Log length dimensions: 12000 x 6800 mm
Ridge height: 3367 mm
Wall height: 2295 mm
Minimal wall thickness: 34 mm



Modifications available



ELBE

86.04 m²

Surface area

121.76 m²

Living area

13 windows and 9 doors included

Log length dimensions:

9800 x 8780 mm

Ridge height:

5742 mm

Wall height:


2970 mm

Minimal wall thickness:

68 mm



Modifications available



AMUR

87.24 m²

Surface area

67.5 m²

Living area

A terrace, 6 windows and 4 doors included

Log length dimensions: 10960 x 7960 mm

Ridge height: 3903 mm

Wall height: 2430 mm

Minimal wall thickness: 44 mm



Modifications available



RIGA

85.63 m²

Surface area

72.02 m²

Living area

A terrace, 7 windows and 5 doors included

Log length dimensions: 10696 x 8006 mm

Ridge height: 3191 mm

Wall height: 2295 mm

Minimal wall thickness: 44 mm



Modifications available



RIGA MODERN

85.63 m² | 70.43 m²
 Surface area | Living area

A terrace, 8 windows and 5 doors included

Log length dimensions: 10696 x 8006 mm
 Ridge height: 2774 mm
 Wall height: 2295 mm
 Minimal wall thickness: 44 mm



Modifications available



PORTOFINO

89.72 m² | 63.41 m²
Surface area | Living area

A terrace, 5 windows and 5 doors included

Log length dimensions: 6296 x 14250 mm

Ridge height: 3066 mm

Wall height: 2295 mm

Minimal wall thickness: 34 mm



Modifications available



EBRO

92.4 m²

Surface area

79.75 m²

Living area

A terrace, 7 windows and 7 doors included

Log length dimensions: 10500 x 8800 mm

Ridge height: 3811 mm

Wall height: 2430 mm

Minimal wall thickness: 34 mm



Modifications available



PANDORA

97.03 m² | 90.8 m²
Surface area | Living area

8 windows and 6 doors included

Log length dimensions: 8296 x 11696 mm
Ridge height: 3307 mm
Wall height: 2295 mm
Minimal wall thickness: 44 mm



ARCA

99.03 m²

Surface area

86.5 m²

Living area

A terrace, 8 windows and 5 doors included

Log length dimensions: 10320 x 9596 mm

Ridge height: 4085 mm

Wall height: 2495 mm

Minimal wall thickness: 44 mm



Modifications available



KRAKOW

99.98 m² | 48.15 m²
Surface area | Living area

A terrace, 6 windows and 4 doors included

Log length dimensions: 8596 x 11632 mm
Ridge height: 4106 mm
Wall height: 2295 mm
Minimal wall thickness: 44 mm



Modifications available



DIJON

102.26 m²
Surface area

66.12 m²
Living area

A terrace, 6 windows and 5 doors included

Log length dimensions: 12296 x 9732 mm

Ridge height: 3457 mm

Wall height: 2295 mm

Minimal wall thickness: 44 mm



BREMEN

102.84 m² | 59.97 m²
 Surface area | Living area

A terrace, 5 windows and 5 doors included

Log length dimensions: 12296 x 8364 mm

Ridge height: 3606 mm

Wall height: 2295 mm

Minimal wall thickness: 44 mm



Modifications available



GENEVA

104.3 m² | 71.13 m²
Surface area | Living area

A terrace, 7 windows and 7 doors included

Log length dimensions: 13552 x 8464 mm
Ridge height: 3494 mm
Wall height: 2295 mm
Minimal wall thickness: 44 mm



Modifications available



NILE

112.2 m²

Surface area

82 m²

Living area

A terrace, 7 windows and 6 doors included

Log length dimensions: 11540 x 10520 mm

Ridge height: 4421 mm

Wall height: 2430 mm

Minimal wall thickness: 44 mm



GDANSK

114.17 m²

Surface area

95.45 m²

Living area

A terrace, 8 windows and 9 doors included

Log length dimensions: 12296 x 8296 mm

Ridge height: 3673 mm

Wall height: 2295 mm

Minimal wall thickness: 44 mm



Modifications available



LUNG

116.26 m²
Surface area

94.74 m²
Living area

A terrace, 10 windows and 9 doors included

Log length dimensions: 6196 x 18764 mm

Ridge height: 3248 mm

Wall height: 2295 mm

Minimal wall thickness: 34 mm



Modifications available



KARE

132.12 m²
Surface area

116.58 m²
Living area

A terrace, 10 windows and 6 doors included

Log length dimensions: 10160 x 13004 mm

Ridge height: 2773 mm

Wall height: 2295 mm

Minimal wall thickness: 44 mm



Modifications available



ROMER

133.9 m²

Surface area

70.2 m²

Living area

A terrace, 10 windows and 7 doors included

Log length dimensions: 14096 x 9080 mm

Ridge height: 3573 mm

Wall height: 2430 mm

Minimal wall thickness: 44 mm



Modifications available



LAGUNA

143.02 m²

Surface area

107.97 m²

Living area

A terrace, 11 windows and 10 doors included

Log length dimensions:

11646 x 13222 mm

Ridge height:

3762 mm

Wall height:

2295 mm

Minimal wall thickness:

44 mm



Modifications available



ERICEIRA

148.12 m² | 118.03 m²
Surface area | Living area

A terrace, 14 windows and 6 doors included

Log length dimensions: 18296 x 8096 mm

Ridge height: 3565 mm

Wall height: 2295 mm

Minimal wall thickness: 44 mm



Modifications available



RIO GRANDE

150.12 m²

Surface area

112.74 m²

Living area

A carpot, 9 windows and 12 doors included

Log length dimensions: 18280 x 8212 mm

Ridge height: 2990 mm

Wall height: 2430 mm

Minimal wall thickness: 44 mm



Modifications available



AMAZON

208.1 m² | 140.41 m²
 Surface area | Living area

A terrace, 15 windows and 10 doors included

Log length dimensions: 18650 x 13780 mm

Ridge height: 4137 mm

Wall height: 2835 mm

Minimal wall thickness: 44 mm



- **Camping PODs**

NEW



Terrace available



OSLO 4x4

16.09 m² | 14.62 m²
Surface area | Living area

2 windows, 1 door included

Log length dimensions:	3958 x 4064 mm
Ridge height:	2832 mm
Wall height:	-
Minimal wall thickness:	42 mm



Terrace available



PAMPLONA 4x4

16.43 m² | 14.84 m²
Surface area | Living area

1 window, 1 door included

Log length dimensions:	3958 x 4127 mm
Ridge height:	2602 mm
Wall height:	-
Minimal wall thickness:	42 mm

NEW



Terrace available

137



OSLO 4x4 + overhang

18.93 m² | 14.62 m²
Surface area | Living area

2 windows, 1 door included

Log length dimensions:	4658 x 4064 mm
Ridge height:	2832 mm
Wall height:	-
Minimal wall thickness:	42 mm



Terrace available



PAMPLONA 4x4 + overhang

19.22 m² | 14.84 m²
Surface area | Living area

1 window, 1 door included

Log length dimensions:	4658 x 4127 mm
Ridge height:	2602 mm
Wall height:	-
Minimal wall thickness:	42 mm



Terrace available



OSLO 4x6

23.76 m² | 22.38 m²
Surface area | Living area

2 windows, 3 doors included

Log length dimensions:	5970 x 4064 mm
Ridge height:	2832 mm
Wall height:	-
Minimal wall thickness:	42 mm



Terrace available



PAMPLONA 4x6

24.64 m² | 22.8 m²
Surface area | Living area

1 window, 2 doors included

Log length dimensions:	5970 x 4127 mm
Ridge height:	2602 mm
Wall height:	-
Minimal wall thickness:	42 mm

NEW



Terrace available

141



OSLO 4x6 + overhang

20.71 m² | 19.6 m²
Surface area | Living area

2 windows, 3 doors included

Log length dimensions:	5970 x 4064 mm
Ridge height:	2832 mm
Wall height:	-
Minimal wall thickness:	42 mm



Terrace available



PAMPLONA 4x6 + overhang

24.64 m² | 19.98 m²
Surface area | Living area

1 window, 2 doors included

Log length dimensions:	5970 x 4127 mm
Ridge height:	2602 mm
Wall height:	-
Minimal wall thickness:	42 mm



- **Garages**



MARACAIBO

21.28 m² | 19.26 m²
 Surface area | Living area

1 window and 1 door included
 Garage doors not included

Log length dimensions: 3980 x 5360 mm

Ridge height: 2869 mm

Wall height: 2295 mm

Minimal wall thickness: 34 mm



NEGRATIN

21.33 m² | 19.19 m²
Surface area | Living area

1 door included
Garage doors not included

Log length dimensions: 3760 x 5660 mm
Ridge height: 2835 mm
Wall height: 2295 mm
Minimal wall thickness: 34 mm



SKADAR

30.17 m² | 22.63 m²
Surface area | Living area

A terrace, 1 window and 2 doors included
Garage doors not included

Log length dimensions: 5248 x 5748 mm
Ridge height: 3024 mm
Wall height: 2160 mm
Minimal wall thickness: 34 mm



LUGANO

36 m² | 28.59 m²
 Surface area | Living area

A terrace, 1 window, and 1 door included
 Garage doors not included

Log length dimensions: 6000 x 6000 mm
 Ridge height: 3178 mm
 Wall height: 2295 mm
 Minimal wall thickness: 34 mm



NAMAK

37.64 m²

Surface area

34.65 m²

Living area

1 window, 1 door included
Garage doors not included

Log length dimensions: 6548 x 5748 mm

Ridge height: 3259 mm

Wall height: 2295 mm

Minimal wall thickness: 44 mm



BASALT

53.97 m² | 19.67 m²
Surface area | Living area

A terrace, 1 window and 1 door included
Garage doors not included

Log length dimensions: 10460 x 5160 mm
Ridge height: 3182 mm
Wall height: 2295 mm
Minimal wall thickness: 34 mm



- **Constructions**



FUJI

13.14 m²

Surface area

Log length dimensions: 4760 x 2760 mm

Ridge height: 2400 mm

Wall height: 2400 mm



ELBRUS

16 m²

Surface area

Log length dimensions: 4000 x 4000 mm

Ridge height: 3662 mm

Wall height: 2400 mm



ETNA

16.77 m²

Surface area

Log length dimensions: 5240 x 3200 mm

Ridge height: 3405 mm

Wall height: 2458 mm



SINAI

19.72 m²

Surface area

Log length dimensions: 3400 x 5800 mm

Ridge height: 2980 mm

Wall height: 2400 mm



ARARAT

19.25 m²

Surface area

Log length dimensions: 5500 x 3500 mm

Ridge height: 3264 mm

Wall height: 2481 mm



EVEREST

19.25 m²

Surface area

Log length dimensions: 5500 x 3500 mm

Ridge height: 3647 mm

Wall height: 2110 mm



KILIMANJARO

29.98 m²

Surface area

Log length dimensions: 5700 x 5260 mm

Ridge height: 3687 mm

Wall height: 2463 mm



Windows options

Silver Line

Glass unit – double-glazed, 14 mm

UW – 3.3 W/(m²K)

Type of glass – plain or toughened

Glass thickness – 3 mm

The filling of the glass unit – argon gas

Hinges – adjustable

Architraves – 19x95 mm

Frame depth – 80 mm

Sash thickness – 42 mm

Opening direction – outward opening

The double-windows open to their full extent, but the mullion remains in the middle

Opening options – 1 position (side hung outward opening)

It is possible to have non-opening windows

Sizes of the windows are available within size ranges listed below (without profile):

1. Opening, single window (width – 560-960 mm, height 560-2160 mm)
2. Opening, double-window (width – 960-1960 mm, height 560-2160 mm)
3. Non-opening, single window (width – 380-2160 mm, height 380-2160 mm)

Hardware of the windows (handles – metal colour, hinges – shiny metal colour)

All windows (window frames, sashes and architraves) come in natural pine wood colour.

Option to have these factory painted in anthracite grey (RAL 7016), white (RAL 9016), brown wood (RAL 5070)

Georgian bars (decorative grids of the window) – optional, installed on the outside

The layout of the Georgian bars is chosen by the client





Windows options

Superior

Glass unit – double-glazed, 18 mm

UW – 2.8 W/(m²K)

Type of glass – plain or toughened

Glass thickness – 3 mm

The filling of the glass unit – argon gas

Hinges – adjustable

Architraves – 19x95 mm

Frame depth – 56 mm

Sash thickness – 54 mm

Opening direction – inward opening

1. Single window – inward tilt and turn opening.
2. Double window: right leaf – 2 positions (tilt and turn opening), left leaf – 1 position (side-hung turn opening)

Double windows – open fully, no central mullions.

It is possible to have non-opening windows

Sizes of the windows are available within size ranges listed below (without profile):

1. Opening, single window (width – 560-960 mm, height 560-2160 mm)
2. Opening, double window (width – 960-1960 mm, height 560-2160 mm)
3. Non-opening, single window (width – 380-2160 mm, height 380-2160 mm)

Hardware of the windows (handles and hinge covers) – non-shiny silver colour as standard.

Adjustable to the colour of window frames and window sashes

Windows sills (protects frame from the water), the colour of the sills – brown

All windows (window frames, sashes and architraves) come in natural pine wood colour.

Option to have these factory painted in anthracite grey (RAL 7016), white (RAL 9016), brown wood (RAL 5070)

Georgian bars (decorative grids of the window) – optional, installed on the outside

The layout of the Georgian bars is chosen by the client

You can also choose windows with window shutters (double leaf shutters)



Windows options

Premium

Glass unit – double-glazed, 27 mm

UW – 2.6 W/(m²K)

Type of glass – plain or toughened

Glass thickness

1. Plain – 3 and 4 mm
2. Toughened – 6 mm

The filling of the glass unit – argon gas

Hinges – adjustable

Architraves – 19x95 mm

Frame depth – 68 mm

Sash thickness – 68 mm

Opening direction – inward opening

1. Single window – inward tilt and turn opening.
2. Double window: right leaf – 2 positions (tilt and turn opening), left leaf – 1 position (side-hung turn opening)

Double windows – opens fully, no central mullions

It is possible to choose non-opening windows

Sizes of the windows are available within size ranges listed below (without profile):

1. Opening, single window (width – 560-960 mm, height 560-2160 mm)
2. Opening, double window (width – 960-1960 mm, height 560-2160 mm)
3. Non-opening, single window (width – 380-2160 mm, height 380-2160 mm)

Hardware of the windows (handles and hinge covers) – brown colour as standard.

Adjustable to the colour of window frames and window sashes

Windows sills (protects frame from the water), the colour of the sills – brown

All windows (window frames, sashes and architraves) come in natural pine wood colour

Option to have these factory painted in anthracite grey (RAL 7016), white (RAL 9016), brown wood (RAL 5070)

Georgian bars (decorative grids of the window) – optional, installed on the inside and outside (on the glass unit)

The layout of the Georgian bars is chosen by the client

You can also choose windows with window shutters (double leaf shutters)





Windows options

Residential

Glass units:

1. Double-glazed, 24 mm
2. Triple-glazed, 44 mm

UW of a double-glazed unit – 1.5 W/(m²K)

UW of a triple-glazed unit – 1.1 W/(m²K)

Type of glass – plain or toughened

Glass thickness – 4 mm

The filling of the glass unit – argon gas

Hinges – adjustable

Architraves – 19x95 mm

Sash thickness – 68 or 88 mm

Opening direction – inward tilt and turn opening

It is possible to have non-opening windows with a fixed sash

Sizes of the windows are available within size ranges listed below (without profile):

1. Opening, single window (width – 560-960 mm, height 560-2160 mm)
2. Opening, double window (width – 960-1960 mm, height 560-2160 mm)
3. Non-opening, single window (width – 380-2160 mm, height 380-2160 mm)

Hardware of the windows (handles and hinge covers) – silver, gold, or white

Windows with sills (protects frame from the water)

The colour of the window frame and window sashes – white (RAL9010), beige (RAL1001), anthracite grey (RAL7016), papyrus white (RAL9018), brown (RAL8017) or clear lacquer (TM1702)

Georgian bars (decorative grids of the window) – optional, installed on the outside

The layout of the Georgian bars is chosen by the client





Windows options

PVC

Glass unit – double-glazed, 24 mm

UW – 1.5 W/(m²K)

Type of glass – plain or toughened

Glass thickness – 4 mm

The filling of the glass unit – argon gas

Hinges – adjustable

Architraves – 19x95 mm

Opening direction – inward tilt and turn opening

It is possible to choose non-opening windows

Sizes of the windows are available within size ranges listed below (without profile):

1. Opening, single window (width – 560-960 mm, height 560-2160 mm)
2. Opening, double window (width – 960-1960 mm, height 560-2160 mm)
3. Non-opening, single window (width – 380-2160 mm, height 380-2160 mm)

Hardware of the windows (handles and hinge covers) – silver, gold, or white

Windows sills (protects frame from the water)

The colour of the window frame and window sashes – white (RAL9010), anthracite grey (RAL7016), or brown (RAL8017).

Georgian bars (decorative grids of the window) – optional, installed on the outside

The layout of the Georgian bars is chosen by the client





Doors options

Interior

Hinges – adjustable

Opening – according to the chosen direction

Frame depth– 80mm

Sash thickness – 42mm

Door filler – panel, thickness – 34 mm

Architraves – 19x95 mm

The door is completely wooden, without additional options

It is possible to have a door without a threshold

Sizes of the doors are available within size ranges listed below (without profile):

Single door (width – 600-1060 mm, height – 1000-2160 mm)

Hardware of the door (handles and hinge covers) – shiny metal colour

The door comes in natural pine wood colour.

Option to have these factory painted in anthracite grey (RAL 7016), white (RAL 9016), brown wood (RAL 5070)

Door comes with a default cylinder lock

Wooden threshold, 40 mm





Doors options

Silver Line

Hinges – adjustable

Opening – to the outside

Frame depth – 80 mm

Sash thickness – 42 mm

Door filler – boards, 17x61 mm

Architraves – 19x95 mm

Sizes of the doors are available within size ranges listed below (without profile):

Single door (width – 600-1060 mm, height – 1000-2160 mm)

Double door (width – 1160-2460 mm, height – 1000-2160 mm)

Choices for glazing and timber part split:

1/2 and 1/2 | 1/3 and 2/3 | 2/3 and 1/3 | Full glass | Full wood

Glass unit – double-glazed, 14 mm

UW = 3.3 W/(m²K)

Type of glass – plain or toughened

Glass thickness – 3 mm

The filling – argon gas

Half leaf doors are available

It is possible to combine windows and doors into one common block of facade

Georgian bars (decorative grids of the glazing) – optional, installed on the outside

The layout of the Georgian bars is chosen by the client

Hardware of the door (handles – metal colour, hinges covers – shiny metal colour) as standard, adjustable to the colour of door frames and door sashes

The door comes in natural pine wood colour

Option to have these factory painted in anthracite grey (RAL 7016), white (RAL 9016), brown wood (RAL 5070)

Door comes with a default cylinder lock

Threshold is wooden, 40 mm





Doors options

Superior

Hinges – adjustable

Opening – to the outside, single door (inward and outward)

Frame depth – 90 mm

Sash thickness – 45 mm

Door filler – boards, 17x61 mm

Architraves – 19x95 mm

Sizes of the doors are available within size ranges listed below (without profile):

Single door (width – 600-1060 mm, height – 1000-2160 mm)

Double door (width – 1160-2460 mm, height – 1000-2160 mm)

Choices for glazing and timber part split:

1/2 and 1/2 | 1/3 and 2/3 | 2/3 and 1/3 | Full glass | Full wood

Glass unit – double-glazed, 18 mm

UW – 2.8 W/(m²K)

Type of glass – plain or toughened

Glass thickness – 3 mm

The filling – argon gas

Half leaf doors are available.

It is possible to combine windows and doors into one common block of facade

Georgian bars (decorative grids of the glazing) – optional, installed on the outside

The layout of the Georgian bars is chosen by the client

Hardware of the door (handles – metal colour, hinges covers – shiny metal colour) as standard, adjustable to the colour of door frames and door sashes

The door comes in natural pine wood colour.

Option to have these factory painted in anthracite grey (RAL 7016), white (RAL 9016), brown wood (RAL 5070)

Door comes with a default cylinder lock. You can also choose a three-point lock

The threshold is wooden, 43 mm





Doors options

Premium

Hinges – adjustable

Opening – to the outside (outward)

Frame depth – 68 mm

Sash thickness – 68 mm

Door filler – panel, thickness – 35 mm

Architraves – 19x95 mm

Sizes of the doors are available within size ranges listed below (without profile):

Single door (width – 600-1060 mm, height – 1000-2160 mm)

Double door (width – 1160-2460 mm, height – 1000-2160 mm)

Choices for glazing and timber part split:

1/2 and 1/2 | 1/3 and 2/3 | 2/3 and 1/3 | Full glass | Full wood

Glass unit – double-glazed, 27 mm

UW – 2.6 W/(m²K)

Type of glass – plain or toughened

Glass thickness – 3 and 4 mm

The filling – argon gas

Half leaf doors are available. It is possible to combine windows and doors into one common block of facade.

Georgian bars (decorative grids of the glazing) – optional, installed on the inside and outside (on the glass unit)

The layout of the Georgian bars is chosen by the client

Hardware of the door (handles and hinge covers) – brown colour as standard, adjustable to the colour of door frames and door sashes.

The door comes in natural pine wood colour.

Option to have these factory painted in anthracite grey (RAL 7016), white (RAL 9016), brown wood (RAL 5070)

Door comes with a default cylinder lock, and 3-point latches.

You can also choose a four-point lock

It is possible to have a door without a threshold (internal doors only)

The threshold is metal, 20 mm





Doors options

Residential (sliding)

Opening – sliding

Profile systems:

1. D56 – frame depth 122 mm, double-glazed
2. D68 – frame depth 146 mm, triple-glazed

Architraves – 19x95 mm

Sizes of the doors are available:

1. Two sashes 2000X2000
2. Three sashes 3000X2000
3. Four sashes 4000X2000

Choices of glazing proportions

1/2 and 1/2 | Full glass | Full wood

Glass units

1. Double-glazed, 24 mm
2. Triple-glazed, 44 mm

UW of a double-glazed – 1.5 W/(m²K)

UW of a triple-glazed – 1.1 W/(m²K)

Type of glass – plain or toughened

Glass thickness – 4 mm

The filling – argon gas

Georgian bars (decorative grids of the glazing) – installed on the inside or outside (on the glass unit)

The layout of the Georgian bars is chosen by the client

Hardware of the door (handles) – brown, silver, adjustable to the colour of the door

Colour of the door and the threshold – white (RAL9010), beige (RAL1001), anthracite grey (RAL7016), papyrus white (RAL9018), brown (RAL8017) or clear lacquer (TM1702)

Door lock – door comes with a default cylinder lock.

Threshold – wooden or aluminium





Doors options

Residential (standard)

Hinges – adjustable

Opening – inward and outward

Frame depth – 115 mm

Architraves – 19x95 mm

Standard door sizes available (without profile)

Single door (width – 600-1060 mm, height – 1000-2160 mm)

Double door (width – 1160-2460 mm, height – 1000-2160 mm)

Choices of glazing proportions

1/2 and 1/2 | Full glass | Full wood

Glass units

1. Double-glazed, 24 mm

2. Triple-glazed, 44 mm

UW of a double-glazed – 1.5 W/(m²K)

UW of a triple-glazed – 1.1 W/(m²K)

Type of glass – plain or toughened

Glass thickness – 4 mm

The filling – argon gas

Georgian bars (decorative grids of the window glass package) – installed on the inside or outside (close to the glass)

The layout of the Georgian bars is chosen by the client

Hardware of the door (handles and hinge covers) – brown, silver or matching the colour of the door

Colour of the door and the threshold – white (RAL9010), beige (RAL1001), anthracite grey (RAL7016), papyrus white (RAL9018), brown (RAL8017) or clear lacquer (TM1702)

Door lock – FUHR door lock

Threshold – wooden or aluminium





Doors options

Aluminium

Opening – sliding

The width of the door frame depends on the number of sashes.

Sash thickness – 30 mm

Frame depth

1. Two sashes – 60 mm
2. Three sashes – 90 mm
3. Four sashes – 120 mm

Standard door sizes

1. Two sashes 2000X2000 mm
2. Three sashes 3000X2000 mm
3. Four sashes 4000X2000 mm

Glass unit – double-glazed, 16 mm

Type of glass – plain or tinted

Glass tempering – toughened or not

Glass thickness – 4 mm

The filling – argon gas

Hardware of the door (handles and hinge covers) – brown or white

Colour of the door and the threshold – white (RAL9016), brown (RAL8017), anthracite grey (RAL7016)

Door lock – door comes with a default cylinder lock.





Doors options

PVC

Hinges – adjustable

Opening – to the field

Frame depth – 70 mm

Architraves – 19 x 95 mm

Standard door sizes available (without profile)

Single door (width – 600-1060 mm, height – 1000-2160 mm)

Double door (width – 1160-2460 mm, height – 1000-2160 mm)

Glass unit – double-glazed, 24 mm

UW – 1.5 W/(m²K)

Type of glass – plain or toughened

Glass thickness – 4 mm

The filling – argon gas

Georgian bars (decorative grids of the glazing) – optional,
installed on the inside or outside (on the glass unit)

The layout of the Georgian bars is chosen by the client

Hardware (handles and hinge covers) – silver brown or white

Colour of the door and the threshold – white (RAL9016), anthracite grey (RAL7016) or brown (RAL8017)

Door comes with a default cylinder lock.

The threshold – metal or plastic



CATALOGUE OF IDEAS

