



VYSN **MANAGE**
BRIGHT
EXPECTATIONS



» **LIGHTING**
COLLECTION 2025

VYSN

MANAGE
BRIGHT
EXPECTATIONS

» WE ARE VYSN

A premium lighting provider with over 100 years of cumulative experience in lighting business and committed to creating inspiring spaces. We believe that exceptional lighting is key to enhancing any environment. Our company offers a diverse range of high-quality products to meet every need.

» WE OFFER

A 100% full-service experience that prioritizes reliability, smooth processing, and customer satisfaction. More than just products, we offer a partnership focussed on enhancing your product offerings and boosting profitability tailored to the needs of the European market.

» WE PROMISE

To be a trusted partner committed to your growth and success. Our products empower you to expand your offerings sustainably, maximizing growth potential and ensuring long-term success.



Explore premium
lighting solutions
vysnlighting.com



Index

ONIS	04
TEVO	17
N-TRI	30
1-PHASE	37
3-PHASE	51
LEDVIN	61
MEZY	64
BOUNTO	66
NYDLE	72
VASARI	78
IBLOCC	83
WOLLAS	86
SASS LED	88
SOTT LED	89
DREY 35W	90
VLING	92
LED STRIP	96
STEERING	100



Pure
ELEGANCE.

ONIS PENDANT

V131350N9BG

page 8

**SPOT 1**

V105100N9BG

page 6

**ONIS WALL + SWITCH**

V101100N9BG

page 12

ONIS

COLLECTION

**SPOT 2**

V105200N9BG

page 6

**ONIS DOWN**

V101101N9BG

page 11

**SPOT 4**

V105400N9BG

page 6

ONIS SPOT GU10*

- » Front easy to remove for bulb installation
- » Part of larger Family



ONIS 1

Color	Art.No	EUR
○ White	V105100N9W	39,90
● Black	V105100N9B	39,90
●● Black/Gold	V105100N9BG	39,90



ONIS 2

Color	Art.No	EUR
○ White	V105200N9W	79,90
● Black	V105200N9B	79,90
●● Black/Gold	V105200N9BG	79,90



ONIS 3


Color	Art.No	EUR
○ White	V105300N9W	109,00
● Black	V105300N9B	109,00
●● Black/Gold	V105300N9BG	109,00



ONIS 4

Color	Art.No	EUR
○ White	V105400N9W	139,00
● Black	V105400N9B	139,00
●● Black/Gold	V105400N9BG	139,00

*see Accessories on page 14

**SPOT 4**

V105400N9BG

139,00**TECHNICAL DETAILS** for LED PAR 51 GU10 max. 8W

	Spot 1	Spot 2	Spot 3	Spot 4
Size	100x100x137	350x60x137	600x60x137	800x60x137
Wattage	max. 8W	max. 2x8W	max. 3x8W	max. 4x8W
Diameter	58mm	58mm	58mm	58mm
No. of Sockets	1	2	3	4

+ADDONS**LED PAR51, GU10, 7W, 36°**


Energy Consumption 7KWh/1000h

Lumen	Kelvin	Art.No	EUR
510	2700K	V725736T2W	4,90
530	3000K	V725736T3W	4,90

L70B50
30.000h

TED

ONIS PENDANT*



OPEN CABLE END


300

Color	Art.No	EUR
○ White	V131350N9W	69,90
● Black	V131350N9B	69,90
●● Black/Gold	V131350N9BG	69,90

450

Color	Art.No	EUR
○ White	V131450N9W	79,90
● Black	V131450N9B	79,90
●● Black/Gold	V131450N9BG	79,90

RECESSED CANOPY


300

Color	Art.No	EUR
○ White	V104350N9W	87,80
● Black	V104350N9B	87,80
●● Black/Gold	V104350N9BG	87,80

450

Color	Art.No	EUR
○ White	V104450N9W	97,80
● Black	V104450N9B	97,80
●● Black/Gold	V104450N9BG	97,80


SURFACE CANOPY


300

Color	Art.No	EUR
○ White	V107351N9W	87,80
● Black	V107351N9B	87,80
●● Black/Gold	V107351N9BG	87,80

450

Color	Art.No	EUR
○ White	V107451N9W	97,80
● Black	V107451N9B	97,80
●● Black/Gold	V107451N9BG	97,80



- » Multiple Designs
- » Combine Colors

COMBINE

TECHNICAL DETAILS

	300	450
Cable Length	2.0m	2.0m
Size	58x293.5mm	58x435mm
Diameter	58mm	58mm
Wattage	Max. 8W	Max. 8W

for LED PAR 51 GU10 max. 8W

+ADDONS

LED PAR51, GU10, 7W, 36°

Energy Consumption	7KWh/1000h
--------------------	------------

Lumen	Art.No	EUR
510 [2700K]	V725736T2W	4,90
530 [3000K]	V725736T3W	4,90



Recessed Canopy

Size	95x68x30mm
Inst. Diameter	68mm
Diameter	95mm
Material	Aluminum

Color	Art.No	EUR
○ White	V831100N0W	17,90
● Black	V831100N0B	17,90



Canopy

Size	80x25mm
Diameter	80mm
Material	Aluminum

Color	Art.No	EUR
○ White	V831200N0W	17,90
● Black	V831200N0B	17,90



*see Accessories on page 14

ONIS DOWN*



ONIS DOWN

Color	Art.No	EUR
○ White	V101101N9W	49,90
● Black	V101101N9B	49,90
●● Black/Gold	V101101N9BG	49,90

TECHNICAL DETAILS

for LED PAR 51 GU10 max. 8W

ONIS down


Diameter	58mm
Size	75x57x100mm
Wattage	Max. 8W

+ADDONS

LED PAR51, GU10, 7W, 36°


Energy Consumption	7KWh/1000h
--------------------	------------

Lumen	Kelvin	Art.No	EUR
510	2700K	V725736T2W	4,90
530	3000K	V725736T3W	4,90



*see Accessories on page 14

ONIS UP/DOWN*



ONIS UP/DOWN

Color	Art.No	EUR
○ White	V101200N9W	69,90
● Black	V101200N9B	69,90
●● Black/Gold	V101200N9BG	69,90

TECHNICAL DETAILS

for LED PAR 51 GU10 max. 8W

ONIS UP/DOWN


Diameter	58mm
Size	75x57x180mm
Wattage	Max. 2x8W

+ADDONS

LED PAR51, GU10, 7W, 36°

Energy Consumption	7KWh/1000h
--------------------	------------

Lumen	Kelvin	Art.No	EUR
510	2700K	V725736T2W	4,90
530	3000K	V725736T3W	4,90



*see Accessories on page 14

ONIS + SWITCH*



ONIS + SWITCH

Color	Art.No	EUR
○ White	V101100N9W	49,90
● Black	V101100N9B	49,90
●● Black/Gold	V101100N9BG	49,90

TECHNICAL DETAILS

for LED PAR 51 GU10 max. 8W

ONIS +Switch


Diameter	58mm
Size	105x140x56mm
Wattage	Max. 8W

+ADDONS

LED PAR51, GU10, 7W, 36°

Energy Consumption	7KWh/1000h
--------------------	------------

Lumen	Kelvin	Art.No	EUR
510	2700K	V725736T2W	4,90
530	3000K	V725736T3W	4,90



*see Accessories on page 14

ONIS CEILING*



ONIS CEILING

Color	Art.No	EUR
○ White	V103600N9W	29,90
● Black	V103600N9B	29,90
● Gold	V103600N9G	29,90



for LED PAR 51 GU10 max. 8W

TECHNICAL DETAILS

ONIS Ceiling


Diameter	58mm
Size	105x140x56mm
Wattage	Max. 1x8W

+ADDONS

LED PAR51, GU10, 7W, 36°

Energy Consumption	7KWh/1000h
--------------------	------------

Lumen	Kelvin	Art.No	EUR
510	2700K	V725736T2W	4,90
530	3000K	V725736T3W	4,90



* see Accessories on page 14



V103600N9G

V832200N0B

Combine with all ONIS GU10 products



ONIS RING

General Info

Diameter	58mm
Size	58x15mm

Color	Art.No	EUR
● Gold	V832200N0G	4,90
● Black	V832200N0B	4,90
○ White	V832200N0W	4,90



ONIS RING INSIDE*

General Info

Diameter	54.4mm
Size	54.4x11mm

Color	Art.No	EUR
● Gold	V832201N0G	3,90
● Black	V832201N0B	3,90
○ White	V832201N0W	3,90



ONIS SHADE

General Info

Diameter	58mm
Size	58x20mm

Color	Art.No	EUR
● Black	V832400N0B	6,90

*Standard included in same color as fixture.

ONIS UP/DOWN
V101200N9W






Maximum
FLEXIBILT.Y.

TEVO PL

V831100T2B

page 26

**SPOT MONO**

V103300N9B

page 18

**TEVO REC**

V104001T2B

page 22

TEVO

COLLECTION

**SPOT DUO**

V103400N9B

page 18

**360 Downlight**


V104100T2B

page 28

**SPOT TRIO**

V103500T2B

page 18



TEVO 1 GU10

Color	Art.No	EUR
○ White	V103300N9W	29,90
● Black	V103300N9B	29,90




TEVO 2 GU10

Color	Art.No	EUR
○ White	V103400N9W	49,90
● Black	V103400N9B	49,90



TEVO 3 GU10

Color	Art.No	EUR
○ White	V103500N9W	79,90
● Black	V103500N9B	79,90



- » Front easy to remove for bulb installation
- » Part of larger Family

TECHNICAL DETAILS

for LED PAR 51 GU10 max. 8W


	Tevo 1	Tevo 2	Tevo 3
Size	80x95mm	260x60x95mm	430x60x95mm
Wattage	max. 8W	max. 2x8W	max. 3x8W

+ADDONS

LED PAR51, GU10, 7W, 36°

Energy Consumption 7KWh/1000h

Lumen	Kelvin	Art.No	EUR
510	2700K	V725736T2W	4,90
530	3000K	V725736T3W	4,90




TEVO SPOT LED



General Info

Driver	included
Lightsource	LED integrated
LED-Type	SMD
CCT	2700K



TEVO 1 LED

Color	Art.No	EUR
○ White	V103300T2W	49,90
● Black	V103300T2B	49,90



TEVO 2 LED

Color	Art.No	EUR
○ White	V103400T2W	99,90
● Black	V103400T2B	99,90



TEVO 3 LED

Color	Art.No	EUR
○ White	V103500T2W	139,00
● Black	V103500T2B	139,00



TECHNICAL DETAILS

	Tevo 1	Tevo 2	Tevo 3
Lumen	780	1550	2350
Size	80x134mm	260x60x134mm	430x60x134mm
Wattage	8W	2x8W	3x8W

+ADDONS

Tevo LED Deco Ring*

Size	54.4x14mm
Replaceable	yes
Material	Aluminum

Color	Art.No	EUR
● Gold	V132001N0G	4,90
● Black	V132001N0B	4,90



*Standard included in same color as fixture.
Only available for TEVO SPOT LED.

TEVO REC GU10



REC GU10

Color	Art.No	EUR
○ White	V104002N9W	49,90
● Black	V104002N9B	49,90

TECHNICAL DETAILS

for LED PAR 51 GU10 max. 8W

REC GU10

Inst. Diameter	68mm
Diameter	95mm
Size	95x142mm
Wattage	Max. 8W

+ADDONS

LED PAR51, GU10, 7W, 36°

Energy Consumption	7KWh/1000h
--------------------	------------

Lumen	Kelvin	Art.No	EUR
510	2700K	V725736T2W	4,90
530	3000K	V725736T3W	4,90



L70B50
30.000h



TED

TEVO REC LED

General Info

Driver	included
Lightsource	LED integrated
LED-Type	SMD
CCT	2700K



REC LED

Color	Art.No	EUR
○ White	V104001T2W	69,90
● Black	V104001T2B	69,90

TECHNICAL DETAILS

	REC LED
Inst. Diameter	68mm
Diameter	95mm
Lumen	780
Size	95x142mm
Wattage	8W

+ADDONS

Tevo LED Deco Ring*

Size	54.4x14mm
Replaceable	yes
Material	Aluminum

Color	Art.No	EUR
● Gold	V132001N0G	4,90
● Black	V132001N0B	4,90



* Standard included in same color as fixture.
Only available for TEVO SPOT LED.

TEVO PENDANT GU10



OPEN CABLE END


Color	Art.No	EUR
○ White	V831100N9W	49,90
● Black	V831100N9B	49,90

RECESSED CANOPY

Color	Art.No	EUR
○ White	V104100N9W	67,80
● Black	V104100N9B	67,80

SURFACE CANOPY

Color	Art.No	EUR
○ White	V107100N9W	67,80
● Black	V107100N9B	67,80



TECHNICAL DETAILS

for LED PAR 51 GU10 max. 8W

Tevo Pendant GU10

Cable Length	1.7m
Size	55x300mm
Diameter	55mm
Wattage	Max. 8W

+ADDONS

LED PAR51, GU10, 7W, 36°

Energy Consumption	7KWh/1000h
--------------------	------------

Lumen	Art.No	EUR
510 [2700K]	V725736T2W	4,90
530 [3000K]	V725736T3W	4,90



Recessed Canopy

Size	95x68x30mm
Inst. Diameter	68mm
Diameter	95mm
Material	Aluminum

Color	Art.No	EUR
○ White	V831100N0W	17,90
● Black	V831100N0B	17,90



Canopy

Size	80x25mm
Diameter	80mm
Material	Aluminum


Color	Art.No	EUR
○ White	V831200N0W	17,90
● Black	V831200N0B	17,90



TEVO PENDANT LED

General Info

Driver	included
Lightsource	LED integrated
LED-Type	SMD
CCT	2700K



OPEN CABLE END


Color	Art.No	EUR
○ White	V831100T2W	64,90
● Black	V831100T2B	64,90

RECESSED CANOPY

Color	Art.No	EUR
○ White	V104200T2W	82,80
● Black	V104200T2B	82,80

SURFACE CANOPY

Color	Art.No	EUR
○ White	V107100T2W	82,80
● Black	V107100T2B	82,80



- » Multiple Designs
- » Combine Colors

TECHNICAL DETAILS

Tevo Pendant LED

Cable Length	1.7m
Size	55x300mm
Diameter	55mm
Lumen	780
Wattage	8W

+ADDONS

Tevo LED Deco Ring *

Size	54.4x14mm
Replaceable	yes
Material	Aluminum

Color	Art.No	EUR
● Gold	V132001N0G	4,90
● Black	V132001N0B	4,90



Recessed Canopy

Size	95x68x30mm
Inst. Diameter	68mm
Diameter	95mm
Material	Aluminum

Color	Art.No	EUR
○ White	V831100N0W	17,90
● Black	V831100N0B	17,90



Canopy

Size	80x25mm
Diameter	80mm
Material	Aluminum

Color	Art.No	EUR
○ White	V831200N0W	17,90
● Black	V831200N0B	17,90



* Standard included in same color as fixture.
Only available for TEVO SPOT LED.

TEVO 360 DOWNLIGHT

General Info

Inst. Diameter	68mm
Driver	included
Lightsource	LED integrated
LED-Type	COB



2700K

Color	Art.No	EUR
○ White	V104100T2W	49,90
● Black	V104100T2B	49,90



3000K

Color	Art.No	EUR
○ White	V104100T3W	49,90
● Black	V104100T3B	49,90

TECHNICAL DETAILS



	2700k	3000k
Lumen	780	780
Size	90x48mm	90x48mm
Wattage	8W	8W
CCT	2700K	3000K



DEEP DECORATIVE COVER

V832011N0W

page 33



N-TRI Tilt Round

V104110N0B

page 32



N-TRI Straight Round

V104110N0B

page 32

N-TRI COLLECTION



N-TRI Deep

V104131N0B

page 33



N-TRI Deep Deco

V104130N0B

page 33



N-TRI Asym

V104033N0B

page 33

AVAILABLE CONFIGURATIONS

CLASSIC BULB*



DECO-BULB + DECO-RING*




LED-MODULE



* Socket required, see page 34.

N-TRI TILT*



Round

Color	Art.No	EUR
○ White	V104110N0W	9,90
● Black	V104110N0B	9,90
● Champagne	V104110N0CP	15,90
○ Silver	V104110N0S	15,90

Square

Color	Art.No	EUR
○ White	V104120N0W	9,90
● Black	V104120N0B	9,90
● Champagne	V104120N0CP	19,90
○ Silver	V104120N0S	19,90

N-TRI STRAIGHT IP65*



Round

Color	Art.No	EUR
○ White	V204112N0W	15,90
● Black	V204112N0B	15,90

Square

Color	Art.No	EUR
○ White	V204212N0W	15,90
● Black	V204212N0B	15,90

N-TRI TILT FLEX*



Round

Color	Art.No	EUR
○ White	V104140N0W	12,90
● Black	V104140N0B	12,90

Square

Color	Art.No	EUR
○ White	V104240N0W	14,90
● Black	V104240N0B	14,90

TECHNICAL DETAILS

	Straight Round	Straight Square	Tilt Round	Tilt Square
Installation Diameter	68mm	68mm	75mm	75mm
Diameter	82mm	82x82mm	93mm	90x90mm

*Socket / module required, see page 34/35.

+ADDONS

N-TRI Ring

Diameter 95mm

Material Aluminum

Color Art.No EUR

○ White V832012N0W 3,50

● Black V832012N0B 3,50



Mounting example



N-TRI ASYM*

Color	Art.No	EUR
○ White	V104033N0W	9,90
● Black	V104033N0B	9,90



N-TRI DEEP TILT*

Color	Art.No	EUR
○ White	V104131N0W	12,90
● Black	V104131N0B	12,90



N-TRI DEEP DECO*

Color	Art.No	EUR
○ White	V104130N0W	12,90
● Black	V104130N0B	12,90

TECHNICAL DETAILS


	Asym	Deep	Deep Deco
Installation Diameter	90mm	68mm	68mm
Diameter	100mm	82mm	76mm
Size	100x75mm	44mm	46mm

*Socket / module required, see page 34/35.

+ADDONS

LED PAR51, GU10, 7W, 36°

Energy Consumption 7KWh/1000h



Lumen	Art.No	EUR
510 [2700K]	V725736T2W	4,90
530 [3000K]	V725736T3W	4,90

N-TRI Bladespring

Diameter	95mm
Material	Aluminum



Color	Art.No	EUR
○ Chrome	V1320000N0C	0,69

Deep Decorative Cover

Diameter	80mm
Material	Aluminum

Color	Art.No	EUR
○ White	V832011N0W	3,50
● Black	V832011N0B	3,50



Mounting example

LED BULBS GU10

LED BULB CLASSIC



	LED Bulb	LED Bulb	LED Bulb	LED Bulb
Lumen	500	500	500	500
Size	50x55mm	50x55mm	50x55mm	50x55mm
CCT	2700K	3000K	2700K	3000K
Beam Angle	10	10	36	36
Wattage	7W	7W	7W	7W
LED-Type	SMD	SMD	SMD	SMD
Energy Consumption	7KWh/1000h	7KWh/1000h	7KWh/1000h	7KWh/1000h
Art. No	V725710T2W	V725710T3W	V725736T2W	V725736T3W
EUR	9,90	9,90	4,90	4,90

LED BULB DECO



	LED Bulb Deco	LED Bulb Deco	LED Bulb Deco	LED Bulb Deco
Lumen	580	580	625	625
Size	43x45mm	43x45mm	43x45mm	43x45mm
CCT	2700K	2700K	3000K	3000K
Wattage	8W	8W	8W	8W
LED-Type	COB	COB	COB	COB
Housing Color	○ White	● Black	○ White	● Black
Energy Consumption	8KWh/1000h	8KWh/1000h	8KWh/1000h	8KWh/1000h
Art. No	V725800A2W	V725800A2B	V725800A3W	V725800A3B
EUR	11,90	11,90	11,90	11,90

ALWAYS USE

LED Bulb Deco Ring51

Diameter	50mm
Size	50x16mm
Material	Aluminum

Color	Art.No	EUR
○ White	V732050N0W	3,50
● Black	V732050N0B	3,50
● Gold	V732050N0G	4,50
○ Chrome	V732050N0C	4,50



N-Tri GU10 Socket

Diameter	37mm
Size	180mm
Wattage	10W
Socket Information	GU10
Material	Polycarbonate

Color	Art.No	EUR
○ White	V831000N9N	4,90


GU10 Socket

Size	30x35mm	
Cable Length	170mm	
Color	Art.No	EUR
○ White	V931001N9N	1,90




MODULES*


for N-TRI Downlights

**N-tri Modul-L 9273040 7,5W, 55°**


Lumen	600
Size	51x33mm
CCT	2700/3000/4000
Wattage	6W
LED-Type	SMD
Art.No	EUR
V126001T7N	32,90

**N-tri Module 918-30 10W38°**



Lumen	690
Size	51x39mm
Dimtowarm CCT	1800K-3000K
Wattage	10W
LED-Type	COB
Art.No	EUR
V126001T1N	39,90

**N-tri Modul-R 927-10.5W38°**



Lumen	810
Size	51x39mm
CCT	2700K
Dimmable	yes
Wattage	10.5W
LED-Type	COB
Art.No	EUR
V126003T2N	39,90

**N-tri Modul-L 927-10W36°**



Lumen	930
Size	51x39mm
CCT	2700K
Dimmable	Yes
Wattage	10W
LED-Type	COB
Art.No	EUR
V126001T2N	39,90

**N-tri Modul 830 10W36°**

Lumen	1200
Size	51x39mm
CCT	3000K
Dimmable	yes
Wattage	10W
LED-Type	COB
Art.No	EUR
V126001T3N	39,90

**N-tri Modul-L 927-7W30°UGR**


Lumen	630
Size	51x32mm
CCT	2700K
Dimmable	Yes
Wattage	6W
LED-Type	COB
Art.No	EUR
V126002T2N	32,90

**N-tri Modul-L 930-7W30°UGR**

Lumen	670
Size	51x32mm
CCT	3000K
Dimmable	Yes
Wattage	6W
LED-Type	COB
Art.No	EUR
V126002T3N	32,90



* Driver included with all modules




Flexible
SOLUTIONS.



Onis Spot

V114001N9B

page 38



Onis Pendant

V114350N9B

page 39



Tevio Pendant

V114200T2B

page 45

1-PHASE

COLLECTION



Tevio Spot LED

V114100N9B

page 42



Track Spot Pro L

V114022T3B

page 46



Linear Dots

V114020T3B

page 47

ONIS 1-PHASE SPOT*



ONIS 1-PHASE SPOT

Color	Art.No	EUR
○ White	V114001N9W	34,90
● Black	V114001N9B	34,90
●● Black/Gold	V114001N9BG	34,90

TECHNICAL DETAILS for LED PAR 51 GU10 max. 8W

Onis 1 -Phase Spot


Diameter	58mm
Size	58x162mm
Wattage	Max. 8W

+ADDONS

LED PAR51, GU10, 7W, 36°


Energy Consumption	7KWh/1000h
--------------------	------------

Lumen	Kelvin	Art.No	EUR
510	2700K	V725736T2W	4,90
530	3000K	V725736T3W	4,90



*see Accessories on page 42

ONIS 1-PHASE PENDANT*



1-PHASE



PENDANT 300

Color	Art.No	EUR
○ White	V114350N9W	79,80
● Black	V114350N9B	79,80
●● Black/Gold	V114350N9BG	79,80

PENDANT 450

Color	Art.No	EUR
○ White	V114450N9W	89,80
● Black	V114450N9B	89,80
●● Black/Gold	V114450N9BG	89,80

TECHNICAL DETAILS

for LED PAR 51 GU10 max. 8W

	PL300	PL450
Diameter	58mm	58mm
Size	58x293.5mm	58x435mm
Cable Length	2m	2m
Wattage	Max. 8W	Max. 8W

+ADDONS

LED PAR51, GU10, 7W, 36°

Energy Consumption 7KWh/1000h

Lumen	Kelvin	Art.No	EUR
510	2700K	V725736T2W	4,90
530	3000K	V725736T3W	4,90



A T G F

L70B50
30.000h

TED

*see Accessories on page 42

ONIS ADDONS

V832200N0B

V114001N9BG



ONIS RING

General Info	
Diameter	58mm
Size	58x15mm

Color	Art.No	EUR
● Gold	V832200N0G	4,90
● Black	V832200N0B	4,90
○ White	V832200N0W	4,90



ONIS RING INSIDE*

General Info	
Diameter	54.4mm
Size	54.4x11mm

Color	Art.No	EUR
● Gold	V832201N0G	3,90
● Black	V832201N0B	3,90
○ White	V832201N0W	3,90



ONIS SHADE

General Info	
Diameter	58mm
Size	58x20mm

Color	Art.No	EUR
● Black	V832400N0B	6,90

*Standard included in same color as fixture.



TEVO 1-PHASE GU10



TEVO 1-PHASE GU10

Color	Art.No	EUR
○ White	V114100N9W	29,90
● Black	V114100N9B	29,90

TECHNICAL DETAILS for LED PAR 51 GU10 max. 8W

Tevo 1-Phase GU10


Diameter	54.7mm
Size	85x96.6x54.7mm
Wattage	Max. 8W

+ADDONS

LED PAR51, GU10, 7W, 36°

Energy Consumption	7KWh/1000h
--------------------	------------


Lumen	Kelvin	Art.No	EUR
510	2700K	V725736T2W	4,90
530	3000K	V725736T3W	4,90



TEVO 1-PHASE LED

General Info

Driver	included
Lightsource	LED integrated
LED-Type	SMD
CCT	2700K



TEVO 1-PHASE LED

Color	Art.No	EUR
○ White	V114100T2W	49,90
● Black	V114100T2B	49,90

TECHNICAL DETAILS

Tevo 1-Phase LED

Diameter	57mm
Size	85x136x57mm
Lumen	780
Wattage	8W

+ADDONS

Tevo LED Deco Ring*

Size	54.4x14mm
Replaceable	yes
Material	Aluminum

Color	Art.No	EUR
● Gold	V132001N0G	4,90
● Black	V132001N0B	4,90




* Standard included in same color as fixture.
Only available for TEVO SPOT LED.

TEVO

1-PHASE PENDANT

GU10



1-PHASE PENDANT GU10

Color	Art.No	EUR
○ White	V114200N9W	59,80
● Black	V114200N9B	59,80

TECHNICAL DETAILS

1-Phase Pendant GU10


Diameter	55mm
Size	55x300mm
Cable Length	1.7m
Wattage	Max. 8W

+ADDONS

LED PAR51, GU10, 7W, 36°

Energy Consumption	7KWh/1000h
--------------------	------------

Lumen	Kelvin	Art.No	EUR
510	2700K	V725736T2W	4,90
530	3000K	V725736T3W	4,90




TEVO

1-PHASE PENDANT LED

General Info

Driver	included
Lightsource	LED integrated
LED-Type	SMD
CCT	2700K



1-PHASE PENDANT LED

Color	Art.No	EUR
○ White	V114200T2W	74,80
● Black	V114200T2B	74,80

+ADDONS

Tevo LED Deco Ring*

Size	54.4x14mm	
Replaceable	yes	
Material	Aluminum	
Color	Art.No	EUR
● Gold	V132001N0G	4,90
● Black	V132001N0B	4,90



TECHNICAL DETAILS

1-Phase Pendant LED


Diameter	55mm
Size	55x300mm
Lumen	780
Cable Length	1.7m
Wattage	8W

* Standard included in same color as fixture.
Only available for TEVO SPOT LED.

TRACK SPOT PRO L

General Info

Driver	included
Lightsource	LED integrated
LED-Type	COB
CCT	3000K



TRACK SPOT PRO L

Color	Art.No	EUR
○ White	V114022T3W	109,00
● Black	V114022T3B	109,00

TECHNICAL DETAILS

Track Spot Pro L

Size	90x110mm
Lumen	1680
Wattage	20W

+ADDONS

Honeycomb for trackspot 1-Phase


Color	Art.No	EUR
● Black	V115099N0B	9,90



1-PHASE LINEAR

General Info

Driver	included
Lightsource	LED integrated
LED-Type	SMD



LINEAR M CCT SWITCH

Color	Art.No	EUR
○ White	V114010T7W	119,00
● Black	V114010T7B	119,00

LINEAR DOTS 2700K

Color	Art.No	EUR
○ White	V114020T2W	119,00
● Black	V114020T2B	119,00


LINEAR DOTS 3000K

Color	Art.No	EUR
○ White	V114020T3W	119,00
● Black	V114020T3B	119,00

TECHNICAL DETAILS

	Switch	2700k	3000k
Size	766x34x35mm	540x34x34mm	540x34x34xmm
Lumen	1300	730	730
Beam Angle	60°	36°	36°
CCT	2700K/3000K	2700K	3000K
Dimmable	No	TED	TED
Wattage	10W	10W	10W

1-PHASE TRACK



TRACK 1M

Size	1000x35x18mm
Material	Aluminum

Color	Art.No	EUR
○ White	V113010N0W	32,90
● Black	V113010N0B	32,90



TRACK 2M

Size	2000x35x18mm
Material	Aluminum

Color	Art.No	EUR
○ White	V113020N0W	59,90
● Black	V113020N0B	59,90

COMPONENTS



COVER 2M

Material	Polycarbonate
----------	---------------

Color	Art.No	EUR
○ White	V115112N0W	9,90
● Black	V115112N0B	9,90



Wire Suspension

Cable Length	3m
--------------	----

Color	Art.No	EUR
○ White	V115001N0W	12,90
● Black	V115001N0B	12,90



Straight Connection

Color	Art.No	EUR
○ Chrome	V115200N0C	3,90



Corner Connection

Color	Art.No	EUR
○ Chrome	V115201N0C	4,90



Stabilisator Connector

Color	Art.No	EUR
○ Chrome	V115202N0C	4,90

COMPONENTS

Adaptor

6A, 230V/50Hz, 50N max.

Size 82x35x42 mm

Color	Art.No	EUR
○ White	V115201N0W	9,90
● Black	V115201N0B	9,90

Corner Connector Inside

Size 104x104x18mm

Color	Art.No	EUR
○ White	V115250N0W	12,90
● Black	V115250N0B	12,90

Flex Connector

Size 164x35x18mm

Color	Art.No	EUR
○ White	V115170N0W	16,90
● Black	V115170N0B	16,90

Feedin Round

Color	Art.No	EUR
○ White	V115130N0W	12,90
● Black	V115130N0B	12,90

Feedin Right

Size 104x35x18mm

Color	Art.No	EUR
○ White	V115210N0W	6,90
● Black	V115210N0B	6,90

T Connector Right

Size 172x104x18mm

Color	Art.No	EUR
○ White	V115260N0W	16,90
● Black	V115260N0B	16,90

Endcap

Size 4x35x18 mm

Color	Art.No	EUR
○ White	V115180N0W	3,90
● Black	V115180N0B	3,90

Corner Connector Outside

Size 104x104x18mm

Color	Art.No	EUR
○ White	V115150N0W	12,90
● Black	V115150N0B	12,90

Feedin Left

Size 104x35x18mm

Color	Art.No	EUR
○ White	V115110N0W	6,90
● Black	V115110N0B	6,90

Long Connector

Size 172x35x18 mm

Color	Art.No	EUR
○ White	V115120N0W	9,90
● Black	V115120N0B	9,90

T Connector Left


Size 172x104x18mm

Color	Art.No	EUR
○ White	V115160N0W	16,90
● Black	V115160N0B	16,90

Electrical Connector

Size 63x35x18mm

Color	Art.No	EUR
○ White	V115140N0W	4,90
● Black	V115140N0B	4,90



Adapt & connect
POSSIBILITIES.

Multispot

V117974S7W

page 56

Onis Pendant

V117450N9B

page 52

Tevo Pendant

V117400T2B

page 55

3-PHASE

COLLECTION



Tevo Spot

V117300T2B

page 55




Spot LED 930

V114022T3B

page 57

ONIS 3-PHASE PENDANT*



PENDANT 300

Color	Art.No	EUR
○ White	V117350N9W	82,80
● Black	V117350N9B	82,80
●● Black/Gold	V117350N9BG	82,80

PENDANT 450

Color	Art.No	EUR
○ White	V117450N9W	92,80
● Black	V117450N9B	92,80
●● Black/Gold	V117450N9BG	92,80

TECHNICAL DETAILS

for LED PAR 51 GU10 max. 8W


	300	450
Cable Length	2.0m	2.0m
Size	58x293.5mm	58x435mm
Diameter	58mm	58mm
Wattage	Max. 8W	Max. 8W

+ADDONS

LED PAR51, GU10, 7W, 36°

Energy Consumption 7KWh/1000h

Lumen	Kelvin	Art.No	EUR
510	2700K	V725736T2W	4,90
530	3000K	V725736T3W	4,90



* White pendant with white adapter, black and black/gold pendants with black adapter.

ONIS

ACCESSORIES



V117450N9W

V832200N0B

3-PHASE



ONIS RING

General Info

Diameter	58mm
Size	58x15mm

Color	Art.No	EUR
● Gold	V832200N0G	4,90
● Black	V832200N0B	4,90
○ White	V832200N0W	4,90



ONIS RING INSIDE*

General Info

Diameter	54.4mm
Size	54.4x11mm

Color	Art.No	EUR
● Gold	V832201N0G	3,90
● Black	V832201N0B	3,90
○ White	V832201N0W	3,90



ONIS SHADE

General Info


Diameter	58mm
Size	58x20mm

Color	Art.No	EUR
● Black	V832400N0B	6,90

* Standard included in same color as fixture.

TEVO

3-PHASE GU10



3-PHASE SPOT GU10

Color	Art.No	EUR
○ White	V117001N9W	29,90
● Black	V117001N9B	29,90



3-PHASE PENDANT GU10

Color	Art.No	EUR
○ White	V117100N9W	62,80
● Black	V117100N9B	62,80

TECHNICAL DETAILS

	3-Phase Spot	3-Phase Pendant
Size	70x153x57mm	55x300mm
Cable Length	-	1.7m
Wattage	Max. 8W	Max. 8W

for LED PAR 51 GU10 max. 8W

+ADDONS

LED PAR51, GU10, 7W, 36°

Energy Consumption	7KWh/1000h
--------------------	------------

Lumen	Art.No	EUR
510 [2700K]	V725736T2W	4,90
530 [3000K]	V725736T3W	4,90




TEVO

3-PHASE LED

General Info

Drive	included
Lightsource	LED integrated
LED-Type	SMD
CCT	2700K



3-PHASE SPOT LED

Color	Art.No	EUR
○ White	V117300T2W	54,90
● Black	V117300T2B	54,90



3-PHASE PENDANT LED

Color	Art.No	EUR
○ White	V117400T2W	77,80
● Black	V117400T2B	77,80

TECHNICAL DETAILS

	3-Phase Spot	3-Phase Pendant
Size	70x153x57mm	55x300mm
Lumen	780	780
Cable Length	-	1.7m
Wattage	8W	8W

+ADDONS

TEVO LED Deco Ring

Size	54.4x14mm
Replaceable	yes
Material	Aluminum

Color	Art.No	EUR
● Gold	V132001N0G	4,90
● Black	V132001N0B	4,90



3-PHASE MULTI SPOT

General Info

Driver	inTrack-Driver
Lightsource	LED integrated
LED-Type	COB



MS 10-16W 15°

Color	Art.No	EUR
○ White	V117751S7W	89,90
● Black	V117751S7B	89,90

MS 20-32W 15°

Color	Art.No	EUR
○ White	V117971S7W	99,90
● Black	V117971S7B	99,90



MS 10-16W 40°

Color	Art.No	EUR
○ White	V117754S7W	89,90
● Black	V117754S7B	89,90

MS 20-32W 40°

Color	Art.No	EUR
○ White	V117974S7W	99,90
● Black	V117974S7B	99,90

TECHNICAL DETAILS


	MS 10-16W 15°	MS 20-32W 15°	MS 10-16W 40°	MS 20-32W 40°
Size	75x85mm	97x115mm	75x85mm	97x115mm
Lumen	1965	3717	1965	3717
Beam Angle	15°	15°	40°	40°
CCT	3000K/4000K	3000K/4000K	3000K/4000K	3000K/4000K
Power Switch	10W/12W/14W/16W	20W/24W/28W/32W	10W/12W/14W/16W	20W/24W/28W/32W

3-PHASE SPOT LED 930



General Info

Driver	inTrack-Driver
Lightsource	LED integrated




SPOT LED 930

Color	Art.No	EUR
○ White	W117001A3W	79,90
● Black	W117001A3B	79,90

TECHNICAL DETAILS

SPOT LED 930	
Size	85x175mm
Lumen	3190
Beam Angle	36°
CCT	3000K
Wattage	24W



TRACK 1M

Size	1m
Material	Polycarbonate

Color	Art.No	EUR
○ White	PRO-0410-W	39,90
● Black	PRO-0410-B	39,90



TRACK 2M

Size	2m
Material	Polycarbonate

Color	Art.No	EUR
○ White	PRO-0420-W	79,90
● Black	PRO-0420-B	79,90



TRACK 3M

Size	3m
Material	Polycarbonate

Color	Art.No	EUR
○ White	PRO-0430-W	119,00
● Black	PRO-0430-B	119,00

COMPONENTS



Feedin Left

Color	Art.No	EUR
○ White	PRO-0431L-W	16,90
● Black	PRO-0431L-B	16,90



Feedin Right

Color	Art.No	EUR
○ White	PRO-0431R-W	16,90
● Black	PRO-0431R-B	16,90



T Connector Left 1

Color	Art.No	EUR
○ White	PRO-0436L1-W	39,90
● Black	PRO-0436L1-B	39,90



T Connector Left 2

Color	Art.No	EUR
○ White	PRO-0436L2-W	39,90
● Black	PRO-0436L2-B	39,90



T Connector Right 1

Color	Art.No	EUR
○ White	PRO-0436R1-W	39,90
● Black	PRO-0436R1-B	39,90



T Connector Right 2

Color	Art.No	EUR
○ White	PRO-0436R2-W	39,90
● Black	PRO-0436R2-B	39,90



Middle Connector

Color	Art.No	EUR
○ White	PRO-0434-W	32,90
● Black	PRO-0434-B	32,90



Electrical Connector

Color	Art.No	EUR
○ White	PRO-0433-W	14,90
● Black	PRO-0433-B	14,90



Flexible Connector

Color	Art.No	EUR
○ White	PRO-0439-W	54,90
● Black	PRO-0439-B	54,90



Adapter

10A, 230V/50Hz, 50N

Color	Art.No	EUR
○ White	PRO-0440-W	12,90
● Black	PRO-0440-B	12,90





LEDVIN

COLLECTION

**Bulkhead**

V105310T7W

page 62

**Wire Pendant**

V831300N0B

page 63

**Shade**

V132100N0B

page 63

V132100N0BG

LEDVIN 30

V105310T7W

General Info

Driver	included
Lightsource	LED integrated
LED-Type	SMD



LEDVIN 30 BULKHEAD

Color	Art.No	EUR
○ White	V105310T7W	89,90

TECHNICAL DETAILS

	Bulkhead	Shade	Wire Pendant
Size	30x9.3cm	39x9cm	3m
Lumen	2200		
CCT Switch	2700K/3000K/4000K		
Wattage	18W		



WIRE PENDANT

Color	Art.No	EUR
○ White	V831300N0W	59,90
● Black	V831300N0B	59,90



LEDVIN SHADE 30

Color	Art.No	EUR
○ White	V132100N0W	39,90
● Black	V132100N0B	39,90
● Black/Gold	V132100N0BG	39,90

Mezy Fix pendant

V831043N0B

MEZY

COLLECTION



MEZY S

V103045T7B



backlight ring

V126045T7B




MEZY WIRE PENDANT

V831300N0B

General Info

Driver	included
Lightsource	LED integrated



MEZY S

Color	Art.No	EUR
○ White	V103045T7W	349,00
● Black	V103045T7B	349,00

BACKLIGHT RING S

Color	Art.No	EUR
○ White	V126045T7W	79,90
● Black	V126045T7B	79,90

FIX PENDANT

Color	Art.No	EUR
○ White	V831043N0W	39,90
● Black	V831043N0B	39,90

WIRE PENDANT

Color	Art.No	EUR
○ White	V831300N0W	59,90
● Black	V831300N0B	59,90

TECHNICAL DETAILS

	Mezy S	Backlight Ring S	Fix Pendant	Wire Pendant
Size	450x59mm	450mm	430mm	3000mm
Lumen	3260	1190		
Beam Angle	90°	120°		
CCT Switch	2700K/3000K/4000K	2700K/3000K/4000K		
Wattage	30W	7.8W		



BOUNTO Pendant Single

V107001T1B

page 67

BOUNTO

COLLECTION



BOUNTO Wall Lamp

V101001T1B

page 68



BOUNTO Table Lamp

V109001B1B

page 68



bounto pendant double

V107002T1B


page 67

BOUNTO PENDANT

» Easy change height

General Info

Driver	included
Lightsource	LED integrated
LED-Type	SMD



BOUNTO PENDANT

	Art.No	EUR
Single	V107001T1B	189,00
Double	V107002T1B	349,00

TECHNICAL DETAILS

	Single	Double
Size	180x1500mm	500x55x1800mm
Lumen	280	2x280
Dim to Warm CCT	1800K-3000K	1800K-3000K
Wattage	9W	18W
Cable Length	min. 360mm - 1860mm	min. 260mm - 1860mm
Diameter	180mm	180mm



ALU
GLASS

Wall

Table

CRI

90

Dim to
Warm

L80B50
50.000h

230V
50Hz



BOUNTO WALL

	Art.No	EUR
Wall	V101001T1B	199,00



BOUNTO TABLE

	Art.No	EUR
Table	V109001B1B	219,00

TECHNICAL DETAILS

	Wall	Table
Size	255x180x217mm	180x330mm
Lumen	280	280
Dim to Warm CCT	1800K-3000K	1800K-3000K
Wattage	9W	9W
Diameter	180mm	180mm
	touch to dim	



Bounto Pendant Single

V107001T1B



Bounto Table Lamp

V109001B1B



Bounto Pendant Double

V107002T1B



Bounto Wall Lamp

V101001T1B



Nydle ceiling lamp

V107002A2B

page 74

NYDLE

COLLECTION



NYDLE Floorlamp

V108001B2B

page 73



NYDLE wall lamp

V101100B2B

page 75



NYDLE table lamp



V109001B2B

page 75

NYDLE FLOOR LAMP

General Info

Driver	included
Lightsource	LED integrated
CCT	2700K




NYDLE FLOOR LAMP

	Art.No	EUR
Single	V108001B2B	169,00
Double	V108002B2B	249,00

TECHNICAL DETAILS

	Single	Double
Size	250x1630mm	250x1630mm
Lumen	430	2x430
LED-Type	COB	COB
Wattage	7W	13W



NYDLE CEILING LAMP

General Info	
Driver	included
Lightsource	LED integrated
CCT	2700K


Ceiling


36°


80


L70B50
25.000h


230V
50Hz



NYDLE CEILING LAMP

Color	Art.No	EUR
● Black	V107002A2B	189,00

TECHNICAL DETAILS

Nydle Ceiling Lamp	
Lumen	430
Size	130x920mm
Cable Length	92cm
LED-Type	COB
Wattage	13W
Steering	on/off

NYDLE TABLE LAMP

NYDLE WALL LAMP

General Info

Driver	included
Lightsource	LED integrated
CCT	2700K



NYDLE TABLE LAMP

Color	Art.No	EUR
● Black	V109001B2B	139,00



NYDLE WALL LAMP

Color	Art.No	EUR
● Black	V101100B2B	109,00

TECHNICAL DETAILS

	Nydle Table Lamp	Nydle Wall Lamp
Size	150x505mm	90x115x200mm
LED-Type	COB	COB
Wattage	7W	7W
Steering	Touch / Dim	Touch / Dim

NYDLE Ceiling Lamp

V107002A2B

NYDLE Wall Lamp

V101100B2B

NYDLE Floor Lamp

V108001B2B



NYDLE Table Lamp

V109001B2B



NYDLE Floor Lamp

V108002B2B





Vasari 60 smart

V101001B7B

page 79

VASARI

COLLECTION



Vasari 60

V101002A2B

page 80



Vasari flex

V101001A7B

page 81



Vasari 40

V101003A2B


page 80

VASARI 60 SMART

- » Adjustable Color and Brightness
- » Antifog

General Info

Driver Info	included
Lightsource	LED integrated
LED-Type	SMD
CCT	Switch



VASARI 60 SMART

Color	Art.No	EUR
● Black	V101001B7B	279,00

VASARI

TECHNICAL DETAILS

VASARI 60 Smart


Size	580x28mm
CCT	2700K/4000K/6500K
Wattage	24W
Lumen	850

VASARI 60 / 40



General Info

Driver	included
Lightsource	LED integrated
LED-Type	SMD
CCT	2700K
Touch	on/off



VASARI 60

Color	Art.No	EUR
● Black	V101002A2B	249,00



VASARI 40

Color	Art.No	EUR
● Black	V101003A2B	159,00



TECHNICAL DETAILS

	Vasari 60	Vasari 40
Size	580x28mm	400x28mm
Wattage	24W	14W
Lumen	1200	570
Steering	on/off	on/off

VASARI FLEX

General Info

Driver	included
Lightsource	LED integrated
LED-Type	SMD
CCT	Switch



VASARI FLEX


Color	Art.No	EUR
● Black	V101001A7B	159,00

VASARI

TECHNICAL DETAILS

VASARI Flex

Mirror Zoom	3x
CCT	2700K/3000K/4000K
Wattage	4.2W
Lumen	40
Steering	on/off



Design
EVERGREEN.



IBLOCC

COLLECTION




Iblocc single round

V103095T7B page 84



Iblocc single square

V103100T7B page 85



Iblocc double square

V103185T7B page 85

IBLOCC ROUND



General Info

Driver	included
Lightsource	LED integrated
LED-Type	COB
CCT	Switch
Spot	adjustable



IBLOCC ROUND


Color	Art.No	EUR
○ White	V103095T7W	79,90
● Black	V103095T7B	79,90

TECHNICAL DETAILS

IBLOCC Round


Size	100x98mm
Lumen	520
CCT	2700K/3000K
Wattage	9W

IBLOCC SQUARE



General Info

Driver	included
Lightsource	LED integrated
LED-Type	COB
CCT	Switch
Spot	adjustable



SINGLE

Color	Art.No	EUR
○ White	V103100T7W	79,90
● Black	V103100T7B	79,90



DOUBLE

Color	Art.No	EUR
○ White	V103185T7W	129,00
● Black	V103185T7B	129,00

TECHNICAL DETAILS

	Single	Double
Size	100x100x98mm	185x100x98mm
Lumen	520	980
CCT	2700K/3000K	2700K/3000K
Wattage	9W	18W

Wollas S

V101100T7B



WOLLAS

COLLECTION

WOLLAS



WOLLAS S

Color	Art.No	EUR
○ White	V101100T7W	89,90
● Black	V101100T7B	89,90



WOLLAS L

Color	Art.No	EUR
○ White	V101200T7W	129,00
● Black	V101200T7B	129,00


TECHNICAL DETAILS

	Wollas S	Wollas L
Size	300x30x100mm	600x30x100mm
Lumen	900	1900
CCT Switch	2700K/3000K	2700K/3000K
Wattage	11.8W	21.5W

SASS LED

General Info

Driver	included
Lightsource	LED integrated
LED-Type	SMD



TRIAC



ALU



Wall



CRI

90



Indoor

L80B50
50.000h230V
50Hz

SASS LED

	Art.No	EUR
SASS S	V102001A7W	49,90
SASS M	V102002T7W	64,90


TECHNICAL DETAILS

	Sass S	Sass M
Size	132x100x33mm	168x120x43mm
Lumen	60	230
CCT	2700K/3000K	2700K/3000K
Wattage	2W	4W

SOTT LED

General Info

Driver	included
Lightsource	LED integrated
LED-Type	SMD



SOTT LED*

	Art.No	EUR
Round	V102111A2W	39,90
Square	V102211A2W	39,90

TECHNICAL DETAILS

	Round	Square
Size	85x32mm	85x32mm
Lumen	11	5
CCT	2700K	2700K
Wattage	1W	1W


* Fits into flush-mounting box of 68mm (not included).

DREY 35W



General Info

Lightsource	LED integrated
LED-Type	COB
CCT	3000K



DREY 35W

Driver included	Art.No	EUR
Yes	V104002T3W	99,90
No	V104002N3W	79,90

TECHNICAL DETAILS

DREY 35W

Installation Diameter	205mm
Dimensions	215x110mm
Lumen	3820
Wattage	35W



VLING

COLLECTION



VLING LED-PANEL

V104620A7W page 93



VLING DEEP FRAME

V832620N0W page 94



VLING MOUNTED FRAME

V832621N0W page 94

VLING LED-PANEL



General Info

Driver	included
Lightsource	LED integrated
LED-Type	SMD
CCT	Switch
Technology	backlight



VLING LED-PANEL

	Art.No	EUR
VLING 600	V104600A7W	59,90
VLING 620	V104620A7W	59,90

For Dali Driver visit vysnlighting.com


TECHNICAL DETAILS

	600	620
Size	595x595x26mm	620x620x26mm
Lumen	4800	4800
CCT	3000K/4000K	3000K/4000K
Wattage	40W	40W

+ADDONS


	Art.No	EUR
Vling clips, set 4	V832007N0I	4,90
Vling Suspension kit, 3m length, 2 pcs	V832001N0I	17,90





SURFACE MOUNTED FRAME

	Art.No	EUR
VLING Mounted 600	V832601N0W	24,90
VLING Mounted 620	V832621N0W	24,90




DEEP FRAME

	Art.No	EUR
VLING Deep 600	V832600N0W	49,90
VLING Deep 620	V832620N0W	54,90

TECHNICAL DETAILS

	Mounted Frame 600	Mounted Frame 620	Deep Frame 600	Deep Frame 620
Size	600x600x63mm	625x625x63mm	600x600x70mm	625x625x70mm




Pure
EFFICIENCY.

LED STRIP

SMD

48V, incl. 3M adhesive-tape; max 10m with one feedin



2700k

Color	Art.No	EUR
○ Transparent	V122048N2T	59,90



4000k

Color	Art.No	EUR
○ Transparent	V122048N4T	59,90



3000k

Color	Art.No	EUR
○ Transparent	V122048N3T	59,90

TECHNICAL DETAILS

CCT	2700K	3000K	4000K
Cable Length	15cm	15cm	15cm
Size	10x1.2mm	10x1.2mm	10x1.2mm
Length	5m	5m	5m
Lumen/m	1650	1680	1730
CCT	2700K	3000K	4000K
Wattage	10W	10W	10W
Voltage	48V	48V	48V

For suitable 48V Driver visit vysnlighting.com

LED STRIP

CSP

24V, incl. 3M adhesive-tape; max 5m with one feedin



2700k

Color	Art.No	EUR
○ Transparent	V122001N2T	69,90



4000k

Color	Art.No	EUR
○ Transparent	V122001N4T	69,90



IP68, 2700k

Color	Art.No	EUR
○ Transparent	V222001N2T	99,90



3000k

Color	Art.No	EUR
○ Transparent	V122001N3T	69,90



IP68, 3000k

Color	Art.No	EUR
○ Transparent	V222001N3T	99,90

TECHNICAL DETAILS

	2700K	3000K	4000k	IP68, 2700k	IP68, 3000k
Cable Length	15cm	15cm	15cm	15cm	15cm
Size	10x1.8mm	10x1.8mm	10x1.8mm	10x1.8mm	10x1.8mm
Length	5m	5m	5m	5m	5m
Lumen/m	780	780	890	900	900
CCT	2700K	3000K	4000K	2700K	3000K
Wattage	10W	10W	10W	10W	10W
Voltage	24V	24V	24V	24V	24V



Dim to Warm

Color	Art.No	EUR
○ Transparent	V123024N1T	89,90

TECHNICAL DETAILS

Dim To Warm

Cable Length	15cm
Size	10x1.2mm
Length	5m
Lumen	1010
CCT	1800K/3000K
Wattage	10W
Voltage	24V



COMPONENTS

LED Profil In, 2m

ALU



Color	Art.No	EUR
○ White	V124201N0W	19,90
● Black	V124201N0B	19,90
○ Silver	V124201N0S	16,90

LED Profil Cap, 2pcs



Color	Art.No	EUR
○ White	V124203N0W	2,99
● Black	V124203N0B	2,99
○ Silver	V124203N0S	2,99

d2w strip2strip connector 24V/25A



Color	Art.No	EUR
○ Transparent	V831024N0T	0,98

CSP

d2w strip flex connector 24V/25A



Color	Art.No	EUR
○ Transparent	V831224N0T	1,98
length	15cm	

CSP

Strip feedin 24V/25A



Color	Art.No	EUR
○ Transparent	V831007N0T	1,98
length	15cm	

LED Profil On, 2m

ALU



Color	Art.No	EUR
○ White	V124202N0W	14,90
● Black	V124202N0B	14,90
○ Silver	V124202N0S	12,90

LED Profil Cover, frosted, 2m

PC



Color	Art.No	EUR
○ White	V124204N0W	9,90

d2w strip feedin 24V/2,5A



Color	Art.No	EUR
○ Transparent	V831124N0T	1,39
length	15cm	

CSP

90° Strip connector 24V/25A



Color	Art.No	EUR
○ Transparent	V831005N0T	1,98

CSP

180° Strip connector 24V/25A



Color	Art.No	EUR
○ Transparent	V831006N0T	1,98

CSP

Endcap /feedin set IP68 strip



Color	Art.No	EUR
○ Transparent	V831068N0T	3,90

POWER SUPPLY

Triac dimmable, 230V/50Hz 24V50W



Color	Art.No	EUR
○ White	CV25W24CG Triac	49,90

Triac dimmable, 230V/50Hz 24V50W




Color	Art.No	EUR
○ White	CV50W24CG Triac	79,90

Triac dimmable, 230V/50Hz 24V100W



Color	Art.No	EUR
○ White	CV100W24CG Triac	139,00

SMART HOME ACCESSORIES



Zigbee switch+dimmer

Color	Art.No	EUR
○ White	V830001Z0W	59,90



Zigbee AC triac dimmer

Color	Art.No	EUR
○ White	V830003ZT0W	99,90



Zigbee to Triac dimmer

Color	Art.No	EUR
○ White	V830002ZT0W	69,90



Zigbee to DALI push dimmer

Color	Art.No	EUR
○ White	V830001ZD0W	89,90




Zigbee Plug, Euro

Color	Art.No	EUR
○ White	V830006Z0W	79,90

TECHNICAL DETAILS

	Zigbee switch+dimmer 1 groups	Zigbee AC triac dimmer	Zigbee to Triac dimmer	Zigbee to DALI push dimmer	Zigbee Plug, Euro
Size	86x86x15.2mm	83.5x83.5x50.9mm	45.5x45x20.3mm	95x37x20mm	114.8x54.8x74.7mm
Steering	Zigbee	Zigbee/Triac[TED]	Zigbee/Triac[TED]	Zigbee/DALI	Zigbee



DALI to Triac AC Dimmer

Color	Art.No	EUR
○ White	V830001DT0W	69,90



Casambi to DALI converter

Color	Art.No	EUR
○ White	V830001CD0W	179,00



Push to DALI switch+dimmer

Color	Art.No	EUR
○ White	V830001D0W	79,90



Zigbee constant voltage Controller 12-24V

Color	Art.No	EUR
○ White	V830000Z0W	69,90



Led dimmer Universal Triac 2W ~350W

Color	Art.No	EUR
○ White	V830350T0N	54,90

compatible with Busch Jäger, Berker, Gira, Jung and more


TECHNICAL DETAILS

	DALI to Triac AC Dimmer	Casambi to DALI converter	Push to DALI switch+dimmer	Zigbee constant voltage Cont- roller 12-24V	Led dimmer Universal Triac 2W ~350W
Size	45.5x45x20.3mm	95x37x20mm	49.8x43.3x15.1mm	45x46.5x16mm	70x70x24mm
Steering	DALI/Triac(TED)	Casambi/DALI	DALI	Zigbee	TED




ICONS


INSTALLATION



SPECIFICATIONS



MATERIALS



- All prices listed in this catalogue are **RRP (Recommended Retail Prices) excluding VAT**.
- This catalogue is intended for **B2B customers only**.
- **Colours and shapes** depicted in this catalogue are for **illustrative purposes only**. Actual products may vary in appearance and are subject to change over time. Vysn assumes no responsibility for such variations.
- Prices in this catalogue are for **reference purposes only**. Prices may change throughout the year. For the latest and accurate pricing, please refer to our website.
- **Vysn reserves the right** to modify prices, sales conditions, or delivery terms at any time without prior notice.
- Unless specific individual customer conditions have been established, the general terms and conditions apply. For more details, visit www.vysnlighting.com/service.
- For **returns, repairs, or warranty cases**, please follow the guidelines provided on our website at www.vysnlighting.com/service.

**DESIGN
MANUFACTURE
DEVELOP**

>>LIGHT

