MUTTOH AWARD-WINNING PRINTERS





XPJ-661UF 19"x23" UV-LED Printer

PRODUCT

Printer

SERVING THE PRINTING INDUSTRY SINCE 1952



Starting in 1952 Yoshiro MUTOH founder of the MUTOH Scale Engraving Research Center in Mishuku, Setagaya was a company that manufactured measuring equipment. Measuring equipment such as disk-type slide rules for aerial navigation, calipers, and rotary protractors were produced and these products reflected the high technical capabilities required to engrave scales accurately and marked the beginning of the company's spirit of supporting monozukuri (the act of making things).

In March 1952, MUTOH Memori Chokoku (MUTOH Scale Engraving) LTD was established. With this came new products such as the Drafter and the Pen Plotter that printed product drawings. Over the years, MUTOH has continued to uphold the same spirit by supporting the many people involved in various aspects of monozukuri, especially when it comes to our Large Format Printers (LFP) products.

MUTOH's President, Yasuhiko Isobe stated "understanding the customer's needs, providing security and trust, and the excitement of our future to reach new milestones and breakthroughs is our commitment to achieving our target of celebrating our 100th anniversary."

With the world headquarters in Japan, and its affiliates in the US, Europe, and Australia, MUTOH has become a leading manufacturer of wide and small-format printers and plotting cutters. MUTOH printers are known for their Smart Printing Technologies, print speeds, and unbeatable quality and have introduced some of the most innovative products to the print industry.

"Seventy years is quite a milestone for MUTOH" says Brian Phipps, President of MUTOH America "It says a lot when a company can grow and adapt over the many decades and remain a leader in the markets they serve. I'm very proud to be part of this organization and to celebrate this giant achievement with MUTOH. "

MUTOH AMERICA LOCATIONS

MUTOH Western Regional Learning Facility

2291 W 205th Street Suite 105

Torrance, CA 90501 Phone: (310) 783-0281

MUTOH Corporate Offices

4405 E Baseline Rd #120 Phoenix, Arizona USA 85042 **Phone:** (480) 968-7772













AWARD WINNING TECHNOLOGY





ECO SOLVENT



UV-LED/MP







DYE SUBLIMATION











MUTOH ECO-SOLVENT PRINTER





The **ValueJet 628 24"** Eco-Solvent Printer from MUTOH is the perfect size and price to fit easily into any size print shop. It is powered by MUTOH's new genuine **VerteLith™ RIP Software**, bundled with FlexiDESIGNER MUTOH Edition 21, a \$2,199.00 value. VerteLith RIP optimizes all of the capabilities the VJ-628 has to offer and produces the best-possible gradients, skin tones and vivid colors. The VJ-628 features an automatic sheet-off function and CMYKx2 or CMYK Lc Lm ink set. These features are designed to increase user-friendly operation and maintenance while continuing to offer high production, high-quality output. The VJ-628 is paired with MUTOH's MS31 Eco-Solvent ink, which offers users a larger color gamut, outstanding durability, and improved dot gain at speeds up to 433 sqft/hr.









DECALS

SIGNAGE

HEAT TRANSFER

POSTERS

ValueJet 628

POWERED BY VERTELITH™ RIP SOFTWARE

MUTOH'S GENUINE RIP SOFTWARE BUNDLED WITH FLEXIDESIGNER MUTOH EDITION 21



COMPACT SIZE

AUTOMATIC SHEET-OFF FUNCTION

PRINT SPEEDS UP TO 433 sqft/hr

NEW VERTELITH RIP SOFTWARE

INTELLIGENT **INTERWEAVE TECHNOLOGY**

MS31 ECO-SOLVENT **INK SET**

AUTOMATIC SHEET-OFF **FUNCTION**

www.MUTOH.com | 1-800-99MUTOH











- · Auto-population of named Pantone coated/uncoated spot colors.
- MUTOH Clear Tone half tone technology.
- MUTOH CMYK, featuring a wide color gamut ICC input profile, optimizes performance to

enable output of more vivid colors.

- · Automated layout processing and printing.
- · Soft proof simulates printed colors accurately before media is output.
- "What-you-see-is-what-you-get" RIP pre-
- Tab customization.
- · Color management function.
- · Finishing bleed processing function.

· Printing log function.

OPTIONAL STAND

VJ-628 printer features include:

- Intelligent Interweave i² print technology reduces banding by arranging printed dots in a way that takes into account how they look, creating smoother print images.
- MUTOH Status Monitor checks the printer's operation status in real time.
- · Automatic sheet-off function.

VALUEJET 628 SPECIFICATIONS

Printing systems	Drop-on-demand Micro Piezo Inkjet Technology
Print head height	Low 1.2mm, High 2.5mm
Print head	1
Max print resolution	1440dpi
Print modes	1440/1080/720/540/360dpi 12+ modes
Media width	24.8"
Media capacity	ø 5.9" dia / 2" & 3" cores /Roll media 66lbs or less
Max media thickness	Low 0.3mm, High 1.3mm
Max printable width	24.4 in
Height adjustment	Manual
RIP software	VerteLith™, bundled with FlexiDESIGNER MUTOH Edition 21

		Туре	MS31 Ink Eco-Solvent
	Ink	Ink Set	CMYK x2 or CMYK Lc Lm
-		Volume	220 ml/1L bags with optional adapter
-		No. of slots	8

Interface	Gigabit-Ethernet (1000BASE-T)
Power Requirements	AC 110-120V± 10%, 50/60Hz ± 1Hz
Printable Environment	Temperature: 68-89.6°F Humidity: 40-60%RH (non condensing) Rec. environment: Temperature: 71.6-86°F
Power Consumption	Main: Operation status 77W or less Standby: 52W or less
Dimensions (WxDxH)	Printer including stand: 47"x23"x46" cover closed
Weight	Body: 70lbs Stand: 19lbs





CMYK





24" ECO-SOLVENT **PRINTER/CUTTER COMBO**

BEST IN CLASS.

The ALL NEW **MUTOH XpertJet C641SR Pro** 24" Eco-Solvent Desktop Printer/Cutter Combo is perfect for a wide range of applications such as stickers, t-shirt transfers, vehicle decals, posters, banners and more. Print and cut a 24-inch roll of media while operating at speeds up to twice as fast as its closest competitors.

In addition to the built-in contour cut and perforated through-cutting capability, the XPJ-C641SR Pro also contains all of the functions and features of the full-size XpertJet Pro Series printers including the ultra-fast MUTOH AccuFine printhead, Dropmaster2 and FeedMaster automatic alignments, i-screen Intelligent Interweave technology, and Mediatracker.

The All-In-One Desktop XpertJet C641SR Pro benefits from MUTOH's renowned reliability and Made in Japan quality, making it the perfect choice for anyone looking to get into the print game.

The XPJ-C641SR Pro is powered by MUTOH's VerteLith™ Genuine RIP Software, bundled with FlexiDESIGNER MUTOH Edition 21, a \$2,199.00 value.



STICKERS



APPAREL



DECALS



POSTERS

NEW PRINT & CUT CAPABILITY.

EASY TO SET UP, SIMPLE TO USE.

BUILT-IN CUTTER WITH SPEEDS UP TO 150MM/S.

XPERTJET PRO SERIES FEATURES.

POWERED BY VERTELITH™ RIP SOFTWARE.

www.MUTOH.com | 1-800-99MUTOH




XpertJet C641SR Pro



MUTOH'S GENUINE RIP SOFTWARE BUNDLED WITH FLEXIDESIGNER MUTOH EDITION 21





XPJ-C641SR Pro Printer/Cutter combo features include:

- MUTOH AccuFine printhead, providing outstanding speed and unrivaled quality even at lower resolutions.
- Dropmaster2 and FeedMaster automatic alignment systems for achieving high caliber, repeatable prints.
- i-screen Intelligent Interweave technology to prevent banding while printing.
- MediaTracker, barcode printing and scanning to track remaining media.
- 24-inch roll capacity for enhanced production output.
- Built-in contour and perforated through-cut capability with speeds up to 150mm/s.
- Optional stand and take-up unit for higher production needs.

VerteLith with FlexiDESIGNER software enhances the XPJ-C641SR Pro:

- Seamless setup of print & cut environments, with a continuous cut feature for true one-step job submission.
- Easily design cut lines using FlexiDESIGNER and send jobs directly to VerteLith.
- Soft Proof the printed image colors on screen before submitting to print.

XPERTJET C641SR PRO SPECIFICATIONS

Printing systems	Drop-on-demand Micro Piezo Inkjet Technology
Print head height	Two level adjustment: Low 1.2mm, High 2.5mm
Print heads	1
Max print resolution	1200x1200dpi
Max print speed	105 sqft/hr
Media width	24.8 inches
Media capacity	ø 5.9" dia / 2" & 3" cores /Roll media 19.8lbs or less
Max media thickness	Low 0.3mm, High 0.8mm
Max printable width	23.6 inches
Cutting Speed	20 - 150mm/s @ 30 - 300 gf
RIP software	VerteLith™ Genuine RIP Software

Ink	Туре	MUTOH MS31 Eco-Solvent
	Ink Set	СМҮК
	Volume	220ml cartridge
	No. of slots	4
	11010101010	<u> </u>

Interface	Gigabit-Ethernet (10BASE-T/100BASE-TX)
Power Requirements	AC 110-120V± 10%, 50/60Hz ± 1Hz
Printable Environment	Temperature: 68-89.6°F Humidity: 40-60%RH (non condensing) Rec. environment: Temperature: 71.6-86°F
Power Consumption	Main: Operation status 830W or less
Dimensions (WxDxH)	Printer including stand: 46.8"x17.2"x14.4" cover closed
Weight	Body: 75lbs Stand: 19lbs

MUTOH ECO-SOLVENT PRINTER

XpertUet





1341SR Pro



The MUTOH XpertJet 1341SR Pro 54" Eco-Solvent printer, with it's small footprint and high-quality output, is ideally-suited for the production of vibrant graphics and signage. It is powered by MUTOH's new genuine VerteLith™ RIP Software, bundled with FlexiDESIGNER MUTOH Edition 21, a \$2,199.00 value. VerteLith RIP optimizes all of the capabilities the XPJ-1341SR Pro has to offer and produces the best-possible gradients, skin tones and vivid colors. This printer features MUTOH's new AccuFine Print Head, which achieves best-in-class dot placement accuracy and an increased nozzle row length for higher productivity. Also included with the XPJ-1341SR Pro is i-screen optimizing technology, which reduces banding to create smoother-looking images. Automated processes like Nozzle Area Select, Feed Master, DropMaster2 and Media Tracker make this printer an excellent choice when looking for an entry-level, roll-to-roll machine that balances performance and cost.









SIGNAGE

BANNERS

WINDOW VINYL

DECALS

MUTTOH XpertJet 1341SR Pro

VerteLith

NEW VERTELITH RIP SOFTWARE

ACCUFINE PRINT HEAD

AUTOMATIC ALIGNMENTS

MEDIA TRACKER

I-SCREEN OPTIMIZING

www.MUTOH.com | 1-800-99MUTOH







- · Auto-population of named Pantone coated/uncoated spot colors.
- MUTOH Clear Tone half tone technology.
- · MUTOH CMYK wide color gamut ICC profile.
- · Automated layout processing and printing.
- · Soft proof.
- · "What-you-see-is-what-you-get" RIP preview.

POWERED BY VERTELITH™ RIP SOFTWARE

MUTOH'S GENUINE RIP SOFTWARE BUNDLED WITH FLEXIDESIGNER MUTOH EDITION 2



- FlexiDESIGNER MUTOH Edition 21.
- · Tab customization.

Multi-stage pressure rollers

- · Color management function.
- · Finishing bleed processing function.
- · Printing log function.

XPJ-1341SR Pro printer features include:

• New extra-long piezo Accufine print head increases productivity and improves the accuracy of dot placement by 20% over the previous print head.

Media Tracker

- · i-screen technology reduces banding.
- DropMaster2 automatically calibrates

bi-directional alignments, saving time and reducing adjustment variations.

Optional Edge Holder

- Nozzle Area Select uses blocks of active nozzles to temporarily print if clogged nozzles fail to recover.
- · Feed Master sensor allows for automatic feed adjustments.
- Media Tracker prints a barcode prior to removing media and when media is loaded again, recognizes the amount remaining.

XPERTJET 1341SR PRO SPECIFICATIONS

Printing systems	Drop-on-demand Micro Piezo Inkjet Technology
Print head height	Three level adjustment: Low 1.5mm, Mid. 2.0mm, High 2.5mm
Accufine print head	1
Max print resolution	1200x1200dpi
Print modes	1200/900/600/300dpi
Media width	54"
Media capacity	ø 5.9" dia / 2" & 3" cores /Roll media 66lbs or less
Max media thickness	Low 0.3mm, Mid. 0.8mm, High 1.3mm
Max printable width	53.5 in
Height adjustment	Manual
RIP software	VerteLith™, bundled with FlexiDESIGNER MUTOH Edition 21

		Туре	MS31 Ink Eco-Solvent
	lnk	Ink Set	4 colors (C, M, Y, K)
		Volume	220 ml/1000ml
-		No. of slots	4

Accufine print head

Interface	Gigabit-Ethernet (1000BASE-T)	
Power Requirements	AC 100-120V± 10%, 50/60Hz ± 1Hz	
Printable Environment	Temperature: 68-89.6°F Humidity: 40-60%RH (non condensing) Rec. environment: Temperature: 71.6-86°F	
Power Consumption	Main: Operation status 77W or less Standby: 52W or less	
Dimensions (WxDxH)	Printer including stand: 75.4"x26.9"x47.9" cover closed	
Weight	Body: 145lbs Stand: 44lbs	





The MUTOH XpertJet 1641SR Pro 64" Eco-Solvent single head, 4-color (CMYK) printer, builds upon MUTOH's made in Japan reputation and delivers superior print quality and outstanding speeds at an affordable price. It is powered by MUTOH's new genuine VerteLith™ RIP Software, bundled with FlexiDESIGNER MUTOH Edition 21, a \$2,199.00 value. VerteLith RIP optimizes all of the capabilities the XPJ-1641SR Pro has to offer and produces the best-possible gradients, skin tones and vivid colors. This printer features MUTOH's new AccuFine Print Head, which achieves best-in-class dot placement accuracy and an increased nozzle row length for 35% faster print speeds. The XPJ-1641SR Pro is paired with MUTOH's GREENGUARD Gold certified MS41 Eco-Solvent ink, suitable for use in sensitive environments such as hospitals, child care facilities and more, all while providing users a larger color gamut, outstanding durability, and improved dot gain.









WRAPS

SIGNAGE

WINDOW VINYL

DECALS

NEW VERTELITH RIP SOFTWARE

NEW MUTOH ACCUFINE PRINT HEAD

I-SCREEN OPTIMIZING

AUTOMATIC ALIGNMENTS

INTERNAL LED LIGHTING

| www.MUTOH.com | 1-800-99MUTOH f ♥ ◎ in ►



XpertJet 1641SR Pro

POWERED BY VERTELITH ™ RIP SOFTWARE

MUTOH'S GENUINE RIP SOFTWARE BUNDLED WITH FLEXIDESIGNER MUTOH EDITION 23





MUTOH's genuine VerteLith RIP software bundled with FlexiDESIGNER MUTOH Edition 21 optimizes the XPJ-1641SR Pro through these key features:

- Auto-population of named Pantone coated/uncoated spot colors.
- · MUTOH Clear Tone half tone technology.
- MUTOH CMYK wide color gamut ICC profile.
- · Automated layout processing and printing.
- · Soft proof.
- · "What-you-see-is-what-you-get" RIP preview.

- FlexiDESIGNER MUTOH Edition 21.
- · Tab customization.
- · Color management function.
- · Finishing bleed processing function.
- · Printing log function.

XPJ-1641SR Pro printer features include:

- New extra-long piezo Accufine print head increases productivity and improves the accuracy of dot placement by 20% over the previous print head.
- · i-screen technology reduces banding.
- · DropMaster2 automatically calibrates

bi-directional alignments, saving time and reducing adjustment variations.

- Nozzle Area Select uses blocks of active nozzles to temporarily print if clogged nozzles fail to recover.
- Feed Master sensor allows for automatic feed adjustments.
- Media Tracker prints a barcode prior to removing media and when media is loaded again, recognizes the amount remaining.

XPERTJET 1641SR Pro SPECIFICATIONS

Printing systems	Drop-on-demand Micro Piezo Inkjet Technology
Print head height	Four-level adjustment: 1.5mm, 2.0mm, 2.5mm, 4.0mm
Print head	1
Max print resolution	1200x1200 dpi
Print modes	1200/900/600/300 dpi
Media width	64"
Media capacity	ø 5.9" dia / 2" & 3" cores /Roll media 66lbs or less
Max media thickness	Low1 0.3mm, Low2 0.8mm, Mid. 1.3mm, High 2.8mm
Max printable width	64 in
Height adjustment	Automatic
RIP software	VerteLith™, bundled with FlexiDESIGNER MUTOH Edition 21

Ink		Туре	MS41 Eco-Solvent ink
	Ink	Ink Set	4 colors (C M Y K)
		Volume	1000ml Bags
		No. of slots	4

Interface	Gigabit-Ethernet (1000BASE-T)	
Power Requirements	AC 100-120V± 10%, 50/60Hz ± 1Hz	
Printable Environment	Temperature: 68-89.6°F Humidity: 40-60%RH (non condensing) Rec. environment: Temperature: 71.6-86°F	
Power Consumption	Main: Operation status 77W or less Standby: 52W or less	
Dimensions (WxDxH)	Printer including stand: 108.26"x35.23"x56.22" cover closed	
Weight	Body: 313lb Stand: 70.54lb	

09.2022



The **MUTOH XpertJet 1641SR Pro II** 64" eco-solvent printer delivers exceptional quality, increased speed, and improved efficiency at an affordable price. The newly-developed MUTOH **AccuFine HD Pro** printhead ensures flawless dot placement and faster production (up to 60% over the previous model), while improved drying technology unlocks print speeds to their full potential. Additionally, an advanced smart take-up unit comes standard, giving users peace of mind when printing long jobs.

The natural choice for businesses ready to scale, the **XpertJet 1641SR Pro II** maintains MUTOH's made-in-Japan reputation for reliability and quality.



& powered by these MUTOH systems:













WRAPS



SIGNAGE



DECALS



BANNERS



XpertUet 1641SR ProII

Faster. Better. Smarter.




<u>NEW</u> PRINTHEAD (60% FASTER*)

<u>NEW</u> DRYER (20% IMPROVED*)

SMART TAKE-UP (AUTO MOTOR STOP)

XPJ FEATURES
DROPMASTER2
i-SCREEN EFFECTS
FEEDMASTER
MEDIA TRACKER
NOZZLE SELECTION



















Enhance your printing capabilities with the award-winning MUTOH VerteLith™ RIP Software and a complimentary one-year subscription to SAi Flexi DESIGN MUTOH Edition—a combined value of \$1,600.

MUTOH MS41 Eco-Solvent Inks are UL GREENGUARD Gold certified with up to three-year outdoor durability (unlaminated).

		PRINTER SPECIFICATIONS
	Print Method	On-demand piezo drive system
Printhead	Printhead Height	Low1: 1.5mm / Low2: 2.0mm / Middle: 2.5mm / High: 4.0mm
	Number	1 (MUTOH AccuFine HD Pro)
	Roll Media Width	Maximum: 63.97in (Minimum: 19.68in)
	Max. Media Thickness	1.0mm or less
Media	Roll Diameter	Φ7.87in or less
	Core Diameter	2in or 3in cores
	Max. Roll Weight	30kg/66lbs or less
Maximum Printa	able Width	63.58in
	Туре	Eco-solvent Ink (MS41)
Ink	Color	4 Color - CMYK
	Capacity	1000ml ink bag
Print Resolution		900x1800dpi
Interface		Gigabit-Ethernet (1000BASE-T) - Recommend CAT6+
Power Supply		AC100V-120V±10% (90V-132V) or 200V-240V±10% (180V-264V), Frequency: 50/60 Hz ± 1Hz
Environmental	Printer Operation	Temperature 68-89°F, Humidity 40%-60%RH (no condensation)
Conditions	Ideal Quality	Temperature 72-86°F, Humidity 40%-60%RH (no condensation)
Power Consumption		Operation: 812.0W or less (peak: 2.3kW), Standby: 52.0W or less, Power off: 4.0W or less
External Dimensions		W 109.0in x D 35.2in x H 63.4in (with 1,000ml ink case installed)
Printer Weight		381.4lbs (Printer body: 310.8lbs, Stand: 70.5lbs)
RIP Software		VerteLith (MUTOH genuine RIP software)

^{*}In comparison to the XpertJet 1641SR Pro.

MUTOH ECO-SOLVENT PRINTER





The **MUTOH XpertJet 1682SR Pro** 64-inch Eco-Solvent Printer is equipped with staggered dual AccuFine HD printheads that provide ultra-fast print speeds. It's capable of producing smooth gradations while delivering high-quality printing, even with reduced resolutions, thanks to the optional 8-color (CMYKLcLmLkOr) ink configuration.

Built for Professionals, the **XPJ-1682SR Pro** is packed with features such as *Dropmaster 2* (automatic bi-directional alignments), *Feed Master* (automatic PF adjustment), *Automatic Nozzle Checking Unit* option with *Nozzle Area Select* (continuous printing), *i-screen* print effects (banding mitigation), and *Media Tracker* (roll remainder tracking), among other cutting-edge improvements brought on by the original XpertJet line.

The **XPJ-1682SR Pro** includes *VerteLith Genuine RIP Software*, bundled with *FlexiDESIGNER MUTOH Edition 21* for the ultimate balance of speed and quality.









WRAPS

SIGNAGE

WALL COVERINGS

BANNERS

MUTCH XpertJet 1682SR Pro

NEW ACCUFINE HD PRINTHEAD

IMPROVED DRYER SYSTEM



AUTOMATIC ALIGNMENTS

INTERNAL LED LIGHTING

www.MUTOH.com | 1-800-99MUTOH


















- High-precision aluminum rail system for high quality and stable printing.
- Ease-of-use with front access ink holders, side mounted LAN and power plugs, and LED operation panel.
- New AccuFine printheads provide faster speeds with exceptional quality.
- Built-in sensors for operator-driven automatic bi-directional and page feed alignments.
- Improved front dryer system for 20% faster ink dry times.
- Updated media flanges and media feeding mechanism allow for easy loading and page feed.
- Internal LED lighting for unobstructed print viewing and maintenance access.
- Includes the MUTOH Status Monitor (MSM) companion software for convenience and efficiency.









Printing method	Drop-on-demand Micro Piezo Inkjet Technology	
Print head height	Four-level adjustment: 1.5mm, 2.0mm, 2.5mm, 4.0mm	
Print head	2 (staggered)	
Max print resolution 1200x1200 dpi		
Print modes	1200x1200 DPI (1200/900/600/300 DPI print modes)	
Media width	64"	
Media capacity	ø 5.9" dia / 2" & 3" cores /Roll media 66lbs or less	
Max media thickness	Low1 0.3mm, Low2 0.8mm, Mid. 1.3mm, High 2.8mm	
Max printable width	64 in	
Take-up system	VJ16/19-TUP40 take-up included (options available)	
Max print speed	1225 sqft/hr(300x600 DPI)	
RIP software	VerteLith™, bundled with FlexiDESIGNER MUTOH Edition 21	

	Туре	MS41 Eco-Solvent ink
last.	Ink Set	4 color (CMYK) 8 color (CMYKLcLmLkOr)
Ink Vo	Volume	1L ink bags (300mL bag for Or)
	No. of slots	8

Interface	Gigabit-Ethernet (1000BASE-T)	
Power Requirements	AC 100-120V± 10%, 50/60Hz ± 1Hz	
Printable Environment	Temperature: 68-89.6°F Humidity: 40-60%RH (non condensing) Rec. environment: Temperature: 71.6-86°F	
Power Consumption	Main: Operation status 1100W or less Standby: 30W or less	
Dimensions (WxDxH)	Printer including stand: 108.26"x35.23"x56.22" cover closed	
Weight	Body: 313lb Stand: 70.54lb	





The **MUTOH ValueJet 2638X 104**" Eco-Solvent CMYKx2/CMYK LcLmLk printer, builds upon MUTOH's made in Japan reputation and delivers superior print quality and outstanding speeds at an affordable price. It is powered by MUTOH's new genuine **VerteLithTM RIP Software**, bundled with FlexiDESIGNER MUTOH Edition 21, a \$2,199.00 value. VerteLith RIP optimizes all of the capabilities the VJ-2638X has to offer and produces the best-possible gradients, skin tones and vivid colors. This super-wide printer produces billboards, banners, vehicle wraps and signage with ease using technologies such as Variable Dot, i² Intelligent Interweave and DropMaster. The VJ-2638X is paired with MUTOH's GREENGUARD Gold certified MS31 Eco-Solvent ink, suitable for use in sensitive environments like hospitals, child care facilities and more, all while providing users a larger color gamut, outstanding durability, and improved dot gain.



BILLBOARDS







BANNERS

WRAPS

SIGNAGE

NEW VERTELITH

MUTTOH Value Jet 2638X

POWERED BY VERTELITH™ RIP SOFTWARE

MUTOH'S GENUINE RIP SOFTWARE BUNDLED WITH FLEXIDESIGNER MUTOH EDITION 21




RIP SOFTWARE **MULTI-STAGE HEATER SYSTEM USER FRIENDLY** CONTROL PANEL i² INTELLIGENT

DROPMASTER INK **PLACEMENT TECHNOLOGY**

INTERWEAVE

www.MUTOH.com | 1-800-99MUTOH f 💆 🎯 in 🕒



MUTOH's genuine VerteLith RIP software bundled with FlexiDESIGNER MUTOH Edition 21 optimizes the VJ-2638X through these key features:

- Auto-population of named Pantone coated/uncoated spot colors.
- Soft proof simulates the color of the printed image on screen before printing.
- MUTOH Clear Tone half tone technology.

- MUTOH CMYK wide color gamut ICC profile.
- Automated layout processing and printing.
- "What-you-see-is-what-you-get" RIP preview.
- Tab customization.
- · Color management function.
- · Printing log function.

VJ-2638X printer features include:

· Staggered dual print heads.

- i² Intelligent Interweave technology reduces banding.
- · DropMaster ink dot placement technology.
- · MUTOH Status Monitor (MSM) checks printer status in real time.
- Multi-stage heater system for faster drying
- · Heavy Duty 220lb motorized feed and takeup unit.

VALUEJET 2638X SPECIFICATIONS

Printing systems	Drop-on-demand Micro Piezo Inkjet Technology	
Print head height	Three level adjustment: Low 1.5mm, Mid. 2.5mm, High 4.0mm	
Print heads	2	
Max print resolution	1440x1440dpi	
Print modes	1440/1080/720/540/360dpi 29 modes	
Media width	104 inches	
Media capacity	ø 5.9" dia / 2" & 3" cores /Roll media 220lbs or less	
Max media thickness	Low 0.3mm, Mid. 1.3mm, High 2.8mm	
Max printable width	104 inches	
Height adjustment	Manual	
RIP software	VerteLith™, bundled with FlexiDESIGNER MUTOH Edition 21, a \$2,199.00 value	

	Туре	MS31 Ink Eco-Solvent	
		Ink Set	CMYKx2, CYMK LcLmLk
	Ink	Volume	220ml/440ml cartridges/ 1L bags with optional adapters
		No. of slots	8

Interface	Gigabit-Ethernet (1000BASE-T)	
Power Requirements	AC 110-120V± 10%, 50/60Hz ± 1Hz	
Printable Environment	Temperature: 68-89.6°F Humidity: 40-60%RH (non condensing) Rec. environment: Temperature: 71.6-86°F	
Power Consumption	Main: Operation status 77W or less Standby: 52W or less	
Dimensions (WxDxH)	Printer including stand: 146"x34.9"x49.65" cover closed	
Weight	Body: 534lbs Stand: 91lbs	

MUTOH FLATBED UV-LED PRINTER

XpertJet 461 UF





The XpertJet 461UF, compact UV-LED flatbed printer offers many features including a larger printable surface area, a larger window for safe viewing, an updated touchscreen panel, an improved LED lamp, optional vacuum table providing the ability for increased printing depth and more. Enhance your printing capabilities with the award-winning MUTOH VerteLith™ RIP Software and a complimentary one-year subscription to SAi Flexi DESIGN MUTOH Edition —a combined value of \$1,600. Unlock limitless design potential and embrace the future of printing today. MUTOH VerteLith™ RIP optimizes all of the capabilities of the XPJ-461UF, increasing productivity and profitability. The XPJ-461UF allows for finer texture layers which instantly adds value to any print. Tie that in with MUTOH's Local Dimming Control Technology, you now have the ability to add high glossy finishes easily in one pass.



GLOSS & MATTE VARNISH



RICH TEXTURES



VARIABLE PRINTING



BRAILLE

LDC

UV-LED Lamp Local Dimming Control Technology

Upgraded LED Touch Panel

Optional Vacuum Table

Removable Table

Expanded
Opening Space

1-800-99MUTOH www.**MUTOH**.com



LED Touch Panel

LED touch panel provides high quality display and improves panel operation.

Print Resume Function

Ability to pause and resume print function.

Partial Nozzle Block Activation

Printing can be performed temporarily using only active nozzle blocks if nozzles are clogged.

Powered by VerteLith™




Mutoh's Unique UV-LED Lamp Local Dimming Control Technology

The LED-UV lamp Local Dimming Control technology produces various rich texture expression. It provides glossy, semi-glossy, and matte varnish printing simultaneously with colors and/or white printing with a single table movement.

LDC shortens print time, improves productivity, reduces grain, banding and layer printing misalignment.

UV-LED Lamp Local Dimming Control Technology



Newly Designed Mechanism Ensures Excellent User Experience


TABLE MECHANISM FOR USER FRIENDLINESS





Print onto objects up to 2.76" thick. Table removal allows printing onto objects up to 5.91" thick. Optional vacuum table available.

PRECISE RAIL MECHANISM



High precision rails on both sides keep the table horizontal and provide consistent print quality.

Improved Maintenance



Redesigned area around UV-LED Lamp makes for easier access for maintenance.

New removable/replaceable UV lamp filter makes for easier cleaning.

EXPANDED OPENING SPACE



Newly designed front cover with hydraulic damper ensures safety and improves ease of operation. Expanded opening space for ease of use and maintenance.

XPERTJET 461UF SPECIFICATIONS

Printing Systems		On-demand piezo drive system
	Size (WxD)	20.5 in x 14.9 in
	Height	up to 2.76 in (with standard table) up to 5.9 in (w/o standard table)
Set Media		up to 2.76 in (with optional vacuum table)
	Weight	up to 11.02 lbs. (w/standard table) up to 17.64 lbs. (w/o standard table)
		up to 8.82 lbs. (with optional vacuum table)
Max Printabl	e Size (WxD)	19.02 in x 12.95 in
Height Adjustment		PG handle
	Туре	UV-LED lnk (UH21 ink / US 11 ink)
leals	Ink Set	4 colors (C, M, Y, K) 6 colors (C, M, Y, K, White, Varnish)
lnk	Capacity	220ml ink cartridge (CMYK, W, V), 800ml ink bag (CMYK, V) 500ml bag (W) *Bulk ink requires an additional adaptor.
	No. of slots	6
Vacuum Table		Optional

31 EUTITOR HONS			
Print Resolution	1440 / 1080 / 720 dpi (Total 6 modes)		
Interface	Ethernet (10BASE-T / 100 BASE-TX)		
Power Requirements	AC 100-120V ± 10%, 50/60Hz ± 1Hz		
Operation Noise	Standby: 51dB or less Printing with standard table: 63dB or less		
Operation Noise	Printing with optional vacuum table: 70dB or less		
Printable Environment	Temperature: 68-89.6 °F Humidity: 40-60%RH (non condensing)		
Power Consumption	Sleep Mode: 20W or less Ready to Print: 40W or less Operation: 195W or less		
	46.77 in x 38.27 in x 23.50 in (cover closed) weight: 209.44 lbs.		
Dimensions (WxDxH) Weight	46.77 in x 38.27 in x 39.80 in (front cover opened)		
(2) 8	46.77x 40.35x 23.50 in (PG handle cover opened)		
Printer Driver	Bundled		
RIP Software	MUTOH VerteLith™		

MUTOH FLATBED UV-LED PRINTER

XpertJet 661 UF



Enhance your printing capabilities with the awardwinning MUTOH VerteLith™ RIP Software and a complimentary one-year subscription to SAi Flexi DESIGN MUTOH Edition—a combined value of \$1,600. Unlock limitless design potential and embrace the future of printing today.





The XpertJet 661UF, UV-LED flatbed printer includes a larger printable surface area, updated touchscreen panel, improved LED lamp, and more. Enhance your printing capabilities with the award-winning MUTOH VerteLith™ RIP Software and a complimentary one-year subscription to SAi Flexi DESIGN MUTOH Edition—a combined value of \$1,600. Unlock limitless design potential and embrace the future of printing today. MUTOH VerteLith™ RIP optimizes all of the capabilities of the XPJ-661UF, increasing productivity and profitability. The MUTOH XPJ-661UF allows for layered printing to create fine textured prints and Braille, all of which will instantly add value to any print. Tie that in with MUTOH's Local Dimming Control Technology, and you now have the ability to add glossy finishes easily in one pass.

The MUTOH XPJ-661UF also includes the StartRight™ Kit, an advanced training tool designed to quickly get the printer up and running. It includes project application guides, lessons, video instruction, sample output, blanks and, a sample JIG with inserts.



GLOSS & MATTE VARNISH



RICH TEXTURES



VARIABLE PRINTING



BRAILLE



UV-LED lamp Local Dimming Control technology

Automatic table height control

Variable data printing

Partial nozzle block activation

> 1-800-99MUTOH www.**MUTOH**.com







LED Touch Panel

LED touch panel provides high quality display and improves panel operation.

Print Resume Function

Ability to pause and resume print function.

Partial Nozzle Block Activation

Printing can be performed temporarily using only active nozzle blocks if nozzles are clogged.


Powered by VerteLith™



Mutoh's Unique UV-LED Lamp Local Dimming Control Technology

The LED-UV lamp Local Dimming Control technology produces various rich texture expressions. It provides glossy, semi-glossy, and matte varnish printing simultaneously with colors and/or white printing with a single table movement. LDC shortens print time, improves productivity, reduces grain, banding, and layer printing misalignment.

UV-LED Lamp Local Dimming Control Technology




Newly Designed Mechanism Ensures Excellent User Experience

TABLE MECHANISM FOR USER FRIENDLINESS



Automatic table height control from 0"-5.90.



Five vacuum power control settings.

OPTIONAL ITEM



Enables printing on cylindrical objects.

Improved Maintenance



Redesigned area around UV-LED Lamp makes for easier access for maintenance

New removable/replaceable UV lamp filter makes for easier cleaning.

Enhanced Applications

VARIABLE DATA PRINTING Allows data | text to be changed from one printed piece to the next without stopping

the printing process. Example: Name Badges.

DENSITY TEST PATTERN

Varnish: Easily print matte and glossy varnish by selecting a certain density from the test patterns.

White: Reduced microstructure (mottling) by optimizing ink density.

XPERTJET 661UF SPECIFICATIONS

Printing Systems		On-demand piezo drive system
	Size (WxD)	20.5 in x 24.5 in
Set Media	Height	0-5.91 in
	Weight	13.23 lbs.
Max Printable Size (WxD)		19.02 in x 23.39 in
Height Adjustment		Automatic
	Туре	UV-LED lnk (UH21 ink / US 11 ink)
	Ink Set	4 colors (C, M, Y, K) 6 colors (C, M, Y, K, White, Varnish)
Ink	Capacity	220ml ink cartridge (CMYK, W, V), 800ml ink bag (CMYK, V) 500ml bag (W) *Bulk ink requires an additional adaptor.
	No. of slots	6
Stand		Included Working Height: 48.11 in

Print Resolution	1440 / 1080 / 720 dpi (Total 6 modes)
Interface	Ethernet (10BASE-T / 100 BASE-TX)
Power Requiremnts	AC 100-120V ± 10%, 50/60Hz ± 1Hz
Operation Noise	Standby: 49dB or less Printing with vacuum table: 69dB or less
Printable Environment	Temperature: 68-89.6°F Humidity: 40-60%RH (non condensing)
Power Consumption	Sleep Mode: 20W or less Ready to Print: 40W or less Operation: 300W or less
Dimensions	46.77 in x 64.06 in x 23.78 in (cover closed) weight: 286.60 lbs.
(WxDxH) Weight	46.77 in x 64.06 in x 47.01 in (front cover opened)
Printer Driver	Bundled
RIP Software	MUTOH VerteLith™
Rotary Unit	Optional





The **MUTOH XpertJet 1462UF UV-LED flatbed printer** with a moving gantry features a large 55" x 27" printable surface area, two 4" UV-LED lamps, two piezo drop on demand dual print heads in a staggered configuration, and will print on objects up to 5.9" thick. Legally prints ADA compliant braille and 2.5D layered prints to create fine textured art to add value to any print job. Tie that in with MUTOH's Local Dimming Control Technology, and you now have the ability to add glossy finishes easily in one pass. With MUTOH's "Made in Japan Quality" and proprietary features such as the Automatic Nozzle Detection Unit and the Area Select function, the MUTOH XP.J-1462UF is the ideal printer for any print shop looking for reliability, high quality, and fast speeds. Enhance your printing capabilities with the award-winning MUTOH VerteLith™ RIP. Software and a complimentary one-year subscription to SAi Flexi DESIGN MUTOH Edition—a combined value of \$1,600. Unlock limitless design potential and embrace the future of printing today.



TEXTURE & GLOSS VARNISH



ADA BRAILLE SIGNAGE



VARIABLE DATA



SIGNAGE

MUTOH L D C UV LED LOCAL DIMMING CONTROL

MUTOH'S XpertJet 1462UF UV-LED Printer Delivers Both Unparalleled Productivity And High Image Quality.

MUTOH'S GENUINE RIP SOFTWARE VERTELITH™



55" x 27" Printable area with ability to print objects up to 5.9" thick

Two 4" UV Lamps with Dual Staggered Print Heads

Four Zone Vacuum Table






4" LED LAMPS

Newly developed 4" wide UV-LED lamps are mounted on both sides of the print heads and enable fast curing for bi-directional printing.



DUAL PRINT HEADS

Print head 1 prints CMYK. Print head 2 prints white & varnish which allows for faster printing of 2-layers, 2.5D texture and ADA compliant braille signage.



RIGID CHASSIS

The highly rigid, precision built chassis and rail mechanism ensure accurate dot placement for reliable high-quality printing.



FULL RANGE OF OPERABILITY

Vacuum holes and screw holes outside the markings can be used as screw holes to secure custom iigs.



Foot switch for remote on/off operation of the vacuum.



Signal tower light for checking printer status at a glance even from a distance.



PRINT A WIDE RANGE OF MATERIALS

The XPJ-1462UF offers a large table area capable of printing up to 55" x 27" and objects up to 5.9" thick while holding weight of 10lbs per sq ft. Cover a wide range of applications from large signage to small golf balls all with shorter print times resulting in improved productivity.



The print table has 4 individually controlled vacuum zones that can be adjusted from the dedicated control panel.


NOZZLE AREA SELECT

Auto-nozzle checking unit and Nozzle Area Select automatically detects missing nozzles and performs a nozzle cleaning. Nozzle Area Select temporarily prints using selected area of active nozzles when clogged nozzles may fail to recover.



NOZZLE CHECK AREA

Nozzle check can be performed at any time by setting the media in a dedicated area outside the print table. Even after the print media or print jig has been set. Print test can be performed smoothly without having to redo the height detection.



XPERTJET 1462UF SPECIFICATIONS

Printer Model		XPJ-1462UF
Printing System		On-demand piezo drive system
Print Head Number		2 (staggered)
	Туре	UH21 UV-LED ink
Ink	Ink Capacity	800ml bag / 500ml bag (UH21 white ink only)
	Configuration	6 color (CMYK+W+V)
Printable Area		55.9" x 27.5"
Max. Media T	hickness	5.9"
Max. Media Weight		10.24 psf

Height Adjustment	Automatic
Print Resolution	Up to 1440 x 1440 dpi
Interface	GB-Ethernet (1000BASE-T)
Weight	Approx. 1100lb
RIP Software	MUTOH VerteLith™
Optional	lonizer
Dimension	With gantry in the front position:
DILICION	109" x 63" x 52.7"

24" Wide **Multi-Purpose** Inkjet Printer

ValueVet 628MP















CMYK OrBIG

CMYK OrBIG



Enhance your printing capabilities with the award-winning MUTOH VerteLith™ RIP Software and a complimentary oneyear subscription to SAi Flexi DESIGN MUTOH Editioncombined value of \$1,600. Unlock limitless design potential and embrace the future of printing today.



The MUTOH ValueJet 628MP Multi-Purpose Printer is a user-friendly inkjet printer designed to support both 24" wide roll media and sheet media. With multi-purpose "MP31" ink, this printer reliably produces exceptional prints on a wide variety of substrates, MP31 ink is equivalent to eco-solvent ink in weather resistance, abrasion resistance, and color development while providing a smooth, natural finish that brings out the natural appearance of the substrates. Ideally used to produce small-lot gifts, novelty items, package prototypes, stickers, and more, this reliable printer delivers high-quality results. The ValueJet 628MP has an expanded color gamut, supporting up to 8 colors, including light inks or spot-color inks such as orange, blue, and green. More color variety allows for smoother gradation expression and improved gray balance and color adjustment. The MP31 ink has remarkable flexibility- it won't crack even when bent and can be printed and processed on vacuum-formed and shrink-wrapped materials. Whether your focus is on commercial printing, industrial applications, or sign and display projects, this 24" Inkjet Multi-Purpose printer is up to the task. Enhance your printing capabilities with the award-winning MUTOH VerteLith™ RIP Software and a complimentary one-year subscription to SAi Flexi DESIGN MUTOH Edition—a combined value of \$1,600. Unlock limitless design potential and embrace the future of printing today.



METALLIZED FILM PROOFING



PACKAGING PROTOTYPE



LABELS



SHRINK WRAP **PROOFING**

MUTOH Enhanced color gamut with up to 8 colors, including light inks or spot-colors Ease of use and operability Perfect for creating packaging prototypes Blower Heater 1-800-99MUTOH www.MUTOH.com f 🛚 🔘 in 🕒

MUTOH'S ValueJet 628MP Multi-Purpose Printer Delivers Exceptional Printing On A Wide Variety of Substrates

MUTOH'S GENUINE RIP SOFTWARE VERTELITH™



USER-FRIENDLY FUNCTIONAL CAPABILITY

A wider opening helps ease daily maintenance.



The blower heater and platen heater gently dry the entire printing surface of the media.



Space saving design with easy installation as standard equipment.



MULTI-PURPOSE INK "MP31" ACHIEVES MEDIA FLEXIBILITY

MP31 Ink is resistant to heat, stretching, and bending. The ink doesn't crack easily, so it's ideal for packaging prototyping, vacuum/thermoforming, labels, and more.












CHARACTERISTICS OF MP31 INK

By adding spot color inks (Or, Gr, Bl) you are able to significantly expand your color gamut to achieve a broader color range. This is exceptional for color reproduction, such as vivid orange, green, and deep blue, which could not be reproduced using process colors alone.















VALUEJET 628MP SPECIFICATIONS

Printer Model		VJ-628MP
Printing System		On-demand piezo print head
Print Head	Number	1
Print neau	Height	Low: 1.2mm High: 2.5mm
	Туре	Multi-Purpose Ink (MP31)
	Ink Capacity	220ml cartridge
Ink	Configuration	4 colors (C, M, Y, K), 5 colors (C, M, Y, K, Wh)
		7 colors (C, M, Y, K, Lc, Lm, Lk) or (C, M, Y, K, Or, Bl, Gr)
		8 colors (C,M,Y,K,Lc,Lm,Lk,Wh) or (C,M,Y,K,Or,Bl,Gr,Wh)
Max. Media Width		24.8"
Printable Area		24.4"
Max. Media Thickness		1mm

Height Adjustment	Manual 2 step system
Print Resolution	1440 / 1080 / 720 dpi (Total 6 modes)
Interface	Ethernet (10BASE-T, 100BASE-TX)
Weight	Body: 81.6lbs / Stand 19.2lbs
RIP Software	MUTOH VerteLith™
Optional RIP's	CGS ORIS or SAI Flexi for spot color inks
Optional Accs.	Take-up unit
Dimension	46.8" x 27" x 47.6"
Max. Print Speed	Up to 61.8 sq ft/hr



ValueJet 1628MH Hybrid



PACKAGING/PROTOTYPING

The ValueJet 1628MH multi-purpose hybrid printer is ideally suited for the production of high-quality graphics. Enhance your printing capabilities with the award-winning MUTOH VerteLith™ RIP Software and a complimentary one-year subscription to SAi Flexi DESIGN MUTOH Edition—a combined value of \$1,600. Unlock limitless design potential and embrace the future of printing today.

MUTOH VerteLith™ RIP optimizes all of the capabilities the VJ-1628MH has to offer and produces the best possible gradients, skin tones and vivid colors. This hybrid model is the most versatile printer on the market and is ideally-suited for use in packaging prototyping, signage, POP displays, specialty printing and more. With enhanced print quality supporting up to 8 colors (CMYKx2, CMYKWhWh) and a wide color gamut, the VJ-1628MH gives true-to-life skin tones and smooth gradations. MP31 multi-purpose inks give outstanding adhesion and color properties that bind to substrate surfaces giving a natural, vibrant finish to projects.



POP DISPLAYS



VEHICLE WRAPS



YARD SIGNAGE



THERMOFORMING PRINTS

Flexibility to print on roll/rigid materials

Transport roller system

Blower heater

Automatic media height

Includes 8 ink slots

Standard 66lb take-up system


> 1-800-99MUTOH www.**MUTOH**.com **f y ©** in **▶**



ValueJet 1628MH

Powered by VerteLith™





VJ-1628MH printer features include:

- Flexibility to print on roll or rigid materials.
- Multi-purpose MP31 inks.
- Solvent-based ink with outstanding adhesion and color properties giving a natural, vibrant finish to projects.
- Enhanced print quality, supporting up to 8 colors with CMYKx2 and CMYKWhWh.
- Wide color gamut and improved color stability.
- Blower heater to speed drying time.

- New built-in circulation system for white & magenta inks assures color consistency and prevents clogging.
- Custom roller selection function allows each pressure roller to be set independently.

MUTOH's Genuine VerteLith™ RIP software bundled with complimentary one-year subscription to SAI Flexi DESIGN MUTOH Edition optimizes the VJ-1628MH by:

 Auto-population of named Pantone coated/uncoated spot colors.

- · MUTOH Clear Tone half tone technology.
- MUTOH CMYK wide color gamut ICC profile.
- · Automated layout processing and printing.
- · Soft proof.
- "What-you-see-is-what-you-get" RIP preview.
- Tab customization.
- · Color management function.
- · Finishing bleed processing function.
- Printing log function.
- · Automated multi-layer printing.

VALUEJET 1628MH SPECIFICATIONS

Printing systems	On-demand Micro Piezo Inkjet Technology
Print head height	Automatic
Print head	1 (1440dpi, 180 nozzles x 8 rows)
Max print resolution	1440x1440dpi (16 pass)
Print modes	1440/1080/720/360dpi (total 6 modes)
Media width	64"
Media capacity	ø 5.9" dia / 2" & 3" cores /Roll media 66lbs or less Rigid media max 33lbs or less
Max media thickness	0.62 in
Max printable width	63.6 in
Media drying system	Blower heater system: 1200Wx2
RIP software	MUTOH VerteLith™

	Туре	MP31 multi-purpose
lnk	Ink Set	Up to 8 colors - CMYKx2 and CMYKWhWh
	Volume	500ml
	No. of slots	8

Interface	Gigabit-Ethernet (1000BASE-T)
Power Requirements	AC 100-120V± 10%, 50/60Hz ± 1Hz
Printable Environment	Temperature: 68-89.6°F Humidity: 40-60%RH (non condensing) Rec. environment: Temperature: 71.6-86°F
Power Consumption	Main: Operation status 2300W or less Standby: 65W or less
Dimensions (WxDxH)	Printer including stand: 106.2"x35.7"x51.26"
Weight	Body: 369.3lb Stand: 72.8lb






Enhance your printing capabilities with the awardwinning MUTOH VerteLith™ RIP Software and a complimentary one-year subscription to SAi Flexi DESIGN MUTOH Edition—a combined value of \$1,600. Unlock limitless design potential and embrace the future of printing today.



ValueJet 1638UH Mark I



PACKAGING/PROTOTYPING

The ValueJet 1638UH II UV-LED hybrid printer represents the next generation of UV-LED printers and is ideally-suited for the production of high-quality graphics. Enhance your printing capabilities with the award-winning MUTOH VerteLith™ RIP Software and a complimentary one-year subscription to SAi Flexi DESIGN MUTOH Edition—a combined value of \$1,600. Unlock limitless design potential and embrace the future of printing today. MUTOH VerteLith™ RIP optimizes all of the capabilities the VJ-1638UH Mark II has to offer and produces the best possible gradients, skin tones and vivid colors.

Features of the ValueJet 1638UH Mark II includes staggered dual print heads with UV-LED lamps on both sides for greater productivity, the ability to print with MUTOH UV-LED flexible (US11) or rigid (UH21) inks and multi-layer capability. A Media Thickness Detection Sensor detects media automatically and media retainer guides automatically set the position of rigid media.



COUNTER DISPLAYS



POP DISPLAYS



YARD SIGNAGE



WALLCOVERINGS & HOME DECÓR

Flexibility to print on roll/rigid materials

Staggered dual print heads

Media Thickness Detection Sensor

Media retainer

Optional Economy 66lb take-up system

> 1-800-99MUTOH www.**MUTOH**.com

f ♥ ◎ in 🖸



ValueJet 1638UH Mark II

Powered by VerteLith™





MUTOH's Genuine VerteLith™ RIP software bundled with complimentary one-year subscription to SAI Flexi DESIGN MUTOH Edition optimizes the VJ-1638UH Mark II by:

- Auto-generation of named Pantone coated/uncoated spot colors.
- MUTOH Clear Tone half tone technology.
- MUTOH CMYK wide color gamut ICC profile.
- · Automated layout processing and printing.

- Soft proof.
- "What-you-see-is-what-you-get" RIP preview.
- Printing layers with auto-generation of spot colors/white/varnish.
- · Automated multi-layer printing.
- · Tab customization.
- · Color management function.
- Finishing bleed processing function.
- Printing log function.

VJ-1638UH Mark II Hybrid printer features include:

- Flexibility to print on roll/rigid materials.
- Media Thickness Detection Sensor automatically detects media thickness.
- · Media retainer sets position of rigid media.
- MUTOH UV-LED inks
 - Rigid UH21.
 - Flexible US11.

VALUEJET 1638UH MARK II SPECIFICATIONS

Printing systems	Drop-on-demand Micro Piezo Inkjet Technology	
Print head height	Automatic	
Print head	2 (staggered set-up)	
Max print resolution	1440x1440dpi (16 pass)	
Print modes	1440/1080/720/360dpi 6 modes+	
Media width	64"	
Media capacity	ø 5.9" dia / 2" & 3" cores /Roll media 66lbs or less Rigid media max 33lbs or less	
Max media thickness	.50 in	
Max printable width	63.6 in	
Height adjustment	Automatic	
UV lamp	UV LED 2 pcs	
RIP software	MUTOH VerteLith™	

	Туре	UV-LED Ink (flexible US11 or rigid type UH21)
	Ink Set	4 colors (C, M, Y, K), 5 colors (C, M, Y, K, Wh/Va), 6 colors (C, M, Y, K, Wh,Va)
Ink	Volume	220ml (CMYK, Wh, Va) 500ml (White) 800ml (CMYK, Va)* *500/800ml ink bags require optional adapter
	No. of slots	8
Interface		Gigabit-Ethernet (1000BASE-T)


Interface	Gigabit-Ethernet (1000BASE-T)
Power Requirements	AC 100-120V± 10%, 50/60Hz ± 1Hz
Printable Environment	Temperature: 68-89.6°F Humidity: 40-60%RH (non condensing) Rec. environment: Temperature: 71.6-86°F
Power Consumption	Main: Operation status 77W or less Standby: 52W or less
Dimensions (WxDxH)	Printer including stand: 117.4"x32.2"x49.6" Printer w/media feed table: 117.4"x107"x49.6"
Weight	Body: 352.7lb Stand: 81.57lb

VERTELITH™ GENUINE RIP SOFTWARE



MADE FOR PROFESSIONALS

VerteLith™, MUTOH's Award-Winning Genuine RIP Software is easy to use and designed to optimize the output of MUTOH brand printers. It includes advanced functions such as MUTOH Clear Tone, an original half-tone technology which achieves beautiful image quality and smoothness. VerteLith™, also features two enhanced preview functions. A soft proof function simulates the color of the printed output on the screen and the RIP preview function displays the actual printing dots on the screen prior to output. These new features allow users to enjoy a "what you see is what you get" RIP environment. In addition to autogeneration of PANTONE© coated/uncoated spot colors, VerteLith™, includes various tools and functions to create rich, textured prints without complicated steps. VerteLith™, is available with select MUTOH printer models.



PANTONE© COATED/UNCOATED LIBRARIES



MUTOH CLEAR TONE HALFTONE TECHNOLOGY



MUTOH CMYK WIDE GAMUT COLOR ICC PROFILE



ACCURATELY PROCESS PDF TRANSPARENCIES

MUTOH MUTOH CLEAR TONE HALF TONE TECHNOLOGY TWO PREVIEW FUNCTIONS - SOFT PROOF - RIP PREVIEW EFFICIENT LAYER PRINTING PANTONE© COATED/ **UNCOATED LIBRARIES** 1-800-99MUTOH www.**MUTOH**.com f 💆 🎯 in 🕒

VerteLith


MUTOH AWARD-WINNING GENUINE RIP SOFTWARE



RIP Preview - preview the actual placement of the printing dots on-screen prior to output.




Soft Proof - simulate the color of the printed image on-screen prior to output.



Automated Layout Processing and Printing with a Multi-Page PDF File - Multi-page PDF automates complex tasks. Print and layout settings can also be set.

 $VerteLith^{\text{TM}}\ automatically\ generates\ CMYK,\ white\ and\ varnish\ spot\ color\ information\ into\ separate\ layers\ for\ output\ .$





Scan to watch VerteLith Product Video

Key features of VerteLith™ include:

Pantone Coated/Uncoated Spot Color libraries are included, featuring:

• Auto-generation of named Pantone coated/ uncoated spot colors.

Vibrant image quality and smoothness achieved with:

· MUTOH Clear Tone half tone technology.

- MUTOH CMYK wide color gamut ICC profile. Improve productivity and workflow processes using:
- Automated layout processing and printing
- Jig layout function.
- Simplified/enhanced jig production. Intuitive user-friendly controls, including:

intuitive user-menary controls, includin

 "What-you-see-is-what-you-get" RIP preview.

- Soft proof.
- Printing layers with auto-generation of spot colors/white/varnish.
- · Automated multi-layer printing.
- · Tab customization.
- · Color management function.
- Finishing bleed processing function.
- · Printing log function.

Key Features of the MUTOH Genuine VerteLith RIP S	Coftware
key reactives of the motori dename verteerin kill e	ontware
 Auto-generation of named Pantone coated/uncoated spot colors. 	✓
 Automated layout processing and printing 	\checkmark
Grommet marks & bleed tool	\checkmark
Fast 64-bit RIP	\checkmark
Enhanced jig layout function	\checkmark
What-you-see-is-what-you-get RIP preview	✓
Automated job presets	\checkmark
Soft proof simulate color of printed image on-screen prior to output	<u>√</u>
Spot color swatch tool	\checkmark
ICC Media Profiler	.√
 Printing layers with auto-generation of colors 	\checkmark
Automated multi-layer printing	✓

MUTOH DYE-SUB PRINTER





The **XpertJet 1642WR Pro** 64" is a high-speed dye-sublimation inkjet printer with a new platform that inherits the properties of the XpertJet series. The XPJ-1642WR Pro features new extra-wide MUTOH AccuFine print heads with best-in-class dot placement accuracy, enabling high print speeds and quality.

MUTOH's original DH21 dye-sublimation transfer ink provides optimum media transfer, achieving high density colors with less ink consumption. Fast ink-drying times enables printing on thinner and lighter transfer papers, while excellent jetting and color stability support prolonged print times. MUTOH DH21 ink is available in a CYMK configuration in 1,000ml or 2,200ml capacity ink bags.

The XPJ-1642WR Pro delivers high-quality graphics onto a wide range of materials such as trade show graphics, flags, banners, custom interior designs, apparel, sports uniforms and more.



APPAREL



HOME DECOR



SOFT SIGNAGE



WALL COVERINGS

МИТОН

NEWLY DEVELOPED **ACCUFINE PRINT HEADS**

ENHANCED MEDIA HANDLING/FEED MASTER

MEDIA TRACKER

AUTOMATIC NOZZLE AREA SELECT

> 1-800-99MUTOH www.**MUTOH**.com

> > f 💆 🎯 in 🕒





XpertJet 1642WR Pro

MADE IN JAPAN QUALITY

All New Platform Ensures Easy Maintenance, Usability and Quality



AccuFine Print Heads

Automatic Nozzle Checking

Replaceable Print Wiper

Four-Stage Head Heights

XPJ-1642WR Pro key features:

- Unique multi-stage pressure mechanism feeds even thin paper roll media smoothly.
- New extra-wide piezo MUTOH AccuFine print heads achieve maximum production speeds up to 802 sqft/hr.
- Media Tracker prints a barcode before removing media. When media is loaded again, a built-in sensor reads the barcode and recognizes the amount of media remaining.
- Internal LED lighting allows the operator to easily check print status.
- MUTOH DH21 dye-sublimation ink provides superior media transfer, color rendition, excellent jetting and color stability.
- Automatic Bi-D alignments with built-in sensor automatically calibrates bi-directional alignments.
- · Four-stage head heights allow optimal height on print head to reduce the risk of print head contact.
- Precise ink dot placement provides higher print quality at high print speeds.
- FeedMaster built-in sensor allows for automatic media feed adjustment.
- Nozzle Area Select uses blocks of active nozzles to temporarily print if clogged nozzles fail to recover.
- · Optional available heavy-duty take-up system supports roll media weights up to
- · Front access panel for ink cartridge holders.

_			
NEW!			XPERTJET 1642WR
	митон	Print Method	On-demand piezo drive system
	AccuFine Print	Head Height	Four-level adjustment of Low 1: 1.5mm, Low 2: 2.0mm, Mid: 2.5mm, High: 4.0mm
3	Heads	Number	2 staggered
		Max width	64 in
N	Media	Max thickness	0.04~1.0mm 0.0015-0.039in
		Measurements	ø7.9" or less 2 inches or 3 inches 66lbs or less
8	Max Print Width		63.6 in
3	Max Print Length		4,921 ft
		Туре	DH21 Dye Sublimation Ink
	Ink	Ink Set	4 colors (C, M, Y, K)
		Capacity	1000 ml 2200 ml ink bags

P	RO SPECIF	ICATIONS
	Print Resolution	Max 1200 dpi
$\frac{1}{1}$	Interface	Gb-Ethernet (1000BASE-T)
+	Power Requirements	AC 100-120V~ 10%/ AC 200V~240V~ 10% Frequency 50/60Hz~1Hz
1	Power Consumption	Operation: AC100V~120V AC200V~240V, 180W or below
		Sleep Mode: AC100V~120V AC200V~240V, 30W or below
1	Printable Environment	Temperature: 68-89.6°F(20-32°C) Humidity: 40-60%RH (non condensing)
$\frac{1}{2}$	Dimensions (WxDxH)	109 in x 35 in x 56 in (cover closed)
+		109 in x 35 in x 68 in (with ink bag cases)
1	Weight	Main body: 302 lbs. Stand: 70 lbs.
	RIP Software	Wasatch SoftRIP



The RJ-900X

Dye-Sublimation Printer



Compact, Affordable, Versatile

The Mutoh 42" RJ-900X is a versatile printer with superior paper handling capabilities that is ideally suited to print dye-sublimation applications such as custom t-shirts, apparel, flags or even promotional and personalized items. The RJ-900X delivers superior line sharpness and photo quality images with continuous tones, smooth transitions and a wide color gamut. With various print resolutions available for different applications, and the ability to support a variety of ink sets, the RJ-900X is an ideal printer for shops looking to compete in the dye-sublimation market.





RJ-900X Professional Printer, Affordable Price

Improved Paper Handling

New lever enabled "Pressure Roller Cancel" feature allows the operator to adjust the pressure by media type.

"Default"





All pressure rollars are effective

"Roller Cancel Function: ON"



Red encircled rollers are disabled (up)



Red encircled rollers will be disabled when orange lever is pressed

RJ-900X Highlights

- Higher speeds with new print and effect modes
- Improved paper handling capability with new pressure roller control feature
- Remote printer management capability with VSM & VSM Mobile Support
- Supports aqueous, dye and pigmented ink types
- Intelligent Interweave (i2) technology eliminates banding

Print method	Variable drop-on demand piezo drive method	
# of nozzles	Black: (180 x 2 rows) Color: (180 x 6 rows) x 1 head	
Ink type	Aqueous / Pigment / Dye	
Variable dot	Yes	
Minimum droplet size	3.2pl	
Print modes	2880 / 1440 / 720 / 360dpi 14 modes	
Number of print heads	1	
Maximum print speed / resolution	676 sqft/hr 360 x 360dpi (Draft mode)	
Maximum resolution	2880 dpi	
Head height	Low: 1.2mm / High: 2.0mm	
Maximum media width	42.5 inches	
Maximum print width	42.3 inches	
Maximum media roll weight	41.9 lbs	
Media roll diameter / core	6" / 2" (3" optional)	

Media catch basket	Optional	
Heavy duty take-up system	N/A	
Media auto cut	Yes	
RIP software	Wasatch SoftRIP	
Power requirements	Rated Voltage: AC100 - 240V	
Consumption Current	AC100 - 120V : 4.2A or less	
Consumption Current	AC200 - 240V : 2.6A or less	
Operating temperature	50 F - 95 F	
Operating humidity range	20% - 80%	
Dimensions (printer) WxDxH	69.8" x 26" x 38.7"	
Dimensions (shipping info)	75"x 24.8"x 22.9" (59.5"x 17.1"x 10.2" stand)	
Weight (printer)	Printer 109.1 lbs / Stand 34.2 lbs	
Weight (shipping info)	Call for quote	
Limited warranty	1 Year	









Promotional Items



Limitless Application Possibilities

- ✓ Promotional items
- Apparel and custom clothing
- ✓ Banners, flags and posters
- Outdoor and indoor signage

















DYE-SUB PRINTER





The **XpertJet 1682WR** 64" is a high-speed water-based inkjet printer with a new platform that inherits the properties of the XpertJet series. The XPJ-1682WR provides improved usability and reduces operational workload which will ensure high-quality prints, high productivity outputs, and user-friendly operation. Newly developed Multi-stage pressurizing system enhances media feed stability for a wide range of media. The MUTOH original dye-sublimation transfer ink (DH21) provides optimum print quality and wide color gamut. The DH21ink is available in a 4-color configuration CMYK. Large capacity ink bags (1,000mlor 2,200ml) with newfront access ink cases support prolonged continuous printing. The XPJ-1682WR delivers high-quality graphics onto a wide range of materials such as trade show graphics, flags, banners, custom interior designs, apparel, sports uniforms and more.









APPAREL

HOME DECOR

FLAGS

SOFT SIGNAGE

UPGRADED
TOUCH PANEL

NEW MEDIA HANDLING

AUTOMATIC ALIGNMENTS

INTERNAL LED LIGHTING

1-800-99MUTOH www.**MUTOH**.com





XpertJet 1682WR

MADE IN JAPAN QUALITY

All New Platform Ensures Easy Maintenance, Usability and Quality



MUTOH DH21 Dye Sublimation Ink

New media fee

- Successor model of ValueJet 1638WX
- High Precision Aluminum Rail Mechanism for high quality and stable printing.
- Improved Media Feed Mechanism corresponding to a wide range of media.
- Mutoh DH21 Dye Sublimation Ink provides high image quality and high productivity.
- Automatic Bi-Directional and Page Feed Alignments with missing nozzle detection using built in sensor.

Internal LED lighting

High Precision Aluminum

Rail Mechanism

- Newly Developed Media Flange allows for easy media loading.
- MSM (MUTOH Status Monitor) improved convenience and response.
- New Multi-Language intuitive LED display.
- Front Access of Ink Cartridge Holders, LAN cable and power cords.

LED touch panel

Multi-stage pressurizing

mechanism

- Internal LED Lighting enable operator to easily check print status.
- Excellent color jetting and color stability with MUTOH DH21 Dye-Sublimation Ink.

XPERTJET 1682WR SPECIFICATIONS

	Print Method	On-demand piezo drive system	
Print Head Height		Three-level adjustment of Low .06 in, Mid, .09 in, and High .16 in	
	Number	2 Staggered	
	Width	Maximum 63.98 in	
Media	Max Thickness	0.01 in (the head height is set to Low) 0.05 in (the head height is set to Mid) 0.11 in (the head height is set to High)	
Roll Capacity		5.9 in diameter 2 inches or 3 inches 66.14 lbs. or less	
Max Print Width		63.58 in	
Max Print L	ength.	4921 ft	
Type DH21 Dye Sublimation		DH21 Dye Sublimation	
Ink	Ink Set	СМҮК	
	Capacity	1000 ml 2200 ml ink bags	

Print Resolution	Max 1440 dpi	
Interface	Gb-Ethernet (1000BASE-T)	
Power Requirements	AC 100-120V± 10%/ AC 200V~240V± 10% Frequency 50/60Hz ± 1Hz	
D 0 1:	Operation: AC100V~120V AC200V~240V, 180W or below	
Power Consumption	Sleep Mode: AC100V~120V AC200V~240V, 30W or below	
Printable Environment	Temperature: 68-89.6°F Humidity: 40-60%RH (non condensing)	
Optimal	Temperature: 71.6-86°F Humidity: 40-60%RH (non condensing)	
Dimensions	109 in x 35 in x 56 in (cover closed)	
(WxDxH)	109 in x 35 in x 63 in (with ink bag cases)	
Weight	Main body: 315 lbs. Stand: 71 lbs.	
RIP Software	Wasatch SoftRIP	



The ValueJet 1938WX

Smart Printing Equals Value



Dye-Sublimation Printer

The Mutoh ValueJet 1938WX is ideal for every day sublimation printing. Create shower curtains, trade show graphics, flags, banners, custom interior designs, apparel, scarves, blankets and more. Designed with advanced features like; a rear media feed lever for easy material handling, take-up system, an easy to navigate control panel and simple operation, the learning curve is short so you can focus on customers and profits. The VJ 1938WX provides outstanding performance at a competitive price, making it the smart printer choice for shops looking to expand applications, increase production and improve efficiency.





VJ 1938WX - High Production Dye-Sub Printer



Print method	Drop-On Demand, Piezo Drive Method	
# of nozzles / # of heads	(180 x 8 rows) / 2 staggered heads	
Ink type	Aqueous / Dye-Sublimation	
Variable dot	Yes	
Minimum droplet size	3.5 pl	
Print modes	1440/1080/720/540/360dpi 29 modes	
Color Options	CMYK x 2 or 8 color	
Maximum print speed / resolution	1327sqf / 360 x 360	
Maximum resolution	1440 dpi	
Head height	Low: 1.5mm/Medium: 2.5mm/High: 4.0mm	
Maximum media width	75.2 inches	
Maximum print width	74.8 inches	
Maximum media roll weight	66lbs (176lbs w/optional HD take-up)	
	-	

Media roll diameter / core	6" maximum / Core 3" or 2"	
Take-up system	Included	
Heavy duty take-up system	N/A	
Media auto cut	Standard	
RIP software	Wasatch	
Power requirements	240V / 20AMP	
Operating temperature	68°F - 89.6°F	
Operating humidity range	40% - 60%	
Dimensions (printer) WxDxH	117.4" x 34.9" x 49.7"	
Dimensions (shipping info)	Call	
Weight (printer)	Printer 347 lbs / Stand 82 lbs	
Weight (shipping info)	Call	
Limited warranty	1 Year Limited	



* Must purchase optional bulk ink adapter.







Flags

- Print over 1000 sf/h with the revolutionary dual staggered print head design.
- Create promotional items, trade show graphics, flags, banners, fabrics for custom dothing and more.
- ✓ CMYKx2 up to 8 colors
- Utilize Mutoh's patented Intelligent Interweave i'print technology to virtually eliminate banding.
- ValueJet Status Monitor (VSM) smart phone appavailable for mobile monitoring.

















The ValueJet 1948WX

Smart Printing Equals Value




High Production Dye-Sublimation Printer

The Mutoh ValueJet 1948WX is ideal for everyday, and high-production, sublimation printing. With its staggered four-head design, the VJ1948WX prints at speeds up to 2,199 sqft/hr. Create trade show graphics, promotional items, flags, interior decor, apparel and much more. Designed with advanced features like: a rear media feed lever for easy material handling, heavy duty take-up system, an easy to navigate control panel and simple operation, the learning curve is short so you can focus on customers and profits. The VJ1948WX provides outstanding performance at a competitive price, making it the smart printer choice for increased dye-sublimation production.





VJ1948WX - High Production Dye-Sub Printer



Print method	Drop-On Demand, Piezo Drive Method	
Print method	Drop-Ort Demand, Flezo Drive Wethod	
# of nozzles / # of heads	(180 x 8 rows) / 4 staggered heads	
Ink type	Dye-Sub Ink 1L or 2L*	
Variable dot	Yes	
Minimum droplet size	3.5 pl	
Print modes	1440/1080/720/540/360dpi 29 mode	
Color Options	4 or 8	
Maximum print speed / resolution	2,199 sq/ft (360x360dpi)	
Maximum resolution	1440 dpi	
Head height	Low: 1.5mm/Medium: 2.5mm/High: 4.0mm	
Maximum media width	75 inches	
Maximum print width	74.8 inches	
Maximum media roll weight	220lbs w/ HD take-up	

Media roll diameter / core	9.8" maximum / Core 3" or 2" w/ HD take-up	
Heating	Upper/Lower	
Heavy duty take-up system	Standard	
Media auto cut	Standard	
RIP software	Wasatch SoftRIP	
Power requirements	AC 100 - 120V AC 200 - 240V	
Operating temperature	68°F - 89.6°F	
Operating humidity range	40% - 60%	
Dimensions & HD Take-Up WxDxH	117.4"W x 52.5"D x 49.6H"	
Dimensions (shipping info)	Call for Information	
Weight (printer)	Printer 361.5lbs / Stand 82lbs HD Take-Up 196lbs	
Weight (shipping info)	Call for Information	
Limited warranty	1 Year Limited On-Site	



* Must purchase optional bulk ink case.







- Flags
- \checkmark Print over 2,000 sqft/hr with the revolutionary four staggered print head design.
- High quality printing with 1440 dpi for amazing darity and details.
- ✓ Dual heaters for fast dry times and accelerated print speeds.
- Adjustable pressure rollers can be raised depending on material type to reduce wrinkles.
- Included heavy duty take-up system.


















The ValueJet 2638WX

Smart Printing Equals Value



Dye-Sublimation Printer

Mutoh's ValueJet 2638WX – 104" grand format printer has a staggered dual-head design for faster production speeds to create super wide images with unmatched quality. With print speeds of 1,168sf/hr and print widths that are over eight feet wide, the VJ–2638WX not only saves you time and money but is also capable of producing high quality, super wide images for a number of popular applications like; designs and patterns for trade show graphics, flags, banners, custom clothing, interior design, point of purchase displays and more.





ANATOMY OF A

OF A
VALUEJET
2638WX



Easy to use control panel.

Automatic sheet off function.

DropMaster ink
placement technology.

Print speeds up to 1,168 sqft/hr!

_ Heavy duty take-up and media cradle included.

Print method	Drop-On Demand, Piezo Drive Method	
# of nozzles	(180 x 8 rows) x 2 head	
Ink type	Aqueous / Dye-Sub can also be ordered as Eco-Ultra	
Variable dot	Yes	
Minimum droplet size	3.5 pl	
Print modes	1440/1080/540/720/360dpi 29 modes	
Number of print heads	2 staggered (up to 8 colors)	
Maximum print speed / resolution	1,168sf / hr / 360 x 360	
Maximum resolution	1440 dpi	
Head height	Low: 1.5mm / Medium: 2.5mm / High: 4.0mm	
Maximum media width	104 inches	
Maximum print width	103.6 inches	
Maximum media roll weight	220.5 lbs	

Media roll diameter / core	9.8" maximum / Core 3" or 2"
Media support cradle	Standard
Heavy duty take-up system	Standard
Media auto cut	Standard
RIP software	Wasatch SoftRIP
Power requirements	2 x 100-120V or 200-240V / 20AMP
Operating temperature	68°F - 89.6°F
Operating humidity range	40% - 60%
Dimensions (printer) WxDxH	146" x 34.9" x 49.65"
Dimensions (shipping info)	Call for Quote
Weight (printer)	Printer 534lbs / Stand 91lbs
Weight (shipping info)	Call for Quote
Limited warranty	1 Year on-site

Decommission fee may apply, contact your reseller for details









- ✓ Print up to 1,168 sqft/hr with a state-of-the-art print head.
- Create limitless soft signage applications including custom apparel.
- ✓ Includes heavy-duty take-up and media roll cradle.
- DropMaster dot placement technology eliminates manual head adjustments.
- Mutoh's patented Intelligent Interweave print technique eliminates banding.



















High-Performance Cutting Plotters



Price, Performance, Quality

The ValueCut 2 line of cutting plotters are ideal for home, office and professional users providing the finest cutting quality with unsurpassed tracking capabilities. Choose from one of three models to suit your needs, VC-600 (24" cut width), VC-1300 (52" cut width) or VC-1800 (72" cut width). All models come standard with a roll support system for easy handling and perfect tracking and multi-segment registration for long run cut job accuracy. The VC-1300 and VC-1800 models also come with a floor stand and media catch basket, which are both options on the VC-600 model. For price, performance, quality and service the ValueCut 2 is the smart choice for cutting plotters.

Mutoh Makes It Possible.

New features paired with trusted technology from Mutoh Plotters.

- Versatile roll support system
 - Allows for easy handling and ensures perfect tracking.
- "AAS Copy Feature"
 - Perform repeated contour cut jobs with one click from your RIP software.
- Media sensor disablement
 - Disable media sensor to cut transparent media with ease.
- Added Ethernet Port
- Run multiple cutters, over longer distances from the same computer.
- Catch basket included on VC-1300 and VC-1800
- Two year limited warranty





Standard Accessories:

Cutting Holder Media Basket (Exclude VC-600)

Spare Cutter Blade Media Cutter Oil Ball Point Pen Cutter Pad x 1

SAi Flexi starter CD-ROM included Roll media mount system

		VC-600	VC-1300	VC-1800
Operation Method		Roller Type		
Max. Media Width		30.3" (770mm)	62.7" (1594mm)	78.3" (1900mm)
Max. Cutting Width	ı	24" (610mm)	52" (1320mm)	72" (1830mm)
Min. Media Width		1.97" (50mm)	11.8" (300mm)
Max Cutting Length	า		164ft (50m) *1	
Number of Pinch R	tollers	3	4	6
Acceptable Materia	al Thickness		0.03"(0.8mm)	
Driver Motor			DC Servo Control	
Cutting Force			5~600 g (5g/Step	9)
Max Cutting Speed	l	60.2"	(1530 mm) /sec (diagonal	directrion)
Max Acceleration			4.2 G	
Offset			0~1.0 mm (0.025mm/step)	<u> </u>
Memory			MB (16MB when using AA	,
Interfaces		Ethernet,	JSB 2.0 (Full Speed), Seri	al (RS-232C)
Type of Command		HP-GL, HP-GL/2 *2		
Mechanical Resolu		0.006mm		
Software Resolutio	n	0.025 mm		
Distance Accuracy		±0.254 mi	n or ±0.1%, (whichever is	greater) *3
Repeatability			±0.1mm *3	
Control Panel		LCD (20 digits x 2 lines), 14 Keys		leys
Number of attachal	ble Pen	1		
Available Tool			Cutter, Oil Ball Point Pen	
Operation	Temperature	15℃~30℃ / 59 °F~86 °F		
Environment	Humidity	25% ~ 75%		
Power Supply		AC 100~240V, 50/60 Hz		
Power Consumptio	n	Max. 110W		
Dimension (WxDx	:H) in *4	37.4" x 19.1" x 16.2" 69.8" x 25.6" x 43.7" 85.4" x 29.7" x 44.4		
Shipping Weight		68.3lbs / 31 kg 168.6lbs / 76.5 kg 209.4lbs / 95 kg		
Stand, Media Bask	et	Optional Standard		
Warranty		2 Year Limited Warranty		
1 This does not assure	the accuracy			

- *1 This does not assure the accuracy
 *2 HP-GL, HP-GL/2 are trademarks of Hewlett-Packard Company
- *3 Effective only when operated with the cutting condition and the media certified by Mutoh
 *4 Exclude basket dimension





Scan To View Interactive Catalog



www.MUTOH.com











