




Fulbat is a leading force in the battery business and is present in both replacement and OEM markets. Founded in 2005, we are constantly developing, manufacturing, marketing, and selling lead-acid batteries, as well as lithium batteries and battery chargers. Fulbat batteries and chargers are widely distributed on all continents through a strong distributor network and are renowned for their exceptional quality, performance, and reliability.

Building from our robust SLA lawn and garden series, Fulbat is expanding into the USA market with innovative battery solutions, tailored to meet current customer expectations through the introduction of our new USA Lawn and Garden product line-up. To ensure we can support the USA market effectively, our new distribution facility is fully stocked and ready to meet your needs.

Manufactured according to the most innovative production processes, Fulbat products are certified by ISO 9001, ISO 14001, and TS 16949.

WORLDWIDE PRESENCE



NEW U1-500 SLA

Powerful & reinforced



FEATURES

- ∧ AGM technology
- √ 100% maintenance free
- √ Non-spillable: easy to ship
- √ Superior capacity 30% more than SLA
- ♣ Extended rating power 40% more than SLA
- ♣ 6.6 mm hardware kit included





Reinforced casing with grid framework: Very high vibration resistance

> Build with taller plates: **Enchanced CCA & Capacity**

Handles: Easy to carry

ride-on mowers.



| Designation | U1-500 | U1R-500 |
|----------------------------|----------------|----------------|
| P/N | 551005 | 551006 |
| Voltage (V) | 12 | 12 |
| Capacity (Ah) | 30 | 30 |
| CCA (A) | 500 | 500 |
| Dimensions (inch) LxWxH | 7.68x4.92x6.93 | 7.68x4.92x6.93 |
| Polarity | +/- | -/+ |











SLA battery range is designed to offer maximum performance and safety! Ready to use, the Sealed Lead Acid (SLA) battery will not require any acid handling, initial preparation or maintenance. Its non-spillable design linked to its high performance make it the ideal battery for all mowers.

FEATURES

- → AGM technology (factory activated)
- √ 100% maintenance free
- → Non-spillable: easy to ship
- Higher cycle life
- → Ultra safe & highly vibration resistant
- → Minimized plate sulfation
- Suitable for cold weather



















| Designation | U1-300 SLA | U1R-300 SLA | U1-350 SLA | U1R-350 SLA | U1-500 | U1R-500 |
|----------------------------|----------------|----------------|----------------|----------------|----------------|----------------|
| P/N | 551001 | 551002 | 551003 | 551004 | 551005 | 551006 |
| Voltage (V) | 12 | 12 | 12 | 12 | 12 | 12 |
| Capacity (Ah) | - | - | - | - | 30 | 30 |
| CCA (A) | 300 | 300 | 350 | 350 | 500 | 500 |
| Dimensions (inch) LxWxH | 7.68x4.92x6.93 | 7.68x4.92x6.93 | 7.68x4.92x6.93 | 7.68x4.92x6.93 | 7.68x4.92x6.93 | 7.68x4.92x6.93 |
| Polarity | +/- | -/+ | +/- | -/+ | +/- | -/+ |



GEL battery range is designed to offer maximum performance and safety! Ready to use, the GEL battery does not require any acid handling, initial preparation, or maintenance.

Its non-spillable design and enhanced deep cycle performance make it the ideal battery for all mowers.

FEATURES

- A Ready to use Factory activated
- √ 100% maintenance free
- ⋄ Non-spillable: easy to ship
- → Multi-positional fitment
- ♣ No acid handling
- √ Increased life time













| Designation | FTX14-BS GEL | FTX14L-BS GEL | FTX16 |
|----------------------------|----------------|----------------|----------------|
| P/N | 550923 | 550990 | 550763 |
| Voltage (V) | 12 | 12 | 12 |
| Capacity (Ah) | 12 | 12 | 14 |
| CCA (A) | 200 | 200 | 230 |
| Dimensions (inch) LxWxH | 5.91x3.43x5.71 | 5.91x3.43x5.71 | 5.91x3.43x6.34 |
| Polarity | +/- | -/+ | +/- |













FULLOAD 1000 (P/N: 750580)

BATTERY COMPATIBILITY: LEAD-ACID & LITHIUM

VOLTAGE: 6V/12V CHARGING RATE: 1A CHARGING STEPS: 3

Charges and maintains 6V/12V lead-acid batteries (GEL, AGM, MF, DRY, Ca/Ca, WET) and 12V LiFePO4 batteries

1A charging current with battery capacity up to 20Ah (maintains all sizes)

4 charging modes

Easy to set up & use: connect, select a charge mode and forget

Easy to read LED display

Fully protected against short circuit, wrong connections, overcharge and overheat

Includes: 1 clamps set and 1 eyelet terminals set



FULLOAD F4 (P/N: 750581)

BATTERY COMPATIBILITY: LEAD-ACID & LITHIUM

VOLTAGE: 6V/12V CHARGING RATE: 2-4A CHARGING STEPS: 8

Charges and maintains 6V/12V lead-acid batteries (GEL, AGM, MF, DRY, Ca/Ca, WET) and 12V LiFePO4 batteries

2A or 4A charging current with battery capacity up to 80Ah (maintains all sizes)

7 charging modes including 12V repair mode

Easy to set up & use: connect, select a charge mode and forget

Easy to read LED display

Fully protected against short circuit, wrong connections, overcharge and overheat

Includes: 1 clamps set and 1 eyelet terminals set





FULTEST 2 (P/N: 750521)

FUNCTION: BATTERY & ALTERNATOR TESTER

- ⋄ For all 12V vehicle and motorcycles batteries
- ⋄ 3 battery tests: cold cranking amps, voltage, internal resistance
- → Alternator and cranking system test
- √ Easy to read thanks to the large LCD screen



FULCONNECT INDICATOR (P/N: 750516)

FUNCTION: BATTERY TESTER CHARGERS COMPATIBILITY: FULLOAD 1000 / FULLOAD F4

- ⋄ For 12V lead-acid batteries only
- √ Ideal solution if the battery is difficult to access
- ♣ To check the state of charge of the battery with its 3 integrated LEDs: green, orange, red
- → Wire length: 500mm



DISPLAY FULBAT (P/N: 950075)

BOX CONTENT:

1x manual 1x panel













Visit our website for more information

www.fulbat.us

