



KITS CATALOGUE

2024





# KITS CATALOGUE 2024

04

## video intercom kits

Soul  
Soul Access  
Nexa

20

## audio intercom kits

Soul  
Rock  
Nexa  
Stadio

34

Indoor units  
Door lock releases  
Residential Wi-Fi cameras

42

## access control kits

44

## CCTV kits

Analog  
Wi-Fi  
IP

50

## accessible WC kit



VIDEO INTERCOM KITS


# SOUL

Surface door panel





### SOUL Door panel





- Zamak front panel, graphite or black (model ●)
- CMOS camera with 120° wide-angle lens
- Vandal resistance rating IK07 and weatherproof IP44
- White LEDs automatically activated on low light conditions
- Indicator lights for different system statuses
- Metallic call button
- Input for analogue CCTV camera connection
- Relay outputs for two doors activation
- To be used with 12Vdc door opener
- Illuminated card holder with RFID proximity reader for 60 users (only models )
- Surface installation with rainshield included
- Dimensions: 90(W) x 170(H) x 27(D) mm.



### ART Monitors

- Housing made of polished ABS plastic in white or black (only ● models)
- Acrylic front panel with 4.3" or 7" widescreen display
- Illuminated capacitive push-buttons with acoustic push confirmation
- Hands-free communication
- Touchscreen on Art 7W/G2+ model
- Preview of all panels in the system
- Selectable ringtones and do not disturb function with light indication
- Output for auxiliary call repeater and input for door bell apartment push-button
- Activation of auxiliary devices
- Communication with other apartment units of the system

Optionally:

-  Integrated Wi-Fi module for call forwarding to mobile phones via free G2Call+ app
-  Support for Alexa and Google Home devices
-  Internal memory for recording up to 100 images and video on microSD card (not included)
-  Induction loop amplifier for hearing aid devices

Dimensions with wall bracket:

Art 4: 110(W) x 155(H) x 23(D) mm.

Art 7: 220(W) x 155(H) x 23(D) mm.



**Art 4**



**Art 7**



**S5110/ART 4 XLITE**

12205115

Kit for 1 apartment

- 12225405 **SOUL/1 LITE** 1 push-button door panel with rainshield
- 12210436 **ART 4 XLITE/G2+** 4.3" hands-free monitor
- 12240141 **FA-G2+/LITE** power supply



**S5110/ART 4B**

12205114B

Kit for 1 apartment

- 12225401B **SOUL/1B** 1 push-button door panel with rainshield
- 12210435B **ART 4B LITE/G2+** 4.3" hands-free monitor
- 12240141 **FA-G2+/LITE** power supply



**S5110/ART 4W LITE**

12205114W

Kit for 1 apartment with Wi-Fi

- 12225405 **SOUL/1 LITE** 1 push-button door panel with rainshield
- 12210445 **ART 4W LITE/G2+** 4.3" hands-free monitor
- 12240141 **FA-G2+/LITE** power supply



**S5110/ART 7 LITE**

12205120

Kit for 1 apartment

- 12225405 **SOUL/1 LITE** 1 push-button door panel with rainshield
- 12210705 **ART 7 LITE/G2+** 7" hands-free monitor
- 12240141 **FA-G2+/LITE** power supply



**S5110/ART 7H**

12205116H

Kit for 1 apartment with image memory

- 12225401 **SOUL/1** 1 push-button door panel with rainshield
- 12210702 **ART 7H/G2+** 7" hands-free monitor
- 12240452 **TAGSET/PROG** with 2 programming keys and 5 user keys
- 2 user cards
- 12240100 **FA-G2+** power supply






**S5110/ART 7W**

12205118

Kit for 1 apartment with Wi-Fi and image memory

- 12225401 **SOUL/1** 1 push-button door panel with rainshield
- 12210710 **ART 7W/G2+** 7" hands-free monitor
- 12240452 **TAGSET/PROG** with 2 programming keys and 5 user keys
- 2 user cards
- 12240100 **FA-G2+** power supply





**SOUL/1** 12225401

1 push-button door panel

---

12225401 **SOUL/1** 1 push-button door panel with rainshield

12240452 TAGSET/PROG with 2 programming keys and 5 user keys

- 2 user cards



**SOUL/1B** 12225401B

1 push-button door panel with rainshield



**SOUL/2** 12225402


2 push-button door panel

---

12225402 **SOUL/2** 2 push-buttons door panel with rainshield

12240452 TAGSET/PROG with 2 programming keys and 5 user keys

- 2 user cards



**SOUL/4** 12225404

4 push-button door panel

---

12225404 **SOUL/4** 4 push-buttons door panel with rainshield

12240452 TAGSET/PROG with 2 programming keys and 5 user keys

- 2 user cards

SOUL DOOR PANEL ACCESSORIES



**MAC-SOUL**  
12285611  
Replacement frame  
160(W) x 260(H) x 3(D) mm



**MAC-SOUL/BLACK**  
12285611B  
Replacement black frame  
160(W) x 260(H) x 3(D) mm



**TAGSET/PROG**  
12240452  
Programming and user key fobs



**TAGSET/5**  
12240450  
User key fobs



**CARDSET/5**  
12240460  
User cards



VIDEO INTERCOM KITS

# SOUL ACCESS

Surface door panel









**SOUL ACCESS** Door panel

- Zamak alloy front panel, graphite colour
- CMOS camera with 150° wide-angle lens
- Vandal resistance rating IK07 and weatherproof IP54
- White LEDs with variable intensity depending on the outdoor illumination
- LED indicators for the different system statuses
- Call up to 128 apartments via illuminated keypad
- Numerical access control with 40 codes
- Input for analogue CCTV camera connection
- Relay outputs for activation of two doors
- For use with 12VDC door opener
- Surface mounted with rainshield included
- Dimensions: 87(W) x 188(H) x 30(D) mm.

**ART** Monitors

- Housing made of polished ABS plastic in white or black (only ● models)
- Acrylic front panel with 4.3" or 7" widescreen display
- Illuminated capacitive push-buttons with acoustic push confirmation
- Hands-free communication
- Touchscreen on Art 7W/G2+ model
- Preview of all panels in the system
- Selectable ringtones and do not disturb function with light indication
- Output for auxiliary call repeater and input for door bell apartment push-button
- Activation of auxiliary devices
- Communication with other apartment units of the system

Optionally:

-  Integrated Wi-Fi module for call forwarding to mobile phones via free G2Call+ app
-  Support for Alexa and Google Home devices
-  Internal memory for recording up to 100 images and video on microSD card (not included)
-  Induction loop amplifier for hearing aid devices

Dimensions with wall bracket:

Art 4: 110(W) x 155(H) x 23(D) mm.

Art 7: 220(W) x 155(H) x 23(D) mm.



**Art 4**



**Art 7**



**S5110 ACCESS/ART 4**

12205140

Kit for 1 apartment with image memory

- 12225403 SOUL/ACCESS coded door panel with rainshield
- 12210430 ART 4/G2+ 4.3" hands-free monitor
- 12240141 FA-G2+/LITE power supply



**S5110 ACCESS/ART 4WH**

12205145

Kit for 1 apartment with Wi-Fi image memory

- 12225403 SOUL/ACCESS coded door panel with rainshield
- 12210437 ART 4WH/G2+ 4.3" hands-free monitor
- 12240141 FA-G2+/LITE power supply



**S5110 ACCESS/ART 7H**

12205170

Kit for 1 apartment with image memory

- 12225403 SOUL/ACCESS coded door panel with rainshield
- 12210702 ART 7H/G2+ 7" hands-free monitor
- 12240100 FA-G2+ power supply




**S5110 ACCESS/ART 7W**

12205175

Kit for 1 apartment with Wi-Fi image memory

- 12225403 SOUL/ACCESS coded door panel with rainshield
- 12210710 ART 7W/G2+ 7" hands-free monitor
- 12240100 FA-G2+ power supply



### SOUL ACCESS DOOR PANEL ACCESSORIES



**RC-SOUL/ACCESS**  
12225433  
Mounting bracket  
for installation without rainshield



**MAC-SOUL/ACCESS**  
12285612  
Replacement frame  
160(W) x 260(H) x 3(D) mm



VIDEO INTERCOM KITS

# NEXA

Embedded door panels



## NEXA ALUMINIUM and NEXA INOX Door panels

Front made of 1.8 mm thick anodised aluminium or 2.5 mm thick AISI 316 stainless steel.

Video module with adjustable CMOS camera and 120° wide-angle lens

White LEDs of variable intensity depending on the outdoor lighting

Illuminated indicators and voice messages for the different system statuses

Illuminated call button with stainless steel coating

Input for connection of analogue CCTV camera

Relay outputs for activation of two doors

For use with 12VDC door opener

Dimensions:

### Nexa Inox

Kit for 1 apartment (1 module height)

External: 134(W) x 150(H) mm.

Embedding: 125(W) x 140(H) x 56(D) mm.

### Nexa Aluminium

Kits for 1 and 2 apartments (1 module height)

External: 128(W) x 153(H) mm.

Embedding: 99(W) x 133(H) x 56(D) mm.

Kits from 3 to 12 apartments (2 modules height)

External: 128(W) x 256(H) mm.

Embedding: 99(W) x 238(H) x 56(D) mm.

Kits from 14 to 22 apartments (3 modules height)

External: 128(W) x 358(H) mm.

Embedding: 99(W) x 328(H) x 56(D) mm.



## ART Monitors

Housing made of polished ABS plastic in white or black (only ● models)

Acrylic front panel with 4.3" or 7" widescreen display

Illuminated capacitive push-buttons with acoustic push confirmation

Hands-free communication

Touchscreen on Art 7W/G2+ model

Preview of all panels in the system


Selectable ringtones and do not disturb function with light indication

Output for auxiliary call repeater and input for door bell apartment push-button


Activation of auxiliary devices

Communication with other apartment units of the system

Optionally:

 Integrated Wi-Fi module for call forwarding to mobile phones via free G2Call+ app

 Support for Alexa and Google Home devices

 Internal memory for recording up to 100 images and video on microSD card (not included)

 Induction loop amplifier for hearing aid devices

Dimensions with wall bracket:

Art 4: 110(W) x 155(H) x 23(D) mm.

Art 7: 220(W) x 155(H) x 23(D) mm.



Art 4

Art 7





### NX5110/ART 7W

12205119

Kit for 1 apartment with Wi-Fi and image memory

- 11280610 Nexa Inox 1 push-button door panel
- CE610 embedding box
- 12210710 ART 7W/G2+ 7" hands-free monitor
- 12240100 FA-G2+ power supply

— G2CALL+

# Mobile phone app to connect with your home

Answer calls at your front door, view images from the outdoor panel or surveillance cameras, and even open the door to have a delivery left for you in your absence. **Share all these functions with others easily.**







**N5110/ART 4 XLITE**

12205112

Kit for 1 apartment

- Nexa Aluminium 1 push-button door panel
- 11880902A NCEV-90CS embedding box
- 12210436 ART 4 XLITE/G2+ 4.3" hands-free monitor
- 12240141 FA-G2+/LITE power supply



**N5220/ART 4 XLITE**

12205222

Kit for 2 apartments

- Nexa Aluminium 2 push-buttons door panel
- 11880902A NCEV-90CS embedding box
- 12210436 x2 ART 4 XLITE/G2+ 4.3" hands-free monitor
- 12240141 FA-G2+/LITE power supply



**N5110/ART 4W LITE**

12205111

Kit for 1 apartment with Wi-Fi

- Nexa Aluminium 1 push-button door panel
- 11880902A NCEV-90CS embedding box
- 12210445 ART 4W LITE/G2+ 4.3" hands-free monitor
- 12240141 FA-G2+/LITE power supply



**N5220/ART 4W LITE**

12205221

Kit for 2 apartments with Wi-Fi

- Nexa Aluminium 2 push-buttons door panel
- 11880902A NCEV-90CS embedding box
- 12210445 x2 ART 4W LITE/G2+ 4.3" hands-free monitor
- 12240141 FA-G2+/LITE power supply



**N5110/ART 7 LITE**

12205117

Kit for 1 apartment

- Nexa Aluminium 1 push-button door panel
- 11880902A NCEV-90CS embedding box
- 12210705 ART 7 LITE/G2+ 7" hands-free monitor
- 12240100 FA-G2+ power supply



**N5220/ART 7 LITE**

12205227

Kit for 2 apartments

- Nexa Aluminium 2 push-buttons door panel
- 11880902A NCEV-90CS embedding box
- 12210705 x2 ART 7 LITE/G2+ 7" hands-free monitor
- 12240100 FA-G2+ power supply

**N5204/ART 4 XLITE**

12415204

Kit for 4 apartments

- Nexa Aluminium 4 push-button door panel
- 11880900 NCEV-90C embedding box
- 12210436 x4 ART 4 XLITE/G2+ 4.3" hands-free monitor
- 12240100 FA-G2+ power supply
- 12258940A x1 D4L-G2+ video distributor



**N5206/ART 4 XLITE**

12415206

Kit for 6 apartments

- Nexa Aluminium 6 push-button door panel
- 11880900 NCEV-90C embedding box
- 12210436 x6 ART 4 XLITE/G2+ 4.3" hands-free monitor
- 12240100 FA-G2+ power supply
- 12258940A x2 D4L-G2+ video distributors



**N5208/ART 4 XLITE**

12415208

Kit for 8 apartments

- Nexa Aluminium 8 push-button door panel
- 11880900 NCEV-90C embedding box
- 12210436 x8 ART 4 XLITE/G2+ 4.3" hands-free monitor
- 12240100 FA-G2+ power supply
- 12258940A x2 D4L-G2+ video distributors



**N5210/ART 4 XLITE**

12415210

Kit for 10 apartments

- Nexa Aluminium 10 push-button door panel
- 11880900 NCEV-90C embedding box
- 12210436 x10 ART 4 XLITE/G2+ 4.3" hands-free monitor
- 12240100 FA-G2+ power supply
- 12258940A x3 D4L-G2+ video distributors



**N5212/ART 4 XLITE**

12415212

Kit for 12 apartments

- Nexa Aluminium 12 push-button door panel
- 11880900 NCEV-90C embedding box
- 12210436 x12 ART 4 XLITE/G2+ 4.3" hands-free monitor
- 12240100 FA-G2+ power supply
- 12258940A x3 D4L-G2+ video distributors



**N5214/ART 4 XLITE**

12415214

Kit for 14 apartments

- Nexa Aluminium 14 push-button door panel
- 11259906 CEV-90 embedding box
- 12210436 x14 ART 4 XLITE/G2+ 4.3" hands-free monitor
- 12240100 FA-G2+ power supply
- 12258940A x4 D4L-G2+ video distributors



**N5216/ART 4 XLITE**

12415216

Kit for 16 apartments

- Nexa Aluminium 16 push-button door panel
- 11259906 CEV-90 embedding box
- 12210436 x16 ART 4 XLITE/G2+ 4.3" hands-free monitor
- 12240100 FA-G2+ power supply
- 12258940A x4 D4L-G2+ video distributors



**N5218/ART 4 XLITE**

12415218

Kit for 18 apartments

- Nexa Aluminium 18 push-button door panel
- 11259906 CEV-90 embedding box
- 12210436 x18 ART 4 XLITE/G2+ 4.3" hands-free monitor
- 12240100 FA-G2+ power supply
- 12258940A x5 D4L-G2+ video distributors





**N5221/ART 4 XLITE**

12415220

Kit for 20 apartments

	Nexa Aluminium 20 push-buttons door panel
11259906	CEV-90 embedding box
12210436	x20 ART 4 XLITE/G2+ 4.3" hands-free monitor
12240100	FA-G2+ power supply
12258940A	x5 D4L-G2+ video distributors



**N5222/ART 4 XLITE**

12415222

Kit for 22 apartments

	Nexa Aluminium 22 push-buttons door panel
11259906	CEV-90 embedding box
12210436	x22 ART 4 XLITE/G2+ 4.3" hands-free monitor
12240100	FA-G2+ power supply
12258940A	x6 D4L-G2+ video distributors



**NEXA DOOR PANEL ACCESSORIES**

RAINSHIELDS



INOX	<b>NX71I</b>	11881711C	1 module	138(W) x 152(H) x 40(D) mm
	<b>N71I/AL</b>	11880711	1 module	134(W) x 156(H) x 40(D) mm
ALUMINIUM	<b>N72I/AL</b>	11880721	2 modules	134(W) x 259(H) x 40(D) mm
	<b>N73I/AL</b>	11880731	3 modules	134(W) x 361(H) x 40(D) mm

SURFACE BOXES



ALUMINIUM	<b>N81I/AL</b>	11880811	1 module	134(W) x 156(H) x 43(D) mm
	<b>N82I/AL</b>	11880821	2 modules	134(W) x 259(H) x 43(D) mm
	<b>N83I/AL</b>	11880831	3 modules	134(W) x 361(H) x 43(D) mm

SURFACE BOXES WITH INTEGRATED RAINSHIELD

	INOX	<b>NX871</b>	11881871C	1 module	138(W) x 154(H) x 80(D) mm
	ALUMINIUM	<b>N871/AL</b>	11880871	1 module	134(W) x 156(H) x 80(D) mm
		<b>N872/AL</b>	11880872	2 modules	134(W) x 259(H) x 80(D) mm
		<b>N873/AL</b>	11880873	3 modules	134(W) x 361(H) x 80(D) mm

45° SURFACE BOXES

	INOX	<b>NX911</b>	11881911	1 module	150(W) x 156(H) x 66(D) mm
	ALUMINIUM	<b>N911/AL</b>	11280912	1 module	128(W) x 152(H) x 128(D) mm
		<b>N921/AL</b>	11280913	2 modules	128(W) x 254(H) x 128(D) mm
		<b>N931/AL</b>	11280914	3 modules	128(W) x 357(H) x 128(D) mm

REPLACEMENT FRAMES

	INOX	<b>NX611/ROCK</b>	11792077	1 module	145(W) x 161(H) x 10(D) mm
	ALUMINIUM	<b>N611/AL</b>	11880620	1 module	200(W) x 278(H) mm
		<b>N611/AL-C</b>	11880624	1 module	150(W) x 230(H) mm
		<b>N621/AL</b>	11880621	2 modules	200(W) x 430(H) mm
		<b>N621/AL-C</b>	11880623	2 modules	150(W) x 330(H) mm
		<b>N631/AL</b>	11890631	3 modules	200(W) x 512(H) mm
		<b>N631/AL-C</b>	11890633	3 modules	150(W) x 430(H) mm

AUDIO INTERCOM KITS

# SOUL

Surface door panel





### SOUL Door panel

- Zamak alloy front, in graphite colour
- Metallic call push-button
- Relay outputs for activation of two doors
- For use with 12VDC electric lock release
- Surface mounted with rainshield included
- Dimensions: 90(W) x 170(H) x 27(D) mm.



### T-ART telephone and ART 1 hands-free indoor unit


- Housing made of white polished ABS plastic
- Detachable handset telephone cord via connectors (T-Art)
- Capacitive push-buttons (illuminated on Art 1) with acoustic confirmation
- Selectable ringtones and do not disturb function with light indication
- Output for auxiliary call repeater
- Activation of auxiliary devices and input for door bell apartment push-button
- Dimensions with wall bracket:

T-Art: 86(W) x 154(H) x 31(D) mm.

Art 1: 90(W) x 138(H) x 23(D) mm.

<b>S4110/T-ART</b>	<b>S4110/ART 1</b>
12204110	12204115
Kit for 1 apartment	Kit for 1 apartment
12234401 <b>SOUL/1A</b> 1 push-button door panel with rainshield	12234401 <b>SOUL/1A</b> 1 push-button door panel with rainshield
12210100 T-ART/G2+ telephone	12210140 ART 1/G2+ hands-free indoor unit
12240141 FA-G2+/LITE power supply	12240141 FA-G2+/LITE power supply

**SOUL DOOR PANEL ACCESSORY**



**MAC-SOUL**  
12285611  
Replacement frame  
160(W) x 260(H) x 3(D) mm

AUDIO INTERCOM KITS

# ROCK

Vandal-proof embedded door panel





### ROCK Door panel

Curved 2.5 mm thickness injected aluminium front panel, graphite colour

Vandal resistance rating IK09 and weatherproof IP44

4 mm thick polycarbonate information card holder

Double partition sound grille to prevent access by sharp objects

Stainless steel call push-buttons

Electronic call with acoustic indication on the panel for call in progress

Use with 12Vac electric lock release

Dimensions:

External: 144(W) x 144(H) mm.

Embedding: 131(W) x 131(H) x 45(D) mm.

### TEKNA Telephone

Housing made of white polished ABS plastic

Detachable handset telephone cord via connectors

Electronic call

Mechanical push-button for door opening

Dimensions: 85(W) x 221(H) x 56(D) mm.



#### K-201 GRF

11242014B

Kit for 1 apartment

11229511A PE-295/1 GRF 1 push-button door panel

11290290 M embedding box

11205500P Tekna T-500 telephone

20691040 TF-104 transformer

#### K6-201 GRF

11242016B

Pack of 6 kits K-201 GRF



#### K-202 GRF

11242024B

Kit for 2 apartments

11229512A PE-295/2 GRF 2 push-buttons door panel

11290290 M embedding box

11205500P x2 Tekna T-500 telephones

20691040 TF-104 transformer

### ROCK DOOR PANEL ACCESSORIES



#### VIS-295/GRF

11290499A  
Rainshield  
152(W) x 144(H) x 58(D) mm



#### MP/GRF

11229509A  
Surface box  
144(W) x 144(H) x 45(D) mm



#### MP-VIS/GRF

11290496A  
Surface box with rainshield  
157(W) x 153(H) x 36 a 74(D) mm



#### MAC-295/P

11295611  
Replacement frame  
200(W) x 200(H) x 3(D) mm



#### MAC-295/G

11295615  
Replacement frame  
200(W) x 300(H) x 3(D) mm



AUDIO INTERCOM KITS

# NEXA

Modular embedded door panel





### NEXA ALUMINIUM Door panel

Front made of 1.8 mm thick anodised aluminium

Illuminated indicators and voice messages for the different system statuses

Illuminated call button with stainless steel coating

Relay outputs for activation of two doors

For use with 12VDC door opener

Dimensions:

Kits for 1 and 2 apartments (1 module height)

External: 128(W) x 153(H) mm.

Embedding: 99(W) x 133(H) x 56(D) mm.

Kits from 3 to 12 apartments (2 modules height)

External: 128(W) x 256(H) mm.

Embedding: 99(W) x 238(H) x 56(D) mm.

Kits from 14 to 22 apartments (3 modules height)

External: 128(W) x 358(H) mm.

Embedding: 99(W) x 328(H) x 56(D) mm.



### T-ART Telephone

Housing made of white polished ABS plastic

Detachable handset telephone cord via connectors

Capacitive push-buttons with acoustic confirmation

Selectable ringtones and do not disturb function with light indication

Output for auxiliary call repeater

Activation of auxiliary devices and input for door bell apartment push-button

Dimensions with wall bracket: 86(W) x 154(H) x 31(D) mm.

**N4101/T-ART**

12404101

Kit for 1 apartment

- Nexa Aluminium 1 push-button
- 11880902A NCEV-90C embedding boxS embedding box
- 12210100 T-ART/G2+ telephone
- 12240100 FA-G2+ power supply



**N4202/T-ART**

12404202

Kit for 2 apartments

- Nexa Aluminium 2 push-buttons door panel
- 11880902A NCEV-90C embedding boxS embedding box
- 12210100 x2 T-ART/G2+ telephones
- 12240100 FA-G2+ power supply



**N4204/T-ART**

12404204

Kit for 4 apartments

- Nexa Aluminium 4 push-buttons door panel
- 11880900 NCEV-90C embedding box
- 12210100 x4 T-ART/G2+ telephones
- 12240100 FA-G2+ power supply



**N4206/T-ART**

12404206

Kit for 6 apartments

- Nexa Aluminium 6 push-buttons door panel
- 11880900 NCEV-90C embedding box
- 12210100 x6 T-ART/G2+ telephones
- 12240100 FA-G2+ power supply





**N4208/T-ART**

12404208

Kit for 8 apartments

- Nexa Aluminium 8 push-buttons door panel
- 11880900 NCEV-90C embedding box
- 12210100 x8 T-ART/G2+ telephones
- 12240100 FA-G2+ power supply



**N4210/T-ART**

12404210

Kit for 10 apartments

- Nexa Aluminium 10 push-buttons door panel
- 11880900 NCEV-90C embedding box
- 12210100 x10 T-ART/G2+ telephones
- 12240100 FA-G2+ power supply



**N4212/T-ART**

12404212

Kit for 12 apartments

- Nexa Aluminium 12 push-buttons door panel
- 11880900 NCEV-90C embedding box
- 12210100 x12 T-ART/G2+ telephones
- 12240100 FA-G2+ power supply



**N4214/T-ART**

12404214

Kit for 14 apartments

- Nexa Aluminium 14 push-buttons door panel
- 11259906 CEV-90 embedding box
- 12210100 x14 T-ART/G2+ telephones
- 12240100 FA-G2+ power supply



**N4216/T-ART**

12404216

Kit for 16 apartments

- Nexa Aluminium 16 push-buttons door panel
- 11259906 CEV-90 embedding box
- 12210100 x16 T-ART/G2+ telephones
- 12240100 FA-G2+ power supply



**N4218/T-ART**

12404218

Kit for 18 apartments

- Nexa Aluminium 18 push-buttons door panel
- 11259906 CEV-90 embedding box
- 12210100 x18 T-ART/G2+ telephones
- 12240100 FA-G2+ power supply



**N4220/T-ART**

12404220

Kit for 20 apartments

- Nexa Aluminium 20 push-buttons door panel
- 11259906 CEV-90 embedding box
- 12210100 x20 T-ART/G2+ telephones
- 12240100 FA-G2+ power supply



**N4222/T-ART**

12404222

Kit for 22 apartments

- Nexa Aluminium 22 push-buttons door panel
- 11259906 CEV-90 embedding box
- 12210100 x22 T-ART/G2+ telephones
- 12240100 FA-G2+ power supply




## NEXA DOOR PANEL ACCESSORIES

## RAINSHIELDS

	<b>N711/AL</b>	11880711	1 module	134(W) x 156(H) x 40(D) mm
	<b>N721/AL</b>	11880721	2 modules	134(W) x 259(H) x 40(D) mm
	<b>N731/AL</b>	11880731	3 modules	134(W) x 361(H) x 40(D) mm

## SURFACE BOXES

	<b>N811/AL</b>	11880811	1 module	134(W) x 156(H) x 43(D) mm
	<b>N821/AL</b>	11880821	2 modules	134(W) x 259(H) x 43(D) mm
	<b>N831/AL</b>	11880831	3 modules	134(W) x 361(H) x 43(D) mm


## SURFACE BOXES WITH INTEGRATED RAINSHIELD

	<b>N871/AL</b>	11880871	1 module	134(W) x 156(H) x 80(D) mm
	<b>N872/AL</b>	11880872	2 modules	134(W) x 259(H) x 80(D) mm
	<b>N873/AL</b>	11880873	3 modules	134(W) x 361(H) x 80(D) mm

## 45° SURFACE BOXES

	<b>N911/AL</b>	11280912	1 module	128(W) x 152(H) x 128(D) mm
	<b>N921/AL</b>	11280913	2 modules	128(W) x 254(H) x 128(D) mm
	<b>N931/AL</b>	11280914	3 modules	128(W) x 357(H) x 128(D) mm

## REPLACEMENT FRAMES

	<b>N611/AL</b>	11880620	1 module	200(W) x 278(H) mm
	<b>N611/AL-C</b>	11880624	1 module	150(W) x 230(H) mm
	<b>N621/AL</b>	11880621	2 modules	200(W) x 430(H) mm
	<b>N621/AL-C</b>	11880623	2 modules	150(W) x 330(H) mm
	<b>N631/AL</b>	11890631	3 modules	200(W) x 512(H) mm
	<b>N631/AL-C</b>	11890633	3 modules	150(W) x 430(H) mm



AUDIO INTERCOM KITS

# STADIO

Compact embedded door panel





### STADIO Door panel

Front panel of 1.8 mm thick sandblasted aluminium

Stainless steel call push-buttons

Electronic call with acoustic indication on the panel for call in progress

Use with 12Vac electric lock release

Dimensions:

#### Kits for 1 and 2 apartments

External: 134(W) x 148(H) mm.

Embedding: 125(W) x 140(H) x 56(D) mm.

#### Kits from 3 to 10 apartments

External: 134(W) x 228(H) mm.

Embedding: 125(W) x 220(H) x 56(D) mm.



### TEKNA Telephone

Housing made of white polished ABS plastic

Detachable handset telephone cord via connectors

Electronic call

Mechanical push-button for door opening

Dimensions: 85(W) x 221(H) x 56(D) mm.



**4110/AL**

11284110B

Kit for 1 apartment

Stadio 1 push-button door panel

- 11280610 CE610 embedding box
- 11205500P Tekna T-500 telephone
- 20691040 TF-104 transformer



**4220/AL**

11284220B

Kit for 2 apartments

Stadio 2 push-buttons door panel

- 11280610 CE610 embedding box
- 11205500P x2 Tekna T-500 telephones
- 20691040 TF-104 transformer



**4130/AL**

11284130B

Kit for 3 apartments

Stadio 3 push-buttons door panel

- 11280615 CE615 embedding box
- 11205500P x3 Tekna T-500 telephones
- 20691040 TF-104 transformer



**4140/AL**

11284140B

Kit for 4 apartments

Stadio 4 push-buttons door panel

- 11280615 CE615 embedding box
- 11205500P x4 Tekna T-500 telephones
- 20691040 TF-104 transformer



**4150/AL**

11284150B

Kit for 5 apartments

Stadio 5 push-buttons door panel

- 11280615 CE615 embedding box
- 11205500P x5 Tekna T-500 telephones
- 20691040 TF-104 transformer



**4260/AL**

11284260B

Kit for 6 apartments

Stadio 6 push-buttons door panel

- 11280615 CE615 embedding box
- 11205500P x6 Tekna T-500 telephones
- 20691040 TF-104 transformer





**4280/AL**

11284280B

Kit for 8 apartments

Stadio 8 push-buttons door panel

11280615 CE615 embedding box

11205500P x8 Tekna T-500 telephones

20691040 TF-104 transformer



**4210/AL**

11284210B

Kit for 6 apartments

Stadio 10 push-buttons door panel


11280615 CE615 embedding box

11205500P x10 Tekna T-500 telephones


20691040 TF-104 transformer

STADIO DOOR PANEL ACCESSORIES

RAINSHIELDS

	<b>711/AL</b>	11280711	Compact small	150(W) x 160(H) x 45(D) mm
	<b>705/AL</b>	11280705	Compact large	150(W) x 240(H) x 45(D) mm

SURFACE BOXES

	<b>881/AL</b>	11280881	Compact small	134(W) x 148(H) x 32(D) mm
	<b>885/AL</b>	11280885	Compact large	134(W) x 240(H) x 32(D) mm

SURFACE BOXES WITH INTEGRATED RAINSHIELD

	<b>871/AL</b>	11280871	Compact small	150(W) x 160(H) x 68(D) mm
	<b>875/AL</b>	11280875	Compact large	150(W) x 240(H) x 68(D) mm

REPLACEMENT FRAMES






	<b>611/AL</b>	11280611	Compact small	200(W) x 278(H) x 2(D) mm
	<b>605/AL</b>	11280605	Compact large	200(W) x 430(H) x 2(D) mm

# Indoor units



Non-polarised 2-wire installation









## 4.3" MONITORS

	<b>ART 4 XLITE/G2+</b>	12210436	110(W) x 155(H) x 23(D) mm*	
	<b>ART 4/G2+</b>	12210430		
	<b>ART 4B LITE/G2+</b>	12210435B		
	<b>ART 4W LITE/G2+</b>	12210445		 

## 4.3" MONITOR WITH HANDSET

	<b>ART 4TH LITE/G2+</b>	12210400	150(W) x 155(H) x 35(D) mm*	
--	-------------------------	----------	-----------------------------	---

## 7" MONITORS

	<b>ART 7 LITE/G2+</b>	12210705	220(W) x 155(H) x 23(D) mm*	
	<b>ART 7B LITE/G2+</b>	12210705B		
	<b>ART 7H/G2+</b>	12210702		 
	<b>ART 7W/G2+</b>	12210710		 

## AUDIO INDOOR UNITS

	<b>ART 1/G2+</b>	12210140	90(W) x 138(H) x 23(D) mm*
	<b>T-ART/G2+</b>	12210100	86(W) x 154(H) x 31(D) mm*

\*Dimensions with wall bracket



## TELEPHONES

	<b>T-500</b>	11205500P	85(W) x 221(H) x 56(D) mm
	<b>T-510R</b>	11205510P	85(W) x 221(H) x 56(D) mm

## INDOOR UNITS ACCESSORIES



	<b>MAC-M2</b>	12260220	Replacement frame For ART monitors* 230(W) x 230(H) mm
	<b>MAC-ART</b>	12260100	Replacement frame For ART telephones* 110(W) x 225(H) x 6(D) mm
	<b>MAC-500</b>	11298500	Replacement frame For Tekna serie 500 telephones 110(W) x 265(H) mm
	<b>SAV-12</b>	12480260	Auxiliary call repeater. G2+ technology 58(W) x 61(H) x 25(D) mm
	<b>S-8</b>	11290080	Auxiliary call repeater. 4+N technology 82(W) x 82(H) x 42(D) mm

\*See other frames on our website





# Door lock releases






## AC LOCK RELEASES

	<b>CV-14</b>	20600140	<b>Normal</b> lock release with medium size shield
	<b>CV-24</b>	20600240	<b>Automatic</b> lock release with medium size shield

## DC LOCK RELEASES

	<b>CV-14/DC</b>	20600149	<b>Normal</b> lock release with medium size shield
	<b>CV-24/DC</b>	20600249	<b>Automatic</b> lock release with medium size shield


## AC/DC UNIVERSAL LOCK RELEASES

	<b>CV-14P/UNI</b>	20600154	<b>Normal</b> lock release with medium size stainless steel shield Reduced size mechanism
	<b>CV-14P/UNI/SF</b>	20600155	<b>Normal</b> lock release without shield Reduced size mechanism
	<b>CV-24P/UNI</b>	20600252	<b>Automatic</b> lock release with medium size stainless steel shield Reduced size mechanism
	<b>CV-24P/UNI/SF</b>	20600253	<b>Automatic</b> lock release without shield Reduced size mechanism
	<b>ESCUDO GC CORTO</b>	20690051	Short shield for lock release

# Residential Wi-Fi cameras



**CIP-002G2C**  
31693000









- Compatible with G2Call+ App
- 1/2.9" CMOS sensor with 1080p resolution
- 3.6mm fixed optics
- 102° horizontal viewing angle
- Infrared illumination with 20m range
- Two-way audio
- Micro SD card slot (max. 128Gb)
- 2.4GHz Wi-Fi connectivity
- IP65 protection rating
- ONVIF compatibility
- 12Vdc power supply included
- Dimensions: 65(Ø) x 190(D) mm

**CIP-004G2C**  
31693001



- Compatible with G2Call+ App
- 1/3.2" CMOS sensor with 1080p resolution
- 3.6mm fixed optics
- 102° horizontal viewing angle
- Infrared illumination with 5m range
- Two-way audio
- Micro SD card slot (max. 128Gb)
- 2.4GHz Wi-Fi connectivity
- For indoor use
- ONVIF compatibility
- 5Vdc power supply included
- Dimensions: 82(Ø) x 115(H) mm



	REFERENCE	CODE	NO. APARTMENTS	PAGE
 90 x 170 x 27 mm	<b>S5110/ART 4 XLITE</b>	12205115	1	<b>6</b>
	<b>S5110/ART 4B</b>	12205114B	1	<b>6</b>
	<b>S5110/ART 4W LITE</b>	12205114W	1	<b>6</b>
	<b>S5110/ART 7 LITE</b>	12205120	1	<b>6</b>
	<b>S5110/ART 7H</b>	12205116H	1	<b>6</b>
	<b>S5110/ART 7W</b>	12205118	1	<b>6</b>
	 87 x 188 x 30 mm	<b>S5110 ACCESS/ART 4</b>	12205140	1
<b>S5110 ACCESS/ART 4WH</b>		12205145	1	<b>10</b>
<b>S5110 ACCESS/ART 7H</b>		12205170	1	<b>10</b>
<b>S5110 ACCESS/ART 7W</b>		12205175	1	<b>10</b>
 134 x 150 mm	<b>NX5110/ART 7W</b>	12205119	1	<b>14</b>
 128 x 153 mm	<b>N5110/ART 4 XLITE</b>	12205112	1	<b>15</b>
	<b>N5110/ART 7 LITE</b>	12205117	1	<b>15</b>
	<b>N5110/ART 4W LITE</b>	12205111	1	<b>15</b>
	<b>N5220/ART 7 LITE</b>	12205227	2	<b>15</b>
	<b>N5220/ART 4W LITE</b>	12205221	2	<b>15</b>
	<b>N5220/ART 4 XLITE</b>	12205222	2	<b>15</b>
 128 x 256 mm	<b>N5204/ART 4 XLITE</b>	12415204	4	<b>16</b>
	<b>N5206/ART 4 XLITE</b>	12415206	6	<b>16</b>
	<b>N5208/ART 4 XLITE</b>	12415208	8	<b>16</b>
	<b>N5210/ART 4 XLITE</b>	12415210	10	<b>16</b>
	<b>N5212/ART 4 XLITE</b>	12415212	12	<b>17</b>
	<b>N5214/ART 4 XLITE</b>	12415214	14	<b>17</b>
 128 x 358 mm	<b>N5216/ART 4 XLITE</b>	12415216	16	<b>17</b>
	<b>N5218/ART 4 XLITE</b>	12415218	18	<b>17</b>
	<b>N5221/ART 4 XLITE</b>	12415220	20	<b>18</b>
	<b>N5222/ART 4 XLITE</b>	12415222	22	<b>18</b>

**Available in all kits**

- Input for CCTV camera
- Connection to a second door opener
- Intercommunication between indoor units in the same house
- Call volume regulator with "do not disturb" function



DOOR PANELS







HANDS-FREE INDOOR UNITS

MOUNTING	MATERIAL	ACCESS CONTROL	STATUS INDICATORS	SCREEN SIZE	WI-FI	IMAGE MEMORY	INDUCTIVE LOOP	ALEXA AND GOOGLE HOME	DIMENSIONS (W x H x D)
SURFACE	ZAMAK		TONES/LED	4.3"					110 x 155 x 23 mm
SURFACE	ZAMAK	● PROXIMITY	TONES/LED	4.3"					110 x 155 x 23 mm
SURFACE	ZAMAK		TONES/LED	4.3"	●			●	110 x 155 x 23 mm
SURFACE	ZAMAK		TONES/LED	7"					220 x 155 x 23 mm
SURFACE	ZAMAK	● PROXIMITY	TONES/LED	7"		●	●		220 x 155 x 23 mm
SURFACE	ZAMAK	● PROXIMITY	TONES/LED	7"	●	●			220 x 155 x 23 mm
SURFACE	ZAMAK	● KEYPAD	TONES/LED	4.3"		●			110 x 155 x 23 mm
SURFACE	ZAMAK	● KEYPAD	TONES/LED	4.3"	●	●	●	●	110 x 155 x 23 mm
SURFACE	ZAMAK	● KEYPAD	TONES/LED	7"		●	●		220 x 155 x 23 mm
SURFACE	ZAMAK	● KEYPAD	TONES/LED	7"	●	●			220 x 155 x 23 mm
EMBEDDED	STAINLESS STEEL		TONES/LED/VOCALS	7"	●	●			220 x 155 x 23 mm
EMBEDDED	ALUMINIUM		TONES/LED/VOCALS	4.3"					110 x 155 x 23 mm
EMBEDDED	ALUMINIUM		TONES/LED/VOCALS	7"					220 x 155 x 23 mm
EMBEDDED	ALUMINIUM		TONES/LED/VOCALS	4.3"	●			●	110 x 155 x 23 mm
EMBEDDED	ALUMINIUM		TONES/LED/VOCALS	7"					220 x 155 x 23 mm
EMBEDDED	ALUMINIUM		TONES/LED/VOCALS	4.3"	●			●	110 x 155 x 23 mm
EMBEDDED	ALUMINIUM		TONES/LED/VOCALS	4.3"					110 x 155 x 23 mm
EMBEDDED	ALUMINIUM		TONES/LED/VOCALS	4.3"					110 x 155 x 23 mm
EMBEDDED	ALUMINIUM		TONES/LED/VOCALS	4.3"					110 x 155 x 23 mm
EMBEDDED	ALUMINIUM		TONES/LED/VOCALS	4.3"					110 x 155 x 23 mm
EMBEDDED	ALUMINIUM		TONES/LED/VOCALS	4.3"					110 x 155 x 23 mm
EMBEDDED	ALUMINIUM		TONES/LED/VOCALS	4.3"					110 x 155 x 23 mm
EMBEDDED	ALUMINIUM		TONES/LED/VOCALS	4.3"					110 x 155 x 23 mm
EMBEDDED	ALUMINIUM		TONES/LED/VOCALS	4.3"					110 x 155 x 23 mm
EMBEDDED	ALUMINIUM		TONES/LED/VOCALS	4.3"					110 x 155 x 23 mm
EMBEDDED	ALUMINIUM		TONES/LED/VOCALS	4.3"					110 x 155 x 23 mm
EMBEDDED	ALUMINIUM		TONES/LED/VOCALS	4.3"					110 x 155 x 23 mm
EMBEDDED	ALUMINIUM		TONES/LED/VOCALS	4.3"					110 x 155 x 23 mm
EMBEDDED	ALUMINIUM		TONES/LED/VOCALS	4.3"					110 x 155 x 23 mm
EMBEDDED	ALUMINIUM		TONES/LED/VOCALS	4.3"					110 x 155 x 23 mm

**Additions**

- Door panels: +3 (may require additional accessories. Consult)
- Indoor units: +3 per apartment (without additional power supply. Consult)

DOOR PANELS


	REFERENCE	CODE	INSTALLATION	NO. APARTMENTS	PAGE	MOUNTING	SECOND DOOR OPENER	ADDITIONAL PANELS
 90 x 170 x 27 mm	S4110/T-ART	12204110	2 wires	1	21	SURFACE	●	+1 <sup>1</sup>
	S4110/ART 1	12204115	2 wires	1	21	SURFACE	●	+1 <sup>1</sup>
 144 x 144 mm	K-201 GRF	11242014B	4 + N	1	23	EMBEDDED		
	K-202 GRF	11242024B	4 + N	2	23	EMBEDDED		
	K6-201 GRF	11242016B	4 + N	6 x 1	23	EMBEDDED		
 128 x 153 mm	N4101/T-ART	12404101	2 wires	1	26	EMBEDDED	●	+3 <sup>1</sup>
	N4202/T-ART	12404202	2 wires	2	26	EMBEDDED	●	+3 <sup>1</sup>
 128 x 256 mm	N4204/T-ART	12404204	2 wires	4	26	EMBEDDED	●	+3 <sup>1</sup>
	N4206/T-ART	12404206	2 wires	6	26	EMBEDDED	●	+3 <sup>1</sup>
	N4208/T-ART	12404208	2 wires	8	27	EMBEDDED	●	+3 <sup>1</sup>
	N4210/T-ART	12404210	2 wires	10	27	EMBEDDED	●	+3 <sup>1</sup>
	N4212/T-ART	12404212	2 wires	12	27	EMBEDDED	●	+3 <sup>1</sup>
	N4214/T-ART	12404214	2 wires	14	27	EMBEDDED	●	+3 <sup>1</sup>
	N4216/T-ART	12404216	2 wires	16	28	EMBEDDED	●	+3 <sup>1</sup>
 128 x 358 mm	N4218/T-ART	12404218	2 wires	18	28	EMBEDDED	●	+3 <sup>1</sup>
	N4220/T-ART	12404220	2 wires	20	28	EMBEDDED	●	+3 <sup>1</sup>
	N4222/T-ART	12404222	2 wires	22	28	EMBEDDED	●	+3 <sup>1</sup>
	4110/AL	11284110B	4 + N	1	32	EMBEDDED		
	4220/AL	11284220B	4 + N	2	32	EMBEDDED		
 134 x 228 mm	4130/AL	11284130B	4 + N	3	32	EMBEDDED		
	4140/AL	11284140B	4 + N	4	32	EMBEDDED		
	4150/AL	11284150B	4 + N	5	32	EMBEDDED		
	4260/AL	11284260B	4 + N	6	32	EMBEDDED		
	4280/AL	11284280B	4 + N	8	33	EMBEDDED		
	4210/AL	11284210B	4 + N	10	33	EMBEDDED		

## INDOOR UNITS

CONVERSATION	INTERCOM BETWEEN UNITS	VOLUME ADJUSTER	ADDITIONAL UNITS	DIMENSIONS (W x H x D)
HANDSET	●	●	+3 <sup>2</sup>	86 x 154 x 31 mm
HANDS-FREE	●	●	+3 <sup>2</sup>	90 x 138 x 23 mm
HANDSET			+2 <sup>2</sup>	85 x 221 x 56 mm
HANDSET			+2 <sup>2</sup>	85 x 221 x 56 mm
HANDSET			+2 <sup>2</sup>	85 x 221 x 56 mm
HANDSET	●	●	+3 <sup>2</sup>	86 x 154 x 31 mm
HANDSET	●	●	+3 <sup>2</sup>	86 x 154 x 31 mm
HANDSET	●	●	+3 <sup>2</sup>	86 x 154 x 31 mm
HANDSET	●	●	+3 <sup>2</sup>	86 x 154 x 31 mm
HANDSET	●	●	+3 <sup>2</sup>	86 x 154 x 31 mm
HANDSET	●	●	+3 <sup>2</sup>	86 x 154 x 31 mm
HANDSET	●	●	+3 <sup>2</sup>	86 x 154 x 31 mm
HANDSET	●	●	+3 <sup>2</sup>	86 x 154 x 31 mm
HANDSET	●	●	+3 <sup>2</sup>	86 x 154 x 31 mm
HANDSET	●	●	+3 <sup>2</sup>	86 x 154 x 31 mm
HANDSET			+2 <sup>2</sup>	85 x 221 x 56 mm
HANDSET			+2 <sup>2</sup>	85 x 221 x 56 mm
HANDSET			+2 <sup>2</sup>	85 x 221 x 56 mm
HANDSET			+2 <sup>2</sup>	85 x 221 x 56 mm
HANDSET			+2 <sup>2</sup>	85 x 221 x 56 mm
HANDSET			+2 <sup>2</sup>	85 x 221 x 56 mm
HANDSET			+2 <sup>2</sup>	85 x 221 x 56 mm
HANDSET			+2 <sup>2</sup>	85 x 221 x 56 mm

<sup>1</sup> Additional accessories may be required. Consult

<sup>2</sup> Without additional power supply





## ACCESS CONTROL KITS

# NEXA

### Modular embedded door panel

#### NUMERIC KEYPAD

Front panel made of 1.8 mm thick anodised aluminium

Backlit keypad in white colour with stainless steel coated push-buttons

Remote activation inputs can be deactivated by programmable code

Programmable activation time (1 to 99 seconds) and output mode (pulse or steady)

1.000 codes of 4, 5 or 6 digits. Each code can be programmed to activate a combination of outputs

Possibility to change user codes and special codes without accessing programming mode

Programmable access control locking for a period of time after entering several consecutive wrong codes

Relay outputs for activation of two doors and 12Vdc. panic output

Tamper alarm

Dimensions:

External: 128(W) x 153(H) mm.

Embedding: 99(W) x 133(H) x 56(D) mm.



#### PROXIMITY READER NFC

Front panel made of 1.8 mm thick anodised aluminium

Light and acoustic function indicators

Programmable activation time (3 to 99 seconds)

Up to 2.000 user cards, stored in up to 32 user groups

Possibility of opening from an Android® phone with NFC technology using the OpenGo application

Three types of user card, depending on the number of uses: permanent until deactivation, rechargeable for one use and programmable for multiple uses

Relay outputs for activation of two doors

Panic output 12Vdc.

Module tamper alarm

Dimensions:

External: 128(W) x 153(H) mm.

Embedding: 99(W) x 133(H) x 56(D) mm.



OPEN GO





### N4301/AL

11884301

Stand-alone access control kit using a numeric keypad

- 11883301 N3301/AL access control module
- 11880601 N6001/AL assembling kit
- 11880902A NCEV-90CS embedding box
- 20691040 TF-104 transformer
- 20600140 CV-14 lock release of 12VAC



### N4502/NFC

11884502

Stand-alone access control kit using proximity reader with NFC technology

- 11814502 EL4502/NFC proximity reader module
- 11883002 N3002/AL module with information display
- 11812100 x5 NFC/US user cards
- 11880601 N6001/AL assembling kit
- 11880902A NCEV-90CS embedding box
- 20691040 TF-104 transformer
- 20600140 CV-14 lock release of 12VAC

## NEXA ACCESS CONTROL DOOR PANEL ACCESSORIES

### RAINSHIELD



#### N711/AL

11880711  
134(W) x 156(H) x 40(D) mm

### SURFACE BOX



#### N811/AL

11880811  
134(W) x 156(H) x 43(D) mm

### SURFACE BOX WITH INTEGRATED RAINSHIELD



#### N871/AL

11880871  
134(W) x 156(H) x 80(D) mm

### 45° SURFACE BOX



#### N911/AL

11280912  
128(W) x 152(H) x 128(D) mm

### REPLACEMENT FRAMES



#### N611/AL

11880620  
200(W) x 278(H) x 2(D) mm

#### N611/AL-C

11880624  
150(W) x 230(H) x 2(D) mm

### KEY FOBs AND CARDS



#### TAGNFC/US

11812125  
Proximity key fob

#### NFC/US

11812100  
User card

#### NFC/IN

11812105  
Installer card for reader programming



#### NFC/IU

11812110  
1 use card (rechargeable)

#### NFC/MU

11812115  
Card for up to 100 uses (non-rechargeable)

# ANALOGUE CCTV KITS



## **Bullet AHD4-31B2E** and **dome AHD4-21D2E** analogue cameras

SC2332 sensor with 1080p resolution

4-in-1 technology (AHD / CVI / TVI / CVBS)

3.6mm (bullet model) or 2.8mm (dome model) fixed lenses

Horizontal viewing angle of 76° (bullet model) or 88° (dome model)

Infrared illumination with a 30m range

Built-in microphone

With AOC technology (audio over coaxial)

IP66 protection rating

Dimensions:

Bullet: 71(Ø) x 151(D) mm

Dome: 100(Ø) x 90(H) mm



## **HYBRID DVR** Recorder

4 analogue video channels and 1 IP video channel

H.264 / H.265 video compression

Video formats: HDTV, HDCVI, AHD, CVBS

With AOC technology (audio over coax)

1x HDMI video output

Manual, scheduled and motion detection recording

2Tb hard disk included

Dimensions: 230(W) x 47(H) x 215(D) mm







**KIT-2BHVR2E**

31600907

CCTV kit with 2 analogue bullet cameras

- 31600704 x2 analogue bullet cameras AHD4-31B2E
- 4-channel DVR recorder
- x2 12Vdc/1A power supply



**KIT-2DHVR2E**

31600908

CCTV kit with 2 analogue dome cameras

- 31600705 2 analogue dome cameras AHD4-21D2E
- 4-channel DVR recorder
- x2 12Vdc/1A power supply

ANALOGUE CCTV KITS ACCESSORIES



**AHD4-31B2E**  
31600704



**AHD4-21D2E**  
31600705



**PSU-121M**  
31690135



**UTP-600**  
31600176



# WI-FI

## CCTV KIT



### Bullet CIP-4BWIFI Wi-Fi camera

---

Resolution 2MPx

3.6mm fixed optics

Infrared illumination and deterrent white light LEDs

IP66 protection rating

Dimensions: 70(∅) x 138(D) mm



### NVR-308 WI-FI Recorder

---

8 channels Wi-Fi 802.11 b/g

Exclusive use with CIP-4BWIFI camera

Encrypted Wi-Fi network between NVR and cameras

Maximum resolution 4MPx

1x HDMI and 1x VGA video output

Wired or Wi-Fi connection with the router

Manual, programmed and motion detection recording

Includes 2Tb hard drive and SATA port

Dimensions: 300(W) x 53(H) x 208(D) mm





### KIT-4BWIFI

31600910

CCTV kit with 4 Wi-Fi bullet cameras

- 31600925 x4 Wi-Fi bullet cameras CIP-4BWIFI
- 31600915 NVR-308W 8-channel Wi-Fi recorder
- x4 12Vdc power supplies

### ACCESSORIES CCTV WI-FI KIT



**CIP-4BWIFI**  
31600925



**PSU-12IM**  
31690135



# IP

## KITS CCTV



### Bullet CIP-21B4E and dome CIP-21D4E IP camera

1/3" progressive CMOS sensor with 4MPx resolution

Proprietary / ONVIF protocols

2.8mm fixed optics

96° horizontal viewing angle

Infrared illumination with 25m range

Built-in microphone

IP66 protection rating

Dimensions:

Bullet: 70(Ø) x 150(D) mm

Dome: 100(Ø) x 90(H) mm



### NVR-204P Recorder

4 IP video channels

4 PoE ports

Maximum resolution 8MPx

H.264 / H.265 video compression

Video formats: HDTV, HDCVI, AHD, CVBS

1x HDMI and 1x VGA video output

Manual, scheduled, motion detection and alarm recording

2Tb hard disk included

Dimensions: 300(W) x 53(H) x 227(D) mm





**KIT-21B414N**

31600984

CCTV kit with 2 IP bullet cameras

31691057 x2 IP bullet cameras CIP-21B4E

31601045 NVR-204P 4-channel PoE recorder

31600101 x2 20m UTP/20MC cables



**KIT-21D414N**

31600985

CCTV kit with 2 IP dome cameras

31691058 x2 IP dome cameras CIP-21D4E

31601045 NVR-204P 4-channel PoE recorder

31600101 x2 20m UTP/20MC cables

IP CCTV KIT ACCESSORIES



**CIP-21B4E**  
31691057



**CIP-21D4E**  
31691058




**UTP/20MC**  
31600101



KIT

# CALL FOR ASSISTANCE

FOR ACCESSIBLE TOILETS



## KSLBM-4SE

10900003A

Call for assistance kit for accessible toilets

- |           |   |
|-----------|---|
| 10900103  | Light and acoustic door indicator VP/KSLBM                  |
| 10900203  | Tactile PR/KSLBM cancel pushbutton with illuminated display |
| 10900303  | Assistance request handle TA/KSLBM with 2 rings             |
| 10900403  | Information sticker AD/KSLBM                                |
| 10900001A | Power supply 1014/046 of 12VDC/1A                           |
| -         | Rechargeable battery  |



Universal box installation  
and simple wiring



Battery to operate up to 36h  
without power supply



Up to 3 devices of each model  
can be placed in the same bath



Illumination in red during  
request for assistance





**VP/KSLBM**  
10900103  
Door indicator light



**PR/KSLBM**  
10900203  
Reset button




**TA/KSLBM**  
10900303  
Alarm handle with 2 rings



**AD/KSLBM**  
10900403  
Information sticker




**1014/046**  
10900001A  
12Vdc/1A power supply



**TA2/KSLBM**  
10900323  
Alarm handle with 2 rings and  
2 modules to be fitted 1014/046



**HRF-12/1,25A**  
10900012  
Power supply DIN 12VDC/1,25A





**we take care of your** home



**Golmar** Sistemas de Comunicación S.A.

Silici, 13  
08940 Cornellá de Llobregat  
Barcelona, Spain



Telephone: +34 934 800 696  
Email: [golmar@golmar.es](mailto:golmar@golmar.es)



Web: [golmar.es](http://golmar.es)