

RUBBER KINGTM
RELIABILITY MEANS EVERYTHING!



 mktg@rubberkingtyres.com

 rubberkingtyres.com

 75675 60814



ABOUT RUBBER KING



We are a technology-driven OEM Company supplying Butyl Inner Tubes, Industrial Solid Tyres, Automotive Flaps, Curing Bladders and Curing Air Bags to many of the leading automotive companies, both domestic and overseas.

With more than four decades of experience in manufacturing automotive rubber products, our customer centric, innovative approaches have made us a supplier of choice for many.

Rubber King is the flagship enterprise of the Gawarvala family, a family for whom quality means everything.

We are proud to have world-wide presence with a clientele spread across more than seventy countries. We are humbled by the trust and faith bestowed upon us by our clients across the globe. It motivates us to facing the challenges in meeting the needs of our esteemed customers.

VISION

The goal is to establish ourselves as the top supplier and a renowned global brand, with a well-rounded global footprint spanning over worldwide. We will make the world better for future generation by providing innovative and sustainable products and services.

MISSION

Always listening to our customer and building a lasting relationship with them to help us offer excellent standards of service and satisfaction, through innovation, quality & commitment.



MANUFACTURING EXCELLENCE

Our range of products are manufactured in four high-tech manufacturing facilities located around Ahmedabad, Gujarat. Our manufacturing, design and development processes are internationally accredited,

and our good works have won us several awards and recognitions, worldwide. Our success in industrial solid tyres has made us gradually get into manufacturing of tyres.



RESILIENT SOLID TYRES





Solid Tyres - Solid Performance!

The solid tyres are designed to suit a variety of applications, both indoor and outdoor, on varied surface conditions, from smooth concrete to rough floors. The non-marking tyres are suitable for applications in food, pharma, electronics and such other spaces where floor care is essential.

Designed to meet the wide-ranging material handling needs of various industries. Manufactured at state-of-the-art facilities with high quality raw materials, perfect compounding techniques and use of advanced building technology.



STRIKING FEATURES

-  Rolled-down corner for steering comfort
-  Wide profile and flat footprint for a solid grip
-  Excellent traction with least vibration
-  Offers customized compounds for customer specific applications

3 LAYER TECHNOLOGY

- » Low Cost per hour
- » Extended Tyre Life
- » Higher Driving Comfort
- » Enhanced Vehicle Stability
- » Optimum Energy Consumption





SOLID ATTRIBUTES



SAFETY LINE mentioned on 60J rib which helps to plan tyre change without down time

Rim guard available to protect rim flange

Copper coated steel bead wire for firm fitment on rim & to avoid slippage during service

Large contact area for least vibration & great stability

Cushion compound available for a smooth ride & to cut short forklift maintenance costs

Available in:



- » Standard Black
- » Quick Heel Black
- » Standard Non-Marking
- » Quick Heel Non-Marking

We offer a wide range of specialty compounds for your specific needs

Major Equipment:

Forklifts, warehouse equipment, port trailers, ground support equipment, terminal trailer, terminal tractor, tow tractor, highway divider-making machine, industrial floor-cleaning machine, vertical mast and other material handling equipment.

Key Applications:

Manufacturing, warehouse, airports, food, pharmaceuticals, seaports and harbours.

Dunamis



Warehouse



Beverage



Sea Port



Air Port

Comfort 

Usage Intensity  Heavy

Working Hrs/day  up to **22 hrs/day** usage

Tyre Life 



Excellent Stability



Low Fuel Consumption

SOLITREK



Anti Abrasive
and Anti Skid



Cut Growth
Resistant



Oil Resistant



Heat Resistant



Warehouse



Beverage



Sea Port



Air Port



Scrapyard



Foundry



Furnace



Smelter



Paper Plant



Steel Plant



Oil
Warehouse



Chemical
Plant

Comfort 

Usage Intensity  Heavy

Working Hrs/day  up to **22 hrs/day** usage

Tyre Life 

 Excellent Stability

  Low Fuel Consumption

SOLIDWINGS



Anti Abrasive
and Anti Skid



Cut Growth
Resistant



Oil Resistant



Heat Resistant



Warehouse



Beverage



Sea Port



Air Port



Scrapyard



Foundry



Furnace



Smelter



Paper Plant



Steel Plant



Oil
Warehouse



Chemical
Plant

Comfort 

Usage Intensity  Heavy

Working Hrs/day  up to **20 hrs/day** usage

Tyre Life 

 Excellent Stability

 Medium Fuel Consumption

ROCKSOLID



Warehouse



Sea Port



Air Port



Paper Plant

Meant for two shift application

Comfort

Usage Intensity Heavy

Working Hrs/day up to **16 hrs/day** usage

Tyre Life

Excellent Stability

Medium Fuel Consumption

GOLATH



Warehouse

Cost Effective Product

For light duty application

Comfort 

Usage Intensity  Low

Working Hrs/day  up to **12 hrs/day** usage

Tyre Life 

SOLITREK

(NON-MARKING TYRE)



Anti Static



Electronics



Pharma



Beverage



Automobile



Labs



Aerospace



Optical

Available in



Comfort

Usage Intensity Heavy

Working Hrs/day up to **20 hrs/day** usage

Tyre Life

Excellent Stability

Low Fuel Consumption

SOLIDWINGS

(NON-MARKING TYRE)



Anti Static



Electronics



Pharma



Beverage



Automobile



Labs



Aerospace



Optical

Available in



Comfort 

Usage Intensity  Heavy

Working Hrs/day up to **16 hrs/day** usage 


Tyre Life 








Excellent Stability



Medium Fuel Consumption



-  **DUNAMIS**
3 Layer Construction
22 Hours / Day Usage
-  **SOLITREK**
3 Layer Construction
22 Hours / Day Usage
-  **SOLIDWINGS**
3 Layer Construction
20 Hours / Day Usage
-  **ROCKSOLID**
3 Layer Construction
16 Hours / Day Usage
-  **GOLIATH**
2 Layer Construction
12 Hours / Day Usage

-  **DUNAMIS**
High
Application intensity
-  **SOLITREK**
High
Application intensity
-  **SOLIDWINGS**
Medium
Application intensity
-  **ROCKSOLID**
Medium
Application intensity
-  **GOLIATH**
Light Duty
Application intensity

Tyre Size	RIM	Tyre Dimension			Load capacity(kg)		GOLIATH	ROCKSOLID	SOLIDWINGS	SOLITREK	DUNAMIS
		O.D. (mm)	Section Width (mm)	Wear Limit (60J) mm	Counter balanced lift truck upto 25 km/hr						
					Load Wheels	Steering wheels					
4.00-8	3.00D-8	406	104	33	950	730	X	✓	✓	X	X
5.00-8	3.00D-8	452	110	36	1415	1090	X	✓	✓	✓	✓
15x4 1/2-8	3.00D-8	377	118	30	1040	800	X	✓	✓	✓	✓
16x6-8	4.33R-8	412	152	30	1495	1150	X	✓	✓	✓	✓
18x7-8	4.33R-8	453	156	43	2145	1650	✓	✓	✓	✓	✓
6.00-9	4.00E-09	522	130	40	1885	1450	X	✓	✓	✓	✓
21x8-9	6.00E-09	519	187	45	2755	2120	X	✓	✓	✓	✓
140/55-9	4.00E-09	377	130	26	1170	900	X	✓	✓	X	X
200/50-10	6.5F-10	456	195	29.5	2470	1900	X	✓	✓	✓	✓
6.50-10	5.00F-10	571	157	51	2340	1800	✓	✓	✓	✓	✓
6.50-10	5.50F-10	571	170	55.5	2340	1800	✓	✓	✓	✓	✓
23x9-10	6.50F-10	586	201	55	3445	2650	X	✓	✓	✓	✓
23x10-12	8.00G-12	583	228	39	3770	2900	X	✓	✓	✓	✓
7.00-12	5.00S-12	654	175	60	2920	2240	✓	✓	✓	✓	✓
27x10-12	8.00G-12	680	244	58	3900	3000	X	✓	✓	X	X
5.50-15	4.50E-15SDC	665	155	42	2145	1650	X	✓	✓	X	X
7.00-15	5.50-15	729	179	55	3545	2725	X	✓	✓	X	X
7.50-15	5.50-15	747	207	55	3900	3000	X	✓	✓	X	X
7.50-15	6.00-15	747	207	55	3900	3000	X	✓	✓	X	X
7.50-15	6.50-15	747	207	55	3900	3000	X	✓	✓	X	X
8.15-15 (or) 28x9-15	7.00-15	689	215	47	3445	2650	✓	✓	✓	✓	✓
8.25-15	6.50-15	821	210	59	4750	3650	X	✓	✓	X	X
250-15	7.00-15	726	210	53	4745	3650	X	✓	✓	X	X
300-15	8.00-15	818	252	61	5850	4500	X	✓	✓	X	X
28x12.5-15	9.75-15	690	286	50	5690	4375	X	✓	✓	X	X
7.50-16	5.50-16	780	202	68	3965	3050	X	✓	✓	X	X
7.50-16	6.00-16	780	202	68	3965	3050	X	✓	✓	X	X
9.00-20	6.50-20	997	229	77	5400	4500	X	✓	✓	X	X
9.00-20	7.00-20	997	229	77	5400	4500	X	✓	✓	X	X
10.00-20	7.50-20	1035	255	77	6000	5000	X	✓	✓	X	X
10.00-20	8.00-20	1035	255	77	6000	5000	X	✓	✓	X	X
11.00-20	7.50-20	1050	260	77	6540	5450	X	✓	✓	X	X
11.00-20	8.00-20	1050	260	77	6540	5450	X	✓	✓	X	X

- Heat Resistant, Cut Growth Resistant, Oil Resistant, Non Marking & LOC variants are available based on customer specific requirement.
- Check rim for size & max load before tyre fitment, Wheel loading should be lesser than the load capacity of tyre.
- The Speed stated are maximum speed of the unloaded vehicles. An increase in load capacity for lower speed is not permitted.
- The item sizes 15x4 1/2-8, 16x6-8, 18x7-8, 21x8-9, 23x9-10, 23x10-12, 27x10-12, 8.15-15 or 28x9-15 are equivalent to 125/75-8, 150/75-8, 180/70-8, 200/75-9, 225/75-10, 250/60-12, 250/75-12, 225/75-15, 250/70-15, 315/70-15, 355/45-15 respectively.
- Images displayed are representation purpose only and actual product may differ.
 - Earthing strips to be used while using regular Non Marking Tyres

TUBE

We manufacture excellent quality inner tubes for automotive tyres using high quality raw material following accepted international manufacturing standards. We are market leaders with a wide range of products of unmatched quality and customer service. Our tubes are known for retaining air pressure even under adverse conditions, with high durability and resistance to oxygen, ozone and heat conditions. We offer Butyl, Chloro-butyl, and Chloro-blend tubes with least growth and high elasticity, even at adverse load and temperature conditions. They do not stick to the tyre casing during service. We also offer customized products on specific requirements.



FLAP

RUBBER KING tyre flaps are designed to protect inner tube from direct contact with metal rim even at severe service condition. It guarantees longer work life to inner tubes and tyres. We offer a wide range of sizes with the option of metallic/nylon protectors.



BLADDER

RUBBER KING tyre curing bladders are a preferred choice for major Tyre manufacturers for their green tyre curing process. We have a vast range of curing bladders suitable for a range of tyre sizes, both radial and bias construction. Our curing bladders offer the best "heats" in the industry.





THE RUBBER KING ADVANTAGE



FREE Delivery Pan India



Quality Warranty



Faster Claim Process



Free AMC

Certifications*



Export House | BIS | ISO | ISO TS | ISO 14001

*For details visit www.rubberkingtyres.com/technology-pioneers/#certifications

Awards



CAPEXIL: 2010-2011 | 2009-2010 | 2008-2009 | 2006-2007

41 Years of Experience

4 Manufacturing Units

40K Satisfied Clients in

75+ Countries

RUBBER KING, has consistently demonstrated an exceptional commitment to delivering top-notch products. Empowered by cutting-edge technology, they have consistently raised the bar in terms of quality. Their unwavering belief in the importance of reliability has been the cornerstone of their success. For Rubber King, reliability is not just a goal; it is the very essence of their business philosophy.

RELIABILITY MEANS EVERYTHING

RUBBER KINGTM
RELIABILITY MEANS EVERYTHING!



Rubber King Tyre Private Limited
104, Naindhara Apartment, Sarkhej - Gandhinagar Hwy, near
GNFC Info Tower, Bodakdev, Ahmedabad, Gujarat 380054



mktg@rubberkingtyres.com



rubberkingtyres.com



75675 60814