

hydraBOND®

new!

500
Series

Low VOC

Value Refinish Low-VOC Solvent System

This series includes base coats, clear coats, and primers



Scan to Reach a Sales Representative

hydraBOND®

new!

500
Series



Introducing the New!

HydraBOND® HB555 Low VOC Clearcoat and Hardeners: Cost-Effective Excellence in Automotive Finishing

Embrace the unparalleled gloss, durability, and UV protection offered by the HydraBOND® 500 Series. Whether you're a professional seeking the highest quality finishes or an enthusiast aiming for a top-tier look for your project, our HB555 Low VOC Clearcoat and tailored hardeners ensure your results not only meet but exceed expectations.

The Economical Choice for Flawless Finishes

In the realm of automotive refinishing, professionals and enthusiasts alike seek products that don't just meet the highest standards of quality and durability but also offer economic efficiency. HydraBOND® introduces the HB555 Low VOC Clearcoat paired with a versatile range of Hardeners, presenting an unparalleled solution that balances cost-effectiveness with superior finish performance.

Scan see All **SDS** For:
New! 500 series Low VOC
Value Refinish System Solvent System



Scan to see **TDS** for:
New! HB555 Low VOC
Clear coat and Hardeners



HydraBOND® 500 Series, Cost-Effective Excellence in Automotive Finishing

HB555 Low VOC Clearcoat (5L): Low VOC Clearcoat

- Achieve Outstanding Gloss and Protection**
- UPC: 767787958770
- EAN: 0767787958770
- Part Number: HB555
- Packaging: Packaged 4 units per case, with a total weight of 51 lbs.
- Dimensions are 13¼"x8¼"x12¼".



Customize Your Finish with Our Premium Hardeners

HB556 Low VOC Fast Hardener (2.5L) Engineered for Rapid Projects

- Speed Up Your Workflow**
- UPC: 767787958787
- EAN: 0767787958787
- Part Number: HB556
- Packaging: Comes in 4 units per case, weighing 26 lb
- Carton Dimensions: 17¼"x7"x7¼"



HB557 Low VOC Medium Hardener (2.5L) Designed for Balanced Drying

- Versatility for Various Project Demands**
- UPC: 767787958794
- EAN: 0767787958794
- Part Number: HB557
- Packaging: Each case contains 4 units, with a weight of 28 lbs
- Carton Dimensions: 17¼"x7"x7¼"



HB558 Low VOC Slow Hardener (2.5L) Perfect for Precision Finishing

- Extend Your Work Time for Detailed Jobs
- UPC: 767787958800
- EAN: 0767787958800
- Part Number: HB558
- Packaging: 4 units per case, total weight of 29 lbs,
- Carton Dimensions: 17¼"x7"x7¼"



new!

500
Series



Introducing the New! 500 Series Factory Pack BASE-COAT Colors

Embrace the Future of Refinishing** with the New Low VOC BASECOAT 500 Series – A pinnacle of VALUE REFINISH SYSTEM brought to you by hydraBOND®.

Where technology meets sustainability, our latest offering is a testament to our commitment to innovation, versatility, and unmatched value.

Why the 500 Series?

- **Eco-Friendly Excellence:** Dive into the era of low VOC basecoats. Designed for the environmentally conscious, our products promise premium quality with minimal environmental impact.
- **Versatile and Economical:** The 500 series is engineered for those who seek the perfect harmony between performance and affordability. Why choose when you can have both?
- **Unparalleled Quality:** Featuring high-quality polyester composition and blendable factory pack colors to match a myriad of OEM paint codes, the 500 series stands out in its class.
- **Compatibility and Flexibility:** Tintable with any high-quality basecoat and top-coatable with any high-quality clear, the 500 series offers flexibility and compatibility like no other.
- **Brilliant Finish:** Achieve brilliant gloss, superior leveling, and outstanding control of metallics. The 500 series is your go-to choice for a finish that speaks volumes.

Scan see All **SDS** For:
New! 500 series Low VOC
Value Refinish System Solvent System



Scan to see **TDS** for:
New! HB500 Series Low VOC
Clear coat and Hardeners



500 series! Factory Pack BASE-COAT Colors ***in Stock!***

HB501 Base Coat Paint WA8555 Jet Black (GL)
 4-1 Gal/Case, Wt.: 39 Lbs (17.6 kg), Dim.: 13.5"x13.5"x7.75"

- UPC: 767787958978
- EAN: 0767787958978
- OEM Color: **(GM WA-8555) Jet (Ebony) Black**
- Factory Pack BASE-COAT
- Size: Gallon
- May be top-coated with HB555 low VOC Clearcoat
- High-quality, the polyester composition
- Can be tinted with any high-quality basecoat
- Factory pack colors are blendable to match many OEM paint codes
- May be mixed with any high-grade urethane reducer (recommended at 1:1 mix ratio)



HB503 Base Coat Toyota (IF7) Silver, (GL)
 4-1 Gal/Case, Wt.: 37 Lbs (17 kg), Dim.: 13.5"x13.5"x7.75"

- UPC: 767787958992
- EAN: 0767787958992
- OEM color code: **Toyota (IF7) Silver**
- Factory Pack BASE-COAT
- Size: Gallon
- May be top-coated with HB555 low VOC Clearcoat
- High-quality, the polyester composition
- Can be tinted with any high-quality basecoat
- Factory pack colors are blendable to match many OEM paint codes
- May be mixed with any high-grade urethane reducer (recommended at 1:1 mix ratio)



HB502 Base Coat Toyota 040, Super White (GL)
 4-1 Gal/Case, Wt.: 44 Lbs (20 kg), Dim.: 13.5"x13.5"x7.75"

- UPC: 767787958985
- EAN: 0767787958985
- OEM Color: **Toyota (040) Super White**
- Factory Pack BASE-COAT
- Size: Gallon
- May be top-coated with HB555 low VOC Clearcoat
- High-quality, the polyester composition
- Can be tinted with any high-quality basecoat
- Factory pack colors are blendable to match many OEM paint codes
- May be mixed with any high-grade urethane reducer (recommended at 1:1 mix ratio)



HB504 Base Coat GM (WA9260) Victory Red, (GL)
 4-1 Gal/Case, Wt.: 44 Lbs (20 kg), Dim.: 13.5"x13.5"x7.75"

- UPC: 767787959005
- EAN: 0767787959005
- OEM Color: **GM (WA9260) Victory Red**
- Factory Pack BASE-COAT
- Size: Gallon
- May be top-coated with HB555 low VOC Clearcoat
- High-quality, the polyester composition
- Can be tinted with any high-quality basecoat
- Factory pack colors are blendable to match many OEM paint codes
- May be mixed with any high-grade urethane reducer (recommended at 1:1 mix ratio)



Factory Pack BASE-COAT Colors **Special Order!**

Note there is a minimum Please contact your distributor for Special Orders!

Now Offering over 150 Automotive Colors!

GM	FORD	CHRYSLER	TOYOTA	MAZDA	MERCEDES	NISSAN	HYUNDAI	BMW	HONDA	KIA	SUBURU	VW
213M	BY	PAU	40	38P	149	K23	IM	300	B537M	C3S	61K	L041
636R	FL	PJC	1D6		744	KAD	Y8S	354	B588P	C7S	D4S	LA7W
WA8554	J8	PS2	1F7		859	KH3		475	B92P		G1U	LC9ALD7X
WA8555	JP	PSC	1F9			RBY		668	NH578			LY9C
WA8264	TY	PVG	1G0			G10		A52	NH623M			
928L	UH	PXR	1G3			B30		B68	NH658P			
722J	UJ	PX8	1H1			G41		X18	NH700M			
926L	UX	PW7	1J9			BW9			NH701M			
519Q	YZ	PYB	209			V43			NH731P			
409Y	PQ	PR4	218			K12			NH737M			
130X	W6	PGW	3Q3			A20			NH797M			
384A	J7	PWL	HQ2			K11			NH830M			
457B	ME	PGZ	856			A15			R94			
439C	UM	PCL	4T3 6V4			D51						
464C	FM	PTW	8T0			RAB						
626D	BN	PAR	4U3			KBC						
619D	D1	PB8	4X0			QAK						
WA9260	E7	PBU	4V6			NAH						
121V	F1	PXJ	1H5			CAE						
433B	CK	PDM	202			RAQ						
410Y	H5	PRH				CAJ						
	N6	PB7				RAY						
	G1	PB3				RBG						
	AQ											
	G3											
	L2											
	E4											
	G2											
	YN											
	T5											
	HT											

new!

500
Series



Introducing the New! 500 Series Low VOC 2K Urethane Primers and Hardeners

The hydraBOND® team is excited to unveil the 500 Series Low VOC 2K Urethane Primers and Hardeners, a line of advanced coating solutions crafted to exceed the performance needs on a variety of surfaces. At the heart of this launch is the HB520 Low VOC 2K Urethane Primer/Surfacer, designed for professionals seeking superior adhesion, ease of sanding, and a high-build formula. Accompanied by a selection of hardeners tailored for varying project requirements, this series promises to revolutionize the way you approach surface preparation and finishing.

Advantages and Application

- **Adaptability and Performance:** The HB520 primer ensures that every surface, whether steel, aluminum, iron, or fiberglass, is perfectly prepared for the next layer, offering unparalleled adhesion and surface smoothness.
- **Tailored Mixing and Drying:** Depending on the project's specifics and ambient conditions, select the hardener that best fits your timeline and work process, adjusting the mix ratio for ideal application and curing times.
- **Surface Prep Made Easy:** A well-prepared surface is crucial for the success of any painting project. The HB520 series emphasizes the importance of cleanliness and proper preparation to achieve a flawless finish.

Scan see All **SDS** For:
New! 500 series Low VOC
Value Refinish System Solvent System



Scan to see **TDS** for:
New! HB520 - Low VOC
2K Urethane Primer Surfacer



hydraBOND® 500 Series Low VOC 2K Urethane Primer and hardener.

HB520 Low VOC 2K Urethane Gray Primer-Surfacer

- -Part Number: HB520
- -Packaging: 1 Gallon per can, 4 cans per case
- -Weight per Case: 44 lbs (20 kg)
- -Case Dimensions: 13.5"x13.5"x7.75"
- -VOC: Regulatory VOC: 238.3 g/l (1.98 lbs./gl.)
- -Actual VOC: 131.3 g/l (1.09 lbs./gl.)
- -Solids: By Volume: 51.7%, By Weight: 40.6%
- -Specific Gravity: 1.51 kg/l (12.66 lbs./gl.)
- -Coverage: 304.86 square feet per gallon @ 100% transfer efficiency @ 50 microns (2 mils))



HB521 Low VOC Fast Hardener

- -Part Number: HB521
- -Packaging: 1 Quart per can, 4 quarts per case
- -Weight per Case: 8 lbs (3.6 kg)
- -Case Dimensions: 7"x7"x8"



HB522 Low VOC Medium Hardener

- -Part Number: HB522
- -Packaging: 1 Quart per can, 4 quarts per case
- -Weight per Case: 9 lbs (4 kg)
- -Case Dimensions: 7"x7"x8"



HB523 Low VOC Slow Hardener

- -Part Number: HB523
- -Packaging: 1 Quart per can, 4 quarts per case
- -Weight per Case 10 lbs (4.53 kg)
- -Case Dimensions: 7"x7"x8"



GENERAL GUIDELINES FOR USE

- -Preparation: Surface must be clean, dry, and properly prepared.
- -Mixing Ratios: Primer to hardener at 4:1. For sealer, mix at 4:1:1 with appropriate reducer.
- -Application: Apply in well-ventilated areas with suitable protective gear.
- -Repainting: Light sanding required after 24 hours at 20°C (68°F) before repainting.

These specifications provide a comprehensive overview of the hydraBOND® 500 Series Low VOC 2K Urethane Primer and its associated hardeners, including details on packaging, VOC content, and application guidelines. For more information: Please read the TDS and SDS

Scan see All **SDS** For:
New! 500 series Low VOC
Value Refinish System Solvent System



Scan to see **TDS** for:
New! HB520 - Low VOC
2K Urethane Primer Surfacer



hydraBOND®

new!

500
Series



This series includes base coats, clear coats, and primers

Scan see All **SDS** For:
New! 500 series Low VOC
Value Refinish System Solvent System



Scan see All **TDS** For:
New! 500 series Low VOC
Value Refinish System Solvent System



Scan to Reach a Sales Representative



Note there is a minimum Please contact your distributor for Special Orders!