



# VISHA WORLD

EMPOWERING ATMANIRBHAR eNNOVATIONS

in Robotics, IOT, Automation & AI



## Soldering Tools & Accessories 2022



SCAN ME



## LEGACY

44 Years of Experience.

## EXPERTISE

Component Kitting for  
700+ SME's.

## VARIETY

5000+ Components,  
900+ Sensor Modules.

## VISION

Empower 5 Lakh+ Future Disruptors.

<b>SR. NO.</b>	<b>CATEGORY</b>
1	SOLDRON SOLDERING STATIONS
2	SOLDRON SOLDERING IRONS
3	SOLDRON SOLDERING BITS
4	SOLDRON SOLDERING ACCESSORIES
5	SOLDERING ACCESSORIES
6	MARIO GLUE GUN
7	MARIO GLUE STICKS
8	MULTITEC TOOLS
9	DL SOLDER WIRE
10	DL FLUX
11	CONINS CONFORMAL COATING
12	CONINS ELCLEAN PCB CLEANER
13	QUICKFIX SOLDERING PASTE
14	JOINT SOLDER WIRE

  
**SOLDRON**<sup>®</sup>

**MSVW**  
**VARIABLE WATTAGE**  
**SOLDERING STATION**



## Specifications

Input Voltage	230V AC
Wattage	6 - 15 Watts
Cable Length	1.25 mtrs.
Temperature Range	100°C to 380°C
Power Supply	Transformer based

## Package Includes:

- 1 - Soldering Iron
- 1 - Station
- 1 - Spring Stand with Sponge



SCAN ME

  
**SOLDRON®**

**SMPS**  
PORTABLE MICRO  
SOLDERING STATION



## Specifications

Input Voltage	230V AC
Wattage	4 - 18 Watts
Cable Length	1.20 mtrs.
Temperature Range	350°C to 420°C

## Package Includes:

- 1 - Soldering Iron
- 1 - Station
- 1 - Spring Stand with Sponge



SCAN ME

  
**SOLDRON®**

**8858**  
**PORTABLE HOT**  
**AIR BLOWER**



## Specifications

Input Voltage	230V AC
Wattage	350 Watts Max O/P
Blower Speed	1 to 10 Setpoints Digitally Controlled
Cable Length	1.20 mtrs.
Temperature Range	100°C to 480°C

## Package Includes:

- 1 - 8858 Control Unit
- 1 - BL500A Hot Air Blower
- 1 - Cradle/Stand
- 1 - Set of 3 nozzles



SCAN ME

  
**SOLDRON®**

**936**  
ANALOG SOLDERING  
STATION



## Specifications

Input Voltage	230V AC
Power Consumption	60 Watts
Type	Analog Control
Source Cable Length	1.35 mtrs.
Iron Cable Length	1.35 mtrs.
Temperature Range	200°C to 480°C

## Package Includes:

- 1 - Soldering Iron
- 1 - Station
- 1 - Stand with Sponge
- 1 - Supply Cord



SCAN ME

  
**SOLDRON®**

**938**  
**DIGITAL SOLDERING**  
**STATION**



## Specifications

Input Voltage	230V AC
Power Consumption	60 Watts
Type	Digital Control
Source Cable Length	1.35 mtrs.
Iron Cable Length	1.35 mtrs.
Temperature Range	200°C to 480°C
Sleep Mode	Auto Mode - 15mins if iron kept idle/untouched

## Package Includes:

- 1 - Soldering Iron
- 1 - Station
- 1 - Stand with Sponge
- 1 - Supply Cord



SCAN ME



  
**SOLDRON**<sup>®</sup>

**858D**  
HOT AIR  
SOLDERING STATION



## Specifications

Watts 500 Watts all Combined  
Hot Air Blower 220°C to 450°C **ESD SAFE**  
Input Voltage 230V AC

## Package Includes:

- 1 - 858 Control Unit
- 1 - BL500A Hot Air Blower
- 1 - Cradle/Stand
- 1 - Set of 3 nozzles
- 1 - Supply Cord



SCAN ME

  
**SOLDRON**<sup>®</sup>

**878D**  
**2-IN-1 HOT AIR &  
SOLDERING STATION**



## Specifications

Watts	600 Watts all Combined
Iron	60 Watts 480°C max <b>ESD SAFE</b>
Hot Air Blower	550 Watts 450°C max <b>ESD SAFE</b>
Input Voltage	230V AC
Station Body	Aluminium Body With Powder Coated
Controller	Micro Controller Based With 7 Segment Display

## Package Includes:

- 1 - Soldering Iron
- 1 - Hot Air Gun
- 1 - Station
- 3 - Nozzles of Different Sizes
- 1 - Stand with Sponge
- 1 - Supply Cord



SCAN ME

  
**SOLDRON**<sup>®</sup>

**8898**

**PORTABLE DUAL  
SOLDERING STATION**



## Specifications

Iron	80 Watts 180°C-500°C
Hot Air Blower	750W Watts 100°C~480°C
Input Voltage	230V AC
Air Flow	150L/min (max)

## Package Includes:

- 1 - 8898 Control Unit
- 1 - Soldering Iron
- 1 - Stand with Sponge
- 1 - Hot Air Blower
- 1 - Set of 3 nozzles



SCAN ME

  
**SOLDRON®**

**740**  
**3-IN-1 HOT AIR AND  
SOLDERING STATION**



**Specifications**

Iron	60 Watts 200°C-480°C
Hot Air Blower	500W Watts 200°C~450°C
Input Voltage	230V AC
Air Flow	150L/min (max)
DC Power Supply Type	15V / 2A Max & 5V USB Out Micro Controller Based

**Package Includes:**

- 1 - 740 Control Unit
- 1 - Soldering Iron
- 1 - Stand with Sponge
- 1 - Hot Air Blower
- 1 - Set of 3 nozzles



SCAN ME



## IST-100

EDDY CURRENT  
SOLDERING STATION



### Specifications

Watts	100 Watts
Type	Induction Based Heater (Eddy Current)
Input Voltage	230V AC
Sleep Mode	Auto Mode - 15mins if iron kept idle/untouched
ESD Safe	Yes

### Package Includes:

- 1 - IST100 Control Unit
- 1 - Soldering Iron
- 1 - Stand with Sponge
- 1 - Supply Cord



SCAN ME

  
**SOLDRON®**

**SOLDERING  
IRONS**



**SI25A 25W / 230V Soldering Iron**



**SI35A 35W / 230V Soldering Iron**



**SI50A 50W / 230V Soldering Iron**



**SI75A 75W / 230V Soldering Iron**



**SI100A 100W / 230V Soldering Iron**



**MIPEN Micro Pen For MSVW & SMPS**



SCAN ME



**SIVT 15-30W Varitemp Soldering Iron**



**SI2550A 25-50W Gun Type Soldering Iron**



**60W Soldering Iron for 936/960/878D/740**



**60W Soldering Iron for 938 Station**



**BL500A 500W Hot Air Blower**



**100W Iron for IST-100 Soldering Station**



**Metal Body Desoldering Pump**



**SCAN ME**

  
**SOLDRON®**

**SOLDERING  
BITS**



**BN25S3 25W Nickel Plated Spade 3mm Bit**



**BN25N3 25W Nickel Plated Needle 3mm Bit**



**CB25S3 25W Ceramic Plated Spade 3mm Bit**



**CB25N3 25W Ceramic Plated Needle 3mm Bit**



**BN35S3 35W Nickel Plated Spade 3mm Bit**



**BN50S5 50W Nickel Plated Spade 5mm Bit**



SCAN ME





**BN75S6 75W Nickel Plated Spade 5mm Bit**



**BN100S8 100W Nickel Plated Spade 8mm Bit**



**CB10N2 Black Ceramic Coated Micro Bit  
for MSVW & SMPS Station**



**SBN1 Ceramic Coated Deluxe Needle 1mm Bit  
for Solderon 936/938/960/878D/740 Stations**



**SBN3 Ceramic Coated Deluxe Needle 3mm Bit  
for Solderon 936/938/960/878D/740 Stations**



**SBS3 Ceramic Coated Deluxe Spade 3mm Bit  
for Solderon 936/938/960/878D/740 Stations**



SCAN ME

**SOLDRON®**

**SOLDERING  
ACCESSORIES**



**SWD Solder wire Dispenser**



**SISDX Deluxe Soldering Iron Stand**



**FC-10ML Soldering Flux (10ml)**



**FC-200ML Soldering Flux (200ml)**



**TIPC Soldron Bit-tip Tinner and Cleaner**



**TWZC Tweezer and Cutter Pouch Set**



**SCAN ME**

**SOLDERING  
ACCESSORIES**



**Bharat Bijlee DC Acryform Conformal  
Coating for PCB - 400 ml**



**Bharat Bijlee DC 2-26  
Contact Cleaner - 415ml**



**Sonal SP-3 Soldering Iron Stand**



**Sonal SP-7 Soldering Iron Stand**



**Yellow - Soldering Bit Cleaning Sponge**



**Blue Tip Cleaning Sponge**



**SCAN ME**



**MARIO  
GLUE GUN**



**ME-65+ 40W Professional Glue Gun**



**ME-117 100W Professional Glue Gun**



**ME-151 150W Varitemp Professional Glue Gun**



**ME-800 80/120W Dual Professional Glue Gun**



**ME-2000 200W Professional Glue Gun**



**ME-5000 500W Professional Glue Gun**



**SCAN ME**



# MARIO GLUE STICK



Mario Milky White Hot Melt Glue Stick



Mario Transparent Hot Melt Glue Stick



Mario Yellow Hot Melt Glue Stick



Bontek Milky Hot Melt Glue Sticks



Bontek Transparent Hot Melt Glue Stick



Crown Transparent Glue Stick



SCAN ME

MULTITEC TOOLS



MT-150B Wire Stripper and Cutter



MT-150B-SS Wire Stripper and Cutter



02DX+ Self Adjusting Wire Cutter – Stripper



02DX Self Adjusting Wire Cutter - Stripper



MT-111-SS Stainless Steel Cable Cutter



MT-06 Wire Cutter Nipper



SCAN ME




MT-07 Heavy Duty Nipper



MT-07-SS Stainless Steel Nipper



MT-535 Nose Plier



MT-555 Plier 8"



SDK-600 Multi Bit Reversible Screw Driver Set



STB-330 6 in 1 Multi Bit Stubby Screw Driver Set



R6100i (Insulated) 2 in 1 Screw Driver



HSLK-100 Short Series Allen Key Set



SCAN ME



**DL  
SOLDER WIRE**



**Platinum Solder Wire 63/37 22  
SWG - 500gm**



**Lead Free Solder Wire Sn99.3/Cu0.7 22  
SWG - 500 gm**



**Solder Wire 60/40 Tin/Lead 22  
SWG - 50 gm**



**Solder Wire 60/40 Tin/Lead 22  
SWG - 100 gm**



**Solder Wire 60/40 Tin/Lead 22  
SWG - 250 gm**



**Solder Wire 60/40 Tin/Lead 22  
SWG - 500 gm**



**SCAN ME**





**DL  
FLUX**



**Solder Paste Flux**



**Solder Paste Flux 15 gms**



**Solder Paste Flux 100 gms**



**Solder Paste Flux 500 gms**



**No Clean Liquid Flux 100ml**



**No Clean Liquid Flux 500ml**



**SCAN ME**

**CONINS  
CONFORMAL  
COATING**



**Acrylcoat AR-30 Conformal Coating for  
PCB Assemblies Solderable - 500 ml**



**AcrylCoat AR-30  
Conformal Coating - 1 Ltr.**



**AcrylCoat ALQ-60 PCB  
Conformal Coating -1 Ltr.**



**AcrylCoat ALQ-100 PCB Surface  
Conformal Coating - 1 Ltr.**



**AcrylCoat SRK-70 PCB Surface  
Conformal Coating - 1 Ltr.**



**AcrylCoat LGT-SPL-60 PCB Surface  
Conformal Coating - 1 Ltr.**



SCAN ME

**CONINS  
ELCLEAN PCB  
CLEANER**



**Elclean Cleaning Agent Spray - 500ml**



**Elclean Cleaning Agent - 1 Ltr.**



**ELCoat Conformal Coating - 1 Ltr.**



**SCAN ME**



# JOINT SOLDER WIRE



Solder Wire 18 SWG - 50 gm



Solder Wire 18 SWG - 500 gm



Solder Wire 22 SWG - 50 gm



Solder Wire 22 SWG - 500 gm



Solder Wire 24 SWG - 50 gm



Solder Wire 24 SWG - 500 gm



SCAN ME

WEMBLEY

QUICKFIX  
SOLDERING  
PASTE



Quickfix Soldering Paste Flux 15 gms



Quickfix Soldering Paste Flux 50 gms



Quickfix Soldering Paste Flux 500 gms




SCAN ME



**VISHA WORLD**

**EMPOWERING ATMANIRBHAR eNNOVATIONS**

**in Robotics, IOT, Automation & AI**



[www.vishaworld.com](http://www.vishaworld.com)