

# Dental X-Ray



**"Uncover the Hidden Details  
Precision X-Rays for Optimal Care!"**

# PORT-X III

Slimmer | Smarter | Superior

### STEADY SELLER

With excellent quality & economy, PORT-X III has been loved steadily by our customers since its launch.



### EXCELLENT SHIELDING

0.5mm thick lead shielding protects from X-Ray scattering.



### EASY TO USE

The preset exposure time allows you to easily acquire the image quickly.

Technical Specifications		
<b>X-Ray Generator</b>	Type	High Frequency Inverter
	Power Output	180W
<b>X-Ray Installations</b>	Tube Voltage	60 kV
	Tube Current	2mA
	Heat Capacity	8.5 KHU
<b>X-Ray Tube</b>	Anode Type	Stationary
	Anode Angle	20°
	Focal Spot	0.8mm
<b>X-Ray Control</b>	Exposure Time Set	46 Steps (0.01 ~ 2.0 sec)
<b>Power Requirement</b>		22.2 VDC
<b>Weight</b>	Main Body	2.35 kg
	Accessory	0.6 kg
<b>Dimension</b>	Main Body	197 x 147 x 145 (mm)
	Charger	100 x 65 x 35 (mm)

# Ray 98 (Gun Type) Handheld Portable X-Ray

IMAGING IN MY CONTROL

MODERN MEDICAL IMAGING TECHNOLOGY  
More accurate and more flexible.



Clear Large Screen Display

Button Adjustment  
To Improve Diagnostic  
Efficiency

Long Handle, Comfortable  
To Hold, Easier To Operate

Atmospheric and  
Concise Design

Recessed Power Button.  
Avoid Accidental Touch



Smart Camera  
Angle Assistance



Ergonomic  
Design



Long Battery Life

## Technical Specifications

<b>Tube Voltage</b>	70kV±10%
<b>Tube Current</b>	2mA + 20%
<b>Input Voltage</b>	100V-240V
<b>Frequency</b>	50 -60Hz
<b>Anode Angle</b>	12.5°
<b>Focus</b>	0.4mm
<b>Exposure Time Range</b>	0.04s -2.0s
<b>Leak Emissivity</b>	1 meter 0.25mGy/h
<b>Machine Weight</b>	1.7kg
<b>Relative Humidity</b>	30%RH-75%RH



WHERE **TRUST** COMES **FIRST**



**Warranty Ke Saath Bhi  
Warranty Ke Baad Bhi**

**For any Sales & Support**

 9821184441, 9599281852, 8448398852

 [sales@unicorndenmart.com](mailto:sales@unicorndenmart.com)



SCAN TO VISIT OUR WEBSITE



Corporate Office: 3 Local Shopping Centre, MOR Land, Near J Block DDA Market,  
New Rajender Nagar, New Delhi – 110060

    /unicorndenmart.com

\* Accessories shown may not be a part of standard equipment. Specifications are subject to change without notice.

Ver 12/2024