



**A CROSBIE  
MEMBER  
COMPANY**

Q1 Providence | East Bank Demerara | Tel: +592-265-7445

45 Urquhart Street | Georgetown | Tel: +592-226-8130

Email: [info@fmlgy.com](mailto:info@fmlgy.com)

Visit us at [WWW.FMLGY.COM](http://WWW.FMLGY.COM)



## W1741—8" Jointer with Adjustable Beds

If you set out to design a full featured 8" Jointer, you couldn't do any better than this. We started with a 3 HP motor and a 4 knife cutterhead, and added a precision parallelogram table adjustment mechanism, extra-long infeed table, large cast-iron center-mounted fence, pedestal-mounted switch and a built-in locking mobile base.

**Motor** 3 HP, 240V, single-phase, TEFC, 3450 RPM

**Switch** Magnetic w/thermal-overload protection

**Table size** 8" x 76-3/8"

**Cutterhead speed** 5350 RPM



## W1702—3 HP Shaper

This full-capacity 3 HP Shaper will handle the smallest profile cutters, all the way up to the largest panel cutters with its three included spindle sizes, 3" spindle travel, and 5-1/2" maximum cutter diameter capacity.

**Motor** 3 HP, 220V, single-phase with reversing switch, 12A

**Spindles** 1/2", 3/4", 1" (included)

**Table size** 28-1/4"W x 30-1/2"D

### Contact us for more options



## W1812—2 HP 7" Planer / Moulder with Stand



This next generation Planer/Moulder features precision-ground cast-iron wings for increased work support, T-slots for easy guide rail adjustment, a one-piece enclosed stand, and a pedestal-mounted control switch with variable-speed feed motor for unsurpassed control over planing and moulding cutting results.

<b>Motor</b>	<b>2HP, 240V, single-phase, 10.8A</b>
<b>Planing width</b>	<b>7"</b>
<b>Max. profile width</b>	<b>6-3/4"</b>
<b>Cutterhead speed</b>	<b>7000 RPM</b>



## W1837—10" 2 HP Open-Stand Hybrid Table Saw

The best features of the cabinet and contractor saws combined into a hybrid saw. This W1837 10" Open Stand Hybrid Table Saw features cabinet-mounted cast-iron trunnions and a prewired 120V 2 HP motor.

<b>Motor</b>	<b>2 HP, 120V/240V, single-phase (prewired for 120V)</b>
<b>Table height from floor</b>	<b>35-3/4"</b>
<b>Blade tilt</b>	<b>Left, 0°–45°</b>

**Contact us for more options**