



LUXAM
Lighting For Museums

LUXAM.COM



MICROLED SYSTEM

**Product Catalog
2022**



WATER

LAND

AIR

The Sea
 Working and marine life creations of the sea have been commemorated in all kinds of museum pieces. They come in all shapes and sizes, from small figurines to large-scale sculptures. Some are made of metal, some of wood, some of stone, and some of glass. They are often highly detailed and beautiful. Some are made of natural materials, while others are made of synthetic materials. They are often highly detailed and beautiful. Some are made of natural materials, while others are made of synthetic materials. They are often highly detailed and beautiful.

24. In the Sea
 The sea is a vast and mysterious world. It is home to a wide variety of life forms, from the smallest microorganisms to the largest whales. The sea is also a source of many of the resources we use in our daily lives. It is a place of great beauty and wonder, and it is one of the most important parts of our planet.

25. In the Sea
 The sea is a vast and mysterious world. It is home to a wide variety of life forms, from the smallest microorganisms to the largest whales. The sea is also a source of many of the resources we use in our daily lives. It is a place of great beauty and wonder, and it is one of the most important parts of our planet.

WORLD'S LEADING
MUSEUM SHOWCASE
LIGHTING COMPANY

TABLE OF CONTENTS

- 4** Introduction
- 5** Tracks
- 6** Fixtures Overview
- 7** Spotlight Fixtures
- 8** Spotlight Variations
- 9** Spotlight Accessories
- 10** Spotlight Photometrics
- 12** Lightbar Fixture
- 13** Lightbar Photometrics
- 14** Wall Washers
- 15** Wall Washer Photometrics
- 16** Standalone Fixtures
- 18** Stem Light Fixtures
- 19** 10mm LEDStick
- 20** Order Codes

CREDITS:


Museum: American Museum of Natural History
Lighting Designer: Renfro Design Group
Case Fabricator: ClickNetherfield

Exhibit Designer: Ralph Appelbaum Associates
Exhibit Fabricator: Kubik Maltbie
Photo Credit: © Frank Oudeman/OTTO

COVER CREDITS:

Museum: Brooklyn Museum
Case Fabricator of Colorama case: Hadley Exhibits
Photo Credit: Here And Now Agency

Lighting Designer: LightEmotion



MICROLED SYSTEM

The Luxam MicroLED system enables to easily set up a high quality, functional lighting, within museums and galleries. Each powerful fixture has individual adjustable beam spreads and brightness levels, making it effortless to craft a perfectly tailored light.



Within the MicroLED Family we have two systems - the MicroTrack which includes spotlights, lightbars and wall washer which go on tracks; and the MicroMono - standalone versions of the spotlights, stems, and ledsticks.



MICROTRACK TRACKS

Tracks are available in 1M, 2M, and can be custom cut.
Available colors are Black, White, and Silver.

Standard Track L-MTHTK



L-MTEC-01



L-MTCJ-01



L-MTSJ-01





L-MTCP-01



L-MTFCJ-01

Vertical Track L-MTOTK



L-MTOEC-01



L-MTOSJ-01




L-MTOCJ-01



L-MTOCP-01




L-MTFL-01



L-MTFL-01



Recessed Track L-MTRTK



L-MTREC-01



L-MTRSJ-01



L-MTRCJ-01



L-MTRCP-01

MICROTRACK FIXTURES



L-MTSP-12

1W - Onboard dimmer

L-MTSP-02

3W - Onboard dimmer

L-MTSP-22

6W - Onboard dimmer



L-MTWS -22

Wall Washer 5W with Barndoor

L-MTWS -32

Wall Washer 10W with Barndoor




L-MTBA-01 : Light Bar

18": L-MTBA-01-B/W-45

36": L-MTBA-01-B/W-90




MICROTRACK SPOTLIGHT FIXTURES



L-MTSP-12 1W

Voltage/wattage	12v/1.2W
Input current	110mA
Beam angles	Zoomable 9° to 60°
Luminous flux	53 lm @RA97
Color temperature	3000K, 4000K, 5000K
Dimmable options	Dimmer: PWM, range 0-100%
CRI	97
Weight	48.35g


Main materials	Aluminum
Color finished	Black, White and Silver
Working temperature	-10°C to 40°C
Storage temperature	10°C to 40°C
Lifespan	50000 hours
Certificates	UL, CE
Warranty	5 years
Protection	IP30
Without Onboard dimmer:	L-MTSP-01



L-MTSP-02 3W

Voltage/wattage	12v/3.8W
Input current	350mA
Beam angles	Zoomable 7° to 60°
Luminous flux	120 lm @RA97
Color temperature	3000K, 4000K, 5000K
Dimmable options	Dimmer: PWM, range 0-100%
CRI	97
Weight	93g

Main materials	Aluminum
Color finished	Black, White and Silver
Working temperature	-10° to 40°C
Storage temperature	10° to 40°C
Lifespan	50000 hours
Certificates	UL, CE
Warranty	5 years
Protection	IP30
Without Onboard dimmer:	L-MTSP-00



L-MTSP-22 6W

Voltage/wattage	11v - 24VDC / 7.8w
Input current	650mA - 330mA
Beam angles	Zoomable 8° to 55°
Luminous flux	295 lm @RA97
Color temperature	3000K, 4000K, 5000K
Dimmable options	Dimmer: PWM, range 0-100%
CRI	>95
Weight	154.80g

Main materials	Aluminum
Color finished	Black, White and Silver
Working temperature	-10° to 40°C
Storage temperature	10° to 40°C
Lifespan	50000 hours
Certificates	UL, CE
Warranty	5 years
Protection	IP30

MICROTRACK SPOTLIGHT VARIATIONS

L-MTSP-12 1W



L-MTSP-12 with onboard dimmer

FEATURES:

Fully compatible with all MicroTrack systems

Compatible accessories : Barndoors, Angled Snoots, & Filter frames

Luminit Filter Range for Beam Shaping available

Two versions:

- Available with Remote Dimming : L-MTSP-11

STANDALONE VERSION:

with onboard dimmer (L-MTSA-12)

without onboard dimmer (L-MSPS-10)

L-UPL-10-1



L-MTSP-11
1W Remote Dimmer

L-MTSA-12
1W Standalone
Onboard Dimmer



L-MSPS-10
1W Standalone Remote Dimmer



L-UPL-10-1
Stem 1

L-MTSP-02 3W



L-MTSP-02 with onboard dimmer

FEATURES:

Fully compatible with all MicroTrack systems

Fully dimmable and focusable

Full range of accessories including Barndoors, Snoots, Filter Frames, etc.

Two versions:

- Available with Remote Dimming : L-MTSP-01

STANDALONE VERSION:

with onboard dimmer (L-MTSA-02)

without onboard dimmer (L-MSPS-00)



L-MTSP-01
3W Remote Dimmer

L-MTSA-02
3W Standalone
Onboard Dimmer



L-MSPS-00
3W Standalone Remote Dimmer

L-MTSP-22 6W



L-MTSP-22 with onboard dimmer

FEATURES:

Fully compatible with all MicroTrack systems

Fully Dimmable and Focusable

Compatible accessories : Angled Snoots & Barndoor

STANDALONE VERSION:

with onboard dimmer (L-MTSA-22)



L-MTAS-22
6W Standalone Onboard Dimmer

MICROTRACK SPOTLIGHT ACCESSORIES



L-MTSP-12 1W



L-MTAS-10



L-MTBD-10



L-MTFH-10



L-MTSP-02 3W



L-MTFH-01



L-MTAR-01



L-MTSC-01



L-MTSN-01



L-MTAS-01



L-MTBD-01



BOOSTER

L-MTBS-01



L-MTSP-22 6W



L-MTAS-20



L-MTBD-20



CREDITS:
 Exhibition Museum: University of Arizona Museum of Art
 Exhibition Fabricator: Design and Production
 Exhibition Photo Credit: Logan Havens

Exhibition Lighting Designer: Technical Artistry - Kyle Chepulis
 Case Fabricator: Meyvaert

L-MTSP-12 1W



1W with Onboard Dimmer

9°		◀Zoom▶		60°	
Distances					
Ø0.15m	2048 lux	0.5m	216 lux	Ø0.86m	
Ø0.30m	512 lux	1m	54 lux	Ø1.71	
Ø0.44m	227 lux	1.5m	24 lux	Ø2.56m	
Ø0.59m	128 lux	2m	13 lux	Ø3.41m	

L-MTSP-02 3W



3W with Onboard Dimmer

7°		◀Zoom▶		60°	
Distances					
Ø0.12m	8800 lux	0.5m	844 lux	Ø0.61m	
Ø0.25m	2200 lux	1m	211 lux	Ø1.22m	
Ø0.37m	977 lux	1.5m	93 lux	Ø1.83m	
Ø0.50m	550 lux	2m	52 lux	Ø2.44m	

L-MTSP-22 6W



6W with Onboard Dimmer

8°		◀Zoom▶		55°	
Distances					
Ø0.13m	22757 lux	0.5m	1655 lux	Ø0.6m	
Ø0.26m	5690 lux	1m	414 lux	Ø1.2	
Ø0.39m	2528 lux	1.5m	184 lux	Ø1.8m	
Ø0.51m	1422 lux	2m	103 lux	Ø2.4m	



CREDITS:
Museum: Academy Museum of Motion Pictures
Exhibition Case Fabricator: Zone Display Cases
Photo: Joshua White JWPictures.com
Exhibition Lighting Designer: Available Light
Exhibition Lighting Integrator: Clearwing System Integration

MICROTRACK LIGHTBAR FIXTURE



Dimmer Switch
0-100%

50°

FEATURES:


- Fully compatible with all MicroTrack systems
- Available with Clear or Frosted Filters
- Onboard Dimmer and Tilt function

The LightBar can be used alone or with other MicroTrack fixtures to provide the desired effect - wash and spot.


The 1W, 3W, and the 6W MicroTrack heads can be combined together with the Lightbar on the same track. All have the ability to be individually dimmed creating a highly functional system.



L-MTBA-01-B/W-45



L-MTBA-01-B/W-90



TECHNICAL DATA : L-MTBA-01

Powerinput	7W/450mm// 15W/900mm-Voltage:12VDC
Control	On-board Dimmer
LED	Smart Eco
CRI	97
CCT	3000K, 4000K, 5000K


Filter	Clear or frosted
Rotation angle	0-50°
Body	Aluminum / PC
Rating	IP20
Dimensions	450-900x27x38 (mm)

Distance	1m, 2m
L-MTBA-01-B/W-45	80 lux, 20 lux
L-MTBA-01-B/W-90	140 lux, 35 lux




L-MTBA-450 Lightbar 7W (18")

112°




L-MTBA-900 Lightbar 15W (36")

112°



MICROTRACK WALL WASHERS



FEATURES:

These fixtures are designed to evenly highlight a wall from top to bottom, also used inside the showcases they light the back panels.

Fully compatible with all MicroTrack systems

Available in Black or White

Onboard dimmer

L-MTWS-22 5W



TECHNICAL DATA: L-MTWS-22

Power	5W
Beam angle	Washer effect
Voltage	12V DC
Input Current	400mA
Class	III
Dimmer	PWM 5-100%
CRI	96
CCT	3000K , 4000K , 5000K
Indoor use	IP30
Material	Alum. Alloy / PC

L-MTWS-32 10W




TECHNICAL DATA: L-MTWS-32

Power	10W
Beam angle	Washer effect
Voltage	12V DC
Input Current	800mA
Class	III
Dimmer	PWM 5-100%
CRI	96
CCT	3000K , 4000K , 5000K
Indoor use	IP30
Material	Alum. Alloy / PC




PHOTOMETRICS

MicroTrack Wall Washer Fixture Photometrics



Distance between wallwasher = Distance from wall



MICROMONO STANDALONE FIXTURES

The standalone heads are ideal when there is no possibility to use a track or when only individual lights are required.



L-MSPS-10
1W - Standalone



L-MSPS-00
3W - Standalone



L-MTSA-12
1W - with Onboard dimmer



L-MTSA-02
3W - with Onboard dimmer



L-MTSA-22
6W - with Onboard dimmer

The L-MTSA model heads are provided with a double fixation system: a magnet mated to a screw-in mounting plate, making them adapted for metallic, wood or aluminum alloy supports.

12VDC PICKUP CONNECTOR



MAGNETIC/ SCREW-ON FIXTURE FOR L-MTSA MODELS




CREDITS:

Museum: The Metropolitan Museum of Art
 Exhibition Fabricator: Dimensional Worldwide
 Exhibition Graphic Designer: Abby Chen (Met Staff)
 Exhibition Curators: Hannah Beachler, Michelle Commander, Sarah E. Lawrence (Met Staff), Ian Alteveer (Met Staff)
 Photo Credit: The Metropolitan Museum of Art

Exhibition Lighting Designer: Amy Nelson (Met Staff)
 Exhibition Designer: Hannah Beachler, Fabiana Weinberg (Met Staff)
 Exhibition Production Artist: Sarah Parke (Met Staff)


MICROMONO STANDALONE FIXTURES



L-MSPS-10

Voltage	DC 12V
Power	1.2W
Input Current	1.2W 340m A
Dimmer	PWM0-100% with remote dimmer
CRI	97
Standard	UL


Tilt angle	90°
Pan angle	355°
Lens	Glass BK7
Beam angles	9° to 60°
Light Color	3000K, 4000K, 5000K
Fixture Color	Black, White or Silver



L-MTSA-12

Voltage	DC 12V
Power	1.2W
Input Current	340m A
Dimmer	PWM 0-100% with onboard dimmer
CRI	97
Standard	UL


Tilt angle	90°
Pan angle	355°
Lens	Glass BK7
Beam angles	9° to 60°
Light Color	3000K, 4000K, 5000K
Fixture Color	Black, White or Silver



L-MSPS-00

Voltage	DC 12V
Power	3.8W
Input Current	340mA
Dimmer	PWM 0-100% with remote dimmer
CRI	97
Standard	UL


Tilt angle	90°
Pan angle	355°
Lens	Glass BK7
Beam angles	7° to 60°
Light Color	3000K, 4000K, 5000K
Fixture Color	Black, White or Silver



L-MTSA-02

Voltage	DC12V
Power	3.8W
Input Current	340mA
Dimmer	PWM 0-100% with onboard dimmer
CRI	97
Standard	UL

Tilt angle	90°
Pan angle	355°
Lens	Glass BK7
Beam angles	7° to 60°
Light Color	3000K, 4000K, 5000K
Fixture Color	Black, White or Silver



L-MTAS-22

Voltage	11v - 24VDC
Power	7.8W
Input Current	650mA - 330m A
Dimmer	PWM 0-100% with onboard dimmer
CRI	>95
Standard	UL

Tilt angle	90°
Pan angle	355°
Lens	Glass BK7
Beam angles	8° to 55°
Light Color	3000K, 4000K, 5000K
Fixture Color	Black, White and Silver

MICROMONO STANDALONE STEM FIXTURES

L-UPL-10-1 STEM1



FEATURES:

- STEM 1 has a single stationary spot light
- Full range of accessories – Barndoors, Snoots, Filter frame, etc.
- Stem 1 comes with a 6mm rod with adjustable heights
- Focusable from 10° to 60°



Stem 1 comes with a 6mm rod with adjustable heights


L-UPL-10-2/3/4

-Also available with 2 (L-UPL-10-2), 3 spotlights (L-UPL-10-3), or 4 spotlights (L-UPL-10-4)



FEATURES:

- Full range of accessories – Barndoors, Snoots, Filter frame, etc.
- Comes with a 10 mm Rod
- Focusable from 9° to 60°



Stem 2, 3, & 4 comes with a 10mm rod with adjustable heights

TECHNICAL DATA : L-UPL-10

Voltage/Wattage	14V (max) / 1.2W
InputCurrent	350mA
Beam angles	9° to 60°
Dimmable options	Compatible PWM with external dimmer
CRI	>96
CCT	3000K & 4000K

Main materials	Aluminum Alloy / PC
Color finished	Black, White and Silver
Certificates	UL, CE
Warranty	5 years
Protection	IP30

MICROMONO 10MM LEDSTICK

L-MBA-01 : Standalone Fixture 10mm LEDSTICK

Unique adjustable barndoor feature. Barndoor can be removed and can be adjusted in order to control the beam spread.

FEATURES:


Available in 1M, 1.5M and 2M in length

Adjustable light disbursement using side panels

12V input with 15, 23 and 30W output


Light Colors in 3000K, 4000K, or 5000K

Standard color is Black Anodized



LEDSTICK 18W – 1000mm

112°



L U X A M

2022 MICROTRACK SYSTEM

ORDER CODES



MICROSPOT 1W



REFERENCES

L-MTSP-12-B-3K	Micro Spot 1.2W/12VDC, Dimmer, 3000K, Black
L-MTSP-12-B-4K	Micro Spot 1.2W/12VDC, Dimmer, 4000K, Black
L-MTSP-12-B-5K	Micro Spot 1.2W/12VDC, Dimmer, 5000K, Black
L-MTSP-12-W-3K	Micro Spot 1.2W/12VDC, Dimmer, 3000K, White
L-MTSP-12-W-4K	Micro Spot 1.2W/12VDC, Dimmer, 4000K, White
L-MTSP-12-W-5K	Micro Spot 1.2W/12VDC, Dimmer, 5000K, White
L-MTSP-12-S-3K	Micro Spot 1.2W/12VDC, Dimmer, 3000K, Silver
L-MTSP-12-S-4K	Micro Spot 1.2W/12VDC, Dimmer, 4000K, Silver
L-MTSP-12-S-5K	Micro Spot 1.2W/12VDC, Dimmer, 5000K, Silver

PRODUCT DESCRIPTION

MICROSPOT 1W NON-DIMMER



REFERENCES

L-MTSP-11-B-3K	Micro Spot 1.2W/12VDC, Without onboard dimmer, 3000K Black
----------------	--

PRODUCT DESCRIPTION

MICROSPOT STANDALONE 1W



REFERENCES

L-MSPS-10-B-3K	Micro Spot Standalone 1.2W/12VDC, 3000K, Black
L-MSPS-10-B-4K	Micro Spot Standalone 1.2W/12VDC, 4000K, Black
L-MSPS-10-B-5K	Micro Spot Standalone 1.2W/12VDC, 5000K, Black
L-MSPS-10-W-3K	Micro Spot Standalone 1.2W/12VDC, 3000K, White
L-MSPS-10-W-4K	Micro Spot Standalone 1.2W/12VDC, 4000K, White
L-MSPS-10-W-5K	Micro Spot Standalone 1.2W/12VDC, 5000K, White
L-MTSP-10-S-3K	Micro Spot Standalone 1.2W/12VDC, 3000K, Silver
L-MTSP-10-S-4K	Micro Spot Standalone 1.2W/12VDC, 4000K, Silver
L-MTSP-10-S-5K	Micro Spot Standalone 1.2W/12VDC, 5000K, Silver

PRODUCT DESCRIPTION

MICROSPOT STANDALONE 1W DIMMER



REFERENCES

L-MTSA-12-B-3K	Micro Spot Standalone 1.2W/12VDC, Dimmer, 3000K, Black
L-MTSA-12-B-4K	Micro Spot Standalone 1.2W/12VDC, Dimmer, 4000K, Black
L-MTSA-12-B-5K	Micro Spot Standalone 1.2W/12VDC, Dimmer, 5000K, Black
L-MTSA-12-W-3K	Micro Spot Standalone 1.2W/12VDC, Dimmer, 3000K, White
L-MTSA-12-W-4K	Micro Spot Standalone 1.2W/12VDC, Dimmer, 4000K, White
L-MTSA-12-W-5K	Micro Spot Standalone 1.2W/12VDC, Dimmer, 5000K, White
L-MTSA-12-S-3K	Micro Spot Standalone 1.2W/12VDC, Dimmer, 3000K, Silver
L-MTSA-12-S-4K	Micro Spot Standalone 1.2W/12VDC, Dimmer, 4000K, Silver
L-MTSA-12-S-5K	Micro Spot Standalone 1.2W/12VDC, Dimmer, 5000K, Silver

PRODUCT DESCRIPTION

STEMLIGHT



REFERENCES

L-UPL-10-B3K	StemLight 1 - 3000K
--------------	---------------------

PRODUCT DESCRIPTION

BARNDOOR



REFERENCES	PRODUCT DESCRIPTION
L-MTBD-10-B	Barndoor for 1.2W Micro Spot, Black
L-MTBD-10-W	Barndoor for 1.2W Micro Spot, White
L-MTBD-10-S	Barndoor for 1.2W Micro Spot, Silver

ANGLED SNOOT



REFERENCES	PRODUCT DESCRIPTION
L-MTAS-11-B	Angled Snoot for 1.2W Micro Spot, Black
L-MTAS-11-W	Angled Snoot for 1.2W Micro Spot, White
L-MTAS-11-S	Angled Snoot for 1.2W Micro Spot, Silver

FILTER HOLDER



REFERENCES	PRODUCT DESCRIPTION
L-MTFH-11-B	Filter holder for 1.2W Micro Spot, Black
L-MTFH-11-W	Filter holder for 1.2W Micro Spot, White
L-MTFH-11-S	Filter holder for 1.2W Micro Spot, Silver

MICROSPOT 3W



REFERENCES

L-MTSP-02-B-3K	Micro Spot 3.8W/12VDC, Dimmer, 3000K, Black
L-MTSP-02-B-4K	Micro Spot 3.8W/12VDC, Dimmer, 4000K, Black
L-MTSP-02-B-5K	Micro Spot 3.8W/12VDC, Dimmer, 5000K, Black
L-MTSP-02-W-3K	Micro Spot 3.8W/12VDC, Dimmer, 3000K, White
L-MTSP-02-W-4K	Micro Spot 3.8W/12VDC, Dimmer, 4000K, White
L-MTSP-02-W-5K	Micro Spot 3.8W/12VDC, Dimmer, 5000K, White
L-MTSP-02-S-3K	Micro Spot 3.8W/12VDC, Dimmer, 3000K, Silver
L-MTSP-02-S-4K	Micro Spot 3.8W/12VDC, Dimmer, 4000K, Silver
L-MTSP-02-S-5K	Micro Spot 3.8W/12VDC, Dimmer, 5000K, Silver

PRODUCT DESCRIPTION

MICROSPOT 3W NON-DIMMER



REFERENCES

L-MTSP-01-B	Micro Spot 3.8W/12VDC, Without onboard dimmer, 3000K Black
-------------	--

PRODUCT DESCRIPTION

MICROSPOT STANDALONE 3W



REFERENCES

L-MSPS-00-B-3K	Micro Spot Standalone 3.8W/12VDC, 3000K, Black
L-MSPS-00-B-4K	Micro Spot Standalone 3.8W/12VDC, 4000K, Black
L-MSPS-00-B-5K	Micro Spot Standalone 3.8W/12VDC, 5000K, Black
L-MSPS-00-W-3K	Micro Spot Standalone 3.8W/12VDC, 3000K, White
L-MSPS-00-W-4K	Micro Spot Standalone 3.8W/12VDC, 4000K, White
L-MSPS-00-W-5K	Micro Spot Standalone 3.8W/12VDC, 5000K, White
L-MTSP-00-S-3K	Micro Spot Standalone 3.8W/12VDC, 3000K, Silver
L-MTSP-00-S-4K	Micro Spot Standalone 3.8W/12VDC, 4000K, Silver
L-MTSP-00-S-5K	Micro Spot Standalone 3.8W/12VDC, 5000K, Silver

PRODUCT DESCRIPTION

MICROSPOT STANDALONE 3W DIMMER



REFERENCES

L-MTSA-02-B-3K	Micro Spot Standalone 3.8W/12VDC, Dimmer, 3000K, Black
L-MTSA-02-B-4K	Micro Spot Standalone 3.8W/12VDC, Dimmer, 4000K, Black
L-MTSA-02-B-5K	Micro Spot Standalone 3.8W/12VDC, Dimmer, 5000K, Black
L-MTSA-02-W-3K	Micro Spot Standalone 3.8W/12VDC, Dimmer, 3000K, White
L-MTSA-02-W-4K	Micro Spot Standalone 3.8W/12VDC, Dimmer, 4000K, White
L-MTSA-02-W-5K	Micro Spot Standalone 3.8W/12VDC, Dimmer, 5000K, White
L-MTSA-02-S-3K	Micro Spot Standalone 3.8W/12VDC, Dimmer, 3000K, Silver
L-MTSA-02-S-4K	Micro Spot Standalone 3.8W/12VDC, Dimmer, 4000K, Silver
L-MTSA-02-S-5K	Micro Spot Standalone 3.8W/12VDC, Dimmer, 5000K, Silver

PRODUCT DESCRIPTION

BARNDOOR



REFERENCES

L-MTBD-01-B
L-MTBD-01-W
L-MTBD-01-S

PRODUCT DESCRIPTION

Barndoor for 3.8W Spot, Black
Barndoor for 3.8W Spot, White
Barndoor for 3.8W Spot, Silver

FULL SNOOT



REFERENCES

L-MTSN-01-B
L-MTSN-01-W
L-MTSN-01-S

PRODUCT DESCRIPTION

Snoot for 3.8W Spot, Black
Snoot for 3.8W Spot, White
Snoot for 3.8W Spot, Silver

ANGLED SNOOT



REFERENCES

L-MTAS-01-B
L-MTAS-01-W
L-MTAS-01-S

PRODUCT DESCRIPTION

Angled Snoot for 3.8W Spot, Black
Angled Snoot for 3.8W Spot, White
Angled Snoot for 3.8W Spot, Silver

CONE SNOOT



REFERENCES

L-MTSC-01-B
L-MTSC-01-W
L-MTSC-01-S

PRODUCT DESCRIPTION

Cone Snoot for 3.8W Spot, Black
Cone Snoot for 3.8W Spot, White
Cone Snoot for 3.8W Spot, Silver

FILTER HOLDER



REFERENCES

L-MTFH-01-B
L-MTFH-01-W
L-MTFH-01-S

PRODUCT DESCRIPTION

Filter Holder for 3.8W Spot, Black
Filter Holder for 3.8W Spot, White
Filter Holder for 3.8W Spot, Silver

ARCHITECTURE FILTER



REFERENCES

L-MTAR-01-B
L-MTAR-01-W
L-MTAR-01-S

PRODUCT DESCRIPTION

Architecture Filter for 3.8W Spot, Black
Architecture Filter for 3.8W Spot, White
Architecture Filter for 3.8W Spot, Silver

BOOSTER



REFERENCES

L-MTBS-01-B
L-MTBS-01-W
L-MTBS-01-S

PRODUCT DESCRIPTION

Booster for 3.8W Spot, Black
Booster for 3.8W Spot, White
Booster for 3.8W Spot, Silver

MICROSPOT 6W



REFERENCES

L-MTSP-22-B-3K	Micro Spot 6W/12VDC, Dimmer, 3000K, Black
L-MTSP-22-B-4K	Micro Spot 6W/12VDC, Dimmer, 4000K, Black
L-MTSP-22-B-5K	Micro Spot 6W/12VDC, Dimmer, 5000K, Black
L-MTSP-22-W-3K	Micro Spot 6W/12VDC, Dimmer, 3000K, White
L-MTSP-22-W-4K	Micro Spot 6W/12VDC, Dimmer, 4000K, White
L-MTSP-22-W-5K	Micro Spot 6W/12VDC, Dimmer, 5000K, White
L-MTSP-22-S-3K	Micro Spot 6W/12VDC, Dimmer, 3000K, Silver
L-MTSP-22-S-4K	Micro Spot 6W/12VDC, Dimmer, 4000K, Silver
L-MTSP-22-S-5K	Micro Spot 6W/12VDC, Dimmer, 5000K, Silver

PRODUCT DESCRIPTION

MICROSPOT STANDALONE 6W DIMMER



REFERENCES

L-MTSA-22-B-3K	Micro Spot Standalone 6W/12VDC, Dimmer, 3000K, Black
L-MTSA-22-B-4K	Micro Spot Standalone 6W/12VDC, Dimmer, 4000K, Black
L-MTSA-22-B-5K	Micro Spot Standalone 6W/12VDC, Dimmer, 5000K, Black
L-MTSA-22-W-3K	Micro Spot Standalone 6W/12VDC, Dimmer, 3000K, White
L-MTSA-22-W-4K	Micro Spot Standalone 6W/12VDC, Dimmer, 4000K, White
L-MTSA-22-W-5K	Micro Spot Standalone 6W/12VDC, Dimmer, 5000K, White
L-MTSA-22-S-3K	Micro Spot Standalone 6W/12VDC, Dimmer, 3000K, Silver
L-MTSA-22-S-4K	Micro Spot Standalone 6W/12VDC, Dimmer, 4000K, Silver
L-MTSA-22-S-5K	Micro Spot Standalone 6W/12VDC, Dimmer, 5000K, Silver

PRODUCT DESCRIPTION

BARNDOOR



REFERENCES

L-MTBD-20-B	Barndoor for 6W Spot, Black
L-MTBD-20-W	Barndoor for 6W Spot, White
L-MTBD-20-S	Barndoor for 6W Spot, Silver

PRODUCT DESCRIPTION

ANGLED SNOOT



REFERENCES

L-MTAS-20-B	Angled Snoot for 6W Spot, Black
L-MTAS-20-W	Angled Snoot for 6W Spot, White
L-MTAS-20-S	Angled Snoot for 6W Spot, Silver

PRODUCT DESCRIPTION

MICRO LIGHTBAR



REFERENCES

L-MTBA-01-B-45-3K	Microtrack LED Bar, 3000K, 45cm (18"), Black
L-MTBA-01-B-45-4K	Microtrack LED Bar, 4000K, 45cm (18"), Black
L-MTBA-01-W-45-3K	Microtrack LED Bar, 3000K, 45cm (18"), White
L-MTBA-01-W-45-4K	Microtrack LED Bar, 4000K, 45cm (18"), White
L-MTBA-01-B-90-3K	Microtrack LED Bar, 3000K, 90cm (36"), Black
L-MTBA-01-B-90-4K	Microtrack LED Bar, 4000K, 90cm (36"), Black
L-MTBA-01-W-90-3K	Microtrack LED Bar, 3000K, 90cm (36"), White
L-MTBA-01-W-90-4K	Microtrack LED bar, 4000k, 90cm (36"), White

PRODUCT DESCRIPTION

MICRO WALL WASHERS 5W



REFERENCES

L-MTWS-22-B-3K	Wall washer for Microtrack, 5W - 3000K, Black
L-MTWS-22-B-4K	Wall washer for Microtrack, 5W - 4000K, Black
L-MTWS-22-W-3K	Wall washer for Microtrack, 5W - 3000K, White
L-MTWS-22-W-4K	Wall washer for Microtrack, 5W - 3000K, White

PRODUCT DESCRIPTION

MICRO WALL WASHERS 10W



REFERENCES

L-MTWS-32-B-3K	Wall washer for Microtrack, 10W - 3000K, Black
L-MTWS-32-B-4K	Wall washer for Microtrack, 10W - 4000K, Black
L-MTWS-32-W-3K	Wall washer for Microtrack, 10W - 3000K, White
L-MTWS-32-W-4K	Wall washer for Microtrack, 10W - 4000K, White

PRODUCT DESCRIPTION

MICRO LEDSTICK



REFERENCES

L-MBA-01-B-100	10mm, 100cm, 12V/15W, Black
L-MBA-01-B-150	10mm, 150cm, 12V/23W, Black
L-MBA-01-B-200	10mm, 200cm, 12V/30W, Black

PRODUCT DESCRIPTION

H-SHAPE MICRO TRACK



REFERENCES

L-MTHTK-100-B	H-Shape Micro Track 1 meter Black
L-MTHTK-100-W	H-Shape Micro Track 1 meter White
L-MTHTK-100-S	H-Shape Micro Track 1 meter Silver
L-MTHTK-200-B	H-Shape Micro Track 2 meters Black
L-MTHTK-200-W	H-Shape Micro Track 2 meters White
L-MTHTK-200-S	H-Shape Micro Track 2 meters Silver

PRODUCT DESCRIPTION

LIVE END CONNECTOR



REFERENCES

L-MTEC-01-B	Live end connector for H-shape Track, Black
L-MTEC-01-W	Live end connector for H-shape Track, White
L-MTEC-01-S	Live end connector for H-shape Track, Silver

PRODUCT DESCRIPTION

STRAIGHT JUNCTION CONNECTOR



REFERENCES

L-MTSJ-01-B	Straight junction connector for H-shape Track, Black
L-MTSJ-01-W	Straight junction connector for H-shape Track, White
L-MTSJ-01-S	Straight junction connector for H-shape Track, Silver

PRODUCT DESCRIPTION

90° CORNER JUNCTION



REFERENCES

L-MTCJ-01-B	90° corner junction for H-shape Track, Black
L-MTCJ-01-W	90° corner junction for H-shape Track, White
L-MTCJ-01-S	90° corner junction for H-shape Track, Silver

PRODUCT DESCRIPTION

90° INSIDE FLAT CONNECTOR



REFERENCES

L-MTECJ-01-B	90° inside-slot Flat connector for H-shape Track
--------------	--

PRODUCT DESCRIPTION

END CAP



REFERENCES

L-MTCP-01-B	End cap for H-shape track, Black
L-MTCP-01-W	End cap for H-shape track, White
L-MTCP-01-S	End cap for H-shape track, Silver

PRODUCT DESCRIPTION

O-SHAPED MICRO TRACK



REFERENCES

L-MTOK-100-B	O-Shape Micro Track 1 meter Black
L-MTOK-100-W	O-Shape Micro Track 1 meter White
L-MTOK-100-S	O-Shape Micro Track 1 meter Silver
L-MTOK-200-B	O-Shape Micro Track 2 meters Black
L-MTOK-200-W	O-Shape Micro Track 2 meters White
L-MTOK-200-S	O-Shape Micro Track 2 meters Silver
L-MTOK-300-B	O-Shape Micro Track 3 meters Black

PRODUCT DESCRIPTION

FLANGE



REFERENCES

L-MTFL-01-B	Flange for O-Shape Track, Black
L-MTFL-01-W	Flange for O-Shape Track, White
L-MTFL-01-S	Flange for O-Shape Track, Silver

PRODUCT DESCRIPTION

LIVE END CONNECTOR



REFERENCES

L-MTOEC-01-B	Live end connector for O-Shape track, Black
L-MTOEC-01-W	Live end connector for O-Shape track, White
L-MTOEC-01-S	Live end connector for O-Shape track, Silver

PRODUCT DESCRIPTION

STRAIGHT JUNCTION CONNECTOR



REFERENCES

L-MTOSJ-01-B	Straight junction connector for O-Shape track, Black
L-MTOSJ-01-W	Straight junction connector for O-Shape track, White
L-MTOSJ-01-S	Straight junction connector for O-Shape track, Silver

PRODUCT DESCRIPTION

90° CORNER JUNCTION



REFERENCES

L-MTOCJ-01-B	90° corner junction for O-shape Track, Black
L-MTOCJ-01-W	90° corner junction for O-shape Track, White
L-MTOCJ-01-S	90° corner junction for O-shape Track, Silver

PRODUCT DESCRIPTION

END CAP



REFERENCES

L-MTOCP-01-B	End cap for O-Shape Track, Black
L-MTOCP-01-W	End cap for O-Shape Track, White
L-MTOCP-01-S	End cap for O-Shape Track, Silver

PRODUCT DESCRIPTION

RECESSED MICRO TRACK



REFERENCES

L- MTRTK- 100- B
L-MTRTK-100-W
L-MTRTK-200-B
L-MTRTK-200-W

PRODUCT DESCRIPTION

R-Shape Micro Track 1 meter Black
R-Shape Micro Track 1 meter White
R-Shape Micro Track 2 meters Black
R-Shape Micro Track 2 meters White

LIVE END CONNECTOR



REFERENCES

L-MTREC-01-B
L-MTREC-01-W

PRODUCT DESCRIPTION

Live end connector for R-shape Track, Black
Live end connector for R-shape Track, White

STRAIGHT JUNCTION CONNECTOR



REFERENCES

L-MTRSJ-01-B
L-MTRSJ-01-W

PRODUCT DESCRIPTION

Straight junction connector for R-shape Track, Black
Straight junction connector for R-shape Track, White

90° CORNER JUNCTION



REFERENCES

L-MTRCJ-01-B
L-MTRCJ-01-W

PRODUCT DESCRIPTION

90° corner junction for R-shape Track, Black
90° corner junction for R-shape Track, White

END CAP



REFERENCES

L-MTRCP-01-B
L-MTRCP-01-W

PRODUCT DESCRIPTION

End cap for R-shape track, Black
End cap for R-shape track, White

LED DRIVERS 12V



REFERENCES

PLC-30-12
 PLC-60-12
 LPV-100-12

PRODUCT DESCRIPTION

LED driver 12V/30W
 LED driver 12V/60W
 LED driver 12V/100W

LED DRIVERS 12V - EUROPE



REFERENCES

NPF-40
 NPF-90

PRODUCT DESCRIPTION

LED driver 12V/40W
 LED driver 12V/90W

PICK-UP CONNECTOR



REFERENCES

L-MTPK-01-B

PRODUCT DESCRIPTION

Pick-up connector 12V, with cable 0.5m



NORTH AMERICA

Academy Museum of Motion Pictures, CA
 Alabama State Archives, Montgomery, AL
 American Museum of Natural history, NY
 Appomattox Court House Museum, VA
 Armenian Museum of America, MA
 Autry Museum of the West
 Babe Ruth Birthplace, MD
 Bank of Canada Museum, ON, Canada
 Boston Fine Art, Boston, MA
 Carnegie Museum of Natural History, PA
 Carnegie Museum of New Hampshire, NH
 Central Synagogue, Manhattan, NY
 Chicago History Museum, IL
 Chicago Museum of Science and Industry, Chicago, IL
 Cincinnati Art Museum, OH
 Cleveland Museum of Natural History, OH
 Collier County Museum, FL
 Cranbrook Institute, MI
 Crystal Bridges Museum, AR
 Emory University, GA
 Fine Arts Museum of San Francisco, CA
 First Division Museum at Cantigny, Wheaton, IL
 Ford's Theatre, DC
 Frazier Historical Arms Museum, Louisville, KY
 Frick Collection, NY
 George W. Bush Presidential Library, Dallas, TX
 Georgia State Capitol Museum, GA
 GIA Institute, CA
 Hillwood Estate Museum, DC
 Jamestown/Yorktown Foundation, VA
 Jim Moran foundation, FL
 Knoxville Museum of Art, TN
 LSU Museum of Art, LA
 Marco Island Museum, FL
 Mariners Museum, VA
 Metropolitan Museum of Art, NY
 Mississippi Museum of Natural History, MI
 Mississippi Museum of Natural history, Jackson, MS
 Mt. Vernon Education Center, VA
 Museum of American Finance, NY
 Museum of Fine Art p Boston, MA
 Nantucket Whaling Museum, Nantucket, MA
 National Archives, DC
 National Air and Space Museum, DC
 National Civil War Museum, PA
 National Infantry Museum, GA
 National Museum of African American History and Culture, DC
 National Museum of American History, DC
 National Museum of American Indians, NY
 National Museum of Natural history, DC
 National Museum of Natural History, DC
 National Museum of the American Indian, DC
 National Museum of United States Army, VA
 National Museum of Women in the Arts, Washington, DC
 National Portrait Gallery, DC
 National Postal Museum, DC
 New York Historical Society, NY
 Newseum, DC
 Norton Museum of Art, FL
 Old Conn. Statehouse, CT
 Peabody Essex Museum, MA
 Perfume Passage Foundation,
 Philadelphia Museum of Art, PA

Pitts Theology Library Emory University, Atlanta, GA
 Polk County Museum, FL
 Ronald Regan Presidential Library, CA
 Sandoway Nature Center, Delray, FL
 Smithsonian Libraries, DC
 Sports Legends Museum – Camden Yards, Baltimore, MD
 The Asia Society, NY
 The Catholic Museum of America, DC
 The Cloisters, NY
 The Henry Ford Museum, MI
 The Holy Land attraction, Orlando, FL
 The Flight Path Museum & Learning Center LAX, CA
 The Library of Congress, Washington, DC
 The Mob Museum
 The White House Porcelain Collection, DC
 University Conn Ballard Museum of Puppetry, CT
 University of Florida Harn Museum of Asian Art, Gainesville, FL
 US Marine Corps Museum, VA
 US Mint, Philadelphia, PA
 US Naval Academy – John Paul Jones crypt, Annapolis, MD
 USC – Doheny Library Treasure Room, Los Angeles, CA
 US Golf association Museum
 Vassar College, NY
 Virginia Museum of Fine Art, VA
 Walters Art Museum, Baltimore, MD
 Walt Disney/ France Pavillion Epcot, FL

SOUTH AMERICA

Acheological Museum of Piura, Peru
 Museu Carlos Costa Pinto, Salvador de Bahia, Brasil Museum of Sacred Art, Belem, Brasil
 Museo de la moda, Santiago, Chile
 Museo de Bellas Artes, Santiago, Chile

EUROPE

Amsterdam University Library
 Archeological museum of Mykenae
 Army Museum, Bruxelles
 Ashmolean Museum, Oxford
 Australian Memorial Monash Villers bretonneux, France
 Blaschka collection, Aquarium, Liège
 Byzantyne Museum, Athens
 Carolus Borromeus, Antwerpen, Belgium
 Faberge and Icon exhibition, Vatican
 Hasselt Museum, Belgium
 Diamond museum, Antwerpen, Belgium
 Faberge Exhibition, Venaria Reale, Torino
 Gaasbeck castle, Belgium
 Historische Museum, Basel
 Holborn museum, Bath, UK
 Katoenatie museum, Antwerpen, Belgium
 King's Library British Museum, UK
 La Bibliothèque Nationale, Paris
 Landesmuseum Emden, Germany
 Le Musée d'Orsay, Paris
 Le Musée des Antiquités Nationales de Saint Germain en Laye
 Manching kelt museum, Germany
 Le Musée Fragonard de Grasse
 Le Palais de la Découverte, Paris
 Les Archives Nationales, Paris
 Library Braunschweig, Germany
 Maison Rouge, Paris
 MAS, Antwerpen, Belgium
 National Bavaria Library, Munich, Germany
 Middelheim museum, Atwerppen

Mineralogy Museum, Liban
 Musee parfum Fragonard, France
 Musée Borelli, France
 Musée de l'Armée, Invalides, France
 Musée de l'esclavage, Pointe a pitre, Guadeloupe, France
 Musee de la Chasse, France
 Musée de la dentelle, Calais, France
 Musée de la gendarmerie, Melun, France
 Musée de la Toile de Jouy, France
 Musée du Louvre, France
 Musée Delvaux Brussels, Belgium
 Musée Historique de Strasbourg, France
 Musée des Beaux Arts, Bruxelles
 Musée L Louvain la Neuve, Belgium
 Musée M leuven, Belgium
 Museum of London
 Museum of Natural History, Madrid
 National Archeological Museum of Athens
 National Archeological Museum of Thessaloniki
 National Bavaria Museum, Munich, Germany
 National Museum of Iceland
 National Museum of Ireland 1916
 Order of st John Museum
 Palais Borely, Marseille, France
 Palais de Tokyo , Paris
 Palais de Versailles, France
 Petit Palais, Paris
 Pitt Rivers Museum, Oxford
 Preston Porcelain Museum, UK
 Rijks egyptian collection Leiden Holland
 Royal Library Bruxelles
 Royal Medieval Textile M v useum, Burgos, Spain
 Saint Peter Babbey, Gent, Belgium
 Toy Museum, Luxembourg
 Valencia History Museum, Spain

ASIA

Asian Civilization Museum, Singapore
 Ceramic gallery, Reference Collection, Forbidden city, Beijing
 Chiang Mai national Museum, Thaïlande
 Fireboat Museum, Hong Kong
 Hubei history Museum, China
 Hunan Museum, China
 Indian Heritage Museum, Singapore
 Inner Mongolia Museum, China
 Louvre Abu-Dhabi, UAE
 National Library, Singapore
 National Library, Singapore
 National Museum of Singapore
 Peranakan Museum, Singapore
 Qasr Al Watan, UAE
 Shenzen regional Museum, China
 Shindagha, Dubai
 The Chariots, The Terra Cotta Museum, Xian, China

OCEANIA

Australia Museum ,Sydney ,Australia
 Australian National Maritime Museum He Tohu .Wellington, New Zealand
 MONA, Hobart ,Tasmania
 National Gallery of Victoria, Melbourne, Australia
 The Schrine, Melbourne, Australia
 TMAG, Hobart, Tasmania



LUXAM
Lighting For Museums

LUXAM.COM | INFO@LUXAM.COM



LUXAM USA

12201 NW 35th Street #534
Coral Springs, FL 33065
P: +19547557354 Email: info@luxam.com

LUXAM UK

184 Park Avenue
London NW10 7XL
Email: info@luxam.com

LUXAM EUROPE

80 rue du Dessous des Berges
75013 Paris Phone: +33982272946
Email: france@luxam.com