


## **Muscle Groups Focus**





#### **Rising Ladder**


The climbing ladder is used to perform hanging climbing exercises. Hanging and climbing are the basic exercises of free weight training. There are several variations of different levels of difficulty, which can actually move the entire musculature of the body. The climbing ladder offers users a large degree of flexibility.


#### Attributes

Product code	1-1-058
Certificate	EN 16630, ASTM F3101
Age group	14 + years
Capacity	2 people
Max. weight load	218.26 lbs
Туре	Calisthenics
Difficulty level	Hard

# Side View

**Plan View** 





#### Installation information

Number of installers (concrete)	At least 2 people
Total installation time (concrete)	60-120 min.
Number of installers (equipment)	At least 2 people
Total installation time (equipment)	30-60 min.
Excavation volume	28,25 ft <sup>3</sup>
Concrete volume	28,25 ft <sup>3</sup>
Size of the base structure	4pc 19.69 x 19.69 x 31.5 "
Anchoring options In combined structures, the volume of concrete required	In-ground or surface


## **Technical specification**

Safety surfice area	Around 4	.92 ft
Net weight		110
Material		
Critic fall height		
Color options		
For more color options, discuss with your sales represer		

## Warranty

2 ft radius 110.23 lbs	Structure Steel	25 years 15 years
S235	Paint	2 years
47.24"	Plastic	5-10 years
	Rubber	1-3 years
	Moving parts Detailed information in the warranty document	2 years

# Material specification





The element is made of high quality S235 steel, which has been cleaned via sandblasting. A corrosion resistant powder coating finish is then applied. Also available with galvanized surface for even greater protection and longevity!



The clamp system allows for easy assembly and extreme stability.



The connecting elements are fastened with vandal-proof stainless steel screws and nuts.



The ends of the bars and posts are sealed with injection-moulded plastic caps.

# 7'BESTRONG



