C 300 H









TECHNICAL DATA

GENERAL		C 300 H M570	C 300 H x4 M571	
Load capacity to 20"	lb	6,600	6,600	
Load capacity to 24"	lb	6,100	6,100	
Unladen weight *	lb	12,400	12,400	
Transmission	-	Hydrostatic, with continuous speed control	Hydrostatic, with continuous speed control	
MAST		3,300	3,300	
ork carriage	-	FEM 3	FEM 3	
Carriage width	in	1,260/1,660	1,260/1,660	
ENGINE				
Make	-	KUBOTA	KUBOTA	
Model	-	V2403	V2403	
Power	hp	48.9	48.9	
Operating speed	r/min	2,600	2,600	
Torque	Nm@rpm	158,6@1600	158,6@1600	
No. cylinders	-	4	4	
Emissions	-	Stage IIIA - Tier4i	Stage IIIA - Tier4i	
Ambient noise	dB(A)	104	104	
Consumption	gal/h	1.55	1.55	
	lb/h	33.7	33.7	
DRIVING				
Max. speed	mph	13.6	13.6	
Gradability	%	30	30	
Fraction	-	4x2	4x4 FullGrip®	
Front tyres	-	12.5/80-18	12.5/80-18	
Rear tyres	-	27x10-12	10.0/75-15.3	
HYDRAULIC SYSTEM				
Hydraulic circuit	gal/min	18.5	18.5	
Working pressure	psi	2,500	2,500	
TANK CAPACITY				
-uel	gal	21.1	21.1	
Hydraulic	gal	22.4	22.4	
BRAKES				
Service	-	Hydraulic, multi-disc and sealed	Hydraulic, multi-disc and sealed	
Parking	-	Spring-loaded, multi-disc and sealed	Spring-loaded, multi-disc and sealed	
			* It may change due to ontional equipm	

DIMENSIONS

		Н				
TYPE OF MAST	Maximum lift (ft)	Retracted mast height (in)	Extended mast height (in)	Free lift (in)	Load at maximum hei Narrow axle	ght (Ib) All-terrain use Wide axle
Duplex mast (Std.)	10.82	102.3	177.1	4.7	6,613	6,613
Triplex mast	12.14	82.3	192.9	47.2	5,291	6,613
Triplex mast	17.71	104.7	259.8	66.1	-	3,307





DIMENSIONS (in)	C 300 H	C 300 H x4
А	85	86.6
В	10.6	11.2
С	12	11.6
D	57	60.9
E	59.8	59.8
E**	70	70
F	137.8	169.3
G	112.4	112.4
1	4.7	4.7
J	1.9	1.9
К	27.9	27.5
L	179.2	178.5
M	24.5	24.2
N	79.5	79.5
0	47.2	47.2
Р	220.8	251.9
Q	0.5	0.5
R	0.4	0.4
S	49.6	49.6
S***	65.3	65.3

^{**} Measured with high-lift mast installed ***Measured for wide axle carriage



www.ausa.com

Products are subject to modifications without prior notice. Images throughout the spec sheet may refer to non-standard machines or non-available configurations depending on models.

 $\mbox{AUSA}\mbox{\sc s}$ logo and corporate identity are property of the Company, they cannot be used without authorization.

