




LEUCOS

You spot it from afar





04-07	About LEUCOS	More than sixty years of lighting history Più di sessant'anni di storia dell'illuminazione
08-27	AELLA	
	10	Pendant L - Sospensione L
	11	AELLA S 54 L
	12	AELLA S 45 L
	13	AELLA S 30 L
	14	Pendant - Sospensione
	15	AELLA S 54
	16	AELLA S 45
	17	AELLA S 30
	18-19	Color finishes - Colori finiture
	22	Table - Tavolo
	23	AELLA T 54
	24	AELLA T 45
	25	AELLA T 30
	26-27	Color finishes - Colori finiture
28-51	STACKING	
	30	Pendant Horizontal - Sospensione Orizzontale
	33	STACKING S 180 H
	34	STACKING S 120 H
	36	STACKING S 180 H Naked
	37	STACKING S 120 H Naked
	38	Pendant Vertical - Sospensione Verticale
	41	STACKING S 90 V
	42	STACKING S 60 V
	43	STACKING S 30 V
	44	STACKING S 90 V Naked
	45	STACKING S 60 V Naked
	46	STACKING S 30 V Naked
	48	Floor - Terra
	49	STACKING B TR
	50	STACKING C TR
	51	STACKING D TR
52-61	AURELIA	
	54	Pendant 45 - Sospensione 45
	55	AURELIA S 45 Single Switch
	56-57	Color Finishes - Colori finiture
	58	Pendant Bold 22 - Sospensione Bold 22
	59	AURELIA BOLD S 22 Single Switch
	60-61	Color Finishes - Colori finiture
62-71	LIGHTBODY	
	64	Pendant - Sospensione
	67	LIGHTBODY S
	68	Table - Tavolo
	69	LIGHTBODY T
	70-71	Color Finishes - Colori finiture
72-79	ETHER	
	72	Pendant - Sospensione
	75	ETHER S 150
	76	ETHER S 90
	77	ETHER S
	78	Customize your Ether - Personalizza la tua Ether
80	General Information - Informazioni Generali	
82	Contact Info - Contatti	





More than sixty years of lighting history and
many more in the making

Più di sessant'anni di storia dell'illuminazione
e molti altri in divenire

EN

LEUCOS was born in 1962 near Venice, where craftsmanship is synonymous with art. Since the beginning, we have been known for creating lamps of unmistakable quality and unparalleled beauty.

At LEUCOS, we strive to provide exceptional products and state-of-the-art production methods. This results in efficient, dependable, and prompt products and project development.

Our formula is a combination of design, materials, manufacturing techniques, technologies, and exceptional human resources. The handblown glass represents the local tradition, but behind every new project there is a global ambition.

With a deep passion for timeless beauty, we are continuously driven to innovate and elevate our modern classics.

You Spot it from Afar.



IT

LEUCOS nasce nel 1962 vicino a Venezia, dove artigianato è sinonimo di arte. Fin dall'inizio, siamo conosciuti per la creazione di lampade di inconfondibile qualità e bellezza senza pari.

In LEUCOS ci impegniamo a fornire prodotti eccezionali con metodi di produzione all'avanguardia. Ciò si traduce in uno sviluppo di prodotti e progetti efficiente, affidabile e tempestivo. Il vetro soffiato a mano rappresenta la tradizione locale, ma dietro ogni nuovo progetto c'è un'ambizione globale.

La nostra formula è una combinazione di design, materiali, tecniche di produzione, tecnologie e risorse umane eccezionali.

Con una profonda passione per la bellezza senza tempo, siamo continuamente spinti a innovare ed elevare i nostri classici moderni.

You Spot it from afar.

THE LEUCOS SPOT



EN

A historical mark used since LEUCOS was born. It represents the unmistakable quality and unparalleled beauty of our products.

IT

Un marchio storico utilizzato fin dalla nascita di LEUCOS. Rappresenta l'inconfondibile qualità e la bellezza ineguagliabile dei nostri prodotti.

«My childhood memories led me to discover the timeless beauty of LEUCOS. Falling in love with the brand's history and classic icons sparked a passion in me to modernize its portfolio and bring new life to its timeless classics.»

– Abramo Manfrotto



EN

"Growing up as the son of the visionary entrepreneur and innovator behind the world-renowned Manfrotto, a manufacturer of professional camera and lighting equipment, I was drawn to the art of light in photography.

I always knew one day I would get into lighting, because from an early age I have been immersed in light: a balanced, sublime, high-end professional photographic light – its ability to evoke emotions and shape moods fascinated me.

Using the knowledge from the past and what we know today about innovation, business models, distribution, sustainability and bespoke solutions, I am confident that LEUCOS is the right partner to bring our clients' vision to light."

"Figlio di un imprenditore visionario e innovatore, fondatore del marchio Manfrotto, leader nella produzione di supporti per fotocamere e illuminazioni professionali, sono stato attratto dall'arte della luce nella fotografia.

Ho sempre saputo che un giorno sarei entrato nel mondo dell'illuminazione, perché fin da piccolo sono stato immerso nella luce: una luce equilibrata, sublime, da fotografia professionale di alto livello. La sua capacità di evocare emozioni e dare forma a stati d'animo mi ha sempre affascinato.

Utilizzando la conoscenza del passato e ciò che sappiamo oggi su innovazione, modelli di business, distribuzione, sostenibilità e soluzioni su misura, sono certo che LEUCOS sia il partner giusto per portare alla luce la visione dei nostri clienti."



«I miei ricordi d'infanzia mi hanno portato a scoprire la bellezza senza tempo di LEUCOS. L'amore per la storia del marchio e per le sue icone classiche ha acceso in me la passione per ammodernare la sua gamma di prodotti e dare nuova vita ai suoi classici senza tempo.»

– Abramo Manfrotto

AELLA



AELLA S 45 L

Diffuser: Shaded Burgundy

Structure: Matte Black



AELLA S 54 L

Diffuser: Transparent with White Spot
Structure: Matte White

EN

Conceived in 1968 by the creative minds of the designer couple Renato Toso and Noti Massari, the Aella Collection represents the essence of Leucos' timeless design.

Aella is the "tornado" embodied by the soft curves of handblown glass diffuser swirling out to catch a harmonic and evanescent cyclone of light. The light emits as a flame of light that evenly spreads throughout the room.

The LED light sources are user-friendly and easily replaceable, ensuring longevity and easy maintenance thanks to a smart disassembly system.

With three sizes available for table and suspension versions, and several combinations of colors for its structure and diffuser, Aella caters to various needs and allow you to tailor the ambiance to your preference.



AELLA S 30 L

Diffuser: Smoke Grey
Structure: Matte Bronze

IT

Nata dalle menti creative della coppia di designer Renato Toso e Noti Massari nel 1968, la Collezione Aella rappresenta l'essenza dell'intramontabile design di Leucos.

Aella è il "tornado" materializzato dalle morbide curve del diffusore in vetro soffiato a bocca e lavorato a mano che si snodano per catturare un armonico ed evanescente ciclone di luce. La luce esce come una fiamma luminosa che si diffonde uniformemente in tutta la stanza.

Le sorgenti luminose a LED sono facili da utilizzare e sostituire, garantendo durata e facilità di manutenzione grazie ad un sistema di smontaggio semplificato.

Con tre dimensioni disponibili per le versioni da tavolo e sospensione, e con molteplici combinazioni di colori struttura/diffusore, Aella incontra diverse esigenze di arredo e consente di personalizzare l'ambiente a piacimento.

PENDANT L

AELLA



AELLA S 45 L

Diffuser: Shaded White
Structure: Matte Black



AELLA S 30 L

Diffuser: Transparent with White Spot
Structure: Matte White




AELLA S 54 L - INDOOR

Toso & Massari, 2016

PENDANT - SOSPENSIONE

Upgraded



TECHNICAL SHEET	
MATERIALS	Diffuser: Blown Glass Structure: Metal
DIMENSIONS	Diffuser: Ø54 cm H23,2 cm [Ø21 1/4" H9 1/4"] Canopy: Ø18 cm H4,9cm [Ø7" H2"] Cable lenght: 300 cm [118 1/8"]
CANOPY	Matte white
LIGHT SOURCE	LED 1 X 26,6W 4060lm (nominal) 3000K CRI≥90 LED 1 X 26,6W 3808lm (nominal) 2700K CRI≥90
DIMMING PROTOCOL	Push-dim; 0/1-10V; Dali
MARKING	DRY LOCATION   IP20
WEIGHT	Net weight: 13,9kg



DIMMING PROTOCOL	Push-dim; 0/1-10V; Dali	
FINISH (DIFFUSER + STRUCTURE)	SOURCE	CODE
[1] Transparent with White Spot + Matte White	LED 3000K LED 2700K	0012649 0012650
[2] Transparent with White Spot + Matte Black	LED 3000K LED 2700K	0012651 0012652
[3] Transparent with White Spot + Matte Bronze	LED 3000K LED 2700K	0012653 0012654
[4] Shaded Burgundy + Matte White	LED 3000K LED 2700K	0012655 0012656
[5] Shaded Burgundy + Matte Black	LED 3000K LED 2700K	0012657 0012658
[6] Shaded Burgundy + Matte Bronze	LED 3000K LED 2700K	0012659 0012660
[7] Smoke Grey + Matte White	LED 3000K LED 2700K	0012931 0012932
[8] Smoke Grey + Matte Black	LED 3000K LED 2700K	0012933 0012934
[9] Smoke Grey + Matte Bronze	LED 3000K LED 2700K	0012935 0012936

ON REQUEST

DIMMING PROTOCOL	Push-dim; 0/1-10V; Dali	
FINISH	Source	STRUCTURE
[10] [11] [12] Transparent "Pulegoso" with metal powder inclusion	LED 3000K LED 2700K	Matte White Matte Black Matte Bronze
[13] [14] [15] Shaded White	LED 3000K LED 2700K	Matte White Matte Black Matte Bronze
[16] [17] [18] White Shaded Pink	LED 3000K LED 2700K	Matte White Matte Black Matte Bronze
[19] [20] [21] Alabaster with Brush Strikes	LED 3000K LED 2700K	Matte White Matte Black Matte Bronze

ON REQUEST


Class 3 version installation with remote driver
(supplied without canopy & driver)

DIMMING PROTOCOL	Driver and canopy not included
------------------	-----------------------------------

AELLA S 45 L - INDOOR

Toso & Massari, 2023

New



Discover more

REPLACEABLE LED

TECHNICAL SHEET	
MATERIALS	Diffuser: Blown Glass Structure: Metal
DIMENSIONS	Diffuser: H19,3 cm Ø45 cm [7 1/2" Ø17 3/4"] Canopy: Ø18 cm H4,9cm [Ø7" H2"] Cable lenght: 300 cm [118 1/8"]
CANOPY	Matte white
LIGHT SOURCE	LED 1 X 16,6W 2624lm (nominal) 3000K CRI≥90 LED 1 X 16,6W 2461lm (nominal) 2700K CRI≥90
DIMMING PROTOCOL	Push-dim; 0/1-10V; Dali
MARKING	DRY LOCATION   
WEIGHT	Net weight: 8,15kg



[13]

DIMMING PROTOCOL	Push-dim; 0/1-10V; Dali	
FINISH (DIFFUSER + STRUCTURE)	SOURCE	CODE
[1] Transparent with White Spot + Matte White	LED 3000K LED 2700K	0012625 0012626
[2] Transparent with White Spot + Matte Black	LED 3000K LED 2700K	0012627 0012628
[3] Transparent with White Spot + Matte Bronze	LED 3000K LED 2700K	0012629 0012630
[4] Shaded Burgundy + Matte White	LED 3000K LED 2700K	0012925 0012926
[5] Shaded Burgundy + Matte Black	LED 3000K LED 2700K	0012927 0012928
[6] Shaded Burgundy + Matte Bronze	LED 3000K LED 2700K	0012929 0012930
[7] Smoke Grey + Matte White	LED 3000K LED 2700K	0012919 0012920
[8] Smoke Grey + Matte Black	LED 3000K LED 2700K	0012921 0012922
[9] Smoke Grey + Matte Bronze	LED 3000K LED 2700K	0012923 0012924

ON REQUEST

DIMMING PROTOCOL	Push-dim; 0/1-10V; Dali	
FINISH	Source	STRUCTURE
[10] [11] [12] Transparent "Pulegoso" with metal powder inclusion	LED 3000K LED 2700K	Matte White Matte Black Matte Bronze
[13] [14] [15] Shaded White	LED 3000K LED 2700K	Matte White Matte Black Matte Bronze
[16] [17] [18] White Shaded Pink	LED 3000K LED 2700K	Matte White Matte Black Matte Bronze
[19] [20] [21] Alabaster with Brush Strikes	LED 3000K LED 2700K	Matte White Matte Black Matte Bronze

ON REQUEST

Class 3 version installation with remote driver
(supplied without canopy & driver)

DIMMING PROTOCOL	Driver and canopy not included
------------------	-----------------------------------

AELLA S 30 L - INDOOR


Toso & Massari, 2016

PENDANT - SOSPENSIONE

Upgraded



Discover more



REPLACEABLE LED

TECHNICAL SHEET	
MATERIALS	Diffuser: Blown Glass Structure: Metal
DIMENSIONS	Diffuser: Ø30 cm H12,9 cm [Ø11 3/4" H5 1/8"] Canopy: Ø14,5 cm H4,6cm [Ø5 3/4" H1 3/4"] Cable lenght: 300 cm [118 1/8"]
CANOPY	Matte white
LIGHT SOURCE	LED 1 X 11,9W 1635lm (nominal) 3000K CRI≥90 LED 1 X 11,9W 1535lm (nominal) 2700K CRI≥90
DIMMING PROTOCOL	Push-dim; 0/1-10V; Dali
MARKING	DRY LOCATION   
WEIGHT	Net weight: 3,8kg



DIMMING PROTOCOL	Push-dim; 0/1-10V; Dali	
FINISH (DIFFUSER + STRUCTURE)	SOURCE	CODE
[1] Transparent with White Spot + Matte White	LED 3000K LED 2700K	0012607 0012608
[2] Transparent with White Spot + Matte Black	LED 3000K LED 2700K	0012609 0012610
[3] Transparent with White Spot + Matte Bronze	LED 3000K LED 2700K	0012611 0012612
[4] Shaded Burgundy + Matte White	LED 3000K LED 2700K	0012613 0012614
[5] Shaded Burgundy + Matte Black	LED 3000K LED 2700K	0012615 0012616
[6] Shaded Burgundy + Matte Bronze	LED 3000K LED 2700K	0012617 0012618
[7] Smoke Grey + Matte White	LED 3000K LED 2700K	0012913 0012914
[8] Smoke Grey + Matte Black	LED 3000K LED 2700K	0012915 0012916
[9] Smoke Grey + Matte Bronze	LED 3000K LED 2700K	0012917 0012918

ON REQUEST

DIMMING PROTOCOL	Push-dim; 0/1-10V; Dali	
FINISH	Source	STRUCTURE
[10] [11] [12] Transparent "Pulegoso" with metal powder inclusion	LED 3000K LED 2700K	Matte White Matte Black Matte Bronze
[13] [14] [15] Shaded White	LED 3000K LED 2700K	Matte White Matte Black Matte Bronze
[16] [17] [18] White Shaded Pink	LED 3000K LED 2700K	Matte White Matte Black Matte Bronze
[19] [20] [21] Alabaster with Brush Strikes	LED 3000K LED 2700K	Matte White Matte Black Matte Bronze

ON REQUEST

Class 3 version installation with remote driver
(supplied without canopy & driver)

DIMMING PROTOCOL	Driver and canopy not included
------------------	--------------------------------

PENDANT

AELLA



AELLA S 45


Diffuser: Shaded Burgundy
Structure: Matte Black

AELLA S 54 - INDOOR

Toso & Massari, 2016

PENDANT - SOSPENSIONE

Upgraded



Discover more

REPLACEABLE LED

TECHNICAL SHEET	
MATERIALS	Diffuser: Blown Glass Structure: Metal
DIMENSIONS	Diffuser: Ø54 cm H23,2 cm [Ø21 1/4" H9 1/8"] Canopy: Ø18 cm H4,9cm [Ø7 3/32" H1 15/16"] Cable lenght: 300 cm [118 1/8"]
CANOPY	Matte white
LIGHT SOURCE	LED 1 X 26,6W 4060lm (nominal) 3000K CRI≥90 LED 1 X 26,6W 3808lm (nominal) 2700K CRI≥90
DIMMING PROTOCOL	Push-dim; 0/1-10V; Dali
MARKING	DRY LOCATION   IP20
WEIGHT	Net weight: 13kg



DIMMING PROTOCOL	Push-dim; 0/1-10V; Dali	
FINISH (DIFFUSER + STRUCTURE)	SOURCE	CODE
[1] Transparent with White Spot + Matte White	LED 3000K LED 2700K	0012740 0012741
[2] Transparent with White Spot + Matte Black	LED 3000K LED 2700K	0012742 0012743
[3] Transparent with White Spot + Matte Bronze	LED 3000K LED 2700K	0012744 0012745
[4] Shaded Burgundy + Matte White	LED 3000K LED 2700K	0012746 0012747
[5] Shaded Burgundy + Matte Black	LED 3000K LED 2700K	0012748 0012749
[6] Shaded Burgundy + Matte Bronze	LED 3000K LED 2700K	0012750 0012751
[7] Smoke Grey + Matte White	LED 3000K LED 2700K	0012885 0012886
[8] Smoke Grey + Matte Black	LED 3000K LED 2700K	0012887 0012888
[9] Smoke Grey + Matte Bronze	LED 3000K LED 2700K	0012889 0012890

ON REQUEST

DIMMING PROTOCOL	Push-dim; 0/1-10V; Dali	
FINISH	Source	STRUCTURE
[10] [11] [12] Transparent "Pulegoso" with metal powder inclusion	LED 3000K LED 2700K	Matte White Matte Black Matte Bronze
[13] [14] [15] Shaded White	LED 3000K LED 2700K	Matte White Matte Black Matte Bronze
[16] [17] [18] White Shaded Pink	LED 3000K LED 2700K	Matte White Matte Black Matte Bronze
[19] [20] [21] Alabaster with Brush Strikes	LED 3000K LED 2700K	Matte White Matte Black Matte Bronze

ON REQUEST

Class 3 version installation with remote driver
(supplied without canopy & driver)


DIMMING PROTOCOL	Driver and canopy not included
------------------	-----------------------------------

AELLA S 45 - INDOOR

Toso & Massari, 2023

PENDANT - SOSPENSIONE

New



Discover more

REPLACEABLE LED

TECHNICAL SHEET	
MATERIALS	Diffuser: Blown Glass Structure: Metal
DIMENSIONS	Diffuser: Ø45 cm H19,3 cm [Ø17 3/4" H7 1/2"] Canopy: Ø18 cm H4,9cm [Ø7" H2"] Cable lenght: 300 cm [118 1/8"]
CANOPY	Matte white
LIGHT SOURCE	LED 1 X 16,6W 2624lm (nominal) 3000K CRI≥90 LED 1 X 16,6W 2461lm (nominal) 2700K CRI≥90
DIMMING PROTOCOL	Push-dim; 0/1-10V; Dali
MARKING	DRY LOCATION   
WEIGHT	Net weight: 7,8kg



DIMMING PROTOCOL	Push-dim; 0/1-10V; Dali	
FINISH (DIFFUSER + STRUCTURE)	SOURCE	CODE
[1] Transparent with White Spot + Matte White	LED 3000K LED 2700K	0012716 0012717
[2] Transparent with White Spot + Matte Black	LED 3000K LED 2700K	0012718 0012719
[3] Transparent with White Spot + Matte Bronze	LED 3000K LED 2700K	0012720 0012721
[4] Shaded Burgundy + Matte White	LED 3000K LED 2700K	0013233 0013234
[5] Shaded Burgundy + Matte Black	LED 3000K LED 2700K	0013235 0013236
[6] Shaded Burgundy + Matte Bronze	LED 3000K LED 2700K	0013237 0013238
[7] Smoke Grey + Matte White	LED 3000K LED 2700K	0012879 0012880
[8] Smoke Grey + Matte Black	LED 3000K LED 2700K	0012881 0012882
[9] Smoke Grey + Matte Bronze	LED 3000K LED 2700K	0012883 0012884

ON REQUEST

DIMMING PROTOCOL	Push-dim; 0/1-10V; Dali	
FINISH	Source	STRUCTURE
[10] [11] [12] Transparent "Pulegoso" with metal powder inclusion	LED 3000K LED 2700K	Matte White Matte Black Matte Bronze
[13] [14] [15] Shaded White	LED 3000K LED 2700K	Matte White Matte Black Matte Bronze
[16] [17] [18] White Shaded Pink	LED 3000K LED 2700K	Matte White Matte Black Matte Bronze
[19] [20] [21] Alabaster with Brush Strikes	LED 3000K LED 2700K	Matte White Matte Black Matte Bronze

ON REQUEST

Class 3 version installation with remote driver
(supplied without canopy & driver)

DIMMING PROTOCOL	Driver and canopy not included
------------------	-----------------------------------

AELLA S 30 - INDOOR


Toso & Massari, 2016

PENDANT - SOSPENSIONE

Upgraded



Discover more



REPLACEABLE LED

TECHNICAL SHEET	
MATERIALS	Diffuser: Blown Glass Structure: Metal
DIMENSIONS	Diffuser: Ø30 cm H12,9 cm [Ø11 3/4" H5 1/8"] Canopy: Ø14,5 cm H4,6 cm [Ø5 3/4" H1 3/4"] Cable lenght: 300 cm [118 1/8"]
CANOPY	Matte white
LIGHT SOURCE	LED 1 X 11,9W 1635lm (nominal) 3000K CRI≥90 LED 1 X 11,9W 1535lm (nominal) 2700K CRI≥90
DIMMING PROTOCOL	Push-dim; 0/1-10V; Dali
MARKING	DRY LOCATION   
WEIGHT	Net Weight: 3,7kg



[2]

DIMMING PROTOCOL	Push-dim; 0/1-10V; Dali	
FINISH (DIFFUSER + STRUCTURE)	SOURCE	CODE
[1] Transparent with White Spot + Matte White	LED 3000K LED 2700K	0012662 0012663
[2] Transparent with White Spot + Matte Black	LED 3000K LED 2700K	0012664 0012665
[3] Transparent with White Spot + Matte Bronze	LED 3000K LED 2700K	0012666 0012667
[4] Shaded Burgundy + Matte White	LED 3000K LED 2700K	0012704 0012705
[5] Shaded Burgundy + Matte Black	LED 3000K LED 2700K	0012706 0012707
[6] Shaded Burgundy + Matte Bronze	LED 3000K LED 2700K	0012708 0012709
[7] Smoke Grey + Matte White	LED 3000K LED 2700K	0012873 0012874
[8] Smoke Grey + Matte Black	LED 3000K LED 2700K	0012875 0012876
[9] Smoke Grey + Matte Bronze	LED 3000K LED 2700K	0012877 0012878

ON REQUEST

DIMMING PROTOCOL	Push-dim; 0/1-10V; Dali	
FINISH	Source	STRUCTURE
[10] [11] [12] Transparent "Pulegoso" with metal powder inclusion	LED 3000K LED 2700K	Matte White Matte Black Matte Bronze
[13] [14] [15] Shaded White	LED 3000K LED 2700K	Matte White Matte Black Matte Bronze
[16] [17] [18] White Shaded Pink	LED 3000K LED 2700K	Matte White Matte Black Matte Bronze
[19] [20] [21] Alabaster with Brush Strikes	LED 3000K LED 2700K	Matte White Matte Black Matte Bronze

ON REQUEST

Class 3 version installation with remote driver
(supplied without canopy & driver)

DIMMING PROTOCOL	Driver and canopy not included
------------------	-----------------------------------

STANDARD COLOR FINISHES - FINITURE STANDARD

STRUCTURE

Matte white

Matte Black

Matte Bronze

DIFFUSER

Transparent
with White
Spot



Shaded
Burgundy



Smoke Grey



The still life images represent the metal/glass colors combinations also for Aella S 30-45-54.
Le foto rappresentano le combinazioni colore metallo/vetro anche per Aella S 30-45-54.

Please, refer to the number on the pictures to match the correct code of the color finishes in the spec sheets.
Si prega di fare riferimento al numero sulle immagini per abbinare il codice corretto delle finiture colore nelle schede tecniche.

COLOR FINISHES ON REQUEST - FINITURE SU RICHIESTA

DIFFUSER

Transparent
“Pulegoso”
with metal
powder
inclusion

Matte white



Matte Black



Matte Bronze



Shaded White



White Shaded
Pink



Alabaster with
Brush Strikes



The still life images represent the metal/glass colors combinations also for Aella S 30-45-54.
Le foto rappresentano le combinazioni colore metallo/vetro anche per Aella S 30-45-54.

AELLA T 45

Diffuser: Shaded Burgundy
Structure: Matte Black



AELLA T 54

Diffuser: Transparent with White Spot
Structure: Matte White





AELLA T 30
Diffuser: Smoke Grey
Structure: Matte Bronze



TABLE

AELLA



AELLA T 54

Diffuser: Transparent with White Spot
Structure: Matte White




AELLA T 30

Diffuser: Smoke Grey
Structure: Matte Bronze

AELLA T 54 - INDOOR
Toso & Massari, 1968

upgraded



Discover more

REPLACEABLE LED

TECHNICAL SHEET	
MATERIALS	Diffuser: Blown Glass Structure: Metal
DIMENSIONS	Diffuser: Ø54 cm H23,2 cm [Ø21 1/4" H9 1/4"] Base: Ø16,8 cm H25,9 cm [Ø6 1/2" H10 1/4"] Cable lenght: 200 cm [78 3/4"]
LIGHT SOURCE	LED 1 X 26,6W 4060lm (nominal) 3000K CRI≥90 LED 1 X 26,6W 3808lm (nominal) 2700K CRI≥90
DIMMING PROTOCOL	Dimmer on cord
MARKING	DRY LOCATION   
WEIGHT	Net weight: 16,45kg




DIMMING PROTOCOL	Dimmer on cord	
FINISH (DIFFUSER + STRUCTURE)	SOURCE	CODE
[1] Transparent with White Spot + Matte White	LED 3000K LED 2700K	0012589 0012590
[2] Transparent with White Spot + Matte Black	LED 3000K LED 2700K	0012591 0012592
[3] Transparent with White Spot + Matte Bronze	LED 3000K LED 2700K	0012593 0012594
[4] Shaded Burgundy + Matte White	LED 3000K LED 2700K	0012595 0012596
[5] Shaded Burgundy + Matte Black	LED 3000K LED 2700K	0012597 0012598
[6] Shaded Burgundy + Matte Bronze	LED 3000K LED 2700K	0012599 0012600
[7] Smoke Grey + Matte White	LED 3000K LED 2700K	0012907 0012908
[8] Smoke Grey + Matte Black	LED 3000K LED 2700K	0012909 0012910
[9] Smoke Grey + Matte Bronze	LED 3000K LED 2700K	0012911 0012912

ON REQUEST

DIMMING PROTOCOL	Dimmer on cord	
FINISH	Source	STRUCTURE
[10] [11] [12] Transparent "Pulegoso" with metal powder inclusion	LED 3000K LED 2700K	Matte White Matte Black Matte Bronze
[13] [14] [15] Shaded White	LED 3000K LED 2700K	Matte White Matte Black Matte Bronze
[16] [17] [18] White Shaded Pink	LED 3000K LED 2700K	Matte White Matte Black Matte Bronze
[19] [20] [21] Alabaster with Brush Strikes	LED 3000K LED 2700K	Matte White Matte Black Matte Bronze



Discover more



REPLACEABLE LED

TECHNICAL SHEET	
MATERIALS	Diffuser: Blown Glass Structure: Metal
DIMENSIONS	Diffuser: Ø45 cm H19,3 cm [Ø17 3/4" H7 1/2"] Base: Ø14 cm H21,3 cm [Ø5 1/2" H8 3/8"] Cable lenght: 200 cm [78 3/4"]
LIGHT SOURCE	LED 1 X 16,6W 2624lm (nominal) 3000K CRI≥90 LED 1 X 16,6W 2461lm (nominal) 2700K CRI≥90
DIMMING PROTOCOL	Dimmer on cord
MARKING	DRY LOCATION   
WEIGHT	Net Weight: 8,3kg



DIMMING PROTOCOL	Dimmer on cord	
FINISH (DIFFUSER + STRUCTURE)	SOURCE	CODE
[1] Transparent with White Spot + Matte White	LED 3000K LED 2700K	0012571 0012572
[2] Transparent with White Spot + Matte Black	LED 3000K LED 2700K	0012573 0012574
[3] Transparent with White Spot + Matte Bronze	LED 3000K LED 2700K	0012575 0012576
[4] Shaded Burgundy + Matte White	LED 3000K LED 2700K	0012903 0012904
[5] Shaded Burgundy + Matte Black	LED 3000K LED 2700K	0012537 0012538
[6] Shaded Burgundy + Matte Bronze	LED 3000K LED 2700K	0012905 0012906
[7] Smoke Grey + Matte White	LED 3000K LED 2700K	0012897 0012898
[8] Smoke Grey + Matte Black	LED 3000K LED 2700K	0012899 0012900
[9] Smoke Grey + Matte Bronze	LED 3000K LED 2700K	0012901 0012902


ON REQUEST

DIMMING PROTOCOL	Dimmer on cord	
FINISH (DIFFUSER + STRUCTURE)	Source	STRUCTURE
[10] [11] [12] Transparent "Pulegoso" with metal powder inclusion	LED 3000K LED 2700K	Matte White Matte Black Matte Bronze
[13] [14] [15] Shaded White	LED 3000K LED 2700K	Matte White Matte Black Matte Bronze
[16] [17] [18] White Shaded Pink	LED 3000K LED 2700K	Matte White Matte Black Matte Bronze
[19] [20] [21] Alabaster with Brush Strikes	LED 3000K LED 2700K	Matte White Matte Black Matte Bronze

AELLA T 30 - INDOOR

Toso & Massari, 2017

upgraded



Discover more

REPLACEABLE LED

TECHNICAL SHEET	
MATERIALS	Diffuser: Blown Glass Structure: Metal
DIMENSIONS	Diffuser: Ø30 cm H12,9 cm [Ø11 3/4" H5 1/8"] Base: Ø10cm H14,7 cm [Ø4" H5 1/8"] Cable lenght: 200 cm [78 3/4"]
LIGHT SOURCE	LED 1 X 11,9W 1635lm (nominal) 3000K CRI≥90 LED 1 X 11,9W 1535lm (nominal) 2700K CRI≥90
DIMMING PROTOCOL	Dimmer on cord
MARKING	DRY LOCATION   
WEIGHT	Net weight: 3,3kg



[1]

DIMMING PROTOCOL	Dimmer on cord	
FINISH (DIFFUSER + STRUCTURE)	SOURCE	CODE
[1] Transparent with White Spot + Matte White	LED 3000K LED 2700K	0012523 0012524
[2] Transparent with White Spot + Matte Black	LED 3000K LED 2700K	0012525 0012526
[3] Transparent with White Spot + Matte Bronze	LED 3000K LED 2700K	0012527 0012528
[4] Shaded Burgundy + Matte White	LED 3000K LED 2700K	0012553 0012554
[5] Shaded Burgundy + Matte Black	LED 3000K LED 2700K	0012555 0012556
[6] Shaded Burgundy + Matte Bronze	LED 3000K LED 2700K	0012557 0012558
[7] Smoke Grey + Matte White	LED 3000K LED 2700K	0012517 0012518
[8] Smoke Grey + Matte Black	LED 3000K LED 2700K	0012519 0012520
[9] Smoke Grey + Matte Bronze	LED 3000K LED 2700K	0012521 0012522

ON REQUEST

DIMMING PROTOCOL	Dimmer on cord	
FINISH (DIFFUSER + STRUCTURE)	Source	STRUCTURE
[10] [11] [12] Transparent "Pulegoso" with metal powder inclusion	LED 3000K LED 2700K	Matte White Matte Black Matte Bronze
[13] [14] [15] Shaded White	LED 3000K LED 2700K	Matte White Matte Black Matte Bronze
[16] [17] [18] White Shaded Pink	LED 3000K LED 2700K	Matte White Matte Black Matte Bronze
[19] [20] [21] Alabaster with Brush Strikes	LED 3000K LED 2700K	Matte White Matte Black Matte Bronze

STANDARD COLOR FINISHES - FINITURE STANDARD

STRUCTURE

Matte white

Matte Black



Matte Bronze

DIFFUSER

Transparent
with White
Spot



Shaded
Burgundy



Smoke Grey



Please, refer to the number on the pictures to match the correct code of the color finishes in the spec sheets.
Si prega di fare riferimento al numero sulle immagini per abbinare il codice corretto delle finiture colore nelle schede tecniche.

COLOR FINISHES ON REQUEST - FINITURE SU RICHIESTA

DIFFUSER



Transparent
“Pulegoso”
with metal
powder
inclusion



Shaded White



White Shaded
Pink



Alabaster with
Brush Strikes



STRUCTURE

Matte white

Matte Black

Matte Bronze

STACKING

EN

Designed by Rockwell Group, the Stacking Collection merge cutting-edge technology and traditional glassmaking techniques. It includes three sets of floor lamps and a series of horizontal and vertical pendant lights.

The floor version was conceived in 2007 and pays homage to the rich Venetian glassmaking tradition employing the "incamiciato" technique (Italian for "jacketed" or "layered"), which requires skilled glassblowers layer multiple glasses during the blowing process. This labor-intensive technique builds up different colors and opacities in each module. When these cylinder modules are combined and overlaps, a captivating mixture of colors cast a sophisticated ambient light.

Sixteen years later, the suspended lamps are added to the collection.

Stacking S is composed of a cylindrical diffuser powered by 5 high-quality LED strips. The decorative elements are made out of blown borosilicate glass. Machined aluminum end-caps keep everything together and act as suspension anchoring points. The "Naked" version without decorative glass is also available.

With three different sizes for vertical versions and two for horizontal version, the suspended range can work in clusters and create beautiful and fascinating shapes of lights.



IT

Progettata da Rockwell Group, la Collezione Stacking unisce tecnologia all'avanguardia e tecniche tradizionali di lavorazione del vetro. Comprende tre serie di lampade da terra e una serie di lampade a sospensione orizzontali e verticali.

La versione da terra è stata disegnata nel 2007 e rende omaggio alla ricca tradizione vetraria veneziana che utilizza la tecnica chiamata "incamiciato": abili maestri vetrai sovrappongono vetri con proprietà distinte, creando un affascinante mosaico di colori e opacità dando vita a inaspettate sinergie di luce. Questa tecnica ad alta intensità di lavoro crea diversi colori e opacità in ciascun modulo di vetro. Quando questi moduli cilindrici si accostano e si sovrappongono, un accattivante mix di colori proietta una sofisticata luce su tutto l'ambiente circostante.

Nel 2023, alla collezione "terra" si aggiungono le lampade a sospensione. Stacking S è composta da un corpo cilindrico con diffusore centrale alimentato da 5 strip LED di alta qualità. Gli elementi decorativi sono una composizione di vetri dalle diverse lunghezze in borosilicato soffiato. Elementi in alluminio tornito dal pieno posti alle due estremità della lampada servono come chiusura e punti di fissaggio per la sospensione. È disponibile anche la versione "Naked" (senza vetro decorativo).

Con tre diverse misure per la versione verticale e due per l'orizzontale, la gamma a sospensione può funzionare in composizioni multiple e creare forme di luce belle e affascinanti.



PENDANT HORIZONTAL

STACKING



STACKING S 180 H

Diffuser: Transparent


Structure: Anodized Aluminum



STACKING S 120 H
Diffuser: Transparent
Structure: Anodized Aluminum

PENDANT HORIZONTAL


STACKING



STACKING S 180 H
Diffuser: Transparent
Structure: Anodized Aluminum

STACKING S 180 H - INDOOR

David Rockwell, 2023




Discover more

REPLACEABLE LED

TECHNICAL SHEET	
MATERIALS	Diffuser: Blown Borosilicate Glass Structure: Aluminum
DIMENSIONS	Diffuser: Ø10cm L180cm [Ø4" 70 7/8"] Canopy: 40cm x 7cm x H4cm [15 3/4" x 2 3/4" x H1 5/8"] Cable lenght: 300cm [118 1/8"]
CANOPY	Matte white
LIGHT SOURCE	5 X LED STRIP 24V 43,75W (total) 5031 lm (nominal) 3000K CRI≥90 5 X LED STRIP 24V 43,75W (total) 4812 lm (nominal) 2700K CRI≥90
DIMMING PROTOCOL	Push-dim; 0/1-10V, DALI
MARKING	DRY LOCATION  
WEIGHT	Net weight: 10kg

PENDANT - SOSPENSIONE




⚙️ Standard version (supplied with canopy & driver)		
DIMMING PROTOCOL	Push-dim; 0/1-10V, DALI	
FINISH (DIFFUSER + STRUCTURE)	SOURCE	CODE
Transparent + Anodized Aluminium	LED 3000K	0012296
	LED 2700K	0012380
🔧 Class 3 version installation with remote driver (supplied without canopy & driver)		
DIMMING PROTOCOL	Driver and canopy not included	
FINISH (DIFFUSER + STRUCTURE)	SOURCE	CODE
Transparent + Anodized Aluminum	LED 3000K	0013255
	LED 2700K	0013256

STACKING S 120 H - INDOOR

David Rockwell, 2023

PENDANT - SOSPENSIONE



TECHNICAL SHEET	
MATERIALS	Diffuser: Blown Borosilicate Glass Structure: Aluminum
DIMENSIONS	Diffuser: Ø10cm L120cm [Ø4" 47 1/4"] Canopy: 40cm x 7cm x H4cm [15 3/4" x 2 3/4" x H1 5/8"] Cable lenght: 300cm [118 1/8"]
CANOPY	Matte white
LIGHT SOURCE	5 X LED STRIP 24V 28,75W (total) 3306 lm (nominal) 3000K CRI≥90 5 X LED STRIP 24V 28,75W (total) 3162 lm (nominal) 2700K CRI≥90
DIMMING PROTOCOL	Push-dim; 0/1-10V, DALI
MARKING	DRY LOCATION  
WEIGHT	Net weight: 5,6 kg

Standard version (supplied with canopy & driver)		
DIMMING PROTOCOL	Push-dim; 0/1-10V, DALI	
FINISH (DIFFUSER + STRUCTURE)	SOURCE	CODE
Transparent + Anodized Aluminum	LED 3000K	0012360
	LED 2700K	0012383
Class 3 version installation with remote driver (supplied without canopy & driver)		
DIMMING PROTOCOL	Driver and canopy not included	
FINISH (DIFFUSER + STRUCTURE)	SOURCE	CODE
Transparent + Anodized Aluminum	LED 3000K	0013253
	LED 2700K	0013254




STACKING S 180 H
Diffuser: Transparent
Structure: Anodized Aluminum

STACKING S 180 H NAKED - INDOOR

David Rockwell, 2023

PENDANT - SOSPENSIONE



Discover more

REPLACEABLE LED



TECHNICAL SHEET	
MATERIALS	Diffuser: Borosilicate Glass Structure: Aluminum
DIMENSIONS	Diffuser: Ø7,5cm L180cm [Ø2 7/8" L70 7/8"] Canopy: 40cm x 7cm x H4cm [15 3/4" x 2 3/4" x H1 5/8"] Cable lenght: 300cm [118 1/8"]
CANOPY	Matte white
LIGHT SOURCE	5 X LED STRIP 24V 43,75W (total) 5031 lm (nominal) 3000K CRI≥90 5 X LED STRIP 24V 43,75W (total) 4812 lm (nominal) 2700K CRI≥90
DIMMING PROTOCOL	Push-dim; 0/1-10V, DALI
MARKING	DRY LOCATION  
WEIGHT	Net weight: 5kg



 Standard version (supplied with canopy & driver)		
DIMMING PROTOCOL	Push-dim; 0/1-10V, DALI	
FINISH (DIFFUSER + STRUCTURE)	SOURCE	CODE
White + Anodized Aluminum	LED 3000K	0012431
	LED 2700K	0012432

 Class 3 version installation with remote driver (supplied without canopy & driver)		
DIMMING PROTOCOL	Driver and canopy not included	
FINISH (DIFFUSER + STRUCTURE)	SOURCE	CODE
White + Anodized Aluminum	LED 3000K	0013265
	LED 2700K	0013266

STACKING S 120 H NAKED - INDOOR

David Rockwell, 2023

PENDANT - SOSPENSIONE



TECHNICAL SHEET	
MATERIALS	Diffuser: Polymethacrylate Structure: Aluminum
DIMENSIONS	Diffuser: Ø7,5cm L120cm [Ø2 7/8" L47 1/4"] Canopy: 40cm x 7cm x H4cm [15 3/4" x 2 3/4" x 1 5/8"] Cable lenght: 300cm [118 1/8"]
CANOPY	Matte white
LIGHT SOURCE	5 X LED STRIP 24V 28,75W (total) 3306 lm (nominal) 3000K CRI≥90 5 X LED STRIP 24V 28,75W (total) 3162 lm (nominal) 2700K CRI≥90
DIMMING PROTOCOL	Push-dim; 0/1-10V, DALI
MARKING	DRY LOCATION  
WEIGHT	Net weight: 3,4kg

Standard version (supplied with canopy & driver)		
DIMMING PROTOCOL	Push-dim; 0/1-10V, DALI	
FINISH (DIFFUSER + STRUCTURE)	SOURCE	CODE
White + Anodized Aluminum	LED 3000K	0012433
	LED 2700K	0012434

Class 3 version installation with remote driver (supplied without canopy & driver)		
DIMMING PROTOCOL	Driver and canopy not included	
FINISH (DIFFUSER + STRUCTURE)	SOURCE	CODE
White + Anodized Aluminum	LED 3000K	0013263
	LED 2700K	0013264

PENDANT VERTICAL

STACKING



STACKING S 90 V

Diffuser: Transparent

Structure: Anodized Aluminum



STACKING S 60 V
Diffuser: Transparent
Structure: Anodized Aluminum



STACKING S 30 V
Diffuser: Transparent
Structure: Anodized Aluminum



PENDANT VERTICAL STACKING

STACKING S 60 V

Diffuser: Transparent

Structure: Anodized Aluminum

STACKING S 30 V

Diffuser: Transparent

Structure: Anodized Aluminum

STACKING S 90 V

Diffuser: Transparent

Structure: Anodized Aluminum




STACKING S 90 V - INDOOR

David Rockwell, 2023

PENDANT - SOSPENSIONE



Discover more



REPLACEABLE LED



TECHNICAL SHEET	
MATERIALS	Diffuser: Blown Borosilicate Glass Structure: Aluminum
DIMENSIONS	Diffuser: Ø10cm H90cm [Ø4" 35 3/8"] Canopy: Ø14,5cm H4,6cm [Ø5 3/4" H1 3/4"] Cable lenght: 300cm [118 1/8"]
CANOPY	Matte white
LIGHT SOURCE	5 X LED STRIP 24V 21,25W (total) 2443 lm (nominal) 3000K CRI≥90 5 X LED STRIP 24V 21,25W (total) 2337 lm (nominal) 2700K CRI≥90
DIMMING PROTOCOL	Push-dim; 0/1-10V, DALI
MARKING	DRY LOCATION  
WEIGHT	Net weight: 4,3kg

Standard version (supplied with canopy & driver)		
DIMMING PROTOCOL	Push-dim; 0/1-10V, DALI	
FINISH (DIFFUSER + STRUCTURE)	SOURCE	CODE
Transparent + Anodized Aluminum	LED 3000K	0012363
	LED 2700K	0012386

Class 3 version installation with remote driver (supplied without canopy & driver)		
DIMMING PROTOCOL	Driver and canopy not included	
FINISH (DIFFUSER + STRUCTURE)	SOURCE	CODE
Transparent + Anodized Aluminum	LED 3000K	0013261
	LED 2700K	0013262


STACKING S 60 V - INDOOR

David Rockwell, 2023

PENDANT - SOSPENSIONE



Discover more



REPLACEABLE LED



TECHNICAL SHEET	
MATERIALS	Diffuser: Blown Borosilicate Glass Structure: Aluminum
DIMENSIONS	Diffuser: Ø10cm H60cm [Ø4" 23 5/8"] Canopy: Ø14,5cm H4,6cm [Ø5 3/4" 1 3/4"] Cable lenght: 300cm [118 1/8"]
CANOPY	Matte white
LIGHT SOURCE	5 X LED STRIP 24V 13,75W (total) 1581 lm (nominal) 3000K CRI≥90 5 X LED STRIP 24V 13,75W (total) 1512 lm (nominal) 2700K CRI≥90
DIMMING PROTOCOL	Push-dim; 0/1-10V, DALI
MARKING	DRY LOCATION  
WEIGHT	Net weight: 3,2kg

Standard version (supplied with canopy & driver)		
DIMMING PROTOCOL	Push-dim; 0/1-10V, DALI	
FINISH (DIFFUSER + STRUCTURE)	SOURCE	CODE
Transparent + Anodized Aluminum	LED 3000K	0012362
	LED 2700K	0012389

Class 3 version installation with remote driver (supplied without canopy & driver)		
DIMMING PROTOCOL	Driver and canopy not included	
FINISH (DIFFUSER + STRUCTURE)	SOURCE	CODE
Transparent + Anodized Aluminum	LED 3000K	0013259
	LED 2700K	0013260


STACKING S 30 V - INDOOR

David Rockwell, 2023

PENDANT - SOSPENSIONE



Discover more



REPLACEABLE LED

TECHNICAL SHEET	
MATERIALS	Diffuser: Blown Borosilicate Glass Structure: Aluminum
DIMENSIONS	Diffuser: Ø10cm H30cm [Ø4" H11 3/4"] Canopy: Ø14,5cm H4,6cm [Ø5 3/4" H1 3/4"] Cable lenght: 300cm [118 1/8"]
CANOPY	Matte white
LIGHT SOURCE	5 X LED STRIP 24V 6,25W (total) 718 lm (nominal) 3000K CRI≥90 5 X LED STRIP 24V 6,25W (total) 687 lm (nominal) 2700K CRI≥90
DIMMING PROTOCOL	Push-dim; 0/1-10V, DALI
MARKING	DRY LOCATION  
WEIGHT	Net weight: 2,3kg



Standard version (supplied with canopy & driver)		
DIMMING PROTOCOL	Push-dim; 0/1-10V, DALI	
FINISH (DIFFUSER + STRUCTURE)	SOURCE	CODE
Transparent + Anodized Aluminum	LED 3000K	0012361
	LED 2700K	0012392

Class 3 version installation with remote driver (supplied without canopy & driver)		
DIMMING PROTOCOL	Driver and canopy not included	
FINISH (DIFFUSER + STRUCTURE)	SOURCE	CODE
Transparent + Anodized Aluminum	LED 3000K	0013257
	LED 2700K	0013258


STACKING S 90 V NAKED - INDOOR

PENDANT - SOSPENSIONE

David Rockwell, 2023



Discover more



REPLACEABLE LED



TECHNICAL SHEET	
MATERIALS	Diffuser: Polymethacrylate Structure: Aluminum
DIMENSIONS	Diffuser: Ø7,5cm H90cm [Ø2 7/8" H35 3/8"] Canopy: Ø14,5cm H4,6cm [Ø5 3/4" H1 3/4"] Cable lenght: 300cm [118 1/8"]
CANOPY	Matte white
LIGHT SOURCE	5 X LED STRIP 24V 21,25W (total) 2443 lm (nominal) 3000K CRI≥90 5 X LED STRIP 24V 21,25W (total) 2337 lm (nominal) 2700K CRI≥90
DIMMING PROTOCOL	Push-dim; 0/1-10V, DALI
MARKING	DRY LOCATION  
WEIGHT	Net weight: 2,6kg


Standard version (supplied with canopy & driver)		
DIMMING PROTOCOL	Push-dim; 0/1-10V, DALI	
FINISH (DIFFUSER + STRUCTURE)	SOURCE	CODE
White + Anodized Aluminum	LED 3000K	0012435
	LED 2700K	0012436

Class 3 version installation with remote driver (supplied without canopy & driver)		
DIMMING PROTOCOL	Driver and canopy not included	
FINISH (DIFFUSER + STRUCTURE)	SOURCE	CODE
White + Anodized Aluminum	LED 3000K	0013271
	LED 2700K	0013272

STACKING S 60 V NAKED - INDOOR

David Rockwell, 2023

PENDANT - SOSPENSIONE



Discover more

REPLACEABLE LED

TECHNICAL SHEET	
MATERIALS	Diffuser: Polymethacrylate Structure: Aluminum
DIMENSIONS	Diffuser: Ø7,5cm H60cm [Ø2 7/8" H23 5/8"] Canopy: Ø14,5cm H4,6cm [Ø5 3/4" H1 3/4"] Cable lenght: 300cm [118 1/8"]
CANOPY	Matte white
LIGHT SOURCE	5 X LED STRIP 24V 13,75W (total) 1581 lm (nominal) 3000K CRI≥90 5 X LED STRIP 24V 13,75W (total) 1512 lm (nominal) 2700K CRI≥90
DIMMING PROTOCOL	Push-dim; 0/1-10V, DALI
MARKING	DRY LOCATION  
WEIGHT	Net weight: 2kg



 Standard version (supplied with canopy & driver)		
DIMMING PROTOCOL	Push-dim; 0/1-10V, DALI	
FINISH (DIFFUSER + STRUCTURE)	SOURCE	CODE
White + Anodized Aluminum	LED 3000K	0012437
	LED 2700K	0012438
 Class 3 version installation with remote driver (supplied without canopy & driver)		
DIMMING PROTOCOL	Driver and canopy not included	
FINISH (DIFFUSER + STRUCTURE)	SOURCE	CODE
White + Anodized Aluminum	LED 3000K	0013269
	LED 2700K	0013270


STACKING S 30 V NAKED - INDOOR

David Rockwell, 2023

PENDANT - SOSPENSIONE



Discover more



REPLACEABLE LED

TECHNICAL SHEET	
MATERIALS	Diffuser: Polymethacrylate Structure: Aluminum
DIMENSIONS	Diffuser: Ø7,5cm H30cm [Ø2 7/8" H11 3/4"] Canopy: Ø14,5cm H4,6cm [Ø5 3/4" 1 3/4"] Cable lenght: 300cm [118 1/8"]
CANOPY	Matte white
LIGHT SOURCE	5 X LED STRIP 24V 6,25W (total) 718 lm (nominal) 3000K CRI≥90 5 X LED STRIP 24V 6,25W (total) 687 lm (nominal) 2700K CRI≥90
DIMMING PROTOCOL	Push-dim; 0/1-10V, DALI
MARKING	DRY LOCATION  
WEIGHT	Net weight: 1,7kg



Standard version (supplied with canopy & driver)		
DIMMING PROTOCOL	Push-dim; 0/1-10V, DALI	
FINISH (DIFFUSER + STRUCTURE)	SOURCE	CODE
White + Anodized Aluminum	LED 3000K	0012439
	LED 2700K	0012440

Class 3 version installation with remote driver (supplied without canopy & driver)		
DIMMING PROTOCOL	Driver and canopy not included	
FINISH (DIFFUSER + STRUCTURE)	SOURCE	CODE
White + Anodized Aluminum	LED 3000K	0013267
	LED 2700K	0013268



STACKING S 30 V NAKED
Diffuser: Matte White
Structure: Anodized Aluminum



STACKING S 90 V NAKED
Diffuser: Matte White
Structure: Anodized Aluminum



STACKING S 60 V NAKED
Diffuser: Matte White
Structure: Anodized Aluminum

FLOOR STACKING



STACKING B TR


Diffuser: Smoke Grey, White, Smoke Grey,
White, Mirror
Structure: Chrome



STACKING B TR - INDOOR

Rockwell Group, 2007

FLOOR - TERRA



Discover more

TECHNICAL SHEET	
MATERIALS	Diffuser: Blown Glass Structure: Metal
DIMENSIONS	Diffuser: Ø23cm h115cm [Ø9" h45 1/4"] Cable lenght: 220cm [86 5/8"]
LIGHT SOURCE	GU10 4 x 7W Retrofit LED
DIMMING PROTOCOL	Dimmer on cord
MARKNG	DRY LOCATION   
WEIGHT	Net weight: 29kg



DIMMING PROTOCOL	Dimmer on cord	
FINISH (DIFFUSER + STRUCTURE)	SOURCE	CODE
Smoke Grey, White, Smoke Grey, White, Mirror + Chrome	GU10	0004096
NOTE	Light bulbs not included	


STACKING C TR - INDOOR

Rockwell Group, 2007

FLOOR - TERRA



Discover more



TECHNICAL SHEET	
MATERIALS	Diffuser: Blown Glass Structure: Metal
DIMENSIONS	Diffuser: Ø23cm h163cm [Ø9" h64 1/4"] Cable lenght: 220cm [86 5/8"]
LIGHT SOURCE	GU10 4 x 7W Retrofit LED
DIMMING PROTOCOL	Dimmer on cord
MARKNG	DRY LOCATION   IP20
WEIGHT	Net weight: 36,7g




DIMMING PROTOCOL	Dimmer on cord	
FINISH (DIFFUSER + STRUCTURE)	SOURCE	CODE
Smoke Grey, White, Amber, Tobacco, White, Amber + Gold	GU10	0004098
NOTE	Light bulbs not included	

STACKING D TR - INDOOR

Rockwell Group, 2007

FLOOR - TERRA



Discover more

TECHNICAL SHEET	
MATERIALS	Diffuser: Blown Glass Structure: Metal
DIMENSIONS	Diffuser: Ø23cm h148cm [Ø9" h58 1/4"] Cable lenght: 220cm [86 5/8"]
LIGHT SOURCE	GU10 4 X 7W Retrofit LED
DIMMING PROTOCOL	Dimmer on cord
MARKNG	DRY LOCATION   
WEIGHT	Gross weight: 30,2kg



DIMMING PROTOCOL	Dimmer on cord	
FINISH (DIFFUSER + STRUCTURE)	SOURCE	CODE
White, Gold, Transparent Tobacco, White, Gold, Black + Gold	GU10	0004100
NOTE	Light bulbs not included	

AURELIA

EN

Designed by the visionary Patrick Jouin, Aurelia is a breathtaking collection of suspension lamps in which functionality and craftsmanship meet aesthetics and elegance.

Aurelia is equipped with a downwards direct light source and an upwards indirect light ring. The metal structure contains and hides from sight all electronic and heat-dissipation elements.

The LED light sources are user-friendly and easily replaceable, ensuring longevity and easy maintenance thanks to a smart disassembly system.

Available in two shapes and two sizes, Aurelia Collection offers several color combinations for the handblown glass diffuser and the metal structure.



AURELIA BOLD S 22 SS
Diffuser: Smoke Grey
Structure: Vintage Brass

IT

Disegnata dal visionario Patrick Jouin, Aurelia è una collezione mozzafiato di lampade a sospensione dove funzionalità e artigianalità incontrano estetica ed eleganza.

Aurelia è dotata di una luce diretta verso il basso e di un anello di luce indiretta verso l'alto. La struttura in metallo racchiude e nasconde alla vista gli elementi elettronici.

Le sorgenti luminose a LED sono facili da utilizzare e sostituire, garantendo durata e facilità di manutenzione grazie ad un sistema di smontaggio semplificato.

Disponibile in due forme e due dimensioni, la Collezione Aurelia offre molteplici combinazioni di colori per il diffusore in vetro soffiato a bocca e la struttura in metallo.



AURELIA S 45 SS
Diffuser: Shaded Burgundy
Structure: Matte Gunmetal



AURELIA BOLD S 22 SS
Diffuser: Transparent "Pulegoso"
with metal powder inclusion
Structure: Matte White



PENDANT

AURELIA



AURELIA S 45 SS
Diffuser: Transparent Water Effect
Structure: Matte Gunmetal




AURELIA S 45 SS (SINGLE SWITCH) - INDOOR

Patrick Jouin, 2021



Direct light
+ Indirect light



Discover more

REPLACEABLE LED

TECHNICAL SHEET	
MATERIALS	Diffuser: Blown Glass Structure: Metal
DIMENSIONS	Diffuser: Ø45 cm H14 cm [Ø17 3/4" H5 1/2"] Canopy: Ø18 cm H4,9cm [Ø7" H2"] Cable lenght: 300 cm [118 1/8"]
LIGHT SOURCE	Direct: LED 1 X 11,6W 1531 lm (nominal) 3000K CRI≥90 Indirect: LED 1 X 14,4W 2450 lm (nominal) 3000K CRI≥90 or Direct: LED 1 X 11,6W 1471 lm (nominal) 2700K CRI≥90 Indirect: LED 1 X 14,4W 2360 lm (nominal) 2700K CRI≥90
DIMMING PROTOCOL	Push-dim; 0/1-10V; Dali
MARKING	DRY LOCATION  
WEIGHT	Net Weight: 9,3kg

PENDANT - SOSPENSIONE



[7]

DIMMING PROTOCOL	Push-dim; 0/1-10V; Dali	
FINISH (DIFFUSER + STRUCTURE)	SOURCE	CODE
[1] Smoke Grey + Matte White	LED 3000K LED 2700K	0012332 0012333
[2] Smoke Grey + Vintage Brass	LED 3000K LED 2700K	0012334 0012335
[3] Smoke Grey + Matte Gunmetal	LED 3000K LED 2700K	0012336 0012337
[4] Shaded Burgundy + Matte White	LED 3000K LED 2700K	0012447 0012448
[5] Shaded Burgundy + Vintage Brass	LED 3000K LED 2700K	0012449 0012450
[6] Shaded Burgundy + Matte Gunmetal	LED 3000K LED 2700K	0012451 0012452
[7] Transparent Water Effect + Matte White	LED 3000K LED 2700K	0012453 0012454
[8] Transparent Water Effect + Vintage Brass	LED 3000K LED 2700K	0012455 0012456
[9] Transparent Water Effect + Matte Gunmetal	LED 3000K LED 2700K	0012457 0012458
[10] Blue Water Effect + Matte White	LED 3000K LED 2700K	0012459 0012460
[11] Blue Water Effect + Vintage Brass	LED 3000K LED 2700K	0012461 0012462
[12] Blue Water Effect + Matte Gunmetal	LED 3000K LED 2700K	0012463 0012464
[13] Transparent "Pulegoso" with metal powder inclusion + Matte White	LED 3000K LED 2700K	0012465 0012466
[14] Transparent "Pulegoso" with metal powder inclusion + Vintage Brass	LED 3000K LED 2700K	0012467 0012468
[15] Transparent "Pulegoso" with metal powder inclusion + Matte Gunmetal	LED 3000K LED 2700K	0012469 0012470

ON REQUEST

Class 3 version installation with remote driver
(supplied without canopy & driver)

DIMMING PROTOCOL	Driver and canopy not included
------------------	-----------------------------------

STANDARD COLOR FINISHES - FINITURE STANDARD

STRUCTURE

Matte white

Vintage Brass

Matte Gunmetal

DIFFUSER

Smoke Grey



Shaded Burgundy



Transparent Water Effect



Blue Water Effect



STANDARD COLOR FINISHES - FINITURE STANDARD

STRUCTURE

Matte white

Vintage Brass

Matte Gunmetal

DIFFUSER

Transparent
“Pulegoso”
with metal
powder
inclusion



Please, refer to the number on the pictures to match the correct code of the color finishes in the spec sheets.
Si prega di fare riferimento al numero sulle immagini per abbinare il codice corretto delle finiture colore nelle schede tecniche.

PENDANT

AURELIA BOLD



AURELIA S 22 BOLD


Diffuser: Shaded Bugundy

Structure: Vintage Brass

AURELIA BOLD S 22 SS (SINGLE SWITCH) - INDOOR

PENDANT - SOSPENSIONE

Patrick Jouin, 2021



Discover more

REPLACEABLE LED

TECHNICAL SHEET	
MATERIALS	Diffuser: Blown Glass Structure: Metal
DIMENSIONS	Diffuser: Ø22,5 cm H20,5 cm [Ø8 3/4" H8"] Canopy: Ø18 cm H4,9cm [Ø7" H2"] Cable lenght: 300 cm [118 1/8"]
LIGHT SOURCE	Direct: LED 1 X 11,6W 1531 lm (nominal) 3000K CRI≥90 Indirect: LED 1 X 5,8W 980 lm (nominal) 3000K CRI≥90 or Direct: LED 1 X 11,6W 1471 lm (nominal) 2700K CRI≥90 Indirect: LED 1 X 5,8W 944 lm (nominal) 2700K CRI≥90
DIMMING PROTOCOL	Push-dim; 0/1-10V; Dali
MARKING	DRY LOCATION   IP20
WEIGHT	Net Weight: 3,5kg



DIMMING PROTOCOL	Push-dim; 0/1-10V; Dali	
FINISH (DIFFUSER + STRUCTURE)	SOURCE	CODE
[1] Smoke Grey + Matte White	LED 3000K LED 2700K	0012344 0012345
[2] Smoke Grey + Vintage Brass	LED 3000K LED 2700K	0012346 0012347
[3] Smoke Grey + Matte Gunmetal	LED 3000K LED 2700K	0012348 0012349
[4] Shaded Burgundy + Matte White	LED 3000K LED 2700K	0012477 0012478
[5] Shaded Burgundy + Vintage Brass	LED 3000K LED 2700K	0012479 0012480
[6] Shaded Burgundy + Matte Gunmetal	LED 3000K LED 2700K	0012481 0012482
[7] Transparent Water Effect + Matte White	LED 3000K LED 2700K	0012483 0012484
[8] Transparent Water Effect + Vintage Brass	LED 3000K LED 2700K	0012485 0012486
[9] Transparent Water Effect + Matte Gunmetal	LED 3000K LED 2700K	0012487 0012488
[10] Blue Water Effect + Matte White	LED 3000K LED 2700K	0012489 0012490
[11] Blue Water Effect + Vintage Brass	LED 3000K LED 2700K	0012491 0012492
[12] Blue Water Effect + Matte Gunmetal	LED 3000K LED 2700K	0012493 0012494
[13] Transparent "Pulegoso" with metal powder inclusion + Matte White	LED 3000K LED 2700K	0012495 0012496
[14] Transparent "Pulegoso" with metal powder inclusion + Vintage Brass	LED 3000K LED 2700K	0012497 0012498
[15] Transparent "Pulegoso" with metal powder inclusion + Matte Gunmetal	LED 3000K LED 2700K	0012499 0012500

ON REQUEST

Class 3 version installation with remote driver
(supplied without canopy & driver)

DIMMING PROTOCOL	Driver and canopy not included
------------------	--------------------------------

STANDARD COLOR FINISHES - FINITURE STANDARD

STRUCTURE

Matte white

Vintage Brass

Matte Gunmetal

DIFFUSER

Smoke Grey



Shaded Burgundy



Transparent Water Effect



Blue Water Effect



STRUCTURE

Matte white

Vintage Brass

Matte Gunmetal

DIFFUSER

Transparent
“Pulegoso”
with metal
powder
inclusion



Please, refer to the number on the pictures to match the correct code of the color finishes in the spec sheets.
Si prega di fare riferimento al numero sulle immagini per abbinare il codice corretto delle finiture colore nelle schede tecniche.

LIGHTBODY

LIGHTBODY S

Diffuser: Transparent Pink

Structure: Matte Chrome

EN

Lightbody is a piece by Jörg Hugo, a designer exploring the relationship between materiality, form, and space.

Available in floor/table and suspended versions, Lightbody's glass diffuser is completely hand made using the "free blown" glass technique. This artisanal method requires a glassmaker maestro to shape the glass without the constraints of molds, giving life to a unique and unrepeatable lamp every time.

Shielded by the glass, the light comes out with a warm, atmospheric quality. The bright bulb accentuates the unique contours of the glass with lively highlights.

Available in several color combinations both for floor/table and suspended versions, Lightbody brings a handcrafted elegance to your lighting choices.

LIGHTBODY T

Diffuser: Shaded Burgundy
Structure: Matte Black



IT

Lightbody è un pezzo di Jörg Hugo, designer emergente tedesco che esplora la relazione tra materialità, forma e spazio.

Disponibile nelle versioni da terra/tavolo e sospensione, il diffusore in vetro di Lightbody è meticolosamente realizzato a mano utilizzando la tecnica del vetro "a soffio libero". Questo metodo artigianale prevede che un maestro vetraio modelli il vetro senza i vincoli degli stampi, dando vita ogni volta ad una lampada unica e irripetibile.

La lampadina luminosa accentua i contorni unici del vetro con riflessi vivaci. Schermata dal vetro, la luce esce con una qualità calda e suggestiva.

Disponibile in molteplici combinazioni di colori sia per la versione da terra/tavolo che a sospensione, Lightbody è un sinonimo di eleganza e artigianalità.

LIGHTBODY T

Diffuser: Shaded White
Structure: Matte Black



PENDANT

LIGHTBODY





LIGHTBODY S
Diffuser: Transparent
Structure: Matte Chrome

LIGHTBODY S
Diffuser: Shaded Burgundy
Structure: Matte Chrome

Antonio Citterio Design

PENDANT


LIGHTBODY



LIGHTBODY S

Diffuser: Transparent Pink

Structure: Matte Chrome




LIGHTBODY S - INDOOR

Jörg Hugo, 2021

PENDANT - SOSPENSIONE



Discover more



TECHNICAL SHEET	
MATERIALS	Diffuser: Blown Glass Structure: Metal
DIMENSIONS	Diffuser: 25-30cm H28-33cm [9 3/4"-11 3/4" H11"-13"] Canopy: Ø11cm H2,8cm [Ø4 1/4" H1"] Cable lenght: 300 cm [118 1/8"]
LIGHT SOURCE	E27 1 x 10W Retrofit LED
MARKING	DRY LOCATION   IP 20
WEIGHT	Net Weight: 4,1kg

FINISH (DIFFUSER + STRUCTURE)	SOURCE	CODE
[[1] Trasparent + Matte Chrome	E27	0012403
[2] Trasparent with Satin Finish + Matte Chrome	E27	0012404
[3] Shaded Burgundy + Matte Chrome	E27	0012405
[4] Shaded White + Matte Chrome	E27	0012406
[5] Trasparent Pink + Matte Chrome	E27	0012407
NOTE	Light bulb not included	

TABLE

LIGHTBODY

LIGHTBODY T
Diffuser: Shaded White



LIGHTBODY T
Diffuser: Transparent Satin Finish
Structure: Matte Black




LIGHTBODY T
Diffuser: Shaded Burgundy
Structure: Matte Black

LIGHTBODY T - INDOOR

Jörg Hugo, 2021

TABLE - TAVOLO



Discover more

TECHNICAL SHEET	
MATERIALS	Diffuser: Blown Glass Structure: Metal
DIMENSIONS	Diffuser: 25-30cm H28-33cm [9 3/4"-11 3/4" H11"-13"] Cable lenght: 300 cm [118 1/8"]
LIGHT SOURCE	E27 1 x 10W Retrofit LED
CONTROL	On-Off
MARKING	DRY LOCATION   
WEIGHT	Net Weight: 4,2kg



CONTROL	On-Off	
FINISH (DIFFUSER + STRUCTURE)	SOURCE	CODE
[1] Trasparent + Matte Black	E27	0012195
[2] Trasparent with Satin Finish + Matte Black	E27	0012395
[3] Shaded Burgundy + Matte Black	E27	0012397
[4] Shaded White + Matte Black	E27	0012399
[5] Trasparent Pink + Matte Black	E27	0012401
NOTE	Light bulb not included	

STANDARD COLOR FINISHES - FINITURE STANDARD

STRUCTURE

Matte chrome

DIFFUSER

Transparent



Shaded Burgundy



Transparent Pink



Matte chrome

DIFFUSER

Transparent with White Finish



Shaded White



STANDARD COLOR FINISHES - FINITURE STANDARD

STRUCTURE

Matte black

DIFFUSER

Transparent



Shaded
Burgundy



Transparent
Pink




Matte Black

DIFFUSER

Transparent
with White
Finish



Shaded White



Please, refer to the number on the pictures to match the correct code of the color finishes in the spec sheets.
Si prega di fare riferimento al numero sulle immagini per abbinare il codice corretto delle finiture colore nelle schede tecniche.

ETHER S 150

Diffuser: Transparent

Structure: Polished Steel



EN

Designed by Patrick Jouin, Ether is a cascade of borosilicate blown glass bubbles available in three different sizes (Ether S, Ether S 90 and Ether S 150).

It can be customized on demand into any size, finish, and configuration.

Also available with an optional remote controlled RGB LED. Ether is light and airy yet creates hypnotizing visual impact.

IT

Disegnata da Patrick Jouin, Ether è una cascata di bolle di vetro soffiato borosilicato disponibile in tre diverse dimensioni (Ether S, Ether S 90 e Ether S 150).

Può essere personalizzata su richiesta in dimensione, finitura e configurazione. È disponibile anche con un LED RGB opzionale controllato a distanza.

Scenografica e sontuosa, Ether è una lampada che trasforma gli spazi con personalità, diventandone la protagonista.

PENDANT ETHER




Bodegas Alion of Penafiel
(Valladolid, Spain)

ETHER S 150 - INDOOR

Patrick Jouin, 2006

PENDANT - SOSPENSIONE



TECHNICAL SHEET		
MATERIALS	Diffuser: Borosilicate Blown Glass Structure: Steel	
DIMENSIONS	Diffuser: Ø100cm h143cm [Ø39 3/8" h56" 1/4"] Canopy: Ø65cm h7cm [Ø25 5/8" h2 3/4"]	
LIGHT SOURCE	G53 4 x 15W Retrofit LED G53 4 x 15W Retrofit LED + GU5,3 1 x 8W Retrofit LED RGB 660lm	
MARKING	DRY LOCATION   IP20	
WEIGHT	Net weight: 36,8kg	
ON REQUEST	Special Versions	

FINISH (DIFFUSER + STRUCTURE)	SOURCE	CODE
Transparent + Polished Steel	G53	0010060
Transparent + Polished Steel	G53 + GU5,3*	0010061
NOTE	*GU5,3 LED with RGB + REMOTE CONTROL (included, usable until 5M)	
NOTE	Light bulbs not included	


ETHER S 90 - INDOOR

Patrick Jouin, 2006

PENDANT - SOSPENSIONE



Discover more



TECHNICAL SHEET

MATERIALS	Diffuser: Borosilicate Blown Glass Structure: Steel
DIMENSIONS	Diffuser: $\varnothing 100\text{cm}$ h86cm [$\varnothing 39\ 3/8''$ h33" 7/8"] Canopy: $\varnothing 65\text{cm}$ h7cm [$\varnothing 25\ 5/8''$ h2 3/4"]
LIGHT SOURCE	G53 4 x 15W Retrofit LED G53 4 x 15W Retrofit LED + GU5,3 1 X 8W Retrofit LED RGB 660lm
MARKING	DRY LOCATION   IP20
WEIGHT	Net weight: 30kg
ON REQUEST	Special Versions



FINISH (DIFFUSER + STRUCTURE)	SOURCE	CODE
Transparent + Polished Steel	G53	0010064
Transparent + Polished Steel	G53 + GU5,3*	0010065
NOTE	*GU5,3 LED with RGB + REMOTE CONTROL (included, usable until 5M)	
NOTE	Light bulbs not included	


ETHER S - INDOOR

Patrick Jouin, 2007

PENDANT - SOSPENSIONE



Discover more



TECHNICAL SHEET

MATERIALS Diffuser: Borosilicate Blown Glass
 Structure: Steel

DIMENSIONS Diffuser: $\varnothing 60\text{cm}$ h 85cm [$\varnothing 23\ 5/8''$ h $33\ 1/2''$]
 Canopy: $\varnothing 47\text{cm}$ h 6cm [$\varnothing 18\ 1/2''$ h $2\ 3/8''$]

LIGHT SOURCE GU10 5 x 7W Retrofit LED

MARKING DRY LOCATION   

WEIGHT Net weight: 12,60kg

ON REQUEST Special Versions



FINISH (DIFFUSER + STRUCTURE)

SOURCE

CODE

Transparent + Polished Steel

GU10

0010070

NOTE

Light bulbs not included

CUSTOMIZE YOUR ETHER

PERSONALIZZA LA TUA ETHER

EN

The Ether pendant light by LEUCOS is the brainchild of the designer Patrick Jouin who first designed the "chandelier-curtain" for the "MIX" restaurant in Las Vegas, by Alain Ducass, in 2005 (photo on the right).

Conceived as part of a scenography, the iconic chandelier was composed of 13800 blown spheres, suspended on steel cables, and creating a cascade of sparkling glass.

A work of art that lights up thanks to sophisticated lights embedded in the ceiling, offering a unique visual experience.

Drawing inspiration from this outstanding project, LEUCOS today offers to Architects and Designers the possibility to customize Ether by choosing the color, size, and quantity of the bubbles, as well as defining the number of spheres per cable based on the length of the drop, giving life to a unique composition tailored to each environment.

Get in contact with us to know more.

IT

La lampada a sospensione Ether di LEUCOS è frutto dell'opera creativa del designer Patrick Jouin, il quale ha ideato per la prima volta il "lampadario-tendaggio" per il ristorante "MIX" di Las Vegas, di Alain Ducass, nel 2005 (foto a destra).

Concepito come parte di una scenografia, l'iconico lampadario è composto da 13.800 sfere soffiate e sospese con cavi d'acciaio, creando una cascata di vetro scintillante.

Un'opera d'arte che si illumina grazie a sofisticate luci incorporate nel soffitto, offrendo un'esperienza visiva unica.

Ispirandosi a questo eccezionale progetto, oggi LEUCOS offre la possibilità ad architetti e designer di personalizzare e configurare Ether scegliendo il colore, le dimensioni e la quantità delle bolle. Si può inoltre definire il numero di sfere per cavo in base alla lunghezza della calata, dando vita a una composizione unica su misura per ogni tipo ambiente.

Contattaci per saperne di più.





The Mix Restaurant
by Jouin Manku Studio
(Las Vegas, USA)

EN

GENERAL INFORMATION

LEUCOS reserves the right to modify at any time without notice the technical and aesthetic characteristics of the elements printed in this catalog.

The colours shown in the catalog are an indication only .

Regardless of the patent protection, designs and patterns produced by LEUCOS and reported in this catalog are protected by copyright.

The registered brands quoted in the catalog are the exclusive property of their respective owners.

All technical details referring to the Retrofit LED 'wattage' are an indication only.

Due to the ever-changing improvements of technology, Leucos reserves the right to update both the list of available products and their technical characteristics.

It is forbidden to reproduce any part of this catalog.

Printed in Italy.

Edition February 2024.

IT

INFORMAZIONI GENERALI

LEUCOS si riserva la facoltà di modificare in qualunque momento e senza preavviso le caratteristiche tecniche ed estetiche degli elementi illustrati nel presente catalogo.

I colori riprodotti nel catalogo sono indicativi.

Indipendentemente dalla tutela brevettuale, i disegni ed i modelli prodotti da LEUCOS e riportati in questo catalogo sono da considerarsi protetti da diritto di autore.

I marchi registrati in questo catalogo sono di esclusiva proprietà dei rispettivi proprietari.

I dati tecnici "wattaggio" riferiti alla sorgente Retrofit LED sono puramente indicativi.

Stante la continua evoluzione delle tecnologie, Leucos si riserva di aggiornare sia la lista dei prodotti disponibili che le caratteristiche tecniche degli stessi.

È vietata la riproduzione anche parziale di questo catalogo.

Stampato in Italia.

Edizione febbraio 2024.

Special Thanks to:

- Baxter Srl: featured on pages 10, 21, 30, 40 and 53.
- laCividina: featured on pages 29, 39, 48, 54 and 65.
- Pengo Spa: featured on pages 29, 31, 32, 39, 48 and 64.
- Palazzo Roberti: featured on pages 28, 62, 65 and 66.
- Zoe Boutique: featured on the cover and on pages 03 and 07.
- Alma Manfrotto



LEUCOS SRL
Via del Commercio, 22
36060 Romano d'Ezzelino
(VICENZA) Italy
info.it@leucos.com

LEUCOS USA INC.
11 Mayfield Avenue
Edison New Jersey, 08837
United States of America
001 732 225-0010
info.us@leucos.com

leucos.com



900418

