LUXAM
Lighting For Museums

LUXAM.COM

MICROLED SYSTEM

Product Catalog
2022

WORLD'S LEADING

MUSEUM SHOWCASE LIGHTING COMPANY

TABLE OF CONTENTS

4 Introduction

5 Tracks

6 Fixtures Overview

7 Spotlight Fixtures

8 Spotlight Variations

9 Spotlight Accessories

10 Spotlight Photometrics

12 Lightbar Fixture

13 Lightbar Photometrics

14 Wall Washers

15 Wall Washer Photometrics

16 Standalone Fixtures

18 Stem Light Fixtures

19 10mm LEDStick

20 Order Codes

CREDITS:
Museum: American Museum of Natural History
Lighting Designer: Renfro Design Group
Case Fabricator: ClickNetherfield
Exhibit Designer: Ralph Appelbaum Associates
Exhibit Fabricator: Kubik Maltbie
Photo Credit:© Frank Oudeman/OTTO

COVER CREDITS:
Museum: Brooklyn Museum
Case Fabricator of Colorama case: Hadley Exhibits
Photo Credit: Here And Now Agency
Lighting Designer: LightEmotion

MICROLED SYSTEM

MICROLED SYSTEM - The Luxam Lighting MicroLED system enables you to set up a high quality, functional lighting, within museum easily. Each powerful fixture has individual adjustable beam angles and brightness levels, enabling you to craft the perfect tailored light for each object swiftly.

Within the MicroLed Family we have two systems - the MicroTrack which includes spotlights, lightbars and wall washer wich go on tracks; and the MicroMono - standalone versions of the spotlights, stems, and ledsticks.

CREDITS:
Crystal Bridges Museum, The Dirty South Exhibit, Cabinet of Wonders.
The Dirty South is organized by the Virginia Museum of Fine Arts: Valerie Cassel Oliverm
VMFA's Sydney and Frances Lewis Family Curator of Modern and Contemporary Art.

MICROTRACK TRACKS

Tracks are available in 1M, 2M, and can be custom cut.
Available colors are Black, White, and Silver.

Standard Track L-MTHTK





L-MTEC-01

L-MTCJ-01

L-MTSJ-01

L-MTCP-01

L-MTFCJ-01

Vertical Track L-MTOTK



L-MTOEC-01

L-MTOSJ-01

L-MTOCJ-01

L-MTOCP-01

L-MTFL



L-MTFL

Recessed Track L-MTRTK





L-MTREC-01

L-MTRSJ-01

L-MTRCJ-01

L-MTRCP-01

MICROTRACK FIXTURES

L-MTSP-12

1W - Onboard dimmer

L-MTSP-02

3W - Onboard dimmer

L-MTSP-22

6W - Onboard dimmer

L-MTWS -22

Wall Washer 5W with Barndoor

L-MTWS -32

Wall Washer 10W with Barndoor

L-MTBA : Light Bar

18": L-MTBA-450 36": L-MTBA-900

MICROTRACK SPOTLIGHT FIXTURES



L-MTSP-12 1W

Voltage/wattage	12v/1.2W
Input current	110m A
Beam angles	Zoomable 9° to 60°
Luminous flux	-98m @RA97
Color temperature	3000K, 4000K, 5000K
Dimmable options	Dimmer: PWM, range 0-100%
CRI	97
Weight	48.35g

Main materials	Aluminum
Color finished	Black, White and Silver
Working temperature	-10°C to 40°C
Storage temperature	10°C to 40°C
Lifespan	50000 hours
Certificates	UL, CE
Warranty	5 years
Protection	IP30
Without Onboard dimmer:	L-MTSP-01



L-MTSP-02 3W

Voltage/wattage	12v/3.8W
Input current	350m A
Beam angles	Zoomable 7° to 60°
Luminous flux	-270lm @RA97
Color temperature	3000K, 4000K, 5000K
Dimmable options	Dimmer: PWM, range 0-100%
CRI	97
Weight	93g

Main materials	Aluminum
Color finished	Black, White and Silver
Working temperature	-10° to 40°C
Storage temperature	10° to 40°C
Lifespan	50000 hours
Certificates	UL, CE
Warranty	5 years
Protection	IP30
Without Onboard dimmer:	L-MTSP-00

L-MTSP-22 6W

Voltage/wattage	11v - 24VDC / 7.8w
Input current	650mA - 330m A
Beam angles	Zoomable 8° to 55°
Luminous flux	-270lm @RA97
Color temperature	3000K, 4000K, 5000K
Dimmable options	Dimmer: PWM, range 0-100%
CRI	>95
Weight	154.80g

Main materials	Aluminum
Color finished	Black, White and Silver
Working temperature	-10° to 40°C
Storage temperature	10° to 40°C
Lifespan	50000 hours
Certificates	UL, CE
Warranty	5 years
Protection	IP30

MICROTRACK SPOTLIGHT VARIATIONS

L-MTSP-12 1W

L-MTSP-12 shown with onboard dimmer

FEATURES:

- Fully compatible with all MicroTrack systems
- Compatible accessories : Barndoors, Angled Snoots, & Filter frames
- Luminit Filter Range for Beam Shaping available
- Two versions:
  - Available with Remote Dimming : L-MTSP-10

STANDALONE VERSION:

- with onboard dimmer (L-MTSA-12)
- without onboard dimmer (L-MSPS-10)
- L-UPL-10-1

L-MTSP-10
1W Remote Dimmer

L-MTSA-12
1W Standalone Onboard Dimmer

L-MSPS-10
1W Standalone Remote Dimmer

STEM 1
L-UPL-10-1

L-MTSP-02 3W

L-MTSP-02: shown with onboard dimmer

FEATURES:

- Fully compatible with all MicroTrack systems
- Fully dimmable and focusable
- Full range of accessories including Barndoors, Snoots, Filter Frames, etc.
- Two versions:
  - Available with Remote Dimming : L-MTSP-01

STANDALONE VERSION:

- with onboard dimmer (L-MTSA-02)
- without onboard dimmer (L-MSPS-00)

L-MTSP-01
3W Remote Dimmer

L-MTSA-02
3W Standalone Onboard Dimmer

L-MSPS-00
3W Standalone Remote Dimmer

L-MTSP-22 6W

L-MTSP-22 shown with onboard dimmer

FEATURES:

- Fully compatible with all MicroTrack systems
- Fully Dimmable and Focusable
- Compatible accessories : Angled Snoots & Barndoor

STANDALONE VERSION:

- with onboard dimmer (L-MTSA-22)

L-MTAS-22
6W Standalone Onboard Dimmer

CE UL

MICROTRACK SPOTLIGHT ACCESSORIES



L-MTSP-12 1W

L-MTAS-10 L-MTBD-10 L-MTFH-10

L-MTSP-02 3W

L-MTFH-01 L-MTAR-01 L-MTSC-01 L-MTSN-01 L-MTAS-01 L-MTBD-01 BOOSTER L-MTBST-01

L-MTSP-22 6W

L-MTAS-20 L-MTBD-20



CREDITS:
Exhibition Museum: University of Arizona Museum of Art
Exhibition Fabricator: Design and Production
Exhibition Photo Credit: Logan Havens
Exhibition Lighting Designer: Technical Artistry – Kyle Chepulis
Case Fabricator: Meyvaert

L-MTSP-12 1W

1W with Onboard Dimmer

9°		‹Zoom›		60°
		Distances		
Ø0.15m	2048 lux	0.5m	216 lux	Ø0.86m
Ø0.30m	512 lux	1m	54 lux	Ø1.71
Ø0.44m	227 lux	1.5m	24 lux	Ø2.56m
Ø0.59m	128 lux	2m	13 lux	Ø3.41m

L-MTSP-02 3W

3W with Onboard Dimmer

7°		‹Zoom›		60°
		Distances		
Ø0.12m	8800 lux	0.5m	844 lux	Ø0.61m
Ø0.25m	2200 lux	1m	211 lux	Ø1.22m
Ø0.37m	977 lux	1.5m	93 lux	Ø1.83m
Ø0.50m	550 lux	2m	52 lux	Ø2.44m

L-MTSP-22 6W

6W with Onboard Dimmer

8°		‹Zoom›		55°
		Distances		
Ø0.13m	22757 lux	0.5m	1655 lux	Ø0.6m
Ø0.26m	5690 lux	1m	414 lux	Ø1.2
Ø0.39m	2528 lux	1.5m	184 lux	Ø1.8m
Ø0.51m	1422 lux	2m	103 lux	Ø2.4m

CREDITS:
Museum: Academy Museum of Motion Pictures
Exhibition Case Fabricator: Zone Display Cases
Photo: Joshua White JWPictures.com
Exhibition Lighting Designer: Available Light
Exhibition Lighting Integrator: Clearwing System Integration

MICROTRACK LIGHTBAR FIXTURE

Dimmer Switch
0-100%

50°

FEATURES:

- Fully compatible with all MicroTrack sy stems
- Available with Clear or Frosted Filters
- Onboard Dimmer and Tilt function

The LightBar can be used alone or with other MicroTrack fixtures to provide the desired effect - wash and spot.

The 1W, 3W, and the 6W MicroTrack heads can be combined together with the Lightbar on the same track. All have the ability to be individually dimmed creating a highly functional system.

L-MTBA-450



L-MTBA-900



TECHNICAL DATA : L-MTBA

Powerinput	7W/450mm// 15W/900mm-Voltage:12VDC
Control	On-board Dimmer
LED	Smart Eco
CRI	97
CCT	3000K , 4000K , 5000K

Optic	In-house slot for filters
Rotation angle	0-50°
Body	Aluminum / PC
Rating	IP20
Dimensions	450-900x27x38 (mm)

Distance	1m, 2m
L-MTBA-450	80 lux, 20 lux
L-MTBA-900	140 lux, 35 lux

L-MTBA-450 Lightbar 7W (18”)



L-MTBA-900 Lightbar 15W (36”)



MICROTRACK WALL WASHERS



FEATURES:

These fixtures are designed to evenly highlight a wall from top to bottom, also used inside the showcases they light the back panels.

Fully compatible with all MicroTrack systems

Available in Black or White

Onboard dimmer

L-MTWS -22 5W



TECHNICAL DATA : L-MTWS-22

Power	5W
Beam angle	Washer effect
Voltage	12V DC
Input Current	400mA
Class	III
Dimmer	PWM 5-100%
CRI	96
CCT	3000K , 4000K , 5000K
Indoor use	IP30
Material	Alum. Alloy / PC

L-MTWS-32 10W



TECHNICAL DATA : L-MTWS-32

Power	10W
Beam angle	Washer effect
Voltage	12V DC
Input Current	800mA
Class	III
Dimmer	PWM 5-100%
CRI	96
CCT	3000K , 4000K , 5000K
Indoor use	IP30
Material	Alum. Alloy / PC

PHOTOMETRICS

MicroTrack Wall Washer Fixture Photometrics





CREDITS: Original Tibetan Cultural Museum
Qinghai, China

MICROMONO STANDALONE FIXTURES

The standalone heads are ideal when there is no possibility to use a track or when only individual lights are required.

L-MSPS-10
1W - Standalone

L-MSPS-00
3W - Standalone

L-MTSA-12
1W - with Onboard dimmer

L-MTSA-02
3W - with Onboard dimmer

L-MTSA-22
6W - with Onboard dimmer

The L-MTSA model heads are provided with a double fixation system:
a magnet mated to a screw -in mounting plate, making them adapted for metallic, wood or aluminum alloy supports.

12VDC PICKUP CONNECTOR

MAGNETIC/ SCREW-ON FIXTURE FOR L-MTSA MODELS

CREDITS:
Museum: The Metropolitan Museum of Art
Exhibition Fabricator: Dimensional Worldwide
Exhibition Graphic Designer: Abby Chen (Met Staff)
Exhibition Lighting Designer: Amy Nelson (Met Staff)
Exhibition Designer: Hannah Beachler, Fabiana Weinberg (Met Staff)
Exhibition Production Artist: Sarah Parke (Met Staff)
Exhibition Curators: Hannah Beachler, Michelle Commander, Sarah E. Lawrence (Met Staff), Ian Alteveer (Met Staff)
Photo Credit: The Metropolitan Museum of Art

MICROMONO STANDALONE FIXTURES



L-MSPS-10

Voltage	DC 12V	Tilt angle	90°
Power	1.2W	Pan angle	355°
Input Current	1.2W 340m A	Lens	Glass BK7
Dimmer	PWM0-100% with remote dimmer	Beam angles	9° to 60°
CRI	97	Light Color	3000K, 4000K, 5000K
Standard	UL	Fixture Color	Black, White or Silver



L-MTSA-12

Voltage	DC 12V	Tilt angle	90°
Power	1.2W	Pan angle	355°
Input Current	340m A	Lens	Glass BK7
Dimmer	PWM 0-100% with onboard dimmer	Beam angles	9° to 60°
CRI	97	Light Color	3000K, 4000K, 5000K
Standard	UL	Fixture Color	Black, White or Silver



L-MSPS-00

Voltage	DC 12V	Tilt angle	90°
Power	3.8W	Pan angle	355°
Input Current	340mA	Lens	Glass BK7
Dimmer	PWM 0-100% with remote dimmer	Beam angles	7° to 60°
CRI	97	Light Color	3000K, 4000K, 5000K
Standard	UL	Fixture Color	Black, White or Silver



L-MTSA-02

Voltage	DC12V	Tilt angle	90°
Power	3.8W	Pan angle	355°
Input Current	340mA	Lens	Glass BK7
Dimmer	PWM 0-100% with onboard dimmer	Beam angles	7° to 60°
CRI	97	Light Color	3000K, 4000K, 5000K
Standard	UL	Fixture Color	Black, White or Silver



L-MTAS-22

Voltage	11v - 24VDC	Tilt angle	90°
Power	7.8W	Pan angle	355°
Input Current	650mA - 330m A	Lens	Glass BK7
Dimmer	PWM 0-100% with onboard dimmer	Beam angles	8° to 55°
CRI	>95	Light Color	3000K, 4000K, 5000K
Standard	UL	Fixture Color	Black, White and Silver

MICROMONO STANDALONE STEM FIXTURES

L-UPL-10-1 STEM1

FEATURES:

- STEM 1 has a single stationary spot light
- Full range of accessories – Barndoor s, Snoots, Filter frame, etc.
- Stem 1 comes with a 6mm rod with ad justable heights
- Focusable from 10° to 60°



Stem 1 comes with a 6mm rod with ad justable heights

L-UPL-10-2/3/4

-Also available with 2 (L-UPL-10-2), 3 spotlights (L-UPL-10-3), or 4 spotlights (L-UPL-10-4)

FEATURES:

- Full range of accessories – Barndoors, Snoots, Filter frame, etc.
- Comes with a 10 mm Rod
- Focusable from 9° to 60°



Stem 2, 3, & 4 comes with a 10mm rod with ad justable heights

TECHNICAL DATA : L-UPL-10

Voltage/Wattage	14V (max) / 1.2W
InputCurrent	350mA
Beam angles	9° to 60°
Dimmable options	Compatible PWM with external dimmer
CRI	>96
CCT	3000K & 4000K

Main materials	Aluminum Alloy / PC
Color finished	Black, White and Silver
Certificates	UL, CE
Warranty	5 years
Protection	IP30

MICROMONO 10MM LEDSTICK

L-MBA-01 : Standalone Fixture 10mm LEDSTICK

Unique adjustable barndoor feature. Barndoor can be removed and can be adjusted in order to control the beam spread.

FEATURES:

- Available in 1M, 1.5M and 2M in length
- Adjustable light disbursement using side panels
- 12V input with 15, 23 and 30W output
- Light Colors in 3000K, 4000K, or 5000K
- Standard color is Black Anodized





LEDSTICK 18W – 1000mm

112°

LUXAM

2022 MICROTRACK SYSTEM

ORDER CODES

MICROSPOT 1W

REFERENCES	PRODUCT DESCRIPTION
L-MTSP-12-B-3K	Micro Spot 1.2W/12VDC, Dimmer, 3000K, Black
L-MTSP-12-B-4K	Micro Spot 1.2W/12VDC, Dimmer, 4000K, Black
L-MTSP-12-B-5K	Micro Spot 1.2W/12VDC, Dimmer, 5000K, Black
L-MTSP-12-W-3K	Micro Spot 1.2W/12VDC, Dimmer, 3000K, White
L-MTSP-12-W-4K	Micro Spot 1.2W/12VDC, Dimmer, 4000K, White
L-MTSP-12-W-5K	Micro Spot 1.2W/12VDC, Dimmer, 5000K, White
L-MTSP-12-S-3K	Micro Spot 1.2W/12VDC, Dimmer, 3000K, Silver
L-MTSP-12-S-4K	Micro Spot 1.2W/12VDC, Dimmer, 4000K, Silver
L-MTSP-12-S-5K	Micro Spot 1.2W/12VDC, Dimmer, 5000K, Silver

MICROSPOT STANDALONE 1W

REFERENCES	PRODUCT DESCRIPTION
L-MSPS-10-B-3K	Micro Spot Standalone 1.2W/12VDC, 3000K, Black
L-MSPS-10-B-4K	Micro Spot Standalone 1.2W/12VDC, 4000K, Black
L-MSPS-10-B-5K	Micro Spot Standalone 1.2W/12VDC, 5000K, Black
L-MSPS-10-W-3K	Micro Spot Standalone 1.2W/12VDC, 3000K, White
L-MSPS-10-W-4K	Micro Spot Standalone 1.2W/12VDC, 4000K, White
L-MSPS-10-W-5K	Micro Spot Standalone 1.2W/12VDC, 5000K, White
L-MTSP-10-S-3K	Micro Spot Standalone 1.2W/12VDC, 3000K, Silver
L-MTSP-10-S-4K	Micro Spot Standalone 1.2W/12VDC, 4000K, Silver
L-MTSP-10-S-5K	Micro Spot Standalone 1.2W/12VDC, 5000K, Silver

MICROSPOT STANDALONE 1W DIMMER

REFERENCES	PRODUCT DESCRIPTION
L-MTSA-12-B-3K	Micro Spot Standalone 1.2W/12VDC, Dimmer, 3000K, Black
L-MTSA-12-B-4K	Micro Spot Standalone 1.2W/12VDC, Dimmer, 4000K, Black
L-MTSA-12-B-5K	Micro Spot Standalone 1.2W/12VDC, Dimmer, 5000K, Black
L-MTSA-12-W-3K	Micro Spot Standalone 1.2W/12VDC, Dimmer, 3000K, White
L-MTSA-12-W-4K	Micro Spot Standalone 1.2W/12VDC, Dimmer, 4000K, White
L-MTSA-12-W-5K	Micro Spot Standalone 1.2W/12VDC, Dimmer, 5000K, White
L-MTSA-12-S-3K	Micro Spot Standalone 1.2W/12VDC, Dimmer, 3000K, Silver
L-MTSA-12-S-4K	Micro Spot Standalone 1.2W/12VDC, Dimmer, 4000K, Silver
L-MTSA-12-S-5K	Micro Spot Standalone 1.2W/12VDC, Dimmer, 5000K, Silver

STEMLIGHT

REFERENCES	PRODUCT DESCRIPTION
L-UPL-10-B3K	StemLight 1 - 3000K

BARNDOOR

REFERENCES	PRODUCT DESCRIPTION
L-MTBD-10-B	Barndoor for 1.2W Micro Spot, Black
L-MTBD-10-W	Barndoor for 1.2W Micro Spot, White
L-MTBD-10-S	Barndoor for 1.2W Micro Spot, Silver

ANGLED SNOOT

REFERENCES	PRODUCT DESCRIPTION
L-MTAS-10-B	Angled Snoot for 1.2W Micro Spot, Black
L-MTAS-10-W	Angled Snoot for 1.2W Micro Spot, White
L-MTAS-10-S	Angled Snoot for 1.2W Micro Spot, Silver

FILTER HOLDER

REFERENCES	PRODUCT DESCRIPTION
L-MTFH-10-B	Filter holder for 1.2W Micro Spot, Black
L-MTFH-10-W	Filter holder for 1.2W Micro Spot, White
L-MTFH-10-S	Filter holder for 1.2W Micro Spot, Silver

MICROSPOT 3W

REFERENCES	PRODUCT DESCRIPTION
L-MTSP-02-B-3K	Micro Spot 3.8W/12VDC, Dimmer, 3000K, Black
L-MTSP-02-B-4K	Micro Spot 3.8W/12VDC, Dimmer, 4000K, Black
L-MTSP-02-B-5K	Micro Spot 3.8W/12VDC, Dimmer, 5000K, Black
L-MTSP-02-W-3K	Micro Spot 3.8W/12VDC, Dimmer, 3000K, White
L-MTSP-02-W-4K	Micro Spot 3.8W/12VDC, Dimmer, 4000K, White
L-MTSP-02-W-5K	Micro Spot 3.8W/12VDC, Dimmer, 5000K, White
L-MTSP-02-S-3K	Micro Spot 3.8W/12VDC, Dimmer, 3000K, Silver
L-MTSP-02-S-4K	Micro Spot 3.8W/12VDC, Dimmer, 4000K, Silver
L-MTSP-02-S-5K	Micro Spot 3.8W/12VDC, Dimmer, 5000K, Silver

MICROSPOT 3W NON-DIMMER

REFERENCES	PRODUCT DESCRIPTION
L-MTSP-01-B	Micro Spot 3.8W/12VDC, Without onboard dimmer, 3000K Black

MICROSPOT STANDALONE 3W

REFERENCES	PRODUCT DESCRIPTION
L-MSPS-00-B-3K	Micro Spot Standalone 3.8W/12VDC, 3000K, Black
L-MSPS-00-B-4K	Micro Spot Standalone 3.8W/12VDC, 4000K, Black
L-MSPS-00-B-5K	Micro Spot Standalone 3.8W/12VDC, 5000K, Black
L-MSPS-00-W-3K	Micro Spot Standalone 3.8W/12VDC, 3000K, White
L-MSPS-00-W-4K	Micro Spot Standalone 3.8W/12VDC, 4000K, White
L-MSPS-00-W-5K	Micro Spot Standalone 3.8W/12VDC, 5000K, White
L-MTSP-00-S-3K	Micro Spot Standalone 3.8W/12VDC, 3000K, Silver
L-MTSP-00-S-4K	Micro Spot Standalone 3.8W/12VDC, 4000K, Silver
L-MTSP-00-S-5K	Micro Spot Standalone 3.8W/12VDC, 5000K, Silver

MICROSPOT STANDALONE 3W DIMMER

REFERENCES	PRODUCT DESCRIPTION
L-MTSA-02-B-3K	Micro Spot Standalone 3.8W/12VDC, Dimmer, 3000K, Black
L-MTSA-02-B-4K	Micro Spot Standalone 3.8W/12VDC, Dimmer, 4000K, Black
L-MTSA-02-B-5K	Micro Spot Standalone 3.8W/12VDC, Dimmer, 5000K, Black
L-MTSA-02-W-3K	Micro Spot Standalone 3.8W/12VDC, Dimmer, 3000K, White
L-MTSA-02-W-4K	Micro Spot Standalone 3.8W/12VDC, Dimmer, 4000K, White
L-MTSA-02-W-5K	Micro Spot Standalone 3.8W/12VDC, Dimmer, 5000K, White
L-MTSA-02-S-3K	Micro Spot Standalone 3.8W/12VDC, Dimmer, 3000K, Silver
L-MTSA-02-S-4K	Micro Spot Standalone 3.8W/12VDC, Dimmer, 4000K, Silver
L-MTSA-02-S-5K	Micro Spot Standalone 3.8W/12VDC, Dimmer, 5000K, Silver

MICRO SPOT 3W ACCESSORIES

BARNDOOR

REFERENCES	PRODUCT DESCRIPTION
L-MTBD-01-B	Barndoor for 3.8W Spot, Black
L-MTBD-01-W	Barndoor for 3.8W Spot, White
L-MTBD-01-S	Barndoor for 3.8W Spot, Silver

FULL SNOOT

REFERENCES	PRODUCT DESCRIPTION
L-MTSN-01-B	Snoot for 3.8W Spot, Black
L-MTSN-01-W	Snoot for 3.8W Spot, White
L-MTSN-01-S	Snoot for 3.8W Spot, Silver

ANGLED SNOOT

REFERENCES	PRODUCT DESCRIPTION
L-MTAS-01-B	Angled Snoot for 3.8W Spot, Black
L-MTAS-01-W	Angled Snoot for 3.8W Spot, White
L-MTAS-01-S	Angled Snoot for 3.8W Spot, Silver

CONE SNOOT

REFERENCES	PRODUCT DESCRIPTION
L-MTSC-01-B	Cone Snoot for 3.8W Spot, Black
L-MTSC-01-W	Cone Snoot for 3.8W Spot, White
L-MTSC-01-S	Cone Snoot for 3.8W Spot, Silver

FILTER HOLDER

REFERENCES	PRODUCT DESCRIPTION
L-MTFH-01-B	Filter Holder for 3.8W Spot, Black
L-MTFH-01-W	Filter Holder for 3.8W Spot, White
L-MTFH-01-S	Filter Holder for 3.8W Spot, Silver

ARCHITECTURE FILTER

REFERENCES	PRODUCT DESCRIPTION
L-MTAR-01-B	Architecture Filter for 3.8W Spot, Black
L-MTAR-01-W	Architecture Filter for 3.8W Spot, White
L-MTAR-01-S	Architecture Filter for 3.8W Spot, Silver

BOOSTER

REFERENCES	PRODUCT DESCRIPTION
L-MTBST-01-B	Booster for 3.8W Spot, Black
L-MTBST-01-W	Booster for 3.8W Spot, White
L-MTBST-01-S	Booster for 3.8W Spot, Silver

MICROSPOT 6W

REFERENCES	PRODUCT DESCRIPTION
L-MTSP-22-B-3K	Micro Spot 6W/12VDC, Dimmer, 3000K, Black
L-MTSP-22-B-4K	Micro Spot 6W/12VDC, Dimmer, 4000K, Black
L-MTSP-22-B-5K	Micro Spot 6W/12VDC, Dimmer, 5000K, Black
L-MTSP-22-W-3K	Micro Spot 6W/12VDC, Dimmer, 3000K, White
L-MTSP-22-W-4K	Micro Spot 6W/12VDC, Dimmer, 4000K, White
L-MTSP-22-W-5K	Micro Spot 6W/12VDC, Dimmer, 5000K, White
L-MTSP-22-S-3K	Micro Spot 6W/12VDC, Dimmer, 3000K, Silver
L-MTSP-22-S-4K	Micro Spot 6W/12VDC, Dimmer, 4000K, Silver
L-MTSP-22-S-5K	Micro Spot 6W/12VDC, Dimmer, 5000K, Silver

MICROSPOT STANDALONE 6W DIMMER

REFERENCES	PRODUCT DESCRIPTION
L-MTSA-22-B-3K	Micro Spot Standalone 6W/12VDC, Dimmer, 3000K, Black
L-MTSA-22-B-4K	Micro Spot Standalone 6W/12VDC, Dimmer, 4000K, Black
L-MTSA-22-B-5K	Micro Spot Standalone 6W/12VDC, Dimmer, 5000K, Black
L-MTSA-22-W-3K	Micro Spot Standalone 6W/12VDC, Dimmer, 3000K, White
L-MTSA-22-W-4K	Micro Spot Standalone 6W/12VDC, Dimmer, 4000K, White
L-MTSA-22-W-5K	Micro Spot Standalone 6W/12VDC, Dimmer, 5000K, White
L-MTSA-22-S-3K	Micro Spot Standalone 6W/12VDC, Dimmer, 3000K, Silver
L-MTSA-22-S-4K	Micro Spot Standalone 6W/12VDC, Dimmer, 4000K, Silver
L-MTSA-22-S-5K	Micro Spot Standalone 6W/12VDC, Dimmer, 5000K, Silver

BARNDOOR

REFERENCES	PRODUCT DESCRIPTION
L-MTBD-20-B	Barndoor for 6W Spot, Black
L-MTBD-20-W	Barndoor for 6W Spot, White
L-MTBD-20-S	Barndoor for 6W Spot, Silver

ANGLED SNOOT

REFERENCES	PRODUCT DESCRIPTION
L-MTAS-20-B	Angled Snoot for 6W Spot, Black
L-MTAS-20-W	Angled Snoot for 6W Spot, White
L-MTAS-20-S	Angled Snoot for 6W Spot, Silver

MICRO LIGHTBAR

REFERENCES	PRODUCT DESCRIPTION
L-MTBA-01-B-450-3K	Microtrack LED Bar, 3000K, 450mm (18"), Black
L-MTBA-01-B-450-4K	Microtrack LED Bar, 4000K, 450mm (18"), Black
L-MTBA-01-W-450-3K	Microtrack LED Bar, 3000K, 450mm (18"), White
L-MTBA-01-W-450-4K	Microtrack LED Bar, 4000K, 450mm (18"), White
L-MTBA-01-B-900-3K	Microtrack LED Bar, 3000K, 900mm (36"), Black
L-MTBA-01-B-900-4K	Microtrack LED Bar, 4000K, 900mm (36"), Black
L-MTBA-01-W-900-3K	Microtrack LED Bar, 3000K, 900mm (36"), White
L-MTBA-01-W-900-4K	Microtrack LED Bar, 4000K, 900mm (36"), White

MICRO WALL WASHERS 5W

REFERENCES	PRODUCT DESCRIPTION
L-MTWS-22-B-3K	Wall washer for Microtrack, 5W - 3000K, Black
L-MTWS-22-B-4K	Wall washer for Microtrack, 5W - 4000K, Black
L-MTWS-22-W-3K	Wall washer for Microtrack, 5W - 3000K, White
L-MTWS-22-W-4K	Wall washer for Microtrack, 5W - 3000K, White

MICRO WALL WASHERS 10W

REFERENCES	PRODUCT DESCRIPTION
L-MTWS-32-B-3K	Wall washer for Microtrack, 10W - 3000K, Black
L-MTWS-32-B-4K	Wall washer for Microtrack, 10W - 4000K, Black
L-MTWS-32-W-3K	Wall washer for Microtrack, 10W - 3000K, White
L-MTWS-32-W-4K	Wall washer for Microtrack, 10W - 4000K, White

MICRO LEDSTICK

REFERENCES	PRODUCT DESCRIPTION
L- M B A - 0 1 - B-100	10mm,100cm,12V/15W,Black
L- M B A - 0 1 - B-150	10mm,150cm,12V/23W,Black
L- M B A - 0 1 - B-200	10mm,200cm,12V/30W,Black

H-SHAPE MICRO TRACK

REFERENCES	PRODUCT DESCRIPTION
L- MTHTK- 100- B	H-Shape Micro Track 1 meter Black
L-MTHTK-100-W	H-Shape Micro Track 1 meter White
L-MTHTK-100-S	H-Shape Micro Track 1 meter Silver
L-MTHTK-200-B	H-Shape Micro Track 2 meters Black
L-MTHTK-200-W	H-Shape Micro Track 2 meters White
L-MTHTK-200-S	H-Shape Micro Track 2 meters Silver

LIVE END CONNECTOR

REFERENCES	PRODUCT DESCRIPTION
L-MTEC-01-B	Live end connector for H-shape Track, Black
L-MTEC-01-W	Live end connector for H-shape Track, White
L-MTEC-01-S	Live end connector for H-shape Track, Silver

STRAIGHT JUNCTION CONNECTOR

REFERENCES	PRODUCT DESCRIPTION
L-MTSJ-01-B	Straight junction connector for H-shape Track, Black
L-MTSJ-01-W	Straight junction connector for H-shape Track, White
L-MTSJ-01-S	Straight junction connector for H-shape Track, Silver

90° CORNER JUNCTION

REFERENCES	PRODUCT DESCRIPTION
L-MTCJ-01-B	90° corner junction for H -shape Track, Black
L-MTCJ-01-W	90° corner junction for H -shape Track, White
L-MTCJ-01-S	90° corner junction for H -shape Track, Silver

90° INSIDE FLAT CONNECTOR

REFERENCES	PRODUCT DESCRIPTION
L-MTFCJ-01-B	90° inside-slot Flat connector for H -shape Track

END CAP

REFERENCES	PRODUCT DESCRIPTION
L-MTCP-01-B	End cap for H-shape track, Black
L-MTCP-01-W	End cap for H-shape track, White
L-MTCP-01-S	End cap for H-shape track, Silver

O-SHAPED MICRO TRACK

REFERENCES	PRODUCT DESCRIPTION
L-MTOTK-100-B	O-Shape Micro Track 1 meter Black
L-MTOTK-100-W	O-Shape Micro Track 1 meter White
L-MTOTK-100-S	O-Shape Micro Track 1 meter Silver
L-MTOTK-200-B	O-Shape Micro Track 2 meters Black
L-MTOTK-200-W	O-Shape Micro Track 2 meters White
L-MTOTK-200- S	O-Shape Micro Track 2 meters Silver
L-MTOTK-300-B	O-Shape Micro Track 3 meters Black

FLANGE

REFERENCES	PRODUCT DESCRIPTION
L-MTFL-01-B	Flange for O-Shape Track, Black
L-MTFL-01-W	Flange for O-Shape Track, White
L-MTFL-01-S	Flange for O-Shape Track, Silver

LIVE END CONNECTOR

REFERENCES	PRODUCT DESCRIPTION
L-MTOEC-01-B	Live end connector for O-Shape track, Black
L-MTOEC-01-W	Live end connector for O-Shape track, White
L-MTOEC-01-S	Live end connector for O-Shape track, Silver

STRAIGHT JUNCTION CONNECTOR

REFERENCES	PRODUCT DESCRIPTION
L-MTOSJ-01-B	Straight junction connector for O-Shape track, Black
L-MTOSJ-01-W	Straight junction connector for O-Shape track, White
L-MTOSJ-01-S	Straight junction connector for O-Shape track, Silver

90° CORNER JUNCTION

REFERENCES	PRODUCT DESCRIPTION
L-MTOCJ-01-B	90° corner junction for O -shape Track, Black
L-MTOCJ-01-W	90° corner junction for O -shape Track, White
L-MTOCJ-01-S	90° corner junction for O -shape Track, Silver

END CAP

REFERENCES	PRODUCT DESCRIPTION
L-MTOCP-01-B	End cap for O-Shape Track, Black
L-MTOCP-01-W	End cap for O-Shape Track, White
L-MTOCP-01-S	End cap for O-Shape Track, Silver

RECESSED MICRO TRACK

REFERENCES	PRODUCT DESCRIPTION
L- MTRTK- 100- B	R-Shape Micro Track 1 meter Black
L-MTRTK-100-W	R-Shape Micro Track 1 meter White
L-MTHTK-200-B	R-Shape Micro Track 2 meters Black
L-MTHTK-200-W	R-Shape Micro Track 2 meters White

LIVE END CONNECTOR

REFERENCES	PRODUCT DESCRIPTION
L-MTREC-01-B	Live end connector for R-shape Track, Black
L-MTREC-01-W	Live end connector for R-shape Track, White

STRAIGHT JUNCTION CONNECTOR

REFERENCES	PRODUCT DESCRIPTION
L-MTRSJ-01-B	Straight junction connector for R-shape Track, Black
L-MTRSJ-01-W	Straight junction connector for R-shape Track, White

90° CORNER JUNCTION

REFERENCES	PRODUCT DESCRIPTION
L-MTRCJ-01-B	90° corner junction for R-shape Track, Black
L-MTRCJ-01-W	90° corner junction for R-shape Track, White

END CAP

REFERENCES	PRODUCT DESCRIPTION
L-MTRCP-01-B	End cap for R-shape track, Black
L-MTRCP-01-W	End cap for R-shape track, White

LED DRIVERS 12V

REFERENCES	PRODUCT DESCRIPTION
PLC-30-12	LED driver 12V/30W
PLC-60-12	LED driver 12V/60W
LPV-100-12	LED driver 12V/100W

LED DRIVERS 12V - EUROPE

REFERENCES	PRODUCT DESCRIPTION
NPF-40	LED driver 12V/40W
NPF-90	LED driver 12V/90W

PICK-UP CONNECTOR

REFERENCES	PRODUCT DESCRIPTION
L-MTPK-01-B	Pick-up connector 12V, with cable 0.5m

CREDITS:
Exhibition Museum: University of Arizona Museum of Art
Exhibition Fabricator: Design and Production
Exhibition Photo Credit: Logan Havens
Exhibition Lighting Designer: Technical Artistry – Kyle Chepulis
Case Fabricator: Meyvaert

REFERENCES

NORTH AMERICA

Academy Museum of Motion Pictures, CA
Alabama State Archives, Montgomery, AL
American Museum of Natural history, NY
Appomattox Court House Museum, VA
Armenian Museum of America, MA
Autry Museum of the West
Babe Ruth Birthplace, MD
Bank of Canada Museum, ON, Canada
Boston Fine Art, Boston, MA
Carnegie Museum of Natural History, PA
Carnegie Museum of New Hampshire, NH
Central Synagogue, Manhattan, NY
Chicago History Museum, IL
Chicago Museum of Science and Industry, Chicago, IL
Cincinnati Art Museum, OH
Cleveland Museum of Natural History, OH
Collier County Museum, FL
Cranbrook Institute, MI
Crystal Bridges Museum, AR
Emory University, GA
Fine Arts Museum of San Francisco, CA
First Division Museum at Cantigny, Wheaton, IL
Ford's Theatre, DC
Frazier Historical Arms Museum, Louisville, KY
Frick Collection, NY
George W. Bush Presidential Library, Dallas, TX
Georgia State Capitol Museum, GA
GIA Institute, CA
Hilllwood Estate Museum, DC
Jamestown/Yorktown Foundation, VA
Jim Moran foundation, FL
Knoxville Museum of Art, TN
LSU Museum of Art, LA
Marco Island Museum, FL
Mariners Museum, VA
Metropolitan Museum of Art, NY
Mississippi Museum of Natural History, MI
Mississippi Museum of Natural history, Jackson, MS
Mt. Vernon Education Center, VA
Museum of American Finance, NY
Museum of Fine Art p Boston, MA
Nantucket Whaling Museum, Nantucket, MA
National Archives, DC
National Air and Space Museum, DC
National Civil War Museum, PA
National Infantry Museum, GA
National Museum of African American History and Culture, DC
National Museum of American History, DC
National Museum of American Indians, NY
National Museum of Natural history, DC
National Museum of Natural History, DC
National Museum of the American Indian, DC
National Museum of United States Army, VA
National Museum of Women in the Arts, Washington, DC
National Portrait Gallery, DC
National Postal Museum, DC
New York Historical Society, NY
Newseum, DC
Norton Museum of Art, FL
Old Conn. Statehouse, CT
Peabody Essex Museum, MA
Perfume Passage Foundation,
Philadelphia Museum of Art, PA
Pitts Theology Library Emory University, Atlanta, GA
Polk County Museum, FL
Ronald Regan Presidential Library, CA
Sandoway Nature Center, Delray, FL
Smithsonian Libraries, DC
Sports Legends Museum – Camden Yards, Baltimore, MD
The Asia Society, NY
The Catholic Museum of America, DC
The Cloisters, NY
The Henry Ford Museum, MI
The Holy Land attraction, Orlando, FL
The Flight Path Museum & Learning Center LAX, CA
The Library of Congress, Washington, DC
The Mob Museum
The White House Porcelain Collection, DC
University Conn Ballard Museum of Puppetry, CT
University of Florida Harn Museum of Asian Art, Gainesville, FL
US Marine Corps Museum, VA
US Mint, Philadelphia, PA
US Naval Academy – John Paul Jones crypt, Annapolis, MD
USC – Doheny Library Treasure Room, Los Angeles, CA
US Golf association Museum
Vassar College, NY
Virginia Museum of Fine Art, VA
Walters Art Museum, Baltimore, MD
Walt Disney/ France Pavillion Epcot, FL

SOUTH AMERICA

Acheological Museum of Piura, Peru
Museu Carlos Costa Pinto, Salvador de Bahia, Brasil Museum of Sacred Art, Belem, Brasil
Museo de la moda, Santiago, Chile
Museo de Bellas Artes, Santiago, Chile

EUROPE

Amsterdam University Library
Archeological museum of Mykenae
Army Museum, Bruxelles
Ashmolean Museum ,Oxford
Australian Memorial Monash Villers bretonneux, France
Blaschka collection, Aquarium, Liége
Byzantyne Museum, Athens
Carolus Borromeus, Antwerpen, Belgium
Faberge and Icon exhibition,Vatican
Hasselt Museum, Belgium
Diamond museum, Antwerpen, Belgium
Faberge Exhibition, Venaria Reale, Torino
Gaasbeck castle, Belgium
Historische Museum, Basel
Holborn museum, Bath, UK
Katoenatie museum, Antwerpen, Belgium
King's Library British Museum, UK
La Bibliothèque Nationale, Paris
Landesmuseum Emden, Germany
Le Musée d'Orsay, Paris
Le Musée des Antiquités Nationales de Saint Germain en Laye
Manching kelt museum, Germany
Le Musée Fragonard de Grasse
Le Palais de la Découverte, Paris
Les Archives Nationales, Paris
Library Braunschweg, Germany
Maison Rouge, Paris
MAS, Antwerpen, Belgium
National Bavaria Library, Munich, Germany
Middelheim museum, Atwerppen
Mineralogy Museum, Liban
Musee parfum Fragonard, France
Musée Borelli, France
Musée de l'Armée, Invalides, France
Musée de l'esclavage, Pointe a pitre, Guadeloupe, France
Musee de la Chasse, France
Musée de la dentelle, Calais, France
Musée de la gendarmerie, Melun, France
Musée de la Toile de Jouy, France
Musée du Louvre, France
Musée Delvaux Brussels, Belgium
Musée Historique de Strasbourg, France
Musée des Beaux Arts, Bruxelles
Musée L Louvain la Neuve, Belgium
Musée M leuven, Belgium
Museum of London
Museum of Natural History, Madrid
National Archeological Museum of Athens
National Archeological Museum of Thessaloniki
National Bavaria Museum, Munich, Germany
National Museum of Iceland
National Museum of Ireland 1916
Order of st John Museum
Palais Borely, Marseille, France
Palais de Tokyo , Paris
Palais de Versailles, France
Petit Palais, Paris
Pitt Rivers Museum, Oxford
Preston Porcelain Museum, UK
Rijks egyptian colllection Leiden Holland
Royal Library Bruxelles
Royal Medieval Textile M v useum, Burgos, Spain
Saint Peter Babbey, Gent, Belgium
Toy Museum, Luxembourg
Valencia History Museum, Spain

ASIA

Asian Civilization Museum, Singapore
Ceramic gallery, Reference Collection, Forbidden city, Beijing
Chiang Mai national Museum, Thailande
Fireboat Museum, Hong Kong
Hubei history Museum, China
Hunan Museum, China
Indian Heritage Museum, Singapore
Inner Mongolia Museum, China
Louvre Abu-Dhabi, UAE
National Library, Singapore
National Library, Singapore
National Museum of Singapore
Peranakan Museum, Singapore
Qasr Al Watan, UAE
Shenzen regional Museum, China
Shindagha, Dubai
The Chariots, The Terra Cotta Museum, Xian, China

OCEANIA

Australia Museum ,Sydney ,Australia
Australian National Maritine Museum He Tohu .Wellington, New Zealand
MONA, Hobart ,Tasmania
National Gallery of Victoria, Melbourne, Australia
The Schrine, Melbourne, Australia
TMAG, Hobart, Tasmania

LUXAM
Lighting For Museums

LUXAM.COM | INFO@LUXAM.COM

LUXAM USA

12201 NW 35th Street #534
Coral SpringS, FL 33065
P:+19547557354 Email: info@luxam.com

LUXAM UK

184 Park Avenue
London NW10 7XL
Email: info@luxam.com

LUXAM EUROPE

80 rue du Dessous des Berges
75013 Paris Phone:+33982272946
Email: france@luxam.com