



WORKSHOP GEAR PRODUCT RANGE

2026/27 COLLECTION



MOST WORKSHOP GEAR IS BUILT FAST AND CHEAP, OR BUILT ONCE BY A FABRICATOR WHO'S LONG GONE BY THE TIME IT FAILS. NEITHER SURVIVES HEAVY INDUSTRY.

WE ENGINEER OURS TO A STANDARD. EVERY PRODUCT IS LOAD-RATED, AS-CERTIFIED, AND TESTED TO DESTRUCTION BEFORE IT CARRIES THE BEAR CREST. MODULAR, WORKSHOP ENHANCING, READY TO SHIP AND BACKED BY A 10-YEAR WARRANTY WITH NO FINE PRINT.

THAT'S WHY IT RUNS IN TIER 1 WORKSHOPS ACROSS IRON ORE, OIL AND GAS, GOLD, COPPER, DEFENCE, AND OEM DEALER AND FLEET WORKSHOPS - IN AUSTRALIA AND OVERSEAS.

WE DON'T SELL STEEL. WE SELL CERTAINTY: THE GEAR WON'T FAIL, THE AUDIT PASSES, AND THE WORKSHOP KEEPS RUNNING.

IT KEEPS WORKING SO YOU KEEP WORKING.

CONTENTS

GAS BOTTLE TROLLEY	04	WHITEBOARD BRIEFING STATION	22
OIL DRAIN TROLLEY	06	E-HUB WORKSTATION	24
CHAIN CADDY	08	TRESTLE STANDS - 2T & 5T	26
CHAIN STORAGE RACK	10	TRESTLE STANDS - 5T & 10T (2,400MM)	28
LADDER RACK	12	GENERAL PURPOSE STEEL RACKS	30
STORAGE CABINET	14	FREE STANDING STEEL RACK	32
WORKSHOP LOCKERBENCH	16	HORIZONTAL STEEL PLATE RACKS	34
2T WORKSHOP BENCH - STANDARD	18	FLAT PLATE RACK	36
2T WORKSHOP BENCH - SLIM	20	TRACK RECORD	38

GAS BOTTLE TROLLEY

MOVE GAS, **NOT RISK.**

THE ONLY GAS BOTTLE TROLLEY ENGINEERED FOR HOW WORKSHOPS ACTUALLY WORK.



SPECIFICATIONS

 DIMENSIONS 822mm L x 724mm W x 1,622mm H	 MATERIAL Heavy-duty steel to AS 3678 / AS 1163 / AS 3679.1
 WEIGHT BEARING 200kg WLL	 EXTRA FEATURES Fork pockets, fold-down ramp, foldable crane lifting posts, interchangeable bottle cradle plates, toolbox
 UNIT WEIGHT 84kg	 FINISH Powder-coated Grizzly Orange & Rich Black



TOUGH GEAR FOR WORKSHOPS WHERE GAS NEEDS TO MOVE AS FAST AS THE SCHEDULE.

Every gas bottle moved on a trolley with a central pole that swings into the operator, no rear support to prevent tipping, and bottles held on with a ratchet strap is a risk someone's taking because there's nothing better available.

We've engineered something better. Twin side-mounted crane lifting posts fold down to leave the operator position completely clear. A rear support castor eliminates backward tipping under load. A fold-down ramp means bottles roll on – no deadlifting. Fork pockets for long distance moves. The whole unit cranes to multi-level jobs without disconnecting a thing.


Stainless steel ball-lock pins secure bottles tool-free. Cradle plates for oxy & acetylene bottles come as standard, LPG bottle cradle plates as an accessory – identification stamped into the steel, not labelled with a sticker. The integrated toolbox keeps cutting gear with the gas.

PRODUCT	GRIZZLY SKU	AVAILABILITY	PRICE GUIDE
	5610697	STOCK	\$\$
	Gas Bottle Trolley: Supplied as standard with Oxy-Acetylene and LPG Cradle Plates		
	5610698	STOCK	\$
	Replacement Oxy-Acetylene Cradle Plates: Holds 1 x G size & 1 x E size bottles		
	5610699	STOCK	\$
	Replacement LPG Cradle Plates: Holds 1 x S size [45kg] bottle		

OIL DRAIN TROLLEY › **COMING SOON**

DRAIN IT, **CONTAIN IT.**

THE PURPOSE-BUILT OIL DRAIN TROLLEY ENGINEERED TO REPLACE THE TRAY YOUR WORKSHOP HAS JUST BEEN TOLERATING.



SPECIFICATIONS

 DIMENSIONS 1,506mm L x 966mm W x 417mm H [frame]	 MATERIAL Aluminium-steel construction
 CAPACITY 240L	 EXTRA FEATURES Height-adjustable funnel, inclinable mesh inbuilt filter drain stands, removable oil catcher, G30 walk grating, 1-1/4" BSPP ball valve drainage
 UNIT WEIGHT 104kg	 FINISH Raw aluminium / mill finish

OIL CHANGES SHOULDN'T MEAN OIL EVERYWHERE.

Most workshop oil drain trolleys do one thing: sit under a drain plug and catch what falls. The funnel goes where the trolley goes, not where the oil is. Filters get propped against whatever's handy. Splashes hit the floor. It works, but only in the loosest sense of the word.

The Grizzly Oil Drain Trolley is designed around how oil changes actually happen. A height-adjustable funnel positions the catch point at the discharge - not wherever the trolley fits. An inclinable mesh with inbuilt filter drain stands lets you drain filters upright without propping them, and doubles as a strainer to keep debris out of the sump. That means the 1-1/4" BSPP ball valve actually works.

The removable oil catcher contains splashes before they reach the floor. Aluminium-steel construction keeps the weight down to 104 kg - light enough for one person to position - without the brittleness of plastic so no risk of splitting. G30 walk grating on top, heavy-duty swivel castors underneath.

Purpose-built. Self-contained. No workarounds needed.



PRODUCT	GRIZZLY SKU	AVAILABILITY	PRICE GUIDE
	5509890	COMING SOON	\$\$\$
	Oil Drain Trolley: Self-contained sump with height-adjustable funnel, inclinable mesh, removable oil catcher, and valved drain outlet.		

CHAIN CADDY

ONE TRIP. RIGHT GEAR.

MOBILE RIGGING STATION WITH FORK POCKETS.
ONE CADDY, EVERY RIGGING JOB.



SPECIFICATIONS

 DIMENSIONS 920mm H x 1,035mm L x 540mm W	 MATERIAL Heavy-duty steel to AS 3678 / AS 1163 / AS 3679.1
 WEIGHT BEARING 100kg WLL per ring	 EXTRA FEATURES Fork pockets, 100mm castors (2 fixed, 2 swivel), removable handle
 UNIT WEIGHT 74.4kg	 FINISH Powder-coated Grizzly Orange & Rich Black

MOVES YOUR RIGGING TO THE JOB IN ONE GO.


Moving chains and rigging between jobs means dragging crates, carrying armfuls, or making three trips across site while the crane sits idle. The Chain Caddy moves your rigging to the job in one go – chains, shackles, blocks, and hardware, all together. No return trips. No crane downtime hunting for gear. Fork pockets for forklift transport or sling from the slots when it needs to be hoisted. Roll it by hand with the removable handle and castors.

PRODUCT	GRIZZLY SKU	AVAILABILITY	PRICE GUIDE
	5508828	STOCK	\$\$
	Chain Caddy: Mobile rigging station - castors, link brackets, and handle included		
	5508830	STOCK	\$
	Link Bracket Assembly: Master link holder - keeps upper end fittings ready to connect		
	5508831	STOCK	\$
	Shackles Rack: Shackles stored with the rigging, not in a bucket elsewhere		
	5508832	STOCK	\$
	Divider: Separate chains by job or capacity		
	5508833	STOCK	\$
	Chain Block Bar (Box of 4): Vertical chain block storage inside the caddy		
	5508834	STOCK	\$
	Additional Removable Handle: Second handle for two-person manual handling		

CHAIN STORAGE RACK


STOP DIGGING. START RIGGING.

RIGGING GEAR ORGANISED VERTICALLY. VISIBLE, TAGGED, COMPLIANT, AND READY TO LIFT.



SPECIFICATIONS


 DIMENSIONS 2,000mm L x 986mm W x 1,515mm H	 MATERIAL Heavy-duty steel to AS 3678 / AS 1163 / AS 3679.1
 WEIGHT BEARING 1,200kg WLL / 40kg per pin / 60kg per ring	 EXTRA FEATURES Fork pockets at 860mm centres
 UNIT WEIGHT 314kg	 FINISH Powder-coated Grizzly Orange & Rich Black

PRODUCT	GRIZZLY SKU	AVAILABILITY	PRICE GUIDE
	5508810	STOCK	\$\$
	Chain Storage Rack Frame		
	5508811	STOCK	\$
	Vertical Dividers (box of 5): Allows you to separate chains by size, capacity, or tag status		
	5508812	STOCK	\$
	Pin Assembly (box of 10): 12° angled pins for organised chain or sling hanging		
	5508813	STOCK	\$
	Link Bracket Assembly (box of 5): Secure attachment points		
	5508814	STOCK	\$
	Shackles Rack: Shackles stored with chains, not stored elsewhere		
	5508815	STOCK	\$
	Pins Rack: Dedicated pin storage, visible and accessible		
	5508816	STOCK	\$
	Brackets Rack / General Toolbox: Rigging tools where you need them		
	5508817	STOCK	\$
	Document Holder: Inspection records live on the rack, not in the office		
	5610694	STOCK	\$
	100mm Heavy Duty Castors: Make this a mobile rigging station		

LADDER RACK

LADDERS UP, HAZARDS DOWN.

7 LADDERS UPRIGHT, SAFE, SECURE & ACCESSIBLE. OPTIONAL ACCESSORIES KEEP GEAR, INSPECTION DOCS, AND HOUSEKEEPING EQUIPMENT IN ONE MOBILE STATION - NOT IN DIFFERENT CORNERS OF THE WORKSHOP.



SPECIFICATIONS

 DIMENSIONS 2,142mm H (inc. castors) x 2,050mm L x 986mm W	 EXTRA FEATURES 100mm HD castors (2 fixed / 2 swivel), fork pockets, bolt-together assembly, certified to AS 1170 & AS 4100
 WEIGHT BEARING 350kg total (50kg WLL per slot x 7 bays)	
 MATERIAL Steel, welded to AS 1554.1 CAT SP, Grade 8.8 bolts	 FINISH Powder-coated Grizzly Orange & Rich Black to AS 1627

PRODUCT	GRIZZLY SKU	AVAILABILITY	PRICE GUIDE
	5508809	STOCK	\$\$\$
	Ladder Rack – 7 Bay Frame: 350kg WLL, fork pockets, certified to AS 1170 & AS 4100		
	5610694	STOCK	\$
	100mm HD Castor Wheels (2 Fixed / 2 Swivel): Makes the rack mobile		
	5508818	STOCK	\$
	Pin Assembly (Box of 12): Adjustable multi-purpose hook points		
	5508819	STOCK	\$
	Chain Assembly (Box of 7): Additional chains to secure ladders during transport		
	5508821	STOCK	\$
	Pin Rack: Dedicated pin storage bracket - hooks to the frame		
	5508820	STOCK	\$
	Broom/Shovel Holder: Housekeeping gear stored with the rack		
	5508816	STOCK	\$
	General Toolbox: 20kg WLL - tools in one spot		
	5508817	STOCK	\$
	Document Holder: Inspection sheets and compliance docs stay with the equipment		

STORAGE CABINET

LOCKED UP. SQUARED AWAY.

HEAVY-DUTY 3-POINT LOCKED STORAGE, SLIDE-OUT WRITING DESK, AND FORK POCKETS. 402KG OF STEEL THAT ISN'T GOING ANYWHERE.



SPECIFICATIONS

 DIMENSIONS 1,900mm H x 1,800mm W x 1,000mm D	 EXTRA FEATURES 3-point cam locking per door, shrouded padlock provision, slide-out angled writing desk, 8 shelves, fork pockets, EPDM door seals
 UNIT WEIGHT 402kg	
 MATERIAL Grade 250/350 steel to AS 3678 / AS 3679.1	 FINISH Grizzly Orange & Rich Black to AS 1627



OPEN. REVIEW. CLOSE.

Tools and consumables walk off site when there's nowhere to lock them. PPE sits in the open where it gets damaged, contaminated, or buried. Audits flag unsecured storage every time, and the fix is usually a shipping container that's too big, too hot, and impossible to organise.

The Grizzly Storage Cabinet locks everything down in two bays with 3-point cam locking on each door, a shrouded padlock provision, and EPDM rubber seals that keep dust and moisture out.

Eight shelves across two bays organise tools, consumables, PPE, and documentation where the crew can find them - not piled on benches or stuffed in crates. Slide-out writing desk pulls out on drawer slides and angles up for reviewing drawings, logging job cards, or running a laptop - right at the cabinet, not back at a bench.

Locks flat when you're done. Hook catches inside the doors for hanging gear. Fork pockets at the base for relocation when loaded. 402kg of mine-spec steel, welded to AS 1554.1 and coated to AS 1627 - it won't flex or rust.

PRODUCT	GRIZZLY SKU	AVAILABILITY	PRICE GUIDE
	5508656	STOCK	\$\$\$
	Storage Cabinet: Heavy-duty lockable storage 3-point locking, 8 shelves, fold-out writing desk, fork pockets		

WORKSHOP LOCKERBENCH › **COMING SOON**

OUT WITH THE OLD. LOCK IN THE NEW.

ENGINEERED FOR MAINTENANCE WORKSHOPS, CONTRACTOR TOOL ROOMS, AND EVERY BAY STILL RUNNING SOMETHING FROM THE 90S.



SPECIFICATIONS

 DIMENSIONS 1,900mm L × 750mm W × 950mm H	 MATERIAL Heavy-duty steel to AS 1594 / AS 1595, welded to AS 1554.1 CAT SP, Grade 8.8 hardware
 WEIGHT BEARING Light-duty rating - coming soon	 EXTRA FEATURES Folding legs (pivot-and-lock, flat-pack ship, minutes to deploy), open-frame base with bottom shelf, optional Cabinet Panel Kit for lockable storage, optional backboard
 UNIT WEIGHT 267kg (base assembly)	 FINISH Powder-coated Rich Black & Grizzly Orange

MOST FITTER BENCHES WEREN'T DESIGNED. THEY WERE FABRICATED.

Every fitter in the bay has the same setup. A bench welded together years ago. Underneath: a cabinet that's meant to hold the gear that doesn't live in a toolbox. Except the doors don't shut and the lock's busted. So gear ends up on the bench top, the work surface ends up half its size, and the fitter works around the mess. The bench gets worse. Nothing changes.

The Workshop Lockerbench is the fix. A 1.9m light-duty bench, engineered and certified, shipped as a standard kit giving your workshop the same spec, every bay, every fitter. Folding legs flat-pack for cost effective shipping to site and bolt vertical in minutes.

Add the Cabinet Panel Kit for under-bench lockable storage that closes, locks, and stays that way. Add the Backboard for tool hanging. AS-grade materials, welded and certified to the same Grizzly engineering DNA as the rest of the range. Built so the fitter's bench doesn't have to be the workshop's worst.




PRODUCT	GRIZZLY SKU	AVAILABILITY	PRICE GUIDE
	5610856	COMING SOON	\$\$
	Light-Duty Workbench: 1,900mm x 750mm folding-leg workbench. Open frame, top, bottom shelf		
	5610857	COMING SOON	\$
	Cabinet Panel Kit: Lockable front doors, side panels, hinges, locks. Adds secure under-bench storage		
	5610858	COMING SOON	\$
	Backboard: Rear edge containment and tool hanging rail		

2T WORKSHOP BENCH - STANDARD

BUILD ON IT. NOT AROUND IT.

1,200MM DEEP. THIS IS WORKSHOP INFRASTRUCTURE, NOT FURNITURE.



SPECIFICATIONS

**1,800mm and 2,400mm models shown*


 DIMENSIONS 1,200 - 3,000mm L x 1,200mm W x 900mm H	 MATERIAL Heavy-duty steel to AS 3678 / AS 1163 / AS 3679.1
 WEIGHT BEARING 2T WLL benchtop / 1T WLL bottom shelf	 EXTRA FEATURES Forklift pockets, lockable castors, oil drain channel, backboard, lockable cabinets
 BENCHTOP 10mm Grade 350 engineered steel plate	 FINISH Powder-coated Grizzly Orange & Rich Black

PRODUCT	LENGTH		GRIZZLY SKU	AVAILABILITY		PRICE GUIDE					
	1,200mm		5610318	STOCK		\$\$					
	1,800mm		5610319	STOCK		\$\$					
	2,400mm		5610320	STOCK		\$\$					
	3,000mm		5610321	STOCK		\$\$					
	Heavy-duty Certified Workstation: Available in 4 lengths										
	1,200mm		5610331	STOCK		\$					
	1,800mm		5610332	STOCK		\$					
	2,400mm		5610333	STOCK		\$					
	3,000mm		5610334	STOCK		\$					
	Backboard: Prevents items dropping off the rear. Doubles as tool hanging rail										
	1,200mm		5610472	STOCK		\$					
	1,800mm		5610473	STOCK		\$					
	2,400mm		5610474	STOCK		\$					
	3,000mm		5610475	STOCK		\$					
	Oil Drain Channel: Integrated spill containment at source										
	1,200mm		5610322	STOCK		\$					
	1,800mm		5610323	STOCK		\$\$					
	2,400mm		5610324	STOCK		\$\$					
	3,000mm		5610325	STOCK		\$\$					
	Enclosed Storage Cabinet: Lockable storage underneath - tools, consumables, PPE										
	GRZ SKU 5610330		STOCK	\$		1,200mm & 1,800mm		GRZ SKU 5610400	STOCK	\$	
	1,200mm Forklift Tynes: Relocate the full bench by forklift when needed						2,400mm & 3,000mm		GRZ SKU 5610401	STOCK	\$
	1,200mm & 1,800mm		GRZ SKU 5610402	STOCK	\$		1,200mm & 1,800mm		GRZ SKU 5610854	STOCK	\$
	2,400mm & 3,000mm		GRZ SKU 5610403	STOCK	\$		2,400mm & 3,000mm		GRZ SKU 5610855	STOCK	\$

2T WORKSHOP BENCH - SLIM

SAME BENCH. LESS SPACE.

700MM DEEP. BUILT FOR WALL RUNS AND NARROW BAYS.



SPECIFICATIONS

**1,800mm and 2,400mm models shown*

 DIMENSIONS 1,200 - 3,000mm L x 700mm W x 900mm H	 MATERIAL Heavy-duty steel to AS 3678 / AS 1163 / AS 3679.1
 WEIGHT BEARING 2T WLL benchtop / 1T WLL bottom shelf	 EXTRA FEATURES Forklift pockets, lockable castors, oil drain channel, backboard, lockable cabinets
 BENCHTOP 10mm Grade 350 engineered steel plate	 FINISH Powder-coated Grizzly Orange & Rich Black

PRODUCT	LENGTH		GRIZZLY SKU	AVAILABILITY		PRICE GUIDE					
	1,200mm		5610675	STOCK		\$\$					
	1,800mm		5610676	STOCK		\$\$					
	2,400mm		5610677	STOCK		\$\$					
	3,000mm		5610678	STOCK		\$\$					
	Heavy-duty Certified Workstation: Available in 4 lengths										
	1,200mm		5610331	STOCK		\$					
	1,800mm		5610332	STOCK		\$					
	2,400mm		5610333	STOCK		\$					
	3,000mm		5610334	STOCK		\$					
	Backboard: Prevents items dropping off the rear. Doubles as tool hanging rail										
	1,200mm		5610684	STOCK		\$					
	1,800mm		5610685	STOCK		\$					
	2,400mm		5610686	STOCK		\$					
	3,000mm		5610687	STOCK		\$					
	Oil Drain Channel: Integrated spill containment at source										
	1,200mm		5610322	STOCK		\$					
	1,800mm		5610323	STOCK		\$\$					
	2,400mm		5610324	STOCK		\$\$					
	3,000mm		5610325	STOCK		\$\$					
	Enclosed Storage Cabinet: Lockable storage underneath - tools, consumables, PPE										
	GRZ SKU 5610688		STOCK	\$		1,200mm & 1,800mm		GRZ SKU 5610400	STOCK	\$	
	750mm Forklift Tynes: Relocate the full bench by forklift when needed						2,400mm & 3,000mm		GRZ SKU 5610401	STOCK	\$
	1,200mm & 1,800mm		GRZ SKU 5610402	STOCK	\$		1,200mm & 1,800mm		GRZ SKU 5610854	STOCK	\$
	2,400mm & 3,000mm		GRZ SKU 5610403	STOCK	\$		2,400mm & 3,000mm		GRZ SKU 5610855	STOCK	\$

WHITEBOARD BRIEFING STATION

THE BRIEF. **AT THE JOB.**

ONE WHITEBOARD. TWO ADJUSTABLE SHELVES. THREE LOCKABLE CABINETS. FOUR CASTORS. EVERY BRIEF, EVERY SHIFT, EVERY BAY.



SPECIFICATIONS

 DIMENSIONS 1,200mm L x 727mm W x 1,865mm H	 MATERIAL Heavy-duty steel to AS 3679.1 / CRS plate, welded to AS 1554.1 CAT GP, Grade 8.8 hardware
 TARE WEIGHT ~130kg	 EXTRA FEATURES Side-hinged whiteboard cabinet door (magnetic whiteboard on outer face, storage shelving behind), main lockable under-bench compartment, 2 x adjustable internal shelves, lockable castors, magnetic door catches
 WHITEBOARD 1,121mm W x 719mm H writable surface	
 FINISH Powder-coated Grizzly Orange & Rich Black	

YOUR WORKSHOP. YOUR BOARD.

Toolbox talks in the crib room mean the brief is already fading by the time the crew reaches the job. Permit boards pinned to a wall fifty metres from the work aren't getting read.

The Whiteboard Briefing Station puts comms where the work happens. A whiteboard at eye level on a lockable cabinet door – 1.1m x 0.7m of writable surface visible from across the bay, with internal storage shelving secured behind it. Write on the front, lock the gear behind. Below the bench top: a full lockable cabinet for tooling, consumables, PPE, and documentation, with the option of doubling this by adding a 2nd lockable door. Lockable castors roll the whole unit to the next task without waiting for anyone.

For volume orders, the whiteboard panel can be custom-branded with site safety layouts, permit-to-work boards, hazard identification, and company logos.



PRODUCT	GRIZZLY SKU	AVAILABILITY	PRICE GUIDE
	5609808	STOCK	\$\$
	Workshop Whiteboard Bench: Mobile whiteboard station – whiteboard cabinet door, lockable upper & lower storage, lockable castors		
	5609809	STOCK	\$
	Workshop Whiteboard Bench Lower RHS Cabinet Door (accessory)		

E-HUB WORKSTATION

WORK SMARTER. WALK LESS.

MOBILE WORKSTATION WITH SCREEN, LOCKABLE STORAGE, AND WHITEBOARD. SYSTEMS ACCESS OUT ON THE WORKSHOP FLOOR.



SPECIFICATIONS

 DIMENSIONS 1,865mm H x 1,200mm L x 727mm W	 EXTRA FEATURES 27" LCD screen, VESA multi-size mount, RJ45 network coupler, prewired AU power, whiteboard, lockable castors
 UNIT WEIGHT 148kg	 FINISH Powder-coated Grizzly Orange & Rich Black
 MATERIAL Heavy-duty steel to AS 3679.1 / CRS plate	



EVERY TRIP BACK TO THE OFFICE FOR A PART NUMBER, WORK ORDER, OR SAFETY DOC IS WRENCH TIME LOST.

Multiply that across a shift and the numbers add up fast - fitters walking when they should be working, machines idle while someone looks something up. The E-Hub Workstation puts systems access at the workface with a 27" screen on a VESA-compatible mount (fits multiple screen sizes) and RJ45 hardwired network connection. Prewired with AU power sockets and a rear power inlet - plug into site power or run a portable power bank where there's no fixed supply. Country-specific wiring available on request. Lockable castors roll it to the next job without waiting for anyone.

Lockable upper cabinet secures lockout tags, permits, and documentation where they're needed - not blowing around the workshop. Integrated whiteboard on the upper cabinet door for briefings and shift priorities, visible at the workface. Available with custom branding and layouts for volume orders (within Australia). Angled writing surface with non-slip PU mat for logging job cards or running a laptop. Lower cabinet door swaps to LH or RH to suit your layout, with height-adjustable shelving for manuals, consumables, or IT equipment. Add an optional second lower cabinet door for fully enclosed lockable storage.

PRODUCT	GRIZZLY SKU	AVAILABILITY	PRICE GUIDE
	5500866	STOCK	\$\$\$
	E-Hub Workstation: Mobile floor workstation - monitor screen, prewired AU power, lockable storage, whiteboard, off-grid power compatible		
	5609809	STOCK	\$
	E-Hub Lower RHS Cabinet Door (accessory)		

TRESTLE STANDS - 2T & 5T

OUTLASTS THE JOB. **EVERY JOB.**

THE ONLY TRESTLE WITH A REPLACEABLE TOP AND A 25-YEAR CERTIFIED DESIGN LIFE.



SPECIFICATIONS

 DIMENSIONS 500mm or 900mm H x 1,000mm L	 EXTRA FEATURES Flat pack assembly, replaceable top section, D Ring lifting points
 WEIGHT BEARING 2T or 5T WLL (evenly distributed)	
 MATERIAL Heavy-duty steel to AS 3678 / AS 1163 / AS 3679.1	



FINISH
 Powder-coated Grizzly Orange & Rich Black (zinc + colour coat to AS 1627)

MOST WORKSHOP TRESTLES ARE BUILT TO A PRICE, NOT A DESIGN LIFE.

These trestles are independently certified to AS 4100 by a Chartered Professional Engineer - with a 25-year design working life and a 1.5× safety factor. WLL is marked in bold on the frame - readable from across the workshop. A stainless steel cert plate is fitted for inspection and compliance records. Flat pack design ships flat and bolts together on site with Grade 8.8 hardware.

When the top surface wears from cutting and grinding, unbolt the top channel and replace it - the legs last the life of the stand. Joining plates come standard to link multiple trestles for longer workpieces. Add a rubber top insert for component protection, pipe guides for round stock, or D Ring lifting points for crane repositioning between jobs.

PRODUCT	GRIZZLY SKU	AVAILABILITY	PRICE GUIDE
	5508827	STOCK	\$
	2T Trestle Stand 500mm: Compact height (46kg)		
	5508826	STOCK	\$
	2T Trestle Stand 900mm: Standard workshop height (57kg)		
	5508839	STOCK	\$
	5T Trestle Stand 500mm: Heavy-duty compact (51kg)		
	5508836	STOCK	\$\$
	5T Trestle Stand 900mm: Heavy-duty standard (64kg)		
	5508756	STOCK	\$
	2T/5T Modular Rubber Top: Replaceable protective insert for top channel		
	9001088	STOCK	\$
	D Ring Lifting Point Set: 2 × hoisting points for crane or sling repositioning		
	5505578	STOCK	\$
	Pipe Guide Set: 2 × end guides for supporting round stock on trestle top		

TRESTLE STANDS - 5T & 10T (2,400MM)

LONG WORK. **HEAVY DUTY.**

THE 2400MM END OF THE GRIZZLY TRESTLE RANGE. RATED 5 OR 10 TONNES FOR FULL-LENGTH PLATE, BEAM, AND HEAVY ASSEMBLY WORK.



SPECIFICATIONS



DIMENSIONS

2,400mm L x 656mm W x 900mm H (5T)
2,400mm L x 515mm W x 650mm H (10T)



WEIGHT BEARING

5T or 10T WLL (evenly distributed)



MATERIAL

Heavy-duty steel to AS 3678 / AS 1163, welded to AS 1554.1 CAT SP, Grade 8.8 bolts



EXTRA FEATURES

Replaceable top section, full-length support across 2400mm, certified compliant



FINISH

Powder-coated Grizzly Orange & Rich Black (zinc + colour coat to AS 1627)



ONE RATED CHANNEL CARRIES THE WHOLE LENGTH.

Full-length plate, beam, RHS and structural sections need support that holds the whole piece - not a stand under each end and a sag in the middle. The 2400mm Trestle Stand carries the full length across one rated channel. 5 tonne at 900mm working height for general fab and plate support. 10 tonne at 650mm for heavy plate cutting and low-stance assembly. Both rated uniformly distributed across the full 2400mm.

Same engineering DNA as the rest of the Grizzly trestle range - heavy steel frame, welded to AS 1554.1 CAT SP, bolted construction with Grade 8.8 hardware, and a replaceable top channel so the legs outlast the wear surface. Certified compliant with Australian Standards. Use it. Wear it. Replace the top. Keep going.


PRODUCT	GRIZZLY SKU	AVAILABILITY	PRICE GUIDE
	5001760	STOCK	\$\$
	5 Tonne Trestle Stand - 2,400mm: (900mm H) Standard workshop height (219kg)		
	5001813	STOCK	\$\$
	10 Tonne Trestle Stand - 2,400mm: (650mm H) Heavy-duty low stance (197kg)		

GENERAL PURPOSE STEEL RACKS

FLOOR SPACE RECOVERED.

SHIPS FLAT. BOLTS TOGETHER ON-SITE.

MODULAR CANTILEVER RACKING IN FIVE LENGTHS.



SPECIFICATIONS

**DIMENSIONS**2,000mm H x 2,048mm W
available in 2m, 4m, 6m, 7.5m & 9m lengths**WEIGHT BEARING**

3T WLL per level (750kg per arm)

**MATERIAL**

Four levels, double-sided cantilever arms, bolted modular sections

**FINISH**




Hot-dip galvanised



COVER EVERYTHING FROM A SINGLE BAY IN A TIGHT WORKSHOP TO A FULL RUN DOWN ONE WALL.

Steel lengths on the floor, leaning against walls, or buried under other stock is space you can't use and inventory you can't see. The General Purpose Steel Rack stores it all vertical across four levels rated at 3T WLL each, available in five lengths - 2m, 4m, 6m, 7.5m and 9m, with double-sided cantilever arms so you can load from both sides.


Every section ships flat-packed and bolts together on-site - keeping freight costs down, especially to remote operations. Each section is independently certified, so you buy exactly what you need and expand later without replacing what you've already got. Galvanised steel finish for long-term durability in exposed or outdoor storage areas.

PRODUCT	GRIZZLY SKU	AVAILABILITY	PRICE GUIDE
	5609787	STOCK	\$\$
	Steel Rack (2m): 2,000mm H x 2,067mm L x 2,048mm W w/ 1 bolted section at 1,950mm bay - 400kg tare		
	5609786	STOCK	\$\$\$
	Steel Rack (4m): 2,000mm H x 4,034mm L x 2,048mm W w/ 2 bolted sections at 1,950mm bays - 626kg tare		
	5000222	STOCK	\$\$\$\$
	Steel Rack (6m): 2,000mm H x 6,002mm L x 2,048mm W w/ 3 bolted sections at 1,950mm bays - 959kg tare		
	5000221	STOCK	\$\$\$\$
	Steel Rack (7.5m): 2,000mm H x 7,502mm L x 2,048mm W w/ 3 bolted sections at 2,450mm bays - 991kg tare		
	5000219	STOCK	\$\$\$\$
	Steel Rack (9m): 2,000mm H x 9,152mm L x 2,048mm W w/ 3 bolted sections at 3,000mm bays - 1,025kg tare		

FREE STANDING STEEL RACK

DOUBLE-SIDED, HALF THE FLOOR.

A FREE-STANDING CANTILEVER RACK WITH 10 TONNE CAPACITY. ACCESSIBLE FROM BOTH SIDES, CERTIFIED ON EVERY LEVEL.



SPECIFICATIONS


 DIMENSIONS 6,001mm L x 2,408mm W x 2,027mm H	 MATERIAL Steel, Grade S275JR — welded to AS 1554.1 CAT SP
 WEIGHT BEARING 10 tonne total / 1000 kg per shelf (5 per side)	 EXTRA FEATURES Double-sided cantilever, modular bolted assembly (Grade 8.8), supplied flat pack for cost effective transport
 TARE WEIGHT 990kg	 FINISH Hot-dip galvanised

DOUBLE-SIDED STORAGE. NOTHING WASTED BEHIND IT.

Long-length steel, tube, and rods have to go somewhere. Usually it's the floor, a wall, or a site-fabricated rack that's never been near a certifier. Single-sided racks mean you're working from one face and wasting the space behind them.

The Grizzly Free Standing Storage Rack is double-sided - 10 shelves, 5 per side, accessible from both faces. SWL 10 tonne total, 1000 kg per shelf.

Modular, bolted construction means it ships flat-packed on pallets, assembles on-site without cranes or welding, and reconfigures without downtime. Hot dip galvanised steel throughout. Certified. Compliant. Auditor ready.




PRODUCT	GRIZZLY SKU	AVAILABILITY	PRICE GUIDE
	5003285	STOCK	\$\$\$\$
	Steel Free Standing Storage Rack: Double-sided cantilever, 10 shelves (5 per side), 10T SWL, modular bolted assembly, hot dip galvanised.		

HORIZONTAL STEEL PLATE RACKS


PULL THE PLATE, **NOT THE PILE.**

**CANTILEVERED PLATE STORAGE RATED TO 6.5 TONNE PER SHELF
- MODULAR, FLAT-PACKED, AND BUILT TO TAKE FULL-SIZE PLATES
WITHOUT FLINCHING.**



SPECIFICATIONS

 DIMENSIONS 3,328mm W x 2,004mm H available in 3m & 8m lengths	 MATERIAL Steel, Grade S275JR – welded to AS 1554.1 CAT SP
 WEIGHT BEARING Base shelf 10T / upper shelves 6.5T per level (uniformly distributed)	 EXTRA FEATURES Cantilevered A-frame design, modular bolted assembly (Grade 8.8), lifting lugs fitted, supplied flat pack for cost effective transport
 TARE WEIGHT 2095kg (3m) / 2263kg (8m)	 FINISH Hot-dip galvanised




TOUGH GEAR FOR WORKSHOPS WHERE PLATE STOCK SHOULDN'T LIVE ON THE FLOOR.

Steel plate on the floor, separated by timber dunnage, stacked five deep. You can't see what stock you've got without pulling the pile apart. You can't get to the plate you need without rigging everything above it out of the way. It takes up massive floor space, corrodes from underneath, and fails every audit it meets.

The Grizzly Horizontal Steel Plate Rack stores full-size plates on individual shelves - visible, separated, and accessible without moving the rest of the stack. Base shelf rated to 10 tonne, upper shelves to 6.5 tonne per level, uniformly distributed.

The cantilevered A-frame design takes full plate widths across deep channel shelves. Modular, bolted construction ships flat-packed and assembles on-site without specialist equipment. Lifting lugs fitted as standard.

Hot dip galvanised steel throughout. Available in 3m and 8m lengths to suit the yard. Certified. Compliant. Stock you can actually see.

PRODUCT	GRIZZLY SKU	AVAILABILITY	PRICE GUIDE
	5501660	STOCK	\$\$\$\$
	Horizontal Steel Plate Rack (3m): 3,000mm L x 3,328mm W x 2,004mm H		
	5000220	STOCK	\$\$\$\$
	Horizontal Steel Plate Rack (8m): 8,000mm L x 3,328mm W x 2,004mm H		

FLAT PLATE RACK

SORTED STEEL STORAGE.

21 TONNES OF SORTED STOCK WHERE YOU CAN ACTUALLY FIND IT.



SPECIFICATIONS



DIMENSIONS

2,612mm H x 3,400mm L x 1,420mm W



WEIGHT BEARING

21T total (3T WLL per shelf x 7 shelves)



MATERIAL

Grade 350 steel to AS 3678 / AS 1163 / AS 3679.1, welded to AS 1554.1 CAT SP, Grade 8.8 bolts, freestanding with bolt-down provision



FINISH

Powder-coated Grizzly Orange & Rich Black

MAXIMISE YOUR SLAB SPACE.

Flat plates and offcuts end up everywhere - stacked on benches, leaning against walls, buried in corners where nobody can find them. The Flat Plate Rack puts 21 tonnes of sorted stock vertical across seven fixed shelves rated at 3T WLL each. You can see what you've got, pull what you need, and keep your slab clear - no guessing what's underneath the pile.

Built from Grade 350 steel plate, PFC and SHS to AS 3678, AS 3679.1 and AS 1163, welded to AS 1554.1 CAT SP structural purpose. The rack sits freestanding at 1,109kg tare with bolt-down provision for permanent installation.



PRODUCT	GRIZZLY SKU	AVAILABILITY	PRICE GUIDE
	5507676	MADE TO ORDER	\$\$\$\$
	Flat Plate Rack: 7 Shelves (2,612 H x 3,400 L x 1,420mm W) 3T WLL per shelf - 21T total vertical plate storage		



TRACK RECORD

THE NAME HEAVY INDUSTRY TRUSTS.

IRON ORE

- › BHP
- › RIO TINTO
- › FORTESCUE
- › ROY HILL

OIL & GAS

- › WOODSIDE
- › CHEVRON
- › SANTOS
- › INPEX

GOLD & COPPER

- › NEWCREST
- › NEWMONT
- › GOLD FIELDS
- › FREEPORT MCMORAN
- › BARRICK GOLD

DEFENCE

- › ASC
- › AUSTAL
- › BAE
- › KONGSBERG
- › AUSTRALIAN ARMY

DEM & FLEET DEALERS

- › CATERPILLAR
- › HITACHI
- › KOMATSU

WORKSHOP GEAR ENGINEERED AND
CERTIFIED TO AS STANDARDS.

DEPLOYED ACROSS HEAVY
INDUSTRY, IN AUSTRALIA AND
INTERNATIONALLY.



 (08) 9459 8600

 sales@grizzlyworkshopgear.com

 bendtechgroup.com.au

 Westralia Plaza, Level 6/167 St Georges Terrace, Perth WA 6000

2-10 Kewdale Road, Welshpool WA 6106

2-10 Craftsman Close, Beresfield NSW 2322

GRZ WGC 2.06

Copyright © 2026 Bend-tech Group