


Muscle Groups Focus




Climbing Wall 1500 - Lite

The BESTRONG Climbing Wall 1500 is a compact outdoor climbing and hanging training unit designed to build upper-body strength, improve grip strength, and enhance full-body coordination. Its 1500 mm design provides a stable, clearly structured training surface, making it ideal for gripping drills, hanging work, and pulling-type bodyweight exercises.


Attributes

Product code	1-1-726
Certificate	EN 16630
Age group	14 + years
Capacity	1 person
Max. weight load	99 kg
Type	Calisthenics
Difficulty level	Easy

Side View




Plan View



Installation information

Number of installers (concrete)	At least 2 people
Total installation time (concrete)	45-90 min.
Number of installers (equipment)	At least 2 people
Total installation time (equipment)	20-30 min.
Excavation volume	0.4 m ³
Concrete volume	0.4 m ³
Size of the base structure	2pc 0,5 x 0,5 x 0,8 m
Anchoring options	In-ground or surface
In combined structures, the volume of concrete required varies.	



Technical specification

Safety surface area	Around 2,1 m radius
Net weight	62 kg
Material	S235
Critic fall height	2075 mm
Color options	
For more color options, discuss with your sales representative.	


Warranty

Structure	25-15 years
Steel	5-10 years
Paint	2 years
Plastic	5-10 years
Rubber	1-3 years
Moving parts	2 years
Detailed information in the warranty document	


Material specification



The element is made of high quality S235 steel, which has been cleaned via sandblasting. A corrosion resistant powder coating finish is then applied. Also available with galvanized surface for even greater protection and longevity!



The plastic clamp system allows for easy assembly and extreme stability.



The connecting elements are fastened with vandal-proof stainless steel screws and nuts.



The ends of the bars and posts are sealed with injection-moulded plastic caps.

BESTSTRONG

 [beststrongworld](#)  [beststrongworld](#)  [global.beststrong.com](#)  [info@beststrong.com](#)

