
SOAP STONE

STONE
SOUL

FIVE
SIZES

5
COLORS

PORCELAIN STONEWARE

MADE IN ITALY


CERCOM[®]

Design your life



Impiegata da secoli nell'arte e nell'artigianato, **la pietra saponaria** si lascia plasmare, scolpire e levigare per rivelare eleganti trame venate e colori affascinanti //

Utilized for centuries in art and craftsmanship, **soap stone** can be shaped, sculpted and smoothed to reveal elegant veined textures and fascinating colours //

Utilisée depuis des siècles dans l'art et l'artisanat, la **Pierre ollaire** peut être façonnée, sculptée et polie pour révéler d'élégantes textures veinées et des couleurs fascinantes //

Der seit Jahrhunderten in Kunst und Handwerk zum Einsatz kommende **Speckstein** lässt sich hervorragend formen, modellieren und glätten und enthüllt dabei elegante Texturen und faszinierende Farben //

Мыльный камень, уже много веков используемый в художественной сфере и для создания изделий народных промыслов, легко поддается обработке, резьбе и полировке, раскрывая элегантный рисунок своих прожилок и очаровательную цветовую палитру //






INTO THE
SOLUTIONS





RANGE
DETAILS

FIVE
SIZES




THREE
FINISHINGS

NAT

ROCK R11

SATIN



RANGE
DETAILS

5
COLORS

WHITE

IVORY

GREY

COFFEE

BLACK






















COMMERCIAL



RESIDENTIAL



 8,5 mm  NAT		100x100	40"x40"					
 9,5 mm  NAT SATIN ROCK R11		30x60	12"x24"	✓	✓	✓	✓	✓
		60x60	24"x24"	✓	✓	✓	✓	✓
		60x120	24"x48"	✓	✓	✓	✓	✓
 9,5 mm  NAT		120x120	48"x48"	✓	✓	✓	✓	✓
 20 mm  ROCK R11		60x120	24"x48"		✓	✓	✓	

APPLICATIONS GALLERIES

A // HOME GALLERY




28 LIVING
WHITE



40 LIVING
COFFEE



30 BEDROOM
IVORY + COFFEE




24 KITCHEN
WHITE + GREY + BLACK



18 BATHROOM
WHITE + GREY

B // CONTRACT GALLERY



10 AIRPORT
GREY + BLACK




16 AIRPORT
GREY + IVORY



14 LOUNGE
BLACK + WHITE



32 COFFEE
IVORY



20 WELLNESS
GREY



34 RESORT
IVORY + COFFEE

B // CONTRACT AIRPORT GREY + BLACK

floor

GREY 120x120 . 48"x48" RETT

BLACK 60x120 . 24"x48" RETT



#3D
VEINS

BLACK 60x120 . 24"x48" RETT





**B // CONTRACT LOUNGE
BLACK + WHITE**

floor
BLACK 120x120 . 48"x48" RETT

wall
WHITE 60x120 . 24"x48" SATIN-RETT





B // CONTRACT AIRPORT GREY + IVORY

floor indoor
GREY 100x100 . 40"x40" RETT

floor outdoor
IVORY ROCK R11 60x120 . 24"x48" RETT

wall
GREY 60x120 . 24"x48" RETT
OAK GREY 60x120 . 24"x48" RETT

#MULTIPLE
GRAPHICS



A // HOME BATHROOM WHITE + GREY

floor
WHITE 60x60 . 24"x24" SATIN-RETT

wall
GREY 60x120 . 24"x48" SATIN-RETT
GREY MOSAICO 3D 30x60 . 12"x24" RETT

furniture
WHITE





B // CONTRACT WELLNESS GREY

floor
GREY ROCK R11 60x120 . 24"x48" RETT

wall
GREY 60x120 . 24"x48" SATIN-RETT



GREY ROCK R11 60x120 . 24"x48" RETT






wall
GREY 100x100 . 40"x40" RETT

floor
BLACK 100x100 . 40"x40" RETT

furniture
BLACK



A // HOME KITCHEN WHITE + GREY + BLACK

floor indoor


WHITE 60x120 . 24"x48" SATIN-RETT

floor outdoor

GREY ROCK R11 60x60 . 24"x24" RETT

wall

BLACK MOSAICO 5x5 . 2"x2" RETT





#IN&OUT
COORDINATED

wall

BLACK MOSAICO 5x5 . 2"x2" RETT



floor
WHITE 60x60 . 24"x24" SATIN-RETT

#SATIN
FINISH



A // HOME LIVING WHITE

floor

WHITE 60x120 . 24"x48" SATIN-RETT

wall

WHITE MOSAICO 3D 30x60 . 12"x24" RETT



A // HOME BEDROOM IVORY + COFFEE

floor
IVORY 60x60 . 24"x24" SATIN-RETT

wall
COFFEE MOSAICO 5x5 . 2"x2" RETT







B // CONTRACT COFFEE IVORY

floor
IVORY 60x60 . 24"x24" RETT

wall
IVORY MOSAICO 5x5 . 2"x2" RETT




B // RESORT IVORY + COFFEE

floor indoor
IVORY 60x120 . 24"x48" RETT

floor outdoor
COFFEE ROCK R11 2CM 60x120 . 24"x48" RETT

wall
OAK COFFEE 60x120 . 24"x48" RETT





#SPECIAL
DECOR

floor indoor
IVORY 60x120 . 24"x48" RETT

wall
OAK COFFEE 60x120 . 24"x48" RETT



floor outdoor

COFFEE ROCK R11 2CM OUTDOOR 60x120 . 24"x48" RETT





#2CM
THICKNESS

A // HOME LIVING COFFEE

floor
COFFEE 60x120 . 24"x48" SATIN-RETT

wall
MOSAICO SOAP MIX 30x42 . 12"x16 ⁹/₁₆" RETT







floor

COFFEE 60x120 . 24"x48" SATIN-RETT

wall

MOSAICO SOAP MIX 30x42 . 12"x16 ⁹/₁₆" RETT



WHITE

Pendulum Australiano AS 4586 R10: Class P3 R11: Class P4

Pendulum Britannico BS 7976 PTV > 36 wet




GRES PORCELLANATO SMALTATO COLORATO IN MASSA . GLAZED PORCELAIN STONWARE WITH COLOURED BODY . GRÈS CÉRAME ÉMAILLÉ COLORÉ DANS LA MASSE . GLASIERTES FEINSTEINZEUG IN DER MASSE GEFÄRBT . ГЛАЗУРОВАННЫЙ КЕРАМОГРАНИТ, ОКРАШЕННЫЙ ПО ВСЕЙ ТООЛЩИНЕ



Sizes


	NAT	SATIN	ROCK R11
8,5 MM 5/16" 100x100 . 40"x40" RETT	□		
9,5 MM 3/8" 120x120 . 48"x48" RETT	□		
 60x120 . 24"x48" RETT	□	□	□
 60x60 . 24"x24" RETT	□	□	□
 30x60 . 12"x24" RETT	□	□	□



NAT
R10 RETT



ROCK
R11 RETT



SATIN
RETT

Mosaics

	NAT
9,5 MM 3/8" Mosaico Tessera 5x5 . 2"x2" 30x30 . 12"x12" RETT	□
 Mosaico Soap 3D 30x60 . 12"x24" RETT	□
 Mosaico Soap Mix 30x42 . 12"x16 9/16" RETT	□

IVORY



GRES PORCELLANATO SMALTATO COLORATO IN MASSA . GLAZED PORCELAIN STONEWARE WITH COLOURED BODY . GRÈS CÉRAME ÉMAILLÉ COLORÉ DANS LA MASSE . GLASIERTES FEINSTEINZEUG IN DER MASSE GEFÄRBT . ГЛАЗУРОВАННЫЙ КЕРАМОГРАНИТ, ОКРАШЕННЫЙ ПО ВСЕЙ ТОЛЩИНЕ



Sizes

	NAT	SATIN	ROCK R11
 100x100 . 40"x40" RETT	□		
 120x120 . 48"x48" RETT	□		
 60x120 . 24"x48" RETT	□	□	□
 60x60 . 24"x24" RETT	□	□	□
 30x60 . 12"x24" RETT	□	□	□
 60x120 . 24"x48" RETT			□



NAT
R10 RETT



ROCK
R11 RETT



SATIN
RETT

Mosaics

	NAT
 Mosaico Tessera 5x5 . 2"x2" 30x30 . 12"x12" RETT	□
 Mosaico Soap 3D 30x60 . 12"x24" RETT	□
 Mosaico Soap Mix 30x42 . 12"x16 9/16" RETT	□

GREY



GRES PORCELLANATO SMALTATO COLORATO IN MASSA . GLAZED PORCELAIN STONEWARE WITH COLOURED BODY . GRÈS CÉRAME ÉMAILLÉ COLORÉ DANS LA MASSE . GLASIERTES FEINSTEINZEUG IN DER MASSE GEFÄRBT . ГЛАЗУРОВАННЫЙ КЕРАМОГРАНИТ, ОКРАШЕННЫЙ ПО ВСЕЙ ТООЛЩИНЕ



NAT
R10 RETT



ROCK
R11 RETT



SATIN
RETT

Sizes

	NAT	SATIN	ROCK R11
 100x100 . 40"x40" RETT	□		
 120x120 . 48"x48" RETT	□		
 60x120 . 24"x48" RETT	□	□	□
 60x60 . 24"x24" RETT	□	□	□
 30x60 . 12"x24" RETT	□	□	□
 OAK 60x120 . 24"x48" RETT	□		
 60x120 . 24"x48" RETT			□

Mosaics

	NAT
 Mosaico Tessera 5x5 . 2"x2" 30x30 . 12"x12" RETT	□
 Mosaico Soap 3D 30x60 . 12"x24" RETT	□
 Mosaico Soap Mix 30x42 . 12"x16 9/16" RETT	□

Pezzi speciali . Special pieces . Pièces spéciales
 Formteile . Специальные элементы: Pag. 50/51

COFFEE



GRES PORCELLANATO SMALTATO COLORATO IN MASSA . GLAZED PORCELAIN STONEWARE WITH COLOURED BODY . GRÈS CÉRAME ÉMAILLÉ COLORÉ DANS LA MASSE . GLASIERTES FEINSTEINZEUG IN DER MASSE GEFÄRBT . ГЛАЗУРОВАННЫЙ КЕРАМОГРАНИТ, ОКРАШЕННЫЙ ПО ВСЕЙ ТОЛЩИНЕ



Sizes

	NAT	SATIN	ROCK R11
 100x100 . 40"x40" RETT	□		
 120x120 . 48"x48" RETT	□		
 60x120 . 24"x48" RETT	□	□	□
 60x60 . 24"x24" RETT	□	□	□
 30x60 . 12"x24" RETT	□	□	□
 OAK 60x120 . 24"x48" RETT	□		
 60x120 . 24"x48" RETT			□



NAT
R10 RETT



ROCK
R11 RETT



SATIN
RETT

Mosaics

	NAT
 Mosaico Tessera 5x5 . 2"x2" 30x30 . 12"x12" RETT	□
 Mosaico Soap 3D 30x60 . 12"x24" RETT	□
 Mosaico Soap Mix 30x42 . 12"x16 9/16" RETT	□

BLACK




GRES PORCELLANATO SMALTATO COLORATO IN MASSA . GLAZED PORCELAIN STONEWARE WITH COLOURED BODY . GRÈS CÉRAME ÉMAILLÉ COLORÉ DANS LA MASSE . GLASIERTES FEINSTEINZEUG IN DER MASSE GEFÄRBT . ГЛАЗУРОВАННЫЙ КЕРАМОГРАНИТ, ОКРАШЕННЫЙ ПО ВСЕЙ ТООЛЩИНЕ




Sizes


	NAT	SATIN	ROCK R11
8,5 MM 5/16" 100x100 . 40"x40" RETT	<input type="checkbox"/>		
9,5 MM 3/8" 120x120 . 48"x48" RETT	<input type="checkbox"/>		
 60x120 . 24"x48" RETT	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
 60x60 . 24"x24" RETT	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
 30x60 . 12"x24" RETT	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>



NAT
R10 RETT



ROCK
R11 RETT



SATIN
RETT

Mosaics

	NAT
9,5 MM 3/8" Mosaico Tessera 5x5 . 2"x2" 30x30 . 12"x12" RETT	<input type="checkbox"/>
 Mosaico Soap 3D 30x60 . 12"x24" RETT	<input type="checkbox"/>
 Mosaico Soap Mix 30x42 . 12"x16 9/16" RETT	<input type="checkbox"/>

MOSAICI


R10 CLASS B	R11 CLASS C	A+B	A+B+C			V2	8,5 MM 5/16"	9,5 MM 3/8"	20 MM 13/16"
R11									

MOSAICS . MOSAÏQUES . MOSAIKEN . МОЗАИКА


MOSAICO TESSERA




WHITE
 30x30 . 12"x12" RETT
 tessera 5x5 . 2"x2"




IVORY
 30x30 . 12"x12" RETT
 tessera 5x5 . 2"x2"



GREY
 30x30 . 12"x12" RETT
 tessera 5x5 . 2"x2"



COFFEE
 30x30 . 12"x12" RETT
 tessera 5x5 . 2"x2"



BLACK
 30x30 . 12"x12" RETT
 tessera 5x5 . 2"x2"

MOSAICO SOAP 3D



WHITE
 30x60 . 12"x24" RETT




IVORY
 30x60 . 12"x24" RETT



GREY
 30x60 . 12"x24" RETT



COFFEE
 30x60 . 12"x24" RETT



BLACK
 30x60 . 12"x24" RETT


MOSAICO SOAP MIX



30x42 . 12"x16 9/16" RETT

DECORI

DECORS . DÉCORS . DEKORE . ДЕКОРЫ



OAK GREY
60x120 . 24"x48" RETT



OAK COFFEE
60x120 . 24"x48" RETT

PEZZI SPECIALI


TRIMS . PIÈCES SPÉCIALES . FORMSTÜCKE . СПЕЦИАЛЬНЫЕ ИЗДЕЛИЯ




Battiscopa
6,5x100 . 2 9/16"x40" RETT




Battiscopa
6,5x60 . 2 9/16"x24" RETT



Gradone costa retta
30x120x3,3 . 12"x48"x1 5/16" RETT



Gradone square assembled
30x120x3,3 . 12"x48"x1 5/16" RETT




Elemento ad "L" assembled R11
15x60x5 . 6"x24"x2" RETT



Coppia Angolo Griglia (2 pz) R11
20x60 . 8"x24" RETT

Step Molato R11
30x120 . 12"x48" RETT

Step Torato R11
30x120 . 12"x48" RETT



Griglia per Piscina R11
20x60 . 8"x24" RETT

60x120 R11 . 24"x48" RETT

Costa Retta R11
30x60x5 . 12"x24"x2" RETT











Elemento ad "L" assemblato R11
15x60x5 . 6"x24"x2" RETT

PACKING

	PCS // BOX	SQM // BOX	KGS // BOX	BOXES // PALLET	SQM // PALLET	KGS // PALLET
8,5 MM 5/16"						
100x100 . 40"x40" RETT	1	1,00	19,00	42	42,00	814
	2	2,00	38,00	24	48,00	950
6,5x100 . 2 9/16"x40" BATTISCOPA RETT	6	6,00 ml	9,00			
9,5 MM 3/8"						
120x120 . 48"x48" RETT	1	1,44	31,00	40	57,60	1.300
60x120 . 24"x48" RETT/SATIN/ROCK	2	1,44	31,00	36	51,84	1.144
60x60 . 24"x24" RETT/SATIN/ROCK	3	1,08	22,80	40	43,20	928
30x60 . 12"x24" RETT/SATIN/ROCK	6	1,08	22,80	40	43,20	928
6,5x60 . 2 9/16"x24" BATTISCOPA RETT	12	7,20 ml	11,00			
20 MM 13/16"						
60x120 . 24"x48" RETT	1	0,72	32,30	36	25,92	1.190

CARATTERISTICHE TECNICHE

TECHNICAL FEATURES . CARACTÉRISTIQUES TECHNIQUES . TECHNISCHE EIGENSCHAFTEN . ТЕХНИЧЕСКИЕ ХАРАКТЕРИСТИКИ

GRES PORCELLANATO SMALTATO COLORATO IN MASSA - ISO 13006 Bla GL GLAZED PORCELAIN STONEWARE WITH COLOURED BODY . GRÈS CÉRAME ÉMAILLÉ COLORÉ DANS LA MASSE GLASIERTES FEINSTEINZEUG IN DER MASSE GEFÄRBT - ГЛАЗУРОВАННЫЙ КЕРАМОГРАНИТ, ОКРАШЕННЫЙ ПО ВСЕЙ ТОЛЩИНЕ				
 UNI EN ISO 10545-2	Aspetto superficiale Surface appearance Aspect superficiel Oberflächenbeschaffenheit Вид поверхности	≥ 95%	Conforme Compliant Conforme Konform Соответствует	
	Lunghezza e larghezza Length and width Longueur et largeur Länge und Breite Длина и ширина	Deviazione valore medio % rispetto a dimensione di fabbricazione. Deviation of the average size for each tile from the work size (%). Écart dimensionnel moyen en % par rapport aux dimensions de fabrication. Abweichung des Durchschnittswertes in % hinsichtlich der Produktionsgröße. Отклонение средн. значения, %, от производственных размеров > 410 cm2 +/- 0,6% - ≤ 410 cm2 +/- 0,75%	± 0,5% ± 1,5 mm	
	Rettilineità degli spigoli Straightness of sides Rectitude des arêtes Kantengeradheit Прямолинейность кромок	Deviazione valore medio % rispetto a dimensione di fabbricazione. Deviation of the average size for each tile from the average size to the 10 test specimens (%). Écart de valeur moyenne unitaire % en rapport à la valeur moyenne de 10 échantillons mesurés. Abweichung des Durchschnittswertes der einzelnen Fliesen in % hinsichtlich des Durchschnitts von 10 getesteten Mustern. Отклонение средн. значения, отдельной плитки относительно средн. значения 10 измеренных образцов +/- 0,5%	± 0,5% ± 1,5 mm	
	Spessore / Thickness / Epaisseur/Stärke / Толщина	+/- 5%	± 5% ± 0,5 mm	
	Ortogonalità Rectangularity Orthogonalité Rechtwinkligkeit Ортогональность	+/- 0,5%	± 0,3% ± 1,5 mm	
 UNI EN ISO 10545-3	Assorbimento d'acqua Water absorption Absorption d'eau Wasseraufnahme Водопоглощение	≤ 0,5% GRUPPO Bla GL	E ≤ 0,1%	
 UNI EN ISO 10545-4	Resistenza della superficie (scala MOHS) Scratch hardness (MOHS scale) Dureté de la surface (échelle MOHS) Oberflächenhärte (MOHS skala) Поверхностная прочность по (шкале Мооса)	EN 101	> 6	
		Resistenza a flessione e forza di rottura Modulus of rupture and breaking strength résistance à la flexion et force de rupture Biegefestigkeit und Bruchlast Прочность на изгиб Модуль жесткости	S ≥ 1300 N R ≥ 35 N/mm ²	S ≥ 1300 N R ≥ 35 N/mm ²
 UNI EN ISO 10545-7	Resistenza alla abrasione della superficie di piastrelle smaltate Resistance to surface abrasion of glazed tiles Résistance à l'abrasion de la surface des carreaux émaillés Widerstand gegen Abrieb der Oberfläche der glasierten Fliesen Стойкость глазурованной плитки к поверхностному истиранию	Come dichiarato dal produttore See manufacturer's declaration Selon déclaration du producteur Entsprechend der Herstellerangaben Как указано изготовителем	Classe 3-4-5 Class 3-4-5 Classe 3-4-5 Gruppe 3-4-5 Класс 3-4-5	
 UNI EN ISO 10545-8	Coefficiente di dilatazione termica lineare Linear thermal expansion coefficient Dilatation thermique linéaire Lineare Wärmeausdehnung Кoeffициент линейного теплового расширения	Come dichiarato dal produttore See manufacturer's declaration Selon déclaration du producteur Entsprechend der Herstellerangaben Как указано изготовителем	Metodo disponibile Method available Méthode disponible Verfügbares Verfahren Определяется производителем	
 UNI EN ISO 10545-9	Resistenza allo shock termico Thermal shock resistance Résistance au choc thermique Temperaturwechselbeständigkeit Стойкость к тепловым перепадам	Nessun campione deve presentare alterazioni No sample must show visible alteration Aucun carreau ne doit présenter d'altération Kein Muster darf sichtbare Veränderungen zeigen Никакой образец не должен показывать изменений	Resistente Resistant Résistant Widerstandsfähig Устойчивый	
 UNI EN ISO 10545-12	Resistenza al gelo Frost resistance Résistance au gel Frostbeständigkeit Морозостойкость	Non devono presentare difetti visibili No sample must show visible defect Aucun carreau ne doit présenter de défaut Muster dürfen keine sichtbaren Schäden zeigen Не должны обнаруживать видимые дефекты	Ingelivo Frost proof Ingelif Frostsicher Морозостойкость	
 UNI EN ISO 10545-13	Resistenza all'attacco chimico (tranne acido fluoridrico) Resistance to chemical attack (except hydrofluoric acid) Résistance à l'attaque chimique (sauf acide fluorhydrique) Säure- und Laugenbeständigkeit (außer Flußsäure) Стойкость к бытовым химикатам	Nessun campione deve presentare alterazioni No sample must show visible alteration Aucun carreau ne doit présenter d'altération Muster dürfen keine sichtbaren Veränderungen zeigen Никакой образец не должен показывать изменений	Classe A-HA-LA Class A-HA-LA Classe A-HA-LA Gruppe A-HA-LA Класс A-HA-LA	
 UNI EN ISO 10545-14	Resistenza alle macchie di piastrelle smaltate Resistance to stains of glazed tiles Résistance aux taches des carreaux émaillés Widerstand gegen Fleckenbildner der glasierten Fliesen Стойкость глазурованной плитки к образованию пятен	Nessun campione deve presentare alterazioni No sample must show visible alteration Aucun carreau ne doit présenter d'altération Muster dürfen keine sichtbaren Veränderungen zeigen Никакой образец не должен показывать изменений	Classe 5 Class 5 Classe 5 Gruppe 5 Класс 5	
 B.C.R.A. REP CEC 6/81 DIN 51130 DIN 51097 BOT 3000 Pendulum AS 4586 Pendulum BS 7976	Resistenza alla scivolosità. Coefficiente di attrito medio Skid resistance. Average coefficient of friction Résistance au glissement. Coefficient de frottement moyen Rutschfestigkeit. Mittlerer Reibungswert Сопротивление скольжению. Средний коэффициент трения	B.C.R.A. REP CEC 6/81 (NO SATIN-RETT - NO LUX - NO SATIN)	0,40 ≤ f ⁰ ≤ 0,74	
		DIN 51130 ≥ R 9 (NO SATIN-RETT - NO LUX - NO SATIN)	R10 R11	
		DIN 51097 (NO SATIN-RETT - NO LUX - NO SATIN)	Classe B Class B Classe B Gruppe B Класс B	Classe C Class C Classe C Gruppe C Класс C
		DCOF	f ⁰ ≥ 0,42	
Pendulum Australiano AS 4586	R10: Classe P3 Class P3 Classe P3 Gruppe P3 Класс P3	R11: Classe P4 Class P4 Classe P4 Gruppe P4 Класс P4		
Pendulum Britannico BS 7976	PTV > 36 wet			

PICS AND STORIES
CERCOM SOAP STONE



POWERED BY UFOADY

SMART
 GALLERY



MIX
 Paper | Supporting
 responsible forestry
 FSC® C107168



TILES FOR LIFE



Design your life

Via A. Volta 23/25 - 42013 Casalgrande (Re) Italy
 Tel. +39-0522-998911/411
 Fax Italy +39-0522-998910
 Fax Export +39-0522-998930/996218



“  ”
 Ceramics of Italy



CE

GRUPPO ROMANI S.p.A. INDUSTRIE CERAMICHE
 VIA A. VOLTA 9, 23/25
 42013 CASALGRANDE (RE)

05
 001CPR2013-07-01

EN 14411:2012

Piastrelle di ceramica pressate a secco,
 con assorbimento di acqua E_s ≤ 0,5%,
 per pavimentazioni interne ed esterne.

Dry pressed ceramic tile
 with water absorption E_s ≤ 0,5%,
 for internal and external floorings.

© Copyright 2022 Gruppo Romani S.p.A.

Gruppo Romani S.p.A. Industrie Ceramiche
 www.grupporomanispa.com



SOAP STONE

#SIZE

120x120
48"x48"

100x100
40"x40"

60x120
24"x48"

60x60
24"x24"

30x60
12"x24"

#COLORS

WHITE

IVORY

GREY

COFFEE

BLACK

#SURFACES

NAT

SATIN

ROCK R11

Cercom is a brand of