





SELENE

Inspired by the Greek goddess of the moon, Selene illustrates our quest for enlightenment as we journey through the phases of life. Our Selene collection features illuminated hand cast glass in Full Moon White and New Moon Clear, suspended on linear sculptural forms.

Let the magic of Selene bring light into your life!



65" LINEAR PENDANT

Model

922840-5 Standard Soft Gold Leaf

Dimensions


H 20" (50 cm) W 65" (165 cm) D 8.5" (22 cm) Min Ht: 25.5" (65 cm) Max Ht: 88" (224 cm)

Flectrica

Canopy: US/INTL: MR16, GU10, 10w max (Qty. 2) Fixture: US/INTL: Integrated LED, 12w max (Qty. 6)

Total Lumens: 7300

Upper & lower lights are wired independently for single or dual light control. Not suitable for vaulted ceilings. Rods come in connectible segments for customizable length: (four) 3", (four) 6", (eight) 12", (eight) 18"



TOP VIEW (two lanes)

FINISH OPTIONS Also available in Standard Bronze. See page 402 of our comprehensive 2023 Catalog.









Standard Gold Leaf Standard Silver Leaf (-3) (-4)





56.5" LINEAR PENDANT

Model

922740-1 Standard Black Iron

Dimensions

H 53.5" (136 cm) W 56.5" (144 cm) D 10" (25 cm) Min Ht: 45.5" (116 cm) Max Ht: 111.5" (283 cm)


Electrical

Canopy: US/INTL: MR16, GU10, 10w max (Qty. 2) Fixture: US/INTL: Integrated LED, 12w max (Qty. 12) Total Lumens: 9350


Upper & lower lights are wired independently for single or dual light control. Not suitable for vaulted ceilings. Rods come in connectible segments for customizable length: (eight) 3", (eight) 6", (twenty-six) 12", (six) 18"

Linear pendants are only available in a mix of New Moon and Full Moon Clear, studio glass. For alternate glass options contact Customer Service or your Territory Manager.

For adjustability information see page 10 for specific ceiling height.



TOP VIEW (three lanes)



66.5" LINEAR PENDANT

Model

921240-1 Standard Black Iron

Dimensions


H 23.75" (60 cm) W 66.5" (169 cm) D 4.5" (11 cm) Min Ht: 26" (66 cm) Max Ht: 92" (234 cm)


Electrical

US/INTL: Integrated LED, 4/12w max, 3000K (Qty. 6)

Total Lumens: 6400

Not suitable for vaulted ceilings. Rods come in connectible segments for customizable length: (two) 18", (two) 12", (one) 6", (one) 3"













Standard Black Iron Standard Gold Leaf

Standard Silver Leaf

Standard Soft Gold Leaf





16" ROUND PENDANT

Model

922240-4 Standard Silver Leaf/New Moon Clear Studio Glass

Dimensions

H 24.75" (63 cm) W 16" (41 cm) Min Ht: 29" (75 cm) Max Ht: 95" (242 cm)

Electrical

US/INTL: Integrated LED, 12w max, 3000K (Qty. 6) Total Lumens: 6000 Not suitable for vaulted ceilings. Rods come in connectible segments for customizable length: (two) 18", (two) 12", (one) 6", (one) 3"



11" ROUND PENDANT

Model

922140-5 Standard Soft Gold Leaf/Full Moon Studio Glass

Dimensions

H 24.75" (63 cm) W 11" (28 cm) Min Ht: 28" (72 cm) Max Ht: 94" (240 cm)

Electrical

US/INTL: Integrated LED, 12w max, 3000K (Qty. 2) Total Lumens: 2000 Not suitable for vaulted ceilings. Rods come in connectible segments for customizable length: (two) 18°, (two) 12°, (one) 6°, (one) 3°

GLASS OPTIONS Round pendants feature choice of clear (New Moon Clear) or white (Full Moon) glass option:



New Moon Clear Studio Glass

16" Round Pendant (3-drops): 922240-x (New Moon Clear Studio Glass) 922640-x (Full Moon Studio Glass)



Full Moon Studio Glass

11" Round Pendant (1-drop): 921340-x (New Moon Clear Studio Glass) 922140-x (Full Moon Studio Glass)





44" SCONCE

Left side facing.

Also available right side facing: MODEL #921750-x

Model


920650-1 Standard Black Iron

Dimensions

H 44" (112 cm) W 12.75" (32 cm) D 3.5" (9 cm) ADA Compliant

Electrical

US/INTL: Integrated LED, 10w max, 3000K (Qty. 2) Total Lumens: 2000



Horizontal Installation

36" SCONCE

Left side facing.

Also available right side facing: MODEL #923050-x

Model

922950-5 Standard Soft Gold Leaf

Dimensions

H 36" (91 cm) W 14.5" (37 cm) D 3" (8 cm) ADA Compliant

Electrical

US/INTL: Integrated LED, 10w max, 3000K (Qty. 2) Total Lumens: 2000

FINISH OPTIONS Also available in Standard Bronze. See page 402 of our comprehensive 2023 Catalog.











Standard Black Iron

Standard Gold Leaf

Standard Silver Leaf

Standard Soft Gold Leaf





26" SCONCE

Left side facing.

Also available right side facing: MODEL #921650-x

Model


920550-3 Standard Gold

Dimensions

H 26" (66 cm) W 11.5" (29 cm) D 3.5" (9 cm) ADA Compliant

Electrical

US/INTL: Integrated LED, 12w max, 3000K (Qty. 2) Total Lumens: 2000



Horizontal Installation

12.75" SCONCE

Left side facing.

Also available right side facing: MODEL #922450-x

Model


922350-4 Standard Silver Leaf

Dimensions

H 12.75" (32 cm) W 21" (53 cm) D 3.75" (10 cm) ADA Compliant

Electrical

US/INTL: Integrated LED, 12w max, 3000K (Qty. 2) Total Lumens: 2000



Vertical Installation

Sconces can be installed horizontally or vertically, except Model No. 923050 and 922950.

SELENE'S ADJUSTABILITY

Selene's linear pendants come with multiple rods allowing for ceiling height adjustability.

Model No. 922740 includes: (8) 3", (8) 6", (26) 12", (6) 18"



Practical threaded rods are the system Selene uses to attach each drop section.


For assistance on alternate rod lengths and other installation variations please call our Customer Service department.

DID YOU KNOW?

Model No. 922740 has 6 independent adjustable height "pendants" letting you create a true piece of sculptural lighting art.

8' CEILING INSTALLATION


rods used: (2) 3", (4) 6", (4) 12", (4) 18"



SELENE ROD LEGEND

А	3"
В	6"
С	12"
D	18"









NEW! Introducing our most recent addition to our line of luxury bath lighting, Lunéa bath bars by Erinn V.





46" BATH BAR

Lunéa Model

914750-2 Standard Soft Gold Leaf

Dimensions

W 46" (116 cm) H 4.5" (11 cm) D 3" (7 cm) ADA Compliant

Electrical

US: B10 INTL Bulb: B35 Candelabra, 60w (Qty. 7)

Bath Bar Installation

Location Rating: Indoor damp Reversible: No Vertical Mount: No Horizontal Mount: Yes

26" BATH BAR

Lunéa Model

914450-2 Standard Soft Gold Leaf

Dimensions

W 26" (66 cm) H 4.5" (11 cm) D 3" (7 cm) ADA Compliant

Electrical

US: B10 INTL Bulb: B35 Candelabra, 60w (Qty. 4)

Bath Bar Installation

Location Rating: Indoor damp Reversible: No Vertical Mount: No Horizontal Mount: Yes





50" BATH BAR

Arctic Halo Model

916150-1 Standard Soft Gold Leaf

Dimensions

W 50" (127 cm) H 5" (13 cm) D 7" (18 cm)

Electrical

US/INTL: Integrated LED 3000K, 24w max (Qty. 2) Total Lumens: 4800

Bath Bar Installation

Location Rating: Indoor damp Reversible: No Vertical Mount: No Horizontal Mount: Yes

32" BATH BAR

Arctic Halo Model

916050-2 Matte Black

Dimensions

W 32" (81 cm) H 5" (13 cm) D 7" (18 cm)

Electrical

US/INTL: Integrated LED 3000K, 24w max (Qty. 1) Total Lumens: 2400

Bath Bar Installation

Location Rating: Indoor damp Reversible: No Vertical Mount: No Horizontal Mount: Yes

47" BATH BAR

Azu Model

916450-2 Standard Gold Leaf

Dimensions

W 47" (119 cm) H 14" (36 cm) D 10" (25 cm)

Electrical

US Bulb: CA10 INTL Bulb: C37 E14 Candelabra, 6w (Qty. 6)

Bath Bar Installation

Location Rating: Indoor damp Reversible: Yes Vertical Mount: Yes Horizontal Mount: Yes

37" BATH BAR

Azu Model

916350-1 Standard Silver Leaf

Dimensions

W 37" (94 cm) H 14" (36 cm) D 10" (25)

Electrical

US Bulb: CA10 INTL Bulb: C37 E14 Candelabra, 6w (Qty. 4)

Bath Bar Installation

Location Rating: Indoor damp Reversible: Yes Vertical Mount: Yes Horizontal Mount: Yes

See comprehensive 2023 Catalog for all suitable bath lighting: Arctic Halo, page 262 Azu, page 72





48" BATH BAR

Bond Model

915950-41 Standard Silver Leaf/ Diamond Blanket Glass

Dimensions

W 48" (122 cm) H 5" (13 cm) D 3.5" (9 cm) ADA Compliant

Electrical

US/INTL Bulb: Integrated LED 3000K, 6.5w max (Qty. 4) Total Lumens: 2400

Bath Bar Installation

Location Rating: Indoor damp Reversible: No Vertical Mount: Yes Horizontal Mount: Yes

35" BATH BAR

Bond Model

915050-21 Standard Black Iron/ Standard Gold Leaf/Diamond Blanket Glass

W 35" (89 cm) H 5" (13 cm) D 3.5" (9 cm) ADA Compliant

Electrical

US/INTL Bulb: Integrated LED 3000K, 6.5w max (Qty. 2) Total Lumens: 1200

Bath Bar Installation

Location Rating: Indoor damp Reversible: No Vertical Mount: Yes Horizontal Mount: Yes

38" BATH BAR

Crystal Enchantment Model

706650-2 Standard Gold Leaf

W 38" (97 cm) H 7" (18 cm) D 7" (18 cm)

Electrical

US: G16.5 INTL: G45 E14 Candelabra, 60w max (Qty. 6)

Bath Bar Installation

Location Rating: Indoor damp Reversible: No Vertical Mount: No Horizontal Mount: Yes

26" BATH BAR

Crystal Enchantment Model

706550 Standard Silver Leaf

W 26" (66 cm) H 7" (18 cm) D 7" (18 cm)

Electrical

US: B10 INTL: B35 E14 Candelabra, 60w max (Qty. 4)

Bath Bar Installation

Location Rating: Indoor damp Reversible: No Vertical Mount: No Horizontal Mount: Yes

See comprehensive 2023 Catalog for all suitable bath lighting: Bond, page 180 Crystal Enchantment, page 118





48" BATH BAR

Forêt Model

916250-2 Standard Gold Leaf

Dimensions

Electrical

US: B10 INTL: B35 E14

Candelabra, 60w max (Qty. 6)

Bath Bar Installation

Location Rating: Indoor damp Reversible: Yes Vertical Mount: Yes Horizontal Mount: Yes

47" BATH BAR

Lior Model

914250-3 Standard Bronze

Dimensions

W 48" (122 cm) H 14.5" (37 cm) D 8" (20 cm) W 47" (119 cm) H 7" (18 cm) D 4" (10 cm) ADA Compliant

Electrical

US/INTL Bulb: Integrated LED 3000K, 2.5w max (Qty. 20) Total Lumens: 6000

Bath Bar Installation

Location Rating: Indoor damp Reversible: Yes Vertical Mount: No Horizontal Mount: Yes

28" BATH BAR

Lior Model

914050-1 Standard Silver Leaf

Dimensions

W 28" (71 cm) H 7" (18 cm) D 4" (10 cm) ADA Compliant

Electrical

US/INTL Bulb: Integrated LED 3000K, 5w max (Qty. 12) Total Lumens: 3600

Bath Bar Installation

Location Rating: Indoor damp Reversible: Yes Vertical Mount: No Horizontal Mount: Yes

See comprehensive 2023 Catalog for all suitable bath lighting: Forêt, page 38 Lior, page 218

STRATA





TERRA



42.5" BATH BAR

Strata Model

927750-1 Standard Silver Leaf

Dimensions

W 42.5" (108 cm) H 9" (23 cm) D 3.25" (8 cm) W 30.5" (77 cm) H 9" (23 cm) D 3.25" (8 cm) ADA Compliant

Electrical

US/INTL Bulb: Integrated LED 3000K, 12w max (Qty. 6) Total Lumens: 7200

Bath Bar Installation

Location Rating: Indoor damp Reversible: Yes Vertical Mount: Yes Horizontal Mount: Yes

30.5" BATH BAR

Strata Model

927950-2 Standard Gold Leaf

Dimensions

ADA Compliant

Electrical

US/INTL Bulb: Integrated LED 3000K, 12w max (Qty. 4) Total Lumens: 4800

Bath Bar Installation

Location Rating: Indoor damp Reversible: Yes Vertical Mount: Yes Horizontal Mount: Yes

48" BATH BAR

Terra Model

913950-31 Standard Soft Gold Leaf/ Clear Terra Studio Glass

W 48" (122 cm) H 7" (18 cm) D 4" (10 cm) ADA Compliant

Electrical

US/INTL Bulb: Integrated LED 3000K, 12w max (Qty. 7) Total Lumens: 8400

Bath Bar Installation

Location Rating: Indoor damp Reversible: No Vertical Mount: No Horizontal Mount: Yes

29" BATH BAR

Terra Model

913450-15 Standard Black Iron/ Rake Studio Glass

W 29" (74 cm) H 7" (18 cm) D 4" (10 cm) ADA Compliant


Electrical

US/INTL Bulb: Integrated LED 3000K, 12w max (Qty. 4) Total Lumens: 4800

Bath Bar Installation

Location Rating: Indoor damp Reversible: No Vertical Mount: No Horizontal Mount: Yes

See comprehensive 2023 Catalog for all suitable bath lighting: Strata, page 14 Terra, page 190





BRISTOL

Bristol is thoughtfully designed to be bold and yet quietly subtle. The seedy glass provides a soft internal glow while the overlay of reeded panels playfully refracts the light. This transitional collection is offered in our outdoor hand rubbed black iron finish.



31" OUTDOOR PENDANT

Model # 899182

Dimensions H 18" (45 cm) W 31" (79 cm) Min Ht: 23" (58 cm) Max Ht: 83" (211 cm)

Electrical

US: B11 INTL: E27
Medium, 60w (Qty. 4)
Suitable for vaulted ceilings. Includes 6' rod.





19.25" LANTERN

Model # 899582

Dimensions

H 46" (117 cm) W 19.25" (49 cm) Min Ht: 52" (132 cm) Max Ht: 143" (363 cm)

Electrical

US: B10 INTL: B35 E14 Candelabra, 60w (Qty. 6) Suitable for vaulted ceilings.

US/INTL bulbs are not included for all items in this collection. Not available in Standard Finish Options.

12" OUTDOOR PENDANT

Model # 899882

Dimensions

H 32" (81 cm) W 12" (30 cm) Min Ht: 46" (117 cm) Max Ht: 137" (348 cm)

Electrical

US: B10 INTL: B35 E14 Medium, 60w (Qty. 3) Suitable for vaulted ceilings.





21.5" FLUSH MOUNT

Model # 900082

Dimensions

H 37.5" (95 cm) W 12" (30 cm)

Electrical

US: B10 INTL: B35 E14 Candelabra, 60w (Qty. 4)

40" SCONCE

Model #

900281

Dimensions

H 40" (103 cm) W 12" (30 cm) D 14" (35 cm)

Electrical

US: B10 INTL: B35 E14 Candelabra, 60w (Qty. 3)







32" SCONCE

Model #

900181

Dimensions

H 32" (82 cm) W 8" (20 cm) D 10" (25 cm)

Electrical

US: B10 INTL: B35 E14 Candelabra, 60w (Qty. 3) 22" SCONCE

Model #

900381

DimensionsH 22" (56 cm) W 7" (18 cm) D 9" (23 cm)

Electrical

US: B11 INTL: E27 Medium, 60w (Qty. 1) $37.5^{\prime\prime}$ ADJUSTABLE PIER/POST MOUNT

Model #

900080

Dimensions

H 37.5" (95 cm) W 12" (30 cm)

Electrical

US: B10 INTL: B35 E14 Candelabra, 60w (Qty. 3)

US/INTL bulbs are not included for all items in this collection. Not available in Standard Finish Options.



CUSTOMER SERVICE customerservice@finearthl.com SALES sales@finearthl.com SHOWROOMS DALLAS, HIGH POINT, MIAMI, MOSCOW 3840 WEST 104TH STREET, STE. 20, HIALEAH, FL 33018 T 305.821.3850 FINEARTHL.COM

