

# FALL & WINTER



PRICES IN EFFECT UNTIL DECEMBER 31<sup>ST</sup>, 2024

## MILLING DRILLING MACHINE with SAFETY GUARD & LIMIT SWITCH

### PDM-30

- 16 1/2" swing
- 1 1/4" Drilling capacity
- 3" Face mill capacity
- 5" stroke
- Spindle taper R8
- 12 speeds (150-2500 RPM)

### OPTIONAL

TABLE POWERFEED ATTACHMENT PFM-32 For # PDM-30

**\$679.**

**5 PC. ACCESSORY BONUS PACKAGE FREE** INCLUDED WITH THE PURCHASE OF A PDM-30 MILLING DRILLING MACHINE Includes: angle drill press vise, drill chuck with key, drill chuck arbor, carbide-tipped face mill and face mill arbor.

### OPTIONAL

MILLING DRILLING MACHINE STAND SS-45

**\$399.99**



**\$2999.**

## STATIONARY 6.5 PEAK HP 60 GALLON AIR COMPRESSOR

### KC-6160V2

- 150 PSI max pressure
- 13.4 CFM @ 40 PSI
- 11.2 CFM @ 90 PSI

**\$1099.**

2 cylinder cast iron single stage oil lubricated pump



Thermally protected Marathon® 6.5 peak HP motor with reset


## 7" X 12" METAL CUTTING BANDSAW

### KC-712BC

- 11.5 Amp. motor
- Coolant system
- Adjustable ball bearing guides
- 4 speeds (85-130-180-235 FPM)

PATENTED TRU-LOCK quick locking vise system

**\$1999.**



**KING INDUSTRIAL**

# RE-TOOL YOUR METAL SHOP



1372 Mountain Avenue Avenue  
Winnipeg, MB R2X 3A3  
Phone: 204-697-2706 - Toll Free: 1-800-340-0233  
Email: info@woodenedge.ca

## The Most Innovative Drill Presses

DVR WITH ADAPTIVE CONTROL™ SOFTWARE

Safety Guard with Limit Switch



83750 Fits #83705

**\$399.**

### 16" NOVA VIKING DVR DRILL PRESS

83705

- Powerful direct drive 1 HP high torque motor with no pulleys or belts
- Spindle taper MT #2
- Comes with 5/8" drill chuck & key, firmware USB cable

**\$1699.**

Safety Guard with Limit Switch



58501 Fits #58006

**\$399.**

### 18" NOVA VOYAGER DVR DRILL PRESS

58006

- Powerful direct drive 1.75 HP high torque motor with no pulleys or belts
- Spindle taper MT #2
- Comes with 5/8" drill chuck & key, firmware USB cable

**\$2399.**

## 17" DRILL PRESS



DRILL PRESS CHUCK SAFETY GUARD KM-118 Fits KC-118FC

**\$29.99**

### KC-118FC

- 12.5 Amp. motor
- 16 speeds (240-3400 RPM)
- 17" swing
- 3 1/4" stroke
- 5/8" chuck

**\$799.**

## 17" DRILL PRESS with SAFETY GUARD & LIMIT SWITCH



### KC-118FC-LS

- 12.5 Amp. motor
- 16 speeds (240-3400 RPM)
- 17" swing
- 3 1/4" stroke
- 5/8" chuck

**\$899.**

## 3200 PSI GASOLINE HIGH PRESSURE WASHER

### KPW-3200

- 3200 PSI, 2.5 GPM maximum water flow
- Low oil shut-off system
- Comes with stainless steel wand, 30' high pressure hose, garden hose inlet with screen filter, 12" wheels for portability and 5 quick connect nozzles (0°, 15°, 25°, 40° and detergent)

**\$379.99**

Powerful 7 HP, 4 stroke air cooled OHV engine



**NEW**

## 10000W TRI-FUEL GENERATOR WITH ELECTRIC START

### KCG-10002GE-TF

- Powerful 15 HP, 4 stroke air cooled OHV engine
- AVR system and electronic ignition
- Low oil shut-off with indicator light protects the engine
- Two duplex outlets: 120V/20 Amp. AC
- Two twist lock outlets: 120V/30 Amp. and 120V/240V/30 Amp. AC

**NEW**

POWER/FORCE BY FUEL



Comes with propane tank and natural gas connection cables.

**\$1099.99**

## 16" X 20" COMBO LATHE/MILL - KC-1620CLM

- Comes with 5" - 3 jaw chuck, imperial & metric change gears, quick change tool post with 1/2" capacity, steady rest, follow rest, thread chasing dial indicator, MT#3 & MT#4 dead centres, 1/2" drill chuck and tool box with adjusting tools

Two powerful 3/4 HP 110V motors

**\$3499.**



### OPTIONAL

#### STAND

#### SS-1620CLM

(41-3/8" x 19-1/4" x 30-1/2")

**\$399.**



### OPTIONAL

#### KM-124

Elevating block with 7/16" T-slots (7-7/8" x 5-7/8" x 5")

**\$199.**

### 11 PC. METAL LATHE CUTTER SET

#### KM-146

3/8" Shank Fits: KC-0712ML, KC-1022ML, KC-1620CLM

**\$59.99**

## 11000W TRI-FUEL DIGITAL INVERTER GENERATOR

### KCG-11000i-TF

- Powerful 18 HP, 4 stroke air cooled motor
- DC dual USB ports: 5V/3.1 Amp. DC output for charging smartphones, tablets or any USB powered equipment
- AC duplex outlet: 120V/20 Amp. AC output
- AC twist lock outlet: 120V/240V 30 Amp. AC output
- AC outlet: 120V/240V 50 Amp. AC output

**NEW**

POWER/FORCE BY FUEL



Comes with propane tank and natural gas connection cables.

**\$2199.99**

H.S.S. & BI-METAL BLADES ("SKIP TOOTH")						
Model	Length	Width	Blade Material	TPI	Thickness	Price
KBB-712-10	93"	3/4"	H.S.S.	10	.032"	\$27.99
KBB-712-14	93"	3/4"	H.S.S.	14	.032"	\$27.99
KBB-712-18	93"	3/4"	H.S.S.	18	.032"	\$27.99
KBB-712-BM-610	93"	3/4"	Bi-Metal	6-10	.032"	\$79.99
KBB-712-BM-1014	93"	3/4"	Bi-Metal	10-14	.032"	\$79.99

## FAGOR DIGITAL READOUT SYSTEMS



**20i-T-840**  
(Fits KC-1440ML-6  
& KC-1440ML-2)

2 AXIS with  
8" x 40" scales


**\$2499.**

**20i-T-1040**  
(Fits KC-1640ML)

2 AXIS with  
10" x 40" scales

**\$2699.**

## LIVE CENTERS



**\$69.**  
**KLC-2M**  
TAPER SHANK -  
MT#2

**\$79.**  
**KLC-3M**  
TAPER SHANK  
MT#3

## 7 PC. CARBIDE CUTTER HOLDERS

- 2 positions carbide indexable Cutter Inserts (5pc.)
- H.S.S. inserts (2pc.)

**INCLUDED**  
Screwdriver and  
3 adjustment keys



**KM-047**  
3/8" Shank

**KM-057**  
5/8" Shank

**\$199.**

**\$219.**

Fits Models: KC-0712ML, KC-1022ML  
Fits Models: KC-1236ML, 14440ML-2, 14440ML-6, KC-1640GH, KC-1640ML & KC-1660GH

## TAPER ATTACHMENT



**Taper Attachment must be ordered together with**

These Taper Attachments are designed to fit our 12" x 36", 14" x 40" & 16" x 40" Metal Lathes models

KC-1236ML, KC-1440ML-2 & KC-1640ML

## 7 PC. QUICK CHANGE TOOL POST KITS



**KOCT-0012**  
Fits most lathes up to 0 to 12" swing

**\$279.99**

**KOCT-1015**  
Fits most lathes between 10" to 15" swing

**\$349.99**

**KOCT-1318**  
Fits most lathes between 13" to 18" swing

**\$499.99**

**2**

# METAL LATHES & ACCESSORIES



## 7" X 12"

### VARIABLE SPEED MINI METAL LATHE


KC-0712ML

- 3/4" spindle bore
- Variable speeds 2 (0-1100, 0-2500 RPM)
- Comes complete with quick change gear box, face plate, replacement gears, 4-way tool post, MT#2 dead center, threading dial indicator

**\$1150.**

5.5 Amp.  
(110V)

**INCLUDES - 4" - 3 JAW CHUCK & STEADY REST**



## 10" X 22"

### BELT DRIVE METAL LATHE

KC-1022ML

- 1" spindle bore
- Spindle speeds 6 (150-2400) RPM
- Comes complete with 5"-3 jaw chuck, 6-1/2"-4 jaw chuck, replacement gears, 4 way tool post, steady rest, follow rest, 8" face plate, thread chasing dial indicator, MT#3 dead center, full length splash guard, tool box, and chuck key

**\$3199.**

12 Amp.  
(110V)

**OPTIONAL  
CABINET  
STAND  
SS-1022**



**\$379.99**



## 12" X 36"

### GEARHEAD METAL LATHE

- 1 1/2" spindle bore
- Spindle speeds 9 (60-1500) RPM
- 40(4-112 T.P.I.) 30(2 - 4.5mm) thread cutting

- Comes complete with 6"-3 jaw chuck, 8"-4 jaw chuck, imperial and metric gears, quick change tool post, steady rest, follow rest, 10" DI-4 camlock face plate, thread chasing dial indicator, MT#3 dead center, MT#3 arbor taper, 1/2" drill chuck, full length splash guard, tool box, and chuck keys


KC-1236ML/SS-1236

**WITH TAPER ATTACHMENT  
KC-1236ML/SS-1236/KM-053**

**\$5999.**

**\$6499.**

1.5 HP  
(220V)



**BONUS  
CABINET STAND  
INCLUDED**

## 14" X 40"

### GEARHEAD METAL LATHE

- Spindle speeds 8(70-2000 RPM)
- 34(4-56 T.P.I.) 26(4 - 7mm) thread cutting
- Comes complete with 7"-3 jaw chuck, 8"-4 jaw chuck, replacement gears, quick change tool post, steady rest, follow rest, 12" DI-5 camlock face plate, coolant system, full length splash guard, thread chasing dial indicator, 2 MT#3 dead centers, MT#6-MT#3 sleeve, tool box, chuck keys, and cabinet stand with foot brake

KC-1440ML-2

**WITH TAPER ATTACHMENT  
KC-1440ML-2/KM-054**

**\$9499.**

**\$9999.**

2 HP  
(240V)



**CABINET STAND WITH  
FOOT BRAKE INCLUDED**

## 16" X 40"

### HIGH PRECISION "TOOL ROOM" METAL LATHE

- Spindle speeds 16(45-1800 RPM)
- 2" spindle bore diameter
- 45(2-72 T.P.I.) thread cutting
- Comes complete with 8"-3 jaw chuck with inside & outside jaws, 12"-4 jaw chuck, quick change tool post and two 3/4" tool holders, steady and follow rests with roller guides, 14" (D1-6) camlock face plate, MT #4 standard dead centre, MT #4 carbide tipped dead centre, MT #4 to MT #6 spindle sleeve adapter, coolant system, manual micrometer carriage stop, tool box and wrenches


KC-1640ML

**WITH TAPER ATTACHMENT  
KC-1640ML/KM-055**

**\$16999.**

**\$17499.**

4 HP  
(600V)



**CABINET STAND WITH  
FOOT BRAKE INCLUDED**

## 12" SLOW SPEED COLD CUT SAW

KC-315CS

- 4.5 HP motor
- Low 52 RPM blade speed is ideal for cutting ferrous metals
- Mitering head pivots to the right or left with positive stops at 45° and 90°

Blade not included



**\$3399.**

## OPTIONAL

12" COLD CUT SAW BLADE

KM-1200  
(Made in Italy)

**\$379.**



# MILLING DRILLING MACHINES

## MINI MILLING DRILLING MACHINE

KC-15VS

- Variable speed gear drive
- Spindle depth fine feed control with micro downfeed dial
- Adjustable depth stop
- Chuck guard
- Emergency stop button
- Comes with 1/2" chuck, chuck key, R8 chuck arbor, safety guard, 2 T-bolts, oil bottle, adjustment wrenches and hex. keys

POWERFUL  
3/4 HP  
MOTOR



Column tilts 45° to the right or left

**\$999.**



## INSPECTION CAMERAS

### INSPECTION CAMERA WITH LCD MONITOR

**\$99.99**

KC-9050

Kit includes:

- Camera handle, 9mm dia. x 39" flexible camera probe
- 2.4" diagonal TFT-LCD color monitor,
- Kit comes with 3 accessory tools (45° mirror, magnetic pick-up, pick-up hook) and 4 AA batteries



### WIRELESS INSPECTION CAMERA WITH RECORDABLE LCD MONITOR

KC-9200

Kit includes:

- Camera handle, 39" x 9mm camera probe, 39" x 10mm camera probe extension, 3.5" TFT-LCD wireless color monitor, monitor Li-ion charger, 3 accessory tools (45° mirror, magnetic pick-up, pick-up hook), USB and Video cables, 4GB SD memory card and 4 AA batteries



DIGITAL  
ZOOM  
3X

**\$199.99**

## GEARHEAD MILLING DRILLING MACHINE WITH SAFETY GUARD & LIMIT SWITCH

KC-45

- 1.5 HP Motor
- Forward & Reversing Switch
- 20 7/16" Swing
- 5" Stroke
- 6 speeds (60-1500 RPM)
- 9 1/2" X 32 1/4" Table
- 1 1/4" Drill capacity
- 4" Face mill capacity
- Spindle taper R8

**\$5999.**



## OPTIONAL

TABLE POWERFEED ATTACHMENT

PFM-32

For # KC-45

**\$679.**

## OPTIONAL

MILLING DRILLING MACHINE STAND

SS-45


**\$399.99**

## MILLING DRILLING MACHINE WITH DIGITAL READOUT, SAFETY GUARD & LIMIT SWITCH

KC-20VS-2

- 1 HP Motor
- 13" Max. distance spindle nose to table
- 13" swing
- R8 Spindle taper
- 2" Spindle stroke
- Speeds 2(50-1125 / 100-2250 RPM)
- 7 1/16" x 27 1/2" Table dimensions
- 1/2" Size of T-Slot on table
- Comes with 1/2" chuck, chuck key, R8 chuck arbor, safety guard, 2 T-bolts, oil bottle, adjustment wrenches, hex. keys and tool box

**\$2399.**



HEADS TILTS 90° TO THE LEFT AND RIGHT



## OPTIONAL

MILLING DRILLING MACHINE STAND

SS-20VS

**\$329.**

## 18 PC. COLLET SETS

Includes straight shank, 15 collets, wrench and plastic case.

KCS-4015

- Straight shank taper ISO 40
- Draw Bar 5/8" WII

KCS-R8-15

- Straight shank taper R8
- Draw Bar 7/16" NF 20



**\$399.99** ea.

## DIVIDING PLATES FOR ROTARY TABLE

KC-DPRT-6

Size 6"

KC-DPRT-8

Size 8"



**\$159.99** ea.

## K-TYPE SWIVEL BASE MILLING VISES

3"

4"

6"

8"

KMV-3M

KMV-4M

KMV-6M

KMV-8M

**\$129.**

**\$199.**

**\$259.**

**\$369.**

## HORIZONTAL & VERTICAL ROTARY TABLES

KC-HVRT-6

Size 6"

KC-HVRT-8

Size 8"



**\$499.**

**\$599.**

3

# METAL CUTTING BANDSAWS

## PORTABLE VARIABLE SPEED METAL CUTTING BANDSAW

KC-8377

- Variable speed 0-420 SFPM
- Cutting capacity of 5" x 5"
- Blade tension lever
- Comes with standard 44-7/8" x 1/2" blade

**\$199.99**



**OPTIONAL**  
Miter Stand  
turns this  
Bandsaw into  
a Cut-off Saw



SS-8377

**\$99.99**

BI-METAL BLADES					
Model	Length	Width	TPI	Thickness	Price
KBB-8376-BM-1014	44 7/8"	1/2"	10-14	.020"	\$24.99
KBB-8376-BM-1418	44 7/8"	1/2"	14-18	.020"	\$24.99

## 5" x 6" METAL CUTTING BANDSAW

KC-129C

- 3 speeds (80-120-200 FPM)
- Comes with wheels for portability

**8 Amp.  
(110V)**



**\$699.**

H.S.S. & BI-METAL BLADES						
Model	Length	Width	Blade Material	TPI	Thickness	Price
KBB-115-10	64 1/2"	1/2"	H.S.S.	10	.025"	\$19.99
KBB-115-14	64 1/2"	1/2"	H.S.S.	14	.025"	\$19.99
KBB-115-18	64 1/2"	1/2"	H.S.S.	18	.025"	\$19.99
KBB-115-24	64 1/2"	1/2"	H.S.S.	24	.025"	\$19.99
KBB-115-BM-10	64 1/2"	1/2"	Bi-Metal	10	.025"	\$39.99
KBB-115-BM-14	64 1/2"	1/2"	Bi-Metal	14	.025"	\$39.99
KBB-115-BM-18	64 1/2"	1/2"	Bi-Metal	18	.025"	\$39.99

## 5" x 6" DUAL SWIVEL METAL CUTTING BANDSAW

KC-129DS

- Head swivels 0° - 45° to the right and 0° - 60° to the left
- Adjustable hydraulic downfeed control
- Automatic shut-off switch

ADJUSTABLE  
HYDRAULIC  
CYLINDER



**8 Amp.  
(110V)**

**\$999.**

## 10" x 18" METAL CUTTING BANDSAW

KC-227-2 (220V)

KC-227-6 (600V)

- 4 speeds (114, 196, 288, 377 FPM)
- Carbide ball bearing blade guide
- Control panel with automatic shut-off
- Adjustable hydraulic downfeed control
- Both adjustable control arms can be positioned as close to the cut as possible
- Coolant system with regulator valves

PRECISION  
PRESSURE  
GAUGE  
INDICATES  
THE BLADE  
TENSION



H.S.S. BLADES					
Model	Length	Width	TPI	Thickness	Price
KBB-225-10	122"	1"	10	.032"	\$39.99
KBB-225-14	122"	1"	14	.032"	\$39.99

**11.5 Amp. @ 220V  
2.6 Amp. @ 600V**



PATENTED  
TRU-LOCK™ quick  
locking vise system.

Exclusive  
24 Volt  
control  
panel

Exclusive  
24 Volt  
control  
panel

**\$5899.**

## 10" x 18" VARIABLE SPEED SWIVEL METAL CUTTING BANDSAW

KC-228S-V-2 (220V)

KC-228S-V-6 (600V)

**11.5 Amp. @ 220V  
2.6 Amp. @ 600V**

- Swivel base from 0° to 45°
- Position adjustable control panel and automatic shut-off
- Adjustable hydraulic down feed control
- Carbide ball bearing blade guides
- Coolant system with regulator valves

### BI-METAL BLADES

Model	Length	Width	TPI	Thickness	Price
KBB-225-BM-610	122"	1"	6-10	.032"	\$99.99
KBB-225-BM-812	122"	1"	8-12	.032"	\$99.99



PATENTED  
TRU-LOCK™ quick  
locking vise system.

**\$7999.**

# METAL CUTTING BANDSAWS

## 7" x 12" DUAL SWIVEL METAL CUTTING BANDSAW

KC-712DS

6 Amp.  
(220V)

- Returning coolant system
- 4 speeds (98-164-246-328 FPM)
- Automatic shut-off
- Adjustable ball bearing guides

PATENTED  
TRU-LOCK™ quick  
locking vise system.



**\$3599.**

# nova™

## 7" x 12" NOVA DVR METAL CUTTING BANDSAW 59001

- Smart metal bandsaw features state of the art technology
- Digital Variable Reluctance (DVR) Direct Drive 1 HP motor with Adaptive Control™ Software
- Constant torque under load and electronic braking emergency stop
- Includes a 240V conversion components kit

**DVR  
Smart**  
THE WORLD FIRST  
SMART BANDSAW  
WITH DIGITAL  
DISPLAY



**\$3499.**

## 9" x 18" METAL CUTTING SWIVEL BANDSAW

KC-918S-V (8 Amp. 220V)

KC-918S-V- 600V (2.5 Amp. 600V)

- Returning coolant system
- Variable speeds (80-250 FPM)
- Carbide ball bearing blade guides with rollers
- Centralized control panel and automatic shut-off
- Adjustable hydraulic downfeed control
- Precision blade tension adjustment
- Head swivels 0° to 45° in one direction
- Quick-positioning vise with fully adjustable jaws for 0° to 45° angles

VARIABLE  
SPEED



**\$8499.**

## 17" VARIABLE SPEED METAL/WOOD CUTTING BANDSAW

KC-1700WM-VS

- Variable speeds (wood): 540-3600 SFPM
- Variable speeds (metal): 100-650 SFPM
- Voltage (input power): 220V, 1 phase, 60 Hz
- Comes with a 1/2" x 6 TPI wood cutting blade, 1/2" x 10 TPI metal cutting blade, laser guide, work lamp, miter gauge and a precision "TRU-RIP" aluminum rip fence with resaw guide



2HP  
(8 Amp. @ 220V)

**\$4499.**

## 18" METAL CUTTING BANDSAW

KC-450

- Variable speed
- Handwheel controls speed
- Speed changes while the machine is in operation
- Comes complete with 4-way tilting table, and work light



7.5 Amp.  
(220V)

**\$5499.**

H.S.S. & BI-METAL BLADES ("SKIP TOOTH")						
Model	Length	Width	Blade Material	TPI	Thickness	Price
KBB-918-10	131 3/4"	1"	H.S.S.	10	.032"	\$39.99
KBB-918-14	131 3/4"	1"	H.S.S.	14	.032"	\$39.99
KBB-918-BM-610	131 3/4"	1"	Bi-Metal	6-10	.032"	\$99.99
KBB-918-BM-812	131 3/4"	1"	Bi-Metal	8-12	.032"	\$99.99

# 3" X 79" METAL BELT SANDER

Comes with Canadian made 80 Grit pure zirconia sanding belt




2 HP (220V)

## KC-379MS

- Sanding belt rotates on 7-1/2" vented drive wheel and solid rubber rear wheel for maximum tracking and sanding control
- Head pivots up or down on base for easy and safe work heights
- Horizontal working height of 36"

Hinged top cover for access to entire length of belt for larger pieces



## 3" x 79" PURE ZIRCONIA SANDING BELTS

Model	Belt Size	Grit	Unit	Price
SB-379-60	3"x79"	60	1	\$19.99
SB-379-80	3"x79"	80	1	\$19.99
SB-379-120	3"x79"	120	1	\$19.99

\$1099.



## 2 HP METAL DUST COLLECTOR

### KC-7300C

- Powerful 2 HP, 220V motor
- 2 Step activation safety switch with line voltage interruption
- Ideal for collection of metal chips and abrasive dust produced by metal sanders, grinders, cold cut saws, deburring and chamfering machines
- Large metal chips collection drawer
- 6" inlet with Y-inlet adaptor with two 3" dust inlets allowing up to connect up to two metalworking machines
- Comes with large paper filter and iron activated carbon filter

\$1699.

## DIGITAL FRACTIONAL CALIPER

### KM-106

- Converts to inches (decimal and fractional) and metric readings
- Waterproof to IP54 standards
- Two 3V Lithium batteries included



\$35.

## FIREPROOF 3" METAL DUST COLLECTION HOSES KIT

### KM-102

Kits Includes: 2 - 8ft. (2.5M) Fireproof hoses 4 - hose clamps (3")



\$79.99 RATED 130°C

1.5 HP (220V) Direct Drive Motor

\$1699.

## 12" HEAVY-DUTY BENCH GRINDER WITH FLOOR STAND

### KC-1295

- Cast-iron wheel guards and dust vents with 2-1/2" T-fitting adaptor for dust collection
- Built-in cast-iron quench tray, 36 Grit and 60 Grit 12" x 2" grinding wheels

6

## BENCH GRINDER STAND

### SS-150N

- Made of cast-iron & alloy steel
- Height of 31-1/2" from the floor
- Water reservoir for quenching workpieces



\$79.99

## BENCH GRINDERS

### KC-690LN

• 3450 RPM

Built-in LED lights

\$75.

NEW



Enhanced Laser Effect

6"

### KC-890

• 7 Amp. motor • 3450 RPM

\$139.



8"

## 8" LOW SPEED BENCH GRINDER WITH LIGHT

### KC-895LS

Comes complete with diamond wheel dressing tool, tool rests, eye shields, coarse 60 grit and fine 120 Grit 8" x 1" white aluminum oxide grinding wheels



\$159.99

## 10" WET/DRY SHARPENER KIT

### KC-4900S

- 1.6 Amp. motor quietly rotates at 115 RPM for maximum precision during sharpening
- Comes with angle guide honing compound and a square edge jig for sharpening a variety of blades and wood chisels



\$229.99

## OPTIONAL

### 4 pc. Accessory Kit

### KM-130

(Short knife jig, long knife jig, scissors jig & axe jig)



\$69.99

## 8" LOW SPEED LONG SHAFT BUFFER

### KC-899LSB

- Powerful 1/2 HP motor
- Arbor shaft diameter: 5/8"
- Motor no load speed: 1,750 RPM
- Comes with two 8" x 1/2" spiral sewn cloth buffing wheels



2PC. 8" X 1/2" BUFFING WHEEL KIT

KM-131

\$39.99

\$159.99

## 2" X 42" BELT & 8" DISC SANDER

### KC-770FX

- Both a 1" and a 2" sanding belt can be installed
- Comes with 1" x 42" sanding belt, 2" x 42" sanding belt, 1" & 2" belt platens, 2 x 8" adhesive sanding discs, miter gauge and adjustment hex. keys

NEW & IMPROVED WITH SAFETY GUARDS



\$499.

## 2" x 42" PURE ZIRCONIA SANDING BELTS

Model	Belt Size	Grit	Unit	Price
SB-242-60Z	2"x42"	60	1	\$9.99
SB-242-80Z	2"x42"	80	1	\$9.99
SB-242-100Z	2"x42"	100	1	\$9.99
SB-242-120Z	2"x42"	120	1	\$9.99

## PURE ZIRCONIA 8" SANDING DISCS

Model	Disc Size	Grit	Unit	Price
SB-8-60Z	8"	60	1	\$9.99
SB-8-80Z	8"	80	1	\$9.99
SB-8-100Z	8"	100	1	\$9.99
SB-8-120Z	8"	120	1	\$9.99

# METAL FORMING MACHINES



## 3 IN 1 METAL FORMING MACHINES

### 52" FOOT SHEAR

KC-F5216

- Cutting length 52"
- Capacity 16 Gauge
- Weight 1080 lbs

**\$2699.**



### SLIP ROLLS

KC-S5016

- Max. length 50"
- Capacity 16 Gauge
- Weight 540 lbs

**\$1899.**



KC-S3622

- Max. length 36"
- Capacity 22 Gauge
- Weight 176 lbs

**\$779.**

KC-S2422

- Max. length 24"
- Capacity 22 Gauge
- Weight 81 lbs

**\$679.**

### 12" HAND SHEAR

KC-HS12

- Level arm with compensating spring

**\$249.**



### 4 TON HAND NOTCHER

KC-N616

- 16 Gauge notching capacity (mild steel)
- 18 Gauge piercing capacity (mild steel)
- Maximum notch (6" X 6" x 90°)
- Weight 165 lbs

**\$749.**



### ARBOR PRESS

KAP-3

- Capacity: 3 Ton
- Diameter of work: 12 1/2"
- Capacity over table: 12"

**\$379.**



### COMBINATION, ROTARY MACHINE

KC-RM22

- Cutting capacity (mild steel): 22 Gauge
- Distance between shaft centers: 2"
- Depth of throat to frame: 7"
- Includes 6 dies for hooking (2), burring, wiring, ogee beads and crimping

**\$749.**



### FLOOR MODEL BOX AND PAN BRAKE

KC-BP4812

- Bending length 48"
- Capacity 12 Gauge
- Weight 1140 lbs

**\$3999.**



### SHEAR, BRAKE AND ROLL

KC-1220

- Max. length 12"
- Maximum thickness 20 Gauge
- Weight 95 lbs

**\$659.**

KC-3020

- Max. length 30"
- Maximum thickness 20 Gauge
- Weight 300 lbs

**\$999.**

KC-4020

- Max. length 40"
- Maximum thickness 20 Gauge
- Weight 387 lbs

**\$1599.**

### 16 GAUGE BOX AND PAN BRAKE

KC-BP4816

- Bending length 48 1/2"
- Capacity 16 Gauge
- Weight 380 lbs

**\$1199. NEW HEAVIER DUTY MODEL**



# LED WORK LIGHTS



**KC-4002LED-ST**  
72W work light emits  
8000 lumens  
• Quick release latch  
• For indoor and outdoor  
use in dry locations

**\$199.99**



**\$149.99**

**KC-3002LED-ST**  
40W work light emits  
6000 lumens  
• Quick release latch  
• For indoor and outdoor  
use in dry locations

10W Work light  
emits 1500 lumens  
**KC-1502LED-C**  
**CORDLESS**



**\$49.99**

**KC-1501LED**  
15W Work  
light emits  
1500 lumens  
**\$35.99**

**KC-3001LED**  
20W work  
light emits  
3000 lumens  
**\$59.99**

**KC-4001LED**  
36W work  
light emits  
4000 lumens  
**\$99.99**

# RECIRCULATING PARTS WASHERS

**CLEANING BRUSH  
FOR PARTS WASHERS**

**KM-059**



**\$19.99**



**5 GALLON**

**KPW-205**

- Safety lever has fusible link
- Durable pump included

**\$89.99**

**20 GALLON**

**KPW-220**

- Safety lever has fusible link
- Durable pump included

**\$199.99**

**40 GALLON**

**KPW-240**

- Safety lever has fusible link
- Durable pump included

**\$299.99**



**2 TON  
FOLDING SHOP CRANE**  
**KFC-2TC**

- 8 ton hydraulic ram features top-of-stroke and safety overload bypass system for maximum pump protection
- Compact design with retractable boom and foldable legs
- Fold-up legs with safety pins extend to 65"

**\$379.**

**14" CUT-  
OFF SAW**

**8342LN**

- Quick release vise for holding workpiece, allows cuts up to a 45° angle

Powerful 15 Amp motor  
**\$169.99**



**VARIABLE SPEED HAND-HELD  
BLOWER/VACUUM**  
**8317**

- 116 CFM, max air speed 195 km/h (121 mph)
- Variable speed (6,000-14,000 RPM)
- Trigger lock-on button for continuous operation
- Comes complete with soft flexible rubber blower nozzle and a vacuum dust bag.

**\$29.99**



**Vacuum mode**

## PRESSURE ABRASIVE SANDBLASTERS

- Safety pressure relief valve
- Loading abrasive is made simple using the concave funnel top of the tank
- Safety pressure relief valve
- 1/2" (I.D.) x 8 ft abrasive hose
- Includes media gun, 4 interchangeable nozzles (2, 2.5, 3 & 3.5mm), water separator filter, protective blast hood and teflon tape

**KSB-10** 10 GALLON  
**KSB-20** 20 GALLON



Protective blast hood included

**\$249.99**

**\$299.99**

## HYDRAULIC SHOP PRESSES WITH GRID GUARD

- Great for straightening, pressing, bending or stamping
- Used to install or remove gears, bushings or bearings
- Adjustable bed height with support rods
- Comes with 2 pressure plates

**20 TON**

Optional  
9 PC. PUNCH  
& DIE KIT  
**KM-045**  
**\$129.99**

**10 TON**



**KHP-10T-GGN**  
**\$349.99**

**KHP-20T-GGN**  
**\$559.99**

## SANDBLAST CABINETS WITH LED LIGHT

- 4 different sized ceramic nozzles
- 2 rubber gauntlet gloves
- Dual large access doors allow user to sandblast longer pieces of metal (KSB-350-LED only)
- Comes with 5 replacement adhesive window protectors

LED light for improved visibility



**KSB-110N-LED**  
**\$199.99**

**KSB-350-LED**  
**\$699.**

**ADHESIVE WINDOW PROTECTORS**  
**KM-097** Fits: KSB-110N-LED  
**5 PC. KIT**

**\$29.**

**KM-098** Fits: KSB-350-LED  
**5 PC. KIT**

**\$29.**

**REPLACEMENT CERAMIC NOZZLES**  
**KM-036** Fits: KSB-110N-LED & KSB-350-LED  
**4 PC. KIT**

**\$29.**





## 5.5 PEAK HP 20 GALLON AIR COMPRESSOR

KC-2051H2

- 150 PSI max pressure
- 7.6 CFM @ 40 PSI
- 6.0 CFM @ 90 PSI

2 cylinder cast iron  
single stage oil  
lubricated pump



**\$749.**

ASME  
safety  
valve

## AIR TOOL KIT 8171

71 PC  
Comes with 1/2" Impact Wrench, 3/8" Ratchet Wrench, Air Hammer and 1/4" Die Grinder

**\$149.99**



## HIGH OUTPUT 6.5 PEAK HP 60 GALLON AIR COMPRESSOR

KC-5160V2

- 150 PSI max pressure
- 22.6 CFM @ 40 PSI
- 18.5 CFM @ 100 PSI

3 cylinder cast iron  
single stage oil  
lubricated pump



**\$1499.**

ASME  
safety  
valve

## 5.5 PEAK HP 24 GALLON AIR COMPRESSOR

KC-3124V2

- 150 PSI max pressure
- 7.6 CFM @ 40 PSI
- 6.0 CFM @ 90 PSI

2 cylinder cast iron  
single stage oil  
lubricated pump



**\$875.**

ASME  
safety  
valve

## AIR COMPRESSORS & ACCESSORIES



### SPRAY GUN KITS

8180



**\$37.99**

8182



**\$49.99**

8185



**\$69.99**

8190 HVLV



**\$79.99**

8195



**\$99.99**

## INDUSTRIAL 2-STAGE AIR COMPRESSORS

### 2-STAGE 5 RUNNING HP 80 GALLON AIR COMPRESSOR

KC-5280V3-MS

- 200 PSI max pressure
- 19 CFM @ 175 PSI

2 cylinder cast iron  
2-stage oil  
lubricated pump



**\$3499.**



Comes with magnetic starter

ASME safety valve

### 2-STAGE 7.5 RUNNING HP 80 GALLON AIR COMPRESSOR

KC-7280V3-MS

- 200 PSI max pressure
- 24 CFM @ 175 PSI

2 cylinder cast iron  
2-stage oil  
lubricated pump



**\$3999.**



Comes with magnetic starter

ASME safety valve

## PREMIUM HYBRID POLYMER GARDEN HOSES

Extreme All-Weather Flexibility

Kink resistant

K-5058GH

5/8" x 50 ft.

**\$45.**

K-10058GH

5/8" x 100 ft.

**\$77.**

150 PSI (Working) / 450 PSI (Burst)



300 PSI MAXIMUM PRESSURE

## HYBRID POLYMER INDUSTRIAL AIR HOSES

K-2514H	25x1/4"	\$21.99
K-2538H	25x3/8"	\$29.99
K-5014H	50x1/4"	\$33.99
K-5038H	50x3/8"	\$44.99
K-10014H	100x1/4"	\$54.99
K-10038H	100x3/8"	\$65.99

## RETRACTABLE AIR HOSE 50 FT. x 3/8" REEL WITH HYBRID POLYMER AIR HOSE

K-5038FRL

- All-Weather Flexibility (-40°C to 65°C)
- Comes with wall mounting hardware



**\$109.99**

## MANUAL AIR HOSE 100 FT. x 1/4" REEL WITH HYBRID POLYMER AIR HOSE

K-10014FRL

- 360° swivel base
- All-Weather Flexibility (-40°C to 65°C)



**\$109.99**

## HEPA CARTRIDGE FILTERS

HEPA (high-efficiency particulate air) filters are designed to capture all particles that are 0.3 microns or smaller

KVAC-1145

Fits: 8520LP, 8530LPN, 8531LP-B, 8540LSTN

KVAC-1150

Fits: 8560LST



**\$39. EA.**

8520LP

- Powerful 3.5 Peak HP motor
- 5 US Gallon (20L)
- Comes complete with 6 ft. x 1-1/4" thread-on hose, 3 pc. plastic extension wand, 20L dust bag, foam filter, reusable filter, 10" floor sweep and crevice tool

**\$69.99**

## WET-DRY VACUUMS

8530LPN

- Powerful 4 Peak HP motor
- 8 US Gallon (30L)
- Comes complete with 6 ft. x 1-1/4" hose, 2 pc. plastic extension wand, 30L dust bag, cartridge filter, foam filter, reusable filter, 10" floor sweep and crevice tool

Tank water drain

**\$89.99**

8540LSTN

- Powerful 4 Peak HP motor
- 10 US Gallon (40L)
- Comes complete with 6 ft. x 1-1/4" hose, 2 pc. extension wand, 40L dust bag, cartridge filter, foam filter, reusable filter, 10" floor sweep and crevice tool



**\$179.99**

## Double filtration system

8560LST

- Powerful 6.5 Peak HP motor
- 16 US Gallon (60L)
- Convenient 18 ft. power cord
- Comes complete with 8 ft. x 2-1/2" flex hose, 2 pc. 2-1/2" extension wand, handle with air control, cartridge filter, foam filter, 14" floor sweep with squeegee insert, gulper tool, crevice tool and hanging accessory storage bag

Tank water drain



**\$299.99**

## 2000W GASOLINE DIGITAL INVERTER GENERATOR

KCG-2001i

- Powerful 3 HP, 4 stroke air cooled motor
- Sine wave digital inverter generator provides stable current to power voltage-sensitive electronics
- DC USB port: 5V/2.1 Amp.
- DC cigarette lighter socket: 12V/8 Amp. DC output
- AC duplex outlet: 120V/20 Amp. AC output



**\$599.99**

### Optional

**K-X2P**  
Parallel Cable Kit for connectivity between two inverters

**\$99.99**



## 3800W DUAL FUEL GASOLINE/PROPANE DIGITAL INVERTER GENERATOR

KCG-3800i-DF

- Powerful 5 HP, 4 stroke air cooled motor
- Sine wave digital inverter generator provides stable current to power voltage-sensitive electronics
- Duplex outlets: 120V/20 Amp. AC
- Twist lock outlet: 120V/30 Amp. AC
- DC USB ports (A & C): 5V/2.1 Amp. DC output for charging smartphones, tablets or any USB powered equipment



**\$849.99**

Comes with propane tank connection cable, Nema L5-30P/Nema TT30R RV adaptor

## 5000W DUAL FUEL GASOLINE/PROPANE DIGITAL INVERTER GENERATOR

KCG-5000i-DF

- Powerful 8 HP, 4 stroke air cooled motor
- Sine wave digital inverter generator provides stable current to power voltage-sensitive electronics
- DC USB port: 5V/2.1 Amp.
- DC cigarette lighter socket: 12V/8 Amp. DC output
- AC duplex outlet: 120V/20 Amp. AC output
- AC twist lock outlet: 120V/30 Amp. AC output



**\$1199.99**

Comes with propane tank connection cable, Nema L5-30P/Nema TT30R RV adaptor



## PALLET TRUCKS

KC-2145N-NYL

(21" X 45")  
Nylon wheels

**429.99**

KC-2748N-NYL


(27" X 48")  
Nylon wheels

**429.99**

KC-2748NP

(27" X 48")  
Poly wheels

**429.99**



5,500 lbs capacity

Max. raised height of forks 7 1/2"  
Min. height of forks 2.95"

QUICK RELEASE FOOT PEDAL

QUICK RELEASE FOOT PEDAL

QUICK RELEASE FOOT PEDAL

## 15000W V-TWIN GASOLINE GENERATOR WITH ELECTRIC START

KCG-15000GE

- Powerful 20 HP, V-Twin horizontal shaft 4 stroke air cooled motor
- AVR system and electronic ignition
- Two duplex outlets: 120V/20 Amp. AC
- Twist lock outlet: 120V/30 Amp. AC
- Outlet: 120V/240V/50 Amp. AC
- AC double throw circuit breaker and resets
- Terminals: 12V/8.3 Amp. DC with DC reset

**AUTO-IDLE DOWN FUNCTION** extends running time by automatically adjusting engine speed to idle when not under load



**\$2499.99**



## GASOLINE ENGINES WATER PUMP HOSE KITS

- Ideal for compressors, generators, pressure washers, go-karts and log splitters
- Counterclockwise drive shaft direction

KCG-65

Powerful 6.5 HP, 4 stroke air cooled OHV engine

**\$229.**



KCG-130

Powerful 13 HP, 4 stroke air cooled OHV engine

**\$449.**



Each hose kit comes with a type A threaded camlock adaptor

**\$119.99**

CLEAR PVC REINFORCED SUCTION HOSES

KW-252

2" X 25 ft

**\$199.99**

KW-253

3" X 25 ft

**\$89.99**

KW-502

2" X 50 ft

**\$119.99**

KW-503

3" X 50 ft




FLAT PVC DISCHARGE HOSES



## GASOLINE WATER PUMPS

- 105' (KCG-2WPG) or 92' (KCG-3WPG) total head lift (total height at sea level, to which water can be raised above original water level)

- Oil sensor shuts off engine when oil level is low
- Comes with 3 wire clamps, 2 hose adapters, 2 rubber gaskets, strainer basket and strainer basket adapter



Powerful 7 HP, 4 stroke air cooled OHV engine

Standard accessories

KCG-2WPG

**\$339.99**

Standard accessories

KCG-3WPG

**\$399.99**

# GASOLINE/PROPANE GENERATORS

## PORTABLE GASOLINE GENERATORS

### 1800W GASOLINE GENERATOR

KCG-1501GX

- Powerful 3 HP, 4 stroke air cooled OHV engine
- Low oil shut-off with indicator light
- Duplex Outlet: 120V/11.6 Amp. AC output
- Terminals: 12V, 8 Amp. DC output

**\$379.99**



### 5100W GASOLINE GENERATOR WITH WHEEL KIT

KCG-5100G

- Powerful 8 HP, 4 stroke air cooled OHV engine
- AVR system and electronic ignition
- Low oil shut-off with indicator light
- Two duplex outlets: 120V/20 Amp AC
- Twist lock outlet: 120V/240V/30 Amp AC

**\$449.99**



### 5100W DUAL/FUEL GASOLINE/PROPANE GENERATOR WITH ELECTRIC START

KCG-5101GE-DF

- Powerful 8 HP, 4 stroke air cooled OHV engine
- AVR system and electronic ignition
- Low oil shut-off with indicator light
- Two duplex outlets: 120V/20 Amp. AC
- Twist lock outlet: 120V/240V/30 Amp. AC
- Keyed electric start and easy start recoil starter
- AC double throw circuit breaker and resets for safe operation

**\$599.99**



### 6500W GASOLINE GENERATOR WITH ELECTRIC START & WHEEL KIT

KCG-6502GE

- Powerful 10 HP, 4 stroke air cooled OHV engine
- AVR system and electronic ignition
- Low oil shut-off with indicator light
- Two duplex outlets: 120V/20 Amp. AC
- Twist lock outlet: 120V/240V/30 Amp. AC

**\$649.99**



### 10000W GASOLINE GENERATOR WITH ELECTRIC START

KCG-10001GE

- Powerful 15 HP, 4 stroke air cooled OHV engine
- AVR system and electronic ignition
- Low oil shut-off with indicator light protects the engine
- Two duplex outlets: 120V/20 Amp. AC
- Two twist lock outlets: 120V/30 Amp. and 120V/240V/30 Amp. AC

**\$899.99**



### 12000W GASOLINE GENERATOR WITH ELECTRIC START

KCG-12000GE

- Powerful 18 HP, 4 stroke air cooled OHV engine
- AVR system and electronic ignition
- Low oil shut-off with indicator light protects the engine
- Two duplex outlets: 120V/20 Amp. AC
- Twist lock outlet: 120V/240V/30 Amp. AC
- Outlet: 120V/240V/50 Amp. AC

**\$999.99**



### 12000W DUAL/FUEL GASOLINE/PROPANE GENERATOR WITH ELECTRIC START

KCG-12001GE-DF

- Powerful 18 HP, 4 stroke air cooled OHV engine
- AVR system and electronic ignition
- Low oil shut-off with indicator light
- Duplex outlet: 120V/20 Amp. AC
- Twist lock outlet: 120V/240V 30 Amp. AC
- Outlet: 120V/240V/50 Amp. AC
- Keyed electric start and easy start recoil starter
- AC double throw circuit breaker and resets
- Terminals: 12V/8.3 Amp. DC and DC reset

**\$1199.99**



## GENERATOR EXTENSION CORDS

Converts a Nema L14-30P 240V 30 Amp Twist Lock plug into Nema 5-15/20R 120V 20A receptacles

**K-L1430-10**

Extension cord length: 10 feet  
Gauge (AWG)/Cord: 12 (SJTW 4/C)



**\$39.99**

**K-L1430R-25**

Extension cord length: 25 feet  
Gauge (AWG)/Cord: 10 (SJTW 4/C)



**\$99.99**

**K-L1430-25-4T**

Extension cord length: 25 feet  
Gauge (AWG)/Cord: 10 (STW 4/C)



**\$99.99**

**K-L1430-25EXT**

Extension cord length: 25 feet  
Gauge (AWG)/Cord: 10 (SJTW 4/C)



**\$99.99**

## 50 AMP. GENERATOR ADAPTOR CORD

Nema 14-50P 120/240V plug to Nema L14-30R 120/240V twist lock receptacle  
**K-1450P-2**  
Cord length: 1.5 feet  
Gauge (AWG)/Cord: 10 (STW 4/C)



**\$69.99**

## GENERATOR HOME CONNECTION KIT

**K-X7500**

Outdoor to indoor receptacle kit  
Comes with 6 outlet power panel, generator power inlet box, 1/2" rigid PVC conduit, 1-1/4" spade bit, 1/2" PVC sleeve connector, 2 insulating gaskets and mounting hardware



**\$109.99**

# MILLING DRILLING MACHINES & ACCESSORIES



**15" FLOOR VARIABLE SPEED DRILL PRESS**

**12" BENCH VARIABLE SPEED DRILL PRESS**

**KC-12HS-VS**

- Powerful 1/2 HP, 5 Amp motor.
- Variable speeds (580 - 3200 RPM)
- 5/8" drill chuck, chuck key



**Digital Readout**  
Mechanical variable speed system



**Digital Readout**  
Mechanical variable speed system

**KC-15HS-VS**

- Powerful 3/4 HP, 8.6 Amp. motor
- Variable speeds 2 (280 - 1100/ 900-3300) RPM
- 5/8" drill chuck, chuck key

**17" LONG STROKE DRILL PRESS with SAFETY GUARD**



**LONG STROKE**

**KC-119FC-LS**

- 12.5 Amp. motor
- 12 speeds (255-2750 RPM)
- Spindle taper MT #3
- 16 15/16" swing
- 6" stroke
- 3/4" chuck

**22" DRILL PRESS**



**DRILL PRESS CHUCK SAFETY GUARD**  
**KM-122**  
Fits KC-122FC

**\$29.99**

**22" DRILL PRESS with SAFETY GUARD & LIMIT SWITCH**




**KC-122FC**

- 12.5 Amp. motor
- 1 1/4" capacity
- Spindle taper MT #4
- 12 speeds (180-4200 RPM)
- 4 3/4" stroke
- 3/4" chuck

**KC-122FC-LS**

- 12.5 Amp. motor
- 1 1/4" capacity
- Spindle taper MT #4
- 12 speeds (180-4200 RPM)
- 4 3/4" stroke
- 3/4" chuck

**15" VARIABLE SPEED INDUSTRIAL DRILL PRESS**



Variable speed handwheel with digital readout



Safety guard with limit switch protection



**LONG 6" STROKE**

**KC-30HS-VS**

- Powerful 1 HP motor
- E-stop 2 step activation safety switch with line voltage interruption
- Variable speeds: 400-5,000 RPM
- 5/8" drill chuck and key

**\$2999.**

**29 PC. TITANIUM DRILL BIT SET**

**KDB-29T**



**\$39.99**

29 (1/16"-1/2" x 1/6 4")

**CROSS SLIDE VISES**




4"- KCV-4N **\$69.99**

5"- KCV-5N **\$99.99**

6"- KCV-6N **\$129.99**

**DRILL PRESS VISES**



3"-KPV-3 **\$19.99**

4"-KPV-4 **\$24.99**

5"-KPV-5 **\$39.99**

6"-KPV-6 **\$49.99**

**KEYLESS DRILL CHUCKS**



**KDC-12X**

1/2"JT#33 **\$79.99**

**KDC-58X**

5/8"-JT#3 **\$99.99**

**KDC-34X**

3/4"-JT#4 **\$129.99**

**COMPOUND SLIDE TABLE**



**KCT-618**

6" X 18 1/2" - 1/2" T- slots **\$249.99**

**52 PC. CLAMPING KITS**



**KCL-5212**

\$89.99

Fits 1/2" table slots

**KCL-52**

\$89.99

Fits 5/8" table slots

**20 PC. TITANIUM COATED END MILL SET**



**KM-120**

**\$199.99**

2 & 4 Flute (10 pcs. each)

Imperial, Single End

**HEAD TILTS 90° TO THE LEFT AND 30° TO THE RIGHT**



**21" GEARHEAD DRILLING MACHINE WITH SAFETY GUARD & LIMIT SWITCH**

**KC-40HS (220V)**

**KC-40HS-6 (600V)**

- 1.5 HP Motor
- Forward & Reversing Switch
- 1 1/4" Drilling Capacity
- 20 7/16" Swing
- Spindle Taper MT#3
- 6 Speeds (60-1500 RPM)
- Face Mill Capacity 4"
- End Mill capacity 3/4"

**FREE ANGLE VISE**



**\$4999.**

**HEAD TILTS 90° TO THE LEFT AND 30° TO THE RIGHT**




**21" GEARHEAD DRILLING/MILLING MACHINE WITH SAFETY GUARD & LIMIT SWITCH**

**KC-40HC (220V)**

**KC-40HC-6 (600V)**

- 1.5 HP Motor
- Forward & Reversing Switch
- 1 1/4" Drilling Capacity
- 20 7/16" Swing
- Spindle Taper R-8
- 6 Speeds (60-1500 RPM)
- Face Mill Capacity 4"
- End Mill capacity 3/4"
- Working surface of table 23"x 7 1/2"

**FREE ANGLE VISE**



**\$5999.**

**POWER DOWNFEED & TAPPING**

**RECIRCULATING COOLANT SYSTEM**

**28" GEARHEAD DRILLING MACHINE WITH SAFETY GUARD & LIMIT SWITCH**

**KC-50**

- 2 HP motor
- 27 1/2" swing
- 7" stroke
- Speeds (60-870 / 120-1740)
- 1 1/2" capacity

- Spindle taper MT#4
- 5/8" Chuck & key included




**\$6999.**

**RADIAL DRILLING MACHINE WITH SAFETY GUARD**

**KC-35/SS-35**

- 1.5 HP Motor
- 21 1/4" Max. distance spindle nose to table
- Speeds 5(340-3000 R.P.M.)
- 5 1/4" Spindle stroke
- MT #3 Spindle taper
- 38 1/2" swing
- 4 1/2" Column diameter
- 21 5/8" x 19 5/8" Table dimensions
- 14" Head travel
- 5/8" Size of T-Slot on table
- Forward reverse switch
- 1/2" chuck with key, safety guard and stand



**HEAD SWIVELS 180°**

**\$4999.**