

**AQFORM**

LIGHTING SOLUTIONS

# Icons and cat. n° legend







## direction of light output / kierunek świecenia oprawy



## protection class / klasa ochronności



## ingress protection rating (...) / klasa szczelności oprawy (...)



Catalogue numbers contain information on the most important technical parameters of the luminaire. Information marked in black refers to fixed (unchangeable) luminaire parameters. Information marked in green (-\_30-) refers to optional (changeable) luminaire parameters.

Format numeru katalogowego zawiera informacje o najważniejszych parametrach technicznych oprawy oświetleniowej. Informacje opisane czarnymi znakami dotyczą stałych (niezmiennych) parametrów oprawy. Informacje opisane zielonymi znakami (-\_30-) dotyczą opcjonalnych (zmiennych) parametrów oprawy.

## luminaire version

## optics

12345-M930-F1-PH-13

### power

low (-L\_ \_ \_ -)  
medium (-M\_ \_ \_ -)  
high (-H\_ \_ \_ -)  
adjustable (-A\_ \_ \_ -)  
n/a (-0\_ \_ \_ -)

### CRI

CRI>90 (-\_9\_ \_ -)

### CCT

2700K (-\_ \_ 27-)  
3000K (-\_ \_ 30-)  
4000K (-\_ \_ 40-)  
2700-6500K (-M962-) – DALI or AQsmart required  
2700K, 3000K (-M932-)  
2700K, 3000K, 4000K (-M942-)  
n/a (-\_ \_ 00-)

### beam angle | light distribution

1-25° – spot (-S\_ -)  
26-40° – flood (-F\_ -)  
>40° – wide (-W\_ -)  
zoom (-Z\_ -) | diffused (-D\_ -) | untypical (-Y\_ -)  
retrofit 230V (-U\_ -)

### optics finish | material

black (-\_B-) reflector (-\_1-) | lens (-\_3-) | cover (-\_9-)  
white (-\_W-) microprism (-\_5-) | n/a (-\_0-)

### dimming | control

non dim (-00-) ON/OFF switchDIM (-SW-)  
Phase-Control (-PH-) AQsmart (-DB-)  
DALI (-DA-) require driver (-CC-)  
touchDIM (-TD-)



### finish \*more finishes available






for some products

### About mix colours:

- 06 - this finish allows to mix all AQForm colours - including gold, grey, terracotta, taupe







# Light forms life

## No nonsense design

Światło we wnętrzu pełni wiele funkcji. Pomaga wyznaczyć kierunek po zmroku, tworzy nastrojową atmosferę lub wręcz przeciwnie – pobudza do pracy i pozytywnie wpływa na naszą wydajność. Dlatego od ponad 30 lat oświetlenie jest naszą pasją, którą zgłębiamy w Centrum Badawczo-Rozwojowym, zlokalizowanym w Czernichowie, nieopodal Krakowa. To tutaj zespół wyspecjalizowanych inżynierów projektuje, bada i tworzy oprawy, udowadniając, że są one czymś więcej, niż tylko nowoczesną formą. Przemysłane pod kątem funkcji, zaskakują, budzą emocje, ale przede wszystkim dodają wnętrzom wyjątkowego blasku. Zapraszamy Cię do świata nowoczesnych rozwiązań oświetleniowych!

Lighting within interiors serves various functions. It helps guide direction in the dark, creates a mood-setting atmosphere or, conversely, stimulates work and positively impacts our productivity. That is why, for over 30 years lighting has been our passion, explored at the Research and Development Center located in Czernichów, near Krakow. Here, a team of specialized engineers designs, researches and creates fixtures, proving that they are more than just modern forms. Thoughtfully designed for functionality, they surprise and above all, add a unique brilliance to interiors. Welcome to the world of modern lighting solutions!

# Our story

Czy wiesz, że korzenie naszej firmy sięgają 1992 roku, kiedy to specjalizowaliśmy się... w produkcji mebli? I choć od tamtej pory wiele się zmieniło, wciąż stawiamy na bezkompromisową jakość naszych produktów. Zanim przejdziesz do kolejnej części katalogu, pełnej inspiracji oraz nowoczesnych rozwiązań oświetleniowych, poznaj kilka ciekawostek o naszej marce!

Did you know that our company's roots date back to 1992, when we specialized... in furniture production? And although much has changed since then, we still prioritize the uncompromising quality of our products. Before you move on to the next section of the catalogue, full of inspiration and modern lighting solutions, let's discover a few interesting facts about our brand!



## RAFTER points

RAFTER to rodzina wyspecjalizowanych opraw o niezwykle szerokich możliwościach. W wersji points pełni funkcję skutecznego oświetlenia zadaniowego, gwarantującego najwyższy komfort wizualny.

RAFTER is a family of specialized fixtures with incredibly broad capabilities. In the points version, it serves as effective task lighting, ensuring the highest visual comfort.



## AQfelt OVAL BALL

Kolekcja AQfelt to funkcjonalne rozwiązanie, które zapewnia nie tylko właściwe oświetlenie, ale również odpowiedni komfort akustyczny we wnętrzu.



The AQfelt collection is a functional solution that provides not only proper lighting but also adequate acoustic comfort within interiors.


## IKI


IKI zachwyca przestrzenną formą w postaci charakterystycznych, ażurowych paneli podkreślających opływające je światło. Kolekcja powstała we współpracy z Andrzejem Kliszem, profesorem Akademii Sztuk Pięknych w Katowicach.

IKI captivates with its spatial form represented by distinctive, openwork panels that highlight the light flowing through them. The collection was created in collaboration with Andrzej Klisz, a professor at the Academy of Fine Arts in Katowice.



- Nasze oprawy oświetleniowe powstają w Centrum Badawczo-Rozwojowym liczącym blisko 3600m<sup>2</sup>.
- Zespół wyspecjalizowanych inżynierów opracowuje produkty od pomysłu do wdrożenia.
- Oprawy produkowane są w naszej fabryce w Czernichowie pod Krakowem.
- Our lighting fixtures are developed at the Research and Development Center spanning nearly 3600m<sup>2</sup>.
- A team of specialized engineers works on products from concept to implementation.
- The fixtures are manufactured in our factory located in Czernichów near Krakow.





- W naszej ofercie znajdziesz cały wachlarz opraw standardowych i niestandardowych, odpowiadających na większość potrzeb przestrzeni prywatnych i publicznych.

- Nasze produkty zostały nagrodzone w wielu konkursach, m.in. iF, Red Dot, German Design, must have i Dobry Wzór.

- Nie straszne nam wyzwania! Oferujemy możliwość modyfikacji standardowych produktów na potrzeby konkretnego projektu. Zespół naszych specjalistów pozostaje otwarty na współpracę.

- Our offer includes a full spectrum of standard and custom fixtures catering to various needs in private and public spaces.


- Our products have been awarded in numerous competitions, such as iF, Red Dot, German Design, must have and Good Design.

- Challenges do not deter us! We offer the option to modify standard products to suit specific project needs. Our team of specialists is open to collaboration.

Photo: I am Liz

Hotel-T, Wąregem

Modern Ball simple midi LED suspended | Pet midi LED track





NA ŻYCZENIE

# Created for you

Współpraca z projektantami to istotny element w procesie powstawania naszych produktów. Pozwala stworzyć oprawy, które nie tylko dobrze wyglądają, ale przede wszystkim są funkcjonalne. Dzięki temu mogą stać się stylową ozdobą wnętrza, zapewniając jednocześnie oświetlenie najwyższej jakości. To doskonały dowód na to, że technologia i design tworzą razem wyjątkowo zgrany duet!

Collaboration with designers is a crucial element in the creation process of our products. It allows us to develop fixtures that not only look great but, above all, are functional. Consequently, they are stylish interior decorations while providing top-quality lighting. It is a perfect demonstration that technology and design together create an exceptionally harmonious duo!

## Dechem Studio

Michaela Tomiskova  
i Jakub Jandourek



Piotr Jagiełłowicz



ZAPROJ  
Z MVSŁ

Andrzej Klisz



O TOBIE

# Let's play


W naszej ofercie znajdziesz szeroki wachlarz możliwości skrojonych na miarę potrzeb każdego rodzaju wnętrza. Nasze produkty łączą nowoczesne wzornictwo ze świetnymi parametrami technicznymi. Dzięki temu estetycznie wyglądają i są niezwykle funkcjonalne!

In our offer, you will find a wide range of options tailored to meet the needs of every type of interior. Our products blend modern design with excellent technical parameters. As a result, they look fantastic and are incredibly functional!


## Contents

<u>Recessed</u>	<u>p. 036</u>
<u>Surface</u>	<u>p. 098</u>
<u>Suspended</u>	<u>p. 170</u>
<u>Track&amp;Spot</u>	<u>p. 276</u>
<u>Wall</u>	<u>p. 336</u>
<u>Floor, Table, Portable</u>	<u>p. 386</u>
<u>IP rated</u>	<u>p. 400</u>
<u>Exterior</u>	<u>p. 428</u>
<u>Systems</u>	<u>p. 450</u>
<u>Index by name</u>	<u>p. 516</u>

# INSPIRE




# RACJA



Pet GU10 surface custom project

Private apartment, Krakow

Design: EFEM STUDIO | Photo: Filip Mienkna



# Residential

Oprawy naszej marki z powodzeniem odpowiadają na większość potrzeb przestrzeni prywatnych. Wydobywają z aranżacji to co najlepsze, budują nastrój, a przede wszystkim – pozwalają poczuć się jak w domu.

Our brand's fixtures successfully cater to the majority of private space needs. They extract the best from arrangements, create an atmosphere and, above all, make you feel right at home.






L A T E R I A	I T A L I A
B O L	2 , 8 0
B O L L E N	4 , 8 0
B O L L E N	5 , 8 0
B O L L E N	6 , 8 0
B O L L E N	7 , 5 0
A G R O O M	0 , 8 0

# Hospitality

Nasza oferta jest idealnie skrojona na miarę wnętrz działających w sektorze gastronomii i hotelarstwa. Znajdziesz w niej nowoczesne rozwiązania oświetleniowe, które odpowiadają na konkretne potrzeby. Wyspecjalizowane oprawy zachwycają lekkością minimalistycznej formy, zapewniając światło najwyższej jakości.

Our offer is perfectly tailored for spaces in the hospitality and hotel industry. You will find modern lighting solutions that cater to specific needs. Specialized fixtures captivate with the lightness of minimalist forms while providing high-quality illumination.






# Office

Oprawy zaprojektowane z myślą o pracy w biurach wyróżniają szczególne parametry. Pomagają w skupieniu oraz pozytywnie wpływają na nasze samopoczucie. Dzięki temu, odpowiednio dobrane, mogą nie tylko stanowić wyrazisty duet z pozostałymi elementami aranżacji, ale przede wszystkim dbać o wydajność i komfort pracowników.

Fixtures designed for office work boast specific parameters. They help with concentration and positively impact our well-being. Appropriately chosen, they not only create a distinct harmony with other design elements but also prioritize the efficiency and comfort of employees.





# Retail

Oprócz wysokiej jakości, nasze oprawy wyróżnia duża wszechstronność i elastyczność. Dzięki temu świetnie sprawdzą się w przestrzeniach ekspozycyjnych takich jak sklepy, salony czy butiki. Doskonałe parametry techniczne wydobędą z oświetlanych przedmiotów to, co najlepsze, a minimalistyczne wzornictwo opraw dopełni całości aranżacji.

Aside from high quality, our fixtures stand out for their versatility and flexibility. This makes them ideal for exhibition spaces such as shops, showrooms, or boutiques. Excellent technical parameters will bring out the best in illuminated items, while the fixtures' minimalist design will complement the overall arrangement.



# What about

W katalogu znajdziesz cały wachlarz wyspecjalizowanych rozwiązań zaprojektowanych z myślą o przestrzeniach prywatnych i komercyjnych. Wśród nich odświeżone modele z popularnych kolekcji oraz zupełnie nowe propozycje opraw o dekoracyjnym charakterze. Daj się zaskoczyć ich szeroką funkcjonalnością!

In the catalogue, you will discover a full range of specialized solutions designed for private and commercial spaces. Among them, refreshed models from popular collections and completely new propositions of decorative fixtures. Let yourself be surprised by their wide functionality!



# PRODUKT



# What is new

W nowej ofercie znajdziesz jeszcze więcej opraw dekoracyjnych o parametrach typowych dla oświetlenia architektonicznego. Nie zabraknie też nastrojowego oświetlenia, które doda wnętrzu wyjątkowego blasku oraz sprawdzonych rozwiązań w zaktualizowanej wersji.

In the new offer, you will find an expanded selection of decorative fixtures with specifications typical for architectural lighting. There will also be ambient lighting to add a unique glow to the interior and proven solutions in updated versions.

## Triba



[p. 106](#)  
[p. 204](#)  
[p. 294](#)  
[p. 344](#)

## Hollow



[p. 060](#)  
[p. 408](#)

## Qrled



[p. 044](#)  
[p. 200](#)  
[p. 290](#)

COMO WEGO

026 SAME NOWOŚCI

Okka

[p. 194](#)




Vyro

[p. 118](#)



Kliva

[p. 350](#)






Flared

[p. 184](#)




Pet micro

[p. 396](#)



# Delivery needed ASAP?



# No problem

Oprawy potrzebne na już? Żaden problem!  
Sięgnij do naszej oferty Quick Shipment,  
w której znajdziesz produkty dostępne  
niemalże od ręki! Dzięki zoptymalizowanym  
procesom, oprawy mogą być u Ciebie  
w ciągu zaledwie 2-5 dni roboczych!

Fixtures needed right away? No problem!  
Check out our Quick Shipment offer,  
where you will find products available  
almost immediately! Thanks to optimized  
processes, fixtures can be with you in just  
2-5 business days!





MAXI RING dot LED surface | MIDD RING dot LED surface | PET micro R switch LED wall


Hygge Hotel, Opole

# Let's play with colours!

Klasyczna biel czy czerni, a może intrygująca terakota lub taupe? Nasze oprawy zapraszają do zabawy z kolorami! Oprócz standardowej palety, na zamówienie jesteśmy w stanie wykonać je w dowolnym odcieniu z palety RAL lub NCS, a produkty składające się z kilku elementów możemy przygotować w miksach kolorystycznych.

Classic white & black, or perhaps intriguing terracotta or taupe? Our fixtures invite you to play with colours! In addition to the standard palette, upon request we are able to produce them in any shade from the RAL or NCS palette. Moreover, products that consists of multiple elements can be prepared in colour mixes.


STAN

ZABA 

DARBY



AWA  
KOLORIEM



**RECESSED****BIG SIZE**

[p. 072](#)

**HOLLOW**

[p. 060](#)

**LENS LINE**

[p. 092](#)

**MIXLINE**

[p. 090](#)

**PET E27**

[p. 054](#)

**PUTT**

[p. 048](#)

**QRLED next**

[p. 044](#)

**RAFTER**

[p. 086](#)

**RAFTER mini points move**

[p. 084](#)

**RAFTER mix**

[p. 086](#)

**RAFTER points**

[p. 082](#)

**RAFTER points SQ trim**

[p. 082](#)

**RING rim**

[p. 070](#)

**SET RAW mini**

[p. 094](#)

**SET TRU**

[p. 096](#)

**SIRCA**

[p. 068](#)

**SQUARES**

[p. 076](#)

**SWING**

[p. 066](#)

**SURFACE****BIG SIZE**

[p. 146](#)

**BLOS cast**

[p. 142](#)

**BLOS round**

[p. 142](#)

**LENS LINE**

[p. 164](#)

**MIXLINE**

[p. 158](#)

**MODERN BALL simple**

[p. 126](#)

**MODERN BALL**

[p. 130](#)

**PET E27**

[p. 114](#)

**PET GU10**

[p. 114](#)

**PET**

[p. 114](#)

**RAFTER**

[p. 150](#)

**RAFTER mix**

[p. 152](#)

**RAFTER points**

[p. 150](#)

**RING dot**

[p. 136](#)

**RING rim**

[p. 138](#)

**SET TRU**

[p. 168](#)

**SQUARES**

[p. 120](#)

**TRIBA**

[p. 106](#)

# Index

VYRO round



[p. 118](#)

VYRO square



[p. 118](#)

**SUSPENDED**

AQfelt ovall ball



[p. 230](#)

AQfelt ovall



[p. 230](#)

AQfelt stave



[p. 230](#)

AQfelt wave



[p. 230](#)

BIG SIZE



[p. 274](#)

BLOS round



[p. 244](#)

CONA



[p. 178](#)

equilibra BALANS



[p. 246](#)

FLARED



[p. 184](#)

FLYING BALL



[p. 216](#)

IKI



[p. 188](#)

LENS LINE



[p. 256](#)

MIXLINE



[p. 260](#)

MODERN BALL



[p. 220](#)

MODERN BALL simple



[p. 224](#)

MODERN GLASS mini



[p. 208](#)

MODERN GLASS



[p. 212](#)

OKKA



[p. 194](#)

OPTIMA



[p. 268](#)

PET E27




[p. 238](#)

PET



[p. 236](#)

PIPER



[p. 198](#)

QRLED next



[p. 200](#)

RAFTER



[p. 264](#)

RAFTER points



[p. 264](#)

RING dot



[p. 242](#)

SET RAW mini



[p. 252](#)

SET TRU



[p. 270](#)

SNOP



[p. 182](#)

THIN TUBE



[p. 250](#)

TRIBA



[p. 204](#)

ZEFYR



[p. 196](#)

**TRACK&SPOT****FLATTRACK**

[p. 284](#)

**HIGH MULTITRACK**

[p. 284](#)

**MICROTRACK**

[p. 286](#)

**MULTITRACK**

[p. 284](#)

**TRACK 3F & DALI**

[p. 286](#)

**BLOS round**

[p. 330](#)

**HYPER**

[p. 314](#)

**MODERN BALL**

[p. 334](#)

**PET mini**

[p. 302](#)

**PET**

[p. 310](#)

**QRLED next**

[p. 290](#)

**RAFTER mini**

[p. 320](#)

**RAFTER**

[p. 324](#)

**RAFTER mini move**

[p. 320](#)

**RAFTER mini points**

[p. 320](#)

**RAFTER mini points move**

[p. 320](#)

**RAFTER points**

[p. 324](#)

**SET TRU**

[p. 328](#)

**SET TRU mini**

[p. 328](#)

**TRIBA**

[p. 294](#)

**TUBE**

[p. 296](#)

**WALL****CAMBER**

[p. 362](#)

**GRAPH**

[p. 360](#)

**IKI**

[p. 352](#)

**KLIVA**

[p. 350](#)

**MAXI POINT**

[p. 364](#)

**MODERN GLASS**

[p. 354](#)

**PET micro**

[p. 370](#)

**PET**

[p. 358](#)

**POCKET**

[p. 372](#)

**RAFTER**

[p. 380](#)

**SET RAW mini move**

[p. 376](#)

**SET TRU**

[p. 382](#)

**SMART PANEL**

[p. 346](#)

**THIN TUBE**

[p. 378](#)

**TRIBA**

[p. 344](#)

**FLOOR, TABLE, PORTABLE  
MODERN BALL**



[p. 394](#)

**MROOM**



[p. 392](#)

**PET micro**



[p. 396](#)

**THIN TUBE**



[p. 398](#)

**HERMETIC  
BLOS round**



[p. 414](#)

**HOLLOW**



[p. 408](#)

**MODERN BALL**



[p. 412](#)

**MODERN GLASS**



[p. 416](#)

**PUTT**



[p. 410](#)

**SET RAW mini**



[p. 424](#)

**SET TRU**



[p. 426](#)

**THIN TUBE**



[p. 420](#)

**EXTERIOR**

**DART spot**



[p. 448](#)

**DART upright**



[p. 448](#)

**LEDPOINT round**



[p. 436](#)

**LEDPOINT square**



[p. 436](#)

**MAXI POINT**



[p. 440](#)

**ONLY**



[p. 432](#)

**PET**



[p. 434](#)

**SLUP**



[p. 444](#)

**VIP round**



[p. 438](#)

**VIP square**



[p. 438](#)

**SYSTEMS**

**ALULINE**



[p. 478](#)

**LEDLINE soft**



[p. 480](#)

**MIXLINE**



[p. 488](#)

**PET rift**



[p. 474](#)

**PIPER**



[p. 468](#)

**RAFTER mix**



[p. 500](#)

**SPIDER**



[p. 462](#)

**TRU**



[p. 492](#)




Recessed

WPU SZCZANIE

Recessed

BIG SIZE next round



[p. 072](#)

HOLLOW



[p. 060](#)

**new**

HOLLOW GU10



[p. 062](#)

**new**


HOLLOW move



[p. 062](#)


**new**

LENS LINE




[p. 092](#)

LENS LINE 180x89 LC



[p. 092](#)

LENS LINE 180x89 RC



[p. 092](#)

LENS LINE section




[p. 092](#)

MIXLINE



[p. 090](#)

MIXLINE INV



[p. 090](#)

PET E27



[p. 054](#)

**new**

PUTT GU10



[p. 052](#)

**new**

PUTT



[p. 048](#)

PUTT move



[p. 052](#)

**new**

PUTT trimless



[p. 050](#)

QRLED next trim



[p. 044](#)

**new**

QRLED next trimless



[p. 044](#)

**new**


RAFTER mini points move



[p. 084](#)


**new**

RAFTER mix



[p. 086](#)

RAFTER points



[p. 082](#)


RAFTER points SQ trim



[p. 082](#)


**new**

RAFTER points section




[p. 082](#)

RAFTER points trim




[p. 082](#)

RAFTER wall washer



[p. 084](#)


RAFTER



[p. 086](#)

# Index


RING rim



**new**


[p. 070](#)

SET RAW mini




[p. 094](#)

SET TRU



[p. 096](#)

SET TRU trim



[p. 096](#)

SIRCA



[p. 068](#)

SQUARES next 50



[p. 076](#)

SQUARES next 50 trimless



[p. 076](#)

SWING next GU10



[p. 066](#)

**new**

SWING next



[p. 066](#)

Design: Kamila Jędrzejewska Architekt.

Private house, Wola Galkowska k. Warszawy

SQUARES next 50x2 LED recessed





SQUARES 11x1 ORLED recessed  
RAFTER points LED recessed

*Cezar Przedsiębiorstwo Produkcyjne Dariusz Bogdan Niewiński, Elk*

Design: Bm2 Maciej Brzostek  
Lighting design: LUME Salon Oświetlenia



NEW PRODUCT


# Qrled

**Power and efficiency  
encapsulated in design form**

QRLED is a collection that combines energy efficiency, comfort and stunning aesthetics. With enhanced technical parameters, it provides even greater efficiency and glare control. Its modern design and wide variety of models and finishes make QRLED perfect for both private and public spaces.

QRLED next trim recessed | SNOP 40 QRLED suspended | SNOP 40 E27 suspended





THIN TUBE LED upright | FLARED cast G LED suspended | QLED next trim recessed




NEW PRODUCT

# QRLED next

RECESSED  
suspended R.290  
spot R.290  
Track R.290


## QRLED next trim - | move



new

CAT. N°


38061-M930-W3-00-12



new

CAT. N°


38063-M930-W3-00-12



new

CAT. N°

38062-M930-W3-00-12



new

CAT. N°

38064-M930-W3-00-12

<b>POWER:</b>	6W (L)   8.5W (M)
<b>FLUX:</b>	790lm - 1090lm
<b>OPTICS:</b>	52° (W_)
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)
<b>CC DRIVER:</b>	H
<b>CONTROL:</b>	ON/OFF (00)   Phase-Control (PH)   DALI (DA)   require driver (CC)*

### LUMINAIRE FINISHES

- WHITE -13 ○
- BLACK -12 ●
- GREY -84 ●
- TERRACOTTA -83 ●
- TAUPE -82 ●
- GOLD -19 ●
- MIX -06 ●



\*Protection class, input voltage and IP rating for CC luminaires vary from above table.

Data for standard LED product is shown for LED light source 3000K. Other variants are available on our website.

Effective, stylish and discreet

NOWY PO



7 LOW

# Putt


The PUTT family includes various sizes, power versions and lighting beam angles. Additionally, there are two installation versions: with and without a frame. A wide shielding angle ensures low glare and high visual comfort. Additional accessories are available for PUTT luminaires: honeycomb (additional protection against glare).

The move version allows you to tilt the reflector and use it as accent lighting. Hermetic models with increased ingress protection rate are perfect for bathrooms.

The PUTT family is complemented by a fixture for a traditional light source with a GU10 base.

SPOTNO SC

PUTT midi LED recessed | TRIBA mini LED wall








# Putt

RECESSED  
hermetic, Ø 410

## PUTT LED mini | midi | maxi



	CAT. N°	CAT. N°	CAT. N°
	38013-M930-WW-00-12	38015-M930-FW-00-12	38017-M930-FW-00-12
<b>POWER:</b>	4.5W (M)	8.5W (M)	11.5W (L)   17W (M)
<b>FLUX:</b>	540lm	1140lm	1610lm - 2260lm
<b>OPTICS:</b>	20° (S_)   41° (W_)	18° (S_)   35° (F_)   50° (W_)	19° (S_)   32° (F_)   53° (W_)
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)		
<b>CC DRIVER:</b>	E	J	N
<b>CONTROL:</b>	ON/OFF (00)   require driver (CC)*		



### ACCESSORY

honeycomb



#### RING FINISHES

- WHITE -\_W\_ ○
- BLACK -\_B\_ ●
- GREY -\_A\_ ●
- TERRACOTTA -\_R\_ ●
- TAUPE -\_T\_ ●
- GOLD -\_G\_ ●

#### LUMINAIRE FINISHES

- WHITE -13 ○
- BLACK -12 ●
- GREY -84 ●
- TERRACOTTA -83 ●
- TAUPE -82 ●
- GOLD -19 ●

\*Protection class, input voltage and IP rating for CC luminaires vary from above table.

Data for standard LED product is shown for LED light source 3000K. Other variants are available on our website.






PUTT mid LED trimless recessed | MODERN BALL LED table



# Putt trimless

RECESSED  
hermetic, D.L.410

## PUTT LED trimless mini | midi | maxi



	CAT. N°	CAT. N°	CAT. N°
	38014-M930-WW-00-12	38016-M930-FW-00-12	38018-M930-FW-00-12
<b>POWER:</b>	4.5W (M)	8.5W (M)	11.5W (L)   17W (M)
<b>FLUX:</b>	540lm	1140lm	1610lm - 2260lm
<b>OPTICS:</b>	20° (S_)   41° (W_)	18° (S_)   35° (F_)   50° (W_)	19° (S_)   32° (F_)   53° (W_)
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)		
<b>CC DRIVER:</b>	E	J	N
<b>CONTROL:</b>	ON/OFF (00)   require driver (CC)*		



### ACCESSORY

honeycomb



### RING FINISHES


- WHITE -\_W- ○
- BLACK -\_B- ●
- GREY -\_A- ●
- TERRACOTTA -\_R- ●
- TAUPE -\_T- ●
- GOLD -\_G- ●

### LUMINAIRE FINISHES

- WHITE -13 ○
- BLACK -12 ●
- GREY -84 ●
- TERRACOTTA -83 ●
- TAUPE -82 ●
- GOLD -19 ●

\*Protection class, input voltage and IP rating for CC luminaires vary from above table.

Data for standard LED product is shown for LED light source 3000K. Other variants are available on our website.





PET E27 recessed | PET E27 suspended | IKI round E27 suspended | PET LED track

## A simple way to create a decorative effect in the interior

PET E27 in the recessed version is a discreet fixture that allows you to create space on the ceiling for decorative light sources with an E27 thread. This is a simple way to create a unique effect in your interior.




NEW PRODUCT



# Pet E27

RECESSED  
surface p.114  
suspended p.238

## PET E27



new

CAT. N°

38050-0000-U8-PH-13

**POWER:** max: 50W

**CONTROL:** Phase-Control (PH)




light source not included



### LUMINAIRE FINISHES

- WHITE -13 ○
- BLACK -12 ●
- GREY -84 ●
- TERRACOTTA -83 ●
- TAUPE -82 ●
- GOLD -19 ●

Lots of possibilities in  
a small, simple form



OŚWIE


UDANE


# Hollow

This is the new edition of the HOLLOW luminaire family! The changed design and optics provide even greater visual comfort. Tilting versions will highlight important places in the room, and models with a lens require only 6cm of space for installation. Hermetic variants are perfect for bathrooms, and the GU10 model fits well in places where traditional light sources are needed.

ETLENIE











# Hollow

RECESSED  
hermetic, P. 408


## HOLLOW LED micro | 6 | 8 lens | 8




ø41



ø63



ø78



ø78

new

new

new

	CAT. N°	CAT. N°	CAT. N°	CAT. N°
	37986-M930-FW-00-13	38058-M930-WW-00-13	38055-M930-FW-00-13	38051-M930-WW-00-13
<b>POWER:</b>	2.5W (M)	6W (M)	6W (M)	8.5W (M)
<b>FLUX:</b>	220lm	790lm	790lm	1090lm
<b>OPTICS:</b>	30° (F_)	49° (W_)	34° (F_)	41° (W_)
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)			
<b>CC DRIVER:</b>	A	G		H
<b>CONTROL:</b>	ON/OFF (00)   require driver (CC)*		ON/OFF (00)   Phase-Control (PH)   DALI (DA)   require driver (CC)*	


### LUMINAIRE FINISHES

- WHITE -13 ○
- BLACK -12 ●



\*Protection class, input voltage and IP rating for CC luminaires vary from above table.

Data for standard LED product is shown for LED light source 3000K. Other variants are available on our website.






NEW PRODUCT

# Hollow move & GU10


RECESSED  
hermetic, D, 408

## HOLLOW move LED 6 | 8 lens | 8


## HOLLOW GU10



new



new



new



new

	CAT. N°	CAT. N°	CAT. N°	CAT. N°
	38060-M930-WW-00-12	38057-M930-FW-00-12	38053-M930-WW-00-12	38054-0000-U8-PH-12
<b>POWER:</b>	6W (M)	6W (M)	8.5W (M)	max: 50W
<b>FLUX:</b>	790lm	790lm	1090lm	
<b>OPTICS:</b>	49° (W_)	34° (F_)	41° (W_)	CONTROL: Phase-Control (PH)
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)			
<b>CC DRIVER:</b>	G		H	
<b>CONTROL:</b>	ON/OFF (00)   Phase-Control (PH)   DALI (DA)   require driver (CC)*			

light source not included



### LUMINAIRE FINISHES

- WHITE -13 ○
- BLACK -12 ●

\*Protection class, input voltage and IP rating for CC luminaires vary from above table.

Data for standard LED product is shown for LED light source 3000K. Other variants are available on our website.



## **A great way to illuminate a space without glare**

High visual comfort is the biggest advantage of this model. The light source hidden deep in the fixture allows you to significantly reduce glare, even in the GU10 version. Excellent light parameters, high luminous flux and the ability to tilt and rotate the reflector are other advantages of the SWING next luminaire. We also offer a version with a trim and an easy-to-install trimless model.

# Swing



SWING next LED recessed | MAXI RING dot LED surface

Hygge Hotel, Opole

SWING next LED recessed






# Swing next

RECESSED

## SWING next LED - | trimless



CAT. N°

CAT. N°


38035-M930-FW-00-12

38036-M930-FW-00-12

<b>POWER:</b>	12.5W (M)
<b>FLUX:</b>	1550lm
<b>OPTICS:</b>	33° (F_)   54° (W_)
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)
<b>CC DRIVER:</b>	K
<b>CONTROL:</b>	ON/OFF (00)   Phase-Control (PH)   DALI (DA)   require driver (CC)*



## SWING next GU10 - | trimless



new

new

CAT. N°

CAT. N°

38070-0000-U8-PH-12

38069-0000-U8-PH-12

<b>POWER:</b>	max: 50W
<b>CONTROL:</b>	Phase-Control (PH)



light source not included

### ACCESSORY

81244 - Trimless hole saw 75x115x3



### LUMINAIRE FINISHES

- WHITE -13 ○
- BLACK -12 ●
- GREY -84 ●
- TERRACOTTA -83 ●
- TAUPE -82 ●
- GOLD -19 ●

\*Protection class, input voltage and IP rating for CC luminaires vary from above table.

Data for standard LED product is shown for LED light source 3000K. Other variants are available on our website.

RAFTER mix system LED suspended | Sirca 14 LED recessed

## Efficient lighting for public interiors

SIRCA are economical and easy-to-install directional luminaires for general lighting. High luminous flux values and beam angles above 50° enable illumination of a large area from one point. High-quality optics ensure visual comfort and protect the eyes against glare.






# Sirca


RECESSED

## SIRCA LED


10 | 14 | 16



Ø105



Ø136



Ø163

	CAT. N°	CAT. N°	CAT. N°
	37988-M930-WW-00-12	37989-M930-WW-00-12	38034-M930-WW-00-12
<b>POWER:</b>	8.5W (M)	12.5W (M)	18.5W (M)
<b>FLUX:</b>	1140lm	1550lm	2120lm
<b>OPTICS:</b>	59° (W_)	53° (W_)	62° (W_)
<b>CCT:</b>	3000K (30)   4000K (40)		
<b>CC DRIVER:</b>	J	K	L
<b>CONTROL:</b>	ON/OFF (00)   Phase-Control (PH)   DALI (DA)   require driver (CC)*		



### OPTICS FINISHES

WHITE -\_W- ○  
BLACK -\_B- ●

### LUMINAIRE FINISHES

WHITE -13 ○  
BLACK -12 ●

\*Protection class, input voltage and IP rating for CC luminaires vary from above table.

Data for standard LED product is shown for LED light source 3000K. Other variants are available on our website.

MIDI RING rim LED recessed | THIN TUBE central LED suspended  
MIDI RING rim LED surface

## A combination of simple form and high-quality light

The RING family of luminaires will provides uniform general lighting for all kinds of interiors . Various sizes and powers will allow you to easily fit the model to any room. The exceptionally flat design does not require much space in the suspended ceiling.




NEW  
PRODUCT


# Ring rim

RECESSED  
surface D.138

## RING rim LED mini | midi



new



new

	CAT. N°	CAT. N°
	38031-M930-D9-00-12	38030-M930-D9-00-12
<b>POWER:</b>	12.5W (M)	17W (M)
<b>FLUX:</b>	1380lm	2200lm
<b>CCT:</b>	3000K (30)   4000K (40)	
<b>CC DRIVER:</b>	R	S
<b>CONTROL:</b>	ON/OFF (00)   switchDIM (SW)   DALI (DA)   require driver (CC)*	



\*Protection class, input voltage and IP rating for CC luminaires vary from above table.

Data for standard LED product is shown for LED light source 3000K. Other variants are available on our website.

### LUMINAIRE FINISHES

- WHITE -13 ○
- BLACK -12 ●
- GREY -84 ●
- TERRACOTTA -83 ●
- TAUPE -82 ●
- GOLD -19 ●


BIG SIZE next round LED recessed  
HYPER maxi zoom LED track



## Excellent general lighting, perfectly matched to the interior

BIG SIZE is a luminaire that will work perfectly as general lighting in any interior. It comes in three sizes and different control methods. Even the ON/OFF version allows you to set the amount of light it emits and adapt it to any interior and user needs. BIG SIZE in the PRO version with a microprismatic diffuser is a particularly good solution for as well as private interiors.


There is also a model available with the ability to adjust the light colour temperature in the range from 2700K to 6500K.



# Big Size next round

RECESSED  
surface d. 148  
suspended d. 274

## BIG SIZE next LED opal | PRO



DIAMETER	CAT. N°
515mm	37950-A930-D9-00-12
675mm	30152-A930-D9-00-12
975mm	30153-A930-D9-00-12
1235mm	30154-A930-D9-00-12
<b>POWER:</b>	12.5W – 130W (A)
<b>FLUX:</b>	1750lm – 19620lm
<b>OPTICS:</b>	opal (D9)   microprism (D5)
<b>CCT:</b>	3000K (30)   4000K (40)
<b>CONTROL:</b>	ON/OFF (00)   DALI (DA)   AQsmart (DB)   switchDIM (SW)




\*only for microprism (D5)

the opal version (D9) has a Tunable-White option available

### COVERS COMPARISON

regular (opal)

PRO (microprism)



### LUMINAIRE FINISHES

- WHITE -13 ○
- BLACK -12 ●




# Squares

**Efficient lighting  
in a simple form**

SQUARES next is a minimalistic luminaire that will discreetly provide general lighting or highlight selected interior elements. Single, double, framed and frameless versions, as well as two beam angles to choose from will allow you to match the fixture to any interior.











# Squares next 50

RECESSED  
surface D.120

## SQUARES next 50 LED

x1 | x2 | x1 trimless | x2 trimless




	CAT. N°	CAT. N°	CAT. N°	CAT. N°
	37979-M930-FB-00-12	37980-M930-FB-00-12	37990-M930-FB-00-12	37991-M930-FB-00-12
<b>POWER:</b>	6W (M)	11.5W (M)	6W (M)	11.5W (M)
<b>FLUX:</b>	790lm	1580lm	790lm	1580lm
<b>OPTICS:</b>	36° (F_)   59° (W_)			
<b>CCT:</b>	2700K (27)   3000K (30)			
<b>CC DRIVER:</b>	G			
<b>CONTROL:</b>	ON/OFF (00)   Phase-Control (PH)   DALI (DA)   require driver (CC)*			



### OPTICS+LUMINAIRE FINISHES

black-white - \_W-\_-12    white-black - \_B-\_-13



In the standard version, the whole luminaire is in one colour.  
On request, you can choose black-white or white-black mix.



### OPTICS FINISHES      LUMINAIRE FINISHES

WHITE -\_W- ○  
BLACK -\_B- ●

WHITE -13 ○  
BLACK -12 ●

\*Protection class, input voltage and IP rating for CC luminaires vary from above table.

Data for standard LED product is shown for LED light source 3000K. Other variants are available on our website.

A discreet way to achieve  
effective lighting

NOWOC




ZESNY WYGLAD

# Rafter

RAFTER family offer many interior lighting possibilities. Precise optics and deeply embedded diodes of RAFTER points models ensure effective lighting and low glare. Opal covers, various lengths and power versions of RAFTER luminaires offer good general lighting. RAFTER wall washer fixtures are used to illuminate walls evenly from ceiling to floor. On the other hand, RAFTER mix combines various lighting methods – point modules and reflectors or an opal cover.




RAFTER points LED trim recessed



Private apartment, Zielona Góra


Design: Paulina Gohaska Studio, Projektowe  
Photo: Krzysztof Straziński



# Rafter points

RECESSED  
 surface d. 150  
 suspended d. 264  
 spot d. 324  
 track d. 324  
 wall d. 380  
 system d. 500

## RAFTER points LED trim | SQ trim | - | section



new

CC	LENGTH	CAT. N°	CC	LENGTH	CAT. N°	LENGTH	CAT. N°	LENGTH	CAT. N°	
B	45mm	37970-M930-WB-00-12	Y	75x75mm	38065-M930-FB-00-12	270mm	30270-L930-WB-00-12	540mm	30265-M930-WB-00-12	
C	75mm	37972-M930-WB-00-12	Z	105x105mm	38066-M930-FB-00-12	540mm	30271-M930-WB-00-12	940mm	30266-M930-WB-00-12	
T	147mm	37973-M930-WB-00-12						1330mm	30267-M930-WB-00-12	
U	280mm	37974-M930-WB-00-12						1730mm	30268-M930-WB-00-12	
V	412mm	37975-M930-WB-00-12						2130mm	30269-M930-WB-00-12	
<b>POWER:</b>	1W - 11W (L)   2.5W - 22W (M)		2W - 5.5W (L)   3.5W - 12W (M)		7.5W - 14.5W (L)   29.5W (M)		7.5W - 22W (L)   14.5W - 44W (M)			
<b>FLUX:</b>	120lm - 2360lm		310lm - 1310lm		880lm - 3150lm		880lm - 4730lm			
<b>OPTICS:</b>	37° (F_)   50° (W_)		32° (F_)		37° (F_)   50° (W_)					
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)									
<b>CONTROL:</b>	ON/OFF (00)   Phase-Control (PH)   DALI (DA)*   require diver (CC)*					ON/OFF (00)   DALI (DA)   Aqsmart (DB)   switchDIM (SW)				


\*for trim from length 147mm

Information about dimensions of optics placement within the luminaire are on [page 514](#).

### OPTICS DETAIL

black -\_B-

white -\_W-



### OPTICS FINISHES

WHITE -\_W- ○  
 BLACK -\_B- ●

### LUMINAIRE FINISHES

WHITE -13 ○  
 BLACK -12 ●

\*Protection class, input voltage and IP rating for CC luminaires vary from above table.

Data for standard LED product is shown for LED light source 3000K. Other variants are available on our website.



RAFTER wall washer LED trim recessed





# Rafter wall washer & mini points

## RAFTER wall washer LED

## RAFTER mini points move LED

RECESSED  
surface p.150  
suspended p.264  
spot p.320  
track p.320  
wall p.380  
system p.500



new

CC	LENGTH	CAT. N°	CC	LENGTH	CAT. N°
O	147mm	37976-L930-R1-00-12	AA	142mm	38065-M930-FB-00-12
P	279mm	37977-L930-R1-00-12	AB	255mm	38066-M930-FB-00-12
Q	412mm	37978-L930-R1-00-12			

<b>POWER:</b>	5W - 15W (L)	8.5W - 17W (M)
<b>FLUX:</b>	580lm - 1750lm	770lm - 1550lm
<b>OPTICS:</b>	wall washer (R1)	37° (F_)
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)	
<b>CONTROL:</b>	Phase-Control (PH)   DALI (DA)   require dimer (CC)*	ON/OFF (00)   DALI (DA)   require dimer (CC)*



### OPTICS FINISHES

only for RAFTER mini points

WHITE -\_W- ○  
BLACK -\_B- ●

### LUMINAIRE FINISHES

WHITE -13 ○  
BLACK -12 ●


\*Protection class, input voltage and IP rating for CC luminaires vary from above table.

Data for standard LED product is shown for LED light source 3000K. Other variants are available on our website.

Design: vierzeins design | Photo: Studio Kerschbaum  
Lighting design: Joanna Raszewska-Sztore Light Project4U

*Private apartment, Vienna*

SQUARES 111x1 QRLED recessed | RAFTER system LED recessed






# Rafter

RECESSED  
 surface p.150  
 suspended p.284  
 spot p.320  
 track p.320  
 wall p.380  
 system p.500

## RAFTER LED

- | mix | mix



LENGTH	CAT. N°	LENGTH	CAT. N°	LENGTH	CAT. N°
570mm	30275-M930-D9-00-11	565mm	37953-M930-WB-00-12	1364mm	37956-M930-WB-00-12
860mm	30276-M930-D9-00-11	936mm	37954-M930-WB-00-12		
1140mm	30277-M930-D9-00-11	1335mm	37955-M930-WB-00-12		
1420mm	30278-M930-D9-00-11				
1700mm	30279-M930-D9-00-11				
1980mm	30280-M930-D9-00-11				
<b>POWER:</b>	8.5W - 30W (L)   17W - 60W (M)   25W - 87W (H)		12W - 27.5W (M)		28.5W (M)
<b>FLUX:</b>	1160lm - 10860lm		1530lm - 3400lm		2940lm
<b>OPTICS:</b>	opal diffuser (D9)		37° (F_)   50° (W_)		
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)				
<b>CONTROL:</b>	ON/OFF (00)   DALI (DA)*   AQsmart (DB)*   switchDIM (SW)*				

\*for mix from length 936mm

The optics angle applies to points modules

### OPTICS DETAIL

opal diffuser      PET modules      points modules



**OPTICS FINISHES**  
 for points modules

WHITE -\_W- ○  
 BLACK -\_B- ●

**LUMINAIRE FINISHES**


ALUMINIUM -11 ●\*  
 WHITE -13 ○  
 BLACK -12 ●

\*only for RAFTER opal diffuser




## Two ways for a well-lit interior in one simple form

The MIXLINE fixture combines two lighting methods. The milky cover guarantees diffused general lighting. However, sets of small lenses offer more precise light with two beam angles to choose from. They also provide an interesting visual effect, sharpening the boundary between light and shadow.



# Mixline









# Mixline

RECESSED  
 surface D.158  
 suspended D.260  
 system D.489

## MIXLINE LED

- | INV




LENGTH	CAT. N°	LENGTH	CAT. N°
1600mm	30225-M930-W3-00-12	1670mm	30228-M930-W3-00-12
1880mm	30226-M930-W3-00-12	1920mm	30229-M930-W3-00-12
2160mm	30227-M930-W3-00-12		
<b>POWER:</b>	16W – 33W (M)		21W – 24.5W (M)
<b>FLUX:</b>	2060lm – 4390lm		2770lm – 3220lm
<b>OPTICS:</b>	26° (F_)   54° (W_)		
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)		
<b>CONTROL:</b>	ON/OFF (00)   DALI (DA)   Aqsmart (DB)   switchDIM (SW)		

Information about dimensions of optics placement within the luminaire are on [page 514](#).



### LUMINAIRE FINISHES

- WHITE -13 ○
- BLACK -12 ●



## Functional light full of character


A simple, linear form and lens sets are the hallmark of the LENS LINE family. The version with a 54° beam angle is perfect for general lighting. The unique optics means that LENS LINE will also illuminate the walls, attract attention and give the interior character. A model with a narrower beam angle will provide more focused task lighting, e.g. above the countertop surface. Regardless of the version, LENS LINE will be a great addition to the room's decor.

# Lens Line

RECESSED  
surface p.164  
suspended p.256

## LENS LINE LED

- | section | 180x89 LC | 180x89 RC



CAT. N°	LENGTH	CAT. N°	CAT. N°	CAT. N°
30173-L930-W3-00-12	960mm	30175-L930-W3-00-12	LC	38037-L930-W3-00-12
	1490mm	30177-L930-W3-00-12		RC
	2020mm	30179-L930-W3-00-12		30230-L930-W3-00-12
<b>POWER:</b>	3,5W (L)   7,5W (M)	7W - 14.5W (L)   14.5W - 29.5W (M)		14.5W (L)   29.5W (M)
<b>FLUX:</b>	450lm - 840lm	900lm - 3370lm		1800lm - 3370lm
<b>OPTICS:</b>	26° (F_)   54° (W_)			
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)			
<b>CONTROL:</b>	ON/OFF (00)		ON/OFF (00)   DALI (DA)   Aqsmart (DB)   switchDIM (SW)	

Information about dimensions of optics placement within the luminaire are on [page 514](#).



### LUMINAIRE FINISHES

- WHITE -13 ○
- BLACK -12 ●




## A way to create soft linear lighting


SET RAW mini is a luminaire for illuminating large spaces, entrance and communication areas at home, in the office or even in a hotel. Diffuse light is the perfect layer of general lighting. Many lengths to choose from and two power versions will allow you to choose a fixture for any project.

# Set Raw mini

RECESSED  
suspended p.252  
wall p.376  
hermetic p.424



## SET RAW mini LED



LENGTH	CAT. N°
581mm	30383-M930-D9-00-12
871mm	30385-M930-D9-00-12
1151mm	30387-M930-D9-00-12
1431mm	30389-M930-D9-00-12
1711mm	30391-M930-D9-00-12
1991mm	30393-M930-D9-00-12
<b>POWER:</b>	8.5 - 30W (L)   17W - 60W (M)
<b>FLUX:</b>	1160lm - 8140lm
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)
<b>CONTROL:</b>	ON/OFF (00)   DALI (DA)   Aqsmart (DB)   switchDIM (SW)










### LUMINAIRE FINISHES

- WHITE -13 ○
- BLACK -12 ●



## The highest quality of light without compromise


TRU is a proposition for interiors where the highest quality of light and visual comfort are important. It will serve perfectly as a general lighting layer in offices and other large spaces. The PRO version with a microprismatic cover will ensure visual comfort and high light efficiency. From a length of 114cm, the Tunable-White variant is available, allowing to adjust the colour temperature in the range from 2700K to 6500K.

# Tru


RECESSED  
 surface p.168  
 suspended p.270  
 track p.328  
 wall p.382  
 hermetic p.426  
 system p.492



## SET TRU LED opal | PRO



## SET TRU LED trim opal | PRO



LENGTH	CAT. N°	LENGTH	CAT. N°
290mm	37840-M930-D9-00-13	582mm	38019-M930-D9-00-12
570mm	37842-M930-D9-00-13	872mm	38020-M930-D9-00-12
860mm	37846-M930-D9-00-13	1152mm	38021-M930-D9-00-12
1140mm	37848-M930-D9-00-13	1432mm	38022-M930-D9-00-12
1420mm	37850-M930-D9-00-13	1712mm	38023-M930-D9-00-12
1700mm	37852-M930-D9-00-13		
1980mm	37854-M930-D9-00-13		
<b>POWER:</b>	4.5 – 30W (L)   8.5W – 60W (M)	8.5 – 26W (L)   17W – 51.5W (M)	
<b>FLUX:</b>	580lm – 8140lm	1160lm – 6980lm	
<b>OPTICS:</b>	opal (D9)   microprism (D5)		
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)		
<b>CONTROL:</b>	ON/OFF (00)   DALI (DA) <sup>1</sup>   Aqsmart (DB) <sup>1</sup>   switchDIM (SW) <sup>1</sup>		



<sup>1</sup>from length 570mm | <sup>2</sup>for microprism (D5)

the opal version (D9) has a Tunable-White option available from length 1140mm

### COVERS COMPARISON

regular (opal)

PRO (microprism)



### LUMINAIRE FINISHES

WHITE -13 ○  
 BLACK -12 ●\*

\*only for SET TRU trim


An abstract geometric pattern composed of overlapping squares and rounded shapes in shades of pink and cream. The pattern is centered on a cream background, with pink shapes extending to the edges of the frame. The shapes are arranged in a way that creates a sense of depth and movement, with some shapes appearing to overlap others.

Surface

Surface


NATYNN KOWE

BIG SIZE next round



[p. 146](#)


BLOS cast



[p. 142](#)

**new**

BLOS round



[p. 142](#)

LENS LINE 180x89 LC



[p. 164](#)

LENS LINE 180x89 RC



[p. 164](#)

LENS LINE section



[p. 164](#)

LENS LINE



[p. 164](#)

MIXLINE 120x89 RT



[p. 158](#)

MIXLINE INV



[p. 158](#)

MIXLINE



[p. 158](#)

MODERN BALL simple G/K



[p. 126](#)

MODERN BALL simple



[p. 126](#)

MODERN BALL x1



[p. 130](#)

MODERN BALL x2



[p. 130](#)

MODERN BALL x3



[p. 130](#)

MODERN BALL asymmetry



[p. 130](#)

PET E27



[p. 114](#)

**new**

PET GU10



[p. 114](#)

PET



[p. 114](#)

RAFTER



[p. 150](#)

RAFTER mix



[p. 152](#)

RAFTER points section



[p. 150](#)

RAFTER points



[p. 150](#)

RING dot



[p. 136](#)

RING rim



[p. 138](#)

# Index

SET TRU



[p. 168](#)

SQUARES next 50x1



[p. 120](#)

SQUARES next 50x2



[p. 120](#)

TRIBA midi



[p. 106](#)

**new**

TRIBA midi E27



[p. 106](#)

**new**

VYRO x1 round 230V



[p. 118](#)

**new**

VYRO x2 round 230V



[p. 118](#)

**new**

VYRO x1 square 230V



[p. 118](#)

**new**

VYRO x2 square 230V



[p. 118](#)

**new**

VYRO x1 round move



[p. 118](#)

**new**

VYRO x2 round move



[p. 118](#)

**new**

system: PET rift



[p. 474](#)





PET midli LED surface

*KANTO sushi fusion restaurant, Lecco, Italy*

Design: Fabio Gianoli | Photo: Marcello Mariana | General contractor: BM Italia srl | Lighting design: E27

NEW PRODUCT



# Triba

## **Excellent parameters concealed in decorative design**

The TRIBA collection proves that decorative design can harmonize with exceptional technical specifications. Due to its hybrid optics and expanded shielding angle, the fixture prioritizes visual comfort while boasting extraordinary efficiency without compromising light quality. Therefore, TRIBA adeptly handle both private and public spaces. Its broad power range, two diameters and various lengths available allow the fixture to flexibly adapt to the specific needs of different interiors.

TRIBA midi 12 LED surface





TRIBA midi 12 LED surface




NEW PRODUCT

# Triba

SURFACE  
suspended d. 204  
spot d. 294  
track d. 294  
wall d. 344

## TRIBA midi LED

12 | 30



new

new

CAT. N°

47040-M930-WT-00-12

CAT. N°


47041-M930-WT-00-12

<b>POWER:</b>	8.5W (M)
<b>FLUX:</b>	1140lm
<b>OPTICS:</b>	18° (S_)   35° (F_)   50° (W_)
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)
<b>CONTROL:</b>	ON/OFF (00)   Phase-Control (PH)   DALI (DA) <sup>1</sup>



## TRIBA midi E27

9



new

CAT. N°

47039-0000-U8-PH-12

<b>POWER:</b>	max: 50W
<b>CONTROL:</b>	Phase-Control (PH)



light source not included

<sup>2</sup>depending on the source

<sup>1</sup>for length 300mm

### ACCESSORY

honeycomb



### RING FINISHES

only for TRIBA LED

- WHITE -\_W- ○
- BLACK -\_B- ●
- GREY -\_A- ●
- TERRACOTTA -\_R- ●
- TAUPE -\_T- ●
- GOLD -\_G- ●

### LUMINAIRE FINISHES

- WHITE -13 ○
- BLACK -12 ●
- GREY -84 ●
- TERRACOTTA -83 ●
- TAUPE -82 ●
- GOLD -19 ●

# Subtle interior decoration



Awarded products: PET LED mini | PET LED midi | PET LED maxi



# HARMONIA

# I ŚWIETNE Pet

The PET LED collection was designed to combine performance with elegance. It has excellent technical parameters both in terms of efficiency and visual comfort. With variety of optics and available powers can suit both residential and professional users. The ability to change the colour of the frame and the ring is an invitation to play with the finish.

Some interiors require a special atmosphere. An atmospheric restaurant, a cozy cafe or a home living room are spaces where light plays a special role – soothing the senses, promoting a sense of relaxation and tranquility. The PET collection for interchangeable E27 light sources will perfectly cope with this task. It comes with accessory E27 LED lamps designed to replace carbon filament Edison's bulbs in terms of extremely warm light (1800K) and low power.

# PARAMETRY





PET middle LED surface

Hotel-T, Waregem

Photo: I am Liz










# Pet

**SURFACE**  
 recessed p. 054  
 suspended p. 236  
 spot p. 302 / 310  
 track p. 302 / 310  
 wall p. 358  
 exterior p. 434  
 system p. 464

## PET LED mini | midi | maxi



HIGHT	CAT. N°	CAT. N°	CAT. N°
120mm	46959-M930-WB-00-12	46962-M930-FW-00-12	46965-M930-FB-00-12
200mm	46960-M930-WB-00-12	46963-M930-FW-00-12	46966-M930-FB-00-12
<b>POWER:</b>	4.5W (M)	8.5W (M)	11.5W (L)   17W (M)
<b>FLUX:</b>	540lm	1140lm	1610lm - 2260lm
<b>OPTICS:</b>	20° (S_)   41° (W_)	18° (S_)   35° (F_)   50° (W_)	19° (S_)   32° (F_)
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)		
<b>CONTROL:</b>	ON/OFF (00)	ON/OFF (00)   Phase-Control (PH)   DALI (DA) <sup>1</sup>	


<sup>1</sup>for hight 200mm

### ACCESSORY

honeycomb



## PET GU10 | E27



**new**

	CAT. N°	CAT. N°
	42311-0000-U8-PH-13	47032-0000-U8-PH-13
<b>POWER:</b>	max: 50W	max: 50W
<b>CONTROL:</b>	Phase-Control (PH)	
for GU10		
for E27		

light source not included

<sup>2</sup>depending on the source

### RING FINISHES

only for PET LED

- WHITE -\_W- ○
- BLACK -\_B- ●
- GREY -\_A- ●
- TERRACOTTA -\_R- ●
- TAUPE -\_T- ●
- GOLD -\_G- ●

### LUMINAIRE FINISHES

- WHITE -13 ○
- BLACK -12 ●
- GREY -84 ●
- TERRACOTTA -83 ●
- TAUPE -82 ●
- GOLD -19 ●

**Customizable decorative  
fixture tailored  
for private spaces**

Certain interiors demand adaptable solutions allowing the interchange of rings to pair with various colour variants. VYRO also boasts excellent light quality, high lighting efficiency and multiple fixture options. With a single or double light source, in rounded or square forms – which one would you choose?

NEW PRODUCT


# Vyro





VYHO x2 round LED 230V surface






VYRO x1 round LED 230V surface

NEW PRODUCT



## VYRO round move LED x1 | x2



new

new

	CAT. N°	CAT. N°
	47037-M930-WB-PH-12	47038-M930-WB-PH-12
<b>POWER:</b>	6W (M)	11.5W (M)
<b>FLUX:</b>	790lm	1580lm
<b>OPTICS:</b>	36° (F_)   59° (W_)	
<b>CCT:</b>	2700K (27)   3000K (30)	
<b>CONTROL:</b>	Phase-Control (PH)   DALI (DA) <sup>1</sup>	

<sup>1</sup>for VYRO round move x2






# Vyro

SURFACE

## VYRO round LED 230V


x1 | x2




new

## VYRO square LED 230V


x1 | x2



new



new



new

	CAT. N°	CAT. N°	CAT. N°	CAT. N°
	47033-M930-FB-PH-13	47034-M930-FB-PH-13	47035-M930-FB-PH-13	47036-M930-FB-PH-13
<b>POWER:</b>	8W (M)	16W (M)	8W (M)	16W (M)
<b>FLUX:</b>	680lm	1360lm	680lm	1360lm
<b>OPTICS:</b>	26° (F..)			
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)			
<b>CONTROL:</b>	Phase-Control (PH)			




### RING FINISHES

- WHITE -\_W- ○
- BLACK -\_B- ●
- GREY -\_A- ●
- TERRACOTTA -\_R- ●
- TAUPE -\_T- ●
- GOLD -\_G- ●

### LUMINAIRE FINISHES

- WHITE -13 ○
- BLACK -12 ●
- GREY -84 ●
- TERRACOTTA -83 ●
- TAUPE -82 ●
- GOLD -19 ●



SQUARES next 50x2 LED surface  
SQUARES next 50x1 LED recessed  
MODERN BALL asymmetry x4 LED suspended

## Simply good

SQUARES is solid, durable and orientable downlight. With 36° or 59° and high efficacy it is a good solution for general light. Phase-Control is available as a standard and DALI power supply can also be fitted into luminaires body. With these features, SQUARES next is an interesting proposition for offices, hotels or communication zones, as well as home spaces.





# Squares next 50

SURFACE  
RECESSED D. 076

## SQUARES next 50 LED


x1 | x2



	CAT. N°	CAT. N°
	46968-M930-FB-PH-12	46969-M930-FB-PH-12
<b>POWER:</b>	6W (M)	11.5W (M)
<b>FLUX:</b>	790lm	1580lm
<b>OPTICS:</b>	36° (F_)   59° (W_)	
<b>CCT:</b>	2700K (27)   3000K (30)	
<b>CONTROL:</b>	Phase-Control (PH)   DALI (DA)	

### OPTICS+LUMINAIRE FINISHES

black-white - \_W-\_-12    white-black - \_B-\_-13    black-white - \_W-\_-12    white-black - \_B-\_-13



In the standard version, the whole luminaire is in one colour.  
On request, you can choose black-white or white-black mix.



### OPTICS FINISHES

WHITE -\_W- ○  
BLACK -\_B- ●

### LUMINAIRE FINISHES

WHITE -13 ○  
BLACK -12 ●

Simplicity in a modern form

# MLECZNA KULA



**must  
have**  
SELECTED BY LOUÏSE BARRON FOTYAL 2021




**GERMAN  
DESIGN  
AWARD  
WINNER  
2022**

Z O D R O B I N A

# Modern Ball simple

MODERN BALL simple joins timeless form a modern lighting. Minimalistic design and three-layer opal glass conceal a contemporary integrated light source, together forming an exceptionally harmonious trio. With excellent technical parameters, despite its decorative nature, MODERN BALL emits as much as 100lm/W at CRI>90, a result typical of strictly technical luminaires. The version with increased IP54 ingress protection class will successfully find use in bathrooms, for example, as efficient mirror lighting or as general lighting.

P I K A N T E R I I





MODERN BALL simple midi LED hermetic surface

Galateria Italia, Belgium

Design: Home Coach






# Modern Ball simple

SURFACE  
 suspended p. 224  
 track p. 334  
 table p. 394  
 hermetic p. 412  
 system p. 464

MODERN BALL simple WP LED hermetic  
 mini G/K | midi G/K | mini | midi | maxi



	CAT. N°	CAT. N°	CAT. N°	CAT. N°	CAT. N°
	47015-M930-D0-00-12	47001-M930-D0-00-12	47016-M930-D0-00-12	47000-M930-D0-00-12	47014-M930-D0-00-12
<b>POWER:</b>	4W (L)   6W (M)	6W (L)   8.5W (M)	4W (L)   6W (M)	6W (L)   8.5W (M)	8W (L)   11.5W (M)
<b>FLUX:</b>	580lm - 790lm	790lm - 1090lm	580lm - 790lm	790lm - 1090lm	1170lm - 1610lm
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)				
<b>CC DRIVER:</b>	G		I		-
<b>CONTROL:</b>	ON/OFF (00)   Phase-Control (PH)   DALI (DA)   require driver (CC)*			ON/OFF (00)	

## LUMINAIRE FINISHES

- WHITE -13 ○
- BLACK -12 ●
- GREY -84 ●
- TERRACOTTA -83 ●
- TAUPE -82 ●
- GOLD -19 ●



\*Protection class, input voltage and IP rating for CC luminaires vary from above table.

Data for standard LED product is shown for LED light source 3000K. Other variants are available on our website.

# Modern Ball

Unique design and  
timeless curves


MODERN BALL collection created in cooperation with the Czech design studio DECHEM, provides comfortable, efficient light of the highest quality. In addition, MODERN BALL – depending on how it is installed – can serve as a multitask specialist. On the ceiling, it will prove useful as general lighting for a living room or a passageway, while the suspended version is a good option for lighting a table or reception area. In the wall-mounted variant, it will provide a cosy ambience as stylish supplementary lighting.

**must  
have**  
COLLECTED BY LUGO DESIGN FESTIVAL, 2021



MODERN BALL asymmetry x4 LED surface  
PET mid LED spot | PET mini LED suspended











# Modern Ball

SURFACE  
suspended p.220

## MODERN BALL WP LED

x1 | x2 | x3 | x4 asymmetry



	CAT. N°	CAT. N°	CAT. N°	CAT. N°
	46970-M930-D0-00-12	46971-M930-D0-00-12	46972-M930-D0-00-12	46999-M930-D0-00-12
<b>POWER:</b>	6W (L)   8.5W (M)	11.5W (L)   17W (M)	17.5W (L)   26W (M)	23W (L)   34.5W (M)
<b>FLUX:</b>	790lm - 1090lm	1580lm - 2190lm	2380lm - 3290lm	3170lm - 4380lm
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)			
<b>CONTROL:</b>	ON/OFF (00)		ON/OFF (00)   switchDIM (SW)   DALI (DA)   Aqsmart (DE)*	

\*for x3, x4 asymmetry



### LUMINAIRE FINISHES

- WHITE -13 ○
- BLACK -12 ●
- GREY -84 ●
- TERRACOTTA -83 ●
- TAUPE -82 ●
- GOLD -19 ●

## Comfortable lighting in a contemporary style


The MIDI/MAXI RING dot collection provides two key features within a single product. It emits softly diffused reflected light while impressing with its remarkable form. The eye-catching, centrally embedded, dot element plays a dual role: on the one hand, it adds aesthetic piquancy, on the other – it hides the light source from the user's view for the highest visual comfort. In the version with a white interior, RING dot will provide comfortable general lighting. Moreover, variants with a coloured interior are perceived as a kind of jewelry of the interior, often used as a wall fixture.



# Ring







MIDI RING dot LED surface | MAXI RING dot LED surface


FORMA

# ŚWIETNA



Hygge Hotel, Opole

MIDI RING dot LED surface | MAXI RING dot LED surface  
PEI micro R switch LED wall







# Ring dot

SURFACE  
SUSPENDED D. 242

## RING dot LED midi | maxi



	CAT. N°	CAT. N°
	47028-M930-DW-PH-12	47027-M930-DW-PH-12
<b>POWER:</b>	14.5W (M)	25W (M)
<b>FLUX:</b>	2160lm	3830lm
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)	
<b>CONTROL:</b>	Phase-Control (PH)	



INNER FINISHES	LUMINAIRE FINISHES
WHITE -_W- ○	WHITE -13 ○
GREY -_A- ●	BLACK -12 ●
TERRACOTTA -_R- ●	GREY -84 ●
TAUPE -_T- ●	TERRACOTTA -83 ●
GOLD -_G- ●	TAUPE -82 ●
	GOLD -19 ●

## A specialist in general lighting for small interiors



Lighting a small interior, especially realized from a single point, will be perfectly handled by the RING rim collection. Two variants to choose from – MINI and MIDI, will provide comfortable general lighting. Minimalistic design makes these luminaires not only a guarantee of effective general lighting, but also a modern addition in the interior.



# Ring rim

SURFACE  
RECESSED D. 070

## RING rim LED mini | midi



	CAT. N°	CAT. N°
	47026-M930-D9-00-12	47020-M930-D9-00-12
<b>POWER:</b>	12.5W (M)	17W (M)
<b>FLUX:</b>	1380lm	2200lm
<b>CCT:</b>	3000K (30)   4000K (40)	
<b>CONTROL:</b>	ON/OFF (00)   DALI (DA)	



### LUMINAIRE FINISHES

- WHITE -13 ○
- BLACK -12 ●
- GREY -84 ●
- TERRACOTTA -83 ●
- TAUPE -82 ●
- GOLD -19 ●

# Blos




## Exceptional durability or decorative character

The BLOS fixture family presents a versatile collection suited for various purposes. BLOS round distance, with its high IP54 waterproof rating and IK10 mechanical resistance, excels as general lighting even in challenging conditions such as underground passages. On the other hand, BLOS cast C LED, with a more decorative nature, delicately illuminates spaces, bringing out their best features.

WYDAJNOŚĆ

BLOS round distance LED hermetic surface | PET mini LED suspended  
MAXI POINT round LED spider wall | Blos round LED suspended



BLOS cast C LED surface | Triba midi 30 LED suspended






# BloS round & cast

SURFACE  
suspended p. 244  
Track p. 330  
hermetic p. 414


## BLOS round distance LED hermetic



	CAT. N°
	47019-M930-D9-00-12
<b>POWER:</b>	11.5W (L)   23W (M)
<b>FLUX:</b>	1725lm - 3260lm
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)
<b>CONTROL:</b>	ON/OFF (00)   DALI (DA)   Aqsmart (DB)



## BLOS cast C LED



new

	CAT. N°
<b>DIAMETER</b>	
330mm	47043-M930-D9-00-12
400mm	47044-M930-D9-00-12
550mm	47045-M930-D9-00-12
<b>POWER:</b>	10.5W - 29.5 (M)
<b>FLUX:</b>	1490lm - 4190lm
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)
<b>CONTROL:</b>	ON/OFF (00)



### LUMINAIRE FINISHES

- WHITE -13 ○
- BLACK -12 ●
- GREY -84 ●\*
- TERRACOTTA -83 ●
- TAUPE -82 ●
- GOLD -19 ●\*

\*only for round distance

## Big dimensions with even bigger possibilities

To illuminate a large space, such as an office, hotel lobby or spacious living room, you need luminaires with special capabilities. The microprismatic cover will provide visual comfort, making it possible to achieve  $UGR < 19$ . This is especially important in open space interiors, where productivity and comfort of employees matter. In the standard version (power A), the luminaire allows power adjustment, while the Tunable-White variant allows you to adjust the colour temperature.

# Big Size










# Big Size next round

SURFACE  
recessed D\_072  
suspended D\_274

## BIG SIZE next round LED opal | PRO



DIAMETER	CAT. N°
450mm	46976-A930-D9-00-12
660mm	40237-A930-D9-00-12
960mm	40238-A930-D9-00-12
1220mm	40239-A930-D9-00-12
<b>POWER:</b>	10.5 – 130W (A)
<b>FLUX:</b>	1500lm – 19620lm
<b>OPTICS:</b>	opal (D9)   microprism (D5)
<b>CCT:</b>	3000K (30)   4000K (40)
<b>CONTROL:</b>	ON/OFF (00)   DALI (DA)   AQsmart (DB)   switchDIM (SW)



\*only for microprism (D5)

the opal version (D9) has a Tunable-White option available

### COVERS COMPARISON

regular (opal)

PRO (microprism)



### LUMINAIRE FINISHES


WHITE -13 ○  
BLACK -12 ●


## Multifunctional series with a wide range of possibilities

Depending on the selected variant, opal diffuser version, the luminaire provides effective general lighting, while in the points version – effective task lighting. The deeply recessed LEDs are shielded excellent, allowing very high intensity task lighting with no glare at all. The multitasking RAFTER mix version, combines several functions within a single product. How is this possible? The points modules act as a task lighting, while the slender PET spotlights direct the light to the chosen detail – a favorite painting or original decorations on the walls.



# Rafter








# Rafter

SURFACE  
 recessed p.082, 086  
 suspended p.204  
 spot p.324  
 track p.324  
 wall p.380  
 system p.500

## RAFTER LED

opal | points | points section



LENGTH	CAT. N°	LENGTH	CAT. N°	LENGTH	CAT. N°	
570mm	40529-M930-D9-00-12	90mm	47030-M930-WB-00-12	540mm	40520-M930-WB-00-12	
860mm	40530-M930-D9-00-12	140mm	47031-M930-WB-00-12	940mm	40521-M930-WB-00-12	
1140mm	40531-M930-D9-00-12	270mm	40525-L930-WB-00-12	1330mm	40522-M930-WB-00-12	
1420mm	40532-M930-D9-00-12	540mm	40526-L930-WB-00-12	1730mm	40523-M930-WB-00-12	
1700mm	40533-M930-D9-00-12	540mm	40526-M930-WB-00-12	2130mm	40524-M930-WB-00-12	
1980mm	40534-M930-D9-00-12					
<b>POWER:</b>	8.5W - 30W (L)   17W - 60W (M)   25W - 87W (H)		7.5W - 14.5W (L)   3W - 29.5W (M)		7.5W - 22W (L)   14.5W - 44W (M)	
<b>FLUX:</b>	1080lm - 11610lm		360lm - 3510lm		820lm - 5270lm	
<b>OPTICS:</b>	opal diffuser (D9)		37° (F_)   50° (W_)			
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)					
<b>CONTROL:</b>	ON/OFF (00)   DALI (DA)*   Aqsmart (DB)*   switchDIM (SW)*					


\*from length 540mm

Information about dimensions of optics placement within the luminaire are on [page 514](#).

### OPTICS DETAIL

black -\_B-

white -\_W-



### OPTICS FINISHES

WHITE -\_W- ○  
 BLACK -\_B- ●

### LUMINAIRE FINISHES

WHITE -13 ○  
 BLACK -12 ●

RAFTER mix 94 LED surface | RAFTER mix 136 LED surface  
MROOM LED upright






# Rafter mix

SURFACE  
 recessed p.082, 086  
 suspended p. 264  
 spot p. 324  
 track p. 324  
 wall p. 380  
 system p. 500

## RAFTER mix LED

57 | 94 | 133 | 136



	CAT. N°	CAT. N°	CAT. N°	CAT. N°
	46910-M930-WB-00-12	46911-M930-WB-00-12	46912-M930-WB-00-12	46913-M930-WB-00-12
<b>POWER:</b>	12W (M)	19.5W (M)	27.5W	23W (M)
<b>FLUX:</b>	1530lm	2410lm	3400lm	2940lm
<b>OPTICS:</b>	37° (F_)   50° (W_)			
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)			
<b>CONTROL:</b>	ON/OFF (00)		ON/OFF (00)   DALI (DA)   AQsmart (DB)   switchDIM (SW)	

the optics angle applies to points modules

### OPTICS DETAIL

opal diffuser      PET modules      points modules



### OPTICS FINISHES      LUMINAIRE FINISHES

WHITE -\_W- ○      WHITE -13 ○  
 BLACK -\_B- ●      BLACK -12 ●

**Multifunctionality hidden  
in a slim, linear form**



DOSKONALE

# Mixline

The MIXLINE collection is the perfect choice, especially when one product is to perform several functions. The luminaire combines two types of optics: diffused and point light, making it suitable for general and task lighting. The part with a cover emits softly diffused light, providing general illumination of the room, while the point light guarantees appropriate intensity on the working surface of the countertop or table. MIXLINE is also a great solution for lighting passageways in homes, offices and hotels.

ROZWIĄZANIE



DOBRY POMYSŁ



SK



MIXLINE LED surface


Private house, Aleksandrów Łódzki

Design & photo: K. Interio Architektura Wnętrz

Design: FABRYK-ART Agata Chomiak, Maciej Ferenc  
Photo: Małgorzata Tenczyńska-Korluk

*Private apartment, Opole*

MIXLINE LED surface








# Mixline

SURFACE  
 recessed p. 090  
 suspended p. 280  
 system p. 488

## MIXLINE LED - | INV | 120x89 RT



LENGTH	CAT. N°	LENGTH	CAT. N°	CAT. N°
1600mm	40286-M930-W3-00-12	1670mm	40289-M930-W3-00-12	40291-M930-W3-00-12
1880mm	40287-M930-W3-00-12	1920mm	40290-M930-W3-00-12	
2160mm	40288-M930-W3-00-12			
<b>POWER:</b>	16W – 33W (M)	7.5W – 14.5W (M)	41.5W (M)	
<b>FLUX:</b>	1930lm – 4720lm	2590lm – 3470lm	5180lm – 5960lm	
<b>OPTICS:</b>	26° (F_)   54° (W_)			
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)			
<b>CONTROL:</b>	ON/OFF (00)   DALI (DA)   Aqsmart (DB)   switchDIM (SW)			




Information about dimensions of optics placement within the luminaire are on [page 514](#).



### LUMINAIRE FINISHES

- WHITE -13 ○
- BLACK -12 ●

Comfortable lighting  
in a minimalistic form



ELEGANCKA  
I STYLOWA

# Lens Line

KOLEKCJA


The simple linear form is a timeless shape that corresponds perfectly with modern interiors. It adds elegance and sophistication, subtly marking its presence in the arrangement. LENS LINE directional light can both illuminate a room but also employs light and shadow in order to bring shapes and colours out and enhance atmosphere.




LENS LINE LED section surface

*EBF Development headquarters, Zielona Góra*

Design: Samanta Michalewicz | Photo: Radek Slowik








# Lens Line

SURFACE  
recessed d. 0,92  
suspended d. 2,56

## LENS LINE LED

- | section | 180x89 LC | 180x89 RC



CAT. N°	LENGTH	CAT. N°	CAT. N°	CAT. N°
40258-M930-W3-00-12	960mm	40260-M930-W3-00-12	LC	47024-M930-W3-00-12
	1490mm	40262-M930-W3-00-12		RC
	2020mm	40264-M930-W3-00-12		40292-M930-W3-00-12
<b>POWER:</b>	7.5W (M)	7W - 14.5W (L)   14.5W - 29.5W (M)		14.5W (L)   29.5W (M)
<b>FLUX:</b>	840lm	900lm - 3370lm		1800lm - 3370lm
<b>OPTICS:</b>	26° (F_)   54° (W_)			
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)			
<b>CONTROL:</b>	ON/OFF (00)		ON/OFF (00)   DALI (DA)   Aqsmart (DB)   switchDIM (SW)	

Information about dimensions of optics placement within the luminaire are on [page 514](#).




### LUMINAIRE FINISHES


- WHITE -13 ○
- BLACK -12 ●


# Tru

## Comfortable lighting designed for offices

Lighting is a particularly important element in office spaces. Properly selected, it positively affects the concentration and efficiency of employees. SET TRU will perfectly cope with this task – a luminaire designed for offices, providing effective lighting of the desk and the surrounding space. The PRO variant protects against glare, and the up&down version, allows for even illumination of all important surfaces. In addition, SET TRU is distinguished by high energy efficiency and elegant, minimalistic design, perfectly matching the character of modern offices.








# Tru

SURFACE  
 recessed p. 098  
 suspended p. 270  
 track p. 328  
 wall p. 382  
 hermetic p. 426  
 system p. 492



## SET TRU LED

opal | PRO



LENGTH	CAT. N°
290mm	45942-M930-D9-00-12
570mm	45944-M930-D9-00-12
860mm	45948-M930-D9-00-12
1140mm	45950-M930-D9-00-12
1420mm	45952-M930-D9-00-12
1700mm	45954-M930-D9-00-12
1980mm	45956-M930-D9-00-12
<b>POWER:</b>	4.5 – 30W (L)   8.5 – 60W (M)
<b>FLUX:</b>	580lm – 8140lm
<b>OPTIC:</b>	opal (D9)   microprism (D5)
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)
<b>CONTROL:</b>	ON/OFF (00)   DALI (DA) <sup>1</sup>   Aqsmart (DB) <sup>1</sup>   switchDIM (SW) <sup>1</sup>



<sup>1</sup>from length 570mm | <sup>2</sup>for microprism (D5)

the opal version (D9) has a Tunable-White option available from length 1140mm

### COVERS COMPARISON

regular (opal)

PRO (microprism)



### LUMINAIRE FINISHES

WHITE -13 ○  
 BLACK -12 ●


ZWIESZANE



The background consists of several horizontal bands of red and white. A large, white, stylized letter 'R' is positioned in the lower-left quadrant, overlapping the red and white bands. The word 'Suspended' is written in a black, serif font, centered horizontally in the upper portion of the image, overlapping the top red band and the white background.


Suspended

AQfelt OVAL BALL




[p. 230](#)

AQfelt OVAL




[p. 230](#)

AQfelt STAVE




[p. 230](#)

AQfelt WAVE



[p. 230](#)

BIG SIZE



[p. 274](#)

BLOS round



[p. 244](#)


CONA



[p. 178](#)

**new**

equilibra BALANS



[p. 246](#)


FLARED



[p. 184](#)


**new**

FLYING BALL arc



[p. 216](#)

FLYING BALL side



[p. 216](#)

FLYING BALL u&d



[p. 216](#)

IKI



[p. 188](#)


IKI round



[p. 188](#)


**new**

LENS LINE




[p. 256](#)

MIXLINE



[p. 260](#)

MODERN BALL



[p. 220](#)

MODERN BALL simple



[p. 224](#)

MODERN GLASS



[p. 212](#)

MODERN GLASS mini



[p. 208](#)


OKKA



[p. 194](#)

**new**

OPTIMA



[p. 268](#)

PET E27



[p. 238](#)

**new**

PET GU10



[p. 238](#)


PET mini/midi



[p. 236](#)

# Index

PIPER



[p. 198](#)

**new**


QRLED next



[p. 200](#)


**new**

RAFTER points



[p. 264](#)

RAFTER




[p. 264](#)

RING dot




[p. 242](#)

SET RAW mini



[p. 252](#)

SET TRU



[p. 270](#)

SNOP E27



[p. 182](#)

**new**


SNOP QRLED



[p. 182](#)


**new**

THIN TUBE  
asymmetry



[p. 250](#)

THIN TUBE central



[p. 250](#)

TRIBA midi



[p. 204](#)

**new**


TRIBA mini



[p. 204](#)

**new**

ZEFYR



[p. 196](#)

**new**

system: PET rift



[p. 474](#)







NEW PRODUCT

# Cona

**Stylish ornament  
for modern designs**

CONA is a decorative fixture that captivates with its design. Available in two sizes, it adds radiance to both private and public spaces. It works excellently as ambient lighting for a table or as relaxing general lighting.

CONA E27 suspended








NEW PRODUCT

# Cona


SUSPENDED

## CONA E27

26 | 52



new



new

CAT. N°

59917-0000-U8-PH-12

CAT. N°

59918-0000-U8-PH-12

POWER: max: 50W

CONTROL: Phase-Control (PH)



light source not included



### LUMINAIRE FINISHES

- WHITE -13 ○
- BLACK -12 ●
- TERRACOTTA -83 ●
- TAUPE -82 ●

## Subtle decoration or effective task lighting

SNOP presents a completely new lighting proposition with a decorative character. Available in two diameters and two lighting variants, the E27 traditional light source version works wonderfully as a stylish decorative lighting, while the LED variant ensures adequate illumination on tables and stands, effectively serving as task lighting.



NEW PRODUCT

# Snop



DOBRA  
KOMPZYCJA






NEW PRODUCT

# Snop

SUSPENDED

## SNOP E27



new


DIMENSIONS	CAT. N°
ø 400mm   H 100mm	59923-0000-U8-PH-B2
ø 600mm   H 150mm	59924-0000-U8-PH-B2
<b>POWER:</b>	max: 15W
<b>CONTROL:</b>	Phase-Control (PH)



light source not included



## SNOP QRLED



new

DIMENSIONS	CAT. N°
ø 400mm   H 100mm	59925-M930-W3-00-B2
ø 600mm   H 150mm	59926-M930-W3-00-B2
<b>POWER:</b>	6W (L) - 8.5W (M)
<b>FLUX:</b>	790lm - 1090lm
<b>OPTICS:</b>	52° (W_)
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)
<b>CONTROL:</b>	ON/OFF (00)   DALI (DA)



### LUMINAIRE FINISHES

- BLACK&BLACK -B2
- KHAKI&BLACK -K2
- TERRACOTTA&BLACK -R2



### **Collection inspired by industrial forms**

FLARED is a collection of decorative fixtures inspired by industrial shapes. The subtle light emitted from the E27 source envelops the interior, creating a unique ambiance. A range of colours and two size options perfectly complement the character of private and public spaces. Therefore, FLARED is a great fit wherever creating the right atmosphere indoors matters.




NEW PRODUCT

# Flared

SUSPENDED

## FLARED cast G E27




new

DIMENSIONS	CAT. N°
ø 200mm   H 200mm	59919-0000-U8-PH-12
ø 320mm   H 220mm	59920-0000-U8-PH-12
<b>POWER:</b>	max: 50W
<b>CONTROL:</b>	Phase-Control (PH)



light source not included

## FLARED cast G LED



new

DIMENSIONS	CAT. N°
ø 200mm   H 200mm	59921-M930-D9-00-12
ø 320mm   H 220mm	59922-M930-D9-00-12
<b>POWER:</b>	8.5W (M)
<b>FLUX:</b>	1140lm
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)
<b>CONTROL:</b>	ON/OFF (00)   Phase-Control (PH)



### LUMINAIRE FINISHES

- WHITE -13 ○
- BLACK -12 ●
- TERRACOTTA -83 ●
- TAUPE -82 ●



## Enhance table ambiance with reliable lighting

In some places, the ambiance matters most. A cozy restaurant or café requires appropriate lighting. Decorative IKI fixtures, created in collaboration with Andrzej Klisz, a professor at the Academy of Fine Arts in Katowice, come to the rescue in such interiors. In the LED version, the fixture emits precise task lighting, illuminating work surfaces like counters or receptions, while the IKI round E27 works wonderfully as mood lighting for tables.



Awarded products: IKI E27 suspended | IKI LED suspended



# Iki



IKI round E27 suspended | PET E27 recessed





RAFTER points LED spot | IKILED suspended

# Iki

SUSPENDED  
wall p. 352  
system p. 464




## IKI E27 - | round



new

## IKI LED



CAT. N°	CAT. N°
59871-0000-U8-PH-G2	59905-0000-U8-PH-G2
<b>POWER:</b>	max: 15W
<b>CONTROL:</b>	Phase-Control (PH)

light source not included

CAT. N°	
59872-M930-Y1-00-G2	
<b>POWER:</b>	8.5W (M)
<b>FLUX:</b>	1140lm
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)
<b>CONTROL:</b>	ON/OFF (00)   Phase-Control (PH)   DALI (DA)

GRAPHITE&BLACK -G2

ASH&BLACK -A2

ORANGE&BLACK -O2



### LUMINAIRE FINISHES

- GRAPHITE&BLACK -G2
- ASH&BLACK -A2
- ORANGE&BLACK -O2

## Play of colours and finishes

Wood, synthetic material or perhaps felt?  
The OKKA collection surprises with its  
possibilities, inviting playfulness with colour  
and finish. Modern design and a decorative  
character serve as intriguing accents  
in any arrangement. Therefore, OKKA  
can become its distinctive feature, adding  
a unique brilliance to the interior.

NEW PRODUCT

# Okka






TRIDA mini up&down LED wall | OKKA wood E27 suspended





OKKA wood E27 suspended



OKKA wood E27 suspended


NEW PRODUCT

# Okka

SUSPENDED



## OKKA E27



new

CAT. N°	
felt	59932-0000-U8-PH-G2
wood	59933-0000-U8-PH-W2
art	59934-0000-U8-PH-M2
<b>POWER:</b>	max: 15W
<b>CONTROL:</b>	Phase-Control (PH)



light source not included


### FINISHES DETAIL

graphite felt    ash felt    wood    art



### LUMINAIRE FINISHES

- GRAPHITE&BLACK -G2
- GRAPHITE&WHITE -G3
- ASH&BLACK -A2
- ASH&WHITE -A3
- WOOD&BLACK -W2
- WOOD&WHITE -W3
- MICROPRISM&BLACK -M2
- MICROPRISM&WHITE -M3



### **Luminaire tailored to specific needs**

Its new appearance, adjustable suspension and colour temperature make this fixture versatile for both private and public spaces. ZEFYR primarily offers efficient lighting for tables or countertops. The ability to adjust the colour temperature allows the fixture to set a mood for a romantic dinner, conversely, provide ideal conditions for work. At the very same table.




NEW PRODUCT

# Zefyr

SUSPENDED

## ZEFYR LED



new

**CAT. N°**

59935-M932-D9-00-12

<b>POWER:</b>	22.5W (M)
<b>FLUX:</b>	2600lm
<b>CCT:</b>	adjustable 2700K, 3000K (32) <sup>1</sup>
<b>CONTROL:</b>	ON/OFF (00)



<sup>1</sup> Possibility to change the colour temperature using the device.




**LUMINAIRE FINISHES**

- WHITE -13 ○
- BLACK -12 ●
- GREY -84 ●
- TERRACOTTA -83 ●
- TAUPE -82 ●
- GOLD -19 ●

## Explore a wide range of possibilities

PIPER combines visual lightness, modern design and ease of use within a single product. Two fixture versions cater to the needs of both minimalists and those who prefer more decorative solutions. Both options provide diffused light sufficient for illuminating countertops or entire rooms – the latter excelling with the option of direct power from an adjacent lamp.


NEW PRODUCT



# Piper

SUSPENDED  
SYSTEM D. 468

## PIPER LED



new

LENGTH	CAT. N°
1290mm	59936-M942-D9-PH-12
1482mm	59937-M942-D9-PH-12
<b>POWER:</b>	19.5W - 23W (M)
<b>FLUX:</b>	2670lm - 3080lm
<b>CCT:</b>	adjustable 2700K, 3000K, 4000K (42) <sup>1</sup>
<b>CONTROL:</b>	Phase-Control (PH)



<sup>1</sup> Possibility to change the colour temperature using the device.

### ACCESSORY

81245-82 - PIPER 130 top    81246-82 - PIPER 150 top




TOP FINISHES	LUMINAIRE FINISHES
WHITE -13 ○	BLACK -12 ●
BLACK -12 ●	
GREY -84 ●	
TERRACOTTA -83 ●	
TAUPE -82 ●	
GOLD -19 ●	



## **New design and enhanced performance**

The QRLED family welcomes its successor – QRLED next. This fixture boasts high performance, effective glare protection and energy efficiency. With its minimalistic, modernized design and a wide variety of models and finishes to choose from, the collection seamlessly fits the character of both private and public spaces.


NEW PRODUCT



# QRLED next

SUSPENDED  
RECESSED D. 044  
SPOT D. 290  
TRACK D. 290

## QRLED next



**CAT. N°**

59931-M930-W3-00-12

<b>POWER:</b>	6W (L) - 8.5W (M)
<b>FLUX:</b>	790lm - 1090lm
<b>OPTICS:</b>	52° (W_)
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)
<b>CONTROL:</b>	ON/OFF (00)   DALI (DA)



**LUMINAIRE FINISHES**

- WHITE -13 ○
- BLACK -12 ●
- GREY -84 ●
- TERRACOTTA -83 ●
- TAUPE -82 ●
- GOLD -19 ●
- MIX -06 ●



NEW PRODUCT

# Triba



**Harmonious blend  
of outstanding performance  
and decorative form**

The TRIBA collection harmonizes modern technology with decorative design. With hybrid optics and high shielding angle, the fixture ensures visual comfort while boasting exceptional efficiency without compromising light quality. Offering a wide range of power options, two diameters, various lengths and mounting versions to choose from, TRIBA can be easily tailored to individual needs in both private and public spaces.



TRIBA midi 30 LED suspended | TRIBA mini 30 LED suspended | Per micro LED upright



NEW PRODUCT

# Triba

SUSPENDED

surface D.108


spot D.294

track D.294


wall D.344




## TRIBA LED mini | midi



new



new



new

CAT. N°	59914-M930-FB-00-12	CAT. N°	59916-M930-FT-00-12
<b>POWER:</b>	4.5W (M)	<b>POWER:</b>	8.5W (M)
<b>FLUX:</b>	540lm	<b>FLUX:</b>	1140lm
<b>OPTICS:</b>	20° (F_)   41° (W_)	<b>OPTICS:</b>	18° (S_)   35° (F_)   50° (W_)
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)		
<b>CONTROL:</b>	ON/OFF (00)	ON/OFF (00)   Phase-Control (PH)   DALI (DA)	

CAT. N°	59915-0000-U8-00-12
<b>POWER:</b>	max: 50W
<b>CONTROL:</b>	Phase-Control (PH)

light source not included

<sup>1</sup>depending on the source

### ACCESSORY

honeycomb



### RING FINISHES

only for TRIBA LED

- WHITE -\_W- ○
- BLACK -\_B- ●
- GREY -\_A- ●
- TERRACOTTA -\_R- ●
- TAUPE -\_T- ●
- GOLD -\_G- ●

### LUMINAIRE FINISHES

- WHITE -13 ○
- BLACK -12 ●
- GREY -84 ●
- TERRACOTTA -83 ●
- TAUPE -82 ●
- GOLD -19 ●




# Modern Glass mini

## Interior jewelry

MODERN GLASS mini combines decorative flair with excellent technical parameters. Its long, slender covers serve as a distinctive interior ornament, while its high-quality light effectively illuminates tabletops, counters or desks. This fixture works wonderfully in a home's living room, a modern restaurant or a hotel lobby.

The option to configure colour finishes and shade lengths makes MODERN GLASS mini an invitation to play with its form.



MODERN GLASS mini LED suspended






# Modern Glass mini

SUSPENDED  
system D.464

## MODERN GLASS mini LED

- | G/K



LENGTH	CAT. N°	CAT. N°
280mm	59880-M930-WB-00-12	59877-M930-WB-00-12
420mm	59881-M930-WB-00-12	59878-M930-WB-00-12
700mm	59882-M930-WB-00-12	59879-M930-WB-00-12
<b>POWER:</b>	4.5W (M)	
<b>FLUX:</b>	540lm	
<b>OPTICS:</b>	20° (F_)   41° (W_)	
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)	
<b>CC DRIVER:</b>	-	E
<b>CONTROL:</b>	ON/OFF (00)	ON/OFF (00)   require driver (CC)*



While mounting you can decide where exactly the lighting module of the MODERN GLASS mini is set. If you want, it can be protruded a few centimeters beyond the luminaire.

### RING FINISHES

- WHITE -\_W- ○
- BLACK -\_B- ●
- GREY -\_A- ●
- TERRACOTTA -\_R- ●
- TAUPE -\_T- ●
- GOLD -\_G- ●

### LUMINAIRE FINISHES

- WHITE -13 ○
- BLACK -12 ●
- GREY -84 ●
- TERRACOTTA -83 ●
- TAUPE -82 ●
- GOLD -19 ●



\*Protection class, input voltage and IP rating for CC luminaires vary from above table.

Data for standard LED product is shown for LED light source 3000K. Other variants are available on our website.

Cultivate mood with  
lighting elegance

# Modern Glass

MODERN GLASS encapsulates elegance within a minimalistic, timeless form. This collection emerged from a collaboration with the Czech design studio DECHEM, successfully blending modernity with timeless classicism. Handcrafted glass, available in various forms, serves as a decorative element in interiors. Hence, this fixture is perfect for illuminating tables in home dining areas, cafés, or restaurants.



**must  
have**  
SELECTED BY LUXE DESIGN FESTIVAL 2017








## MODERN GLASS Tube G/K LED

LAMPSHADE	CAT. N°
Tube TP LED	59831-M930-D9-00-12
Tube TR LED	59833-M930-D9-00-12
Tube WP LED	59832-M930-D9-00-12
Tube TS LED	59910-M930-D9-00-12
<b>POWER:</b>	8.5W (M)
<b>FLUX:</b>	1140lm
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)
<b>CC DRIVER:</b>	J
<b>CONTROL:</b> ON/OFF (00)   Phase-Control (PH)   DALI (DA)   require driver (CC)*	



TUBE G/K



\*Protection class, input voltage and IP rating for CC luminaires vary from above table.



# Modern Glass

SUSPENDED  
wall p. 334  
hermetic p. 416  
system p. 464




## MODERN GLASS

E27 | GU10 | LED

LAMPSHADE	CAT. N°	LAMPSHADE	CAT. N°	LAMPSHADE	CAT. N°
Barrel TP E27	50475-0000-U8-PH-12	Barrel TP GU10	50472-0000-U8-PH-12	Barrel TP LED	59848-M930-D9-00-12
Barrel TR E27	50484-0000-U8-PH-12	Barrel TR GU10	50481-0000-U8-PH-12	Barrel TR LED	59846-M930-D9-00-12
Barrel WP E27	59727-0000-U8-PH-12	Barrel WP GU10	59722-0000-U8-PH-12	Barrel WP LED	59842-M930-D9-00-12
Flared TP E27	50474-0000-U8-PH-12	Flared TP GU10	50471-0000-U8-PH-12	Flared TP LED	59850-M930-D9-00-12
Flared TR E27	50483-0000-U8-PH-12	Flared TR GU10	50480-0000-U8-PH-12	Flared TR LED	59845-M930-D9-00-12
Flared WP E27	59726-0000-U8-PH-12	Flared WP GU10	59723-0000-U8-PH-12	Flared WP LED	59841-M930-D9-00-12
Tube TP E27	50473-0000-U8-PH-12	Tube TP GU10	50470-0000-U8-PH-12	Tube TP LED	59849-M930-D9-00-12
Tube TR E27	50482-0000-U8-PH-12	Tube TR GU10	50479-0000-U8-PH-12	Tube TR LED	59847-M930-D9-00-12
Tube WP E27	59725-0000-U8-PH-12	Tube WP GU10	59724-0000-U8-PH-12	Tube WP LED	59840-M930-D9-00-12
Tube TS E27	59907-0000-U8-PH-12	Tube TS GU10	59908-0000-U8-PH-12	Tube TS LED	59909-M930-D9-00-12

<b>POWER:</b>	max: 50W	<b>POWER:</b>	8.5W (M)
<b>CONTROL:</b>	Phase-Control (PH)	<b>FLUX:</b>	1140lm
<p>light source not included</p>		<b>CCT:</b> 2700K (27)   3000K (30)   4000K (40) <b>CONTROL:</b> ON/OFF (00)   Phase-Control (PH)   DALI (DA) 	



### GLASS FINISHES



### LUMINAIRE FINISHES

- WHITE -13 ○
- BLACK -12 ●
- GREY -84 ●
- TERRACOTTA -83 ●
- TAUPE -82 ●
- GOLD -19 ●

Successful fusion of style  
and performance

# Flying Ball

FLYING BALL is a fixture that merges unique aesthetics with excellent technical parameters. Its covers, crafted from three-layered frosted glass, ensure comfortable lighting and shield the eyes from unpleasant glare. Meanwhile, efficient light sources guarantee ample illumination on tabletops, ceilings and walls throughout the entire room. Moreover, a single fixture can effectively light up spaces spanning even several square meters.

Awarded products: all family



Awarded products: FLYING BALL are suspended



FLYING BALL side LED suspended










# Flying Ball

SUSPENDED

## FLYING BALL WP LED

arc | side | up&down



	CAT. N°	LENGTH	CAT. N°	LENGTH	CAT. N°
	59866-M930-D0-00-12	600mm	59870-M930-D0-00-12	600mm	59868-M930-D0-00-12
		900mm	59869-M930-D0-00-12	900mm	59867-M930-D0-00-12
<b>POWER:</b>	17.5W (L)   26W (M)		23W (L)   34.5W (M)		17.5W (L)   26W (M)
<b>FLUX:</b>	2380lm - 3290lm		3170lm - 4380lm		2380lm - 3290lm
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)				
<b>CONTROL:</b>	ON/OFF (00)		ON/OFF (00)   switchDIM (SW)   DALI (DA)   AQsmart (DB)		



### LUMINAIRE FINISHES

- WHITE -13 ○
- BLACK -12 ●
- GREY -84 ●
- TERRACOTTA -83 ●
- TAUPE -82 ●
- GOLD -19 ●



## A stylish interior ornament

MODERN BALL collection offers a timeless, functional and remarkably efficient solution. Its round shapes and classic form attract attention, while its excellent technical parameters guarantee the highest visual comfort. As a result, MODERN BALL is an excellent choice for general lighting in hotel lobbies, home living rooms or office receptions.

# Modern Ball



GERMAN  
DESIGN  
AWARD  
WINNER  
2022

**must  
have**  
COLLECTED BY LOUZE DESIGN HANNOVER, 2021



MODERN BALL x3 LED suspended | PET mini LED track

Private apartment, Zielona Góra

Design: Golaska Studio | Photo: Krzysztof Strazynski








# Modern Ball

SUSPENDED  
surface D.130

## MODERN BALL WP LED x2 | x3 | x4 asymmetry



	CAT. N°	CAT. N°	CAT. N°
	59778-M930-D0-00-12	59779-M930-D0-00-12	59823-M930-D0-00-12
<b>POWER:</b>	11.5W (L)   17W (M)	17.5W (L)   26W (M)	23W (L)   34.5W (M)
<b>FLUX:</b>	1580lm - 2190lm	2380lm - 3290lm	3170lm - 4380lm
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)		
<b>CONTROL:</b>	ON/OFF (00)	ON/OFF (00)   switchDIM (SW)   DALI (DA)	



### LUMINAIRE FINISHES

- WHITE -13 ○
- BLACK -12 ●
- GREY -84 ●
- TERRACOTTA -83 ●
- TAUPE -82 ●
- GOLD -19 ●



# Modern Ball simple

## **Exceptional parameters and timeless design**

MODERN BALL simple captivates with its simplicity and functionality. The milky, glass sphere, an icon of design, conceals outstanding technical parameters, creating an exceptionally harmonious duo. As a result, the MODERN BALL simple collection excels as efficient and incredibly comfortable general lighting. It effectively illuminates tables in modern cafes or restaurants, emitting softly diffused, visually pleasing light.




PET midti LED track | MODERN BALL simple midti LED track suspended

Hotel-T, Waregem

Photo: Jan Liz



## MODERN BALL simple mini | mini G/K



CAT. N°

CAT. N°

59876-M930-D0-00-12

59875-M930-D0-00-12

<b>POWER:</b>	4W (L)   6W (M)
<b>FLUX:</b>	580lm - 790lm
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)
<b>CC DRIVER:</b>	-   G
<b>CONTROL:</b>	ON/OFF (00)   DALI (DA)   ON/OFF (00)   DALI (DA)   require driver (CC)*




\*Protection class, input voltage and IP rating for CC luminaires vary from above table.




# Modern Ball simple

SUSPENDED  
 surface p. 128  
 track p. 334  
 table p. 394  
 hermatic p. 412  
 system p. 464


MODERN BALL simple  
 midi | midi G/K | maxi | maxi G/K




CAT. N°



CAT. N°



CAT. N°



CAT. N°


	59835-M930-D0-00-12	59836-M930-D0-00-12	59873-M930-D0-00-12	59874-M930-D0-00-12
<b>POWER:</b>	6W (L)   8.5W (M)		8W (L)   11.5W (M)	
<b>FLUX:</b>	790lm - 1090lm		1170lm - 1610lm	
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)			
<b>CC DRIVER:</b>	-	H	-	M
<b>CONTROL:</b>	ON/OFF (00)   DALI (DA)	ON/OFF (00)   DALI (DA)   require driver (CC)*	ON/OFF (00)   DALI (DA)	ON/OFF (00)   DALI (DA)   require driver (CC)*

**LUMINAIRE FINISHES**

- WHITE -13 ○
- BLACK -12 ●
- GREY -84 ●
- TERRACOTTA -83 ●
- TAUPE -82 ●
- GOLD -19 ●

## Enhance interior acoustic comfort

AQfelt adds to acoustic comfort. The sound-absorbing felt used has acoustic parameters optimized for absorbing sounds over the range of frequencies that are essential for verbal communication. Due to this, it significantly contributes, among other things, to improving speech intelligibility and reducing the reverberation time. Better acoustics mean more comfortable indoor conditions!




# AQfelt



Awarded products: AQİET OVALL BALL suspended








AQFORM WAVE RAFTER points LED section suspended



PET midi LED spot | AQfelt O'VALL RAFTER points LED section suspended



## AQfelt ovall ball



### CAT. N°

59899-M930-D0-00-A2

**POWER:** 17.5W (L) | 26W (M)

**FLUX:** 2380lm - 3290lm

**OPTICS:** opal (D9)

**CCT:** 2700K (27) | 3000K (30) | 4000K (40)

**CONTROL:** ON/OFF (00) | DALI (DA) | AQsmart (DB) | switchDIM (SW)








# AQfelt

SUSPENDED

## AQfelt ovall | wave | stave




	LIGHT SOURCE	CAT. N°	LIGHT SOURCE	CAT. N°	LIGHT SOURCE	CAT. N°
	opal 860mm	59895-M930-D9-00-A2	opal 860mm	59899-M930-D9-00-A2	opal 1140mm	59898-M930-D9-00-A2
	points 860mm	59896-M930-FB-00-A2	points 860mm	59900-M930-FB-00-A2	points 1140mm	59896-M930-FB-00-A2
<b>POWER:</b>	11W - 13W (L)   22W - 26W (M)   37W (H)		11W - 13W (L)   22W - 26W (M)   37W (H)		11W - 17W (L)   22W - 34.5W (M)   49.5W (H)	
<b>FLUX:</b>	1330lm - 4650lm		1330lm - 4650lm		1330lm - 6200lm	
<b>OPTICS:</b>	opal (D9)   points: 37° (F_)   50° (W_)					
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)					
<b>CONTROL:</b>	ON/OFF (00)   DALI (DA)   AQsmart (DB)   switchDIM (SW)					

\*for points

### FINISHES DETAIL

graphite&black -G2

ash&black -A2



### LUMINAIRE FINISHES

GRAPHITE&BLACK -G2

ASH&BLACK -A2

# Efficient task lighting



Z

Awarded products: PET LED mini | PET LED midi | PET LED maxi



GERMAN  
DESIGN  
AWARD  
WINNER  
2022



Architizer

A+ PRODUCTS

FINALIST  
2022

# ZAPROJEKTUJ ARANŻACJE


## Pet


### KILKU

PET is a versatile range of fixtures renowned for its high efficiency and excellent technical parameters. In its suspended version, it excels as effective task lighting for work surfaces – such as tables, counters or receptions. Its slender, minimalistic form serves as a discreet accent in modern interiors, while the deeply set light source safeguards the user's eyes from glare. This makes PET a functional lighting solution suitable for both private and commercial spaces.

### OPRAW








# Pet mini & midi



SUSPENDED  
surface p. 114  
spot p. 302/310  
track p. 302/310  
wall p. 358  
hermetic p. 434  
system p. 464

## PET mini | mini G/K | midi | midi G/K



LENGTH	CAT. N°	CAT. N°	CAT. N°	CAT. N°
200mm	59769-M930-WB-00-12	59829-M930-WB-00-12	59772-M930-WB-00-12	59826-M930-WB-00-12
320mm	59770-M930-WB-00-12	59830-M930-WB-00-12	59773-M930-WB-00-12	59827-M930-WB-00-12
<b>POWER:</b>	4.5W (M)		8.5W (M)	
<b>FLUX:</b>	540lm		1140lm	
<b>OPTICS:</b>	20° (F_)   41° (W_)		18° (S_)   35° (F_)   50° (W_)	
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)			
<b>CC DRIVER:</b>	-	E	-	J
<b>CONTROL:</b>	ON/OFF (00)   require driver (CC)*		ON/OFF (00)   Phase-Control (PH)   DALI (DA)   require driver (CC)*	

\*only for G/K

### ACCESSORY

honeycomb



RING FINISHES	LUMINAIRE FINISHES
WHITE -_W- ○	WHITE -13 ○
BLACK -_B- ●	BLACK -12 ●
GREY -_A- ●	GREY -84 ●
TERRACOTTA -_R- ●	TERRACOTTA -83 ●
TAUPE -_T- ●	TAUPE -82 ●
GOLD -_G- ●	GOLD -19 ●

\*Protection class, input voltage and IP rating for CC luminaires vary from above table.

Data for standard LED product is shown for LED light source 3000K. Other variants are available on our website.




# Pet GU10 & E27



PET  
E27 | GU10

SUSPENDED  
recessed p. 084  
surface p. 114  
spot p. 310



new

CAT. N°	LENGTH	CAT. N°
59906-0000-U8-PH-12	170mm	50565-0000-U8-PH-12
	250mm	50566-0000-U8-PH-12

POWER: max: 50W  
CONTROL: Phase-Control (PH)

--	--

light source not included  
\*depending on the source



- LUMINAIRE FINISHES
- WHITE -13 ○
  - BLACK -12 ●
  - GREY -84 ●
  - TERRACOTTA -83 ●
  - TAUPE -82 ●
  - GOLD -19 ●

## A proven way to illuminate tables stylishly

The MIDI / MAXI RING collection combines two key functions within one fixture. On one hand, it provides pleasant, softly diffused ambient light; on the other, it captivates attention with a striking, centrally placed dot element. This particular feature adds a distinctive look to the collection while discreetly concealing the light source from the observer's view. Thus, the fixture ensures the highest visual comfort, performing exceptionally well as table lighting or comfortable general lighting.

# Ring





Design: Marta Komorowska-Koszalka, bkm group. | Photo: Tom Kurek

*Private apartment, Chwarzno, Gdynia*

MAXI RING dot LED suspended







# Ring dot

SUSPENDED  
surface D.136

## RING dot midi | maxi



	CAT. N°	CAT. N°
	59904-M930-DW-PH-12	59903-M930-DW-PH-12
<b>POWER:</b>	14.5W (M)	25W (M)
<b>FLUX:</b>	2160lm	3830lm
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)	
<b>CONTROL:</b>	Phase-Control (PH)	



### INNER FINISHES

- WHITE -\_W- ○
- BLACK -\_B- ●
- GREY -\_A- ●
- TERRACOTTA -\_R- ●
- TAUPE -\_T- ●
- GOLD -\_G- ●

### LUMINAIRE FINISHES

- WHITE -13 ○
- BLACK -12 ●
- GREY -84 ●
- TERRACOTTA -83 ●
- TAUPE -82 ●
- GOLD -19 ●

BLOS round LED suspended



## Stylish luminaire resistant to impact


The BLOS collection demonstrates that a fixture with technical parameters can also have a decorative character. Even on its own, BLOS serves well as general lighting or as additional lighting for smaller areas. Excellent efficiency with design touch makes it a functional solution suitable for both homes and public spaces.

# Blos round

SUSPENDED  
surface, p. 142  
track, p. 330  
hermetic, p. 414



## BLOS round



### CAT. N°

59864-M930-D9-00-12

**POWER:** 11.5W (L) | 23W (M)

**FLUX:** 1725lm - 3260lm

**CCT:** 2700K (27) | 3000K (30) | 4000K (40)


**CONTROL:** ON/OFF (00) | switchDIM (SW) | DALI (DA) | Aqsmart (DB)



### LUMINAIRE FINISHES

- WHITE -13 ○
- BLACK -12 ●
- GREY -84 ●
- TERRACOTTA -83 ●
- TAUPE -82 ●
- GOLD -19 ●





## A fixture defying the laws of physics

equilibra BALANS emerged from collaboration with the Polish designer Piotr Jagiełłowicz. The fixture surprises with a form that seemingly defies the laws of physics at first glance. Its original suspension method embodies balance and lightness, while its distinctive curves seamlessly blend with current design trends. Consequently, equilibra BALANS stands as an excellent choice for modern lighting in the most prestigious spaces. It adeptly manages to evenly illuminate a household table or a reception area.



reddot award 2015  
winner lighting design

**must  
have**  
SELECTED BY GOOD DESIGN FESTIVAL 2014






# equilibra balans

SUSPENDED

## equilibra BALANS



LENGTH	CAT. N°
920mm	50041-M930-D0-00-12
1200mm	50042-M930-D0-00-12
1480mm	50043-M930-D0-00-12
<b>POWER:</b>	24W - 40W (M)
<b>FLUX:</b>	3210lm - 5350lm
<b>CCT:</b>	3000K (30)   4000K (40)
<b>CONTROL:</b>	ON/OFF (00)










### LUMINAIRE FINISHES

- WHITE -13 ○
- BLACK -12 ●
- GREY -84 ●
- TERRACOTTA -83 ●
- TAUPE -82 ●
- GOLD -19 ●




# Thin Tube

## **Sleek design and outstanding performance**

The THIN TUBE collection embodies visual lightness combined with excellent technical parameters. As a result, the fixture boasts high efficiency, providing ample light on work surfaces. THIN TUBE stands as a proven solution for office spaces, conference rooms or modern kitchens. Piotr Jagiełłowicz's timeless design, coupled with subtly rounded shapes, perfectly aligns with the latest trends.





# Thin Tube

SUSPENDED


wall, p. 378

floor, p. 398

hermetic, p. 420



## THIN TUBE asymmetry | central



LENGTH	CAT. N°	LENGTH	CAT. N°
1223mm	50581-M930-D9-00-12	963mm	50572-M930-D9-00-12
1500mm	50582-M930-D9-00-12	1523mm	50571-M930-D9-00-12
1783mm	50583-M930-D9-00-12		
<b>POWER:</b>	13W - 21.5W (L)   26W - 43W (M)		
<b>FLUX:</b>	1740lm - 5820lm		
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)		
<b>CONTROL:</b>	ON/OFF (00)   DALI (DA)   switchDIM (SW)		



### LUMINAIRE FINISHES

- WHITE -13 ○
- BLACK -12 ●
- GREY -84 ●
- TERRACOTTA -83 ●
- TAUPE -82 ●
- GOLD -19 ●





## Efficient minimalism


Seeking minimalism and efficiency? Look no further than SET RAW mini which, despite its small size, handles illuminating rather significant spaces. SET RAW mini performs excellently above tables or kitchen islands while efficiently lighting entryways, relaxation areas or commercial circulation zones.



# Set Raw mini

SUSPENDED  
recessed p. 094  
wall p. 376  
hermetic p. 424

## SET RAW mini



LENGTH	CAT. N°
580mm	50359-M930-D9-00-12
870mm	50361-M930-D9-00-12
1150mm	50363-M930-D9-00-12
1430mm	50365-M930-D9-00-12
1710mm	50367-M930-D9-00-12
1990mm	50369-M930-D9-00-12
<b>POWER:</b>	17W - 60W (M)
<b>FLUX:</b>	2320lm - 8140lm
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)
<b>CONTROL:</b>	ON/OFF (00)   switchDIM (SW)*   DALI (DA)*   AQsmart (DE)*









\*from length 870mm



### LUMINAIRE FINISHES

- WHITE -13 ○
- BLACK -12 ●

## Merging aesthetics with ergonomic

LENS LINE is a fixture that combines compact dimensions with excellent technical parameters. Its subtle form conceals efficient LED light sources and lenses effectively limiting glare. Consequently, LENS LINE stands as a smart choice for task lighting, and with a beam angle exceeding 50°, a cluster of these fixtures can also serve as efficient general lighting.

# Lens Line





LENS LINE LED section suspended

Office, Zielona Góra

Design: Golaszka Studio | Photo: Krzysztof Straziński STUDIO






# Lens Line

SUSPENDED  
 recessed d. 092  
 surface d. 164

## LENS LINE section | LC | RC



LENGTH	CAT. N°	LC	CAT. N°	RC	CAT. N°
960mm	50282-M930-W3-00-12		50468-M930-W3-00-12		50444-M930-W3-00-12
1490mm	50284-M930-W3-00-12				
2020mm	50286-M930-W3-00-12				
<b>POWER:</b>	7W - 14.5W (L)   14.5W - 29.5W (M)		14.5W (L)   29.5W (M)		
<b>FLUX:</b>	900lm - 3370lm		1800lm - 3370lm		
<b>OPTICS:</b>	26° (F_)   54° (W_)				
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)				
<b>CONTROL:</b>	ON/OFF (00)   DALI (DA)   Aqsmart (DB)   switchDIM (SW)				

Information about dimensions of optics placement within the luminaire are on [page 514](#).



### LUMINAIRE FINISHES

- WHITE -13 ○
- BLACK -12 ●

# Mixline



## **Multifunctional fixture for special tasks**

The MIXLINE luminaire family proves that one fixture can serve multiple functions simultaneously. Its section with a cover provides comfortable, softly diffused general lighting, while the precise optics of the lens section ensure suitable intensity on the work surface. The slender linear form makes MIXLINE a subtle ornament in modern interiors.










# Mixline

SUSPENDED  
 recessed D\_090  
 surface D\_158  
 system D\_488

## MIXLINE - | INV | 120x89 RT



LENGTH	CAT. N°	LENGTH	CAT. N°	CAT. N°
1600mm	50438-M930-W3-00-12	1670mm	50441-M930-W3-00-12	50443-M930-W3-00-12
1880mm	50439-M930-W3-00-12	1920mm	50442-M930-W3-00-12	
2160mm	50440-M930-W3-00-12			
<b>POWER:</b>	16W - 33W (M)	21W - 24.5W (M)	41.5W (M)	
<b>FLUX:</b>	2060lm - 4390lm	2770lm - 3220lm	5550lm	
<b>OPTICS:</b>	26° (F_)   54° (W_)			
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)			
<b>CONTROL:</b>	ON/OFF (00)   DALI (DA)   Aqsmart (DB)   switchDIM (SW)			



Information about dimensions of optics placement within the luminaire are on [page 514](#).



### LUMINAIRE FINISHES

- WHITE -13 ○
- BLACK -12 ●

# Rafter



## **Discover a proven office lighting solution**

The RAFTER collection offers a functional solution tailored for both home and office spaces. In its opal version, it provides comfortable general lighting, while RAFTER points, with deeply set LEDs, precisely directs light onto the work surface. Thus, it serves as ultimate task lighting solution, ensuring the highest visual comfort for the user's eyes. Its balanced, linear form seamlessly fits the character of modern spaces, making the RAFTER fixture a stylish addition to any arrangement.








# Rafter

SUSPENDED  
 recessed p. 088  
 surface p. 150  
 spot p. 324  
 track p. 324  
 wall p. 380  
 system p. 500

## RAFTER LED opal | points section



LENGTH	CAT. N°	LENGTH	CAT. N°
570mm	50600-M930-D9-00-12	537mm	50593-M930-WB-00-12
860mm	50601-M930-D9-00-12	936mm	50594-M930-WB-00-12
1140mm	50602-M930-D9-00-12	1335mm	50595-M930-WB-00-12
1420mm	50603-M930-D9-00-12	1734mm	50596-M930-WB-00-12
1700mm	50604-M930-D9-00-12		
1980mm	50605-M930-D9-00-12		
<b>POWER:</b> 8.5W - 30W (L)   17W - 60W (M)   25W - 87W (H)		7.5W - 18W (L)   14.5W - 37W (M)	
<b>FLUX:</b> 1160lm - 10860lm		880lm - 3940lm	
<b>OPTICS:</b> opal (D9)		37° (F_)   50° (W_)	
<b>CCT:</b> 2700K (27)   3000K (30)   4000K (40)			
<b>CONTROL:</b> ON/OFF (00)   DALI (DA)   Aqsmart (DB)   switchDIM (SW)			

Information about dimensions of optics placement within the luminaire are on [page 514](#).



**OPTICS FINISHES**  
 only for points

WHITE -\_W- ○  
 BLACK -\_B- ●



**LUMINAIRE FINISHES**

WHITE -13 ○  
 BLACK -12 ●

## Fixture tailored to the rhythm of office spaces

The secret behind OPTIMA lies in its way of illumination. Task lighting emitted downwards effectively brightens the work surface, while the up&down version directs a strong, wide-scattered beam also ditrects. As a result, the light bounces off the ceiling, serving as general lighting. Ensuring suitable conditions, OPTIMA adeptly manages to independently illuminate the entire office. Moreover, if the layout involves two desks facing each other, one OPTIMA fixture of appropriate length efficiently illuminates both surfaces along with their surroundings.

# Optima





MIDI RING firm LED surface | OPTIMA up&down LED suspended  
AÇIKTIL WAVE RAFTER points LED section suspended





What is most important when lighting office spaces? Efficiency and economy. Therefore, these two factors have been perfectly balanced in the luminaires of the OPTIMA series. The task light is emitted downwards, allowing to illuminate the desk top. In the up&down version, strong light with a very wide distribution is directed upwards, ensuring good illumination of the environment by means of the light reflected from the ceiling. Effective use of OPTIMA luminaires basically does not require a lighting design – a white ceiling, a 220cm installation height and selecting a length similar to the size of the desk is enough to avoid the need to use any additional lamps in the room.

And if you have a set for two connected desks opposite each other, we have good news: one OPTIMA luminaire of the right length can handle such a challenge. Efficiently and economically.






# Optima

SUSPENDED

## OPTIMA LED

- | up&down




LENGTH	CAT. N°	CAT. N°
980mm	59886-M930-WB-00-12	59883-M930-WB-00-12
1380mm	59887-M930-WB-00-12	59884-M930-WB-00-12
1680mm	59888-M930-WB-00-12	59885-M930-WB-00-12
<b>POWER:</b>	21W (M)	51W (M)
<b>FLUX:</b>	2590lm	6750lm
<b>OPTICS:</b>	64° (W_)	
<b>CCT:</b>	2700K (27)   3000K (30)	
<b>CONTROL:</b>	ON/OFF (00)   DALI (DA)   Aqsmart (DB)   switchDIM (SW)	

Information about dimensions of optics placement within the luminaire are on [page 514](#).



### LUMINAIRE FINISHES

- WHITE -13 ○
- BLACK -12 ●



## Let high efficiency and energy conservation surprise you

SET TRU presents an incredibly efficient solution that emits the highest quality light. With its high energy efficiency and elegant, minimalistic design, this collection excels in both private and public spaces. The up&down lighting version works wonderfully in offices and high traffic areas, serving well as general lighting.





# Tru

SUSPENDED  
 recessed p. 098  
 surface p. 168  
 track p. 328  
 wall p. 382  
 hermetic p. 426  
 system p. 492

## SET TRU LED

opal | PRO | opal up&down | PRO up&down



LENGTH	CAT. N°	CAT. N°
570mm	54549-M930-D9-00-12	50184-M930-D9-00-12
860mm	54551-M930-D9-00-12	50185-M930-D9-00-12
1140mm	54553-M930-D9-00-12	50186-M930-D9-00-12
1420mm	54555-M930-D9-00-12	50187-M930-D9-00-12
1700mm	54557-M930-D9-00-12	50244-M930-D9-00-12
1980mm	54559-M930-D9-00-12	50245-M930-D9-00-12
<b>POWER:</b>	8.5 – 30W (L)   17W – 60W (M)	17W – 60W (L)   34.5W – 120.5W (M)
<b>FLUX:</b>	1160lm – 8140lm	2320lm – 16290lm
<b>OPTICS:</b>	opal (D9)   microprism (D5)	
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)	
<b>CONTROL:</b>	ON/OFF (00)   DALI (DA)   Aqsmart (DB)   switchDIM (SW)	


\*for microprism (D5)

the opal version (D9) has a Tunable-White option available from length 1140mm

### COVERS COMPARISON

regular (opal)

PRO (microprism)



### LUMINAIRE FINISHES

WHITE -13 ○  
 BLACK -12 ●



## Efficient office lighting

The BIG SIZE family boasts excellent technical parameters, adjustable power and light output and a high colour rendering index. In its PRO version with a microprismatic diffuser it excels as office lighting, ensuring optimal visual comfort while maintaining high illumination levels on desks. Available in multiple sizes, BIG SIZE also flexibly adapts to the needs of domestic spaces or hotels.

# Big Size






BIG SIZE next round LED suspended




# Big Size next round

SUSPENDED  
recessed D\_072  
surface D\_148

## BIG SIZE next round LED opal | PRO



DIAMETER	CAT. N°
450mm	59788-A930-D9-00-12
660mm	50259-A930-D9-00-12
960mm	50261-A930-D9-00-12
1220mm	50263-A930-D9-00-12
<b>POWER:</b>	10.5 – 130W (A)
<b>FLUX:</b>	1500lm – 19620lm
<b>OPTICS:</b>	opal (D9)   microprism (D5)
<b>CCT:</b>	3000K (30)   4000K (40)
<b>CONTROL:</b>	ON/OFF (00)   DALI (DA)   Aqsmart (DB)   switchDIM (SW)



\*only for microprism (D5)

the opal version (D9) has a Tunable-White option available

### COVERS COMPARISON

regular (opal)

PRO (microprism)



### LUMINAIRE FINISHES

WHITE -13 ○  
BLACK -12 ●

SZYNO PRZEW

I

REFLEKTORY



# Track & Spot



ODY



FLATTRACK  
HYPER



[p. 314](#)

**new**

MODERN BALL simple



[p. 334](#)

**new**

PET mini



[p. 302](#)

**new**


QRLED next



[p. 290](#)

**new**

RAFTER



[p. 324](#)


**new**

MULTITRACK  
HYPER



[p. 314](#)

MODERN BALL simple



[p. 334](#)

PET midi



[p. 310](#)

PET mini



[p. 302](#)

QRLED next



[p. 290](#)

**new**

MICROTRACK

MODERN BALL simple



[p. 334](#)

PET mini



[p. 302](#)

RAFTER mini points



[p. 320](#)

RAFTER points



[p. 324](#)


TRACK

BLOS round




[p. 330](#)

HYPER



[p. 314](#)

MODERN BALL simple



[p. 334](#)

PET mini



[p. 302](#)

PET midi



[p. 310](#)

SPOT

HYPER



[p. 314](#)

PET GU10



[p. 310](#)

PET maxi



[p. 310](#)

PET midi



[p. 310](#)

PET mini



[p. 302](#)

# Index


RAFTER mini



[p. 320](#)

**new**

TUBE flex



[p. 296](#)

**new**


TUBE stiff



[p. 296](#)

**new**

RAFTER



[p. 324](#)

RAFTER mini



[p. 320](#)

SET TRU mini



[p. 328](#)

SET TRU mini points



[p. 328](#)


TRIBA mini



[p. 294](#)


**new**

PET maxi



[p. 310](#)


QRLED next



[p. 290](#)

**new**

RAFTER



[p. 324](#)

SET TRU



[p. 328](#)

TRIBA midi



[p. 294](#)

**new**

QRLED next



[p. 290](#)

**new**

RAFTER



[p. 324](#)

TRIBA



[p. 294](#)

**new**





PET midli LED track

Potten & Pannen – Staněk, Czech Republic

Design: Vrtiška & Zák studio Lighting design: LIGHT WORKS

## Tracks – a way to achieve well-adapted lighting

Lighting tracks are very flexible solutions. Their main advantages are powering many luminaires from one point and the ability to easily change the arrangement and number of luminaires. They are perfect for shops, galleries and restaurants, but also for residential interiors.

MULTITRACK models are distinguished by their simple form and safe voltage of 48V inside the track. They can be mounted not only on the ceiling, but also on the wall, within easy reach.


MULTITRACK ST6 is a surface-mounted version with a shorter track height. It can also be used as a suspended solution. ST3 is a recessed variant. In both cases, the frame adapters are flush with the edge of the track. Higher versions – surface-mounted ST2 and recessed ST5 – are solutions in which the linear fixtures are completely hidden in the track.

3F tracks are very popular systems. They are available in a surface-mounted version (which, when supplemented with cable slings, will serve as a suspended version), as well as a recessed version, available to order. 3F tracks are also available in the DALI version.

### MULTITRACK

surface | recessed | high surface | high recessed

48V | max 3 metres in one piece | ON-OFF (one or two circuits) | DALI  
Can be safely installed on walls | requires 48V power supply




## FLATTRACK

### surface

48V | max 3 metres in one piece | ON-OFF  
 Extremely thin | can be safely installed on walls  
 Requires 48V power supply | DALI version coming soon

Best for homes, restaurants, small expositions

new




## MICROTRACK


### surface | recessed

48V | max 2 metres in one piece | ON-OFF | DALI  
 Extremely thin | can be safely installed on walls  
 Requires 48V power supply

new







new



## TRACK

### 3F surface | 3F recessed | DALI surface | DALI recessed

230V | max 3 metres in one piece | ON-OFF (three circuits) | DALI



# Multitrack & High Multitrack


## Flexibility in a simple form

The MULTITRACK system is available in surface-mounted, suspended and recessed versions, as well as in two depths.

Available accessories and connectors allow you to create complex systems, even with a direct transition from the ceiling to the wall.


There is a safe voltage of 48V inside the track, so the MULTITRACK system can also be used in places within easy reach.

The MULTITRACK system requires a separate power supply. It can be installed in a suspended ceiling or in built-in furniture. Another solution is to use the power supply in a surface-mounted box mounted on the ceiling and constituting an extension of the track. There is also a power supply plugged directly into the track (exactly the same as the luminaires), as well as a power supply mounted on a DIM track in the distribution box. There are plenty of possibilities. Each of them requires slightly different electrical installation.



NEW PRODUCT

# Flattrack



## The most subtle track system on the market

Due to its extremely small dimensions, measuring only 6.7mm in height and 18mm in width, the FLATTRACK system is available exclusively in surface-mounted versions. With a safe 48V voltage, it can be confidently installed on walls.

With lengths of tracks reaching up to 3m, a set of accessories and a wide selection of lighting fixtures for the FLATTRACK system, there is flexibility to create diverse arrangements within interiors.

Copper wires run along the sides of the tracks, graphite-coated, making this system not only exceptionally discreet but also aesthetically pleasing.

# Microtrack

NEW  
PRODUCT

## Exceptionally discreet form with numerous possibilities


The track systems of the MICROTRACK are available in both recessed and surface-mounted versions. Their compact dimensions allow for the creation of exceptionally subtle compositions on the walls and ceilings.

Lighting fixture adapters are inserted into the middle of the track, seamlessly integrating with the discreet line of the tracks themselves. A complete set of accessories and a wide selection of fixtures provide ample creative freedom.

Safe 48V voltage allows for convenient installation within reach. It requires the use of a separate power supply, available in various versions - with a surface-mounted box for installation in a suspended ceiling, as well as for installation in a distribution box.



# Track 3F & Dali



## **3F tracks combine flexibility, minimalistic design and affordable price**

They are powered by 230V, so to connect them, all you need is a standard cable on the ceiling and a power terminal or one of the connectors with the possibility of connecting the power supply (straight connector, "L", "T" or "X").

They make it possible to divide lighting fixtures into up to three circuits so that they work independently. This requires a 5-wire cable between the wall switches and the track connection.

They are made of aluminum profile painted black (RAL 9005) or white (RAL 9003).

## **Standard tracks for demanding interiors**

The DALI version of the 3F tracks is intended for interiors where a wired digital control system based on the DALI protocol is used. This solution allows for independent addressing of the luminaires. In other words, it is possible to program light scenes, dim luminaires and combine them into groups.

The 3F DALI tracks requires the use of fixtures in the DALI control version, as well as appropriate installation and the use of properly selected automation.

Next is a new version  
of the popular family  
of luminaires

Small size, high light parameters and high  
light efficiency make QRLED an extremely  
aesthetic and effective way to provide  
a well-lit interior.

NEW PRODUCT



# Qrled





ORLED next suspended flatrack | HYPER zoom LED flatrack | MODERN BALL LED table

## QRLED next G/K spot | spot







new

new

CAT. N°	CAT. N°
16480-M930-W3-00-12	16487-M930-W3-00-12
<b>POWER:</b>	6W (L)   8.5W (M)
<b>FLUX:</b>	790lm - 1090lm
<b>CCT:</b>	52° (W_)
<b>OPTICS:</b>	2700K (27)   3000K (30)   4000K (40)
<b>CC DRIVER:</b>	H -
<b>CONTROL:</b>	ON/OFF (00)   Phase-Control (PH) DALI (DA)   require driver (CC)*

## QRLED next track | high multitrack | multitrack | suspended multitrack



new

new

new

new

CAT. N°	CAT. N°	CAT. N°	CAT. N°
16486-M930-W3-00-12	16483-M930-W3-00-12	16484-M930-W3-00-12	16485-M930-W3-00-12
<b>POWER:</b>	6W (L)   8.5W (M)		
<b>FLUX:</b>	790lm - 1090lm		
<b>OPTICS:</b>	52° (W_)		
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)		
<b>CONTROL:</b>	ON/OFF (00)   DALI (DA)	ON/OFF (00)   DALI (DA)   ON/OFF second circuit (01)	ON/OFF (00)   DALI (DA)




NEW PRODUCT

# Qrled next


TRACK&SPOT

recessed d. 044  
suspended p. 200

## QRLED next flattrack | suspended flattrack



new



new

CAT. N°	CAT. N°
16496-M930-W3-00-12	16497-M930-W3-00-12
<b>POWER:</b>	6W (L)   8.5W (M)
<b>FLUX:</b>	790lm - 1090lm
<b>OPTICS:</b>	52° (W_)
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)
<b>CONTROL:</b>	ON/OFF (00)

### LUMINAIRE FINISHES

- WHITE -13 ○
- BLACK -12 ●
- GREY -84 ●
- TERRACOTTA -83 ●
- TAUPE -82 ●
- GOLD -19 ●
- MIX -06 ●

NEW PRODUCT

# Triba



## Decorative form and precise light

TRIBA is precise optics and high quality of light enclosed in a decorative, three dimensional form.

Two diameters, lighting angles from 18 to 50°, luminous flux from 510 to 1210lm allow you to easily select the appropriate luminaire model.


High light parameters, including CRI>90 (or even CRI>95 on request) and uniform light colour (SDCM3) will ensure the highest quality lighting. And the expressive, milled shape will add character to the interior. TRIBA attracts attention and shines well.

TRIBA mini LED multitrack  
TRIBA midi 9 E27 suspended  
IKI round E27 wall



# TRIBA mini LED


G/K spot | multitrack | high multitrack



new

CAT. N°


16476-M930-FB-00-12



new

CAT. N°

16474-M930-FB-00-12



new

CAT. N°

16475-M930-FB-00-12

<b>POWER:</b>	4.5W (M)
<b>FLUX:</b>	540lm
<b>CCT:</b>	20° (F_)   41° (W_)
<b>OPTICS:</b>	2700K (27)   3000K (30)   4000K (40)
<b>CC DRIVER:</b>	E -
<b>CONTROL:</b>	ON/OFF (00)   require driver (CC)* ON/OFF (00)   ON/OFF second circuit (01)   DALI (DA)

## ACCESSORY

honeycomb




NEW PRODUCT

# Triba

TRACK&SPOT  
 surface d.108  
 suspended d.204  
 wall d.344


## TRIBA midi LED G/K spot | spot | track



new

CAT. N°


16478-M930-FB-00-12



new

CAT. N°

16477-M930-FB-00-12



new

CAT. N°

16479-M930-FB-00-12

<b>POWER:</b>	8.5W (M)	
<b>FLUX:</b>	1140lm	
<b>CCT:</b>	18° (S_)   35° (F_)   50° (W_)	
<b>OPTICS:</b>	2700K (27)   3000K (30)   4000K (40)	
<b>CC DRIVER:</b>	J	-
<b>CONTROL:</b>	ON/OFF (00)   Phase-Control (PH) DALI (DA)   require driver (CC)*	ON/OFF (00)   Phase-Control (PH) DALI (DA)   AQsmart (DB)



**RING FINISHES**

- WHITE -\_W- ○
- BLACK -\_B- ●
- GREY -\_A- ●
- TERRACOTTA -\_R- ●
- TAUPE -\_T- ●
- GOLD -\_G- ●

**LUMINAIRE FINISHES**

- WHITE -13 ○
- BLACK -12 ●
- GREY -84 ●
- TERRACOTTA -83 ●
- TAUPE -82 ●
- GOLD -19 ●

\*Protection class, input voltage and IP rating for CC luminaires vary from above table.

Data for standard LED product is shown for LED light source 3000K. Other variants are available on our website.

TUBE flex 200 LED flattrack | RAFTER mini 25 LED flattrack

## A functional way to break the monotony

If you value a touch of individualism and general lighting – this fixture is for you. The luminous flexible tube not only catches the eye but gently illuminates the entire room. The option to connect it to one or two track systems invites you to play with its inherently variable form. Create luminous compositions during design or even during installation that will add dynamism to the space.





NEW PRODUCT

# Tube

TRACK&SPOT

## TUBE flattrack flex | stiff



new

new

LENGTH	CAT. N°	LENGTH	CAT. N°
1000mm	16506-M930-D9-00-12	500mm	16505-M930-D9-00-12
2000mm	16507-M930-D9-00-12		
<b>POWER:</b>	9W - 18W (M)		8.5W (M)
<b>FLUX:</b>	1280lm - 2560lm		1070lm
<b>CCT:</b>	2700K (27)   3000K (30)		
<b>CONTROL:</b>	ON/OFF (00)		



### LUMINAIRE FINISHES

- WHITE -13 ○
- BLACK -12 ●

Delicate form and good light

# FORMA



Awarded products: PET LED mini | PET LED midi | PET LED maxi



GERMAN  
DESIGN  
AWARD  
WINNER  
2022



Architizer  
A+ PRODUCTS  
FINALIST  
2022

# SWITZ

I MOC


Do


# Pet

The PET mini model provides a sufficiently large luminous flux to highlight the most interesting elements in the interior. Carefully designed optics of PET luminaires as well as appropriately selected light parameters allow for low glare in the interior and high visual comfort.

Thanks to high levels of luminous flux and various lighting angles, PET luminaires are perfect for many applications: in homes, shops and public spaces. They can be equipped with optional accessory – a honeycomb. PET frames are available in many colour versions, including mixed versions in which the decorative ring is a different colour than the body. For supporters of more classical solutions, we have a version with a traditional light source with an equally minimalistic design.

E C E N I A






Mojo Lounge, Zielona Góra

Design: Fanajlo Home Design Decor Photo: Krzysztof Straszynski STUDIO


# PET mini

## G/K spot | spot | E x1 spot | E x2 spot



CAT. N°


16413-M930-WB-00-12



CAT. N°

16359-M930-WB-00-12


new



CAT. N°

16469-M930-FB-00-12

new




CAT. N°

16470-M930-FB-00-12

<b>POWER:</b>	4.5W (M)	8.5W (M)
<b>FLUX:</b>	540lm	970lm
<b>CCT:</b>	20° (F_)   41° (W_)	
<b>OPTICS:</b>	2700K (27)   3000K (30)   4000K (40)	
<b>CC DRIVER:</b>	E	-
<b>CONTROL:</b>	ON/OFF (00)   require driver (CC)*	ON/OFF (00)


# PET mini

## track | high multitrack | multitrack | suspended multitrack




CAT. N°

16358-M930-FB-00-12




CAT. N°

16435-M930-FB-00-12



CAT. N°

16367-M930-FB-00-12




CAT. N°

16369-M930-FB-00-12

<b>POWER:</b>	4.5W (M)
<b>FLUX:</b>	540lm
<b>OPTICS:</b>	20° (F_)   41° (W_)
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)
<b>CONTROL:</b>	ON/OFF (00)   ON/OFF second circuit (01)   DALI (DA)



**PET mini**  
flattrack | suspended flattrack



new


new

CAT. N°	CAT. N°
16495-M930-FB-00-12	16494-M930-FB-00-12
<b>POWER:</b>	4.5W (M)
<b>FLUX:</b>	540lm
<b>OPTICS:</b>	20° (F_)   41° (W_)
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)
<b>CONTROL:</b>	ON/OFF (00)

# Pet mini

TRACK&SPOT  
surface p. 114  
suspended p. 236  
wall p. 359  
system p. 464

**PET mini**  
microtrack | suspended microtrack



CAT. N°

CAT. N°

CAT. N°	CAT. N°
16436-M930-FB-00-12	16434-M930-FB-00-12
<b>POWER:</b>	4.5W (M)
<b>FLUX:</b>	540lm
<b>OPTICS:</b>	20° (F_)   41° (W_)
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)
<b>CONTROL:</b>	ON/OFF (00)   DALI (DA)

**ACCESSORY**  
honeycomb



**RING FINISHES**

- WHITE -\_W- ○
- BLACK -\_B- ●
- GREY -\_A- ●
- TERRACOTTA -\_R- ●
- TAUPE -\_T- ●
- GOLD -\_G- ●

**LUMINAIRE FINISHES**

- WHITE -13 ○
- BLACK -12 ●
- GREY -84 ●
- TERRACOTTA -83 ●
- TAUPE -82 ●
- GOLD -19 ●





PEI midli LED track

*Hairdresser's sdon, Warszawa*

Design: Sikora Wnętrza Architektura Jan Sikora Photo: Tom Kurek

STYL










PET midi LED track

Deo Plaza apartment, Gdansk

Design: Sikora Wheeler Photo: Tom Kurdek

# PET midi

## G/K spot | spot | E x1 spot | E x2 spot



new


new

CAT. N°	CAT. N°	CAT. N°	CAT. N°
16412-M930-FB-00-12	16363-M930-FB-00-12	16467-M930-FB-00-12	16468-M930-FB-00-12
<b>POWER:</b> 8.5W (M)		<b>POWER:</b> 17W (M)	
<b>FLUX:</b> 1140lm		<b>FLUX:</b> 2290lm	
<b>CCT:</b> 18° (S_)   35° (F_)   50° (W_)			
<b>OPTICS:</b> 2700K (27)   3000K (30)   4000K (40)			
<b>CC DRIVER:</b> J		<b>CC DRIVER:</b> -	
<b>CONTROL:</b> ON/OFF (00)   Phase-Control (PH)   DALI (DA)*   require driver (CC)*			

\*only for G/K spot

# PET midi

## track | flatrack | multitrack | high multitrack




new

CAT. N°	CAT. N°	CAT. N°	CAT. N°
16362-M930-FB-00-12	16493-M930-FB-00-12	16366-M930-FB-00-12	16433-M930-FB-00-12
<b>POWER:</b> 8.5W (M)		<b>POWER:</b> 8.5W (M)	
<b>FLUX:</b> 1140lm		<b>FLUX:</b> 1140lm	
<b>CCT:</b> 2700K (27)   3000K (30)   4000K (40)			
<b>CONTROL:</b> ON/OFF (00)   Phase-Control (PH) DALI (DA)   Aqsmart (DB)		<b>CONTROL:</b> ON/OFF (00)   ON/OFF second circuit (01)   DALI (DA)	



**PET GU10**  
spot | track




CAT. N°	CAT. N°
10045-0000-U8-PH-12	12548-0000-U8-PH-12
<b>POWER:</b>	max: 50W
<b>CONTROL:</b>	Phase-Control (PH)



light source not included

**PET maxi**  
G/K spot | spot | track



CAT. N°	CAT. N°	CAT. N°
16414-M930-FB-00-12	16371-M930-FB-00-12	16370-M930-FB-00-12
<b>POWER:</b>	11.5W (L)   17W (M)	11.5W (L)   17W (M)   20.5W (H)
<b>FLUX:</b>	1610lm - 2260lm	1610lm - 2670lm
<b>CCT:</b>	19° (S_)   32° (F_)	
<b>OPTICS:</b>	2700K (27)   3000K (30)   4000K (40)	
<b>CC DRIVER:</b>	N	-
<b>CONTROL:</b>	ON/OFF (00)   Phase-Control (PH)   DALI (DA) <sup>1</sup>   Aqsmart (DB) <sup>2</sup>   require driver (CC)*	



<sup>1</sup>only for G/K spot and track | <sup>2</sup>only for track | \*only for G/K spot

\*Protection class, input voltage and IP rating for CC luminaires vary from above table.

Data for standard LED product is shown for LED light source 3000K. Other variants are available on our website.

# Pet midi maxi & GU10

TRACK&SPOT  
surface p.114  
suspended p.236  
wall p.368  
exterior p.434  
system p.464

**ACCESSORY**  
honeycomb



**RING FINISHES**

not applicable PET GU10

- WHITE -\_W- ○
- BLACK -\_B- ●
- GREY -\_A- ●
- TERRACOTTA -\_R- ●
- TAUPE -\_T- ●
- GOLD -\_G- ●

**LUMINAIRE FINISHES**

- WHITE -13 ○
- BLACK -12 ●
- GREY -84 ●
- TERRACOTTA -83 ●
- TAUPE -82 ●
- GOLD -19 ●

## Flexibility at its best

HYPER zoom allows you to change the angle using a rotating ring. The 20-45° range makes it possible to highlight various surfaces and objects located in different places in the room.

Hyper zoom in the track version is an extremely flexible solution for a variety of applications, both in private and commercial interiors.

# Hyper





HYPER zoom LED multitrack | IK1 F27 suspended

# Hyper




TRACK&SPOT



HYPHER maxi zoom LED track

# HYPER zoom

## spot | G/K spot | flattrack







new

CAT. N°	CAT. N°	CAT. N°
16448-M930-Z3-00-12	16447-M930-Z3-00-12	16488-M930-Z3-00-12
<b>POWER:</b>	9W (M)	
<b>FLUX:</b>	1020lm	
<b>CCT:</b>	20° - 45° (Z3)	
<b>OPTICS:</b>	2700K (27)   3000K (30)   4000K (40)	
<b>CC DRIVER:</b>	-	F
<b>CONTROL:</b>	ON/OFF (00)	ON/OFF (00)   DALI (DA)   require driver (CC)*

# HYPER zoom

## maxi track | track | multitrack | high multitrack



CAT. N°	CAT. N°	CAT. N°	CAT. N°
16445-M930-Z3-00-12	16446-M930-Z3-00-12	16450-M930-Z3-00-12	16449-M930-Z3-00-12
<b>POWER:</b>	17W (L)   24W (M)	9W (M)	
<b>FLUX:</b>	2260lm - 3080lm	1020lm	
<b>OPTICS:</b>	20° - 45° (Z3)		
<b>CCT:</b>	3000K (30)   4000K (40)	2700K (27)   3000K (30)   4000K (40)	
<b>CONTROL:</b>	ON/OFF (00)   DALI (DA)   Aqsmart (DB)	ON/OFF (00)   ON/OFF second circuit (01)   DALI (DA)	



### LUMINAIRE FINISHES

- WHITE -13 ○
- BLACK -12 ●

\*Protection class, input voltage and IP rating for CC luminaires vary from above table.

Data for standard LED product is shown for LED light source 3000K. Other variants are available on our website.

Lots of possibilities  
in a small form

PRZYJĘ



ŚWIATŁO

MNE

# Rafter

RAFTER mini are versatile fixtures that, despite their small size, can do a lot. The move versions guarantee almost unlimited freedom to direct the luminaire to any place in the interior. Fixtures with a reflector provide precise accent lighting, and models with a milky cover offer diffused light in a larger space. All this, in a minimalist form, which is an interesting addition to modern interiors.

The RAFTER model with a milky cover is a great way to provide even general lighting in the interior or to accentuate a larger space with light.

RAFTER points offer high visual comfort for interior users and precise lighting of selected places in the room. Thanks to the deeply embedded diodes, it provides a high shielding angle and allows for low glare in the interior. It is perfect both as a layer of task and accent lighting, for instance pictures, bookcases or countertops.






RAFTER mini points move LED multitrack | Rafter mini points LED microtrack

# RAFTER mini points

move multitrack | move high multitrack | multitrack




LENGTH	CAT. N°	CAT. N°	CAT. N°
100mm	16455-M930-FB-00-12	16452-M930-FB-00-12	16457-M930-FB-00-12
195mm	16456-M930-FB-00-12	16453-M930-FB-00-12	16458-M930-FB-00-12
<b>POWER:</b>	6.5W - 13W (M)		
<b>FLUX:</b>	680lm - 1370lm		
<b>OPTICS:</b>	24° (F_)   45° (W_)		
<b>CCT:</b>	2700K (27)   3000K (30)		
<b>CONTROL:</b>	ON/OFF (00)   ON/OFF second circuit (01)   DALI (DA)		



# RAFTER mini


move multitrack | move high multitrack | multitrack



CAT. N°	CAT. N°	CAT. N°
16466-M930-D9-00-12	16463-M930-D9-00-12	16461-M930-D9-00-12
<b>POWER:</b>	12.5W (M)	
<b>FLUX:</b>	1410lm	
<b>CCT:</b>	2700K (27)   3000K (30)	
<b>CONTROL:</b>	ON/OFF (00)   ON/OFF second circuit (01)   DALI (DA)	



**RAFTER mini points**  
microtrack | move microtrack




CAT. N°	CAT. N°
16451-M930-FB-00-12	16454-M930-FB-00-12
<b>POWER:</b>	6.5W (M)
<b>FLUX:</b>	680lm
<b>OPTICS:</b>	24° (F_)   45° (W_)
<b>CCT:</b>	2700K (27)   3000K (30)
<b>CONTROL:</b>	ON/OFF (00)   DALI (DA)

# Rafter mini

TRACK&SPOT  
recessed p. 082, 084  
surface p. 150  
suspended p. 264  
wall p. 380  
system p. 500

**RAFTER mini flatrack**

**RAFTER mini points flatrack | move flatrack**



**new**

**new**

**new**


CAT. N°	CAT. N°	CAT. N°
16503-M930-D9-00-12	16504-M930-FB-00-12	16502-M930-FB-00-12
<b>POWER:</b>	8.5W (M)	11W (M)
<b>FLUX:</b>	1050lm	1180lm
<b>OPTICS:</b>	opal (D9)	38° (F_)
<b>CCT:</b>	2700K (27)   3000K (30)	
<b>CONTROL:</b>	ON/OFF (00)	

**OPTICS FINISHES**  
only for points

WHITE -\_W- ○  
BLACK -\_B- ●

**LUMINAIRE FINISHES**




WHITE -13 ○  
BLACK -12 ●





# RAFTER




## track | multitrack | high multitrack



LENGTH	CAT. N°	CAT. N°	CAT. N°
290mm	16335-M930-D9-00-12	16342-M930-D9-00-12	16441-M930-D9-00-12
430mm	16336-M930-D9-00-12		
<b>POWER:</b>	12.5W - 18.5W (M)		12.5W (M)
<b>FLUX:</b>	1550lm - 2320lm		1550lm
<b>OPTICS:</b>	opal (D9)		
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)		
<b>CONTROL:</b>	ON/OFF (00)   DALI (DA)   Aqsmart (DB)	ON/OFF (00)   ON/OFF second circuit (01)   DALI (DA)	

# RAFTER points

## spot | G/K spot | track




LENGTH	CAT. N°	CC	CAT. N°	LENGTH	CAT. N°
90mm	16471-M930-FB-00-12	D	16420-M930-FB-00-12	270mm	16323-M930-FB-00-12
140mm	16472-M930-FB-00-12	W	16416-M930-FB-00-12	400mm	16326-M930-FB-00-12
<b>POWER:</b>	3W - 5W (M)			10W - 15W (L)   20.5W - 31W (M)	
<b>FLUX:</b>	360lm - 600lm			1200lm - 3020lm	
<b>OPTICS:</b>	37° (F_)   50° (W_)				
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)				
<b>CONTROL:</b>	ON/OFF (00)   Phase-Control (PH)	ON/OFF (00)   DALI (DA)   require driver (CC)*		ON/OFF (00)   DALI (DA)   Aqsmart (DB)	



# Rafter


TRACK&SPOT  
 recessed p. 082 / 086  
 surface p. 150  
 suspended p. 264  
 wall p. 380  
 system p. 500

## RAFTER flatrack



new




## RAFTER points flatrack



new

	CAT. N°	CAT. N°
	16498-M930-D9-00-12	16499-M930-FB-00-12
<b>POWER:</b>	18.5W (M)	5W (M)
<b>FLUX:</b>	2320lm	600lm
<b>OPTICS:</b>	opal (D9)	37° (F_)   50° (W_)
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)	
<b>CONTROL:</b>	ON/OFF (00)	

## RAFTER points multitrack | high multitrack | microtrack



LENGTH	CAT. N°	CAT. N°	CAT. N°
90mm	16419-M930-FB-00-12	16421-M930-FB-00-12	16422-M930-FB-00-12
140mm	16341-M930-FB-00-12	16442-M930-FB-00-12	
<b>POWER:</b>	3W - 5W (M)		3W (M)
<b>FLUX:</b>	360lm - 600lm		360lm
<b>OPTICS:</b>	37° (F_)   50° (W_)		
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)		
<b>CONTROL:</b>	ON/OFF (00)   ON/OFF second circuit (01)   DALI (DA)		ON/OFF (00)   DALI (DA)

**OPTICS FINISHES**      **LUMINAIRE FINISHES**  
 only for points

WHITE -\_W- ○  
 BLACK -\_B- ●

WHITE -13 ○  
 BLACK -12 ●




## Simple form and unique functionality

SET TRU mini are linear fixtures with a slim form, designed for MULTITRACK. They are available in two lengths and optics variants. The first one is a milky opal cover providing diffused light, ideal as general lighting. The second one is the points variant, providing directional light that precisely illuminates the work surface or the floor directly under the fixture.

The SET TRU family of luminaires for track 3F introduces many new possibilities in the lighting of private and commercial interiors.

# Tru








# Tru

TRACK&SPOT  
 recessed p. 098  
 surface p. 168  
 suspended p. 270  
 wall p. 382  
 hermetic p. 426  
 system p. 492

## SET TRU track



## SET TRU mini multitrack | points multitrack



LENGTH	CAT. N°	LENGTH	CAT. N°	LENGTH	CAT. N°
290mm	16392-M930-D9-00-12	570mm	16374-M930-D9-00-12	285mm	16379-M930-WB-00-12
430mm	16393-M930-D9-00-12	1140mm	16375-M930-D9-00-12	565mm	16380-M930-WB-00-12
				845mm	16381-M930-WB-00-12
<b>POWER:</b>	12.5W - 18.5W (M)		8W - 16W (M)		5W - 13W (M)
<b>FLUX:</b>	1550lm - 2320lm		1070lm - 2140lm		710lm - 2080lm
<b>OPTICS:</b>	opal (D9)			59° (W_)	
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)		3000K (30)   4000K (40)		2700K (27)   3000K (30)   4000K (40)
<b>CONTROL:</b>	ON/OFF (00)   DALI (DA)   Aqsmart (DB)			ON/OFF (00)   ON/OFF second circuit (01)   DALI (DA)	



**OPTICS FINISHES**  
 only for points

**new** WHITE -\_W- ○  
 BLACK -\_B- ●

**LUMINAIRE FINISHES**

WHITE -13 ○  
 BLACK -12 ●

BLOS round LED track  
MODERN BALL simple LED G/K suspended





## A simple way of light in the interior

The BLOS family luminaires, thanks to their evenly illuminated, milky cover and very high luminous flux, are perfect for soft, comfortable general lighting in the interior. The 3F track version is a very efficient and flexible way to ensure a well-lit interior.

# Blos round

TRACK&SPOT  
surface p.142  
suspended p.244  
hermetic p.414

## BLOS round suspended track | track



CAT. N°

16424-M930-D9-00-12

CAT. N°

16423-M930-D9-00-12

<b>POWER:</b>	11.5W (L)   23W (M)
<b>FLUX:</b>	1720lm - 3260lm
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)
<b>CONTROL:</b>	ON/OFF (00)   DALI (DA)   AQsmart (DB)



### LUMINAIRE FINISHES

- WHITE -13 ○
- BLACK -12 ●
- GREY -84 ●
- TERRACOTTA -83 ●
- TAUPE -82 ●
- GOLD -19 ●



## Quality, simplicity and style

MODERN BALL simple is a combination of classic form and modern LED technology. The evenly illuminated lampshade emits a lot of light in all directions without dazzling. This provides exceptionally comfortable light throughout the space. It even illuminates the ceiling, resulting in soft light reflected from its surface.


MODERN BALL simple arranged on tracks add character to both modern and more classic interior arrangements.

# Modern Ball





## MODERN BALL simple mini flattrack | suspended flattrack




new

CAT. N°

16491-M930-D0-00-12

## MODERN BALL simple mini microtrack | suspended microtrack



new

CAT. N°

16492-M930-D0-00-12

CAT. N°


16430-M930-D0-00-12

CAT. N°

16431-M930-D0-00-12


<b>POWER:</b>	4W (L)   6W (M)	
<b>FLUX:</b>	580lm - 790lm	
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)	
<b>CONTROL:</b>	ON/OFF (00)	ON/OFF (00)   DALI (DA)

## MODERN BALL simple midi track | suspended track | multitrack | suspended multitrack



CAT. N°

16386-M930-D0-00-12



CAT. N°

16387-M930-D0-00-12

CAT. N°

16388-M930-D0-00-12

CAT. N°

16389-M930-D0-00-12


<b>POWER:</b>	6W (L)   8.5W (M)	
<b>FLUX:</b>	790lm - 1090lm	
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)	
<b>CONTROL:</b>	ON/OFF (00)   DALI (DA)	ON/OFF (00)   ON/OFF second circuit (01)   DALI (DA)



# Modern Ball simple

TRACK&SPOT  
 surface p.126  
 suspended p.224  
 table p.394  
 hermetic p.412  
 system p.464


## MODERN BALL simple midi high multitrack | flatrack | suspended flatrack



ø150

CAT. N°

16429-M930-D0-00-12




ø150

new

CAT. N°

16489-M930-D0-00-12



ø150

new

CAT. N°

16490-M930-D0-00-12

<b>POWER:</b>	6W (L)   8.5W (M)
<b>FLUX:</b>	790lm - 1090lm
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)
<b>CONTROL:</b> ON/OFF (00)   ON/OFF second circuit (01)   DALI (DA)	ON/OFF (00)

### LUMINAIRE FINISHES

- WHITE -13 ○
- BLACK -12 ●

Wall

Kink

Wall

identity

CAMBER square mini



[p. 362](#)

GRAPH



[p. 360](#)

IKI round



[p. 352](#)

**new**

IKI round E27



[p. 352](#)

**new**


KLIVA



[p. 350](#)


**new**

MAXI POINT round




[p. 364](#)

MAXI POINT round G/K




[p. 364](#)

MAXI POINT square



[p. 364](#)

MAXI POINT square G/K




[p. 364](#)

MODERN GLASS




[p. 354](#)

PET micro O




[p. 370](#)

PET micro R



[p. 370](#)

PET micro R x2



[p. 370](#)

PET midi




[p. 358](#)

PET mini



[p. 358](#)

POCKET



[p. 372](#)

RAFTER



[p. 380](#)

SET RAW mini move



[p. 376](#)

SET TRU




[p. 382](#)

SET TRU up&down



[p. 382](#)

SMART PANEL



[p. 346](#)

**new**

THIN TUBE



[p. 378](#)

TRIBA mini



[p. 344](#)

**new**

TRIBA mini up&down



[p. 344](#)

**new**

system: PET mini rift



[p. 474](#)

# Index



KINKKIETY






NEW PRODUCT


# Triba

**A harmonious duo  
of great parameters  
and decorative form**

The TRIBA collection combines modern technology with decorative form. Thanks to hybrid optics and an increased shielding angle, the luminaire ensures visual comfort and at the same time boasts outstanding efficiency, without compromising the quality of light. A large power range, two diameters, several lengths and installation versions to choose from make TRIBA easy to adapt to the individual needs of private and public spaces.



TRIBA mini up&down | LED wall | OKKA wood E27 suspended | MIQOM LED exterior table






NEW PRODUCT


# Triba

WALL  
 surface p.106  
 suspended p.204  
 spot p.294  
 track p.294

## TRIBA mini LED - | up&down



new



new

CAT. N°	26566-M930-WW-00-12	CAT. N°	26567-M930-WW-00-12
<b>POWER:</b>	4.5 W	<b>POWER:</b>	6.5 W
<b>FLUX:</b>	540lm	<b>FLUX:</b>	590lm
<b>OPTICS:</b>	20° (S_)   41° (W_)		
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)		
<b>CONTROL:</b>	ON/OFF (00)		



### RING FINISHES

- WHITE -\_W- ○
- BLACK -\_B- ●
- GREY -\_A- ●
- TERRACOTTA -\_R- ●
- TAUPE -\_T- ●
- GOLD -\_G- ●

### LUMINAIRE FINISHES

- WHITE -13 ○
- BLACK -12 ●
- GREY -84 ●
- TERRACOTTA -83 ●
- TAUPE -82 ●
- GOLD -19 ●



SMART PANEL felt 65 LED wall

## **An ally of cosy ambience**

SMART PANEL is a stylish wall lamp with a linear form, breaking the monotony in interiors. The luminaire emits up&down light which, thanks to the external shade, subtly flows around the wall, emphasizing its texture. The simple form allows you to create original compositions vertically, horizontally or diagonally. Depending on the selected power, SMART PANEL can serve as a relaxing ambient light or be an interesting interior decoration, providing a cosy atmosphere.




NEW PRODUCT

# Smart Panel


WALL

## SMART PANEL


plain | wood | felt



new



new



new

LENGTH	CAT. N°	LENGTH	CAT. N°	LENGTH	CAT. N°
350mm	26572-M930-D9-00-12	360mm	26571-M930-D9-00-W3	360mm	26570-M930-D9-00-G3
640mm	26575-M930-D9-00-12	650mm	26574-M930-D9-00-W3	650mm	26573-M930-D9-00-G3

<b>POWER:</b>	8W - 16W (M)
<b>FLUX:</b>	1070lm - 2140lm
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)
<b>CONTROL:</b>	ON/OFF (00)   DALI (DA)*



\*from length 640/650

### FINISHES DETAIL

graphite felt



ash felt



wood



### LUMINAIRE FINISHES

- for plain
  - WHITE -13 ○
  - BLACK -12 ●
  - GREY -84 ●
  - TERRACOTTA -83 ●
  - TAUPE -82 ●
  - GOLD -19 ●
- for felt
  - GRAPHITE&WHITE -G3 ○
  - ASH&WHITE -A3 ○
- for wood
  - WOOD&WHITE -W3 ●






NEW PRODUCT

# Kliva

## **Atmospheric decoration**

KLIVA is a specialist in atmospheric lighting that sooth and ease. Installation possible on both wall and ceiling allows free arrangements of this decorative form. Thanks to this KLIVA makes a stylish addition for both private and commercial interiors. It is a brilliant way of ambient lighting, mild enough to relax and still find your ways.





KLIVA E27 surface




NEW PRODUCT

# Kliva

SURFACE

## KLIVA E27



new

CAT. N°

47042-0000-U8-PH-12

**POWER:** max: 50W

**CONTROL:** Phase-Control (PH)



light source not included



### LUMINAIRE FINISHES

- WHITE -13 ○
- BLACK -12 ●
- GREY -84 ●
- TERRACOTTA -83 ●
- TAUPE -82 ●
- GOLD -19 ●

## Meet the stylish wall lamp that will take care of the mood in the interior

Some places are all about the mood. An atmospheric restaurant, a cafe or a modern hotel require an appropriate lighting. IKI round wall luminaire is in a decorative original form that emits subtle light and so it provides a discreet atmosphere in the room. The collection was created in cooperation with Andrzej Klisz – a professor at the Academy of Fine Arts in Katowice.



IKI round E27 wall | TRIBA mini LED multitrack | TRIBA midi 9 E27 suspended




NEW PRODUCT

# Iki

WALL  
suspended p.188  
system p.464

## IKI round E27



new

CAT. N°

26561-0000-U8-PH-O2


**POWER:** max: 15W

**CONTROL:** Phase-Control (PH)



light source not included

## IKI round LED



new

CAT. N°

26563-M930-D9-00-O2

**POWER:** 4.5W (M)

**FLUX:** 540lm

**CCT:** 2700K (27) | 3000K (30) | 4000K (40)

**CONTROL:** ON/OFF (00)



### LUMINAIRE FINISHES

- GRAPHITE&BLACK -G2
- ASH&BLACK -A2
- ORANGE&BLACK -O2





## Create a moody ambience with light


MODERN GLASS is an elegance hidden in a minimalistic, timeless form. It was created in cooperation with the Czech design studio DECHEM. Handmade glass, in the form of a slender tube, is a decorative element of the interior. In the hermetic version, with IP43, the luminaire will prove useful as a mood lighting for the bathroom.

# Modern Glass

WALL  
suspended p. 212  
hermetic p. 416  
system p. 464



## MODERN GLASS Tube LED




GLASS	CAT. N°
TR	26524-M930-D9-00-12
TP	26525-M930-D9-00-12
WP	26522-M930-D9-00-12
<b>POWER:</b>	8.5W (M)
<b>FLUX:</b>	1140lm
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)
<b>CONTROL:</b>	ON/OFF (00)   Phase-Control (PH)

### GLASS DETAIL



### LUMINAIRE FINISHES

- WHITE -13 ○
- BLACK -12 ●
- GREY -84 ●
- TERRACOTTA -83 ●
- TAUPE -82 ●
- GOLD -19 ●



# Pet


## Efficient wall lighting

PET is a versatile family of luminaires that boasts high efficiency and excellent technical parameters. In the wall version, the fixture will illuminate the space, paint decorative patterns, emphasize texture or indicate the direction of movement. The cylindrical, minimalistic form is a discreet accent in modern interiors, and the deeply embedded light source protects the user's eyes from glare.



Hotel-T, Wargem

Photo: I am Liz







# Pet

WALL  
 surface p. 114  
 suspended p. 236  
 spot p. 310  
 track p. 310  
 hermetic p. 434  
 system p. 464

## PET LED mini | midi



	CAT. N°	CAT. N°
	26510-M930-WB-00-12	26509-M930-WB-00-12
<b>POWER:</b>	4.5W (M)	8.5W (M)
<b>FLUX:</b>	540lm	1140lm
<b>OPTICS:</b>	20° (S_)   41° (W_)	18° (S_)   35° (F_)   50° (W_)
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)	
<b>CONTROL:</b>	ON/OFF (00)	ON/OFF (00)   Phase-Control (PH)

### ACCESSORY

honeycomb




### RING FINISHES

- WHITE -\_W- ○
- BLACK -\_B- ●
- GREY -\_A- ●
- TERRACOTTA -\_R- ●
- TAUPE -\_T- ●
- GOLD -\_G- ●

### LUMINAIRE FINISHES

- WHITE -13 ○
- BLACK -12 ●
- GREY -84 ●
- TERRACOTTA -83 ●
- TAUPE -82 ●
- GOLD -19 ●



## Reach for an unconventional addition to modern arrangements


GRAPH collection proves that minimalistic design does not have to be boring. Surprising form and the ability to shine up&down, guarantee an amazing effect. Alone, the luminaire is an interesting lighting accent, while in a group, it paints original patterns on the wall. GRAPH, is not only a stylish addition to the arrangement, but above all a specialist in building the interesting mood in the interior.



# Graph

WALL

## GRAPH LED



**CAT. N°**

26511-M930-D9-00-12

<b>POWER:</b>	4.5W (M)
<b>FLUX:</b>	540lm
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)
<b>CONTROL:</b>	ON/OFF (00)



**LUMINAIRE FINISHES**

- WHITE -13 ○
- BLACK -12 ●
- GREY -84 ●
- TERRACOTTA -83 ●
- TAUPE -82 ●
- GOLD -19 ●



CAMBER square mini LED wall

## A discreet ally of moody interiors


How to ensure coziness in the interior? It is worth betting on the right lighting to create a unique atmosphere. CAMBER collection will perfectly cope with this task. The minimalistic form is a discreet decoration of modern interiors, and the subtle light will work as a delicate lighting accent or as soft side lighting. As a result, a romantic dinner for two or an evening screening of your favorite TV series will now become even more pleasant!



# Camber

WALL

## CAMBER square mini LED



**CAT. N°**

26503-L930-D9-00-12

<b>POWER:</b>	6W (L)
<b>FLUX:</b>	850lm
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)
<b>CONTROL:</b>	ON/OFF (00)



**LUMINAIRE FINISHES**

- WHITE -13 ○
- BLACK -12 ●
- GREY -84 ●
- TERRACOTTA -83 ●
- TAUPE -82 ●
- GOLD -19 ●

## Bet on an aesthetic accent in the interior

Circle or square? The MAXI POINT collection surprises with a variety of forms, encouraging you to play with the composition. Alone or in group, it is an interesting lighting accent. Subtle, softly spreading light on the wall is a luminous signpost in passageways. Moreover, MAXI POINT in the 8cm version will successfully cope as a discreet staircase lighting.





# Maxi Point



WALL  
exterior P. 440  
system P. 464



## MAXI POINT LED round | square



## MAXI POINT LED G/K round | square




DIAMETER	CAT. N°	LENGTH	CAT. N°	DIAMETER	CAT. N°	LENGTH	CAT. N°
80mm	26535-M930-D9-00-12	80mm	26537-M930-D9-00-12	80mm	26534-M930-D9-00-12	80mm	26536-M930-D9-00-12
128mm	26514-M930-D9-00-12	120mm	26517-M930-D9-00-12	128mm	26512-M930-D9-00-12	120mm	26515-M930-D9-00-12

<b>POWER:</b>	4.5W (M)
<b>FLUX:</b>	540lm
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)
<b>CC DRIVER:</b>	E
<b>CONTROL:</b>	ON/OFF (00)   require driver (CC)*



### MAXI POINT LED SPIDER WALL



Do you need a non standard solution?  
Check out the system spider version,  
where you can join a few luminaires.

More info on our website and at [page 462](#).



### LUMINAIRE FINISHES

- WHITE -13 ○
- BLACK -12 ●
- GREY -84 ●
- TERRACOTTA -83 ●
- TAUPE -82 ●
- GOLD -19 ●

\*Protection class, input voltage and IP rating for CC luminaires vary from above table.

Data for standard LED product is shown for LED light source 3000K. Other variants are available on our website.

Discover lighting tailored  
for a functional bedroom

DO CZYTANIA




# Pet micro

W  
LOZKU


Lighting often accompanies us from the first moments right after waking up, until the end of the day, when we go to bed again. At this time, the PET micro, created for keen evening readers, will be perfect. Mounted by the bed, thanks to a movable element, allows you to precisely direct the light right to next pages of your book. Moreover, the excellent technical parameters provide the highest reading comfort, without illuminating the space around.







## PET micro R LED - | switch



	CAT. N°	CAT. N°
standard	26504-M930-F3-00-12	26508-M930-F3-00-12
+USB charger	26531-M930-F3-00-12	26530-M930-F3-00-12
<b>POWER:</b>	2.5W (M)	
<b>FLUX:</b>	220lm	
<b>OPTICS:</b>	32° (F.)	
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)	
<b>CONTROL:</b>	ON/OFF (00)	









# Pet micro

WALL  
upright h. 396

## PET micro R x2 LED - | switch

## PET micro O LED - | switch



CAT. N°

CAT. N°

CAT. N°

CAT. N°

26533-M930-F3-00-12

26532-M930-F3-00-12

26527-M930-F3-00-12

26526-M930-F3-00-12

**POWER:** 4.5W (M)

2.5W (M)

**FLUX:** 440lm

220lm

**OPTICS:** 32° (F<sub>-</sub>)

**CCT:** 2700K (27) | 3000K (30) | 4000K (40)

**CONTROL:** ON/OFF (00)



### SWITCH DETAIL

black switch

chrome switch



Black luminaires have a black switch.  
For all other finishes of luminaires, the switch  
is in chrome finish.

### LUMINAIRE FINISHES

- WHITE -13 ○
- BLACK -12 ●
- GREY -84 ●
- TERRACOTTA -83 ●
- TAUPE -82 ●
- GOLD -19 ●

# KIERUNEK

## **A luminous signpost in passageways**


The POCKET collection will perfectly show us the way in communication areas. The minimalistic form flush with the wall, directs light straight into the room. It is an ideal way to illuminate the floor or steps of a staircase, making it easier to move around, ensuring safety. POCKET is an apt choice for both domestic and commercial spaces. It is suitable for installation in plasterboard walls, and with an additional box it can also be installed in concrete.



# Pocket

WALL

## POCKET mini LED



CAT. N°


20145-M930-DW-00-12

<b>POWER:</b>	3W (M)
<b>FLUX:</b>	290lm
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)
<b>CC DRIVER:</b>	AD
<b>CONTROL:</b>	ON/OFF (00)   Phase-Control (PH)   require driver (CC)*



## MOUNTING BOX for POCKET

accessory<sup>1</sup>



CAT. N°

81023-11



<sup>1</sup> The mounting box is only necessary for mounting in concrete



\*Protection class, input voltage and IP rating for CC luminaires vary from above table.

### LUMINAIRE FINISHES

- WHITE -13 ○
- BLACK -12 ●


Data for standard LED product is shown for LED light source 3000K. Other variants are available on our website.

# Set Raw

A proven recipe for  
a moody atmosphere



Are you looking for a surefire way to moodily illuminate an interior? Reach for SET RAW mini which, despite its small size, change the space a lot! Two variants to choose from – with light directed down or in a moving version, perfectly meet the specific needs of the arrangement. SET RAW mini will add sparkle to your favorite details or effectively illuminate entrance, lounge or communication zones.






# Set Raw mini

WALL  
recessed p. 094  
suspended p. 252  
hermetic p. 424



## SET RAW mini move LED



LENGTH	CAT. N°
670mm	26501-L930-D9-00-12
950mm	26502-L930-D9-00-12
<b>POWER:</b>	8.5W - 13W (L)
<b>FLUX:</b>	1160lm - 1740lm
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)
<b>CONTROL:</b>	ON/OFF (00)











### LUMINAIRE FINISHES

- WHITE -13 ○
- BLACK -12 ●
- GREY -84 ●
- TERRACOTTA -83 ●
- TAUPE -82 ●
- GOLD -19 ●

## Learn an effective way to illuminate a mirror

Some cosmetic procedures, such as shaving or makeup, require true precision. So it is worth taking care of the appropriate lighting. This task will be perfectly handled by the THIN TUBE collection, which is known for its sleek, slender form with a diameter of only 4cm! Efficient wall lamp will effectively illuminate a mirror with a width of 30cm to even 150cm, and the updated optics will even better illuminate the face, allowing you to see every detail.





# Thin Tube


WALL

suspended p. 250

floor p. 398

hermetic p. 420

## THIN TUBE LED



LENGTH	CAT. N°
400mm	26408-M930-D9-00-12
680mm	26410-M930-D9-00-12
960mm	26412-M930-D9-00-12
1240mm	26414-M930-D9-00-12
1520mm	26416-M930-D9-00-12
<b>POWER:</b>	4.5W - 21.5W (L)   8.5W - 43W (M)
<b>FLUX:</b>	580lm - 5820lm
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)
<b>CONTROL:</b>	ON/OFF (00)   DALI (DA)*   switchDIM (SW)*








\*from 680mm length



### LUMINAIRE FINISHES

- WHITE -13 ○
- BLACK -12 ●
- GREY -84 ●
- TERRACOTTA -83 ●
- TAUPE -82 ●
- GOLD -19 ●



## **Bet on versatile and functional lighting**

The RAFTER collection provides exceptional design freedom. In a form of a wall lamp, it subtly illuminates the space directly below the fixture. Thanks to the milky shade, the light evenly envelops the wall, providing a moody atmosphere. Moreover, the sleek, minimalistic form is a discreet addition to modern interiors.

# Rafter

WALL

recessed p. 088

surface p. 150

suspended p. 264


spot p. 324

track p. 324

system p. 500



## RAFTER LED



LENGTH	CAT. N°
290mm	20225-M930-D9-00-12
570mm	20226-M930-D9-00-12
860mm	20227-M930-D9-00-12
1140mm	20228-M930-D9-00-12
<b>POWER:</b>	4.5W - 17W (L)   8.5W - 34.5W (M)   12.5W - 49.5W (H)
<b>FLUX:</b>	580lm - 6200lm
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)
<b>CONTROL:</b>	ON/OFF (00)   switchDIM (SW) <sup>1</sup>   DALI (DA) <sup>1</sup>   AQsmart (DB) <sup>1</sup>




<sup>1</sup>from length 570mm




### LUMINAIRE FINISHES

- WHITE -13 ○
- BLACK -12 ●



**Let yourself be surprised  
by its high performance  
and energy efficiency**

SET TRU is an extremely efficient solution emitting light of the highest quality. Thanks to its high energy efficiency and elegant, minimalistic form, the collection will successfully cope with both private and public spaces. The up&down version is perfect for offices and high passageways.





# Tru

WALL  
 recessed p. 098  
 surface p. 168  
 suspended p. 270  
 track p. 328  
 hermetic p. 426  
 system p. 492

## SET TRU LED

- | up&down



LENGTH	CAT. N°	LENGTH	CAT. N°
290mm	24233-M930-D9-00-12	570mm	26458-M930-D9-00-12
570mm	24235-M930-D9-00-12	860mm	26460-M930-D9-00-12
860mm	24237-M930-D9-00-12	1140mm	26462-M930-D9-00-12
1140mm	24239-M930-D9-00-12	1420mm	26464-M930-D9-00-12
1420mm	24241-M930-D9-00-12		
1700mm	24243-M930-D9-00-12		
1980mm	24245-M930-D9-00-12		
<b>POWER:</b>	4.5W - 30W (L)   8.5W - 60W (M)		17W - 43W (L)   34.5W - 86W (M)
<b>FLUX:</b>	580lm - 8140lm		2320lm - 11640lm
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)		
<b>CONTROL:</b>	ON/OFF (00)   switchDIM (SW) <sup>1</sup>   DALI (DA) <sup>1</sup>   Aqsmart (DB) <sup>1</sup>		

<sup>1</sup>from length 570mm

the opal version (D9) has a Tunable-White option available from length 1140mm



### LUMINAIRE FINISHES


WHITE -13 ○  
 BLACK -12 ●



GELATERIA ITALIA	
1_BOL	2,80
2_BOLLEN	4,80
3_BOLLEN	5,80
4_BOLLEN	6,80
5_BOLLEN	7,50
SLAGROOM	0,80

### MODERN BALL simple

MODERN BALL simple is neat and functional, with variety of models. As a wall luminaire it will be great for soft ambient lighting. More details on [page 127](#).



## PET rift

PET rift comes as wall or suspended LUMINAIRE which length can be freely customised, as well as finishes of main body, lighting element and decorative ring finishing the composition. Its functionality allows to emphasize wall textures or provide perfect lighting for tables. More info on [page 474](#).



Floor

Table

Portable

A large green cross shape is centered on a white background. The cross is composed of four thick, solid green arms that intersect at the center. The arms extend towards the edges of the frame, creating a grid-like pattern of white and green squares.

Floor  
Table  
Portable



# Index

MODERN BALL table



[p. 394](#)

MROOM table



[p. 392](#)

**new**

MROOM upright



[p. 392](#)

**new**

PET micro upright



[p. 396](#)

**new**

THIN TUBE upright



[p. 398](#)





PEF micro LED upright


## Opt for efficient table lighting

The MROOM collection is a proposal for efficient table lighting that stands out due to its exceptional durability. Thanks to its easily replaceable battery, the passage of time does not affect it, making it suitable for commercial spaces like hotels or restaurants. MROOM features touch controlled power adjustment and one fixture can illuminate a small table for up to 4 people. Its high IP65 waterproof rating allows the fixture to be used both indoors and outdoors.

MROOM LED exterior table




NEW PRODUCT



# Mroom

FLOOR, TABLE, PORTABLE

## MROOM LED exterior table | upright



CAT. N°	CAT. N°
26576-M930-D9-TD-12	26580-M930-D9-TD-12
<b>POWER:</b>	4W (M)
<b>FLUX:</b>	580lm
<b>CCT:</b>	2700K (27)   3000K (30)
<b>CONTROL:</b>	touchDIM (TD)

Battery life: min. 500 cycles. Replaceable battery. Charging time 8h at 2A.




### LUMINARE FINISHES

- WHITE -13 ○
- BLACK -12 ●
- GREY -84 ●
- TERRACOTTA -83 ●
- TAUPE -82 ●
- GOLD -19 ●

## Timeless design and excellent parameters

The MODERN BALL collection embodies design classicism that has firmly established itself in interiors. Its glass sphere serves as a timeless ornament, while the milky glass ensures the highest visual comfort for users. Softly diffused yet remarkably efficient lighting effectively illuminates tables, shelves or desks. Hence, MODERN BALL is a versatile choice suitable for both private and public spaces.




# Modern Ball

FLOOR, TABLE, PORTABLE  
 surface p. 126  
 suspended p. 224  
 track p. 334  
 hermetic p. 412  
 system p. 464



## MODERN BALL WP LED table



### CAT. N°

26550-M930-D0-00-12

**POWER:** 6W (L) | 8.5W (M)

**FLUX:** 790lm - 1090lm

**CCT:** 2700K (27) | 3000K (30) | 4000K (40)

**CONTROL:** ON/OFF (00)



### LUMINARE FINISHES

- WHITE -13 ○
- BLACK -12 ●
- GREY -84 ●
- TERRACOTTA -83 ●
- TAUPE -82 ●
- GOLD -19 ●





## Lighting that cares for your eyes during evening readings

The popular PET collection has seen numerous iterations. This time, available as a stylish floor lighting, it comes to the aid wherever efficient lighting is needed for an evening relaxation with a favorite book. PET micro works wonderfully, for instance, in a living room, effectively illuminating the pages of a book or as stylish supplementary lighting in hotel lobbies or office receptions. Its slim, minimalistic form, typical for this family, serves as a subtle design accent, certainly adding to its style.




NEW PRODUCT

# Pet micro

FLOOR, TABLE, PORTABLE  
wall D. 370

## PET micro upright



new

**CAT. N°**

26569-M930-F3-00-12

<b>POWER:</b>	2.5W (M)
<b>FLUX:</b>	220lm
<b>OPTICS:</b>	32° (F <sub>-</sub> )
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)
<b>CONTROL:</b>	ON/OFF (00)



**LUMINARE FINISHES**

- WHITE -13 ○
- BLACK -12 ●
- GREY -84 ●
- TERRACOTTA -83 ●
- TAUPE -82 ●
- GOLD -19 ●



THIN TUBE LED upright

## Lighting tailored for demanding spaces


In certain spaces, selecting the right ambient lighting isn't an easy task. At times, we need to resort to indirect lighting, which can be placed anywhere. That is where the THIN TUBE floor fixture excels. With high efficiency, it provides general lighting in places where mounting ceiling fixtures might be challenging, such as in attic spaces with angled ceilings.

# Thin Tube



## THIN TUBE LED upright

FLOOR, TABLE, PORTABLE  
 suspended p. 250  
 wall p. 378  
 hermetic p. 420



### CAT. N°

26551-M930-D9-SW-12

**POWER:** 17W (L) | 34.5W (M)

**FLUX:** 2320lm - 4650lm

**CCT:** 2700K (27) | 3000K (30) | 4000K (40)


**CONTROL:** ON/OFF (00) | switchDIM (SW)



### LUMINARE FINISHES

- WHITE -13 ○
- BLACK -12 ●
- GREY -84 ●
- TERRACOTTA -83 ●
- TAUPE -82 ●
- GOLD -19 ●





IP rated



PODWYŻ

IP rated

SZONYM

ip

# Index Hermetic

Luminaires with increased ingress protection IP\_3 or higher and regular finish. Perfect for spaces with difficult conditions — e.g. with increased humidity.

BLOS round



[p. 414](#)

HOLLOW 6



[p. 408](#)

**new**

HOLLOW 8 lens



[p. 408](#)

**new**

HOLLOW 8



[p. 408](#)

**new**

HOLLOW micro



[p. 408](#)

MODERN BALL  
simple G/K



[p. 412](#)

MODERN BALL  
simple




[p. 412](#)

MODERN GLASS



[p. 416](#)


PUTT midi move



[p. 410](#)

**new**

PUTT midi



[p. 410](#)

**new**

PUTT mini



[p. 410](#)

**new**

SET RAW mini



[p. 424](#)

SET TRU surface



[p. 426](#)

SET TRU wall



[p. 426](#)

THIN TUBE



[p. 420](#)

# Index Exterior

DART spot



[p. 448](#)

DART upright



[p. 448](#)

Luminaires with increased ingress protection IP\_4 or higher and special finish tested for durability in difficult external conditions, e.g. resistance to salt.

LEDPOINT round



[p. 436](#)

LEDPOINT round up&down




[p. 436](#)

LEDPOINT square



[p. 436](#)

LEDPOINT square up&down



[p. 436](#)

MAXI POINT wall



[p. 440](#)

**new**


MAXI POINT upright



[p. 440](#)

**new**

ONLY round mini surface



[p. 432](#)

**new**

ONLY round mini recessed



[p. 432](#)

**new**

PET



[p. 434](#)

**new**

SLUP



[p. 444](#)

VIP round



[p. 438](#)

VIP round up&down



[p. 438](#)

VIP square




[p. 438](#)

VIP square up&down



[p. 438](#)






## Discreet and effective

HOLLOW is the discreet companion for any interior facing heightened moisture levels. With an IP65 rating, it performs exceptionally well in bathrooms, even when exposed to direct streams of water. Despite its compact size, it can illuminate extensive spaces. HOLLOW is a simple fixture that conceals a deeply embedded light source, ensuring glare protection despite its fairly wide 40° beam angle.



# Hollow









# Hollow

HERMETIC  
recessed D\_0160


## HOLLOW LED recessed micro | 6 | 8 lens | 8




ø41



ø63



ø78



ø78

new

new

new

	CAT. N°	CAT. N°	CAT. N°	CAT. N°
	38011-M930-FB-00-12	38059-M930-WB-00-12	38056-M930-FB-00-12	38052-M930-WB-00-12
<b>POWER:</b>	2.5W (M)	6W (M)	6W (M)	8.5W (M)
<b>FLUX:</b>	220lm	790lm	790lm	1090lm
<b>OPTICS:</b>	30° (F_)	49° (W_)	34° (F_)	41° (W_)
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)			
<b>CC DRIVER:</b>	A	G		H
<b>CONTROL:</b>	ON/OFF (00)   require driver (CC)*			



### LUMINAIRE FINISHES

- WHITE -13 ○
- BLACK -12 ●

\*Protection class, input voltage and IP rating for CC luminaires vary from above table.

Data for standard LED product is shown for LED light source 3000K. Other variants are available on our website.

## Discover functional bathroom lighting


PUTT hermetic is perfect for spaces with heightened moisture, such as bathrooms. With its high IP54/20 waterproof rating, the fixture ensures complete safety even when splashed with water. PUTT hermetic is available in two variants: mini and midi, allowing for an even better adaptation to specific interior needs.




# Putt

HERMETIC  
recessed D.048 / 052


## PUTT LED recessed mini | midi | midi move



new



new



new

	CAT. N°	CAT. N°	CAT. N°
	38046-M930-WW-00-12	38045-M930-FW-00-12	38047-M930-FW-00-12
<b>POWER:</b>	4.5W (M)		8.5W (M)
<b>FLUX:</b>	540lm		1140lm
<b>OPTICS:</b>	20° (S_)   41° (W_)		18° (S_)   35° (F_)   50° (W_)
<b>CCT:</b>		2700K (27)   3000K (30)   4000K (40)	
<b>CC DRIVER:</b>	E		J
<b>CONTROL:</b>	ON/OFF (00)   require driver (CC)*		ON/OFF (00)   Phase-Control (PH)   DALI (DA)   require driver (CC)*



### ACCESSORY

honeycomb



### RING FINISHES


- WHITE -\_W- ○
- BLACK -\_B- ●
- GREY -\_A- ●
- TERRACOTTA -\_R- ●
- TAUPE -\_T- ●
- GOLD -\_G- ●

### LUMINAIRE FINISHES

- WHITE -13 ○
- BLACK -12 ●
- GREY -84 ●
- TERRACOTTA -83 ●
- TAUPE -82 ●
- GOLD -19 ●

\*Protection class, input voltage and IP rating for CC luminaires vary from above table.

Data for standard LED product is shown for LED light source 3000K. Other variants are available on our website.



## Embrace timeless elegance


MODERN BALL embodies a blend of classic and elegance encapsulated in a single collection. Milky glass spheres emitting softly diffused light serve as a timeless interior decoration. The hermetic version, boasting an elevated IP54 waterproof rating, presents an excellent choice for bathrooms. It works well as general lighting or as mirror illumination. With a high colour rendering index (CRI>90) and glare protection, it serves as a proven solution for lighting public and residential spaces.



# Modern Ball simple

HERMETIC  
 surface D.128  
 suspended D.224  
 track D. 334  
 table D. 394  
 system D.464

MODERN BALL simple WP LED surface  
 mini G/K | midi G/K | mini | midi | maxi



	CAT. N°	CAT. N°	CAT. N°	CAT. N°	CAT. N°
	47015-M930-D0-00-12	47001-M930-D0-00-12	47016-M930-D0-00-12	47000-M930-D0-00-12	47014-M930-D0-00-12
<b>POWER:</b>	4W (L)   6W (M)	6W (L)   8.5W (M)	4W (L)   6W (M)	6W (L)   8.5W (M)	8W (L)   11.5W (M)
<b>FLUX:</b>	580lm - 790lm	790lm - 1090lm	580lm - 790lm	790lm - 1090lm	1170lm - 1610lm
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)				
<b>CC DRIVER:</b>	G	H	-		
<b>CONTROL:</b>	ON/OFF (00)   DALI (DA)   Phase-Control (PH)   require driver (CC)*			ON/OFF (00)	

## LUMINAIRE FINISHES

- WHITE -13 ○
- BLACK -12 ●
- GREY -84 ●
- TERRACOTTA -83 ●
- TAUPE -82 ●
- GOLD -19 ●



\*Protection class, input voltage and IP rating for CC luminaires vary from above table.

Data for standard LED product is shown for LED light source 3000K. Other variants are available on our website.

## Impact and ingress protection

The BLOS collection, with its IP54 rating and IK10 mechanical resistance, is perfect for general lighting, even in harsh environments. What is more, the luminaires can be controlled using DALI protocol or Aqsmart - the wireless system as well as equipped with sensors, and their installation is extremely easy.


BLOS round distance LED hermetic surface | MODERN BALL simple midi LED hermetic surface



# Blos round

HERMETIC  
surface p.142  
suspended p.244  
Track p.330

## BLOS round distance LED hermetic



### CAT. N°

47019-M930-D9-00-12

**POWER:** 11.5W (L) | 23W (M)

**FLUX:** 1720lm - 3260lm

**CCT:** 2700K (27) | 3000K (30) | 4000K (40)


**CONTROL:** ON/OFF (00) | DALI (DA) | Aqsmart (DB)



### LUMINAIRE FINISHES

- WHITE -13 ○
- BLACK -12 ●
- GREY -84 ●
- TERRACOTTA -83 ●
- TAUPE -82 ●
- GOLD -19 ●





## Proven way to illuminate the bathroom


MODERN GLASS encapsulates elegance within a minimalistic, timeless form. This collection emerged from a collaboration with the Czech design studio DECHEM. Handcrafted glass, in the form of slender tubes, serves as a decorative element in interiors. With an IP43 rating, the hermetic MODERN GLASS is resistant to splashes, making it ideal for creating a mood-enhancing ambiance in bathrooms.

# Modern Glass

HERMETIC  
suspended D. 212  
wall D. 354  
system D. 464



## MODERN GLASS Tube LED wall TR | TP | WP



GLASS	CAT. N°
TR	26521-M930-D9-00-12
TP	26520-M930-D9-00-12
WP	26518-M930-D9-00-12
<b>POWER:</b>	8.5W (M)
<b>FLUX:</b>	1140lm
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)
<b>CONTROL:</b>	ON/OFF (00)   Phase-Control (PH)








### GLASS DETAIL


TR TP WP



### LUMINAIRE FINISHES


- WHITE -13 ○
- BLACK -12 ●
- GREY -84 ●
- TERRACOTTA -83 ●
- TAUPE -82 ●
- GOLD -19 ●

# Thin Tube



## **An effective way to illuminate mirrors**

Certain cosmetic procedures demand exceptional precision. Therefore, it is essential to ensure adequate lighting for the person standing in front of the mirror. This task is well-handled by THIN TUBE. The twist version, with updated optics, excellently illuminates the face, allowing even the tiniest detail to be seen. This makes tasks like applying makeup or shaving even simpler.






# Thin Tube

HERMETIC  
suspended d. 250  
wall d. 378  
floor d. 398



## THIN TUBE twist LED wall



LENGTH	CAT. N°
400mm	26556-M930-D9-00-12
680mm	26557-M930-D9-00-12
960mm	26558-M930-D9-00-12
1240mm	26559-M930-D9-00-12
1520mm	26560-M930-D9-00-12
<b>POWER:</b>	4.5 – 21.5W (L)   8.5W – 43W (M)
<b>FLUX:</b>	580lm – 5820lm
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)
<b>CONTROL:</b>	ON/OFF (00)   DALI (DA)*   switchDIM (SW)*









\*from length 680mm

### DIRECTION OF LIGHT



### LUMINAIRE FINISHES


- WHITE -13 ○
- BLACK -12 ●
- GREY -84 ●
- TERRACOTTA -83 ●
- TAUPE -82 ●
- GOLD -19 ●

## Surprise yourself with exceptional performance

SET RAW mini hermetic is a minimalistic wall light primarily designed to illuminate the face of a person standing in front of a mirror. Apart from its elegant shape and functionality, it ensures safe usage – splashes are not a concern. With a high CRI>90, it guarantees precise colour rendering, crucial for everyday cosmetic and grooming routines.

# Set Raw





SET RAW mini hermetic wall | PET LED exterior surface

*Private apartment, Chwarzno, Gdynia*

Design: Marta Komorowska-Kozalka, pracownia bkm group. | Photo: Tom Kurdek






# Set Raw mini

HERMETIC  
recessed p. 094  
suspended p. 252  
wall p. 376

## SET RAW mini LED wall



LENGTH	CAT. N°
580mm	26346-M930-D9-00-12
870mm	26348-M930-D9-00-12
1150mm	26350-M930-D9-00-12
1430mm	26352-M930-D9-00-12
1710mm	26305-M930-D9-00-12
1990mm	26307-M930-D9-00-12
<b>POWER:</b>	8.5 - 30W (L)   17W - 60W (M)
<b>FLUX:</b>	1160lm - 8140lm
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)
<b>CONTROL:</b>	ON/OFF (00)   DALI (DA) <sup>1</sup>   AQsmart (DB) <sup>1</sup>   switchDIM (SW) <sup>1</sup>




<sup>1</sup> from length 870



### LUMINAIRE FINISHES

- WHITE -13 ○
- BLACK -12 ●




## Exceptional parameters in a compact design


SET TRU in its hermetic version is another lighting solution perfect for areas prone to moisture exposure. Its minimalistic form serves as a modern addition, while the pleasantly diffused light ensures the highest visual comfort. Simultaneously, SET TRU offers high efficiency, making it a reliable choice for both bathroom mirror lighting and general lighting.

# Tru

HERMETIC  
 recessed p. 098  
 surface p. 168  
 suspended p. 270  
 wall p. 382  
 system p. 492



## SET TRU LED wall | surface



LENGTH	CAT. N°	CAT. N°
570mm	26363-M930-D9-00-12	40082-M930-D9-00-12
860mm	26365-M930-D9-00-12	40084-M930-D9-00-12
1140mm	26367-M930-D9-00-12	40086-M930-D9-00-12
1420mm	26369-M930-D9-00-12	40088-M930-D9-00-12
1700mm	26397-M930-D9-00-12	40027-M930-D9-00-12
1980mm	26399-M930-D9-00-12	40029-M930-D9-00-12
<b>POWER:</b>	8.5W - 30W (L)   17W - 60W (M)	
<b>FLUX:</b>	1160lm - 8140lm	
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)	
<b>CONTROL:</b>	ON/OFF (00)   DALI (DA)   Aqsmart (DB)   switchDIM (SW)	

the opal version (D9) has a Tunable-White option available from length 1140mm



### LUMINAIRE FINISHES

- WHITE -13 ○
- BLACK -12 ●

ZEWNEŹTRZNE

Exterior


# Exterior



SC



KIEŹKA



ONLY round mini LED 230V exterior surface

## Lighting to guide your way


ONLY collection is perfect for moisture prone conditions. Thanks to its high IP65 waterproof rating, the fixture works wonders as shower or bathtub lighting and also in spaces around the house. It will illuminate pathways or driveways during evening returns, ensuring safety.



# Only round mini


EXTERIOR

ONLY round mini LED 230V  
recessed | surface



CAT. N°

38049-M930-F3-PH-12



CAT. N°

47018-M930-F3-PH-12


<b>POWER:</b>	8W (M)
<b>FLUX:</b>	680lm
<b>OPTICS:</b>	26° (F_)   40° (W_)   opal (D9)
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)
<b>CONTROL:</b>	Phase-Control (PH)



#### LUMINAIRE FINISHES

- WHITE -13 ○
- BLACK -12 ●
- GREY -84 ●\*
- TERRACOTTA -83 ●\*
- TAUPE -82 ●\*
- GOLD -19 ●\*

\*indoor use only



PET LED 230V exterior surface | LEDPOINT round up/down exterior wall

## Precise lighting in a classic form


The PET collection epitomizes modernity and elegance. It highlights the refined character of interiors while showcasing that slender, minimalistic design can harmonize with excellent technical parameters. With an elevated IP65 waterproof rating, suitable for both indoor and outdoor use, it excels in spaces exposed to moisture. It effectively illuminates patios, home entrances, passageways or bathrooms.



# Pet

EXTERIOR  
 surface p. 114  
 suspended p. 236  
 spot p. 310  
 track p. 310  
 wall p. 358  
 system p. 464

## PET LED 230V surface



### CAT. N°

47029-M930-F3-PH-12

<b>POWER:</b>	8W (M)
<b>FLUX:</b>	680lm
<b>OPTICS:</b>	27° (F <sub>-</sub> )
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)
<b>CONTROL:</b>	Phase-Control (PH)



### LUMINAIRE FINISHES

- WHITE -13 ○
- BLACK -12 ●
- GREY -84 ●\*
- TERRACOTTA -83 ●\*
- TAUPE -82 ●\*
- GOLD -19 ●\*

\*indoor use only



## Embrace accent lighting


The facade of a house serves a representative function, making proper lighting essential. This is where LEDPOINT excels – a small wall lamp that (especially when grouped) paints original patterns with light, bringing the facade to life after dark. You have two fixture versions to choose from: round and square, both with precise light directed downwards, upwards or both.



# Ledpoint

EXTERIOR

## LEDPOINT wall round | square



CAT. N°

26544-M930-WB-00-12

POWER:

3W (M)

FLUX:

380lm

OPTICS:

68° (W\_)

CCT:


2700K (27) | 3000K (30)

CONTROL:

ON/OFF (00)




## LEDPOINT up&down wall round | square




CAT. N°

26546-M930-WB-00-12



CAT. N°

26545-M930-WB-00-12



CAT. N°

26547-M930-WB-00-12

POWER:

6W (M)

FLUX:

770lm

OPTICS:

68° (W\_)

CCT:



### LUMINAIRE FINISHES

WHITE -13 ○

BLACK -12 ●

VIP round up&down LED 230V exterior wall



## Facade lighting specialist

How to add the right glow to your facade? Simply ensure proper accent lighting. This is where the collection of atmospheric VIP lamps excels, painting decorative patterns on the wall. The fixture is available in the form of slender tubes or rectangles. Depending on the chosen version, VIP can direct light downwards, upwards or both.







# Vip

EXTERIOR

## VIP LED 230V wall round | square

## VIP up&down LED 230V wall round | square



CAT. N°	CAT. N°	CAT. N°	CAT. N°
26540-M930-WB-PH-12	26542-M930-WB-PH-12	26541-M930-WB-PH-12	26543-M930-WB-PH-12
<b>POWER:</b>	6W (M)		12W (M)
<b>FLUX:</b>	510lm		1020lm
<b>OPTICS:</b>	71° (W_)	65° (W_)	71° (W_)   65° (W_)
<b>CCT:</b>	2700K (27)   3000K (30)		
<b>CONTROL:</b>	Phase-Control (PH)		



### LUMINAIRE FINISHES

- WHITE -13 ○
- BLACK -12 ●



## Create unique ambiance with light

MAXI POINT is another proposal for atmospheric accent lighting, emitting subtle, soft light that spreads across the wall. The upright version, used individually or in groups, is capable to dispel the darkness on surprisingly large area without upwards light emission.


NEW PRODUCT



# Maxi Point

EXTERIOR  
wall p. 364  
system p. 464

## MAXI POINT LED wall | upright



	CAT. N°	LENGTH	CAT. N°
	26579-M930-D9-00-12	600mm	26578-M930-D9-00-12
		1000mm	26577-M930-D9-00-12
<b>POWER:</b>	4.5W (M)		6W (M)
<b>FLUX:</b>	540lm		790lm
<b>CCT:</b>	2700K (27)   3000K (30)		
<b>CONTROL:</b>	ON/OFF (00)		




LUMINAIRE FINISHES

BLACK -12 ●

# Slup

## Ensure safety after dark

The SLUP collection defines space, aids navigation and sets the direction of movement. Its sturdy construction and IP65 rating ensure resilience not only against adverse weather conditions but also against impacts, such as those from ball games. SLUP boasts easy installation and high durability. It works well illuminating pathways in front of homes or hotels.



SLUP LED exterior upright








# Slup

EXTERIOR

## SLUP LED upright



LENGTH	CAT. N°
450mm	26548-M930-D0-00-12
600mm	26549-M930-D0-00-12
<b>POWER:</b>	9W (M)
<b>FLUX:</b>	1020lm
<b>CCT:</b>	2700K (27)   3000K (30)
<b>CONTROL:</b>	ON/OFF (00)




### LUMINAIRE FINISHES


BLACK -12 ●

# Dart

Discover pleasant  
accent lighting

DART is a family of sealed spotlights that illuminate the most intriguing elements in your garden—drawing attention to plants, facades, or a gazebo. Thanks to the adjustable height and tilt of the spotlight, the fixture perfectly adjusts to specific needs. Its high IP65 waterproof rating ensures safety even on rainy days, while the minimalistic design serves as a discreet decoration.





DAKT LED exterior upright

# O C R O D

Photo: I am Liz

Hotel-T, Waremegem

DART LED exterior upright







# Dart

EXTERIOR


## DART LED upright



## DART LED spot



## DART LED engine accessory<sup>1</sup>



LENGTH	CAT. N°	CAT. N°	CAT. N°
120mm	26538-M930-F1-00-12	16444-M930-F1-00-12	81219-M930-F1-00-12
380mm	26539-M930-F1-00-12		
1000mm	26565-M930-F1-00-12		
<b>POWER:</b>	3W (M)		
<b>FLUX:</b>	290lm		
<b>OPTICS:</b>	33° (F.)		
<b>CCT:</b>	2700K (27)   3000K (30)		
<b>CONTROL:</b>	ON/OFF (00)		


<sup>1</sup> If a double version is needed, DART LED engine can be added to 380mm or 1000mm rod single version



LUMINAIRE FINISHES

BLACK -12 ●

SYSTEMY

The background features a vibrant red field with several overlapping yellow shapes. These shapes include a large semi-circle in the top-left, a large rounded rectangle in the middle-left, a smaller semi-circle in the bottom-left, and a vertical rectangle on the right side. The word "Systems" is printed in a black serif font in the upper right area.

Systems

SPIDER  
IKI round



new

[p. 464](#)

SPIDER  
MAXI POINT



[p. 464](#)

SPIDER  
MODERN BALL



[p. 464](#)

SPIDER  
MODERN GLASS




[p. 464](#)

SPIDER  
PET



[p. 464](#)


SPIDER  
QRLED next



new

[p. 464](#)

SPIDER  
TRIBA




[p. 464](#)




new

ALULINE  
midi



[p. 478](#)

ALULINE  
mini




[p. 478](#)

LEDLINE soft




[p. 480](#)

MIXLINE




[p. 488](#)

PET rift



[p. 474](#)


PIPER



new


[p. 468](#)

RAFTER mix



[p. 500](#)

TRU



[p. 492](#)

# Index





MODERN BALL simple midi LED spider suspended | RAFTER mix LED recessed



ŚWIATŁO

IDEALNIE

The systems allow you to configure an individual solution that is based on standard families of AQForm fixtures.

Linear models use elements of the MIXLINE, TRU and RAFTER series – modules with a milky cover, lenses and reflectors, supplemented with non-luminous and power sections. Individual elements can be connected together in a line, at an angle, and in selected systems it is also possible to move from the ceiling to the wall. Different sections or groups of sections can be controlled separately – depending on the individual layout. There are also recessed, surface-mounted and suspended versions to choose from.

# Systems

Profile systems also allow you to create thin lighting lines of various sizes and strengths. These are the RAW mini, ALULINE, PIPER, MIXLINE, RAFTER, TRU and LEDLINE SOFT models.

The SPIDER system allows you to combine many suspended luminaires or wall lamps with a selected mounting box into one spectacular form.

PET rift and PET mini rift are systems that allow you to create suspended, surface-mounted or wall lamp models with various lengths and different finishes for each element.

The systems are individual, tailor-made solutions, yet based on proven components.

DOPASOWANE




## Mix, match, arrange, expand

The SPIDER system allows you to connect 2 to 8 devices, including additional boxes, to one mounting box. Suspended models and wall lamps, decorative in form or minimalistic, can be connected to one of many versions of a round or strip ceiling with a power supply. Additional mountings for power cables allow you to mount and arrange the luminaires in almost any way that suits the interior.

# Spider







# How to use system

Combining standard components into non-standard configurations – this is the idea behind systems. Modules with covers, spotlights, reflectors. Non-luminous, power supply elements. Suspended and surface-mounted luminaires, wall lamps. Power supply boxes of various shapes and the number of possible connections. All these elements and how to configure them are presented on the following pages.

## 1. Choose luminaire module

Select the shape, finish and colour of the luminaire for the SPIDER system.



MODERN GLASS mini 24



MODERN GLASS mini 48



MODERN GLASS mini 70



MODERN GLASS tube




MODERN GLASS flared



MODERN GLASS barrel




MODERN BALL mini




MODERN BALL midi




MODERN BALL maxi




IKI



MAXI POINT round



MAXI POINT square



QRLED next



TRIBA midi E27



TRIBA midi



TRIBA mini



PET midi 20



PET midi 32










PET mini 20



PET mini 32

## 2. Choose lamp canopy

Choose the size, colour and finish of the lamp canopy. More holes or non-standard arrangements are possible. Remember that more than one lamp canopy can be joined together. For versions of x6, x7 and x8 – check out our website.

	x2 2 holes	x2 side 2 holes side	x3 3 holes	x3 side 3 holes side	x4 4 holes	x4 side 4 holes side	x5 5 holes	x5 side 5 holes side
 <p>34   ø90 canopy round 9 side</p>				50590-__				
 <p>34   ø120 canopy round 12 side</p>							50467-__	
 <p>42   ø230 ø270 canopy round 27</p>  <p>42   ø230 ø270 canopy round 27 side</p>	51489-__	51483-__	50469-__	51502-__	51490-__	51484-__	51491-__	51485-__
 <p>42   ø320 ø360 canopy round 36</p>  <p>42   ø320 ø360 canopy round 36 side</p>	51477-__	51495-__	51469-__	51496-__	51478-__	51497-__	51479-__	51498-__
 <p>42   ø404 ø440 canopy round 44</p>	51471-__		51470-__		51472-__		51473-__	
 <p>32   308 canopy bar 31x2</p>  <p>32   548 canopy bar 55x2</p>	51000-__		51001-__					

## 3. Choose ceiling fixing

Select the colour, finish and number of ceiling fixing needed.



ceiling fixing  
50249-\_\_

## 4. Define cables

Choose the colour of the cable, then select the number of wires needed. The standard cable length per a SPIDER module is 1400mm. Longer on request.



black

white


transparent

white textile

black textile

bright textile


**IKI round wall**  
LED | E27



**new**

CAT. N°

26564-A930-D9-CC-A2





**new**

CAT. N°

2662-0000-U8-PH-O2

**MAXI POINT wall**  
round | square



DIAMETER

CAT. N°

LENGTH

CAT. N°

ø80mm

26553-A930-D9-CC-12

80x80mm

26556-A930-D9-CC-12

ø128mm

26513-A930-D9-CC-12

120x120mm

26514-A930-D9-CC-12

**MODERN BALL simple suspended**  
maxi | midi | mini



CAT. N°

59902-A930-D0-CC-12



CAT. N°


59837-A930-D0-CC-12



CAT. N°

59901-A930-D0-CC-12

**QRLED next suspended**



**new**

CAT. N°


59930-A930-W3-CC-12



# Spider

SYSTEMS

## MODERN GLASS suspended barrel | flared | tube | mini




FOR CAT. N° CHECK OUT OUR WEBSITE

LED	<a href="http://aqform.com/M11095">aqform.com/M11095</a>	<a href="http://aqform.com/M11095">aqform.com/M11095</a>	<a href="http://aqform.com/M11095">aqform.com/M11095</a>	<a href="http://aqform.com/M19615">aqform.com/M19615</a>
E27	<a href="http://aqform.com/M11025">aqform.com/M11025</a>	<a href="http://aqform.com/M11025">aqform.com/M11025</a>	<a href="http://aqform.com/M11025">aqform.com/M11025</a>	
GU10	<a href="http://aqform.com/M11035">aqform.com/M11035</a>	<a href="http://aqform.com/M11035">aqform.com/M11035</a>	<a href="http://aqform.com/M11035">aqform.com/M11035</a>	



## TRIBA suspended mini | midi | midi E27



new

new

new

CAT. N°

[59929-M930-FB-00-12](#)


CAT. N°

[59928-M930-FB-00-12](#)

CAT. N°

[59927-0000-U8-PH-12](#)

## PET suspended mini | midi



LENGTH

CAT. N°

CAT. N°

200mm

[59820-M930-WB-00-12](#)

[59817-M930-WB-00-12](#)

320mm

[59821-M930-WB-00-12](#)

[59818-M930-WB-00-12](#)

### RING FINISHES

PET | MODERN GLASS mini | TRIBA LED

WHITE -\_W- ○

BLACK -\_B- ●

GREY -\_A- ●

TERRACOTTA -\_R- ●

TAUPE -\_T- ●

GOLD -\_G- ●

### LUMINAIRE FINISHES

WHITE -13 ○

BLACK -12 ●

GREY -84 ●


TERRACOTTA -83 ●

TAUPE -82 ●

GOLD -19 ●

# Piper

NEW  
PRODUCT



One 230V power feed | toolless elements connection  
CCT switch (2700K, 3000K, 4000K) | phase-control dimming







The PIPER system is based on lighting tubes suspended on thin cables, providing diffused and soft light. It allows for easy connection by using flexible, plug-in connectors. One power source on the ceiling or wall is sufficient to connect multiple fixtures. An additional advantage of the system is the ability to choose one of three colour temperature values using the switch mounted on each fixture.




NEW PRODUCT

# Piper

SYSTEMS  
suspended p.198

## PIPER LED



new

<b>POWER:</b>	19.5W (M)
<b>FLUX:</b>	2670lm
<b>CCT:</b>	adjustable 2700K, 3000K, 4000K (42)
<b>CONTROL:</b>	Phase-Control (PH)











LUMINAIRE FINISHES

BLACK -12 ●

Good light and  
creative freedom



DECYDUJESZ

# Pet rift

The system is based on PET and PET mini fixtures. It uses their lighting modules. It has identical light parameters and lighting characteristics. It allows you to choose the colours of the body, the lighting module and the decorative ring separately.

The surface-mounted PET rift version can have a total length ranging from 20 to 100cm in 10 cm intervals.

The suspended variant PET rift and PET mini rift allows you to choose one of three cable colours.

The PET mini rift wall lamp model is equipped with two light modules: one up, the other down. The total length of this fixture ranges from 20 to 100cm.

PROJEKTUJESZ





PET next mini rift LED suspended

# How to use system

Pick a length inbetween 20cm and 100cm.

Choose the size and colour of each section  
(tube, lighting unit and its decorative ring).





200-1000mm

# Pet rift


SYSTEMS



## PET mini rift suspended | wall



## PET midi rift suspended | surface



<b>POWER:</b>	4.5W (M)	6.5W (M)	8.5W (M)
<b>FLUX:</b>	540lm	590lm	1140lm
<b>OPTICS:</b>	20° (F_)   41° (W_)		18° (S_)   35° (F_)   50° (W_)
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)		
<b>CONTROL:</b>	ON/OFF (00)		ON/OFF (00)   DALI (DA)   Aqsmart (DB)



### RING FINISHES

- WHITE -\_W- ○
- BLACK -\_B- ●
- GREY -\_A- ●
- TERRACOTTA -\_R- ●
- TAUPE -\_T- ●
- GOLD -\_G- ●

### LUMINAIRE FINISHES

- WHITE -13 ○
- BLACK -12 ●
- GREY -84 ●
- TERRACOTTA -83 ●
- TAUPE -82 ●
- GOLD -19 ●

# Aluline



## **Infinite lines without bright spots**

The system allows you to create continuous light lines on the ceiling and wall. The profiles are equipped with opal covers and LED strips providing continuous light. They can be connected into any straight or broken sections.

The system is prepared for an individual request.

It is available in two recessed versions (with frame and frameless) and surface-mounted.



# How to use system

The system allows you to create continuous light lines on the ceiling and wall.

The profiles are equipped with opal covers and LED strips providing continuous light. They can be connected into any straight or broken sections.

The system is prepared for an individual request. It is available in two recessed versions (with frame and frameless) and surface-mounted (mini and midi).

On request, you can order ALULINE with black cover. When turned ON, it shines evenly.









# Aluline

SYSTEMS

## ALULINE mini trimless recessed | recessed | surface



## ALULINE midi surface



LENGTH	CAT. N°	CAT. N°	CAT. N°	CAT. N°
1000mm	70125-M930-D9-00-11	70124-M930-D9-00-70	70126-M930-D9-00-70	71216-M930-D9-00-12
2000mm	71238-M930-D9-00-11	71236-M930-D9-00-70	71240-M930-D9-00-70	71242-M930-D9-00-12
3000mm	71239-M930-D9-00-11	71237-M930-D9-00-70	71241-M930-D9-00-70	
<b>POWER:</b>		10W/m		20W/m
<b>FLUX:</b>		850lm/m		1700lm/m
<b>OPTICS:</b>		opal (D9)		
<b>CCT:</b>		3000K (30)		
<b>CONTROL:</b>		ON/OFF (00)   DALI (DA)   Aqsmart (DB)		



### LUMINAIRE FINISHES

ALULINE mini recessed | surface

- ALU ANODIZED -70 ●
- BLACK ANODIZED -72 ●

ALULINE mini trimless recessed

- ALU NATURAL -11 ●

### LUMINAIRE FINISHES

ALULINE midi

- WHITE -13 ○
- BLACK -12 ●
- GREY -84 ●
- TERRACOTTA -83 ●
- TAUPE -82 ●
- GOLD -19 ●




## A way to softly pour light

Using this system, you can create a light line embedded in the surface of the wall or ceiling. The LED strip is placed on the side of the profile behind a milky cover, providing soft and delicate light.

The system elements can be connected together in a line, at a right angle, or as a transition from the ceiling to the wall. It is perfect for intimate lighting of floors or ceilings from a short distance.






# Ledline soft

SYSTEMS

## LEDLINE soft recessed



### CAT. N°

70129-M930-D9-00-13

<b>POWER:</b>	10W/m
<b>FLUX:</b>	850lm/m
<b>OPTICS:</b>	opal
<b>CCT:</b>	3000K (30)
<b>CONTROL:</b>	ON/OFF (00)   DALI (DA)   Aqsmart (DB)



### LUMINAIRE FINISHES

WHITE -13 ○

Effectiveness, style  
and elegance



SKNUTELECZNOŚĆ

STYL

# Mixline

The system can be composed of modules equipped with lenses, opal diffuser and PET reflectors. Additionally, there are non-luminous sections and power supply sections, which must be appropriately selected to the length of the system.

Straight and angular connectors and wall-ceiling elements allow you to create various configurations.

The MIXLINE system is available in recessed, surface-mounted and suspended versions.

I ELEGANCJA






MIXLINE LED system recessed

*Klinika Medistica Ginekologia + Płodność, Kraków*

Design: Joanna Tręda, BP Architekti Marek Tręda





# How to use system

The system can be composed of modules equipped with lenses, opal covers and PET reflectors. Additionally, there are non-luminous sections and power supply sections, which must be appropriately selected to the length of the system.

Straight and angular connectors and wall-ceiling elements allow you to create various configurations.

The MIXLINE system is available in recessed, surface-mounted and suspended versions.








# Mixline

SYSTEMS  
 recessed p. 090  
 surface p. 158  
 suspended p. 260

## MIXLINE LED

recessed | surface | suspended



<b>POWER:</b>	diffuser (per 28 cm): 8.5W   lens (per set of 5): 3.5W
<b>FLUX:</b>	diffuser (per 28 cm): 1160lm   lens (per set of 5): 450lm
<b>OPTICS:</b>	opal   26° (F_)   54° (W_)
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)
<b>CONTROL:</b>	ON/OFF (00)   switchDIM (SW)   DALI (DA)   AQsmart (DB)



For a continuous line of light,  
 check out the RAW mini system: [aqform.com/R10013](http://aqform.com/R10013)



### LUMINAIRE FINISHES

- WHITE -13 ○
- BLACK -12 ●
- GREY -84 ●
- TERRACOTTA -83 ●
- TAUPE -82 ●
- GOLD -19 ●




# Tru

## **Reliability, resourcefulness, agility, and unwavering commitment**


TRU uses profiles and technology used in SET TRU family fixtures. This is a very efficient system that will serve well as general lighting even in large spaces. Elements can be connected together into complex structures using dedicated connectors. The system offers two types of covers – standard opal and microprismatic (PRO version), which allows for low glare and high visual comfort. Two power variants, different types of control, including AQsmart, three different colour temperature values to choose from, and the Tunable-White version allow you to create a professional lighting system perfectly suited to the interior and the needs of users.





# TRU

wall | up&down wall | up&down suspended




# Tru

SYSTEMS  
 recessed p. 098  
 surface p. 168  
 suspended p. 270  
 track p. 328  
 wall p. 382  
 hermetic p. 426

<b>POWER:</b>	per 28 cm: 4.5W (L)   8.5W (M)	per 28 cm: 8W (L)   17W (M)
<b>FLUX:</b>	per 28 cm: 560 lm (L)   1160 lm (M)	per 28 cm: 1160 lm (L)   2320 lm (M)
<b>OPTICS:</b>	opal   microprism	
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)	
<b>CONTROL:</b>	ON/OFF   switchDIM   DALI   Aqsmart	

# TRU

recessed | surface | suspended | trim recessed



<b>POWER:</b>	(per 28 cm): 4.5W (L)   8.5W (M)
<b>FLUX:</b>	(per 28 cm): 580 lm (L)   1160 lm (M)
<b>OPTICS:</b>	opal   microprism
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)
<b>CONTROL:</b>	ON/OFF   switchDIM   DALI   Aqsmart

the opal version (D9) has a Tunable-White option available

## LUMINAIRE FINISHES

- WHITE -13 ○
- BLACK -12 ●
- GREY -84 ●
- TERRACOTTA -83 ●
- TAUPE -82 ●
- GOLD -19 ●



Simple form, various  
lighting methods

# PROSTA



# FORMA

# Rafter

An extensive system based on luminaires from the RAFTER family, in which it is possible to connect components providing very different ways of lighting. It is available in three installation versions: recessed, surface-mounted and suspended.

The RAFTER mix system can be composed of three different lighting elements. Points modules provide directional light straight down and achieve low glare. Modules with an opal cover work well as soft general lighting. And PET LED elements are a good solution for accent lighting.

The RAFTER system is based on profiles with an opal cover, which allow you to compose long luminous lines and connect them at right angles. Three power versions and four control options are available and make it possible to precisely adjust the amount of light to a specific room.

Różne  
SPOSOBY  
ŚWIECENIA










# How to use system

The system can be composed of modules equipped with lenses, opal covers and PET reflectors.

Additionally, there are non-luminous sections and power supply sections, which must be appropriately selected to the length of the system.



ZADANIOWY

# Rafter mix

SYSTEMS

recessed p.082\_086


surface p.150

suspended p.264


spot p.324

track p.324


wall p.380





## RAFTER LED module



## RAFTER points module



## RAFTER PET module mini | midi



<b>POWER:</b>	diffuser (per 28 cm): 4W (L)   8.5W (M)	3.5W (L)   7.5W (M)	4.5W (M)	8.5W (M)
<b>FLUX:</b>	diffuser (per 28 cm): 580lm (L)   1160lm (M)	440lm (L)   780lm (M)	540lm	1140lm
<b>OPTICS:</b>	opal (D9)	35° (F_)   50° (W_)	20° (S_)   41° (W_)	18° (S_)   35° (F_)   50° (W_)
<b>CCT:</b>	2700K (27)   3000K (30)   4000K (40)			
<b>CONTROL:</b>	ON/OFF (00)   switchDIM (SW)   DALI (DA)   Aqsmart (DB)			



<sup>1</sup> for RAFTER points module and RAFTER PET module

For a continuous line of light,  
check out the RAFTER system based on opal diffuser: [aqform.com/F71214](http://aqform.com/F71214)



### LUMINAIRE FINISHES

- WHITE -13 ○
- BLACK -12 ●
- GREY -84 ●
- TERRACOTTA -83 ●
- TAUPE -82 ●
- GOLD -19 ●

THIN TUBE asymmetry LED suspended custom project

*Restauracja Pizza i Wino, Bytów*

Design: Loft Architektura Małgorzata Hendrych-Lubińska | Photo: Agata Hasulak

# Cus




ROZWIĄZANIA


# Custom made

SKROJONE


NA MIARĘ

An experienced design team, an extensive research and development center and our own production lines allow us to create unique lighting systems, tailored to the idea and vision of an architect or investor. We use existing solutions or fixture elements – but if necessary, we also develop completely new systems, from scratch.















MODERN BALL, simple midi LED spidersuspended custom project

*Restaurant Vier, Kortrijk*

Design: Jelle Neels | Lighting design: Light Consult | Installateur: Marc Desloep | Photo: Fort 07



# Outro



# Drivers

**JAK POPRAWNIE  
DOBRAĆ ZASILACZ?  
HOW TO CHOOSE  
THE LED DRIVER?**

1. The letter assigned to the luminaire (applies to recessed and plasterboard fittings) corresponds to the letter in the table column.

1. Litera przypisana przy oprawie (dotyczy opraw recessed oraz G/K) odpowiada literce w kolumnie tabeli.

2. For each letter (that is luminaire) are assigned matching LED drivers, as well as the number of luminaires that can be connected in series to a given driver. We suggest not to connect the luminaires in a parallel configuration.

2. Dla każdej litery (czyli oprawy) przypisane są pasujące zasilacze dla konkretnych opraw, a także ilość opraw, które można połączyć szeregowo do danego zasilacza. Sugerujemy nie podłączać opraw w konfiguracji równoległej.

3. All LED drivers included in the table are in the protection class 2.

3. Wszystkie zasilacze zawarte w tabeli są w 2 klasie ochronności

4. Do not combine different types of luminaires with 1 LED driver.

4. Nie należy łączyć różnych typów opraw z 1 zasilaczem.

5. Always check the dimensions of the LED drivers to fit them in the designated place (e.g. plasterboard - the LED driver must pass through the mounting hole).

5. Zawsze należy sprawdzać wymiary zasilaczy tak aby zmieścić zasilacz w ustalonym przez nas miejscu (np. gips/karton - zasilacz musi przejść przez otwór montażowy).

L.p.	Code	Product name	L x W x H [mm]	Hmin [mm]	Current [mA]	Min voltage [V]	Max voltage [V]	
1	81224	POWER SUPPLY On/Off 9W 250mA 2-36V	68 x 41,6 x 22	48	250	2	36	
2	81225	POWER SUPPLY On/Off 8W 350mA 2-22V	68 x 35 x 21,5	42	350	2	22	
3	81226	POWER SUPPLY On/Off 22W 125-500mA 5-44V	146,5 x 43,5 x 22	49	250	10	44	
					350	10	44	
					500	5	44	
4	81227	POWER SUPPLY On/Off 23W 150-700mA 2,5-46V	138,4 x 30 x 21	38	250	2,5	46	
					350	2,5	46	
					500	2,5	46	
					700	2,5	32	
5	81223	POWER SUPPLY On/Off 30W 350-725 mA 2-44V	146,5 x 43,5 x 22	49	350	10	44	
					500	8	44	
					700	5	44	
6	81228	POWER SUPPLY On/Off 36W 150-900mA 2,5-50V	163 x 30 x 21	38	250	2,5	50	
					350	2,5	50	
					500	2,5	50	
					700	2,5	50	
7	81229	POWER SUPPLY On/Off 40W 300-1050mA 5-44V	146,5 x 43,5 x 22	50	350	15	44	
					500	9	43	
					700	7	43	
					1050	5	38	
9	81238	POWER SUPPLY Phase-Control 7W 350-500mA 7-13V	122 x 41 x 23	44	500	7	13	
10	81231	POWER SUPPLY Phase-Control 10W 250mA 30-42V	85 x 40 x 22	48	250	30	42	
11	81220	POWER SUPPLY Phase-Control 10W 350mA 12-28V	102 x 38 x 21	45	350	12	28	
12	81221	POWER SUPPLY Phase-Control 10W 500mA 9-20V	102 x 38 x 21	45	500	9	20	
13	81232	POWER SUPPLY Phase-Control 10W 700mA 6-14V	102 x 38 x 21	45	700	6	14	
14	81239	POWER SUPPLY Phase-Control 20W 350-500mA 26-38V	138 x 44 x 30	45	350	26	38	
15	81233	POWER SUPPLY Phase-Control 20W 250-900mA 7-44V	148 x 38 x 26,5	49	250	7	44	
					350	7	44	
					500	7	40	
					700	7	28	
16	81234	POWER SUPPLY Phase-Control 21W 500mA 25-42V	115 x 41 x 25	50	500	25	42	
17	81240	POWER SUPPLY Phase-Control 36W 500-700mA 30-52V	138 x 44 x 30		700	30	52	
18	81235	POWER SUPPLY DALI 23W 150-700mA 2,5-46V	138,4 x 30 x 21	38	250	2,5	46	
					350	2,5	46	
					500	2,5	46	
					700	2,5	33	
19	81222	POWER SUPPLY DALI 26W 250-700 mA 10-49V	146,5 x 43,5 x 22	50	250	10	49	
					350	10	48	
					500	10	46	
					700	10	37	
20	81236	POWER SUPPLY DALI 35W 250-1000mA 8-42V	139 x 42 x 30	52	250	20	42	
					350	8	42	
					500	8	42	
					700	8	42	
21	81237	POWER SUPPLY DALI 36W 150-900mA 2,5-50V	163 x 30 x 21	38	250	2,5	50	
					350	2,5	50	
					500	2,5	50	
					700	2,5	50	

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	AA	AB	AD	
						(1-1)																								
				(1-3)			(1-1)								(1-1)								(1-1)							(1-2)
						(1-1)				(1-1)																				
				(2-7)			(1-2)		(1-1)		(1-1)		(1-1)		(1-3)	(1-1)	(1-1)	(1-1)					(1-3)							(2-4)
			(1-7)		(1-5)			(1-2)				(1-1)		(1-1)					(1-1)	(1-2)	(1-1)					(1-3)	(1-1)	(1-2)	(1-2)	
						(1-1)				(1-1)																				
				(1-8)			(1-2)		(1-1)		(1-1)		(1-1)		(1-3)	(1-1)	(1-1)	(1-1)					(1-3)							(1-5)
			(1-7)		(1-5)			(1-2)				(1-1)		(1-1)					(1-1)	(1-3)	(1-1)	(1-1)				(1-4)	(1-1)	(1-2)	(1-2)	
	(1-9)	(1-10)																												
				(2-7)			(1-2)		(1-1)		(1-1)		(1-1)		(1-3)	(1-1)	(1-1)	(1-1)					(1-3)							(2-4)
			(2-7)		(1-5)			(1-2)				(1-1)		(1-1)					(1-1)	(1-2)	(1-1)					(1-3)	(1-1)	(1-2)	(1-2)	
	(2-12)	(2-15)																						(1-1)						
						(1-1)				(1-1)																				
				(1-9)			(1-2)		(1-1)		(1-1)		(1-1)		(1-3)	(1-1)	(1-1)	(1-1)					(1-3)							(1-5)
			(1-8)		(1-5)			(1-2)				(1-1)		(1-1)					(1-1)	(1-3)	(1-1)	(1-1)				(1-4)	(1-1)	(1-2)	(1-2)	
	(1-14)	(1-17)																						(1-1)						
				(3-7)			(1-2)		(1-1)		(1-1)		(1-1)		(2-3)	(1-1)	(1-1)	(1-1)					(2-3)							(2-4)
			(2-7)		(2-4)			(1-2)				(1-1)		(1-1)					(1-1)	(1-2)	(1-1)					(1-3)	(1-1)	(1-2)	(1-2)	
	(3-12)	(3-14)																						(1-1)						
			(2-2)		(1-1)																					(1-1)				
						(1-1)																								
			(3-5)				(1-1)		(1-1)						(1-1)								(1-1)							(2-3)
			(2-3)		(2-2)			(1-1)													(1-1)					(1-1)		(1-1)		
	(2-4)	(3-4)																												
			(5-6)				(2-2)		(1-1)		(1-1)		(1-1)		(2-2)	(1-1)		(1-1)					(2-2)							(4-4)
						(1-1)				(1-1)																				
			(2-7)				(1-2)		(1-1)		(1-1)		(1-1)		(1-3)	(1-1)	(1-1)	(1-1)					(1-3)							(1-4)
			(2-6)		(1-4)			(1-2)				(1-1)		(1-1)					(1-1)	(1-2)	(1-1)					(1-3)	(1-1)	(1-2)	(1-2)	
	(3-8)	(3-9)																												
			(5-7)		(3-4)			(2-2)				(1-1)		(1-1)					(1-1)	(2-2)	(1-1)					(3-3)	(1-1)	(2-2)	(1-2)	
	(9-15)	(11-17)																						(1-1)						
						(1-1)				(1-1)																				
			(1-8)				(1-2)		(1-1)		(1-1)		(1-1)		(1-3)	(1-1)	(1-1)	(1-1)					(1-3)							(1-5)
			(1-7)		(1-5)			(1-2)				(1-1)		(1-1)					(1-1)	(1-3)	(1-1)	(1-1)				(1-4)	(1-1)	(1-2)	(1-2)	
	(1-9)	(1-11)																												
						(1-1)				(1-1)																				
			(2-8)				(1-2)		(1-1)		(1-1)		(1-1)		(1-3)	(1-1)	(1-1)	(1-1)					(1-3)							(2-5)
			(2-7)		(2-5)			(1-2)				(1-1)		(1-1)					(1-1)	(1-3)	(1-1)	(1-1)				(1-4)	(1-1)	(1-2)	(1-2)	
	(3-10)	(4-12)																	(1-1)	(1-3)	(1-1)	(1-1)			(1-1)					
						(1-1)				(1-1)																				
			(2-7)				(1-2)		(1-1)		(1-1)		(1-1)		(1-2)	(1-1)		(1-1)					(1-2)							(1-4)
			(2-7)		(1-4)			(1-2)				(1-1)		(1-1)					(1-1)	(1-2)	(1-1)					(1-3)	(1-1)	(1-2)	(1-2)	
	(3-12)	(3-14)																						(1-1)						
						(1-1)				(1-1)																				
			(1-9)				(1-2)		(1-1)		(1-1)		(1-1)		(1-3)	(1-1)	(1-1)	(1-1)					(1-3)							(1-5)
			(1-8)		(1-5)			(1-2)				(1-1)		(1-1)					(1-1)	(1-3)	(1-1)	(1-1)				(1-4)	(1-1)	(1-2)	(1-2)	
	(1-14)	(1-17)																						(1-1)						


# Dimensions of optics placement

## MIXLINE


MIXLINE 160 LED recessed/surface/suspended



MIXLINE 188 LED recessed/surface/suspended



MIXLINE 216 LED recessed/surface/suspended



MIXLINE 167 INV LED recessed/surface/suspended




MIXLINE 192 INV LED recessed/surface/suspended



## RAFTER


RAFTER points 54 LED section recessed/surface/suspended



RAFTER points 94 LED section recessed/surface/suspended





RAFTER points 133 LED section recessed/surface/suspended



RAFTER points 173 LED section recessed/surface/suspended




RAFTER points 213 LED section recessed/surface/suspended



## OPTIMA


OPTIMA 98 up&down LED suspended



OPTIMA 138 up&down LED suspended



OPTIMA 168 up&down LED suspended




OPTIMA 98 LED suspended



OPTIMA 138 LED suspended



OPTIMA 168 LED suspended




## LENS LINE

LENS LINE 54 LED section surface




LENS LINE 96 LED section recessed/surface/suspended



LENS LINE 149 LED section recessed/surface/suspended



LENS LINE 202 LED section recessed/surface/suspended



# index by name

## A

AQfelt OVAL BALL LED suspended	<a href="#">p. 230</a>
AQfelt OVAL RAFTER LED suspended	<a href="#">p. 230</a>
AQfelt OVAL RAFTER points LED section suspended	<a href="#">p. 230</a>
AQfelt STAVE RAFTER LED suspended	<a href="#">p. 230</a>
AQfelt STAVE RAFTER points LED section suspended	<a href="#">p. 230</a>
AQfelt WAVE RAFTER LED suspended	<a href="#">p. 230</a>
AQfelt WAVE RAFTER points LED section suspended	<a href="#">p. 230</a>

## B

BIG SIZE next round LED recessed	<a href="#">p. 072</a>
BIG SIZE next round LED surface	<a href="#">p. 146</a>
BIG SIZE next round LED suspended	<a href="#">p. 274</a>
BIG SIZE PRO next round LED recessed	<a href="#">p. 072</a>
BIG SIZE PRO next round LED surface	<a href="#">p. 146</a>
BIG SIZE PRO next round LED suspended	<a href="#">p. 274</a>
BLOS cast C LED surface	<b>new</b> <a href="#">p. 142</a>
BLOS round distance LED hermetic surface	<a href="#">p. 414</a>
BLOS round LED track	<a href="#">p. 330</a>
BLOS round LED suspended	<a href="#">p. 244</a>
BLOS round LED suspended track	<a href="#">p. 330</a>

## C

CAMBER square mini LED wall	<a href="#">p. 362</a>
CONA E27 suspended	<b>new</b> <a href="#">p. 178</a>

## D

DART LED exterior spot	<a href="#">p. 448</a>
DART LED exterior upright	<a href="#">p. 448</a>
DART LED engine	<a href="#">p. 448</a>

## E

equilibra BALANS suspended	<a href="#">p. 246</a>
----------------------------	------------------------

## F

FLARED cast G E27 suspended	<b>new</b> <a href="#">p. 184</a>
FLARED cast G LED suspended	<b>new</b> <a href="#">p. 184</a>
FLYING BALL arc LED suspended	<a href="#">p. 216</a>
FLYING BALL side LED suspended	<a href="#">p. 216</a>
FLYING BALL up&down LED suspended	<a href="#">p. 216</a>

## G

GRAPH LED wall	<a href="#">p. 360</a>
----------------	------------------------

## H

HOLLOW GU10 recessed	<b>new</b> <a href="#">p. 062</a>
HOLLOW micro LED recessed	<a href="#">p. 060</a>
HOLLOW micro LED hermetic recessed	<a href="#">p. 408</a>
HOLLOW move LED recessed	<b>new</b> <a href="#">p. 062</a>
HOLLOW LED recessed	<b>new</b> <a href="#">p. 060</a>
HOLLOW LED hermetic recessed	<b>new</b> <a href="#">p. 408</a>
HYPER maxi zoom LED track	<a href="#">p. 314</a>
HYPER zoom LED G/K spot	<a href="#">p. 314</a>
HYPER zoom LED flattrack	<b>new</b> <a href="#">p. 314</a>
HYPER zoom LED high multitrack	<a href="#">p. 314</a>
HYPER zoom LED multitrack	<a href="#">p. 314</a>
HYPER zoom LED spot	<a href="#">p. 314</a>
HYPER zoom LED track	<a href="#">p. 314</a>

## I

IKI E27 round suspended	<b>new</b> <a href="#">p. 188</a>
IKI E27 suspended	<a href="#">p. 188</a>
IKI LED suspended	<a href="#">p. 188</a>
IKI round E27 wall	<b>new</b> <a href="#">p. 352</a>
IKI round LED wall	<b>new</b> <a href="#">p. 352</a>

## K

KLIVA E27 surface	<b>new</b> <a href="#">p. 350</a>
-------------------	-----------------------------------

## L

LEDPOINT round exterior wall	<a href="#">p. 436</a>
LEDPOINT round up&down exterior wall	<a href="#">p. 436</a>
LEDPOINT square exterior wall	<a href="#">p. 436</a>
LEDPOINT square up&down exterior wall	<a href="#">p. 436</a>
LENS LINE 180x89 LC LED recessed	<a href="#">p. 092</a>
LENS LINE 180x89 LC LED surface	<a href="#">p. 164</a>
LENS LINE 180x89 LC LED suspended	<a href="#">p. 256</a>
LENS LINE 180x89 RC LED recessed	<a href="#">p. 092</a>
LENS LINE 180x89 RC LED surface	<a href="#">p. 164</a>
LENS LINE 180x89 RC LED suspended	<a href="#">p. 256</a>
LENS LINE LED recessed	<a href="#">p. 092</a>
LENS LINE LED section recessed	<a href="#">p. 092</a>

LENS LINE LED section surface	<a href="#">p. 164</a>	MODERN GLASS mini LED suspended	<a href="#">p. 208</a>
LENS LINE LED section suspended	<a href="#">p. 256</a>	MODERN GLASS Tube E27 suspended	<a href="#">p. 212</a>
LENS LINE LED surface	<a href="#">p. 164</a>	MODERN GLASS Tube GU10 suspended	<a href="#">p. 212</a>
<b>M</b>			
MAXI RING dot LED surface	<a href="#">p. 136</a>	MODERN GLASS Tube LED hermetic wall	<a href="#">p. 416</a>
MAXI RING dot LED suspended	<a href="#">p. 242</a>	MODERN GLASS Tube LED suspended	<a href="#">p. 212</a>
MAXI POINT round LED G/K wall	<a href="#">p. 364</a>	MODERN GLASS Tube LED wall	<a href="#">p. 354</a>
MAXI POINT round LED wall	<a href="#">p. 364</a>	MROOM LED exterior table	<b>new</b> <a href="#">p. 392</a>
MAXI POINT square LED G/K wall	<a href="#">p. 364</a>	MROOM LED upright	<b>new</b> <a href="#">p. 392</a>
MAXI POINT square LED wall	<a href="#">p. 364</a>	<b>O</b>	
MAXI POINT round LED exterior wall	<b>new</b> <a href="#">p. 440</a>	OKKA E27 suspended	<b>new</b> <a href="#">p. 194</a>
MAXI POINT LED exterior upright	<b>new</b> <a href="#">p. 440</a>	ONLY round mini LED 230V exterior recessed	<b>new</b> <a href="#">p. 432</a>
MIDI RING dot LED surface	<a href="#">p. 136</a>	ONLY round mini LED 230V exterior surface	<b>new</b> <a href="#">p. 432</a>
MIDI RING dot LED suspended	<a href="#">p. 242</a>	OPTIMA LED suspended	<a href="#">p. 268</a>
MIDI RING rim LED surface	<a href="#">p. 138</a>	OPTIMA up&down LED suspended	<a href="#">p. 268</a>
MINI RING rim LED surface	<a href="#">p. 138</a>	<b>P</b>	
MIDI RING rim LED recessed	<b>new</b> <a href="#">p. 070</a>	PET E27 surface	<b>new</b> <a href="#">p. 114</a>
MINI RING rim LED recessed	<b>new</b> <a href="#">p. 070</a>	PET E27 suspended	<b>new</b> <a href="#">p. 238</a>
MODERN BALL asymmetry x4 LED surface	<a href="#">p.130</a>	PET GU10 spot	<a href="#">p. 310</a>
MODERN BALL asymmetry x4 LED suspended	<a href="#">p. 220</a>	PET GU10 surface	<a href="#">p. 114</a>
MODERN BALL LED surface	<a href="#">p.130</a>	PET GU10 suspended	<a href="#">p. 238</a>
MODERN BALL simple maxi LED G/K suspended	<a href="#">p. 224</a>	PET GU10 track	<a href="#">p. 310</a>
MODERN BALL simple maxi LED suspended	<a href="#">p. 224</a>	PET maxi LED G/K spot	<a href="#">p. 310</a>
MODERN BALL simple maxi LED hermetic surface	<a href="#">p. 412</a>	PET maxi LED spot	<a href="#">p. 310</a>
MODERN BALL simple midi LED flattrack	<b>new</b> <a href="#">p. 334</a>	PET maxi LED surface	<a href="#">p. 114</a>
MODERN BALL simple midi LED G/K suspended	<a href="#">p. 224</a>	PET maxi LED track	<a href="#">p. 310</a>
MODERN BALL simple midi LED hermetic surface	<a href="#">p. 412</a>	PET midi LED G/K spot	<a href="#">p. 310</a>
MODERN BALL simple midi LED hermetic G/K surface	<a href="#">p. 412</a>	PET midi LED G/K suspended	<a href="#">p. 236</a>
MODERN BALL simple midi LED high multitrack	<a href="#">p. 334</a>	PET midi LED E x1 spot	<b>new</b> <a href="#">p. 310</a>
MODERN BALL simple midi LED multitrack	<a href="#">p. 334</a>	PET midi LED E x2 spot	<b>new</b> <a href="#">p. 310</a>
MODERN BALL simple midi LED suspended	<a href="#">p. 224</a>	PET midi LED flattrack	<b>new</b> <a href="#">p. 310</a>
MODERN BALL simple midi LED suspended flattrack	<b>new</b> <a href="#">p. 334</a>	PET midi LED high multitrack	<a href="#">p. 310</a>
MODERN BALL simple midi LED suspended multitrack	<a href="#">p. 334</a>	PET midi LED multitrack	<a href="#">p. 310</a>
MODERN BALL simple midi LED track	<a href="#">p. 334</a>	PET midi LED spot	<a href="#">p. 310</a>
MODERN BALL simple mini LED flattrack	<b>new</b> <a href="#">p. 334</a>	PET midi LED surface	<a href="#">p. 114</a>
MODERN BALL simple mini LED G/K suspended	<a href="#">p. 224</a>	PET midi LED suspended	<a href="#">p. 236</a>
MODERN BALL simple mini LED suspended flattrack	<b>new</b> <a href="#">p. 224</a>	PET midi LED track	<a href="#">p. 310</a>
MODERN BALL simple mini LED suspended microtrack	<a href="#">p. 334</a>	PET midi LED wall	<a href="#">p. 358</a>
MODERN BALL simple mini LED suspended	<a href="#">p. 224</a>	PET micro O LED wall	<a href="#">p. 370</a>
MODERN BALL simple mini LED hermetic surface	<a href="#">p. 412</a>	PET micro O switch LED wall	<a href="#">p. 370</a>
MODERN BALL simple mini LED hermetic G/K surface	<a href="#">p. 412</a>	PET micro R LED wall	<a href="#">p. 370</a>
MODERN BALL simple mini LED microtrack	<a href="#">p. 334</a>	PET micro R switch LED wall	<a href="#">p. 370</a>
MODERN BALL LED table	<a href="#">p. 394</a>	PET micro R x2 LED wall	<a href="#">p. 370</a>
MODERN BALL x2 LED surface	<a href="#">p.130</a>	PET micro R x2 switch LED wall	<a href="#">p. 370</a>
MODERN BALL x2 LED suspended	<a href="#">p. 220</a>	PET micro LED upright	<b>new</b> <a href="#">p. 396</a>
MODERN BALL x3 LED surface	<a href="#">p.130</a>	PET mini LED flattrack	<b>new</b> <a href="#">p. 302</a>
MODERN BALL x3 LED suspended	<a href="#">p. 220</a>	PET mini LED G/K suspended	<a href="#">p. 236</a>
MODERN GLASS Barrel E27 suspended	<a href="#">p. 212</a>	PET mini LED G/K spot	<a href="#">p. 302</a>
MODERN GLASS Barrel GU10 suspended	<a href="#">p. 212</a>	PET mini LED E x1 spot	<b>new</b> <a href="#">p. 302</a>
MODERN GLASS Barrel LED suspended	<a href="#">p. 212</a>	PET mini LED E x2 spot	<b>new</b> <a href="#">p. 302</a>
MODERN GLASS Flared E27 suspended	<a href="#">p. 212</a>	PET mini LED high multitrack	<a href="#">p. 302</a>
MODERN GLASS Flared GU10 suspended	<a href="#">p. 212</a>	PET mini LED microtrack	<a href="#">p. 302</a>
MODERN GLASS Flared LED suspended	<a href="#">p. 212</a>	PET mini LED multitrack	<a href="#">p. 302</a>
MODERN GLASS mini LED G/K suspended	<a href="#">p. 208</a>		

PET mini LED spot	<a href="#">p. 302</a>
PET mini LED surface	<a href="#">p. 114</a>
PET mini LED suspended flattrack	<b>new</b> <a href="#">p. 302</a>
PET mini LED suspended microtrack	<a href="#">p. 302</a>
PET mini LED suspended multitrack	<a href="#">p. 302</a>
PET mini LED suspended	<a href="#">p. 236</a>
PET mini LED track	<a href="#">p. 302</a>
PET mini LED wall	<a href="#">p. 358</a>
PIPER LED suspended	<b>new</b> <a href="#">p. 198</a>
POCKET mini LED wall	<a href="#">p. 372</a>
PUTT maxi LED trimless recessed	<a href="#">p. 050</a>
PUTT maxi LED recessed	<a href="#">p. 048</a>
PUTT maxi move LED recessed	<b>new</b> <a href="#">p. 052</a>
PUTT midi GU10 recessed	<b>new</b> <a href="#">p. 052</a>
PUTT midi LED trimless recessed	<a href="#">p. 050</a>
PUTT midi LED hermetic recessed	<b>new</b> <a href="#">p. 410</a>
PUTT midi move LED hermetic recessed	<b>new</b> <a href="#">p. 410</a>
PUTT midi move LED trimless recessed	<b>new</b> <a href="#">p. 052</a>
PUTT midi move LED recessed	<b>new</b> <a href="#">p. 052</a>
PUTT midi LED recessed	<a href="#">p. 048</a>
PUTT mini LED trimless recessed	<a href="#">p. 050</a>
PUTT mini LED recessed	<a href="#">p. 048</a>
PUTT mini LED hermetic recessed	<a href="#">p. 410</a>

## Q

QRLED next flattrack	<b>new</b> <a href="#">p. 290</a>
QRLED next G/K spot	<b>new</b> <a href="#">p. 290</a>
QRLED next high multitrack	<b>new</b> <a href="#">p. 290</a>
QRLED next multitrack	<b>new</b> <a href="#">p. 290</a>
QRLED next track	<b>new</b> <a href="#">p. 290</a>
QRLED next trim recessed	<b>new</b> <a href="#">p. 044</a>
QRLED next spot	<b>new</b> <a href="#">p. 290</a>
QRLED next suspended flattrack	<b>new</b> <a href="#">p. 290</a>
QRLED next suspended multitrack	<b>new</b> <a href="#">p. 290</a>
QRLED next suspended	<b>new</b> <a href="#">p. 200</a>
QRLED next move trimless recessed	<b>new</b> <a href="#">p. 044</a>
QRLED next move trim recessed	<b>new</b> <a href="#">p. 044</a>
QRLED next trimless recessed	<b>new</b> <a href="#">p. 044</a>
QRLED next trim recessed	<b>new</b> <a href="#">p. 044</a>

## R

RAFTER LED flattrack	<b>new</b> <a href="#">p. 324</a>
RAFTER LED high multitrack	<a href="#">p. 324</a>
RAFTER LED multitrack	<a href="#">p. 324</a>
RAFTER LED recessed	<a href="#">p. 086</a>
RAFTER LED surface	<a href="#">p. 150</a>
RAFTER LED suspended	<a href="#">p. 264</a>
RAFTER LED track	<a href="#">p. 324</a>
RAFTER LED wall	<a href="#">p. 380</a>
RAFTER mini LED flattrack	<b>new</b> <a href="#">p. 320</a>
RAFTER mini LED multitrack	<a href="#">p. 320</a>
RAFTER mini points move LED flattrack	<b>new</b> <a href="#">p. 320</a>
RAFTER mini move LED high multitrack	<a href="#">p. 320</a>
RAFTER mini move LED multitrack	<a href="#">p. 320</a>

RAFTER mini points LED flattrack	<b>new</b> <a href="#">p. 320</a>
RAFTER mini points LED microtrack	<a href="#">p. 320</a>
RAFTER mini points LED multitrack	<a href="#">p. 320</a>
RAFTER mini points move LED high multitrack	<a href="#">p. 320</a>
RAFTER mini points move LED microtrack	<a href="#">p. 320</a>
RAFTER mini points move LED multitrack	<a href="#">p. 320</a>
RAFTER mini points move LED recessed	<b>new</b> <a href="#">p. 084</a>
RAFTER mix LED recessed	<a href="#">p. 086</a>
RAFTER mix LED surface	<a href="#">p. 152</a>
RAFTER points LED flattrack	<b>new</b> <a href="#">p. 324</a>
RAFTER points LED high multitrack	<a href="#">p. 324</a>
RAFTER points LED microtrack	<a href="#">p. 324</a>
RAFTER points LED multitrack	<a href="#">p. 324</a>
RAFTER points LED recessed	<a href="#">p. 082</a>
RAFTER points LED section recessed	<a href="#">p. 082</a>
RAFTER points LED section surface	<a href="#">p. 150</a>
RAFTER points LED section suspended	<a href="#">p. 264</a>
RAFTER points LED G/K spot	<a href="#">p. 324</a>
RAFTER points LED surface	<a href="#">p. 150</a>
RAFTER points LED track	<a href="#">p. 324</a>
RAFTER points LED trim recessed	<a href="#">p. 082</a>
RAFTER points SQ LED trim recessed	<b>new</b> <a href="#">p. 082</a>
RAFTER wall washer LED trim recessed	<a href="#">p. 084</a>

## S

SET RAW mini LED hermetic wall	<a href="#">p. 424</a>
SET RAW mini LED recessed	<a href="#">p. 094</a>
SET RAW mini LED suspended	<a href="#">p. 252</a>
SET RAW mini move LED wall	<a href="#">p. 376</a>
SET TRU LED hermetic surface	<a href="#">p. 426</a>
SET TRU LED hermetic wall	<a href="#">p. 426</a>
SET TRU LED recessed	<a href="#">p. 096</a>
SET TRU LED surface	<a href="#">p. 168</a>
SET TRU LED suspended	<a href="#">p. 270</a>
SET TRU LED track	<a href="#">p. 328</a>
SET TRU LED trim recessed	<a href="#">p. 096</a>
SET TRU LED wall	<a href="#">p. 382</a>
SET TRU mini LED multitrack	<a href="#">p. 328</a>
SET TRU mini points LED multitrack	<a href="#">p. 328</a>
SET TRU PRO LED recessed	<a href="#">p. 096</a>
SET TRU PRO LED surface	<a href="#">p. 168</a>
SET TRU PRO LED suspended	<a href="#">p. 270</a>
SET TRU PRO LED trim recessed	<a href="#">p. 096</a>
SET TRU PRO up&down LED suspended	<a href="#">p. 270</a>
SET TRU up&down LED suspended	<a href="#">p. 270</a>
SET TRU up&down LED wall	<a href="#">p. 382</a>
SIRCA LED recessed	<a href="#">p. 068</a>
SMART PANEL plain LED wall	<b>new</b> <a href="#">p. 346</a>
SMART PANEL wood LED wall	<b>new</b> <a href="#">p. 346</a>
SMART PANEL felt LED wall	<b>new</b> <a href="#">p. 346</a>
SNOP E27 suspended	<b>new</b> <a href="#">p. 182</a>
SNOP QRLED suspended	<b>new</b> <a href="#">p. 182</a>
SLUP LED exterior upright	<a href="#">p. 444</a>
SQUARES next 50x1 LED recessed	<a href="#">p. 076</a>
SQUARES next 50x1 LED surface	<a href="#">p. 120</a>

SQUARES next 50x1 LED trimless recessed	<a href="#">p. 076</a>
SQUARES next 50x2 LED recessed	<a href="#">p. 076</a>
SQUARES next 50x2 LED surface	<a href="#">p. 120</a>
SQUARES next 50x2 LED trimless recessed	<a href="#">p. 076</a>
SWING next LED recessed	<a href="#">p. 066</a>
SWING next LED trimless recessed	<a href="#">p. 066</a>
SWING next GU10 recessed	<b>new</b> <a href="#">p. 066</a>
SWING next GU10 trimless recessed	<b>new</b> <a href="#">p. 066</a>

## SYSTEMS

system ALULINE midi LED surface	<a href="#">p. 478</a>
system ALULINE mini LED recessed	<a href="#">p. 478</a>
system ALULINE mini LED surface	<a href="#">p. 478</a>
system ALULINE mini LED trimless recessed	<a href="#">p. 478</a>
system MAXI POINT round LED spider wall	<a href="#">p. 464</a>
system MAXI POINT square LED spider wall	<a href="#">p. 464</a>
system MIXLINE LED recessed	<a href="#">p. 488</a>
system MIXLINE LED surface	<a href="#">p. 488</a>
system MIXLINE LED suspended	<a href="#">p. 488</a>
system MODERN BALL simple maxi LED spider suspended	<a href="#">p. 464</a>
system MODERN BALL simple midi LED spider suspended	<a href="#">p. 464</a>
system MODERN BALL simple mini LED spider suspended	<a href="#">p. 464</a>
system MODERN GLASS LED spider suspended	<a href="#">p. 464</a>
system MODERN GLASS mini LED spider suspended	<a href="#">p. 464</a>
system LEDLINE soft recessed	<a href="#">p. 480</a>
system PET midi LED spider suspended	<a href="#">p. 464</a>
system PET mini LED spider suspended	<a href="#">p. 464</a>
system PET mini rift LED suspended	<b>new</b> <a href="#">p. 474</a>
system PET mini rift LED wall	<b>new</b> <a href="#">p. 474</a>
system PET midi rift LED surface	<a href="#">p. 474</a>
system PET midi rift LED suspended	<a href="#">p. 474</a>
system PIPER LED suspended	<b>new</b> <a href="#">p. 468</a>
system QRLED next suspended	<b>new</b> <a href="#">p. 464</a>
system TRIBA midi E27 suspended	<b>new</b> <a href="#">p. 464</a>
system TRIBA midi LED suspended	<b>new</b> <a href="#">p. 464</a>
system TRIBA mini LED suspended	<b>new</b> <a href="#">p. 464</a>
system TRU LED recessed	<a href="#">p. 492</a>
system TRU LED surface	<a href="#">p. 492</a>
system TRU LED suspended	<a href="#">p. 492</a>
system TRU LED trim suspended	<a href="#">p. 492</a>
system TRU LED wall	<a href="#">p. 492</a>
system TRU up&down LED suspended	<a href="#">p. 492</a>
system TRU up&down LED wall	<a href="#">p. 492</a>

## T

THIN TUBE asymmetry LED suspended	<a href="#">p. 250</a>
THIN TUBE central LED suspended	<a href="#">p. 250</a>
THIN TUBE twist LED hermetic wall	<a href="#">p. 420</a>
THIN TUBE LED wall	<a href="#">p. 378</a>
TRIBA midi LED G/K spot	<b>new</b> <a href="#">p. 294</a>
TRIBA midi LED spot	<b>new</b> <a href="#">p. 294</a>
TRIBA midi LED surface	<b>new</b> <a href="#">p. 106</a>
TRIBA midi E27 surface	<b>new</b> <a href="#">p. 106</a>
TRIBA midi LED suspended	<b>new</b> <a href="#">p. 204</a>

TRIBA midi E27 suspended	<b>new</b> <a href="#">p. 204</a>
TRIBA midi LED track	<b>new</b> <a href="#">p. 294</a>
TRIBA mini LED G/K spot	<b>new</b> <a href="#">p. 294</a>
TRIBA mini LED high multitrack	<b>new</b> <a href="#">p. 294</a>
TRIBA mini LED multitrack	<b>new</b> <a href="#">p. 294</a>
TRIBA mini LED suspended	<b>new</b> <a href="#">p. 204</a>
TRIBA mini LED up&down wall	<b>new</b> <a href="#">p. 344</a>
TRIBA mini LED wall	<b>new</b> <a href="#">p. 344</a>
TUBE flex LED flattrack	<b>new</b> <a href="#">p. 296</a>
TUBE stiff LED flattrack	<b>new</b> <a href="#">p. 296</a>

## V

VIP round LED 230V exterior wall	<a href="#">p. 438</a>
VIP round up&down LED 230V exterior wall	<a href="#">p. 438</a>
VIP square LED 230V exterior wall	<a href="#">p. 438</a>
VIP square up&down LED 230V exterior wall	<a href="#">p. 438</a>
VYRO x1 round move LED surface	<b>new</b> <a href="#">p. 118</a>
VYRO x2 round move LED surface	<b>new</b> <a href="#">p. 118</a>
VYRO x1 round LED 230V surface	<b>new</b> <a href="#">p. 118</a>
VYRO x1 square LED 230V surface	<b>new</b> <a href="#">p. 118</a>
VYRO x2 round LED 230V surface	<b>new</b> <a href="#">p. 118</a>
VYRO x2 square LED 230V surface	<b>new</b> <a href="#">p. 118</a>

## Z

ZEFYR LED suspended	<b>new</b> <a href="#">p. 196</a>
---------------------	-----------------------------------



# QS index by name

## B

BLOS round distance LED hermetic M930 surface white ..... 47019-M930-D9-00-13 ..... [p. 414](#)

## C

CONA 26 E27 suspended terracotta ..... 59917-0000-U8-PH-83 ..... [p. 178](#)

## H

HOLLOW 8 lens move LED A927 34° CC recessed white ..... 38057-A927-FW-CC-13 ..... [p. 062](#)

HOLLOW 8 lens move LED M927 34° recessed white ..... 38057-M927-FW-00-13 ..... [p. 062](#)

HOLLOW 8 lens move LED M930 34° recessed white ..... 38057-M930-FW-00-13 ..... [p. 062](#)

HOLLOW 8 lens move LED A930 34° CC recessed white ..... 38057-A930-FW-CC-13 ..... [p. 062](#)

HOLLOW 8 move LED M927 41° recessed white ..... 38053-M927-WW-00-13 ..... [p. 062](#)

HOLLOW 8 move LED A927 41° CC recessed white ..... 38053-A927-WW-CC-13 ..... [p. 062](#)

HOLLOW 8 move LED M930 41° recessed white ..... 38053-M930-WW-00-13 ..... [p. 062](#)

HOLLOW 8 move LED A930 41° CC recessed white ..... 38053-A930-WW-CC-13 ..... [p. 062](#)

HOLLOW micro LED hermetic M927 30° recessed black ..... 38011-M927-FB-00-12 ..... [p. 408](#)

HOLLOW micro LED hermetic M927 30° recessed white ..... 38011-M927-FW-00-13 ..... [p. 408](#)

HOLLOW micro LED hermetic M930 30° recessed black ..... 38011-M930-FB-00-12 ..... [p. 408](#)

HOLLOW micro LED hermetic M930 30° recessed white ..... 38011-M930-FW-00-13 ..... [p. 408](#)

## L

LEDPOINT round M927 68° exterior wall black ..... 26544-M927-WB-00-12 ..... [p. 436](#)

LEDPOINT round M930 68° exterior wall black ..... 26544-M930-WB-00-12 ..... [p. 436](#)

LEDPOINT round up&down M927 68° exterior wall black ..... 26545-M927-WB-00-12 ..... [p. 436](#)

LEDPOINT round up&down M930 68° exterior wall black ..... 26545-M930-WB-00-12 ..... [p. 436](#)

LEDPOINT square M927 68° exterior wall black ..... 26546-M927-WB-00-12 ..... [p. 436](#)

LEDPOINT square M930 68° exterior wall black ..... 26546-M930-WB-00-12 ..... [p. 436](#)

LEDPOINT square up&down M927 68° exterior wall black ..... 26547-M927-WB-00-12 ..... [p. 436](#)

LEDPOINT square up&down M930 68° exterior wall black ..... 26547-M930-WB-00-12 ..... [p. 436](#)

## M

MAXI RING dot LED M930 Phase-Control surface black + gold ..... 47027-M930-DG-PH-12 ..... [p. 136](#)

MAXI RING dot LED M927 Phase-Control surface black + white ..... 47027-M927-DW-PH-12 ..... [p. 136](#)

MAXI RING dot LED M930 Phase-Control surface black + white ..... 47027-M930-DW-PH-12 ..... [p. 136](#)

MAXI RING dot LED M930 Phase-Control suspended black + gold ..... 59903-M930-DG-PH-12 ..... [p. 242](#)

MAXI RING dot LED M927 Phase-Control suspended black + white ..... 59903-M927-DW-PH-12 ..... [p. 242](#)

MAXI RING dot LED M930 Phase-Control suspended black + white ..... 59903-M930-DW-PH-12 ..... [p. 242](#)

MIXLINE 160 LED M930 54° recessed black ..... 30225-M930-W3-00-12 ..... [p. 090](#)

MIXLINE 188 LED M930 54° recessed black ..... 30226-M930-W3-00-12 ..... [p. 090](#)

MIXLINE 216 LED M930 54° recessed black .....	30227-M930-W3-00-12 .....	<a href="#">p. 090</a>
MIXLINE 160 LED M930 54° surface black .....	40286-M930-W3-00-12 .....	<a href="#">p. 158</a>
MIXLINE 188 LED M930 54° surface black .....	40287-M930-W3-00-12 .....	<a href="#">p. 158</a>
MIXLINE 216 LED M930 54° surface black .....	40288-M930-W3-00-12 .....	<a href="#">p. 158</a>
MIXLINE 167 INV LED M930 54° recessed black .....	30228-M930-W3-00-12 .....	<a href="#">p. 090</a>
MIXLINE 192 INV LED M930 54° recessed black .....	30229-M930-W3-00-12 .....	<a href="#">p. 090</a>
MODERN BALL simple midi WP LED hermetic M927 surface black .....	47000-M927-D0-00-12 .....	<a href="#">p. 412</a>
MODERN BALL simple midi WP LED hermetic M927 surface white .....	47000-M927-D0-00-13 .....	<a href="#">p. 412</a>
MODERN BALL simple midi WP LED hermetic M930 surface black .....	47000-M930-D0-00-12 .....	<a href="#">p. 412</a>
MODERN BALL simple midi WP LED hermetic M930 surface white .....	47000-M930-D0-00-13 .....	<a href="#">p. 412</a>
MOUNTING BOX FOR POCKET natural aluminium .....	81023-11 .....	<a href="#">p. 372</a>

## O

OKKA wood E27 suspended black + wood panel .....	59933-0000-U8-PH-W2 .....	<a href="#">p. 194</a>
--	---------------------------	------------------------

## P

PET GU10 Phase-Control spot black .....	10045-0000-U8-PH-12 .....	<a href="#">p. 310</a>
PET GU10 Phase-Control spot white .....	10045-0000-U8-PH-13 .....	<a href="#">p. 310</a>
PET GU10 Phase-Control track black .....	12548-0000-U8-PH-12 .....	<a href="#">p. 310</a>
PET GU10 Phase-Control track white .....	12548-0000-U8-PH-13 .....	<a href="#">p. 310</a>
PET 9 GU10 Phase-Control surface black .....	42311-0000-U8-PH-12 .....	<a href="#">p. 114</a>
PET 9 GU10 Phase-Control surface white .....	42311-0000-U8-PH-13 .....	<a href="#">p. 114</a>
PET LED 230V exterior M927 27° Phase-Control surface black .....	47029-M927-F3-PH-12 .....	<a href="#">p. 434</a>
PET LED 230V exterior M927 27° Phase-Control surface white .....	47029-M927-F3-PH-13 .....	<a href="#">p. 434</a>
PET LED 230V exterior M930 27° Phase-Control surface black .....	47029-M930-F3-PH-12 .....	<a href="#">p. 434</a>
PET LED 230V exterior M930 27° Phase-Control surface white .....	47029-M930-F3-PH-13 .....	<a href="#">p. 434</a>
PET micro R LED M927 32° wall black .....	26504-M927-F3-00-12 .....	<a href="#">p. 370</a>
PET micro R LED M927 32° wall white .....	26504-M927-F3-00-13 .....	<a href="#">p. 370</a>
PET micro R LED M930 32° wall black .....	26504-M930-F3-00-12 .....	<a href="#">p. 370</a>
PET micro R LED M930 32° wall white .....	26504-M930-F3-00-13 .....	<a href="#">p. 370</a>
PET micro R switch LED M927 32° wall black .....	26508-M927-F3-00-12 .....	<a href="#">p. 370</a>
PET micro R switch LED M927 32° wall white .....	26508-M927-F3-00-13 .....	<a href="#">p. 370</a>
PET micro R switch LED M930 32° wall black .....	26508-M930-F3-00-12 .....	<a href="#">p. 370</a>
PET micro R switch LED M930 32° wall white .....	26508-M930-F3-00-13 .....	<a href="#">p. 370</a>
PET midi 12 LED M927 50° surface black .....	46962-M927-WB-00-12 .....	<a href="#">p. 114</a>
PET midi 12 LED M927 50° surface white .....	46962-M927-WW-00-13 .....	<a href="#">p. 114</a>
PET midi 12 LED M930 50° surface black .....	46962-M930-WB-00-12 .....	<a href="#">p. 114</a>
PET midi 12 LED M930 50° surface white .....	46962-M930-WW-00-13 .....	<a href="#">p. 114</a>
PET midi LED high M927 50° DALI multitrack black .....	16433-M927-WB-DA-12 .....	<a href="#">p. 310</a>
PET midi LED high M927 50° multitrack black .....	16433-M927-WB-00-12 .....	<a href="#">p. 310</a>
PET midi LED high M930 50° DALI multitrack black .....	16433-M930-WB-DA-12 .....	<a href="#">p. 310</a>
PET midi LED high M930 50° multitrack black .....	16433-M930-WB-00-12 .....	<a href="#">p. 310</a>
PET midi LED M927 50° DALI multitrack black .....	16366-M927-WB-DA-12 .....	<a href="#">p. 310</a>
PET midi LED M927 50° DALI multitrack white .....	16366-M927-WW-DA-13 .....	<a href="#">p. 310</a>
PET midi LED M927 50° multitrack black .....	16366-M927-WB-00-12 .....	<a href="#">p. 310</a>
PET midi LED M927 50° multitrack white .....	16366-M927-WW-00-13 .....	<a href="#">p. 310</a>
PET midi LED M927 50° track black .....	16362-M927-WB-00-12 .....	<a href="#">p. 310</a>
PET midi LED M927 50° track white .....	16362-M927-WW-00-13 .....	<a href="#">p. 310</a>
PET midi LED M930 50° DALI multitrack black .....	16366-M930-WB-DA-12 .....	<a href="#">p. 310</a>
PET midi LED M930 50° DALI multitrack white .....	16366-M930-WW-DA-13 .....	<a href="#">p. 310</a>
PET midi LED M930 50° multitrack black .....	16366-M930-WB-00-12 .....	<a href="#">p. 310</a>
PET midi LED M930 50° multitrack white .....	16366-M930-WW-00-13 .....	<a href="#">p. 310</a>
PET midi LED M930 50° track black .....	16362-M930-WB-00-12 .....	<a href="#">p. 310</a>
PET midi LED M930 50° track white .....	16362-M930-WW-00-13 .....	<a href="#">p. 310</a>

PET mini 12 LED M927 41° surface black .....	46959-M927-WB-00-12 .....	<a href="#">p. 114</a>
PET mini 12 LED M927 41° surface white .....	46959-M927-WW-00-13 .....	<a href="#">p. 114</a>
PET mini 12 LED M930 41° surface black .....	46959-M930-WB-00-12 .....	<a href="#">p. 114</a>
PET mini 12 LED M930 41° surface white .....	46959-M930-WW-00-13 .....	<a href="#">p. 114</a>
PET mini LED M927 41° high multitrack white .....	16435-M927-WW-00-13 .....	<a href="#">p. 302</a>
PET mini LED M927 41° multitrack black .....	16367-M927-WB-00-12 .....	<a href="#">p. 302</a>
PET mini LED M927 41° multitrack white .....	16367-M927-WW-00-13 .....	<a href="#">p. 302</a>
PET mini LED M927 41° spot black .....	16359-M927-WB-00-12 .....	<a href="#">p. 302</a>
PET mini LED M927 41° spot white .....	16359-M927-WW-00-13 .....	<a href="#">p. 302</a>
PET mini LED M930 41° multitrack black .....	16367-M930-WB-00-12 .....	<a href="#">p. 302</a>
PET mini LED M930 41° multitrack white .....	16367-M930-WW-00-13 .....	<a href="#">p. 302</a>
PET mini LED M930 41° spot black .....	16359-M930-WB-00-12 .....	<a href="#">p. 302</a>
PET mini LED M930 41° spot white .....	16359-M930-WW-00-13 .....	<a href="#">p. 302</a>
PUTT midi LED M927 50° recessed white .....	38015-M927-WW-00-13 .....	<a href="#">p. 048</a>
PUTT midi LED M930 50° recessed white .....	38015-M930-WW-00-13 .....	<a href="#">p. 048</a>
PUTT midi LED trimless M927 50° recessed white .....	38016-M927-WW-00-13 .....	<a href="#">p. 050</a>
PUTT midi LED trimless M930 50° recessed white .....	38016-M930-WW-00-13 .....	<a href="#">p. 050</a>
PUTT midi move LED M927 35° recessed white .....	38047-M927-FW-00-13 .....	<a href="#">p. 052</a>
PUTT midi move LED M930 35° recessed white .....	38047-M930-FW-00-13 .....	<a href="#">p. 052</a>
PUTT midi move LED trimless M927 35° recessed white .....	38043-M927-FW-00-13 .....	<a href="#">p. 052</a>
PUTT midi move LED trimless M930 35° recessed white .....	38043-M930-FW-00-13 .....	<a href="#">p. 052</a>
PUTT mini LED trimless M927 41° recessed white .....	38014-M927-WW-00-13 .....	<a href="#">p. 050</a>
PUTT mini LED trimless M930 41° recessed white .....	38014-M930-WW-00-13 .....	<a href="#">p. 050</a>

## R


RAFTER 29 LED M930 multitrack black .....	16342-M930-D9-00-12 .....	<a href="#">p. 324</a>
RAFTER 29 LED M930 track black .....	16335-M930-D9-00-12 .....	<a href="#">p. 324</a>
RAFTER mini 20 LED M927 multitrack black .....	16461-M927-D9-00-12 .....	<a href="#">p. 320</a>
RAFTER mini 20 LED M930 multitrack black .....	16461-M930-D9-00-12 .....	<a href="#">p. 320</a>
RAFTER mini points 10 LED M927 45° multitrack black .....	16457-M927-WB-00-12 .....	<a href="#">p. 320</a>
RAFTER mini points 10 LED M930 45° multitrack black .....	16457-M930-WB-00-12 .....	<a href="#">p. 320</a>
RAFTER mini points 20 LED M927 45° DALI multitrack black .....	16458-M927-WB-DA-12 .....	<a href="#">p. 320</a>
RAFTER mini points 20 LED M927 45° multitrack black .....	16458-M927-WB-00-12 .....	<a href="#">p. 320</a>
RAFTER mini points 20 LED M930 45° DALI multitrack black .....	16458-M930-WB-DA-12 .....	<a href="#">p. 320</a>
RAFTER mini points 20 LED M930 45° multitrack black .....	16458-M930-WB-00-12 .....	<a href="#">p. 320</a>
RAFTER points 8 LED trim M930 50° recessed white + black .....	37972-M930-WB-00-13 .....	<a href="#">p. 082</a>
RAFTER points 15 LED trim M930 50° recessed black .....	37973-M930-WB-00-12 .....	<a href="#">p. 082</a>
RAFTER points 15 LED trim M930 50° recessed white + black .....	37973-M930-WB-00-13 .....	<a href="#">p. 082</a>
RAFTER points 27 LED L930 50° recessed white + black .....	30270-L930-WB-00-13 .....	<a href="#">p. 082</a>
RAFTER points 27 LED L930 50° track black .....	16323-L930-WB-00-12 .....	<a href="#">p. 324</a>
RAFTER points 27 LED M930 50° track black .....	16323-M930-WB-00-12 .....	<a href="#">p. 324</a>


## S

SET RAW mini 58 LED L930 hermetic wall white .....	26346-L930-D9-00-13 .....	<a href="#">p. 424</a>
SET TRU mini 114 LED M930 DALI multitrack black .....	16375-M930-D9-DA-12 .....	<a href="#">p. 328</a>
SET TRU mini 114 LED M930 multitrack black .....	16375-M930-D9-00-12 .....	<a href="#">p. 328</a>
SET TRU mini 57 LED M930 DALI multitrack black .....	16374-M930-D9-DA-12 .....	<a href="#">p. 328</a>
SET TRU mini 57 LED M930 multitrack black .....	16374-M930-D9-00-12 .....	<a href="#">p. 328</a>
SET TRU mini points 28 LED M930 59° DALI multitrack black .....	16379-M930-WB-DA-12 .....	<a href="#">p. 328</a>
SET TRU mini points 28 LED M930 59° multitrack black .....	16379-M930-WB-00-12 .....	<a href="#">p. 328</a>
SET TRU mini points 56 LED M930 59° DALI multitrack black .....	16380-M930-WB-DA-12 .....	<a href="#">p. 328</a>
SET TRU mini points 56 LED M930 59° multitrack black .....	16380-M930-WB-00-12 .....	<a href="#">p. 328</a>
SIRCA 10 LED M930 59° recessed black .....	37988-M930-WB-00-12 .....	<a href="#">p. 068</a>
SIRCA 10 LED M930 59° recessed white .....	37988-M930-WW-00-13 .....	<a href="#">p. 068</a>


V

VIP round up&down LED 230V M927 71° Phase-Control exterior wall black .....	26541-M927-WB-PH-12 .....	<a href="#">p. 438</a>
VIP round up&down LED 230V M930 71° Phase-Control exterior wall black .....	26541-M930-WB-PH-12 .....	<a href="#">p. 438</a>
VIP square up&down LED 230V M927 65° Phase-Control exterior wall black .....	26543-M927-WB-PH-12 .....	<a href="#">p. 438</a>
VIP square up&down LED 230V M930 65° Phase-Control exterior wall black .....	26543-M930-WB-PH-12 .....	<a href="#">p. 438</a>
VYRO x1 round move LED M930 59° Phase-Control surface white .....	47037-M930-WW-PH-13 .....	<a href="#">p. 118</a>
VYRO x2 round move LED M930 59° Phase-Control surface white .....	47038-M930-WW-PH-13 .....	<a href="#">p. 118</a>





Hygge Hotel, Opole



RAFTER points LED trim recessed

<sup>1</sup>Hotel-T, Waregem

Photo: I am Liz

<sup>2</sup>Office, Zielona Góra

Design: Gołaska Studio | Photo: Krzysztof Strażyński STUDIO

<sup>3</sup>Hotel-T, Waregem

Photo: I am Liz

<sup>4</sup>Hotel-T, Waregem

Photo: I am Liz

<sup>5</sup>Private apartment, Kraków

Design: EFEM STUDIO | Photo: Filip Mienkina

<sup>6</sup>Hotel-T, Waregem

Photo: I am Liz

<sup>7</sup>Dzień Dobry TVN, Warszawa


Design: Jan Sikora | Photo: Tom Kurek

<sup>8</sup>Office, Zielona Góra

Design: Gołaska Studio | Photo: Krzysztof Strażyński STUDIO

<sup>9</sup>Galateria Italia, Belgium

Design: Home Coach



All dimensions and technical data in catalogues are provided for a guidance purposes only. Actual data may differ slightly due to the production process. Technical information contained within Aquaform's website, data sheets or mounting instructions shall prevail over the information contained in catalogues. Aquaform Inc. reserves the right to change the presented materials and product specifications without prior notice.

Aquaform Inc. takes no responsibility for any possible misprints. All photos, icons and images are copyright protected. Images are illustrative presentations of products and colours. Due to the production process RAL colour of white track and adapter differs a few tones from a standard white finish of AQForm luminaires.

Information contained in the catalogue shall not constitute an offer, also within the meaning of art. 66 § 1 of Polish Civil Code.


© 2024 AQUAFORM Inc. sp. z o.o.  
All rights reserved.

Podane w katalogach wymiary oraz informacje techniczne mają jedynie charakter informacyjny. Rzeczywiste dane mogą się nieznacznie różnić ze względu na proces produkcyjny. Informacje techniczne zawarte na stronie www, w kartach katalogowych oraz w instrukcjach montażu mają pierwszeństwo przed informacjami z katalogów. Aquaform Inc. zastrzega sobie prawo do zmiany przedstawianych materiałów i parametrów technicznych produktów bez wcześniejszego powiadomienia.

Aquaform Inc. nie ponosi odpowiedzialności za możliwe błędy w druku. Zdjęcia są chronione prawnie. Na zdjęciach pokazane jest poglądowe przedstawienie produktów oraz kolorów. Ze względu na proces produkcyjny kolor RAL białych szynoprzewodów oraz adapterów różni się o kilka tonów od standardowego białego wykończenia opraw AQForm.

Informacje zawarte w katalogu nie stanowią oferty handlowej, w tym w rozumieniu art. 66 §1 Kodeksu Cywilnego.

© 2024 AQUAFORM Inc. sp. z o.o.  
Wszelkie prawa zastrzeżone.



# Contents

Recessed	<u>p. 036</u>
Surface	<u>p. 098</u>
Suspended	<u>p. 170</u>
Track&Spot	<u>p. 276</u>
Wall	<u>p. 336</u>
Floor, Table, Portable	<u>p. 386</u>
IP rated	<u>p. 400</u>
Exterior	<u>p. 428</u>
Systems	<u>p. 450</u>
Index by name	<u>p. 516</u>

PART OF  
**DELTA**LIGHT  
Group



24  
25