



PARKING BATHROOM
TERRACEDINING
RESTAURANT
LIVING ROOM **WALKWAY**
DRIVEWAY SIT-OUT
SWIMMING POOL

Cafe



Living
Room

Showroom




Office


Bathroom




indoor



Breccia Carara



Astra Neo Crema




Astra Neo Grey



Astra Grey



Congo Bianco



Congo Ash



Classico Natural



Frisco White



Grima Camel



Candilla Mousy





Candilla Mousy



Jupiter Crema



Jupiter Tan



Jupiter White



Jupiter Grey




Lume Silver



Lume Beige



Latina Bianco



Memoria Natural



Nylo Crema



Merg River





Merg River



Nylo Grey



Octo Beige



Prista Grey



Quartz Brown



Replex Oyster



Statuario Octave




Vero Bianco



Vero Grey



Blake White



Arca Natural





Arca Natural



Castrol Grey



Castrol Grey






Candica Beige



Candica Grey



Clampa Ash



Galaxy Satuario



Milaka Beige



Nustella Bianco



Plumo Bianco




Rialto Bianco




Rialto Beige



Rialto Cedar




Radio Beige




Radio Grey




Nextro Ash



Trinity Ash



Nextro Sandy



Nextro Ash



Alpi Grey



Baltic Beige





Baltic Beige



Burano Sepia



Canolla Bianco




Canolla Grey



Cosmic Peach



Canova River



Contempo Natural



Elemento Crema



Elemento Bianco



Emporio Bianco



Emporio Grey



Enato Gold



Glido Cream



Glido Grey



Gram Bianco





Gram Bianco



Iris Beige



Iris Crema



Iris Bianco



Iris Grey




Kappa Crema




Kappa Brown



Lino Crema



Lino Tan




Lino White



Lino Grey



Lavoro Beige



Noho Beige



Noho Silver



Noho Silver



Rivera Crema



Rivera Bianco



Rigo Camel



Sarvito Taupe




Statuario Casania



Statuario Bellezza



Statuario Beam



Statuario Magna



Statuario Terma



Trika Crema



Terra Mocha



Vero Bianco



Vero Grey



Vernia Crema



Walmer Beige



Walmer Bianco



Avalon Crema



Aspen Grey






Aspen Grey



Classico Beige



Dove White



Getzo Beige



Golden Drago



Irostone Crema



Irostone Beige



Irostone Grey



Lina Beige



Lina Grey



Manster Brown



Prisma Gold



Statuario Concord




Alphex Beige



Alphex Bianco



Alphex Brown Decor



Alphex Grey Decor



Alphex Brown



Alphex Grey



Chester Grey





Caldi Beige



Caldi Brown



Caldi Bianco



Caldi Grey



Exfo Beige




Exfo Brown




Exfo Bianco




Exfo Gris



Flabula Beige



Flabula Brown




Knsas Beige



Knsas White



Knsas Grey





Knsas Anthracite



Modico Beige



Knsas Grey



Mel Grey



Mel Grigio




Nexus White




Nexus Grey




Nexus Smoke




Sfira Grey




Ornato Nero




Ornato Grey



Scaremento Beige




Scaremento Brown




Stratum Marfil



Stratum Mocha




Stratum Gris




Stratum Ash




Tantra Bianco




Tantra Grey




Tantra Beige



Tantra Bruno




Vermont Verde



Vermont Brown



Venato Bianco



Venato Grey



Vimpy Bianco



Vimpy Gris



Tantra **Beige** | Tantra **Bruno**



Mastro Brown



Maxo Wood Wenge



Movito Rose



Movito Pearl



Restro Brown



Talco Wengue



Talco Beige



Talco Brown



Talco **B**eige | Talco **B**rown



Lavika Grey



Lavika Nero



Lavika Grey Decor



Lavika Black Decor



Senito Blanco



Senito Gris Decor



Cosmos Grey Decor



Senito Silver Decor



Senito **Blanco** | Senito **Gris Decor**



Bottochino Avorio



Bluford Beige



Blume Beige



Carnato



Campo Beige



Campo Brown



Campo Bianco



Campo Gris



Campo **Beige** | Campo **Brown**



Cadra Beige



Cadra Brown



Convo Brown



Deco Bianco



Deco Beige



Deco Grigio



Deco Nero



Elenza Caffè




Drado Bianco



Drado Grey



Dominic Bianco



Dominic Grey



Fumo Crema



Fumo Caffè



Fumo Ice



Fumo Grigio



Fumo Avorio



Fumo Olive



Latino Grey



Latino Gris



Lapimo Grey



Lavana Beige



Legno Beige



Melt White



Myrtic Ivory



Myrtic Camel



Myrtic Ivory | Myrtic Camel



Margo Grey



Margo Grigio



Margo Wengue



Margo Beige





Margo Beige



Lamper Crema



Talino Beige



Nalco Grey



Nalco Moka



Niro Beige



Niro Brown




Niro Gris



Niro Ash



Nexus Beige



Nexus Gris



Priva Ivory



Priva Grey



Planeta Beige



Planeta Bianco



Stello Brown



Fabbrica Crema



Satvario Rialo



Impura White



Hudson Satvario



Thelma Blanco



Opaca Blend





Opaca **B**lend



Flamed Tampa Beige



Flamed Tallis Bianco



Flamed Tampa Brown



Flamed Tallis Gris



Flamed Tampa Beige Decor



Flamed Tallis Bianco Decor



Flamed Tallis Beige



Flamed Tallis Brown



Flamed Tampa Grey



Flamed Tampa Ash



Flamed Pesto Beige



Flamed Pesto Brown



Flamed Pesto Grey



Flamed Pesto Gris




Flamed Honza Beige



Flamed Honza Brown



Flamed Honza Bianco



Flamed Honza Gris




Flamed Grima Beige



Flamed Grima Brown



Flamed Grima Grey



Flamed Grima Grigio



Flamed Rando Beige



Flamed Orina Gris



Flamed Martina Decor



Flamed Rando Brown



Flamed Rando Olive





Flamed Echo Beige





Flamed **Echo Beige**



Asta Grey



Asta Gris



Argento Grey




Arcan Brown



Agata Beige



Arya Grey



Antolia Red



Bella Bianco



Barcelona Crema



Botticino Crema



Braga Beige



Braga Brown




Blamo Beige

PGVT | SM | CA



Blamo Brown

PGVT | SM | CA



Blamo Grigio

PGVT | SM | CA



Bostino Grey



Bolero Crema



Bolero Brown




Bolero Blanco




Bolero Grey



Cunica Avorio



Cunica Bruno



Chromo Beige



Chromo Grey



Bolero Blanco | Bolero Grey



Clento Crema



Dyno Beige



Della Bianco



Enrich Grey



Estelo Blue



Fluna Beige



Fretta Grey

PGVT | SM | CA



Fretta Gris

PGVT | SM | CA




Furla Beige



Furla Bianco



Villano Decor



Furla Gris



Furla Brown




Furmo Bianco



Furla Moka



Furmo Gris



Floris Ash



Forever Beige



Fender Beige



Fender Brown



Fender Bianco



Fender Grigio



Fender Sand



Fender Verde



Frenzo Beige



Glis Beige




Glamour Grey



Horizo Grey



Horizo Brown



Insignia White



Helix Brown



Inpura Grey



Gramo Beige



Gramo Brown



Gramo Bianco



Gramo Gris



Kia Brown



Legna Brown



Lima Beige



Luxor Natural



Gramo Beige



Lamina Beige



Lamina Brown



Lamina Bianco



Lamina Grey



Leva Brown



Mars Red



Malta Bianco




Malta Grigio



Malvik Olive



Nanito Beige



Nanito Bianco



Nanito Brown



Nalco Grey



Nalco Moka



Nesta White



Neptune Azul



Novato Bianco



Novato Gris



Novato Moka



Onyx Rose



Onyx Cherry



Onyx Pearl



Presto Brown



Presto Gris



Oceanic Grey



Rome Beige




Ranco White



Rigel Beige




Rover Grey



Rover Choco




Select Grey



Sigma Grafito



Sigma Ash



Sigma Gris



Sigma Beige



Sigma Brown



Scara Beige



Scara Brown



Taino Silver




Thames Beige



Strata Bianco




Travo Beige



Roser Decor



Valcano Beige



Strata Gris



Verona Brown



Vichy Bianco



Vichy Bruno




Vichy Ash



Zylo Bianco



Vichy Moka




Zylo Decor



Vichy Brown



Zylo Gris




Vichy Grigio




Satvario Bianco



Satvario Super



Satvario Blend



Satvario Classic




Satvario Natural



Stampo Dove



Merlot Decor



Pamula Azulo



Natural Sprinkle




Dralo Classic



Torito Beige



Panelo Beige



Berni Grey



Venta White



Venta **White**



EARTHEN



Slaty Branca



Slaty Grigio



Slaty Krim

DECOR



Slaty Bronze

DECOR



Slaty Mystic Black

Can be used for Outdoor Applications.





EARTHEN



Trend Branca



Trend Grigio



Trend Krim

DECOR



Trend Marrone



Trend Mystic Black

Can be used for Outdoor Applications.



Slaty Grigio | Slaty Mystic Black




Alaska Beige



Alaska Brown



Alaska Grey



Alaska Dark Grey



COLORADO



Canyon Ash



Canyon Silver Shadow



Canyon Raven

AESTRO



Canyon Umber



Canyon Brunn



EMPIRA



Firma Palido



Firma Orien



Firma Morion



Firma Zircon

Can be used for Outdoor Applications.



EARTHEN



Grano Bervit



Grano Bronzite



Grano Kremo



Grano Emery



Grano Barna



Grano Ochre


Grano Edge

DECOR




Grano Mikado

DECOR



Grano Charcoal



*Different surface with rustic finish.
Can be used for Outdoor Applications.



Grano Bronzite | Grano Charcoal




Aspura Beige



Aspura Silver




Aspura Gris



Alphex Beige | Alphex Brown | Alphex Brown Decor



Alphex Bianco



Alphex Grey Decor



Alphex Grey



Alphex Beige



Alphex Brown Decor




Alphex Brown



Arena Beige



Arena Bianco



Avalon Crema



Arctic Beige



Arctic Grigio



Bellevue Fossil



Bellevue Ivory



Bellevue Grigio



Bellevue Mineral



Bellevue Smoke



Cresto Crema



Cardoso Beige



Caldi Beige



Caldi Brown



Caldi Bianco



Caldi Grey



Crypto Beige



Crypto Caffè



Crypto Brown



Crypto Bianco



Crypto Grey



Cantoni Beige



Cantoni Brown Decor



Cantoni Brown



Cantoni Bianco



Cantoni Grey Decor



Cantoni Grey



Delta Bianco




Dune Beige



Emanta Grey Decor



Cantoni **Brown** | Cantoni **Brown Decor**



Floss Crema



Floss Bianco



Freddi Beige




Focus Crema



Focus Sand



Focus Choco



Glyco Beige



Glyco Moka



Glyco Bianco



Iris Grey



Knsas Beige



Knsas Anthracite



Knsas White



Knsas Grey



Loft Black



Loft Crema



Loft Brown



Loft Choco



Loft Bianco



Loft Grey



Magnum Brown (Rustic)



Nexus White



Nexus Grey



Nexus Smoke



Osca Beige



Straw Beige



Straw Brown



Sfira Grey



Saturn Bianco



Saturn Grey



Saturn Beige



Saturn Brown



Santra Brown Decor



Saturn Black



Tabula Grey



Trilo Grey



Trilo Crema



Trilo Brown



Trilo Bianco



Volcano Brage (Rustic)



Atlanta Dorado



Bracca Brown



Elegant Brown





Atlanta Brown



Florim Pistachio



Florim Dove



Florim Pistachio



Sit-Out

Terrace



Swimming
Pool





walkway

Parking

outdoor


EARTHEN



Grano Benvit



Grano Bronzite



Grano Silver Shadow



Grano Emery





Grano Emery

COLORADO



Glint Bianco



Glint Crema



Glint Sand

AESTRO



Glint Black



Glint Brown



Glint Verde



Glint Bianco

COLORADO



Glint Bianco

AESTRO



Glint Black



Glint Crema



Glint Brown



Glint Sand



Glint Verde



- Step tile can be used in flat area as well.
- There may be colour variation in Step and Riser.
Can be used for Indoor Applications.



EARTHEN



Gritty Branca



Gritty Emery



Gritty Silver Shadow



Gritty Bronzite




Gritty Crust

DECOR



Gritty Brunn





Gritty Branca | Gritty Emery



EARTHEN



Concرو Avorio




Concرو Scuro



Concرو Grafite



Concرو Cenere



Concرو Azul



Concرو Avorio | Concرو Grafite



EARTHEN



Kova Krim



Kova Caramel



Kova Gris



Kova Kota



Kova Crust

DECOR




Kova Moka



Aster Bianco



Aster Gris



Aster Nero



Aster Marfil



Artico Bianco



Artico Grey



Atria Ash



Amando Marfil



Amando Ash



Aster Gris | Aster Nero



Core Crema




Core Choco



Core Bianco



Core Gris



Core Nero



Cramex Bianco



Cotto Brick



Gravel Beige



Mica Bianco





Magneto Crema



Magneto Bianco




Vertex Beige



Valto Dorado



Vibro Argento






Vibro Giada



Vibro Caffè



Vibro Brown



Vibro Camel




Vibro Giada



Oxyd Brown



Oxyd Camel



Oxyd Taupe




Oxyd Gron



Oxyd Ash



Oxyd Grey



Oxyd Pearl



Tresco Imperno Crema



Tresco Oscar Brown



Tresco Sanito Beige




Tresco Marina Oyster



Tresco Oraco Grey



Tresco Blingo Gris





Tresco **Sanito Beige**



Festo Beige



Festo Gris



Festo Caffè



Onica Beige



Onica Brown




Onica Bianco




Onica Nero



Piatro Choco



Piatro Azul



Piatro Gris



Pretta Brown



Pretta Mocha




Pretta Caffè



Pretta Bruno



Pretta Ash



Pretta Blanco



Pretta Gris



Pretta Grey



Pretta Azul



Pretta Grigio



Pretta Olive



Pretta Nero



Stema Beige



Stema Brown



Stema Grey



Therma Brown



Therma Beige



Tresa Beige




Tresa Brown



Tresa Grey




Tresa Nero






Duco Crema




Duco Beige



Duco Brown




Duco Brunn




Duco Grigio




Duro Krim



Duro Dark Grey



Duro Grigio Decor




Duro Gris Decor



Roka Crust



Roka Grey



Roka Giada




Roka Marfil



Roka Brown



Roka Rosso



Duro Grigio Decor



Bosco Crema



Bosco Brown



Bosco Grigio



Bosco Moka



Janco Ash



Janco Grey



Janco Nero



Raflò Grey



Raflò Avorio



Raflò Dorado



Raflò Caffè



Trivo Noce



Trivo Marfil




Trivo Brick



Trivo Camel



Volex Gris



Volex Nero



CHECKERS



Blanco



Beige

STRIPS



Blanco



Beige

PLAIN



Blanco



Beige



CHECKERS



Grey



Dark Grey

STRIPS



Grey



Dark Grey

PLAIN



Grey

Granulato

300X300mm

Full Body Vitrified | 9.5mm [v2]

PAVIT
Inspired Mindscapes



EARTHEN



Sabbia



Polvo

Granulato Ox

300X300mm

Full Body Vitrified | 9.5mm [v2]



EARTHEN



Kevo



Silver Shadow



Raven



Kremas



Bronzite

DECOR



Noir

Granulato Ox

300X300mm

Full Body Vitrified | 12mm [v2]



EARTHEN



Lutazio



Polino

DECOR



Noir

Okute**300X300mm**

Full Body Vitrified | 9.5mm [v2]

Terrene
Naturally Stylish**COLORADO**

Dorado



Gold Brown



Bronze



Topaz



Grigio



Sand



Avorio



Grafite

AESTRO

Mystic Black

**Okute Plus****300X300mm**

Full Body Vitrified | 9.5mm [v2]

COLORADO*

Slack

AESTRO

Scuro



Cenere

* Batch to Batch Shade Variation

Slate**300X300mm**

Full Body Vitrified | 9.5mm [v2]

COLORADO

Dorado



Gold Brown




Bronze



Topaz




Grigio

AESTRO

Mystic Black

* 3 Surfaces in 1 Box





Blanco White

"ECO TILE" is mainly used to reduce the heat radiation on surface and cool down the temperature of inside area. Our white color "ECO TILE" has SRI value of 86 which reduces heat on the surface. "ECO TILE" is the ideal choice for exterior area having dual property of high SRI value and strength. SRI (Solar Reflectance Index) is a measure of the solar reflectance and emissivity of materials that can be used as an indicator of how hot they are likely to become when solar radiation is incident on their surface. It is a method of evaluating a roof's ability to reject solar heat.



**Reduces Surface
Temperature
10° C to 20° C (Approx.)**

Application areas of "ECO TILE": All roof areas, including podium, covered surface parking and utility blocks, which are exposed to the sky (at and above ground level).

Benefits of "ECO TILE":

- Savings of air-conditioning energy.
- Help in mitigating the urban heat island effect.
- Reduced air pollution and greenhouse gas emissions, as well as a significant offsetting of the warming impact of greenhouse gas emissions.
- With "ECO TILE" one can get up to 4 credit points for **Green Building Certification**.
- SRI value of high reflectance material is as per **ASTM standards** as specified by **IGBC**.

Advantages:





Reverse Square Gres

Flemi | 300X300mm
Full Body Vitrified | 9.5mm [v2]

GRANIT
TOUGH VITRIFIED EXTERIOR

PETIT SQUARE



Cupra



Cotto



Demür | 300X300mm
Full Body Vitrified | 9.5mm [v2]

SHELL PLAIN



Gres

REVERSE SQUARE




Gres

SUPER POLCA



Gres

NORMA LAPIDA



Gres

ASPER



Kota

300X300mm

Full Body Vitrified | 15mm, 20mm* [v2]



A 402



A 421



A 493

*Custom made thickness MOQ 5000 sq.mts.

Advantages

Antiskid

Stain Free

Non Porous

Fire Resistant

Impact Resistant

Scratch Resistant

Low maintenance

Chemical Resistant

Heavy Load Bearing

High Flexural Strength

Highly Abrasion Resistant

Neutral to the sun's UV effect

Gives a great degree of traction to Vehicle wheels

Small size suitable for installing on vertical surfaces

300X300mm

Full Body Vitrified (Tactile) | 15mm (Rectified) [v2]

Electra



Go Beige




Go Rosso

Primo



Go Aurium



300X300mm

Full Body Vitrified (Tactile) | 15mm (Rectified) [v2]

PAVICRETE
made for extremes



Electra




Touch Beige



Touch Rosso

Demür




Touch Gres

Primo



Touch Aurium



Electra




Alt Beige



Alt Rosso

Demür





Alt Gres

Primo



Alt Aurium



TACTILE

Being able to move freely through public buildings and spaces, while at the same time being made fully aware of the possible dangers, is a fundamental right of every citizen, even though architectural barriers still limit the access to some services and the social interaction of the visually impaired. In order to make it convenient in public areas such as pavements and sidewalks, squares, stations and shopping malls, it is important, a system is developed as an artificial path guide for the visually impaired to guarantee their independence and safety. Hence PAVIT is proud to introduce a paving system such as TACTILE, to satisfy these important requirements.

TACTILE system is the result of internationally conducted research and is based by the information provided by the tip of the walking stick or soles of the shoes. The information is created by distinct changes in texture underfoot, as well as the features usually detected by the tip of the walking stick, once the feature has been located & possibly identified, this cue combined with other environmental information is used by the pedestrian to decide how to proceed. The TACTILE system does not affect the requirements of other users as particular care has been taken to ensure that the system blends with the architectural style of the places in which it is installed. It's a system that does a lot to help persons with impaired sight to become more autonomous and sure of their movements, but it also makes things easier for elderly people, who are often short sighted.

Salient features:

- Non fading tiles

- Available in 3 different colors designed to visually contrast with the floor: Beige, Rosso and Aurium.

- Suitable to create complete paths for the visually impaired.

- 100% Homogeneous vitrified porcelain tiles for all kinds of weather, frost and heat proof.

- High stain and chemical resistance.

- High anti skid properties, abrasion resistant and non fading.

- Equally suitable for both outdoor and indoor usage.

- As per IS 15622:2017



E125 | D198



EARTHEN



E108



E124



E186



E188



E127



E125



E182



E195



D197



D198

DECOR

ZOOM VIEW



EARTHEN



E102WP



E116WDB



E121W



E151WC



E181W



E193

DECOR



D123W



D173W

EXOTIC



X191



X194WP



D144W



D184



ZOOM VIEW



*Custom made thickness MOQ 500 sq.mts.

Plain**100X100mm**

Full Body Vitrified (Unrectified) | 12mm, 16mm* [v2]

PAVIT
Inspired Mindscapes**EARTHEN**

E102WP



E116WDB



E121W



E151WC



E181W



E193

DECOR

D123W



D173W



D144W



D184

EXOTIC

X191



X194WP

**RAMP (EARTHEN) | THICKNESS :16mm**

E121W



E193



*Custom made thickness MOQ 500 sq.mts.

Bronco**100X100mm**

Full Body Vitrified (Unrectified) 12mm [v2]

EARTHEN

E107



E122



E185



E187

**DECOR**

D196

ZOOM VIEW



E116WDB | X19T | D123W | E181W

Characteristics	Indian Standard IS 15622:2017 Group B Ia & International Standard ISO:13006, Group B Ia		"Pavit Value" Rectified, Glazed & Unglazed Thickness 9.5,12,&15/16mm
	Test Method	Standard	
Dimensions and Surface Quality :			
Deviation length / width	IS-13630:1/ISO-10545:2	± 0.10% / ± 0.50%	± 0.10%
Thickness	IS-13630:1/ISO-10545:2	± 5.0%	± 4.50%
Straightness of sides	IS-13630:1/ISO-10545:2	± 0.10% / ± 0.50%	± 0.10%
Rectangularity	IS-13630:1/ISO-10545:2	± 0.10% / ± 0.50%	± 0.10%
Surface Flatness- Curvature & Warpage	IS-13630:1/ISO-10545:2	± 0.50%	± 0.30%
Surface Quality	IS-13630:1/ISO-10545:2	Min 95%of the tiles shall be free from visible defects	Min 95%of the tiles shall be free from visible defects
Physical Properties :			
Water Absorption	IS-13630:2/ISO-10545:3	Avg. ≤ 0.08%, Max.Ind.<0.10% Avg. ≤ 0.50%, Max.Ind.<0.60%	Avg.<0.50%, Individual<0.60%
Module Of Rupture-N/mm ²	IS-13630:6/ISO-10545:4	Avg.35, Individual 32, Min	≥ 38 N/mm ²
Breaking Strength-In N	IS-13630:6/ ISO-10545:4	>1300N	Thickness 9.5mm ≥ 1800N
			Thickness 12mm ≥ 3500N
			Thickness 15/16mm ≥ 6500N
			TAC Tiles 15mm ≥ 4200N
Moisture Expansion-mm/m	IS-13630:3/ISO-10545:10	0.02 Max	Nil
Scratch Hardness of Surface - Mohs scale	IS-13630:13	5 Min	5 to 7
Resistance to surface abrasion	IS-13630:11/ISO-10545:7	Class II Min	PEI- Class-III Confirmed
Coefficient of liner thermal expansion	IS-13630:4/ISO-10545:8	6x10 ⁻⁶ , Max	6x10 ⁻⁶ , Max
Thermal shock resistance	IS-13630:5/ISO-10545:9	10 Cycles, Min	10 Cycles confirmed
Crazing Resistance - Glazed	IS-13630:9/ISO-10545:11	4 Cycles at 7.5 bar	4 Cycles confirmed
Impact Resistance- COR	IS-13630:14/ISO-10545:5	0.55 Min	0.55 Min
Coefficient of friction	Manufacturer to declare	PTV 0.40 Min	PTV>0.40 Min
Frost Resistance	IS-13630:10/ ISO-10545:12	50 Cycles, if agreed to between manufacturer and purchaser	50 Cycles Confirmed
Resistance to Deep Abrasion of Unglazed -milimeter ³	IS-13630:12/ISO-10545:6	175, Max/140, Max	131 mm ³
Bulk density - g/cc	IS-13630:2	2.20, Min	2.28 g/cc
Chemical Properties :			
Resistance to staining (Class)	IS-13630:8/ISO-10545:14	Glazed - 1 /1 Unglazed - 3 /2	Glazed : Class : 1 Unglazed : Class : 2
Resistance to house hold chemicals and swimming pool water cleansers excepts to cleaning agents to contacting hydrofluoric acid & its compounds	IS-13630:8 & IS-13630:7 ISO-10545:13	Glazed - AA /GB Unglazed - A/UB	Glazed - Class : AA Unglazed - Class : A
Resistance to acids & alkalies (with the exceptions of hydrofluoric acid & its compounds)	IS-13630:8 & IS-13630:7 ISO-10545:13	Glazed - Class : A /A Unglazed - Class : A/B	Glazed - Class : A Unglazed - Class : A

* The declared results in this table are as per the PCPL lab from the particular batch. The values are indicative in nature and purchaser may ask for MTR of their supply. In such case charges for testing will be levied on the purchasing party.

** All these tests apply for overseas customers but may not be relevant in Indian context.

Characteristics	Indian Standard IS 15622:2017 Group B Ia & International Standard ISO:13006, Group B Ia		"Pavit Value" Unrectified, Unglazed Thickness 9.5,12,&15/16mm
	Test Method	Standard	
Dimensions and Surface Quality :			
Deviation length / width	IS-13630:1/ISO-10545:2	±0.60%/±0.75%	±0.75%
Thickness	IS-13630:1/ISO-10545:2	±10.0%	±6.5%
Straightness of sides	IS-13630:1/ISO-10545:2	±0.60%/±0.75%	±0.60%
Rectangularity	IS-13630:1/ISO-10545:2	±0.50%/±1.00%	±0.50%
Surface Flatness- Curvature & Warpage	IS-13630:1/ISO-10545:2	±0.75%/±1.00%	±0.75%
Surface Quality	IS-13630:1/ISO-10545:2	Min 95%of the tiles shall be free from visible defects	Min 95%of the tiles shall be free from visible defects
Physical Properties :			
Water Absorption	IS-13630:2/ISO-10545:3	Avg. ≤ 0.08%, Max.Ind.<0.10% Avg. ≤ 0.50%, Max.Ind.<0.60%	Avg.<0.50%, Individual<0.60%
Module Of Rupture-N/mm ²	IS-13630:6/ISO-10545:4	Avg.35, Individual 32, Min	≥ 38 N/mm ²
Breaking Strength-In N	IS-13630:6/ ISO-10545:4	>1300N	Thickness 9.5mm ≥ 1800N Thickness 12mm ≥ 3200N Thickness 15mm ≥ 6500N
Moisture Expansion-mm/m	IS-13630:3/ISO-10545:10	0.02 Max	Nil
Scratch Hardness of Surface - Mohs	IS-13630:13	5 Min	6 to 8
Coefficient of liner thermal expansion	IS-13630:4/ISO-10545:8	6x10 ⁻⁶ , Max	6x10 ⁻⁶ , Max
Thermal shock resistance	IS-13630:5/ISO-10545:9	10 Cycles, Min	10 Cycles confirmed
Impact Resistance- COR	IS-13630:14/ISO-10545:5	0.55 Min	0.55 Min
Coefficient of friction	Manufacturer to declare	Manufacturer to declare	PTV 0.50 Min
Frost Resistance	IS-13630:10/ ISO-10545:12	50 cycles, if agreed to between manufacturer and purchaser	50 Cycles Confirmed
Resistance to Deep Abrasion of Unglazed -milimeter ³	IS-13630:12/ISO-10545:6	175, Max/140, Max	131 mm ³
Bulk density - g/cc	IS-13630:2	2.20, Min	2.28 g/cc
Chemical Properties :			
Resistance to staining	IS-13630:8/ISO-10545:14	Unglazed - Class : 2/3	Unglazed- Class : 2
Resistance to house hold chemicals and swimming pool water cleansers excepts to cleaning agents to contacting hydrofluoric acid & its compounds	IS-13630:8 & IS-13630:7 ISO-10545:13	Unglazed - A/UB	Unglazed- Class : A
Resistance to acids & alkalis (with the exceptions of hydrofluoric acid & its compounds)	IS-13630:8 & IS-13630:7 ISO-10545:13	Unglazed - Class : A/B	Unglazed - Class : A

* The declared results in this table are as per the PCPL lab from the particular batch. The values are indicative in nature and purchaser may ask for MTR of their supply. In such case charges for testing will be levied on the purchasing party.

** All these tests apply for overseas customers but may not be relevant in Indian context.

- There may be a difference in the colours, please see the actual tiles before taking a decision
- Size/Shade variation is an inherent property of all vitrified tile and should not be construed as manufacturing defects
- It is highly recommended to keep min 8mm gap between the tiles while fixing
- It is advised to see the dry run of the tiles before fixing it. No claims of what so ever are entertained after fixing it as per the International norms



**NEED HELP SELECTING?
CONSULT WITH OUR EXPERTS**

+ (592) 644-3243 / 640-0900
solutions@gobuildmax.com

Packing Details

Indoor

Size in mm	Pc/Box	Coverage area (Sq.M.)	Wt./Box in Kgs.(Appr.)
1200x1800mm	02 Nos.	4.31.44	91.00 kg.
800x1600mm	02 Nos.	2.55.44	51.00 kg.
600 x 1200 mm	02 Nos.	1.44	28.60 kg.
300 x 1200 mm	04 Nos.	1.44	37.00 kg.
600 x 600 mm	04 Nos.	1.44	28.50 kg.
300 x 600 mm	06 Nos.	1.08	21.30 kg.

Outdoor

Size in mm	Thickness	Pc/Box	Coverage area (Sq.M.)	Wt./Box in Kgs.(Appr.)
600 x 600 mm	12 mm	03 Nos.	1.08	28.50 kg.
600 x 600 mm	16 mm	02 Nos.	0.72	25.10 kg.
400 x 400 mm	12 mm	05 Nos.	0.80	19.70 kg.
300 x 300 mm	9.5 mm	10 Nos.	0.90	17.90 kg.
300 x 300 mm	15 mm	06 Nos.	0.54	18.10 kg.
300 x 300 mm	20 mm	05 Nos.	0.45	20.00 kg.
200 x 200 mm	10 mm	20 Nos.	0.80	17.50 kg.
200 x 200 mm	15 mm	13 Nos.	0.52	17.40 kg.
100 x 100 mm	12 mm	80 Nos.	0.80	21.60 kg.
100 x 100 mm	16 mm	60 Nos.	0.60	21.60 kg.

PAVIT®
Inspired Mindscapes

ROKEDGE
conquering nature

Terranö
Naturally Stylish

GRANIT
TOUGH VITRIFIED EXTERIOR

PAVICRETE
made for extremes

