







(sales@bendtechgroup.com.au



www.bendtechgroup.com.au



2-10 Kewdale Road, Welshpool WA 6106



(@) **PERTH** (08) 9459 8600





- Save up to 50% on fabrication times with precision cut parts
- End-to-end solution including drafting, supply, cutting, pressing, welding, powder coating and galvanising
- Etching and marking of locations, part numbers and tab and slot connections
- Unmatched accuracy with our 5 Axis Tube Laser and Flat Bed Laser
- Small and large batch runs
- High raw material stock holdings
- Free delivery in the Metro Area
- Overnight cutting upon request



CONTENTS

TUBE LASER	4
FLAT BED LASER	6
DOFSSING	Ω



5 AXIS TUBE LASER

KEY FEATURES


- 12.5m max load length
- 8.5m maximum part outfeed
- 3D cutting
- 40kg/m maximum bar weight
- 12mm maximum profile thickness
- 2D drawing the 3D file programming


	Wall/Flange Thickness			Mary Barr Walnut
Profile	Stainless Steel /Steel (mm)	Aluminium	Max Length (m)w	Max Bar Weight kg/m
Round Tube (CHS)	12	10	12.5	40
Square Tube (SHS)	12	10	12.5	40
Rectangular Tube (RHS)	12	10	12.5	40
Channel (PFC)	10	10	12.5	40
Universal Beam (UB)	10	10	12.5	40
Universal Column (UC)	11.5	10	12.5	40
Angle (EA/UA)	10	10	12.5	40




METAL PROCESSING
















6m x 2.5m FLAT BED LASER


KEY FEATURES

- Fiber resonator
- Maximum cutting size of sheet material: 6096mm x 2559mm
- Shuttle table system
- Steel, aluminium, stainless steel and wear plate


Output power	12.0kW
Mild steel	32mm
Stainless steel	32mm
Aluminium	32mm
Copper	10mm
Brass	15mm



METAL PROCESSING













PRE55ING

KEY FEATURES

- 170/30 Press Brake
- Up to 170T
- Up to 3000mm











