

VERSA[®]

CONTRACT WALLCOVERING

NGC

walls

IN STOCK

Specifications

Versa 15 oz. pattern meets or exceeds all Type I requirements of CCC-W-408D and W-101.

Specifications: Performance:

Weight (Avg.): 15 oz/ly (340 gr/m²)

Width: 52/54" (132/137cm)

Backing: Scrim

Installation: Random match

Custom colors, weights, widths and microventing are available.

Fire Safety:

- Class A - ASTM E-84(GRC)
- NFPA 101 Life Safety Code
 - CAN/ULC S102

Environmental and Health:

- Phthalate Free
- Health Product Declaration
- Environmental Product Declaration
- Meets State of Washington Building Specification for Indoor Air Quality
 - Meets California Section 01350 Indoor Air Quality Standard
- Aggressive manufacturing materials recovery and reuse program
 - Highly cleanable water-based inks
- Free of PBDE's (Brominated Flame Retardants)

USGBC LEED Support:

- Supports USGBC LEED v4.1 Criteria
- Materials and Resources; Building Product Disclosure and Optimization (includes Recycled Content; Construction Waste Management;HPD's)
 - Indoor Environmental Quality; Low emitting materials

Moisture, Mold and Mildew:

Vinyl wallcovering functions as a vapor barrier. If water or moisture becomes trapped between the wallcovering and wall cavity, an increased risk of mold may occur. Consult a building design professional on the proper use of vinyl wallcovering.

A mildew inhibiting agent has been added to help protect against fungal and other microbiological growth. No additives however, will prevent mold growth if moisture is allowed to accumulate and its sources are not eliminated.

Further protection against mold growth may be achieved with Versa Permanent®, a unique microventing technology that literally "breathes," helping manage the mobile moisture in walls.

Warranty:

Versa is guaranteed to be free of defects in workmanship and material for five years.

VERSA[®]
DESIGNED SURFACES



Versa wallcovering is recyclable when reclaimed through the Versa Second-Look recycling program.

All VERSA designs are copyrighted ©LSI Wallcovering



VC1-101



VC1-102




VC1-103



VC1-105



VC1-112



VC1-114



VC1-119




VC1-120



VC1-121



VC1-131



VC1-136




VC1-137




VC1-138



VC1-141



VC1-142



VC2-201



VC2-202



VC2-214



VC2-215



VC2-218



VC2-219



VC2-220




VC2-224






[The page contains extremely faint and illegible text, likely a scan of a document with very low contrast or a very small font size. No specific content can be discerned.]




VCD-101



VCD-102



VCD-103




VCD-110



VCD-122






S15-108



V15-301



V15-303



V15-308



V15-309



V15-311




V15-312



V15-316



V15-317



V15-336



V15-338





V15-340

[The page contains dense, illegible text, likely a scan of a document with very small font or significant noise.]



V15-344



VCD-121



VCD-123



V15-315