

GATE MAGLOCK SYSTEM ELECTRIC MAGNETIC LOCK KIT



Specification Sheet EMGK

FEATURES

- Exceptional Strength: Stainless steel maglock with a 545kg holding force and durable powder-coated attachment plates with built-in pull handles for smooth gate operation.
- User friendly: Maglock includes a switch to provide locked/unlocked status signals.
- Hassle-Free Solution: The simplest way to fit a maglock system to any gate.

PRODUCT DETAILS

Specs	
Maglock size	203 x 63mm
Voltage/current	12V/500mA, 24 V/250mA
Lock status switch rating	250mA
Material	Stainless steel
Holding force	545kg



INCLUDED IN THE BOX

- Fixing plate
- Pull handles
- Powder coated attachment plates
- 2 coach bolts+ 2 break off nuts
- M8 fixing bolts
- 4mm + 5mm hex key

WIRING INSTRUCTIONS

For 12V, connect the red/black wired, green/orange wires and connect the 12V source.

For 24V, connect the black/green wires, red/orange wires and connect to a 24V source.

INSTALLATION

1. **Maglock armature:** Drill 3 holes through the gate and bolt the maglock armature and the pull handles in place using the 2 coach bolts and the break off nuts provided. The third hole is to provide clearance for the nut on the back of the armature plate.
2. **Maglock:** Close the gate and position the maglock assembly to the gate post, and fix with the M8 screws provided. Alternative fixing methods may be required depending on the type of gate post.
3. **How to operate:** The maglock can be operated using a separate keypad, switch or proximity fob and is easily incorporated into any access control system. The gate is easily opened and closed using the pull handles included.