

Jiangsu Medwish Network Technology Co., Ltd 江苏帷幄网络科技有限公司

Block B Aoyang International Building Tangshi Street Yangshe Town,Zhangjiagang,Jiangsu Province Tel:0086-512-56382825 Fax: 0086-512-58170725 www.medwish.com

## Quotation

Date: 2021/6/17

Product	Model	Photo	Technical Parameter	EXW Unit Price (USD)	QTY (pcs)	EXW Total Price (USD)
5 function electric hospital bed	AG- BY003 C		5-function:  1) Backrest max upward angle: 75° 2) Footrest max upward angle: 45° 3) Height adjustment:480-760mm 4) Trendelenburg: 12° 5) Anti-trendelenburg: 12° Features: 1) Overallsize (L*W*H):2200*1100*480-780mm 2) Durable frame: made of cold-rolled steel plate, treated by electrocating and powder-coating 3) Detachable ABS headboardoard 4) 4-part detachable ABS bedboards 5) Detachable ABS handrails 6) Quiet and robust electric actuators provide reliable operation 7) Remote handset control of all electrically operated functions and movements 8) Fully tested sturdy contruction capable of taking a maximum user weight of up to 250kg 9) Central-controlled braking system 10) Double-side silent wheels, \$\phi\$125mm, 11) Motor: Dewart 12) With one ss height adjustable I.V pole, with Drainage hook 13) With Battery backup	943.95	48	45309.60
5 function electric hospital bed	AG- BY003 C		5-function:  1) Backrest max upward angle: 75° 2) Footrest max upward angle: 45° 3) Height adjustment: 480-760mm 4) Trendelenburg: 12° 5) Anti-trendelenburg: 12° Features: 1) Overallsize (L*W*H):2200*1100*480-780mm 2) Durable frame: made of cold-rolled steel plate, treated by electrocoating and powder-coating 3) Detachable ABS headboardoard 4) 10-part bedboards 5) Detachable ABS handrails 6) Quiet and robust electric actuators provide reliable operation 7) Remote handset control of all electrically operated functions and movements 8) Fully tested sturdy contruction capable of taking a maximum user weight of up to 250kg 9) Central-controlled braking system 10) Double-side silent wheels, op 125mm, 11) Motor: Imported linak motor from Denmark 12) With one ss height adjustable I.V pole, with Drainage hook 13) With Battery backup	943.95	255	240707.25
2 functions manual bed	AG- BMS10 1A-K		Specification  1) Product Size(1*w*h): 2130*960*500 mm  2) Frame: cold-rolled steel plate, electrophoresis treatment, powder coating  3) Four-piece punching panel  4) ABS blue headboard  5) Six-speed aluminum alloy column guardrail  6) blue ABS crank, combination screw  7) Cover wheel, \$\phi\$125mm  8) 1 ordinary 2-hook infusion stand  2 functions  1) Backboard upward angle: 75°  2) Upward angle of legs: 35°	207.90	137	28482.30

2-Crank Manual Hospital Bed	AG- BYS107	2130*960*540mm 2-function:  1) Backrest max upward angle: 75° 2) Footrest max upward angle: 40° 1) Overallsize (L*W*H):2130*960*540mm 2) Durable frame: made of cold-rolled steel plate, treated by electrocoating and powder-coating 3) Detachable ABS headboard/footboard, with plastic patient name card 4) 4-part Steel bedboards, with shoes shelf under bed 5) 4-crank Al-alloy handrails, with foldable dinning board 6) Fully tested sturdy contruction capable of taking a maximum user weight of up to 250kg 7) Four silent wheels with cross brakes, \$\phi\$125mm 8) With one ss height adjustable I.V pole, with Drainage hook 9) Without over bed table	299.00	49	14651.00
2-Crank Manual Hospital Bed	AG- BMS10 1A	2130*970*540mm 2-function:  1) Backrest max upward angle: 75° 2) Footrest max upward angle: 40° 1) Overallsize (L*W*H):2130*970*540mm 2) Durable frame: made of cold-rolled steel plate, treated by electrocoating and powder-coating 3) Detachable ABS headboard/footboard, with plastic patient name card 4) 4-part Steel bedboards 5) 6-crank Al-alloy handrails 6) Fully tested sturdy contruction capable of taking a maximum user weight of up to 250kg 7) Four silent wheels with cross brakes, \$\phi\$125mm 8) With one ss height adjustable LV pole, with Drainage hook	240.45	6	1442.70
Flat Child Bed	AG- CB003	1) Overallsize (L*W*H):1810*900*590mm 2) Durable frame: made of cold-rolled steel plate, treated by electrocating and powder-coating 3) Detachable steel frame headboard/footboard with plastic board 4) Steel bedboards 5) Full length steel handrails 6) Fully tested sturdy contruction capable of taking a maximum user weight of up to 200kg 7) With one ss height adjustable I.V pole, with Drainage hook 8) Four wheels with cross brakes	273.00	19	5187.00
Examintio n Couch	AG- ECC01	Specification:  1. The frame of this couch is made of power coated steel, white color.  2. The surface has two sections, backrest section can be lifted up from 0°to 60°easily  3. The surface is equipped with 5cm soft sponge mattress, PU cover, waterproof, easy cleaning, wear-resisting.  4. The bottom of the legs has rubber pad, anti-skidding.  5. Product size: 181*62*71cm	126.00	12	1512.00
ABS Anesthesia Trolley	AG- AT007 B3	1) Size: 720*470*920mm 2) Made of high-strength ABS material 3) One-piece ABS plastic top board with arc handle and raised-edge design, covered transparent soft plastic glass. 4) With four plastic steel columns. 5) 2 small, 2 middle & 1 big drawers, inner with dividers can be organized easily and freely, label cards for the trolley and drawers. 6) Sliding side shelf 7) Multi bin container, Dust basket, needle disposal holder, utility container, storage box, stainless steel guard rails 8) Centralized lock 9) Four luxurious noiseless casters, two with brakes	399.00	2	798.00
ABS Patient Record Trolley	AG- CHT01 0	1) Size: 510*400*1000mm 2) Cold rolling steel body with plastic spray framework. 3) Steel tabletop with raised edges. 4) Single row, 20 layers 5) Centralized lock 6) One drawer 7) Four silent 4" casters, two with brakes	257.25	1	257.25

ABS IV Treatment Trolley	AG- IT006B 1		1) Size: 620*475*920mm 2) Made of high-strength ABS material, three layers 3) One-piece ABS plastic top board with raised-edge design, covered transparent soft plastic glass. 4) With four plastic-steel columns. 5) 1 drawer, inner with dividers can be organized easily and freely, label cards for the trolley and drawers. 6) Dust basket 7) Stainless steel height adjustable IV treatment frame 8) Four luxurious noiseless casters, two with brakes	225.75	10	2257.50
Stainless Steel Goods Rack	AG- SS089		1800*500*1800mm	627.90	15	9418.50
Trolley for Dirty Clothes	AG- SS062-1		1) Size: 800*600*1000mm 2) 304 stainless steel frame 3) 4 silent wheels with cross brakes	271.95	4	1087.80
Aluminum Alloy Foldaway Stretcher	AG- 2G2	0	This stretcher with outrigger can be folded in length and width, easy for transportation and storage.     The orange fabric is fire proof, water proof, anti-cracking and easy to clean.     It is characterized by its being light weight, portable, reliable quality, easy to carry out and safe to use, etc.     It is mainly used for the hospitals, emergency centers and battle field to carry patients and wounded person.	54.60	1	54.60
Waiting chair	AG- TWC00 2	AEGEA	Technical Parameters:  1.Seat board is made of high-quality cold rolling steel plate  2.Legs, arms, and the edges of backrest are all chromed  3.Material of sea board:PU cover  4. With three seats  5.Size:1750*680*770mm	105.00	9	945.00
Bedside Screen	AG- SC001		1) Unfold size: L2000*H1800mm*W500 2) Folded size: L500*H1800mm*W500 3) Packing size: 1840*540*180mm 4) 201 stainless steel frame, 5) Waterproof Woven fabric, 6) 8 wheels	136.50	15	2047.50
Wooden Bedside Cabinet	AG- BC010		Size: 505*465*720  Material: wooden body plus al-alloy column  Construction: one drawer with handle, one door with handle, two towel hangers on each side	78.75	4	315.00

Double foot steps	AG- FS008		•(Size): (High part):410*230*280mm (Low part):410*230*150mm  •(Material) 304 Stainless Steel and Superior Plastics	40.95	1	40.95
Operation Stool	AG- NS006		Size:  Ø 320*450-650mm  Material:  304 Stainless Steel	78.75	9	708.75
Hydraulic Stretcher	AG- HS025	7500	1.L1880mm*W620mm*H560-890mm, Back adjust 0 -75°. Foot adjust 0 -40°. Tilt adjust -18°-18°. 2. Safe working load: 250KG. Features: 1. Back lifting system: It adopts high quality silent gas spring control. 2, high and low lifting system: the use of imported hydraulic cylinder control, the quality is more stable. 3, bed board: the use of anti-Bite material, higher strength, no deformation. 4. Frame: Made of high quality steel. 5, guardrail: high-strength aluminum alloy fence 7. Casters: Four shifters with a diameter of 200mm are used in the central locking. The four corners of the cart have a caster control system. One foot brakes and four wheels are fixed at the same time. The bed is more convenient for 4 weeks of operation. 8. The central control brake linkage rod is formed by integrated round tube to ensure higher strength. 9. Independent center fifth round system: The control pedal is installed on both sides of the cart, and the fifth round of the center is free to travel	1522.50	1	1522.50
Patient Chair	AG- NS003		Size: 34 * 24 * 45 2×4 steel tube spray frame Non-slip MATS Chair surface: high density environmentally friendly plywood	24.15	90	2173.50
5-Function Electric Hospital Bed	AG- BY003c		Size: 2200*1100*480-780mm 5-function:  1) Backrest max upward angle: 75° 2) Footrest max upward angle: 40° 3) Height adjustment:450-700mm 4)Trendelenburg: 12°Features: 1) Overallsize (L*W*H):2200*900*400-700mm 2) Durable frame: made of cold-rolled steel plate, treated by electrocating and powder-coating 3) Detachable ABS headboard/footboard 4) 4-part steel bedboards 5) Detachable ABS handrails 6) Quiet and robust electric actuators provide reliable operation 7) Remote handset control of all electrically operated functions and movements 8) Fully tested sturdy contruction capable of taking a maximum user weight of up to 250kg	943.95	1	943.95

full closed Bedside cabinet	AG- BC022		1.Overall Size: 500*500*780mm  N.W: 40KG G.W: 41KG Packing size: 515*515*735  2. 4pcs 2.5inch silent castors with braking system or 4pcs adjustment foot pad  3. Hidden extended tables, 2 drawers  4. MDF wooden desktop  5. Optional color: maple and walnut color	208.95	6	1253.70
Over bed table	AG- OBT00 2		Technical Parameters: Size900X450X720/1020mm ABS dinning board Steel frame, ABS gas spring buttom Height is adjustable, controlled by gas-spring Four silent castors, \$\phi\$55mm	82.95	1	82.95
Hydraulic Stretcher	AG- HS001		(Height):59~91cm (Leg Rest):0°~30° (Back Rest):0°~75° (Mattress Base):194×62cm (4 Central Lock Castor) (5th Direction Wheel) (Back Rest X Ray Translucent) (Tredelenburg and Reverse):-15°~+15° (Powder Coated Steel Bed Frame) (2 Hyraulic Pump) (CPR Quick Release) (Stainless Steel Side Rail)	1575.00	1	1575.00
Curtain with rail	AG- CL001	O LEGICAL STATES OF THE PARTY O	height 2.4m, color: , 2.2mfabric+0.2m gridding, detail check attached	98.00	1	98.00
Patient Transfer	AG-9B		1)This bed surface is made of foamed cushion, making the wounded feel comfortable.  2)It's mainly used in emergency room, gynecology and obstetrics department, medical ward and ICU room for patient transportation	180.60	5	903.00
Treatment Trolley	AG- SS042-3		1) Size: 600*400*900mm 2) 304 stainless steel frame 3) 2 layers with side rails 4) 4 silent wheels with cross brakes	120.75	2	241.50

Treatment Trolley	AG- SS042D	1) Size: 690*510*880mm	271.95	2	543.90
SS Instrument Cabinet	AG- SS003-2	1.Stainless steel Material 2.8 movable partitions 3.Size:900*400*1800mm	691.95	1	691.95
IV stand	AG- SS009A	Technical Parameters: Size:450*450*1260-2300mm-1330mm 1.Material:201 Stainless steel 2.Four drip hooks 3.Four castors:050 ball-shaped	27.30	8	218.40
SS Linen Trolley	AG- SS019	1) Size: 840*520*850mm 2) 304 stainless steel frame 4) 2 waterproof and washable dust bags 5) 4 silent wheels with cross brakes with bumpers on top	124.95	1	124.95
Emegency Trolley	AG- GS010	1.Material:made of the high quality cold rolled steel , 1.2mm thickness steel 2. Paint:electro coating Colour: "PANTONE" Dark green 3.Size(L*W*H): 910*740*410mm 4.Double row patient clip trolley,50 layers,Central lock 5.Two drawers 6.Triple-folding silent orbit, can be used more than 30000 times 7.Cart body with high quality aluminum alloy columns, Beauty and sturdy,Bottom is equipped with soft clinker anti-crash corners 8. All the screws made of anti-rust stainless steel material 9.Castors:double silent "secure" casters import from Taiwan,cross brakes,diameter:100mm 10.Packing:High strength carton with up and down cover	404.25	7	2829.75
Baby Cart	AG- CB011- pink	1.Size: 850*500*765-935mm 2. Tilting angle of head from 0 to 12 ° 3. Height of bed adjustable from 765-935mm, 800-965mm 4.Material: Steel frame ABS baby basin ABS tray and base 5. castors with cross brakes 6Maximum loading capacity: 60kgs 7. pink 5 blue	166.95	8	1335.60

Face mask	AG- MCX- 03D	E mepul	1.Detail Medium concentration mask with anti-crush lumen tubing, 2.2m,Adult 3.Individual Packing PE bag 4.Package Size (100PCS/CTN): 48*36*29cm	0.37	300	110.25
Multifunct ion Hydraulic Obstetric Table	AG- C2003A		Length: 2000mm Width: 600mm Height: 620mm Lifting: ≥240mm Folding on the back panel: ≥70° Fold down the back panel: ≥10° Forward tilt: ≥22° Backward: ≥8° Both the base and the column cover are made of high-quality 304 stainless steel, which is corrosion-resistant and easy to clean. The main bed and the auxiliary bed are connected as a whole, and the auxiliary table is easy to disassemble. Foot hydraulic lifting, durable. Equipped with hidden stainless steel dirt basin and other accessories. The mattress is made of high-density memory foam with one-time molding and no gaps. The wheels are controlled by brakes to facilitate the displacement of the delivery bed. Accessories: A pair of arm rests, a pair of leg rests, a pair of handle bars, a pair of foot kicks, a pair of shoulder supports, an anesthesia screen, and a stainless steel dirt basin.	871.50	1	871.50
New Accompani er's Bed	AG- AC011	TI PO	1.Unfolded Size:Length:1920mm,Height:260mm. 2.Folded Size:Length:800mm*1050mm*790mm,seat height:380mm 3.Color: Lake blue 4.Material: Fine linen fabrics, sponges, steel	135.45	7	948.15
Treatment trolley	AG-P1		1. Size: 680*525*1000mm 2. Material: mainly composed of titanium alloy, ABS engineering plastics, aluminum alloy structure; four pillars bearing capacity; 3. ABS injection moulding table surface, depression design can prevent items from sliding, the table surface with transparent soft glass; with two ABS dirt buckets to facilitate the classification of garbage storage; 4. Baskets on the left side, with professional sharp boxes. 5. Two-storey drawer; self-priming track, 3*3 separator, can be freely separated 6. Luxury silent casters, two of them with brakes, can brake in any state, rugged and durable, can be pushed arbitrarily on the flat ground, steering;	257.25	5	1286.25
Anesthesia trolley	AG- MP7		1.ABS double-layer bottom injection molding process molding table, the table concave design can prevent items from slipping, hidden form sub-table, the table is equipped with transparent soft glass 2. Two ABS dirt buckets are convenient for sorting and storing garbage; 3.left: a flower basket; right: One flower basket(two 2L sharp gas barrels) 4. Lifting anesthesia frame, equipped with a device box, can freely lift height 5.Equipped with five layers of drawers (two small drawers, two middle drawers, and one large drawer)	354.00	5	1770.00

Ambulanc e trolley	AG-P2	1.Size: 680*525*1000mm 2. Material: mainly composed of titanium alloy, ABS engineering plastics, aluminum alloy structure; four pillars bearing capacity; 3. ABS injection molding process table top, recessed design can prevent items from falling, the table is equipped with transparent soft glass; left side has a hidden writing workbench, with two ABS dirt buckets to facilitate the classification and storage of garbage; lifting infusion stand external pole Φ25, internal pole Φ19, 4 Φ6 cycles; on the back side: defibrillation board up and down supporting hooks, 5M power outlet, oxygen cylinder base; 4. There are debris baskets on the left and right sides, with professional sharp box 5. Central lock, equipped with five-storey drawer, two small drawers, two middle drawers, one large drawer, Drawer built-in 3*3 separator, can be freely separated; the track adopts self-suction track. Drawer is made of ABS material, can be taken out; 6. Luxury silent casters, two of them with brakes	334.95	5	1674.75
Anesthesia Instrument Cart	AG- AT022	650*450*850mm	341.25	2	682.50
Cart for Medical Record Holders with 24 Shelves	AG- CHT01 4	360*370*1050mm	236.25	1	236.25
Trolly for Dirty Clothes (with a suspending bag)	AG- SS023	1) Size: 700*550*900mm 2) 304 stainless steel frame 3) 1 waterproof and washable dust bags 4) 4 silent wheels with cross brakes	131.25	1	131.25
Fan- Shaped Operation Apparatus Table	AG- SS007A	1) Size: 1370*420*950mm 2) 304 stainless steel frame 3) Two layers, bottom layer with rails on 3 sides 4) 5 silent wheels with cross brakes	278.25	2	556.50
4-Folding Foam Mattress (150mm thickness	AG- M004- 900* ( 740+22 0+330+ 640)	with sponge padded, 4-folding, 150mm thickness, the length and width can be customized as per your requirement 900* (740+220+330+640)	55.65	9	500.85

Medical Stretcher	AG- HS026	Basic functions:  1. Size: 1930*663*510-850mm, back section: 0-70°  2. Safety loading: 170KG  3. Backboard lifting system: controlled by high quality silent air spring.  4. Height lifting system: Use Metal rocker, overload protection function, and not easy to break.  5. Bed board: PP material.  6. Frame: Made of steel/part of aluminium.  7. Handrail: High-strength metal handrail, height 300mm, easy to transport patients. Table plates or instrument racks can be placed on the handrail.  8. Casters: Four central lock double-side casters (150mm), more silent, safe and durable. The four corners of the cart have a caster control system. One foot brakes and four wheels are fixed at the same time.  9. Independent central fifth wheel system: Both sides of the cart are with control pedals. When the fifth wheel is retracted, it will travel freely; when in use, it will be in a "straight" state (the treadle is 70mm above the ground, pass better), overcome the inertial force during the transportation	399	6	2394.00
5- Function Electric Hospital Bed	AG- BY010	Features  1. Backrest adjustment 0-75° 2. Footrest adjustment 0-45° 3. Trendelenburg 0-12° 4. Anti Trendelenburg 0-12° 5. Hight adjustment 480-760mm 6. 4-piece liftable ABS large siderail 7. ABS detachable headboard and footboard 8. Foot-operated central control brake system 9. Collectible infusion pole 10.3M sticker 11. Control panel has three-position mechanical locks, and the midrange locks anti-trendelenburg.  Material Description: 1. Electrostatic powder coating for the whole surface 3. 4 German DEWERT motors cpr 4. 4-piece ABS large siderail, ABS detachable headboard and footboard 5. 304 stainless steel adjustable infusion pole 6. Drainage hook 7. 4. 125mm double-sided silent castors 8. All the screws are made of stainless steel 9. Battery	934.5	9	8410.50
4-Folding Foam Mattress (5CM)	AG- M004	with sponge padded, 4-folding, 50mm thickness, Oxford cloth 830* (750+290+390+500)	31.5	10	315.00
4-Folding Foam Mattress (80mm thickness	AG- M004	with sponge padded, 4-folding, 80mm thickness, Oxford cloth 830mm wide	34.65	1	34.65
2-Folding Foam Mattress (80mm thickness	AG- M004	with sponge padded, 2-folding, 80mm thickness, Oxford cloth 830mm wide	34.65	16	554.40
4-Folding Foam Mattress (80mm thickness	AG- M004	with sponge padded, 4-folding, 80mm thickness, Oxford cloth 880mm wide	34.65	7	242.55

4-Folding Foam Mattress (80mm thickness	AG- M004	with sponge padded, 4-folding, 80mm thickness, Oxford cloth 900mm wide	34.65	1	34.65
Flat Foam Mattress (80mm thickness		with sponge padded, flat, 80mm thickness, Flat Oxford 900mm wide	34.65	15	519.75
Medical Mattress (80mm thickness	AG- M010	with wave sponge, 80mm thickness, the length and width can be customized as per your requirement	40.95	1	40.95
4-Folding Foam Mattress (150mm thickness	AG- M011-1	with sponge padded, 4-folding, 150mm thickness, the length and width can be customized as per your requirement (1920*880*150)	55.65	2	111.30
4-Folding Foam Mattress (150mm thickness ) No waves	AG- M012-1	with sponge padded, 4-folding, 150mm thickness, the length and width can be customized as per your requirement	55.65	7	389.55
Flat Foam Mattress (100mm thickness 900mm width)	AG- M007	with sponge padded, flat, 80mm thickness, the length and width can be customized as per your requirement	37.80	16	604.80
4-Folding Foam Mattress (100mm thickness 830mm width)	AG- M004	with sponge padded, 4-folding, 80mm thickness, the length and width can be customized as per your requirement	37.80	2	75.60
4-Folding Foam Mattress (80mm thickness 900mm width)	AG- M004	with sponge padded, 4-folding, 80mm thickness, the length and width can be customized as per your requirement (790+210+370+560) used for five functions bed	34.65	26	909.90
4-Folding Foam Mattress (80mm thickness 900mm width)	AG- M004	with sponge padded, 4-folding, 80mm thickness, the length and width can be customized as per your requirement (765+285+385+465) used for 2 or 3 functions manual bed	34.65	24	831.60

SS Instrument Cabinet	AG- SS003-1	Size:900*400*1800mm,steel material	268.80	1	268.80
ABS Emergency Trolley	AG- ET001 A1- 850mm	1) Size: 850*520*950mm 2) Made of high-strength ABS material 3) One-piece ABS plastic top board with arc handle and raised-edge design, covered transparent soft plastic glass. 4) With four aluminum columns. 5) Five ABS drawers: 2 small, 2 middle & 1 big drawers, inner with dividers can be organized easily and freely, label cards for the trolley and drawers. 6) Stainless steel guard rail ,sliding side shelf 7) Dust basket, Needle disposal holder, IV pole, Defibrillator shelf, Defibrillator board, Power outlet & Hooks, Oxygen tank holder, Utility container, storage box 8) Centralized lock	430.50	2	861.00
Total p	orice				395128.60

## AFTER-SALE SERVICE

\*Warranty: 18 months

\*Warranty for motors: 36 months \*After- sale service: 15 years

## In the warranty period

In specified time above, due to non-human factors, the damaged products will receive our free spare parts with technical guidance. If the customer in agent service area, they will have the service form agents in order to solve the after-sale problems soonest.

## Beyond the warranty period

We charge the cost of spare parts but provide technical guidance and other after-sale service for free.

Matters not covered above, please consult AEGEAN VIP after-sale center service staff.