

# MADE TO ORDER PRODUCT GUIDE

# OAKSTREETMFG.COM

## Table Tops - Made to Order The Oak Street Advantage

With the latest manufacturing equipment and state of the art automation processes, Oak Street has the capabilities to handle any project - large or small.

Oak Street firmly believes in innovation, advancing technology and automation, which allows our manufacturing capabilities and product offerings to increase and improve while reducing costs.

- 20+ table top styles
- 25 common size offerings
  - Unlimited custom size capabilities
- 20+ in-house stain options with endless custom stain capabilities
- Unmatched precision and consistency
- Industry standard lead times
- Customizations are endless from large to small







# FREE FREIGHT!

#### on Table Tops using:



150+ decors to choose from!

.

# **3mm PVC**

#### **Fortress**



Taupe 3mm edge \*Tier I laminate

## **Overlay**

Pinnacle C 642 SF Vintage Oak laminate\*

Hot-rolled steel edge w/ exposed fasteners

\*Tier I laminate



Inlay

Pinnade T 1656 SF Green Mountain Maple laminate\* Clear Coat finish edge \*Tier I laminate

# **Retro T-Mold**

Pinnacle C 19 SF Red laminate\* -Retro rippled rubber t-mold edge \* Tier 1 laminate

Free freight applies to table top portion of order only.

#### Promotion length subject to cease without warning. .

# **Rubber T-Mold**

Pinnacle T 1667 MO Delta Willow laminate Black rubber t-mold edge \* Tier 1 laminate

- Pinnacle Decorative Laminates brand laminate must be used.
- Table top portion of order must exceed \$1,000 to be eligible.

T 1679 MO	C 644 SF	T 1682 MO	C 668 SF	C 341 MO	C 263 SF	C 500 MO	C 280 MO
C 74 SF	T 1563 MO	C 483 SF	C 544 SF	C 499 MO	C 381 SF	C 350 MO	C 78 SF
			調査し				
C 477 MO	C 476 MO	C 373 SF	C 642 SF	T 1656 SF	T 1657 SF	T 1658 SF	T 1659 SF
	1 4	<b>利用</b>					
T 1678 MO	T 1681 SF	C 640 MO	C 637 BC	C 663 SF	C 475 MO	C 643 SF	T 435 MO
<b>小</b> 1 #1 2			1 3 8 1			graf the h	
T 1389 SF	T 1534 MO	T 1550 MO	C 486 MO	T 1567 MO	T 1545 MO	T 1546 MO	T 1683 MO
					i a in		
C 282 MO	C 459 MO	C 487 MO	C 482 SF	C 656 SF	T 1667 MO	T 1666 MO	C 425 MO
					E M W		11
C 36 SF	C 48 SF	C 295 SF	C 404 SF	C 168 MO	C 162 SF	C 163 MO	C 164 MO
	图 10 10			1. 1. 1			ABIL
T 511 MO	T 522 MO	C 349 MO	C 82 SF	C 472 MO	C 46 SF	C 40 SF	C 31 SF
			MARIA				
C 342 MO	C 426 MO	C 473 MO	C 468 MO	C 469 MO			
T C 001 MT	T S 001 MT	C 13 MRF	C 871 MRF	C 495 MR	C 494 MR	T 1538 MT	C 669 SF





#### Backwoods

Table Tops - Made to Order



- Specialty laminate has the look & feel of wood grain
- BWI tops: 1-1/8" nominal thickness
- BW2 tops: 1-1/8" nominal core + 7/8" nominal dropped edge = 2" overall edge thickness
- Coordinating 3mm thick PVC edge
- Each top created & hand finished to order
- For indoor use only | All tops boxed
- Table tops over 48" subject to a crate fee per pallet (fee/service optional on 3rd party shipments)

#### ADDITIONAL INFORMATION

- Non-standard sizes carry a setup fee per size
- Orders with less than 4 tops incur a small order fee
- Pre-drilled tops for Oak Street bases available for an upcharge per table

Smoked Oak	Roble	Gun Powder
Stormy Skies	Barn Wood Gray	Natural Bamboo

	BW1	Approx.	BW2	Approx.
Table Size	Part #	Weight	Part #	Weight
24" x 24"	BW1-2424	15 lbs	BW2-2424	17 lbs
24" x 30"	BW1-2430	18 lbs	BW2-2430	21 lbs
24" x42"	BW1-2442	25 lbs	BW2-2442	29 lbs
24" x 48"	BW1-2448	29 lbs	BW2-2448	33 lbs
24" x 60"	BW1-2460	36 lbs	BW2-2460	42 lbs
24" x 72"	BW1-2472	43 lbs	BW2-2472	50 lbs
24" x 96"	BW1-2496	57 lbs	BW2-2496	66 lbs
30" x 30"	BW1-3030	22 lbs	BW2-3030	26 lbs
30" x 42"	BW1-3042	31 lbs	BW2-3042	36 lbs
30" x 48"	BW1-3048	36 lbs	BW2-3048	42 lbs
30" x 60"	BW1-3060	44 lbs	BW2-3060	52 lbs
30" x 72"	BW1-3072	53 lbs	BW2-3072	62 lbs
30" x 96"	BW1-3096	71 lbs	BW2-3096	83 lbs
36" x 36"	BW1-3636	32 lbs	BW2-3636	37 lbs
36" x 48"	BW1-3648	43 lbs	BW2-3648	50 lbs
36" x 60"	BW1-3660	53 lbs	BW2-3660	62 lbs
36" x 72"	BW1-3672	64 lbs	BW2-3672	74 lbs
42" x 42"	BW1-4242	44 lbs	BW2-4242	51 lbs
48" x 48"	BW1-4848	57 lbs	BW2-4848	66 lbs
24" Round	BWI-24R	12 lbs	BW2-24R	13 lbs
30" Round	BW1-30R	18 lbs	BW2-30R	21 lbs
36" Round	BWI-36R	25 lbs	BW2-36R	30 lbs
42" Round	BWI-42R	34 lbs	BW2-42R	40 lbs
48" Round	BWI-48R	45 lbs	BW2-48R	52 lbs





# Backwoods

#### www.oakstreetmfg.com

### 3mm



Table Size	Part #	Approx. Weight
24" x 24"	3MM2424	23 lbs
24" x 30"	3MM2430	28 lbs
24" x42"	3MM2442	40 lbs
24" x 48"	3MM2448	45 lbs
24" x 60"	3MM2460	56 lbs
24" x 72"	3MM2472	68 lbs
24" x 96"	3MM2496	90 lbs
30" x 30"	3MM3030	35 lbs
30" x 42"	3MM3042	49 lbs
30" x 48"	3MM3048	56 lbs
30" x 60"	3MM3060	70 lbs
30" x 72"	3MM3072	84 lbs
30" x 96"	3MM3096	112 lbs
36" x 36"	3MM3636	51 lbs
36" x 48"	3MM3648	68 lbs
36" x 60"	3MM3660	84 lbs
36" x 72"	3MM3672	101 lbs
42" x 42"	3MM4242	69 lbs
48" x 48"	3MM4848	90 lbs
24" Round	3MM24R	18 lbs
30" Round	<b>3MM30R</b>	28 lbs
36" Round	3MM36R	40 lbs
42" Round	3MM42R	54 lbs
48" Round	3MM48R	71 lbs
60" Round	3MM60R	110 lbs

Formica Storm Teakwood

Formica Prestige Walnut

6209-58

- 1-1/4" thick, 45 lb industrial grade particle board with high-pressure laminate
- Edged with 3mm PVC

8908-58

- List pricing based on Tier 1 Pinnacle & standard Formica -58 & -43 finish laminates - upcharge for Wilsonart & Tier 2+ Pinnacle & Formica laminates
- ALSO OFFERING in-house laminate options with matching 3mm edge (standard list pricing - no upcharge!) - shown above
- In-house solid color 3mm edge include: white, taupe, smoke, nubian brown & black - shown below
- Custom matching laminates & matching edges available for an upcharge
- For indoor use only | All tops boxed

#### ADDITIONAL INFORMATION

- Non-standard sizes carry a setup fee per size
- Orders with less than 4 tops incur a small order fee
- Pre-drilled tops for Oak Street bases available for an upcharge per table
- Table tops over 48" subject to a crate fee per pallet (fee/service optional on 3rd party shipments)



3mm



#### Complementary Laminates + Edges





#### Complementary Laminates + Edges



It's recommended to order samples of laminate & edge choice prior to order.

The images are a representation only & are not intended to provide a perfect match to the actual product.



Laminates shown are complementary to the associated edge color options. Any available laminate can be ordered with any edge

color option.

HW Platinum Rubber T-Mold	Pinnacle C 404 SF Snow Painted Metal	Pinnacle T 1538 MT Flecked Quartz	Pinnacle C 67/MR Copper Slate	HW Greytone Rubber T-Mold	Pinnacle T 669 SF Maremma	Pinnacle T 529 SM Dove Herringbone	Pinnacle T 522 MO Ponderosa Pine
	Pinnacle C 478 GM Light Crystal Concrete	Pinnacle C 480 SF Gray Washed Tweed	Pinnacle C 656 SF Montpelier		Pinnacle C 469 MO Potent Ash	Pinnacle C 537 SF Light Filament	• Pinnacle C 494 MR Gray Pearl
	Pinnacle C 13 MRF Frost Pearl	Pinnacle T 1546 MO Shawnee Beech	Pinnacle T 1214 SF Modern Marble		Pinnacle C 541 SF Khadim Twist	Pinnacle C 479 GM Dark Crystal Concrete	Pinnacle Ç461 MR Ashen Marble

# T-Mold

- 1-1/4" thick, 45 lb industrial grade particle board with high-pressure laminate
- 3" radius corners standard
- Edged with high-quality rubber t-mold in choice of in-house colors (shown below)
- List pricing based on Tier 1 Pinnacle & standard Formica -58 & -43 finish laminates upcharge for Wilsonart & Tier 2+ Pinnacle & Formica laminates
- Additional laminates, including Nevamar & Pionite available for an upcharge
- For indoor use only | All tops boxed

#### More laminate options available view at bit.ly/osmlaminates



Pinnade C 538 SF Dark Filament laminate<sup>\*</sup>-HW Taupe t-mold edge \**Tier Haminate* 

Pinnade C 404 SF Snow Painted Metal laminate<sup>\*</sup> -HW Smoke t-mold edge \**Tier Haminate* 

Pinnade C 656 SF Montpelier laminate\*-HW Platinum t-mold edge \**Tier Haminate* 


Pinnade C 469 MO Potent Ash laminate<sup>\*</sup>-HW Greytone t-mold edge \**Tier Haminate* 

Table Size	Part #	Approx. Weight
24" x 24"	CTM2424	23 lbs
24" x 30"	CTM2424	28 lbs
24" x42"	CTM2430	40 lbs
24" x 48"	CTM2448	45 lbs
24" x 60"	CTM2460	56 lbs
24" x 72"	CTM2472	68 lbs
24" x 96"	CTM2496	90 lbs
30" x 30"	CTM3030	35 lbs
30" x 42"	CTM3042	49 lbs
30" x 48"	CTM3048	56 lbs
30" x 60"	CTM3060	70 lbs
30" x 72"	СТМ3072	84 lbs
30" x 96"	CTMB092	112 lbs
36" x 36"	CTM3636	51 lbs
36" x 48"	CTM3648	68 lbs
36" x 60"	CTM3660	84 lbs
36" x 72"	СТМЗ672	101 lbs
42" x 42"	CTM4242	69 lbs
48" x 48"	CTM4848	90 lbs
24" Round	CTM24R	18 lbs
30" Round	CTM24R	28 lbs
36" Round	CTM36R	40 lbs
42" Round	CTM50R CTM42R	54 lbs
48" Round	CTM48R	71 lbs
60" Round	CTM40R	110 lbs
	CHNOUR	

#### **Retro T-Mold**



- 1-1/4" thick, 45 lb industrial grade particle board with high-pressure laminate
- 3" radius corners standard
- · Edged with high-quality rubber rippled t-mold in metallic silver (shown below)
- List pricing based on Tier 1 Pinnacle & standard Formica -58 & -43 finish laminates upcharge for Wilsonart & Tier 2+ Pinnacle & Formica laminates
- · Additional laminates, including Nevamar & Pionite available for an upcharge
- For indoor use only | All tops boxed













# More laminate options available - view at bit.ly/osmlaminates

Table Size	Part #	Approx. Weight
24" x 24"	RT2424	23 lbs
24" x 30"	RT2430	28 lbs
24" x42"	RT2442	40 lbs
24" x 48"	RT2448	45 lbs
24" x 60"	RT2460	56 lbs
24" x 72"	RT2472	68 lbs
24" x 96"	RT2496	90 lbs
30" x 30"	RT3030	35 lbs
30" x 42"	RT3042	49 lbs
30" x 48"	RT3048	56 lbs
30" x 60"	RT3060	70 lbs
30" x 72"	RT3072	84 lbs
30" x 96"	RT3096	112 lbs
36" x 36"	RT3636	51 lbs
36" x 48"	RT3648	68 lbs
36" x 60"	RT3660	84 lbs
36" x 72"	RT3672	101 lbs
42" x 42"	RT4242	69 lbs
48" x 48"	RT4848	90 lbs
24" Round	RT24R	18 lbs
30" Round	RT30R	28 lbs
36" Round	RT36R	40 lbs
42" Round	RT42R	54 lbs
48" Round	RT48R	71 lbs
60" Round	RT60R	110 lbs

www.oakstreetmfg.com

Retro T-Mold

# Darkwash



- Reclaimed look with consistent performance
- Oak faced veneer stained in choice of stain/color then distressed and lastly a clear coat finish is applied
- CDE tops: 1-1/8" nominal thickness
- CDP tops: 1-1/8" nominal core + 7/8" nominal dropped edge = 2" overall edge thickness
- Edge profile options: Waterfall, Eased or Bullnose
- For indoor use only
- All tops boxed
- Table tops over 48" subject to a crate fee per pallet (fee/service optional on 3rd party shipments)


#### **ADDITIONAL INFORMATION** Non-standard sizes carry • Orders with less than 4 tops Pre-drilled tops for Oak Street bases a setup fee per size incur a small order fee available for an upcharge per table



	11/0/		2"	
THE	~1-1/8″	Approx.	~2″	Approx.
Table Size	Part #	Weight	Part #	Weight
24" x 24"	CDE2424	15 lbs	CDP2424	17 lbs
24" x 30"	CDE2430	18 lbs	CDP2430	21 lbs
24" x42"	CDE2442	25 lbs	CDP2442	29 lbs
24" x 48"	CDE2448	29 lbs	CDP2448	33 lbs
24" x 60"	CDE2460	36 lbs	CDP2460	42 lbs
24" x 72"	CDE2472	43 lbs	CDP2472	50 lbs
24" x 96"	CDE2496	57 lbs	CDP2496	66 lbs
30" x 30"	CDE3030	22 lbs	CDP3030	26 lbs
30" x 42"	CDE3042	31 lbs	CDP3042	36 lbs
30" x 48"	CDE3048	36 lbs	CDP3048	42 lbs
30" x 60"	CDE3060	44 lbs	CDP3060	52 lbs
30" x 72"	CDE3072	53 lbs	CDP3072	62 lbs
30" x 96"	CDE3096	71 lbs	CDP3096	83 lbs
36" x 36"	CDE3636	32 lbs	CDP3636	37 lbs
36" x 48"	CDE3648	43 lbs	CDP3648	50 lbs
36" x 60"	CDE3660	53 lbs	CDP3660	62 lbs
36" x 72"	CDE3672	64 lbs	CDP3672	74 lbs
42" x 42"	CDE4242	44 lbs	CDP4242	51 lbs
48" x 48"	CDE4848	57 lbs	CDP4848	66 lbs
24" Round	CDE24R	12 lbs	CDP24R	13 lbs
30" Round	<b>CDE30R</b>	18 lbs	CDP30R	21 lbs
36" Round	CDE36R	25 lbs	CDP36R	30 lbs
42" Round	CDE42R	34 lbs	CDP42R	40 lbs
48" Round	CDE48R	45 lbs	CDP48R	52 lbs













- Reclaimed look with consistent performance
- · Each top created and hand finished to order
- Oak faced veneer stained in choice of stain/color then whitewashed & lastly a clear coat finish is applied
- WWE tops: ~1-1/8" thickness
- WWP tops:  $\sim 1-1/8''$  core +  $\sim 7/8''$  dropped edge =  $\sim 2''$  overall edge thickness
- Edge profile options: Waterfall, Eased or Bullnose (shown pg. 50)
- For indoor use only
- All tops boxed
- Table tops over 48" subject to a crate fee per pallet (fee/service optional on 3rd party shipments)

#### ADDITIONAL INFORMATION

- Non-standard sizes carry a setup fee per size
- $\boldsymbol{\cdot}$  Orders with less than 4 tops incur a small order fee
- ${\boldsymbol{\cdot}}$  Pre-drilled tops for Oak Street bases available for an upcharge

Please be aware that the rustic construction of this product lends itself to small voids. Because these hardwood veneers are a product of nature, each piece will have a variation in how it accepts the finishing process.

Table Size	~1-1/8″ Part #	Approx. Weight	~2" Part #	Approx. Weight
24" x 24"	WWE2424	15 lbs	WWP2424	17 lbs
24" x 30"	WWE2430	18 lbs	WWP2430	21 lbs
24" x42"	WWE2442	25 lbs	WWP2442	29 lbs
24" x 48"	WWE2448	29 lbs	WWP2448	33 lbs
24" x 60"	WWE2460	36 lbs	WWP2460	42 lbs
24" x 72"	WWE2472	43 lbs	WWP2472	50 lbs
24" x 96"	WWE2496	57 lbs	WWP2496	66 lbs
30" x 30"	WWE3030	22 lbs	WWP3030	26 lbs
30" x 42"	WWE3042	31 lbs	WWP3042	36 lbs
30" x 48"	WWE3048	36 lbs	WWP3048	42 lbs
30" x 60"	WWE3060	44 lbs	WWP3060	52 lbs
30" x 72"	WWE3072	53 lbs	WWP3072	62 lbs
30" x 96"	WWE3096	71 lbs	WWP3096	83 lbs
36" x 36"	WWE3636	32 lbs	WWP3636	37 lbs
36" x 48"	WWE3648	43 lbs	WWP3648	50 lbs
36" x 60"	WWE3660	53 lbs	WWP3660	62 lbs
36" x 72"	WWE3672	64 lbs	WWP3672	74 lbs
42" x 42"	WWE4242	44 lbs	WWP4242	51 lbs
48" x 48"	WWE4848	57 lbs	WWP4848	66 lbs
24" Round	WWE24R	12 lbs	WWP24R	13 lbs
30" Round	<b>WWE30R</b>	18 lbs	WWP30R	21 lbs
36" Round	WWE36R	25 lbs	WWP36R	30 lbs
42" Round	WWE42R	34 lbs	WWP42R	40 lbs
48" Round	WWE48R	45 lbs	WWP48R	52 lbs





- 1" red oak faced table top finished with a 1-5/8" solid wood dropped edge
- · Available in any in-house stain or color (custom stain available for an upcharge) specify stain Some sizes stocked in Clear Coat & Dark Walnut - see Quick Ship Tops
- Custom and/or non-standard sizes available for an upcharge per size & lead time
- Eased edge profile | For indoor use only | All tops boxed

#### ADDITIONAL INFORMATION

- Non-standard sizes carry a setup fee per size
- Orders with less than 4 tops incur a small order fee
- Pre-drilled tops for Oak Street bases available for an upcharge per table
- Table tops over 48" subject to a crate fee per pallet (fee/service optional on 3rd party shipments)

Eased





aditiona Cherry

#### (877) 465-4344

Walnut

#### E\*Wood



- The look of solid wood with consistent, uniform strength.
- Resistant to warping, cracking & splitting
- Engineered wood panels available in Oak facing
- Available in any in-house stain or color (custom stain available for an upcharge)
- Custom and/or non-standard sizes available for an upcharge per size
- EEO tops: 1-1/8" nominal thickness

ack Stai with Dye

- EPO tops: 1-1/8'' nominal core + 7/8'' nominal dropped edge = 2'' overall edge thickness
- Edge profile options: Waterfall, Eased or Bullnose | For indoor use only | All tops boxed





www.oakstreetmfg.com

Table Size	1″ Oak Part #	Approx. Weight	2" Oak Part #	Approx. Weight
24" x 24"	EE02424	15 lbs	EP02424	17 lbs
24" x 30"	EE02430	18 lbs	EP02430	21 lbs
24" x42"	EE02442	25 lbs	EP02442	29 lbs
24" x 48"	EE02448	29 lbs	EP02448	33 lbs
24" x 60"	EE02460	36 lbs	EP02460	42 lbs
24" x 72"	EE02472	43 lbs	EP02472	50 lbs
24" x 96"	EE02496	57 lbs	EP02496	66 lbs
30" x 30"	EE03030	22 lbs	EP03030	26 lbs
30" x 42"	EE03042	31 lbs	EP03042	36 lbs
30" x 48"	EE03048	36 lbs	EP03048	42 lbs
30" x 60"	EE03060	44 lbs	EP03060	52 lbs
30" x 72"	EE03072	53 lbs	EP03072	62 lbs
30" x 96"	EE03096	71 lbs	EP03096	83 lbs
36" x 36"	EE03636	32 lbs	EP03636	37 lbs
36" x 48"	EE03648	43 lbs	EP03648	50 lbs
36" x 60"	EE03660	53 lbs	EP03660	62 lbs
36" x 72"	EE03672	64 lbs	EP03672	74 lbs
42" x 42"	EE04242	44 lbs	EP04242	51 lbs
48" x 48"	EE04848	57 lbs	EP04848	66 lbs
24" Round	EEO24R	12 lbs	EPO24R	13 lbs
30" Round	EE030R	18 lbs	EP030R	21 lbs
36" Round	EE036R	25 lbs	EPO36R	30 lbs
42" Round	EEO42R	34 lbs	EPO42R	40 lbs
48" Round	EEO48R	45 lbs	EPO48R	52 lbs
60" Round	EE060R	70 lbs	EPO60R	81 lbs


E\*Wood

# Fortress

- Table Tops Made to Order

   Fortress
  - 1-1/8" nominal core edged in 2" hot rolled, clear coat 11 gauge steel with exposed fasteners
  - Random buffed edge
  - Laminate list pricing includes up to Tier 3 Pinnacle, Formica & Wilsonart laminates
  - For indoor use only

- Table tops over 48" subject to a crate fee per pallet (fee/service optional on 3rd party shipments)
- Fortress Wood features Oak faced veneer stained in any in-house stain or color
- All tops boxed



Formica 3485-58 Black Walnut laminate\* \*Tier 1 laminate



Formica 6477-58 Seasoned Planked Elm laminate\* *Tier 1 laminate* 







Black Dye

Table Size	Laminate Part #	Wood Part #	Darkwash Part #	Whitewash Part #	Approx. Weight
24" x 24"	FT2424-L	FT2424-E	FT2424-CD	FT2424-WW	20 lbs
24" x 30"	FT2430-L	FT2430-E	FT2430-CD	FT2430-WW	24 lbs
24" x42"	FT2442-L	FT2442-E	FT2442-CD	FT2442-WW	34 lbs
24" x 48"	FT2448-L	FT2448-E	FT2448-CD	FT2448-WW	39 lbs
24" x 60"	FT2460-L	FT2460-E	FT2460-CD	FT2460-WW	48 lbs
24" x 72"	FT2472-L	FT2472-E	FT2472-CD	FT2472-WW	58 lbs
24" x 96"	FT2496-L	FT2496-E	FT2496-CD	FT2496-WW	77 lbs
30" x 30"	FT3030-L	FT3030-E	FT3030-CD	FT3030-WW	30 lbs
30" x 42"	FT3042-L	FT3042-E	FT3042-CD	FT3042-WW	42 lbs
30" x 48"	FT3048-L	FT3048-E	FT3048-CD	FT3048-WW	48 lbs
30" x 60"	FT3060-L	FT3060-E	FT3060-CD	FT3060-WW	60 lbs
30" x 72"	FT3072-L	FT3072-E	FT3072-CD	FT3072-WW	72 lbs
30" x 96"	FT3096-L	FT3096-E	FT3096-CD	FT3096-WW	96 lbs
36" x 36"	FT3636-L	FT3636-E	FT3636-CD	FT3636-WW	44 lbs
36" x 48"	FT3648-L	FT3648-E	FT3648-CD	FT3648-WW	58 lbs
36" x 60"	FT3660-L	FT3660-E	FT3660-CD	FT3660-WW	72 lbs
36" x 72"	FT3672-L	FT3672-E	FT3672-CD	FT3672-WW	87 lbs
42" x 42"	FT4242-L	FT4242-E	FT4242-CD	FT4242-WW	59 lbs
48" x 48"	FT4848-L	FT4848-E	FT4848-CD	FT4848-WW	77 lbs
30" Round	FT30R-L	FT30R-E	FT30R-CD	FT30R-WW	24 lbs
36" Round	FT36R-L	FT36R-E	FT36R-CD	FT36R-WW	34 lbs
42" Round	FT42R-L	FT42R-E	FT42R-CD	FT42R-WW	47 lbs
48" Round	FT48R-L	FT48R-E	FT48R-CD	FT48R-WW	61 lbs
60" Round	FT60R-L	FT60R-E			95 lbs

American Walnut on Oak



Cherry on Oak





Fortress









Dark Walnut





Black Stain with Dye

- The look of a solid wood core with consistent uniform strength resistant to warping, cracking & splitting
- 1-1/8" nominal engineered oak faced core with 1-1/4" solid oak edge
- · Available in any in-house stain or color (custom stain available for an upcharge)
- Custom and/or non-standard sizes available for an upcharge per size .
- Edge profile options: Waterfall, Eased or Bullnose (shown pg. 54) .
- For indoor use only | All tops boxed

#### **ADDITIONAL INFORMATION**

- Non-standard sizes carry a setup fee per size
- Orders with less than 4 tops incur a small order fee
- Pre-drilled tops for Oak Street bases available for an upcharge per table
- Table tops over 48" subject to a crate fee per pallet (fee/service optional on 3rd party shipments)

⚠ Due to the nature of the product, clear coats may experience some discoloration over time.

Table Size	Part #	Approx. Weight
24" x 24"	SMW2424	23 lbs
24" x 30"	SMW2430	28 lbs
24" x42"	SMW2442	40 lbs
24" x 48"	SMW2448	45 lbs
24" x 60"	SMW2460	56 lbs
24" x 72"	SMW2472	68 lbs
24" x 96"	SMW2496	90 lbs
30" x 30"	SMW3030	35 lbs
30" x 42"	SMW3042	49 lbs
30" x 48"	SMW3048	56 lbs
30" x 60"	SMW3060	70 lbs
30" x 72"	SMW3072	84 lbs
30" x 96"	SMW3096	112 lbs
36" x 36"	SMW3636	51 lbs
36" x 48"	SMW3648	68 lbs
36" x 60"	SMW3660	84 lbs
36" x 72"	SMW3672	101 lbs
42" x 42"	SMW4242	69 lbs
48" x 48"	SMW4848	90 lbs
24" Round	SMW24R	18 lbs
30" Round	SMW30R	28 lbs
36" Round	SMW36R	40 lbs
42" Round	SMW42R	54 lbs
48" Round	SMW48R	71 lbs
60" Round	SMW60R	110 lbs
e Gray Gravstone Clea	r Coat Uimber Am	erican Dark Walnut Rich







 [able Tops - Made to Order]





Traditional Mahogany



utumn Hazo

Clear Coat

aditic Cheri

www.oakstreetmfg.com

# **Overlay**

- 1-1/4" thick, 45 lb industrial grade particle board with high-pressure laminate
- Edged with 3mm solid wood in Oak, Poplar or Maple stained in any in-house stain or color (custom stain available for an upcharge)
- Edge profile option: Eased
- List pricing based on Tier 1 Pinnacle & standard Formica -58 & -43 finish laminates - upcharge for Wilsonart & Tier 2+ Pinnacle & Formica laminates
- Additional laminates, including Nevamar & Pionite available for an upcharge
- For indoor use only | All tops boxed

#### ADDITIONAL INFORMATION

- Non-standard sizes carry a setup fee per size
- Orders with less than 4 tops incur a small order fee
- · Pre-drilled tops for Oak Street bases available for an upcharge per table
- Table tops over 48" subject to a crate fee per pallet (fee/service optional on 3rd party shipments)



Table Size	Part #	Approx. Weight
24" x 24"	OLWE2424	23 lbs
24" x 30"	OLWE2430	28 lbs
24" x42"	OLWE2442	40 lbs
24" x 48"	OLWE2448	45 lbs
24" x 60"	OLWE2460	56 lbs
24" x 72"	OLWE2472	68 lbs
24" x 96"	OLWE2496	90 lbs
30" x 30"	OLWE3030	35 lbs
30" x 42"	OLWE3042	49 lbs
30" x 48"	OLWE3048	56 lbs
30" x 60"	OLWE3060	70 lbs
30" x 72"	OLWE3072	84 lbs
30" x 96"	OLWE3096	112 lbs
36" x 36"	OLWE3636	51 lbs
36" x 48"	OLWE3648	68 lbs
36" x 60"	0LWE3660	84 lbs
36" x 72"	OLWE3672	101 lbs
42" x 42"	OLWE4242	69 lbs
48" x 48"	OLWE4848	90 lbs
24" Round	OLWE24R	18 lbs
30" Round	OLWE30R	28 lbs
36" Round	OLWE36R	40 lbs
42" Round	OLWE42R	54 lbs
48" Round	OLWE48R	71 lbs
60" Round	OLWE60R	110 lbs

#### Pinnade T 1389 SF Dixie Juniper laminate\*-

Black edge stain \* Tier 1 laminate

Pinnade C 40 SF Oxford Cherry laminate\*-Cherry edge stain \* Tier 1 laminate

Pinnade C 644 SF Knotty Oak laminate\*-American Walnut edge stain \* Tier 1 laminate

Pinnade T 1656 SF Green Mountain Maple laminate\*-Clear Coat edge finish \* Tier 1 laminate

Pinnade T 1681 SF Modoc Poplar laminate\*-Rich Earth edge stain \* Tier 1 laminate

Pinnade C 668 SF Sumatra Teak laminate\*-Timber edge stain \* Tier 1 laminate

Pinnade C 643 SF Vintage Pine laminate\*-**Boardwalk** edge stain \* Tier 1 Iaminate

Pinnade C 263 SF Blush Rosewood laminate\*-Chestnut edge stain \* Tier 1 laminate



- 1-1/4" thick, 45 lb industrial grade particle board with high-pressure laminate
- Edged with 1-1/2" nominal wood in Oak or Maple stained in any in-house stain or color (custom stain available for an upcharge)
- Edge profile options: Waterfall, Eased or Bullnose
- List pricing based on Tier 1 Pinnacle & standard Formica -58 & -43 finish laminates - upcharge for Wilsonart & Tier 2+ Pinnacle & Formica laminates
- Additional laminates, including Nevamar & Pionite available for an upcharge
- For indoor use only | All tops boxed

#### ADDITIONAL INFORMATION

- Non-standard sizes carry a setup fee per size
- Orders with less than 4 tops incur a small order fee
- Pre-drilled tops for Oak Street bases available for an upcharge per table
- Table tops over 48" subject to a crate fee per pallet
- (fee/service optional on 3rd party shipments)

Due to the nature of the product, clear coats may experience some discoloration over time.

# More laminate options available - view at bit.ly/osmlaminates

Table Size	Part #	Approx. Weight
24" x 24"	INLY2424	23 lbs
24" x 30"	INLY2430	28 lbs
24" x42"	INLY2442	40 lbs
24" x 48"	INLY2448	45 lbs
24" x 60"	INLY2460	56 lbs
24" x 72"	INLY2472	68 lbs
24" x 96"	INLY2496	90 lbs
30" x 30"	INLY3030	35 lbs
30" x 42"	INLY3042	49 lbs
30" x 48"	INLY3048	56 lbs
30" x 60"	INLY3060	70 lbs
30" x 72"	INLY3072	84 lbs
30" x 96"	INLY3096	112 lbs
36" x 36"	INLY3636	51 lbs
36" x 48"	INLY3648	68 lbs
36" x 60"	INLY3660	84 lbs
36" x 72"	INLY3672	101 lbs
42" x 42"	INLY4242	69 lbs
48" x 48"	INLY4848	90 lbs
24" Round	INLY24R	18 lbs
30" Round	<b>INLY30R</b>	28 lbs
36" Round	INLY36R	40 lbs
42" Round	INLY42R	54 lbs
48" Round	INLY48R	71 lbs
60" Round	INLY60R	110 lbs

Formica 9309-58 Star Dune laminate\*-American Walnut edge stain \**Tier Haminate* 

Pinnade C II SF Black laminate\* Autumn Haze edge stain

\* Tier 1 laminate

Formica 9527-58 Black Shalestone laminate\*-Black edge stain \* Tier 1 Jaminate

Formica 6223-58 Venetian Gold Granite laminate\*-Graystone edge stain \* *Tier 1 laminate* 

Formica 8958-58 Bubble Art laminate\*

Rich Earth edge stain

Tier 1 laminate

Pinnade C 30 SF Royal Blue laminate<sup>\*</sup>-American Walnut edge stain \* <u>Tier 1 laminate</u>

 Formica 3692-58

 Labrador Granite laminate\* 

 Clear Coat edge finish

 \*Tier I laminate

 Bullnose

 Waterfall

#### Solid Wood Plank



ADDITIONAL INFORMATION




#### Solid Wood Plank

Table Size	1-1/4" Oak Part #	1-1/4" Ash Part #	1-1/4" Maple Part #	1-1/4″ Weight	1-3/4" Oak Part #	1-3/4" Ash Part #	1-3/4" Maple Part #	1-3/4″ Weight
24" x 24"	PE02424	PEA2424	PEM2424	28 lbs	PP02424	PPA2424	PPM2424	28 lbs
24" x 30"	PE02430	PEA2430	PEM2430	34 lbs	PP02430	PPA2430	PPM2430	35 lbs
24" x36"	PE02436	PEA2436	PEM2436	41 lbs	PP02436	PPA2436	PPM2436	42 lbs
24" x42"	PE02442	PEA2442	PEM2442	48 lbs	PP02442	PPA2442	PPM2442	49 lbs
24" x 48"	PE02448	PEA2448	PEM2448	55 lbs	PP02448	PPA2448	PPM2448	56 lbs
24" x 60"	PE02460	PEA2460	PEM2460	68 lbs	PP02460	PPA2460	PPM2460	70 lbs
24" x 72"	PE02472	PEA2472	PEM2472	82 lbs	PP02472	PPA2472	PPM2472	84 lbs
24" x 84"	PE02484	PEA2484	PEM2484	95 lbs	PP02484	PPA2484	PPM2484	98 lbs
24" x 96"	PE02496	PEA2496	PEM2496	109 lbs	PP02496	PPA2496	PPM2496	112 lbs
30" x 30"	PE03030	PEA3030	PEM3030	43 lbs	PP03030	PPA3030	PPM3030	44 lbs
30" x 36"	PE03036	PEA3036	PEM3036	51 lbs	PP03036	PPA3036	PPM3036	53 lbs
30" x 42"	PE03042	PEA3042	PEM3042	60 lbs	PP03042	PPA3042	PPM3042	61 lbs
30" x 48"	PE03048	PEA3048	PEM3048	68 lbs	PP03048	PPA3048	PPM3048	70 lbs
30" x 60"	PE03060	PEA3060	PEM3060	85 lbs	PP03060	PPA3060	PPM3060	87 lbs
30" x 72"	PE03072	PEA3072	PEM3072	102 lbs	PP03072	PPA3072	PPM3072	105 lbs
30" x 84"	PE03084	PEA3084	PEM3084	119 lbs	PP03084	PPA3084	PPM3084	122 lbs
30" x 96"	PE03096	PEA3096	PEM3096	136 lbs	PP03096	PPA3096	PPM3096	139 lbs
36" x 36"					PP03636	PPA3636	PPM3636	63 lbs
36" x 42"					PP03642	PPA3642	PPM3642	73 lbs
36" x 48"					PP03648	PPA3648	PPM3648	84 lbs
36" x 60"					PP03660	PPA3660	PPM3660	105 lbs
36" x 72"		the customer's/user's			PP03672	PPA3672	PPM3672	125 lbs
36" x 84"		0% humidity level to ad			PP03684	PPA3684	PPM3684	146 lbs
36" x 96"	Mostre	staurants will need supp I	piemental numidity eq	uipment.	PP03696	PPA3696	PPM3696	167 lbs
42" x 42"					PP04242	PPA4242	PPM4242	86 lbs
48" x 48"					PP04848	PPA4848	PPM4848	112 lbs
60" x 60"					PP06060	PPA6060	PPM6060	174 lbs
18" Round	PEO18R	PEA18R	PEM18R	12 lbs	PPO18R	PPA18R	PPM18R	13 lbs
24" Round	PEO24R	PEA24R	PEM24R	22 lbs	PPO24R	PPA24R	PPM24R	22 lbs
30" Round	PEO30R	PEA30R	PEM30R	34 lbs	PPO30R	PPA30R	<b>PPM30R</b>	35 lbs
36" Round					PPO36R	PPA36R	PPM36R	50 lbs
42" Round					PPO42R	PPA42R	PPM42R	67 lbs
48" Round					PPO48R	PPA48R	PPM48R	88 lbs
54" Round					PPO54R	PPA54R	PPM54R	111 lbs
60" Round					PPO60R	PPA60R	PPM60R	137 lbs
36" x 36" Flip 51" Round					PP03636 FLIP51R	PPA3636 FLIP51R	PPM3636 FLIP51R	119 lbs
42" x 42" Flip 60" Round					PPO4242 FLIP60R	PPA4242 FLIP60R	PPM4242 FLIP60R	157 lbs



# Solid Wood Butcher Block







**ADDITIONAL INFORMATION** 

• 3" radius corners, angle cuts & custom cuts available for an upcharge per table

Pre-drilled tops for Oak Street bases available for an upcharge per table

Stain match available for an upcharge

Orders with less than 4 tops incur a small order fee

Tops over 48" subject to a crate fee per pallet (fee/service optional on 3rd party shipments)

> Maple is light in color with a reddish tint. Its fine, even grain gives a consistent appearance and allows for a smooth finish.





# Table Tops - Made to Order

|--|

Table Size	1-1/2" Oak Part #	1-1/2" Ash Part #	1-1/2" Maple Part #	1-1/2″ Weight	1-3/4" Oak Part #	1-3/4" Ash Part #	1-3/4″ Maple Part #	1-3/4" Weight
24" x 24"	BE02424	BEA2424	BEM2424	28 lbs	BP02424	BPA2424	BPM2424	28 lbs
24" x 30"	BE02430	BEA2430	BEM2430	34 lbs	BP02430	BPA2430	BPM2430	35 lbs
24" x36"	BE02436	BEA2436	BEM2436	41 lbs	BP02436	BPA2436	BPM2436	42 lbs
24" x42"	BE02442	BEA2442	BEM2442	48 lbs	BP02442	BPA2442	BPM2442	49 lbs
24" x 48"	BE02448	BEA2448	BEM2448	55 lbs	BP02448	BPA2448	BPM2448	56 lbs
24" x 60"	BE02460	BEA2460	BEM2460	68 lbs	BP02460	BPA2460	BPM2460	70 lbs
24" x 72"	BE02472	BEA2472	BEM2472	82 lbs	BP02472	BPA2472	BPM2472	84 lbs
24" x 84"	BE02484	BEA2484	BEM2484	96 lbs	BP02484	BPA2484	BPM2484	98 lbs
24" x 96"	BE02496	BEA2496	BEM2496	109 lbs	BP02496	BPA2496	BPM2496	112 lbs
30" x 30"	BE03030	BEA3030	BEM3030	43 lbs	BP03030	BPA3030	BPM3030	44 lbs
30" x 36"	BE03036	BEA3036	BEM3036	51 lbs	BP03036	BPA3036	BPM3036	53 lbs
30" x 42"	BE03042	BEA3042	BEM3042	60 lbs	BP03042	BPA3042	BPM3042	61 lbs
30" x 48"	BE03048	BEA3048	BEM3048	68 lbs	BP03048	BPA3048	BPM3048	70 lbs
30" x 60"	BE03060	BEA3060	BEM3060	85 lbs	BP03060	BPA3060	BPM3060	87 lbs
30" x 72"	BE03072	BEA3072	BEM3072	102 lbs	BP03072	BPA3072	BPM3072	105 lbs
30" x 84"	BE03084	BEA3084	BEM3084	119 lbs	BP03084	BPA3084	BPM3084	122 lbs
30" x 96"	BE03096	BEA3096	BEM3096	136 lbs	BP03096	BPA3096	BPM3096	139 lbs
36" x 36"	BE03636	BEA3636	BEM3636	62 lbs	BP03636	BPA3636	BPM3636	63 lbs
36" x 42"	BE03642	BEA3642	BEM3642	72 lbs	BP03642	BPA3642	BPM3642	73 lbs
36" x 48"	BE03648	BEA3648	BEM3648	82 lbs	BP03648	BPA3648	BPM3648	84 lbs
36" x 60"	BE03660	BEA3660	BEM3660	102 lbs	BP03660	BPA3660	BPM3660	105 lbs
36" x 72"	BE03672	BEA3672	BEM3672	123 lbs	BP03672	BPA3672	BPM3672	125 lbs
36" x 84"	BE03684	BEA3684	BEM3684	143 lbs	BP03684	BPA3684	BPM3684	146 lbs
36" x 96"	BE03696	BEA3696	BEM3696	164 lbs	BP03696	BPA3696	BPM3696	167 lbs
42" x 42"	BE04242	BEA4242	BEM4242	84 lbs	BP04242	BPA4242	BPM4242	86 lbs
48" x 48"	BEO4848	BEA4848	BEM4848	109 lbs	BP04848	BPA4848	BPM4848	112 lbs
60" x 60"	BE06060	BEA6060	BEM6060	170 lbs	BP06060	BPA6060	BPM6060	174 lbs
18" Round	BEO18R	BEA18R	BEM18R	13 lbs	BPO18R	BPA18R	BPM18R	13 lbs
24" Round	BEO24R	BEA24R	BEM24R	22 lbs	BPO24R	BPA24R	BPM24R	22 lbs
30" Round	BE030R	BEA30R	BEMBOR	34 lbs	BP030R	BPA30R	BPMBOR	35 lbs
36" Round	BEO36R	BEA36R	BEM36R	49 lbs	BP036R	BPA36R	BPM36R	50 lbs
42" Round	BEO42R	BEA42R	BEM42R	66 lbs	BPO42R	BPA42R	BPM42R	67 lbs
48" Round	BEO48R	BEA48R	BEM48R	86 lbs	BPO48R	BPA48R	BPM48R	88 lbs
54" Round	BEO54R	BEA54R	BEM54R	109 lbs	BP054R	BPA54R	BPM54R	111 lbs
60" Round	BEO60R	BEA60R	BEM60R	134 lbs	BPO60R	BPA60R	BPM60R	137 lbs
36″ x 36″ Flip 51″ Round	BEO3636 FLIP51R	BEA3636 FLIP51R	BEM3636 FLIP51R	119 lbs	BPO3636 FLIP51R	BPA3636 FLIP51R	BPM3636 FLIP51R	119 lbs
42" x 42" Flip 60" Round	BEO4242 FLIP60R	BEA4242 FLIP60R	BEM4242 FLIP60R	157 lbs	BPO4242 FLIP60R	BPA4242 FLIP60R	BPM4242 FLIP60R	157 lbs







#### Button Top - Slimline Metal Frame Swivel Barstool \* MADE TO ORDER \*



- Double rung chrome frame
- Non-marring glides included (GL2129)
- Stackable: No



- Premium black powder coat wrinkle finish (including footring)
- 1.2mm steel frame; 1-1/4" tubing; 100% welded frame & footring Non-marring glides included (GL2160-WHITE)
- Stackable: No



- Premium black powder coat wrinkle finish (including footring & seat ring)
- 1.2mm steel frame; 1-1/4" tubing; 100% welded frame & footring
- Non-marring glides included (GL2160-WHITE)
- Stackable: No



- Premium clear coat finish (including footring)
- 1.2mm steel frame; 1-1/4" tubing; 100% welded frame & footring
- Non-marring glides included (GL2160-CLEAR)
- Stackable: No



Slimline	Black	Wine	Red	Navy	Hunter Green	Grav	Chestnut	Espresso	Elk Black	Sierra Brown	Oxen Brown	Charcoal	Gunmetal	Taupe	Blue Ridge	Аррго
Button Top	Vinyl	Vinyl	Vinyl	Vinyl	Vinyl	Vinyl	Vinyl	Vinyl	Vinyl	Vinyl	Vinyl	Vinyl	Vinyl	Vinyl	Vinyl	Weigh
Black Powder Coat Swivel Frame	SL1117-B-	SL1117-B-	SL1117-B-	SL1117-B-	SL1117-	SL1117-B-	SL1117-B-	SL1117-B-	SL1117-	SL1117-	SL1117-B-	SL1117-	SL1117-B-	SL1117-B-	SL1117-B-	20 lbs
w/ Black Seat Ring	BLK	WINE	RED	NAVY	B-HG	GRAY	CST	ESP	B-EB	B-SB	OB	B-CC	GM	TPE	BR	
Black Powder Coat Swivel Frame	SL1117-	SL1117-	SL1117-	SL1117-	SL1117-	SL1117-	SL1117-	SL1117-	SL1117-	SL1117-	SL1117-	SL1117-	SL1117-	SL1117-	SL1117-	20 lbs
w/ Chrome Seat Ring	BLK	WINE	RED	NAVY	HG	GRAY	CST	ESP	EB	SB	OB	CC	GM	TPE	BR	
Clear Coat Swivel Frame	SL1117-	SL1117-	SL1117-	SL1117-	SL1117-	SL1117-	SL1117-	SL1117-	SL1117-	SL1117-	SL1117-	SL1117-	SL1117-	SL1117-	SL1117-	20 lbs
w/ Chrome Seat Ring	CCS-BLK	CCS-WINE	CCS-RED	CCS-NAVY	CCS-HG	CCS-GRAY	CCS-CST	CCS-ESP	CCS-EB	CCS-SB	CCS-0B	CCS-CC	CCS-GM	CCS-TPE	CCS-BR	
Double Rung Chrome Swivel Frame	SL1131-	SL1131-	SL1131-	SL1131-	SL1131-	SL1131-	SL1131-	SL1131-	SL1131-	SL1131-	SL1131-	SL1131-	SL1131-	SL1131-	SL1131-	20 lb:
w/ Chrome Seat Ring	BLK	WINE	RED	NAVY	HG	GRAY	CST	ESP	EB	SB	OB	CC	GM	TPE	BR	
Black Powder Coat Counter Height	SLO117-B-	SL0117-B-	SL0117-	SLO117-B-	SL0117-	SL0117-B-	SLO117-	SLO117-B-	SL0117-	SLO117-	SL0117-	SL0117-	SLO117-B-	SLO117-B-	SLO117-	19 lbs
Swivel Frame w/ Black Seat Ring	BLK	WINE	B-RED	NAVY	B-HG	GRAY	B-CST	ESP	B-EB	B-SB	B-0B	B-CC	GM	TPE	B-BR	
Black Powder Coat Counter Height	SLO117-	SLO117-	SLO117-	SLO117-	SL0117-	SLO117-	SL0117-	SLO117-	SLO117-	SLO117-	SL0117-	SL0117-	SLO117-	SLO117-	SLO117-	19 lbs
Swivel Frame w/ Chrome Seat Ring	BLK	WINE	RED	NAVY	HG	GRAY	CST	ESP	EB	SB	0B	CC	GM	TPE	BR	
Clear Coat Counter Height	SLO117-	SL0117-	SL0117-	SL0117-	SLO117-	SLO117-	SL0117-	SLO117-	SL0117-	SL0117-	SL0117-	SL0117-	SL0117-	SLO117-	SLO117-	19 lbs
Swivel Frame w/ Chrome Seat Ring	CCS-BLK	CCS-WINE	CCS-RED	CCS-NAVY	CCS-HG	CCS-GRAY	CCS-CST	CCS-ESP	CCS-EB	CCS-SB	CCS-0B	CCS-CC	CCS-GM	CCS-TPE	CCS-BR	



#### Button Top Bolt Down Pedestal Barstool



- Pedestals have a black powder coat finish & feature a 2.5mm steel column with
- a 4.5mm mounting plate
- All welded joints nothing to fail
  Heavy-duty flat swivel attached to frame
- All button top seat options feature quality fabric-backed, commercial-grade vinyl
- Button tops ship unattached simple seat attachment required
- SL6117 Slimline Button Top Pedestals (Bar Height)



All spec sheets are available in AutoQuotes or online at www.oakstreetmfg.com

For COUNTER HEIGHT

Slimline bolt down pedestals,

use SL7117 for the part number - same pricing

Custom vinyl or upholstered seat options available.

Slimline bolt down pedestals, use SL5117 for the part number - same pricing

	visit intip:// bit.iy/ villyr-upiloistery-tablic for available options:
1	


Button Top Bolt Down Pedestals	Black Vinyl	Wine Vinyl	Red Vinyl	Navy Vinyl	Hunter Green Vinyl	Gray Vinyl	Chestnut Vinyl	Espresso Vinyl	Elk Black Vinyl	Sierra Brown Vinyl	Oxen Brown Vinyl	Charcoal Vinyl	Gunmetal Vinyl	Taupe Vinyl	Blue Ridge Vinyl	Approx. Weight
Slimline w/	SL6117-	SL6117-	SL6117-	SL6117-	SL6117-	SL6117-	SL6117-	SL6117-	SL6117-	SL6117-	SL6117-	SL6117-	SL6117-	SL6117-	SL6117-	28 lbs
chrome ring	BLK	WINE	RED	NAVY	HG	GRAY	CST	ESP	EB	SB	OB	CC	GM	TPE	BR	
Slimline w/	SL6117-B-	SL6117-B-	SL6117-B-	SL6117-B-	SL6117-B-	SL6117-B-	SL6117-B-	SL6117-B-	SL6117-B-	SL6117-B-	SL6117-B-	SL6117-B-	SL6117-B-	SL6117-B-	SL6117-B-	28 lbs
black ring	BLK	WINE	RED	NAVY	HG	GRAY	CST	ESP	EB	SB	OB	CC	GM	TPE	BR	




Button Top Bolt Down Pedestal Barstool




#### **Recommended Booth Layouts**



End booth spacing is wider to keep symmetrical dimensions between inner booths End booth spacing is wider to keep symmetrical dimensions between inner booths




End booth spacing is wider to keep symmetrical dimensions between inner booths End booth spacing is wider to keep symmetrical dimensions between inner booths



If seeking an ADA compliant accessible booth, a table top with a minimum width of 36" would acommodate the required clear floor area of 30" x 48".



- Emergency exit accessibility
- · ADA compliance for wheelchair accessibility



Oak Street Manufacturing's recommended booth layouts are guidelines for traditional spacing in most applications (spacing & setup can vary depending on the size desired & the space available - use as a general principle).

#### Booths & Benches Made to Order The Oak Street Advantage

#### Vinyl/Upholstered Booths



All Oak Street vinyl booth seats are reversible & removable - prolonging the life of seat & making it easier to clean.



Oak Street vinyl booth frames are more durable than competitors. 48+ screws & bolts are used in assembly.



All Oak Street vinyl booths feature independent seat backs that are bolted, not glued or stapled to base adding strength & durability.



All Oak Street booth seats & backs feature fully sculpted, springless foam. No springs to break, sag or squeak.



All Oak Street vinyl booths feature metal edge brackets are used in base corners adding strength & durability.



All Oak Street vinyl booth ends are finished for endless room reconfiguration possibilities.



All Oak Street booth seats & backs feature slip sheets over seat foam allow vinyl or upholstery to recover after use - reducing wear.



All Oak Street vinyl booths feature a superior one-step black vinyl toekick glued with forEVA glue process & edged with poly protective corners or ultra durable steel toekick.

- Finished ends & backs standard on booths up to & including 72" lengths.
- Independent base disperses stress on seat back.
- Consistent seat back framing from single to double booths without a concave wood back & thin layer of foam. Our backs are straight with extra thick foam contoured to the specific shape needed for extra cushion.
- · Booths ship with nylon glides.

For custom vinyl, upholstery or fabric, visit: bit.ly/vinyl-upholstery-fabric

#### In-House Booth Vinyls



Vinyl / Upholstered Booths

# **Upgrades: Steel Booth Bases**





#### Upgrade your traditional booth base to a steel booth base!

- More durable eliminate scuffs & tears from customers getting in and out; also fewer warranty or freight issues
- Easy to maintain can be touched up (if necessary) with a simple can of spray paint
- Same plywood seat base design to accommodate our simple removable & reversible seat
- Available for single & double booths
- Available in 1-tier (shown upper left) and 2-tier (shown upper right)
- Robust 18 gauge steel construction
- Standard color: black, but custom colors\* are available

\* - Custom colors & other non-standard modifications subject to an upcharge - contact your Oak Street Account Manager for specifics


# pgrades: Steel Booth Bases 31

#### Upgrades: Freight Saver Booths Save \$\$\$ In Under 3 Minutes & 5 Steps!



#### BOOTHS SHIP KNOCKDOWN TO SAVE HUGE ON FREIGHT. ASSEMBLY IS QUICK & EASY!

- Oak Street's freight saver design booths have 8 threaded inserts in seat back for superior strength.
- Bolts are then used to securely anchor seat backs to toekicks



#### Upgrades: Freight Saver Booths Save \$\$\$ In Under 3 Minutes & 5 Steps!

#### Set seat back and toekick on their side. Toekick sits on included 3/4" piece of plywood to ensure proper spacing.

 Using drill driver & 1/2" bit socket, tighten 8 bolts (included) through toekick into threaded inserts in seat back.

- Set booth down and attach seat.
- Assembly is complete!

Booths & Benches Made to Order
























# Tiered Vinyls / Upholstery


More options available online




## Ambrose Top stitched seams with updated pillow back








(877) 465-4344







Browse the thousands of options & order complimentary samples by visiting: bit.ly/vinyl-upholstery-fabric























54

(877) 465-4344







Gilman - Goldfield - Gladbrook



58




# Union Station Unitized steel frame with vinyl seat & back



Tier l outdoor vinyls: bit.ly/outdoor-tierl

Tier 2 outdoor vinyls: bit.ly/outdoor-tier2

Sunbrella upholstery: bit.ly/os-sunbrella





(877) 465-4344




# Dimensions Vinyl/Upholstered Booths

11.5







• Waterloo

• Hamilton





Ankeny

Davenport


Grove


Morley








• Palo












16.75 16.75 Crumb Crumb rail 45.25 Pacific


Union Station


12





# Dimensions Vinyl/Upholstered Booths














Aristocrat



No springs to break, sag or squeak. Our seats have fully sculpted, springless foam.




Slip sheets over seat foam allow vinyl or upholstery to recover after use reducing wear.



Seats are reversible & removable prolonging the life of seat & making it easier to clean.



Our frame is more durable than competitors. 48+ screws & bolts are used in assembly.





Independent seat backs are bolted, not glued or stapled to base - adding strength & durability.\*



Superior one-step black vinyl toekick glued with forEVA glue process & edged with poly protective corners.\*

100


Both booth ends are

finished for endless

room reconfiguration possibilities.


Metal edge brackets are used in base corners adding strength & durability.

# Dimensions Benches





(877) 465-4344



65

# Waste Receptacles





### C8530 - Waste Receptacle







White Ash



Planked Urban Oak







**Elemental Concrete** 

Planked Deluxe Pear

- · Custom casework is available in any of our 9 in-house laminate options with matching 3mm edging or custom laminate options (upcharge)
  - C8530 dimensions: 21-5/8" W x 22-1/8" D x 44-1/8" H; 36-5/8" H to emptying area. Tray shelf dimensions: 19-5/8" W x 10" D
  - C8540 dimensions: 22" W x 22" D x 44" H with 3" backsplash
  - C8560 dimensions: 42" W x 22" D x 44" H with 3" backsplash
    - · Also includes 2 adjustable shelves in second bay
- Units feature sturdy metal base
- Units ship assembled
- Subject to manufacturer lead times
- Requires DPI MD 6009 trash liner (sold separately - shown right)

DPI MD 6009 -Black Trash Liner

- 25 gallon capacity
- Dimensions: 18" W x 18" D x 26" H
- · Approx. weight: 14 lbs

### C8560 - Waste Receptacle



### (877) 465-4344

Waste Receptacles



Prestige Walnut









When ordering, specify:

- Desired dimensions (Height, Depth & Width)
- Table top laminate & edge color
- · Side paneling laminate & edge color
- Yes or no to optional magnetic toe kick
- If doors are to be added if so, amount of doors needed
- Finished or unfinished side/back panels need finished with laminate, ie.:
   Front facing left side: unfinished; Front facing right side: finished

Contact us for a customized quote with any additional accessories (cold wells, hot wells, sneeze guards, pizza pans, etc.)





www.oakstreetmfg.

<image>

3/4" top with high-pressure laminate edged in 2mm PVC - In-house options include 5 solid color (black, brown, smoke gray, taupe & white) or 8 laminate-matched (Planked Deluxe Pear, Black Walnut, Elemental Concrete, Natural Maple, White Ash, Storm Teakwood, Planked Urban Oak, Prestige Walnut). Additional laminate-matching 2mm PVC may also be available - check for details (upcharge).
 3/4" side/back paneling also high-pressure laminate with 2mm PVC (details above)

Customizable sizing, doors, tops, etc. - add cold wells, hot wells, sneeze guards, pizza pans, & more! Contact us for your customized quote!
Pricing based on standard Tier 1 Pinnacle, Wilsonart & Formica laminates
Features removable side paneling that can be replaced if damaged!

· Specify if you want back panels, left/right panels finished or unfinished based on

Sturdy metal base with solid 16 gauge metal floor

Adjustable shelving

your needs

• Round brushed aluminum legs or removable magnetic toekick

### Harvest Community Table Base \* Made To Order \*

- Hot rolled 2" x 2" square 14 gauge steel
- Mig welded & polished smooth
- Clear coat finish standard -Black sandtex finish available
- 1-1/4" nylon glide with a 3/8" x 1" threaded end
- An excellent option for adding or replacing community tables - customizable for your specific sizing needs
- Now available to ship knockdown! Simple leg to frame assembly required. Save on freight! Specify choice at time of order.

Due to the nature of the product, clear coats may experience some discoloration over time.



Harvest Frame + Fortress with E\*Wood-Black stain with dye

Popular Sizes	Harvest Base Only Part #	Base Approx. Weight
30" x 60" - Standard height	CB3060STD-D	59 lbs
30" x 60" - Bar height	CB3060BAR-D	67 lbs
30" x 72" - Standard height	CB3072STD-D	63 lbs
30" x 72" - Bar height	CB3072BAR-D	72 lbs
30" x 96" - Standard height	CB3096STD-D	72 lbs
30" x 96" - Bar height	CB3096BAR-D	80 lbs
36" x 72" - Standard height	CB3672STD-D	67 lbs
36" x 72" - Bar height	CB3672BAR-D	76 lbs
36" x 96" - Standard height	CB3696STD-D	76 lbs
36" x 96" - Bar height	CB3696BAR-D	85 lbs



### FREIGHT INFORMATION

Please utilize the following freight information as a guideline for the freight process when ordering with Oak Street Manufacturing. Should any issues or concerns arise, please contact your Oak Street Manufacturing Account Manager by email or phone at (877) 465-4344.

### Delivery

If a delivery date is not scheduled for your order, you must accept the shipment when the delivery truck arrives. Failure to accept the shipment will result in additional storage, re-consignment, and/or return shipping fees that will be billed back to you.

### Liftgate Service

- If liftgate service is needed, you must specify it at time of order.
- If liftgate service is requested, you will be charged for liftgate service regardless if it's utilized or not.

### HOW TO PROPERLY ACCEPT FREIGHT SHIPMENTS

### **Rights & Responsibilities**

- · It is your right & responsibility to inspect your order at time of delivery.
- · It is your right & responsibility to note & describe damage on the BOL (Bill of Lading).
- · It is your right & responsibility to also require the driver to sign the BOL that indicates damage.
- It is your right to refuse an entire shipment if damage is discovered (if desired).
- It is your responsibility to take care of all trash items associated with your shipment, e.g. pallets, banding, shrink wrap, etc. It is not the driver's responsibility to take care of the trash items & does not have to take those items with them.
- It is your responsibility to unload your shipment from the end of the driver's truck. It is the driver's responsibility to get your shipment to the end of the truck. It is not the responsibility of the driver to take your shipment off the truck.

### Inspecting & Documenting Damage

It is important, in the event of an issue, to carefully follow the instructions below to ensure your shipping claim can be resolved:

All freight companies are required to allow you up to 15-30 minutes to inspect your delivery for damage or missing parts. This means you should make a complete inspection of your shipment to check for dents, cracks or broken parts. We highly recommend opening each box regardless of how it looks to inspect for damage that may not be obvious.

In the event your order is damaged (major or minor), it should be noted by writing the word "DAMAGED" on both the driver copy and your copy of the BOL (Bill of Lading), along with a description of the damage. Items missing from your order need to be written down as "ORDER INCOMPLETE".

It is critical that the driver also sign & initial both copies of the BOL if any damage is present. By noting damage on the driver's copy, this ensures there is written proof that damage was noted at the time of shipping. By having the driver sign your copy, this ensures you have proof that the driver signed in your presence.

Oak Street Manufacturing will assist as best we can in damage claims, but cannot be liable for any shipments that were accepted without a notation of damage on the shipping receipt. Be sure to keep a copy of the receipt, as this will be vital in processing a shipping claim. Photographs of the damage are extremely helpful as well to ensure successful processing of your claim. Any and all information regarding shipping damage should be sent immediately to your Oak Street Manufacturing Account Manager so we may assist you.

Failure to properly report damage will release Oak Street Manufacturing from all liability regarding shipping damage, so please document & inform us as soon as possible by telephone and/or email.

# Terms & Conditions

### TERMS & CONDITIONS

Orders will not be scheduled or entered into production until an account has been established or made current. Accounts past due are subject to finance charges of 1.5% per month (18% annually) or the maximum rate allowed by law. Credit terms are subject to change without notice. Customers will be liable for any costs incurred if the account is placed for collection. Returned checks are subject to a \$25 returned check charge. As an alternative to opening a credit account, the following payment terms are available:

- Credit card MasterCard, Visa, American Express or Discover
- Wire transfers
- ACH payments
- Cash in advance full payment for product & freight before shipping orders
- Proforma a 50% deposit is required to begin production with the remaining balance due prior to the shipment of the order.

Oak Street Manufacturing operates on a made-to-order basis, therefore all credit requirements must be satisfied before the order can be scheduled into production.

### NEW ACCOUNTS

To apply for an open account, complete the Oak Street Manufacturing credit application, found online at www.oakstreetmfg.com. All accounts must provide tax exempt documentation for the resale of restaurant furniture to receive dealer pricing or ship orders.

### PRICING

All prices are subject to change without notice. All prices are in US dollars.

### ESTIMATES & QUOTES

All estimates & quotes are good for 30 days from quote date unless otherwise noted.

### PURCHASE ORDERS

All purchase orders must be submitted in writing via fax, mail or email. Each purchase order must be on company letterhead and bear the buyer's name. To avoid duplication of a faxed order, do not mail a confirming copy. A verification of approval is necessary. Dealers are responsible for providing the acknowledgment, signing & returning before production begins. Please note that the estimated lead time begins after all approvals are received.

### **DEPOSITS & PREPAYMENTS**

For customers with open terms, all custom purchase orders over \$5,000 will require a 50% deposit. For prepay customers, all customer product purchase orders will require prepayment in full. Order will process on receipt of deposit or payment. Any custom orders placed on hold during the production process will result in additional lead time.

### BILLING

Invoices will be emailed to customers within 48 hours of shipment unless otherwise requested.

### MINIMUM ORDER FEES

All custom laminate table top orders in quantities less than 4 will be charged a small order fee. All solid wood table top orders in quantities less than 5 will be charged a small order fee.

### SAMPLES

Samples are available for a 50% discount + freight cost for applicable warehouse locations.

### MATCHING ORDERS

When matching a previous shipment, detailed information must be stated on the new purchase order. Please include a customer's original purchase order, Oak Street's original invoice number, sales order number & approximate ship date. Some necessary materials may no longer be available. If matching a previous order is impossible due to unavailable materials, the customer will be notified.

### PRODUCT SPECIFICATIONS

Designs & specifications are subject to change without notice. All weights are approximate. Dimension & drawings are nominal. Standard colors & finishes are subject to change without notice.

### IMAGE DISCLAIMER

Oak Street Manufacturing does our best to represent all products, including product colors, accurately, but the color calibration of computer monitors, printers, etc.. can vary considerably. The images used in this catalog and on our website, social media pages, etc. are a close representation of our actual products & their colors. Due to photographic reproduction limitations, exact color fidelity is difficult to obtain. Actual samples should always be viewed before making a final decision, especially if color accuracy or matching is key to your decision.

### ORDER CHANGES

Should circumstances require a change or cancellation of an order during production, a substantial service charge will be levied according to the order status at the time.

### CANCELLATIONS

Custom orders cannot be canceled once a purchase order is received & materials have been ordered.

### CALIFORNIA PROPOSITION 65

California's Proposition 65 entitles California consumers to special warnings for certain products that contain chemicals above certain threshold levels.

The general Proposition 65 notice is as follows: WARNING: This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

Proposition 65 notice for wood products is as follows: WARNING: Drilling, sawing, sanding or machining wood products generates wood dust, a substance known to the State of California to cause cancer. Use a respirator or other safeguards to avoid inhaling wood dust.

### STORAGE FEES

Completed orders that require a delay in shipment of 7 business days or more will be subject to a storage fee of up to 10% of the order total per week.

### SHORTAGE OF GOODS

The customer must note any shortage of cartons or products on the delivery receipt BEFORE accepting delivery from the freight company. Oak Street Manufacturing affirms all products are inspected & the number of pieces being shipped is noted on the freight Bill of Lading. If the customer does not inspect & note any shortages on the delivery receipt, Oak Street Manufacturing is not responsible for replacing shorted items until a freight claim has been issues & approved by the freight company. If the customer needs items immediately, the items will be replaced at the customer's expense. Oak Street Manufacturing will reimburse those expenses when the freight claim is approved.

### RETURNED GOODS

No merchandise can be returned without Oak Street Manufacturing's return authorization. If return authorization is granted, the authorization number must be shown on the outside of the carton. A copy of the related invoice must be included & returned within 30 days of the date of the related invoice. Return authorizations will not be issued after 30 days from the original date of invoice. Merchandise must be shipped prepaid in new & unused condition, not damaged & in the original carton or packaging. All authorized returns are subject to a 25% restocking fee. Customer deductions from the related invoice will not be honored & those amounts will be considered past due. Credit memos will be mailed or faxed & can be deducted from a future invoice. Return authorization numbers expire 30 days after being issued.

# Terms & Conditions

### BACKORDERS

Oak Street Manufacturing will notify customers of backordered items. Customers will have the option to cancel backordered items if they will delay the shipping of an in-house order. If customers choose to have items ship upon arrival, the items will be shipped at customer's expense.

### OUTDOOR USE

All products intended for indoor use only unless specifically labeled as outdoor furniture, granite tops or DuraFinish table bases. Placement of indoor furniture outdoors nullifies all warranties.

### TRACKING SHIPMENTS

To track shipments, contact your Oak Street Manufacturing Account Manager for tracking numbers, freight company telephone number & website.

### PREFERRED CARRIERS

Oak Street Manufacturing's preferred carriers are: FedEx Ground, Midwest Motor Express, YRC Freight, NM Transfer, R&L Carriers, Estes Express, Old Dominion, Panama Transfer & USF.

### FREIGHT CLAIMS

The recipient has the right to inspect all shipments before signing any bill of lading. In the event an order arrives damaged, incomplete or overstated, the customer is required to make the appropriate notations on the delivery receipt BEFORE the bill of lading is signed. Please note all boxes leave Oak Street damaged-free. Products in boxes with damage are re-boxed. Report any product or quantity discrepancies to the carrier and to Oak Street Manufacturing immediately and note issue of bill of lading to allow for inspection and prompt issue resolution. When freight claim issues arise with a customer's designated carriers, the customer is responsible for filling freight claims. In the case of concealed damages, the customer is responsible for contacting either the carrier upon discovery of the damage or shortage of goods. Oak Street Manufacturing will not be held responsible for any concealed damage claims.

### FREIGHT

Due to a large volume of outbound freight, Oak Street Manufacturing has been able to negotiate outstanding freight programs with our primary LTL AND FULL TRUCK LOAD freight carriers. Freight will be prepaid and added unless the dealer specifies differently. The customer is responsible for providing detailed and correct destination shipping information. Additional charges due to incorrect or insufficient shipping information will be billed to the customer. Third party billing and drop shipping is available upon request. Please have personnel on hand to receive shipments. Drivers are not obligated to assist in the unloading of product. It is the driver's responsible to get the freight to the rear of the trailer only. Inside or life gate delivery is not included but available upon request FOR AN ADDITIONAL CHARGE. To ensure the best freight rates and shipping safety, some items ship with simple assembly required. Oak Street Manufacturing will schedule pick-ups according to the manufacturing schedule and customer delivery needs, but is not responsible for freight estimated transit times. Guaranteed delivery dates are available for a charge. Freight quotes are estimates only based on fuel surcharges and discounts on the date of the estimate. Oak Street Manufacturing will determine the best freight call to ship all products. Will call pick-ups may be made at ANY Oak Street Manufacturing FACILITY - Please clearly note WILL CALL on the purchase order. The customer will be notified once the shipment is available.

### SCHEDULED DELIVERY

Ship date estimates are shown on all sales order acknowledgments. Our best efforts are made to schedule each order based on the customer's requirements. Shipment of an order may be delayed if credit terms have not been satisfied or the account is not current. The scheduled ship date is subject to change due to weather, strikes, accidents, material availability and other factors beyond Oak Street Manufacturing's control. Guaranteed delivery dates available for additional freight charge.

### PRINTED MATERIAL

Oak Street Manufacturing is not responsible for typographical or printing errors in our catalog. All such errors are subject to correction. Due to the catalog printing process, colors shown may not be exact.

### **COLLECTION COSTS**

By placing a purchase order with Oak Street Manufacturing, all customers agree to become responsible for any collection costs associated with invoices that go past payment terms.

### WARRANTY

All Oak Street Manufacturing products are warrantied for indoor use with the exception of outdoor furniture and granite table tops when paired with Oak Street outdoor bases. Oak Street Manufacturing warrants all of its products and their components shall be free of defects in material and workmanship for 12 months from the date of purchase with the exception of swivels and vinyls (see below). If any of these products is found to be defective in material or workmanship during the first 12 months after original purchase date and if the product or component has been properly installed and maintained by purchaser, Oak Street Manufacturing will, at its option, replace or repair the product or component only without charge. Any off-site warranty repair must be pre-approved by Oak Street BEFORE repair work begins in order to receive reimbursement. This warranty policy does not include installation or freight of the warranty items. This warranty does not apply to modified products or to those damaged by accident, abuse, neglect or misuse. When customers supplied its own vinyl or fabrics, or chooses unfinished products, there is no Oak Street Manufacturing warranty. The extent of Oak Street Manufacturing's liability is limited to the purchase price of the product sold. In no event will Oak Street Manufacturing be liable for injury, loss or damage, whether direct, consequential or incidental, to persons or property arising out of the purchaser's care or neglect. This warranty does not cover any items which have been in storage, freight damaged, improperly cared for or abused, neglected or misused.

### SWIVEL WARRANTY

Oak Street Manufacturing warrants import swivels for 90 days from the date of purchase. Domestic swivels are warranted for one year from date of purchase. If swivels are found to be defective in material or workmanship during their warranted period after original purchase date and if the product or component has been properly installed and maintained by purchaser, Oak Street Manufacturing will, at its option, replace the swivel only without charge. This warranty policy does not include installation or freight of warranty items. This warranty does not apply to modified products or to those damaged by accident, abuse, neglect or misuse.

### VINYL & UPHOLSTERY WARRANTY

Oak Street Manufacturing's warranty covers only manufacturer's flaws in vinyl and upholstery. Oak Street Manufacturing's warranty does not cover damage or decreased performance caused by punctures, tears, excessive wear or color loss of any kind. Oak Street Manufacturing disclaims all liability for damage due to fabrication, installation or other labor related costs. When a customer supplies its own vinyl or upholstery, there is no warranty by Oak Street Manufacturing.

### SOLID WOOD, E\*WOOD & PROWOOD TABLE TOP WARRANTY


Finished products are warranted only to the original customer and only against defects in workmanship for a period of one year from the date of invoice. Oak Street Manufacturing's liability and the customer's sole remedy for any breach of such warranty, breach of contract or negligence regarding a product is limited to the purchase price of the product. We are not responsible for any incidental or consequential damages incurred as a result of defective product such as re-installation costs or breach of contract, nor are we responsible for special or punitive damaged. This warranty does not apply to any unfinished products, mineral oil products, or customer's own materials used in manufacturing product. We provide no warranty for such products. Placement of glass sheets or vinyl coverings over the tabletop surface will also void the warranty. Except where noted, our products are not intended for outdoor use and no warranty is made with respect to goods used outdoors which are not intended for use outdoors. Even where our products are designed for outdoor use, our warranty is limited solely to defects in workmanship for a period of one year from the date of invoice. We do not warrant or represent that the products satisfy and fire code, other fire standard, or any other standard. This warranty does not cover any items which has been in storage, freight damaged, improperly cared for or abused, neglected or misused, nor does it cover any item repaired by someone other than one of our employees unless previously authorized by us in writing. We have the option of repairing or replacing any defective item. All claims under the above warranty must be made not later than the earlier of (A) a reasonable period after discovery of any condition that may lead to a claim (not to exceed 30 days) or (B) the date which is one year from the date of our invoice and for the product. It is the customer/user's responsibility to maintain a 30% humidity level to accommodate Solid Wood, E\*Wood and ProWood tops.

Oak Street Manufacturing's written warranties above are in lieu of all other expressed or implied warranties and we expressly disclaim any and all implied warranties of merchantability or fitness for a particular purpose. There are no warranties which extend beyond the description of the product list.

# **Recommended Chair & Table Setup**

		Lateral Seating:
Operation Type	Space Per Seat (Sq. Ft.)	Allow between 24" - 30" between guests.
School Lunchroom / Cafeteria	9 - 12	NOTE: Armchairs & oversized chairs may require additional space between guests.
Banquet Room	10 - 11	<b>→</b> 30″ <b>→</b> 30″ <b>→</b>
Table Service - Minimum	11-14	
Business or College Cafeteria Table Service - Maximum (Hotels, Clubs, etc.)	12 - 15 15 - 18	
Commercial Cafeteria	16 - 18	
Counter Service Restaurant	18 - 20	
Allow 18″ for guest		FYI: Always inquire about local code requirements for how much square footage is needed per customer, as well as aisle width. Square Tables (Chairs Back to Back): Allow 42" between tables.
from edge of table to chair back.		This provides approximately 6" for guests to push out.
		FYI: Preferred aisle dimension between rows is 42".
Alle	ow 62″ between	6″ for service aisle.
FYI: The Americans with Disabilities Act (ADA) requires at least 36" wide aisles.	— 26" — — 62" —	FYI: 2-person tables are perfect for couples & prevent vacant seats at a 4-person table. Plus they are easily movable to add to another table for larger parties.
	Squar	e Tables (Diagonal Setup):
		een table corners for customer access.
Allow 30"	between table co	orners for customer access & narrow service aisle.
	24"	FYI: Diagonal setup saves floor space.
		(877) 465-4344

# Seating Capacity Per Table Size



# ADA Rules & Guidelines




The Americans with Disabilities Act is a Federal civil rights law that prohibits the exclusion of people with disabilities from everyday activities, such as enjoying a meal at a restaurant.

### **Establishment Requirements**

- 5% of all tables (dining, banquet and bar),or at least 1 (if less than 20 tables), must be wheelchair accessible. *NOTE: If you have a bar or outdoor area in your restaurant, it must be counted separately, in the same way.*
- If it is not readily achievable to provide the minimal number of accessible tables in all areas where fixed tables are provided, then services must be provided in another accessible location. NOTE: Alternative locations must be available for all customers and not just people with disabilities. It is illegal to segregate people with disabilities in one area by designating it as an accessible area to be used only by people with disabilities.

ADA complaint tables must meet the following criteria:

- A surface hight of no less than 28" and no more than 34" above the floor.
- A minimum knee clearance of 27" (preferred knee clearance is 29" to accommodate larger electric wheelchairs) between the floor and the underside of the table.
- A clear floor area of 30" x 48" is provided at each accessible seating location.
- · Knee clearance extends at least 19" under the table.



Oak Street Manufacturing has a variety of high-quality table base options to ensure your ADA compliance. Bolt down table bases, cantilever wall mount table bases and T-bases are the best options. These table bases offer a small footprint and allow you to meet ADA compliance without using excessively large table tops.

48"

Bolt down table bases work well when you don't want to have a table against a wall and want the flexibility to switch between using chairs or making space for wheelchair accessibility.

Bolt down table bases have a small plate welded to the bottom of the tube, which is anchored to the floor and covered with a small dust cover. Bolt down bases have a footprint of approximately 8" - 11" in diameter.

NOTE: Bolt down bases shouldn't be spaced more than 36" apart.





Cantilever wall mount table bases are a great option because they use little to no floor space (depending on the size).

Our **21**" Cantilever wall mount table base (Part No.: CANTILEVER-21) accommodates table sizes up to 30".


Our **27.5**" Cantilever wall mount table base\* (Part No.: CANTILEVER-27.5) accommodates table sizes 30" to 48" without the use of a pin leg or 48"+, but requires installing a pin leg (SSB-PIN).

\* - Requires special wall construction.

T-Bases use little space and are simple to install. Our T-Bases are constructed of stamped steel for unparalleled strength and stability.

*IMPORTANT: Ensure your table size can accommodate a minimum floor space of 30" between the two T-Bases to maintain ADA compliance.* 

ADA compliant 5" x 22" T-Bases available with 3" ADA standard height tube (Part No.: B522-ADA).



ADA Rules & Guidelines

# Laminate Care Instructions

### CLEANING TIPS

- Please see notes of caution below before attempting cleaning
- 1. To clean the laminate table top surface, use a damp cloth or sponge & a mild soap or detergent. Rinse thoroughly with warm water & wipe dry
- 2. Difficult stains, such as coffee or tea can be removed using a mild household cleaner/detergent & a soft bristled brush, repeating as necessary.
- 3. If a stain persists, use a paste of baking soda & water apply with a soft bristled brush. Light scrubbing for 10 to 20 strokes should remove most stains. Although baking soda is a low abrasive, excessive scrubbing or exerting too much force could damage the decorative surface, especially if it has a gloss finish.
- 4. Stubborn stains that resist any of the above cleaning methods may require the use of undiluted household bleach or nail polish remover. Apply the bleach or nail polish remover to the stain & let stand no longer than 2 minutes. Rinse thoroughly with warm water & wipe dry. This step may be repeated if the stain appears to be going away & the color of the laminate has not been affected. WARNING: Prolonged exposure of the laminate surface to bleach will cause discoloration.
- 5. Hot pans & heat-producing appliances (such as electric skillets), when set directly upon countertops, can mar the product's beauty. Always use a heat shield, hot pad or trivet.

### RECOMMENDED CLEANERS

### DAMAGING CLEANERS

- Windex<sup>®</sup> Cleaners that can cause damage to the laminate surface include, but are not limited to: Glass Plus® Hydrochloric Acid . Oleic Acid Rust Remover Caustic Lye Fantastik® Oil of Vitriol Muriatic Acid Phosphoric Acid Soda I ve Mr. Clean® Hydrogen Chloride Sodium Hydroxide Pumice (abrasive) Oleum Formula 409<sup>®</sup> Hydrofluoric Acid Sulfuric Acid Caustic Soda
- Isopropyl Alcohol (Isopropanol)

- NOTES OF CAUTION
- ). Prolonged exposure of the laminate surface to acetone or bleach will cause discoloration. Always rinse laminate surface after cleaning. Failure to rinse after cleaning can cause damage, even if only a small amount of cleaning solution remains on the surface. A dry residue may be invisible, however moisture from cups or drinks can reactivate it and result in permanently etched scars or stains over time.
- 2. Acidic or abrasive cleaners can damage laminate surfaces do not use them.
- 3. Drain cleaners containing lye will permanently damage the laminate surface. If you spill drain cleaner, wipe it up immediately and rinse several times with water.
- 4. Hair, textile and food dyes can cause permanent stains. If dye is spilled, wipe up immediately with dish washing detergent or an all-purpose cleaner.
- 5. Never place pots or dishes directly from the oven or burner on an unprotected laminate surface; such extreme heat can cause cracking or blistering.
- 6. Do not work with oven cleaners on an unprotected laminate top. Wipe spills away promptly and rinse several times with water.
- 7. Rust removers contain harsh chemicals which will quickly cause permanent damage. If a spill occurs, wipe off all residue immediately, wash thoroughly with soapy water and rinse several times.
- 8. Steel wool and other abrasive pads will damage the laminate surface. Do not use them for cleaning and do not store steel wool pads on your laminate; the metal can rust and leave stains
- 9. Toilet bowl cleaners contain harsh chemicals that can cause permanent damage. If spills occur, wipe up immediately, wash the surface with soapy water and rinse several times.
- Remember, sharp objects can damage the surface of any laminate: marring its beauty and lowering wear and stain resistance. Although high-pressure laminates are somewhat 10. resistant to scratching, the surface can be damaged even under normal use. Laminate may need occasional dusting depending on where it is used. To keep the surface beautiful, use an oil free furniture spray. Remember to clean the spray off several times a year to prevent build up. Furniture polish may also help hide fine scratching in the surface.

# Vinyl/Upholstery Care Instructions

### MAINTENANCE / GENERAL RECOMMENDATIONS

Clean and maintain your furniture regularly. Cleaning frequency depends on use. We recommend using a professional furniture cleaning service.

Always test cleaning solutions and methods in an inconspicuous area of the furniture before proceeding. Treat spills and stains promptly. The longer the stain remains, the more difficult it will be to remove. Clean spots or stains from the edge of the stain working toward the center.

For regular cleaning and maintenance, remove excess soil with a damp, non-abrasive cloth. Use a solution of mild liquid soap and water. Rinse with clean water and dry.

### STAIN TREATMENT / DISINFECTION

For more difficult stains or to disinfect, use a mixture of no more than 10% bleach and 90% water. Always rinse with clean water and dry. Never use full strength bleach to clean this material or any other coated fabric.

If stain persists, allow the diluted bleach solution to puddle on the affected area or apply with a clean, soaked cloth for approximately 30 minutes. Rinse with water-dampened cloth to remove any remaining bleach residue.

We do not recommend the use of hard surface cleaners; however, the following cleaners / disinfectants have been tested for use on this material, diluted per manufacturer's instructions CaviWipes<sup>™</sup>, Virex<sup>®</sup> II 256, Virox<sup>®</sup> 5.

If these cleaners / disinfectants are used, the material must be rinsed with clean water and dried with a clean cloth following application. Failure to rinse thoroughly with clean water and to pat dry may lead to cleaner buildup and cause surface deterioration (cracking, blisters, peeling, discoloration, etc.).

Do not use cleaners marked "for hard non-porous surfaces only" unless indicated above. Such use may cause surface deterioration (cracking, blisters, peeling, discoloration, etc.).

# ninate - Vinvl/Upholstery Care Instructions 75



# MADE TO ORDER PRODUCT GUIDE

OAKSTREETMFG.COM (877) 465-4344 @OAKSTREETMFG AQ f @ in D

