
SLABS Dx181


9 0 0 MM



680E 75 degree of whiteness Super White | Polished




70QE 70 degree of whiteness Super White | Polished



64WE Lace | Polished Glazed



Application: 64WE


















605E Carrara | Diamond Glazed Polished




Application: 605E



2 Patterns




604E Statuario | Polished



Application: 604E



602E Crema Marfil | Diamond Glazed Polished









Application: 602E

66DE Chrysolite | Polished Glazed













Application: 66DE



47UE Pandora | Polished






65DE Thistle | Polished Glazed











Application: 65DE



49UE Pearl Pink | Polished












Application: 49UE




4







58PE Ghiacco | Soft Touch (Satin finish)





Application: 58PE







Piebald Black | Polished

























Application: 18902



33DE Black | Polished Glazed




Application: 33DE



01AG Soul | Soft - Polished



Application: 01AG



35YE Alabaster | Matte




Application: 35YE











Sinai Pearl










Application: 39YE



57WE Malena Ice | Semi Polished













Application: 57WE











- f /floorcenter | /fctiledepot
- floorcenter.com | fctiledepot.com
- inquire@fcgroup.ph
- **(**02) 7211-9134 / (+63) 977-802-0000

COLOR DISCLAIMER

Slight variations in size and shading are inherent in all ceramic products. While every endeavour has been made to ensure accuracy, colours and finishes seen on the catalogue are within the limitations of display screen and/or printing process. It is highly recommended to refer to tile samples before purchasing.