






Shenzhen Zhengkang Technology Co., Ltd.

Website: www.sz-zk.com(Chinese) www.jziki.com (English)

Address: Lane 1, Fuxing Street, Hehua Community, Pinghu Street, Longgang District, Shenzhen Building 2, 3, Building A, after the 3rd

Medical Devices OEM/ODM Manufacturer

PRODUCTS CATALOG







Corporate Profile Development Path

SHENZHEN ZHENGKANG TECHNOLOGY CO.,LTD

ShenZhen ZhengKang Technology Co.,Ltd was founded in 2013. We are a professionally managed company. We have 150 employees and an area of 2000 square meters factory in shenzhen city, guangdong province.

Our company does research and development, manufacture and sales of medical devices, health technology products and technology innovation product serials: blood pressure monitors, fingertip pulse oximeter, infrared forehead thermometer, nebulizer and other medical instruments. We focused in manufacturing of high quality medical devices and home-care equipment with CE, FDA, RoHS,

ISO13485 certification.

With strong Research & Development capabilities, manufacturing and talented personnel, our products have been distributed to over 80 countries and regions. More than 7 years OEM experience for Global-market improve our own production and design capacity greatly. Currently, our products are exported to Europe, North America, South America, Africa, Asia and the Middle East district etc. We strive to become a leading and professional supplier of medical products.

As a main supplier of health care products in China, JZIKI has built a loyal reputation on quality, innovation, and service to its customers all over the world. If you are interested in any of our product, please feel free to contact us.










2013.12	Shenzhen Zhengkang Technology Co., Ltd. was established
2014.01	Medical device manufacturer license
2014.01	Jziki trademark registration certificate
2014.07	The oximeter and sphygmomanometer won the CE certificate
2014.07	Won the ISO 9001:2008 certificate
2014.10	Wrist and arm sphygmomanometer medical registration certificate
2015.01	Won the ISO 13485: 2003 certificate
2015.05	The clinical thermometer series began mass production
2016.06	Atomizer series started mass production
2017.01	Hearing aid series began mass production
2018.11	Tooth cleaner production started
2019.07	R & D of neck massager
2019.11	Development and production of fetal doppler
2020.03	CE 0197 and 510K certificated

1

Certifications Certifications



FDA 510k





















CE Medical CE ISO 13485

- * 99 sets of memory for two people
- * Date & Time setting
- * Delete function
- * mmHg / kPa switchable
- * Screen size: 5.8*6.9cm
- * Acrylic interface material



ZK-B868

(€ 0197



Feature:

- * 99 sets of memory for two people
- * Cuff size: 22-32 cm
- * Date & Time setting
- * Delete function
- * mmHg / kPa switchable



Feature:

- * 99 sets of memory for two people
- * Date & Time setting
- * Delete function
- * mmHg / kPa switchable
- * Screen size: 5.5* 7.6 cm



ZK-B872























- * Screen size: 3.5*4.4cm

Feature:

- * 99 sets of memory for two people
- * Date & Time setting
- * Delete function
- * mmHg / kPa switchable
- * Screen size: 5.8* 5.7 cm



ZK-B869 ZK-B876

- * 99 sets of memory for two people
- * Cuff size: 22-32 cm
- * Date & Time setting
- * Delete function
- * mmHg / kPa switchable
- * Screen size: 5.0* 7.0 cm
- * With VOICE



















ZK-B877

(€ 0197

Feature:

- * Bluetooth connectivity
- * 3.7V built-in lithium power
- * 99 sets of memory for two people
- * Date & Time setting
- * Delete function
- * mmHg / kPa switchable
- * Switch for user 1 & 2
- * Auto average measuring results per 3 times





















ZK-B878L

Feature:

- * Bluetooth connectivity
- * 3.7V built-in lithium power
- * 99 sets of memory for two people
- * Date & Time setting
- * Delete function
- * mmHg / kPa switchable
- * Switch for user 1 & 2
- * Auto average measuring results per 3 times

















ZK-B879L



JZK-301



JZK-303





JZK-302

JZK-306

Feature:

- * Test the hemoglobin saturation &the pulse rate
- * 4 directions adjustable
- * Alarm setting
- * Low battery indicator
- * Auto switch off
- * Infrared measurement method







Feature:

- * Test the hemoglobin saturation &the pulse rate
- * Low battery indicator
- * Auto switch off
- * Infrared measurement method











JZK-305



JZK-307











(€ ₀₁₉₇

ZK-W861 ZK-W862

Feature:

- * 90 sets of memory for two people
- * Date & Time setting
- * Delete memory function
- * mmHg / kPa switchable
- * Oscillometric measuring method
- * Automatic inflation and deflation













Display Time





ZK-W863 ZK-W866





ZK-W865 ZK-W869

Feature:

- * 90 sets of memory for two people
- * Date & Time setting
- * Delete memory function
- * mmHg / kPa switchable
- * Oscillometric measuring method
- * Automatic inflation and deflation



ZKI

S









Display Time and Date

Storage(2 people)

Voltage Power Detection









JZK-601

- * Dual mode: body & object
- * 3 colors backlight
- * 32 sets memory for dual modes
- * Alarm function
- * °C / °F switchable
- * Test distance: 1-5 CM
- * Infrared measurement method















(€ 0197

JZK-602



JZK-606

JZK-610

Feature:

- * lithium battery
- * Automatic power off: 60±5 seconds
- * Measuring range: 34~42.9°C, or 94~109°F
- * Voltage: 3.7V
- * Best distance: 1-4 CM
- * Power consumption: 3mW
- * Accuracy: ±0.1 degree



Feature:

- * Dual mode: body (Forehead temperature /Ear temperature)& object
- * 3 colors backlight
- * 32 sets memory for dual modes
- * Alarm function
- * °C / °F switchable
- * Test distance: 1-5 CM
- * Infrared measurement method



Feature:

- *. Abnormal automatic alarm: flashing + "Di Di" sound
- *. Automatic measurement: measuring distance 1cm ~ 5cm
- *. Screen: Digital display
- *. Install method: nail hook, double -sided adhesive sticking, bracket fixing
- *. Environment temperature: 10°C~40 °C (Recommended 15°C~35°C)
- *. Response time: 1s
- *. Power supply: DC 5V/1A(USB)
- *. Weight: 203g
- *. Dimensions: 108*128*156mm
- *. Memory capacity: 200 groups











200 Sets

JZK-611

Feature:

- *.Abnormal automatic alarm: flashing + "Di Di" sound
- *. Automatic measurement: measuring distance 30cm
- *. Screen: Digital display
- *. Install method: nail hook, double -sided adhesive sticking, bracket fixing
- *. Environment temperature: 10°C~40 °C (Recommended 15°C~35°C)
- *. Response time: 2s
- *. Power supply: DC 5V/1A(USB)
- *. Weight: 260g
- *. Dimensions: 108*61*156mm
- *. Memory capacity: 200 groups















JZK-612

*It can quickly eliminate the dryness of the skin and make the skin full of elasticity and suppleness. *Cold office or sultry car, water supply. *Use when your skin is







irritated or sunburned.

particles



Easily absorbed by the affected part



ZK-Q1



- * Mini size, easy to carry
- * Mute design
- * One button operation
- * Alow power indication











Glucose Meter

JZK-201

Feature:

- 99 sets of storage
- Voltage power detection
- Heart rate testing



intelligent pressurize





Heart Rate Testing

(€ 0197

Uitrasonud Doppler fetal Heart Rate Monitor

Feature:

Find the position of the fetal heart to make the fetal sound clearer

Take care of your baby's health conveniently, safely and quickly

Listen to your baby's heartbeat with your family











More secure High sensitivity No radiation Low power prompt





- *Food grade alloy material cleaning teeth cleaning effect is obvious
- *Four gears adjustable, suitable for different needs
- *High frequency vibration, effective removal of dental calculi, etc.
- *LED high-light indication, teeth cleaning more convenient and fast
- *IPX6 waterproof









New

Eye Protect Instrument



Neck Massager



Hearing Aids Instrument













