



測試報告

Test Report

號碼(No.): ETR24303943A01

日期(Date): 24-Apr-2024

頁數(Page): 1 of 37

緯富科技工業股份有限公司 (MCSIGN COATING TECHNOLOGY INC.)

台北市內湖區內湖路一段360巷15號7樓 (7F, NO.15 LN.360, SEC.1, NEIHU RD., NEIHU DIST., TAIPEI CITY 114, TAIWAN R.O.C.)

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by the applicant as) :

送樣廠商(Sample Submitted By) : 緯富科技工業股份有限公司 (MCSIGN COATING TECHNOLOGY INC.)


樣品名稱(Sample Name) : MCSIGN PVC WITH ADHESIVE

收件日(Sample Receiving Date) : 19-Mar-2024

測試期間(Testing Period) : 19-Mar-2024 to 26-Mar-2024 and 16-Apr-2024 to 24-Apr-2024

測試結果(Test Results) : 請參閱下一頁 (Please refer to following pages.)

| 測試需求(Test Requested) | 總結(Summary) |
|--|-----------------------|
| 依據客戶要求，評估所選樣品中特定PFAS的風險。被評估的PFAS總項目數量為312項，包括104項檢測項和208項列表項 (see remark)。評估結果的總結請參考右表。(As requested by the client, the risk of specific PFAS in the selected sample is evaluated. The total amounts of evaluated PFAS are 312 items, concluding 104 tested items and 208 listed items (see remark). The summary of evaluated results are displayed in right table.) | 未檢出 (Not Detected) |


Troy Chang / Department Manager
Signed for and on behalf of
SGS TAIWAN LTD.
Chemical Laboratory - Taipei



PIN CODE: 54A23F51

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



測試報告

Test Report

號碼(No.): ETR24303943A01

日期(Date): 24-Apr-2024

頁數(Page): 2 of 37

緯富科技工業股份有限公司 (MCSIGN COATING TECHNOLOGY INC.)

台北市內湖區內湖路一段360巷15號7樓 (7F, NO.15 LN.360, SEC.1, NEIHU RD., NEIHU DIST., TAIPEI CITY 114, TAIWAN R.O.C.)

測試部位敘述 (Test Part Description)

No.1 : 透明塑膠膜及其上黏膠 (不含離型膜) (TRANSPARENT PLASTIC FILM WITH ADHESIVE (EXCLUDING THE RELEASE FILM))

測試結果 (Test Results)

| 測試項目 (Test Items) | 測試方法 (Method) | 單位 (Unit) | MDL | 結果 (Result) |
|--|---|--------------|------|----------------|
| | | | | No.1 |
| 全氟/多氟烷基物質 (PFAS) | | | | |
| PFHxA及其鹽類 (PFHxA and its salts) | | | | |
| 全氟己酸及其鹽類 (PFHxA and its salts) (Perfluorohexane acid and its salts (PFHxA and its salts)) (CAS No.: 307-24-4 and its salts) | 參考CEN/TS 15968: 2010 · 以液相層析串聯 質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. |
| PFHxA相關化合物 (PFHxA related compounds) | | | | |
| 1H,1H,2H,2H-全氟-1-辛醇 (6:2 FTOH) (1H,1H,2H,2H-Perfluoro-1-octanol (6:2FTOH)) (CAS No.: 647-42-7) | 參考CEN/TS 15968: 2010 · 以氣相層析儀/質 譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.) | mg/kg | 0.1 | n.d. |
| 1H,1H,2H,2H-全氟辛基丙烯酸酯 (6:2 FTA) (1H,1H,2H,2H- Perfluorooctylacrylate (6:2FTA)) (CAS No.: 17527-29-6) | 參考CEN/TS 15968: 2010 · 以氣相層析儀/質 譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.) | mg/kg | 0.1 | n.d. |
| 1H,1H,2H,2H-全氟辛基甲基丙烯酸酯(6_2 FTMAC) (1H,1H,2H,2H-Perfluorooctyl methacrylate (6:2 FTMAC)) (CAS No.: 2144-53-8) | 參考CEN/TS 15968: 2010 · 以氣相層析儀/質 譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.) | mg/kg | 0.1 | n.d. |
| 1H,1H,2H,2H-全氟辛磺酸及其鹽類 (6:2 FTS and its salts) (1H,1H,2H,2H- Perfluorooctanesulphonic acid and its salts (6:2 FTS and its salts)) (CAS No.: 27619-97-2 and its salts) | 參考CEN/TS 15968: 2010 · 以液相層析串聯 質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



測試報告

Test Report

號碼(No.): ETR24303943A01

日期(Date): 24-Apr-2024

頁數(Page): 3 of 37

緯富科技工業股份有限公司 (MCSIGN COATING TECHNOLOGY INC.)

台北市內湖區內湖路一段360巷15號7樓 (7F, NO.15 LN.360, SEC.1, NEIHU RD., NEIHU DIST., TAIPEI CITY 114, TAIWAN R.O.C.)

| 測試項目 (Test Items) | 測試方法 (Method) | 單位 (Unit) | MDL | 結果 (Result) |
|---|---|--------------|------|----------------|
| | | | | No.1 |
| 1-碘-1H,1H,2H,2H-全氟辛烷 (6:2 FTI) (1,1,1,2,2,3,3,4,4,5,5,6,6-tridecafluoro- 8-iodooctane (6:2 FTI)) (CAS No.: 2043- 57-4) | 參考CEN/TS 15968: 2010 · 以氣相層析儀/質 譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.) | mg/kg | 0.1 | n.d. |
| PFHxS及其鹽類 (PFHxS and its salts) | | | | |
| 全氟己基磺酸及其鹽類 (PFHxS and its salts) (Perfluorohexane sulfonate and its salts (PFHxS and its salts)) (CAS No.: 355-46-4 and its salts) | 參考CEN/TS 15968: 2010 · 以液相層析串聯 質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. |
| PFHxS相關化合物 (PFHxS related compounds) | | | | |
| N-甲基全氟-1-己烷磺醯胺 (N-MeFHxSA) (N-Methylperfluoro-1- hexanesulfonamide (N-Me-FHxSA)) (CAS No.: 68259-15-4) | 參考CEN/TS 15968: 2010 · 以液相層析串聯 質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. |
| 全氟己烷磺醯胺 (PFHxSA) (Perfluorohexane sulfonamide (PFHxSA)) (CAS No.: 41997-13-1) | 參考CEN/TS 15968: 2010 · 以液相層析串聯 質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. |
| N-[3-(二甲氨基)丙基]十三氟己烷磺醯胺 (N-AP-FHxSA) (N-[3- (dimethylamino)propyl]tridecafluorohe xanesulphonamide (N-AP-FHxSA)) (CAS No.: 50598-28-2) | 參考CEN/TS 15968: 2010 · 以液相層析串聯 質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. |
| 2-[甲基[(十三氟己基)磺醯基]氨基]丙烯酸 乙酯 (N-MeFHSEA) (2- [Methyl[(tridecafluorohexyl)sulphonyl]a mino]ethyl acrylate (N-MeFHSEA)) (CAS No.: 67584-57-0) | 參考CEN/TS 15968: 2010 · 以氣相層析儀/質 譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.) | mg/kg | 0.5 | n.d. |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



測試報告

Test Report

號碼(No.): ETR24303943A01

日期(Date): 24-Apr-2024

頁數(Page): 4 of 37

緯富科技工業股份有限公司 (MCSIGN COATING TECHNOLOGY INC.)

台北市內湖區內湖路一段360巷15號7樓 (7F, NO.15 LN.360, SEC.1, NEIHU RD., NEIHU DIST., TAIPEI CITY 114, TAIWAN R.O.C.)

| 測試項目 (Test Items) | 測試方法 (Method) | 單位 (Unit) | MDL | 結果 (Result) |
|--|---|--------------|------|----------------|
| | | | | No.1 |
| 2-[甲基[(十三氟己基)磺醯基]氨基]乙基甲基丙烯酸酯 (2-Propenoic acid, 2-methyl-, 2-[methyl[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]amino]ethyl ester) (CAS No.: 67584-61-6) | 參考CEN/TS 15968: 2010 · 以氣相層析儀/質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.) | mg/kg | 0.1 | n.d. |
| 2-[乙基[(十三氟己基)磺醯基]氨基]乙基甲基丙烯酸酯 (2-Propenoic acid, 2-methyl-, 2-[ethyl[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]amino]ethyl ester) (CAS No.: 67906-70-1) | 參考CEN/TS 15968: 2010 · 以氣相層析儀/質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.) | mg/kg | 0.1 | n.d. |
| 十三氟-N-(2-羥基乙基)-N-甲基己烷磺醯胺 (MeFHxSE) (1-Hexanesulfonamide, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-N-(2-hydroxyethyl)-N-methyl-(MeFHxSE)) (CAS No.: 68555-75-9) | 參考CEN/TS 15968: 2010 · 以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. |
| N-乙基-N-[(十三氟己基)磺醯基]甘氨酸及其鹽類 (EtFHxSAA and its salts) (Glycine, N-ethyl-N-[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl] and its salts (EtFHxSAA and its salts)) (CAS No.: 68957-32-4 and its salts) | 參考CEN/TS 15968: 2010 · 以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. |
| 全氟庚酸及其鹽類 (PFHpA and its salts) (Perfluoroheptane acid and its salts (PFHpA and its salts)) (CAS No.: 375-85-9 and its salts) | 參考CEN/TS 15968: 2010 · 以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. |
| 7H-十二氟庚酸及其鹽類 (HPFHpA and its salts) (7H-Dodecanefluoroheptane acid and its salts (HPFHpA and its salts)) (CAS No.: 1546-95-8 and its salts) | 參考CEN/TS 15968: 2010 · 以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



測試報告

Test Report

號碼(No.): ETR24303943A01

日期(Date): 24-Apr-2024

頁數(Page): 5 of 37

緯富科技工業股份有限公司 (MCSIGN COATING TECHNOLOGY INC.)

台北市內湖區內湖路一段360巷15號7樓 (7F, NO.15 LN.360, SEC.1, NEIHU RD., NEIHU DIST., TAIPEI CITY 114, TAIWAN R.O.C.)

| 測試項目 (Test Items) | 測試方法 (Method) | 單位 (Unit) | MDL | 結果 (Result) |
|--|---|--------------|------|----------------|
| | | | | No.1 |
| 全氟庚基磺酸及其鹽類 (PFHpS and its salts) (Perfluoroheptane sulfonate and its salts (PFHpS and its salts)) (CAS No.: 375-92-8 and its salts) | 參考CEN/TS 15968: 2010 · 以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. |
| PFOS及其鹽類 (PFOS and its salts) | | | | |
| 全氟辛烷磺酸及其鹽類 (PFOS and its salts) (Perfluorooctane sulfonates and its salts (PFOS and its salts)) (CAS No.: 1763-23-1 and its salts) | 參考CEN/TS 15968: 2010 · 以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. |
| PFOS相關化合物 (PFOS related compounds) | | | | |
| N-乙基全氟正辛磺醯胺 (EtFOSA) (N-ethylperfluoro-1-octanesulfonamide (EtFOSA)) (CAS No.: 4151-50-2) | 參考CEN/TS 15968: 2010 · 以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. |
| N-甲基全氟正辛磺醯胺 (N-Me-FOSA) (N-Methyl-Perfluorooctanesulfonamide (N-Me-FOSA)) (CAS No.: 31506-32-8) | 參考CEN/TS 15968: 2010 · 以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. |
| N-乙基全氟辛基磺醯胺乙醇 (N-Et-FOSE alcohol) (N-Ethyl-Perfluorooctanesulfonamidoethanol (N-Et-FOSE alcohol)) (CAS No.: 1691-99-2) | 參考CEN/TS 15968: 2010 · 以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. |
| N-甲基全氟辛基磺醯胺乙醇 (N-Me-FOSE alcohol) (N-Methyl-Perfluorooctanesulfonamidoethanol (N-Me-FOSE alcohol)) (CAS No.: 24448-09-7) | 參考CEN/TS 15968: 2010 · 以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. |
| 全氟辛基磺醯胺及其鹽類 (PFOSA and its salts) (Perfluorooctanesulfonamide and its salts (PFOSA and its salts)) (CAS No.: 754-91-6 and its salts) | 參考CEN/TS 15968: 2010 · 以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



測試報告

Test Report

號碼(No.): ETR24303943A01

日期(Date): 24-Apr-2024

頁數(Page): 6 of 37

緯富科技工業股份有限公司 (MCSIGN COATING TECHNOLOGY INC.)

台北市內湖區內湖路一段360巷15號7樓 (7F, NO.15 LN.360, SEC.1, NEIHU RD., NEIHU DIST., TAIPEI CITY 114, TAIWAN R.O.C.)

| 測試項目 (Test Items) | 測試方法 (Method) | 單位 (Unit) | MDL | 結果 (Result) |
|--|---|--------------|------|----------------|
| | | | | No.1 |
| PFOA及其鹽類 (PFOA and its salts) | | | | |
| 全氟辛酸及其鹽類 (PFOA and its salts) (Perfluorooctanoic acid and its salts (PFOA and its salts)) (CAS No.: 335-67-1 and its salts) | 參考CEN/TS 15968: 2010 · 以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. |
| PFOA相關化合物 (PFOA related compounds) | | | | |
| 全氟辛酸甲酯 (Me-PFOA) (Methyl perfluorooctanoate (Me-PFOA)) (CAS No.: 376-27-2) | 參考CEN/TS 15968: 2010 · 以氣相層析儀/質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.) | mg/kg | 0.1 | n.d. |
| 全氟辛酸乙酯 (Et-PFOA) (Ethyl perfluorooctanoate (Et-PFOA)) (CAS No.: 3108-24-5) | 參考CEN/TS 15968: 2010 · 以氣相層析儀/質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.) | mg/kg | 0.1 | n.d. |
| 全氟辛基碘烷 (PFOI) (Perfluoro-1-iodooctane (PFOI)) (CAS No.: 507-63-1) | 參考CEN/TS 15968: 2010 · 以氣相層析儀/質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.) | mg/kg | 0.1 | n.d. |
| 3-全氟庚基丙酸 (7:3 FTCA) (3-Perfluoroheptyl propanoic acid (7:3 FTCA)) (CAS No.: 812-70-4) | 參考CEN/TS 15968: 2010 · 以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. |
| 1H,1H,2H,2H-全氟癸磺酸及其鹽類 (8:2 FTS and its salts) (1H,1H,2H,2H-Perfluorodecanesulfonic acid and its salts (8:2 FTS and its salts)) (CAS No.: 39108-34-4 and its salts) | 參考CEN/TS 15968: 2010 · 以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. |
| 1H,1H,2H,2H-全氟-1-癸醇 (8:2 FTOH) (1H,1H,2H,2H-Perfluoro-1-decanol (8:2 FTOH)) (CAS No.: 678-39-7) | 參考CEN/TS 15968: 2010 · 以氣相層析儀/質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.) | mg/kg | 0.1 | n.d. |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



測試報告

Test Report

號碼(No.): ETR24303943A01

日期(Date): 24-Apr-2024

頁數(Page): 7 of 37

緯富科技工業股份有限公司 (MCSIGN COATING TECHNOLOGY INC.)

台北市內湖區內湖路一段360巷15號7樓 (7F, NO.15 LN.360, SEC.1, NEIHU RD., NEIHU DIST., TAIPEI CITY 114, TAIWAN R.O.C.)

| 測試項目 (Test Items) | 測試方法 (Method) | 單位 (Unit) | MDL | 結果 (Result) |
|---|---|--------------|------|----------------|
| | | | | No.1 |
| 1H,1H,2H,2H-全氟癸基丙烯酸酯 (8:2 FTA) (1H,1H,2H,2H-Perfluorodecyl acrylate (8:2 FTA)) (CAS No.: 27905-45-9) | 參考CEN/TS 15968: 2010 · 以氣相層析儀/質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.) | mg/kg | 0.1 | n.d. |
| 1H,1H,2H,2H-全氟癸基甲基丙烯酸酯 (8:2 FTMA) (1H,1H,2H,2H-Perfluorodecyl methacrylate (8:2 FTMA)) (CAS No.: 1996-88-9) | 參考CEN/TS 15968: 2010 · 以氣相層析儀/質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.) | mg/kg | 0.1 | n.d. |
| 2H,2H-全氟癸酸及其鹽類 (H2PFDA and its salts) (2H,2H-Perfluorodecane acid and its salts (H2PFDA and its salts)) (CAS No.: 27854-31-5 and its salts) | 參考CEN/TS 15968: 2010 · 以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. |
| 1H,1H,2H,2H-全氟癸基碘 (8_2 FTI) (1H,1H,2H,2H-Perfluorodecyl iodide (8_2 FTI)) (CAS No.: 2043-53-0) | 參考CEN/TS 15968: 2010 · 以氣相層析儀/質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.) | mg/kg | 0.1 | n.d. |
| 1H,1H,2H,2H-全氟十七烷三甲基氧矽烷 (8:2 FTSi(OC2H5)3) (1H,1H,2H,2H-Perfluorodecyltriethoxysilane (8:2 FTSi(OC2H5)3)) (CAS No.: 101947-16-4) | 參考CEN/TS 15968: 2010 · 以氣相層析儀/質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.) | mg/kg | 0.1 | n.d. |
| 2H,2H,3H,3H-全氟癸酸及其鹽類 (4HPFUnA and its salts) (2H,2H,3H,3H-Perfluoroundecanoic Acid and its salts (4HPFUnA and its salts)) (CAS No.: 34598-33-9 and its salts) | 參考CEN/TS 15968: 2010 · 以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. |
| 1H,1H,2H-全氟-1-癸烯 (PFDE) (1H,1H,2H-Heptadecafluoro-1-decene (PFDE)) (CAS No.: 21652-58-4) | 參考CEN/TS 15968: 2010 · 以氣相層析儀/質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.) | mg/kg | 0.1 | n.d. |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



測試報告

Test Report

號碼(No.): ETR24303943A01

日期(Date): 24-Apr-2024

頁數(Page): 8 of 37

緯富科技工業股份有限公司 (MCSIGN COATING TECHNOLOGY INC.)

台北市內湖區內湖路一段360巷15號7樓 (7F, NO.15 LN.360, SEC.1, NEIHU RD., NEIHU DIST., TAIPEI CITY 114, TAIWAN R.O.C.)

| 測試項目 (Test Items) | 測試方法 (Method) | 單位 (Unit) | MDL | 結果 (Result) |
|--|---|--------------|------|----------------|
| | | | | No.1 |
| 雙(1H,1H,2H,2H-全氟癸基)磷酸酯及其鹽類 (8_2diPAP and its salts) (Bis(1H,1H,2H,2H-Perfluorodecyl)phosphate and its salts (8_2diPAP and its salts)) (CAS No.: 678-41-1 and its salts) | 參考CEN/TS 15968: 2010 · 以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. |
| C9-C20 PFCAs及其鹽類與相關化合物 (C9-C20 PFCAs its salts and related compounds) | | | | |
| 1H,1H,2H,2H-全氟癸磺酸及其鹽類 (8:2 FTS and its salts) (1H,1H,2H,2H-Perfluorodecanesulfonic acid and its salts (8:2 FTS and its salts)) (CAS No.: 39108-34-4 and its salts) | 參考CEN/TS 15968: 2010 · 以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. |
| 1H,1H,2H,2H-全氟-1-癸醇 (8:2 FTOH) (1H,1H,2H,2H-Perfluoro-1-decanol (8:2 FTOH)) (CAS No.: 678-39-7) | 參考CEN/TS 15968: 2010 · 以氣相層析儀/質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.) | mg/kg | 0.1 | n.d. |
| 1H,1H,2H,2H-全氟癸基丙烯酸酯 (8:2 FTA) (1H,1H,2H,2H-Perfluorodecyl acrylate (8:2 FTA)) (CAS No.: 27905-45-9) | 參考CEN/TS 15968: 2010 · 以氣相層析儀/質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.) | mg/kg | 0.1 | n.d. |
| 1H,1H,2H,2H-全氟癸基甲基丙烯酸酯 (8:2 FTMA) (1H,1H,2H,2H-Perfluorodecyl methacrylate (8:2 FTMA)) (CAS No.: 1996-88-9) | 參考CEN/TS 15968: 2010 · 以氣相層析儀/質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.) | mg/kg | 0.1 | n.d. |
| 2H,2H-全氟癸酸及其鹽類 (H2PFDA and its salts) (2H,2H-Perfluorodecane acid and its salts (H2PFDA and its salts)) (CAS No.: 27854-31-5 and its salts) | 參考CEN/TS 15968: 2010 · 以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



測試報告

Test Report

號碼(No.): ETR24303943A01

日期(Date): 24-Apr-2024

頁數(Page): 9 of 37

緯富科技工業股份有限公司 (MCSIGN COATING TECHNOLOGY INC.)

台北市內湖區內湖路一段360巷15號7樓 (7F, NO.15 LN.360, SEC.1, NEIHU RD., NEIHU DIST., TAIPEI CITY 114, TAIWAN R.O.C.)

| 測試項目 (Test Items) | 測試方法 (Method) | 單位 (Unit) | MDL | 結果 (Result) |
|--|---|--------------|------|----------------|
| | | | | No.1 |
| 1H,1H,2H,2H-全氟癸基碘 (8_2 FTI) (1H,1H,2H,2H-Perfluorodecyl iodide (8_2 FTI)) (CAS No.: 2043-53-0) | 參考CEN/TS 15968: 2010 · 以氣相層析儀/質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.) | mg/kg | 0.1 | n.d. |
| 1H,1H,2H,2H-全氟十七烷三甲基氧矽烷 (8:2 FTSi(OC ₂ H ₅) ₃) (1H,1H,2H,2H- Perfluorodecyltriethoxysilane (8:2 FTSi(OC ₂ H ₅) ₃)) (CAS No.: 101947-16-4) | 參考CEN/TS 15968: 2010 · 以氣相層析儀/質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.) | mg/kg | 0.1 | n.d. |
| 2H,2H,3H,3H-全氟癸酸及其鹽類 (4HPFUnA and its salts) (2H,2H,3H,3H- Perfluoroundecanoic Acid and its salts (4HPFUnA and its salts)) (CAS No.: 34598-33-9 and its salts) | 參考CEN/TS 15968: 2010 · 以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. |
| 1H,1H,2H-全氟-1-癸烯 (PFDE) (1H,1H,2H-Heptadecafluoro-1-decene (PFDE)) (CAS No.: 21652-58-4) | 參考CEN/TS 15968: 2010 · 以氣相層析儀/質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.) | mg/kg | 0.1 | n.d. |
| 雙(1H,1H,2H,2H-全氟癸基)磷酸酯及其鹽類 (8_2diPAP and its salts) (Bis(1H,1H,2H,2H- Perfluorodecyl)phosphate and its salts (8_2diPAP and its salts)) (CAS No.: 678- 41-1 and its salts) | 參考CEN/TS 15968: 2010 · 以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. |
| 全氟壬酸及其鹽類 (PFNA and its salts) (Perfluorononan-1-oic acid and its salts (PFNA and its salts)) (CAS No.: 375-95-1 and its salts) | 參考CEN/TS 15968: 2010 · 以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. |
| 全氟-3,7-二甲基辛酸 (PF-3,7-DMOA) (Perfluoro-3,7-dimethyloctanoic Acid (PF-3,7-DMOA)) (CAS No.: 172155-07- 6) | 參考CEN/TS 15968: 2010 · 以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



測試報告

Test Report

號碼(No.): ETR24303943A01

日期(Date): 24-Apr-2024

頁數(Page): 10 of 37

緯富科技工業股份有限公司 (MCSIGN COATING TECHNOLOGY INC.)

台北市內湖區內湖路一段360巷15號7樓 (7F, NO.15 LN.360, SEC.1, NEIHU RD., NEIHU DIST., TAIPEI CITY 114, TAIWAN R.O.C.)

| 測試項目 (Test Items) | 測試方法 (Method) | 單位 (Unit) | MDL | 結果 (Result) |
|---|---|--------------|------|----------------|
| | | | | No.1 |
| 全氟癸酸及其鹽類 (PFDA and its salts) (Perfluorodecane acid and its salts (PFDA and its salts)) (CAS No.: 335-76-2 and its salts) | 參考CEN/TS 15968: 2010 · 以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. |
| 全氟十一烷酸及其鹽類 (PFUnDA and its salts) (Perfluoroundecanoic acid and its salts (PFUnDA and its salts)) (CAS No.: 2058-94-8 and its salts) | 參考CEN/TS 15968: 2010 · 以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. |
| 全氟十二烷酸及其鹽類 (PFDODA and its salts) (Perfluorododecanoic acid and its salts (PFDODA and its salts)) (CAS No.: 307-55-1 and its salts) | 參考CEN/TS 15968: 2010 · 以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. |
| 全氟癸烷磺酸及其鹽類 (PFDS and its salts) (Perfluorodecane sulfonate and its salts (PFDS and its salts)) (CAS No.: 335-77-3 and its salts) | 參考CEN/TS 15968: 2010 · 以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. |
| 全氟十三烷酸及其鹽類 (PFTTrDA and its salts) (Pentacosafuorotridecanoic acid and its salts (PFTTrDA and its salts)) (CAS No.: 72629-94-8 and its salts) | 參考CEN/TS 15968: 2010 · 以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. |
| 全氟十四烷酸及其鹽類 (PFTDA and its salts) (Perfluorotetradecanoic acid and its salts (PFTDA and its salts)) (CAS No.: 376-06-7 and its salts) | 參考CEN/TS 15968: 2010 · 以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. |
| 1H,1H,2H,2H-全氟-1-十二醇 (10:2 FTOH) (1H,1H,2H,2H-Perfluoro-1-dodecanol (10:2FTOH)) (CAS No.: 865-86-1) | 參考CEN/TS 15968: 2010 · 以氣相層析儀/質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.) | mg/kg | 0.1 | n.d. |
| 1H,1H,2H,2H-全氟十二烷基丙烯酸酯 (10:2 FTA) (1H,1H,2H,2H-Perfluorododecylacrylate (10:2FTA)) (CAS No.: 17741-60-5) | 參考CEN/TS 15968: 2010 · 以氣相層析儀/質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.) | mg/kg | 0.1 | n.d. |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



測試報告

Test Report

號碼(No.): ETR24303943A01

日期(Date): 24-Apr-2024

頁數(Page): 11 of 37

緯富科技工業股份有限公司 (MCSIGN COATING TECHNOLOGY INC.)

台北市內湖區內湖路一段360巷15號7樓 (7F, NO.15 LN.360, SEC.1, NEIHU RD., NEIHU DIST., TAIPEI CITY 114, TAIWAN R.O.C.)

| 測試項目 (Test Items) | 測試方法 (Method) | 單位 (Unit) | MDL | 結果 (Result) |
|--|---|--------------|------|----------------|
| | | | | No.1 |
| 1H,1H,2H,2H-全氟十二烷基甲基丙烯酸酯 (10:2 FTMA) (1H,1H,2H,2H-Perfluorododecyl methacrylate (10:2 FTMA)) (CAS No.: 2144-54-9) | 參考CEN/TS 15968: 2010 · 以氣相層析儀/質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.) | mg/kg | 0.1 | n.d. |
| 1H,1H,2H,2H-全氟十四烷基醇 (12:2 FTOH) (1H,1H,2H,2H-perfluorotetradecan-1-ol (12:2 FTOH)) (CAS No.: 39239-77-5) | 參考CEN/TS 15968: 2010 · 以氣相層析儀/質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.) | mg/kg | 0.1 | n.d. |
| 1H,1H,2H,2H-全氟十二烷基磺酸 (10:2 FTS) (1H,1H,2H,2H-Perfluorododecane sulfonic acid (10:2 FTS)) (CAS No.: 120226-60-0) | 參考CEN/TS 15968: 2010 · 以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. |
| 1H,1H,2H,2H-全氟十二烷基碘 (10:2 FTI) (1H,1H,2H,2H-Perfluorododecyl iodide (10:2 FTI)) (CAS No.: 2043-54-1) | 參考CEN/TS 15968: 2010 · 以氣相層析儀/質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.) | mg/kg | 0.1 | n.d. |
| 1H,1H,2H,2H-全氟十四烷基碘 (12:2 FTI) (1H,1H,2H,2H-Perfluorotetradecyl iodide (12:2 FTI)) (CAS No.: 30046-31-2) | 參考CEN/TS 15968: 2010 · 以氣相層析儀/質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.) | mg/kg | 0.1 | n.d. |
| 全氟壬烷磺酸及其鹽類 (PFNS and its salts) (Perfluorononane sulfonic acid and its salts (PFNS and its salts)) (CAS No.: 68259-12-1 and its salts) | 參考CEN/TS 15968: 2010 · 以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. |
| 全氟十一烷磺酸及其鹽類 (PFUnDS and its salts) (Perfluoroundecane sulfonic acid and its salts (PFUnDS and its salts)) (CAS No.: 749786-16-1 and its salts) | 參考CEN/TS 15968: 2010 · 以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. |
| 全氟十二烷磺酸及其鹽類 (PFDoDS and its salts) (Perfluorododecane sulfonic acid and its salts (PFDoDS and its salts)) (CAS No.: 79780-39-5 and its salts) | 參考CEN/TS 15968: 2010 · 以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



測試報告

Test Report

號碼(No.): ETR24303943A01

日期(Date): 24-Apr-2024

頁數(Page): 12 of 37

緯富科技工業股份有限公司 (MCSIGN COATING TECHNOLOGY INC.)

台北市內湖區內湖路一段360巷15號7樓 (7F, NO.15 LN.360, SEC.1, NEIHU RD., NEIHU DIST., TAIPEI CITY 114, TAIWAN R.O.C.)

| 測試項目 (Test Items) | 測試方法 (Method) | 單位 (Unit) | MDL | 結果 (Result) |
|---|---|--------------|------|----------------|
| | | | | No.1 |
| 全氟十三烷磺酸及其鹽類 (PFTrDS and its salts) (Perfluorotridecane sulfonic acid and its salts (PFTrDS and its salts)) (CAS No.: 791563-89-8 and its salts) | 參考CEN/TS 15968: 2010 · 以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. |
| 雙[2-(全氟癸基)乙基]磷酸鹽 (10:2 diPAP) (10:2 Fluortelomerphosphatediester (10:2 diPAP)) (CAS No.: 1895-26-7) | 參考CEN/TS 15968: 2010 · 以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.1 | n.d. |
| 全氟碘代十二烷 (PFDODI) (Perfluorododecyl iodide (PFDODI)) (CAS No.: 307-60-8) | 參考CEN/TS 15968: 2010 · 以氣相層析儀/質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.) | mg/kg | 0.1 | n.d. |
| 1-碘全氟癸烷 (PFDI) (Perfluorodecyl iodide (PFDI)) (CAS No.: 423-62-1) | 參考CEN/TS 15968: 2010 · 以氣相層析儀/質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.) | mg/kg | 0.1 | n.d. |
| 全氟十五烷酸及其鹽類 (PFPeDA and its salts, C15) (Perfluoropentadecanoic acid and its salts (PFPeDA and its salts, C15)) (CAS No.: 141074-63-7 and its salts) | 參考CEN/TS 15968: 2010 · 以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.1 | n.d. |
| 全氟十六烷酸及其鹽類 (PFHxDA and its salts, C16) (Perfluorohexadecanoic acid and its salts (PFHxDA and its salts, C16)) (CAS No.: 67905-19-5 and its salts) | 參考CEN/TS 15968: 2010 · 以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. |
| 全氟十八烷酸及其鹽類 (PFODA and its salts, C18) (Perfluorooctadecanoic acid and its salts (PFODA and its salts, C18)) (CAS No.: 16517-11-6 and its salts) | 參考CEN/TS 15968: 2010 · 以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



測試報告

Test Report

號碼(No.): ETR24303943A01

日期(Date): 24-Apr-2024

頁數(Page): 13 of 37

緯富科技工業股份有限公司 (MCSIGN COATING TECHNOLOGY INC.)

台北市內湖區內湖路一段360巷15號7樓 (7F, NO.15 LN.360, SEC.1, NEIHU RD., NEIHU DIST., TAIPEI CITY 114, TAIWAN R.O.C.)

| 測試項目 (Test Items) | 測試方法 (Method) | 單位 (Unit) | MDL | 結果 (Result) |
|--|---|--------------|------|----------------|
| | | | | No.1 |
| 其他PFAS (Other PFAS) | | | | |
| 全氟丁酸及其鹽類 (PFBA and its salts) (Perfluorobutane acid and its salts (PFBA and its salts)) (CAS No.: 375-22-4 and its salts) | 參考CEN/TS 15968: 2010 · 以液相層析串聯 質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. |
| 全氟丁磺酸及其鹽類 (PFBS and its salts) (Perfluorobutane sulfonate and its salts (PFBS and its salts)) (CAS No.: 375-73-5 and its salts) | 參考CEN/TS 15968: 2010 · 以液相層析串聯 質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. |
| 全氟丁磺醯胺 (Perfluorobutane sulfon amides) (CAS No.: 30334-69-1) | 參考CEN/TS 15968: 2010 · 以液相層析串聯 質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.1 | n.d. |
| N-(2-羥乙基)-N-甲基全氟丁烷磺醯胺 (PFBS-NC ₃ H ₈ O) (1,1,2,2,3,3,4,4,4- nonafluoro-N-(2-hydroxyethyl)-N- methylbutane-1-sulphonamide (PFBS- NC ₃ H ₈ O)) (CAS No.: 34454-97-2) | 參考CEN/TS 15968: 2010 · 以液相層析串聯 質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. |
| 1H,1H,2H,2H-甲基丙烯酸全氟己酯 (4:2 FTMA) (1H,1H,2H,2H-Perfluorohexyl methacrylate (4:2 FTMA)) (CAS No.: 1799-84-4) | 參考CEN/TS 15968: 2010 · 以氣相層析儀/質 譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.) | mg/kg | 0.1 | n.d. |
| 全氟戊酸及其鹽類 (PFPA and its salts) (Perfluoropentane acid and its salts (PFPA and its salts)) (CAS No.: 2706-90- 3 and its salts) | 參考CEN/TS 15968: 2010 · 以液相層析串聯 質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. |
| 全氟-3-甲氧基丙酸 (PFMPA) (Perfluoro- 3-methoxypropanoic acid (PFMPA)) (CAS No.: 377-73-1) | 參考CEN/TS 15968: 2010 · 以液相層析串聯 質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



測試報告

Test Report

號碼(No.): ETR24303943A01

日期(Date): 24-Apr-2024

頁數(Page): 14 of 37

緯富科技工業股份有限公司 (MCSIGN COATING TECHNOLOGY INC.)

台北市內湖區內湖路一段360巷15號7樓 (7F, NO.15 LN.360, SEC.1, NEIHU RD., NEIHU DIST., TAIPEI CITY 114, TAIWAN R.O.C.)

| 測試項目 (Test Items) | 測試方法 (Method) | 單位 (Unit) | MDL | 結果 (Result) |
|---|---|--------------|------|----------------|
| | | | | No.1 |
| 全氟 4-甲氧基丁酸 (PFMBA) (Perfluoro-4-methoxybutanoic acid (PFMBA)) (CAS No.: 863090-89-5) | 參考CEN/TS 15968: 2010 · 以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. |
| 全氟-3,6-二氧雜庚酸 (NFDHA) (Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)) (CAS No.: 151772-58-6) | 參考CEN/TS 15968: 2010 · 以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. |
| 4,8-二氧雜-3H-全氟壬酸及其鹽類 (ADONA and its salts) (4,8-Dioxa-3H-perfluorononanoic acid and its salts (ADONA and its salts)) (CAS No.: 919005-14-4 and its salts) | 參考CEN/TS 15968: 2010 · 以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. |
| 1H,1H,2H,2H-全氟-1-己醇 (4:2 FTOH) (1H,1H,2H,2H-Perfluoro-1-hexanol (4:2FTOH)) (CAS No.: 2043-47-2) | 參考CEN/TS 15968: 2010 · 以氣相層析儀/質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.) | mg/kg | 0.1 | n.d. |
| 2,3,3,3-四氟-2-(七氟丙氧基)丙酸及其鹽類 (HFPO-DA and its salts) (2,3,3,3-tetrafluoro-2-(heptafluoropropoxy)propionic acid and its salts (HFPO-DA and its salts)) (CAS No.: 13252-13-6 and its salts) | 參考CEN/TS 15968: 2010 · 以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. |
| 1H,1H,2H,2H-全氟己磺酸及其鹽類 (4:2 FTS and its salts) (1H,1H,2H,2H-Perfluorohexanesulfonic acid and its salts (4:2 FTS and its salts)) (CAS No.: 757124-72-4 and its salts) | 參考CEN/TS 15968: 2010 · 以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. |
| 全氟辛烷磺酰胺乙酸 (FOSAA) (Perfluorooctane sulfonamidoacetic acid (FOSAA)) (CAS No.: 2806-24-8) | 參考CEN/TS 15968: 2010 · 以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



測試報告

Test Report

號碼(No.): ETR24303943A01

日期(Date): 24-Apr-2024

頁數(Page): 15 of 37

緯富科技工業股份有限公司 (MCSIGN COATING TECHNOLOGY INC.)

台北市內湖區內湖路一段360巷15號7樓 (7F, NO.15 LN.360, SEC.1, NEIHU RD., NEIHU DIST., TAIPEI CITY 114, TAIWAN R.O.C.)

| 測試項目 (Test Items) | 測試方法 (Method) | 單位 (Unit) | MDL | 結果 (Result) |
|---|---|--------------|------|----------------|
| | | | | No.1 |
| N-甲基全氟辛烷磺酰胺乙酸(N-MeFOSAA) (N-methylperfluorooctane sulfonamidoacetic acid (N-MeFOSAA)) (CAS No.: 2355-31-9) | 參考CEN/TS 15968: 2010 · 以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. |
| N-乙基全氟辛烷磺酰胺乙酸 (N-EtFOSAA) (N-ethylperfluorooctane sulfonamidoacetic acid (N-EtFOSAA)) (CAS No.: 2991-50-6) | 參考CEN/TS 15968: 2010 · 以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. |
| 全氟戊磺酸及其鹽類 (PFPeS and its salts) (Perfluoropentane sulfonic acid and its salts (PFPeS and its salts)) (CAS No.: 2706-91-4 and its salts) | 參考CEN/TS 15968: 2010 · 以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. |
| 3-全氟丙基丙酸 (3:3 FTCA) (3-Perfluoropropyl propanoic acid (3:3 FTCA)) (CAS No.: 356-02-5) | 參考CEN/TS 15968: 2010 · 以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. |
| 2-全氟己基乙酸 (6:2 FTCA) (2-Perfluorohexyl ethanoic acid (6:2 FTCA)) (CAS No.: 53826-12-3) | 參考CEN/TS 15968: 2010 · 以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. |
| 3-全氟戊基丙酸 (5:3 FTCA) (3-Perfluoropentyl propanoic acid (5:3 FTCA)) (CAS No.: 914637-49-3) | 參考CEN/TS 15968: 2010 · 以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. |
| 全氟(2-乙氧基乙烷)磺酸 (PFEEESA) (Perfluoro(2-ethoxyethane)sulfonic acid (PFEEESA)) (CAS No.: 113507-82-7) | 參考CEN/TS 15968: 2010 · 以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. |
| 9-氯十六氟-3-氧雜壬烷-1-磺酸 (9Cl-PF3ONS) (9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid (9Cl-PF3ONS)) (CAS No.: 756426-58-1) | 參考CEN/TS 15968: 2010 · 以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



測試報告

Test Report

號碼(No.): ETR24303943A01

日期(Date): 24-Apr-2024

頁數(Page): 16 of 37

緯富科技工業股份有限公司 (MCSIGN COATING TECHNOLOGY INC.)

台北市內湖區內湖路一段360巷15號7樓 (7F, NO.15 LN.360, SEC.1, NEIHU RD., NEIHU DIST., TAIPEI CITY 114, TAIWAN R.O.C.)

| 測試項目 (Test Items) | 測試方法 (Method) | 單位 (Unit) | MDL | 結果 (Result) |
|--|---|--------------|------|----------------|
| | | | | No.1 |
| 11-氯二十氟-3-氧雜十一烷-1-磺酸 (11Cl-PF3OUdS) (11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)) (CAS No.: 763051-92-9) | 參考CEN/TS 15968: 2010 · 以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. |
| 2-(N-乙基全氟辛烷磺醯胺基)丙烯酸乙酯 (EtFOSAC) (2-(N-ethylperfluorooctanesulfamido)ethyl acrylate (EtFOSAC)) (CAS No.: 423-82-5) | 參考CEN/TS 15968: 2010 · 以氣相層析儀/質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.) | mg/kg | 0.1 | n.d. |
| 全氟辛基三乙氧基矽烷 (POTS) (Perfluorooctyl triethoxysilane (POTS)) (CAS No.: 51851-37-7) | 參考CEN/TS 15968: 2010 · 以氣相層析儀/質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.) | mg/kg | 0.1 | n.d. |
| 11H-全氟十一烷酸及其鹽類 (11H-PFUnDA and its salts) (11H-Perfluoroundecanoic acid and its salts (11H-PFUnDA and its salts)) (CAS No.: 1765-48-6 and its salts) | 參考CEN/TS 15968: 2010 · 以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.1 | n.d. |
| 五氟丙酸及其鹽類 (PFPrA and its salts) (Pentafluoropropionate acid and its salts (PFPrA and its salts)) (CAS No.: 422-64-0 and its salts) | 參考CEN/TS 15968: 2010 · 以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.1 | n.d. |
| 1H,1H,2H,2H-全氟癸基三氯矽烷 (1H,1H,2H,2H-Perfluorodecyltrichlorosilane) (CAS No.: 78560-44-8) | 參考CEN/TS 15968: 2010 · 以氣相層析儀/質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.) | mg/kg | 0.1 | n.d. |
| 1H,1H,2H,2H-全氟癸基三甲氧基矽烷 (1H,1H,2H,2H-Perfluorodecyltrimethoxysilane) (CAS No.: 83048-65-1) | 參考CEN/TS 15968: 2010 · 以氣相層析儀/質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.) | | | |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



測試報告

Test Report

號碼(No.): ETR24303943A01

日期(Date): 24-Apr-2024

頁數(Page): 17 of 37

緯富科技工業股份有限公司 (MCSIGN COATING TECHNOLOGY INC.)

台北市內湖區內湖路一段360巷15號7樓 (7F, NO.15 LN.360, SEC.1, NEIHU RD., NEIHU DIST., TAIPEI CITY 114, TAIWAN R.O.C.)

| 測試項目 (Test Items) | 測試方法 (Method) | 單位 (Unit) | MDL | 結果 (Result) |
|---|---|--------------|------|----------------|
| | | | | No.1 |
| 1H,1H,2H,2H-全氟辛基三氯矽烷 (1H,1H,2H,2H-Perfluorooctyltrichlorosilane) (CAS No.: 78560-45-9) | 參考CEN/TS 15968: 2010 · 以氣相層析儀/質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.) | mg/kg | 0.1 | n.d. |
| 1H,1H,2H,2H-全氟癸基甲基二氯矽烷 (1H,1H,2H,2H-Perfluorodecylmethyldichlorosilane) (CAS No.: 3102-79-2) | 參考CEN/TS 15968: 2010 · 以氣相層析儀/質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.) | mg/kg | 0.1 | n.d. |
| 2H-全氟-2-癸烯酸 (8:2 FTUCA) (2H-Perfluoro-2-decenoic acid (8:2 FTUCA)) (CAS No.: 70887-84-2) | 參考CEN/TS 15968: 2010 · 以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. |
| 2H-全氟-2-辛烯酸 (6:2 FTUCA) (2H-Perfluoro-2-octenoic acid (6:2 FTUCA)) (CAS No.: 70887-88-6) | 參考CEN/TS 15968: 2010 · 以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. |
| 2H-全氟-2-十二烯酸 (10:2 FTUCA) (2H-Perfluoro-2-dodecenoic acid (10:2 FTUCA)) (CAS No.: 70887-94-4) | 參考CEN/TS 15968: 2010 · 以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. |
| 2-全氟癸基乙酸 (10:2 FTCA) (2-Perfluorodecyl ethanoic acid (10:2 FTCA)) (CAS No.: 53826-13-4) | 參考CEN/TS 15968: 2010 · 以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. |
| 6:6 全氟次磷酸 (6:6 PFPi) (6:6 Perfluorophosphinic acid (6:6 PFPi)) (CAS No.: 40143-77-9) | 參考CEN/TS 15968: 2010 · 以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. |
| 6:8 全氟次磷酸 (6:8 PFPi) (6:8 Perfluorophosphinic acid (6:8 PFPi)) (CAS No.: 610800-34-5) | 參考CEN/TS 15968: 2010 · 以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



測試報告

Test Report

號碼(No.): ETR24303943A01

日期(Date): 24-Apr-2024

頁數(Page): 18 of 37

緯富科技工業股份有限公司 (MCSIGN COATING TECHNOLOGY INC.)

台北市內湖區內湖路一段360巷15號7樓 (7F, NO.15 LN.360, SEC.1, NEIHU RD., NEIHU DIST., TAIPEI CITY 114, TAIWAN R.O.C.)

| 測試項目 (Test Items) | 測試方法 (Method) | 單位 (Unit) | MDL | 結果 (Result) |
|---|---|--------------|------|----------------|
| | | | | No.1 |
| 8:8全氟次磷酸 (8:8 PFPI) (8:8 Perfluorophosphinic acid (8:8 PFPI)) (CAS No.: 40143-79-1) | 參考CEN/TS 15968: 2010 · 以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. |
| 全氟己基碘 (PFHxI) (Perfluorohexyl iodide (PFHxI)) (CAS No.: 355-43-1) | 參考CEN/TS 15968: 2010 · 以氣相層析儀/質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. |
| 全氟己基乙烯 (PFHxE) (Perfluorohexyl ethylene (PFHxE)) (CAS No.: 25291-17-2) | 參考CEN/TS 15968: 2010 · 以氣相層析儀/質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. |

備註(Note) :

1. mg/kg = ppm ; 0.1wt% = 0.1% = 1000ppm
2. MDL = Method Detection Limit (方法偵測極限值)
3. n.d. = Not Detected (未檢出) ; 小於MDL / Less than MDL
4. 本測試報告為加測及合併ETR24303943之報告。(This report is added testing and combined with ETR24303943.)

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



測試報告

Test Report

號碼(No.): ETR24303943A01 日期(Date): 24-Apr-2024 頁數(Page): 19 of 37

緯富科技工業股份有限公司 (MCSIGN COATING TECHNOLOGY INC.)
台北市內湖區內湖路一段360巷15號7樓 (7F, NO.15 LN.360, SEC.1, NEIHU RD., NEIHU DIST., TAIPEI CITY 114, TAIWAN R.O.C.)

Remark :

現有PFAS定量技術是分析PFAS物質的特定結構，但同碳數族群之PFAS酸及鹽類物質，其可被辨識的特定結構相同，因此無法區別所分析的特定結構是來自酸或者鹽類，故測試結果為同碳數族群之PFAS之酸及鹽類物質的濃度總合。下表PFAS物質濃度皆已包含在測試結果中，相關資訊請參見下表：(下表列舉PFAS物質僅為範例，並不包含所有同碳數族群之PFAS鹽類。)

(The quantitative technology of PFAS is to analyze the specific structure of PFAS substances. However, PFAS acid and its salts with the same carbon number group have the same specific structure that can be identified. The tested results of the analyzed specific structure cannot be distinguished to identify the contribution from PFAS acid or its salts. Therefore, the tested results display the sum of concentrations of PFAS acids and its salts with the same carbon number group. The concentration of PFAS substances in the below table have been included in the tested results, please refer to the table for relevant information: (The listed PFAS substances are examples only, it do not include all PFAS salts with the same carbon number group.))

| 群組名稱 (Group Name) | 物質名稱 (Substance Name) | CAS No. |
|--|---|-------------|
| PFBA, 及其鹽 (PFBA, its salts) | 全氟丁酸 (Perfluorobutane acid) (PFBA) | 375-22-4 |
| | 全氟丁酸銨 (PFBA-NH ₄) Ammonium perfluorobutanoate (PFBA-NH ₄) | 10495-86-0 |
| | 全氟丁酸鈉 (PFBA-Na) Sodium perfluorobutanoate (PFBA-Na) | 2218-54-4 |
| | 全氟丁酸鉀 (PFBA-K) Potassium heptafluorobutanoate (PFBA-K) | 2966-54-3 |
| | 全氟丁酸銀 (PFBA-Ag) Silver perfluorobutanoate (PFBA-Ag) | 3794-64-7 |
| | 全氟丁酸鋰 (PFBA-Li) Lithium perfluorobutanoate (PFBA-Li) | 4146-76-3 |
| | 全氟丁酸哌嗪 (1:1) Heptafluorobutanoic acid-piperazine (1:1) | 375-04-2 |
| | 全氟丁酸鹽 Perfluorobutanoate (anion) | 45048-62-2 |
| PFBS, 及其鹽&衍生物 (PFBS, its salts & derivatives) | 全氟丁磺酸 (Perfluorobutane sulfonate) (PFBS) | 375-73-5 |
| | 全氟丁基磺酸鈉 (PFBS-Na) 1-Butanesulfonic acid, 1,1,2,2,3,3,4,4,4-nonafluoro-, sodium salt (1:1) (PFBS-Na) | 60453-92-1 |
| | 全氟丁基磺酸鋰 (PFBS-Li) Lithium perfluorobutanesulfonate (PFBS-Li) | 131651-65-5 |
| | 全氟丁基磺酸鎂 (PFBS-Mg) Magnesium perfluorobutanesulfonate (PFBS-Mg) | 507453-86-3 |
| | 全氟丁基磺酸鉀 (PFBS-K) Perfluorobutane Sulfonate K-salt (PFBS-K) | 29420-49-3 |
| | | |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



測試報告

Test Report

號碼(No.): ETR24303943A01

日期(Date): 24-Apr-2024

頁數(Page): 20 of 37

緯富科技工業股份有限公司 (MCSIGN COATING TECHNOLOGY INC.)

台北市內湖區內湖路一段360巷15號7樓 (7F, NO.15 LN.360, SEC.1, NEIHU RD., NEIHU DIST., TAIPEI CITY 114, TAIWAN R.O.C.)

| 群組名稱 (Group Name) | 物質名稱 (Substance Name) | CAS No. |
|--|--|-------------|
| PFBS, 及其鹽&衍生物 (PFBS, its salts & derivatives) | 全氟丁基磺酸氟 (PFBS-F) Perfluorobutane sulfonyl fluoride (PFBS-F) | 375-72-4 |
| | 全氟丁基磺酸四乙基銨 (PFBS-N(CH ₃ CH ₂) ₄) Tetraethylammonium perfluorobutanesulfonate (PFBS-N(CH ₃ CH ₂) ₄) | 25628-08-4 |
| | 全氟丁基磺酸三苯基銨 (TPS-PFBS) Triphenylsulfanium perfluorobutane sulfonate (TPS-PFBS) | 144317-44-2 |
| | 全氟丁基磺酸二甲基(苯基)硫 Dimethyl(phenyl)sulfanium perfluorobutane sulfonate | 220133-51-7 |
| | 全氟丁基磺酸四丁基磷 Tetrabutyl-phosphonium nonafluoro-butane-1-sulfonate | 220689-12-3 |
| | 全氟丁基磺酸嗎啉 Morpholinium perfluorobutanesulfonate | 503155-89-3 |
| | 全氟丁基磺酸銨 (PFBS-NH ₄) Ammonium 1,1,2,2,3,3,4,4,4-nonafluorobutane-1-sulphonate (PFBS-NH ₄) | 68259-10-9 |
| | 全氟丁基磺酸水合物 Nonafluorobutanesulfonic acidHydrate | 59933-66-3 |
| | 全氟丁基磺酸氯 (PFBS-Cl) Nonafluoro-1-butanessulfonyl chloride (PFBS-Cl) | 2991-84-6 |
| | 全氟-1-丁磺酸雙(4-叔丁基苯基)碘鎢 (PFBS-I(C ₆ H ₄) ₂ (C ₄ H ₉) ₂) Bis(4-tert-butylphenyl)iodonium perfluoro-1-butanessulfonate (PFBS-I(C ₆ H ₄) ₂ (C ₄ H ₉) ₂) | 194999-85-4 |
| | 1,1,2,2,3,3,4,4,4-一氟丁烷-1-磺酸與2,2'-亞氨基二乙醇的化合物 (1:1) (PFBS-NH(C ₂ H ₅ O) ₂) 1,1,2,2,3,3,4,4,4-nonafluorobutane-1-sulphonic acid, compound with 2,2'-iminodiethanol (1:1) (PFBS-NH(C ₂ H ₅ O) ₂) | 70225-18-2 |
| | 1-(4-丁氧基-1-萘基)四氫噻吩九氟丁烷-1-磺酸鹽 (PFBS-SC ₁₈ H ₂₃ O) 1-(4-butoxy-1-naphthyl)tetrahydrothiophenium nonafluorobutane-1-sulfonate (PFBS-SC ₁₈ H ₂₃ O) | 209482-18-8 |
| | 全氟丁基磺酸四丁基銨 ((PFBS-N(C ₄ H ₉) ₄)) Tetrabutylammonium nonafluorobutanesulfonate ((PFBS-N(C ₄ H ₉) ₄)) | 108427-52-7 |
| | 全氟丁基磺酸二苯碘 ((PFBS-I(C ₆ H ₅) ₂)) Diphenyliodonium nonafluorobutane-1-sulfonate((PFBS-I(C ₆ H ₅) ₂)) | 194999-82-1 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



測試報告

Test Report

號碼(No.): ETR24303943A01 日期(Date): 24-Apr-2024 頁數(Page): 21 of 37

緯富科技工業股份有限公司 (MCSIGN COATING TECHNOLOGY INC.)
台北市內湖區內湖路一段360巷15號7樓 (7F, NO.15 LN.360, SEC.1, NEIHU RD., NEIHU DIST., TAIPEI CITY 114, TAIWAN R.O.C.)

| 群組名稱 (Group Name) | 物質名稱 (Substance Name) | CAS No. |
|--|---|--------------|
| PFBS, 及其鹽&衍生物 (PFBS, its salts & derivatives) | 全氟丁基磺酸三(4-叔丁基苯基)鎧 Sulfonium, tris[4-(1,1-dimethylethyl)phenyl]-, 1,1,2,2,3,3,4,4,4-nonafluoro-1-butanefulfonate (1:1) | 241806-75-7 |
| | 全氟丁基磺酸(4-環己基苯基)(二苯基)鎧 Sulfonium, (4-cyclohexylphenyl)diphenyl-, 1,1,2,2,3,3,4,4,4-nonafluoro-1-butanefulfonate (1:1) | 425670-64-0 |
| | 全氟丁基磺酸1-(1-甲基-1H-吲哚-3-基)硫醇-1-鎧 Thiophenium, tetrahydro-1-(1-methyl-1H-indol-3-yl)-, 1,1,2,2,3,3,4,4,4-nonafluoro-1-butanefulfonate (1:1) | 867373-18-0 |
| | 全氟丁基磺酸1-乙基-3-甲基吡啶鎧 Pyridinium, 1-ethyl-3-methyl-, 1,1,2,2,3,3,4,4,4-nonafluoro-1-butanefulfonate (1:1) | 1015420-87-7 |
| | 全氟丁基磺酸1-甲基-3-辛基咪唑鎧 1H-Imidazolium, 1-methyl-3-octyl-, 1,1,2,2,3,3,4,4,4-nonafluoro-1-butanefulfonate (1:1) | 905972-83-0 |
| | 全氟丁基磺酸1-己基-3-甲基咪唑鎧 1H-Imidazolium, 3-hexyl-1-methyl-, 1,1,2,2,3,3,4,4,4-nonafluoro-1-butanefulfonate (1:1) | 1001557-05-6 |
| | 全氟丁基磺酸N,N-二甲基-N-(丙-2-基)丙-2-胺 2-Propanaminium, N,N-dimethyl-N-(1-methylethyl)-, 1,1,2,2,3,3,4,4,4-nonafluoro-1-butanefulfonate (1:1) | 374571-81-0 |
| | 全氟丁基磺酸[4-(2-叔丁氧基-2-氧代乙氧基)苯基](二苯基) (1:1) Sulfonium, [4-[2-(1,1-dimethylethoxy)-2-oxoethoxy]phenyl]diphenyl-, 1,1,2,2,3,3,4,4,4-nonafluoro-1-butanefulfonate (1:1) | 857285-80-4 |
| | 全氟丁基磺酸N,N-二丁基-N-甲基丁烷-1-胺 (1:1) 1-Butanaminium, N,N-dibutyl-N-methyl-, 1,1,2,2,3,3,4,4,4-nonafluoro-1-butanefulfonate (1:1) | 124472-66-8 |
| | 全氟丁基磺酸鋅 (2:1) (PFBS-Zn) 1-Butanesulfonic acid, 1,1,2,2,3,3,4,4,4-nonafluoro-, zinc salt (2:1) (PFBS-Zn) | 502457-69-4 |
| | 全氟丁基磺酸N,N,N-三丙基戊烷 (1:1) 1-Pentanaminium, N,N,N-tripropyl-, 1,1,2,2,3,3,4,4,4-nonafluoro-1-butanefulfonate (1:1) | 56773-55-8 |
| | 全氟丁基磺酸四甲基銨鹽 (PFBS-N(CH ₃) ₄) Perfluorobutanefulfonic acid tetramethylammonium salt (PFBS-N(CH ₃) ₄) | 25628-17-5 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



測試報告

Test Report

號碼(No.): ETR24303943A01 日期(Date): 24-Apr-2024 頁數(Page): 22 of 37

緯富科技工業股份有限公司 (MCSIGN COATING TECHNOLOGY INC.)
台北市內湖區內湖路一段360巷15號7樓 (7F, NO.15 LN.360, SEC.1, NEIHU RD., NEIHU DIST., TAIPEI CITY 114, TAIWAN R.O.C.)

| 群組名稱 (Group Name) | 物質名稱 (Substance Name) | CAS No. |
|--|--|-------------|
| PFBS, 及其鹽&衍生物 (PFBS, its salts & derivatives) | 全氟丁烷磺酸酐 1-Butanesulfonic acid, 1,1,2,2,3,3,4,4,4-nonafluoro-, 1,1'-anhydride | 36913-91-4 |
| | 全氟丁基磺酸鹽 Perfluorobutane sulfonate (anion) | 45187-15-3 |
| PFPA, 及其鹽 (PFPA, its salts) | 全氟戊酸 (Perfluoropentane acid) (PFPA) | 2706-90-3 |
| | 全氟戊酸鈉 (PFPA-Na) Sodium perfluoropentanoate (PFPA-Na) | 2706-89-0 |
| | 全氟戊酸鉀 (PFPA-K) Potassium perfluoropentanoate (PFPA-K) | 336-23-2 |
| | 全氟戊酸銨 (PFPA-NH ₄) Ammonium perfluoropentanoate (PFPA-NH ₄) | 68259-11-0 |
| | 全氟戊酸鋰 (PFPA-Li) Lithium perfluoropentanoate (PFPA-Li) | 198482-22-3 |
| | 全氟戊酸銀 (PFPA-Ag) Silver perfluoropentanoate (PFPA-Ag) | 2795-30-4 |
| | 全氟戊酸鹽 Perfluoropentanoate (anion) | 45167-47-3 |
| PFHxA, 及其鹽&衍生物 (PFHxA, its salts & derivatives) | 全氟己酸 (Perfluorohexane acid) (PFHxA) | 307-24-4 |
| | 全氟己酸銨 (PFHxA-NH ₄) Ammonium perfluorohexanoate (PFHxA-NH ₄) | 21615-47-4 |
| | 全氟己酸鈉 (PFHxA-Na) Sodium perfluorohexanoate (PFHxA-Na) | 2923-26-4 |
| | 全氟己酸鉀 (PFHxA-K) Potassium perfluorohexanoate (PFHxA-K) | 3109-94-2 |
| | 全氟己酸氟 (PFHxA-F) Perfluorohexanoyl fluoride (PFHxA-F) | 355-38-4 |
| | 全氟己酸銀 (PFHxA-Ag) Silver perfluorohexanoate (PFHxA-Ag) | 336-02-7 |
| | 全氟己酸鋰 (PFHxA-Li) Lithium perfluorohexanoate (PFHxA-Li) | 90430-61-8 |
| | 全氟己酸酐 Perfluorohexanoic anhydride | 308-13-4 |
| | 全氟己酸哌嗪 (2:1) Hexanoic acid, undecafluoro-, compd. with piperazine (2:1) (8Cl,9Cl) | 423-47-2 |
| | 全氟己酸鹽 Perfluorohexanoate (anion) | 92612-52-7 |
| | | |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



測試報告

Test Report

號碼(No.): ETR24303943A01 日期(Date): 24-Apr-2024 頁數(Page): 23 of 37

緯富科技工業股份有限公司 (MCSIGN COATING TECHNOLOGY INC.)
台北市內湖區內湖路一段360巷15號7樓 (7F, NO.15 LN.360, SEC.1, NEIHU RD., NEIHU DIST., TAIPEI CITY 114, TAIWAN R.O.C.)

| 群組名稱 (Group Name) | 物質名稱 (Substance Name) | CAS No. |
|--|---|--------------|
| 6:2 FTS, 及其鹽 (6:2 FTS, its salts) | 1H,1H,2H,2H-全氟辛磺酸 (1H,1H,2H,2H-Perfluorooctanesulphonic acid) (6:2 FTS) | 27619-97-2 |
| | 1H, 1H, 2H, 2H-全氟辛烷磺酸鈉 (6:2 FTS-Na) Sodium 1H,1H,2H,2H-Perfluorooctanesulfonate (6:2 FTS-Na) | 27619-94-9 |
| | 1H, 1H, 2H, 2H-全氟辛烷磺酸鉀 (6:2 FTS-K) Potassium 1H,1H,2H,2H-Perfluorooctanesulfonate (6:2 FTS-K) | 59587-38-1 |
| | 1H, 1H, 2H, 2H-全氟辛烷磺酸銨 (6:2 FTS-NH ₄) Ammonium 1H,1H,2H,2H-Perfluorooctanesulfonate (6:2 FTS-NH ₄) | 59587-39-2 |
| | 1H, 1H, 2H, 2H-全氟辛烷磺酸銨鎂 (6:2 FTS-Ba) 1-Octanesulfonic acid, 3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluoro-, barium salt (2:1) (6:2 FTS-Ba) | 1807944-82-6 |
| PFHxS, 及其鹽&衍生物 (PFHxS, its salts & derivatives) | 全氟己基磺酸 (Perfluorohexane sulfonate) (PFHxS) | 355-46-4 |
| | 全氟己基磺酸鈉 (PFHxS-Na) Perfluorohexanesulfonate Na-salt (PFHxS-Na) | 82382-12-5 |
| | 全氟己基磺酸鉀 (PFHxS-K) Perfluorohexanesulfonate K-salt (PFHxS-K) | 3871-99-6 |
| | 全氟己基磺酸銨 (PFHxS-NH ₄) Ammonium perfluorohexanesulfonate (PFHxS-NH ₄) | 68259-08-5 |
| | 全氟己基磺酸鋰 (PFHxS-Li) Perfluorohexanesulfonate Li-salt (PFHxS-Li) | 55120-77-9 |
| | 全氟己基磺酸鋅 (PFHxS-Zn) Perfluorohexanesulfonate Zn-salt (PFHxS-Zn) | 70136-72-0 |
| | 全氟己基磺酰氟 (PFHxS-F) Perfluorohexanesulfonate sulfonyl fluoride (PFHxS-F) | 423-50-7 |
| | 三苯基(苯甲基)磷-, 1,1,2,2,3,3,4,4,5,5,6,6,6-十三氟-1-己烷磺酸鹽 (1:1) Phosphonium, triphenyl(phenylmethyl)-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1) | 1000597-52-3 |
| | N,N,N-三丁基-1-丁銨與十三氟-1-己烷磺酸的鹽 N,N,N-tributylbutan-1-aminium tridecafluorohexane-1-sulfonate | 108427-54-9 |
| | N,N,N-三乙基乙銨與十三氟-1-己烷磺酸的鹽 (1:1) N,N,N-triethylethanaminium tridecafluorohexane-1-sulfonate (1:1) | 108427-55-0 |
| | 1,1,2,2,3,3,4,4,5,5,6,6,6-十三氟-1-己烷磺酸與吡咯烷的化合物 (1:1) 1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, compd. With pyrrolidine (1:1) | 1187817-57-7 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告

Test Report

號碼(No.): ETR24303943A01

日期(Date): 24-Apr-2024

頁數(Page): 24 of 37

緯富科技工業股份有限公司 (MCSIGN COATING TECHNOLOGY INC.)

台北市內湖區內湖路一段360巷15號7樓 (7F, NO.15 LN.360, SEC.1, NEIHU RD., NEIHU DIST., TAIPEI CITY 114, TAIWAN R.O.C.)

| 群組名稱 (Group Name) | 物質名稱 (Substance Name) | CAS No. |
|--|---|--------------|
| PFHxS, 及其鹽&衍生物 (PFHxS, its salts & derivatives) | N-[4-[[4-(二乙基氨基)苯基][4-(乙基氨基)-1-萘基]亞甲基]-2,5-環己二-1-基]-N-乙基乙銨,1,1,2,2,3,3,4,4,5,5,6,6,6-十三氟-1-己烷磺酸鹽 (1:1) Ethanaminium, N-[4-[[4-(diethylamino)phenyl][4-(ethylamino)-1-naphthalenyl]methylene]-2,5-cyclohexadien-1-ylidene]-N-ethyl-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1) | 1310480-24-0 |
| | N-[4-[[4-(二甲基氨基)苯基][4-(乙基氨基)-1-萘基]亞甲基]-2,5-環己二-1-基]-N-甲基甲銨,1,1,2,2,3,3,4,4,5,5,6,6,6-十三氟-1-己烷磺酸鹽 (1:1) Methanaminium, N-[4-[[4-(dimethylamino)phenyl][4-(ethylamino)-1-naphthalenyl]methylene]-2,5-cyclohexadien-1-ylidene]-N-methyl-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1) | 1310480-27-3 |
| | N-[4-[[4-(二甲基氨基)苯基][4-(苯基氨基)-1-萘基]亞甲基]-2,5-環己二-1-基]-N-甲基甲銨,1,1,2,2,3,3,4,4,5,5,6,6,6-十三氟-1-己烷磺酸鹽 (1:1) Methanaminium, N-[4-[[4-(dimethylamino)phenyl][4-(phenylamino)-1-naphthalenyl]methylene]-2,5-cyclohexadien-1-ylidene]-N-methyl-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1) | 1310480-28-4 |
| | β-環糊精, 與1,1,2,2,3,3,4,4,5,5,6,6,6-十三氟-1-己烷磺酸離子(1-)的化合物 (1:1) Beta-Cyclodextrin, compd. with 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonic acid ion(1-) (1:1) | 1329995-45-0 |
| | γ-環糊精, 與1,1,2,2,3,3,4,4,5,5,6,6,6-十三氟-1-己烷磺酸離子(1-)的化合物 (1:1) Gamma-Cyclodextrin, compd. with 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonic acid ion(1-) (1:1) | 1329995-69-8 |
| | 三苯基銦,1,1,2,2,3,3,4,4,5,5,6,6,6-十三氟-1-己烷磺酸鹽 (1:1) Sulfonium, triphenyl-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1) | 144116-10-9 |
| | 喹啉鎘,1-(羧甲基)-4-[2-[4-[4-(2,2-二苯基乙基)苯基]-1,2,3,3a,4,8b-六氫環戊[b]吲哚-7-基]乙基]-,1,1,2,2,3,3,4,4,5,5,6,6,6-十三氟-1-己烷磺酸鹽 (1:1) Quinolinium, 1-(carboxymethyl)-4-[2-[4-[4-(2,2-diphenylethenyl)phenyl]-1,2,3,3a,4,8b-hexahydrocyclopent[b]indol-7-yl]ethenyl]-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1) | 1462414-59-0 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



測試報告

Test Report

號碼(No.): ETR24303943A01 日期(Date): 24-Apr-2024 頁數(Page): 25 of 37

緯富科技工業股份有限公司 (MCSIGN COATING TECHNOLOGY INC.)
台北市內湖區內湖路一段360巷15號7樓 (7F, NO.15 LN.360, SEC.1, NEIHU RD., NEIHU DIST., TAIPEI CITY 114, TAIWAN R.O.C.)

| 群組名稱 (Group Name) | 物質名稱 (Substance Name) | CAS No. |
|--|---|-------------|
| PFHxS, 及其鹽&衍生物 (PFHxS, its salts & derivatives) | 二苯基碘鎘,1,1,2,2,3,3,4,4,5,5,6,6,6-十三氟-1-己烷磺酸鹽 (1:1) Iodonium, diphenyl-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1) | 153443-35-7 |
| | N,N,N-三甲基甲銨與1,1,2,2,3,3,4,4,5,5,6,6,6-十三氟-1-己烷磺酸的鹽 (1:1) Methanaminium, N,N,N-trimethyl-, salt with 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonic acid (1:1) | 189274-31-5 |
| | 1,1,2,2,3,3,4,4,5,5,6,6,6-十三氟-1-己烷磺酸與2-甲基-2-丙胺的化合物 (1:1) 1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, compd.with 2-methyl-2-propanamine (1:1) | 202189-84-2 |
| | 雙[4-(1,1-二甲基乙基)苯基]碘鎘, 1,2,2,3,3,4,4,5,5,6,6,6-十三氟-1-己烷磺酸鹽 (1:1) Iodonium, bis[4-(1,1-dimethylethyl)phenyl]-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1) | 213740-81-9 |
| | 1,1,2,2,3,3,4,4,5,5,6,6,6-十三氟-1-己烷磺酸鎂鹽 (9Cl) 1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, gallium salt (9Cl) | 341035-71-0 |
| | 雙(4-甲基苯基)苯基硫磺酸,1,1,2,2,3,3,4,4,5,5,6,6,6-十三氟-1-己烷磺酸鹽 (1:1) Sulfonium, bis(4-methylphenyl)phenyl-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1) | 341548-85-4 |
| | 1,1,2,2,3,3,4,4,5,5,6,6,6-十三氟-1-己烷磺酸釷(3+)鹽 (3:1) 1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, scandium(3+) salt (3:1) (PFHxS-Sc) | 350836-93-0 |
| | 1,1,2,2,3,3,4,4,5,5,6,6,6-十三氟-1-己烷磺酸釹(3+)鹽 (3:1) 1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, neodymium(3+) salt (3:1) (PFHxS-Nd) | 41184-65-0 |
| | 1,1,2,2,3,3,4,4,5,5,6,6,6-十三氟-1-己烷磺酸釷(3+)鹽 (3:1) 1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, yttrium(3+) salt (3:1) (PFHxS-Y) | 41242-12-0 |
| | (硫代二-4,1-亞苯基)雙[二苯基硫鹽與1,1,2,2,3,3,4,4,5,5,6,6,6-十三氟-1-己烷磺酸 (1:2) Sulfonium, (thiodi-4,1-phenylene)bis[diphenyl]-, salt with 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonic acid (1:2) | 421555-73-9 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



測試報告

Test Report

號碼(No.): ETR24303943A01 日期(Date): 24-Apr-2024 頁數(Page): 26 of 37

緯富科技工業股份有限公司 (MCSIGN COATING TECHNOLOGY INC.)
台北市內湖區內湖路一段360巷15號7樓 (7F, NO.15 LN.360, SEC.1, NEIHU RD., NEIHU DIST., TAIPEI CITY 114, TAIWAN R.O.C.)

| 群組名稱 (Group Name) | 物質名稱 (Substance Name) | CAS No. |
|--|---|-------------|
| PFHxS, 及其鹽&衍生物 (PFHxS, its salts & derivatives) | 雙[4-(1,1-二甲基丙基)苯基]碘鎨鹽與1,1,2,2,3,3,4,4,5,5,6,6,6-十三氟-1-己烷磺酸 Iodonium, bis[4-(1,1-dimethylpropyl)phenyl]-, salt with 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonic acid | 421555-74-0 |
| | 三[4-(1,1-二甲基乙基)苯基]鎢-, 1,1,2,2,3,3,4,4,5,5,6,6,6-十三氟-1-己烷磺酸鹽 (1:1) Sulfonium, tris[4-(1,1-dimethylethyl)phenyl]-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1) | 425670-70-8 |
| | 十三氟己烷磺酸與二乙醇胺的化合物 Tridecafluorohexanesulphonic acid, compound with 2,2'-iminodiethanol (1:1) | 70225-16-0 |
| | 1,1,2,2,3,3,4,4,5,5,6,6,6-十三氟-1-己烷磺酸與N·N-二乙基乙胺的化合物 (1:1) 1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, compd. with N,N-diethylethanamine (1:1) | 72033-41-1 |
| | 雙[(1,1-二甲基乙基)苯基]碘鎨鹽-與1,1,2,2,3,3,4,4,5,5,6,6,6-十三氟-1-己烷磺酸 (1:1) (9CI) Iodonium, bis[(1,1-dimethylethyl)phenyl]-, salt with 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonic acid (1:1) (9CI) | 866621-50-3 |
| | (4-甲基苯基)二苯基鎢-, 1,1,2,2,3,3,4,4,5,5,6,6,6-十三氟-1-己烷磺酸鹽 (1:1) Sulfonium, (4-methylphenyl)diphenyl-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1) | 910606-39-2 |
| | [4-[(2-甲基-1-氧-2-丙烯-1-基)氧基]苯基]二苯基鎢-, 1,1,2,2,3,3,4,4,5,5,6,6,6-十三氟-1-己烷磺酸鹽 (1:1) Sulfonium, [4-[(2-methyl-1-oxo-2-propen-1-yl)oxy]phenyl]diphenyl-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1) | 911027-68-4 |
| | 1,1,2,2,3,3,4,4,5,5,6,6,6-十三氟-1-己烷磺酸銨鹽 (1:1) 1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, cesium salt (1:1) (PFHxS-CsH) | 92011-17-1 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告

Test Report

號碼(No.): ETR24303943A01

日期(Date): 24-Apr-2024

頁數(Page): 27 of 37

緯富科技工業股份有限公司 (MCSIGN COATING TECHNOLOGY INC.)

台北市內湖區內湖路一段360巷15號7樓 (7F, NO.15 LN.360, SEC.1, NEIHU RD., NEIHU DIST., TAIPEI CITY 114, TAIWAN R.O.C.)

| 群組名稱 (Group Name) | 物質名稱 (Substance Name) | CAS No. |
|--|---|-------------|
| PFHxS, 及其鹽&衍生物 (PFHxS, its salts & derivatives) | 二苯並[k,n][1,4,7,10,13]四氧噻吩基環戊二烯鎘,19-[4-(1,1-二甲基乙基)苯基]-6,7,9,10,12,13-六氫-,1,1,2,2,3,3,4,4,5,5,6,6,6-十三氟-1-己烷磺酸鹽 (1:1) Dibenzo[k,n][1,4,7,10,13]tetraoxathiacyclopentadecinium, 19-[4-(1,1-dimethylethyl)phenyl]-6,7,9,10,12,13-hexahydro-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1) | 928049-42-7 |
| | 全氟己基磺酸氯 (PFHxS-Cl) Perfluorohexylsulfonyl chloride (PFHxS-Cl) | 55591-23-6 |
| | PFHxS-磺酸酯聚合物 Sulfonium, [4-[(2-methyl-1-oxo-2-propenyl)oxy]phenyl]diphenyl-, salt with 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonic acid (1:1), polymer with 2-ethyltricyclo[3.3.1.1 ^{3,7}]dec-2-yl 2-methyl-2-propenoate, 3-hydroxytricyclo[3.3.1.1 ^{3,7}]dec-1-yl 2-methyl-2-propenoate and tetrahydro-2-oxo-3-furanyl 2-methyl-2-propenoate | 911027-69-5 |
| | 全氟己基磺酸鹽 Perfluorohexane sulfonate (anion) | 108427-53-8 |
| EtFHxSAA, 及其鹽 (EtFHxSAA, its salts) | N-乙基-N-[(十三氟己基)磺基]甘氨酸 (Glycine, N-ethyl-N-[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]) (EtFHxSAA) | 68957-32-4 |
| | N-乙基-N-[(十三氟己基)磺基]甘氨酸鉀 (EtFHxSAA-K) Potassium N-ethyl-N-[(tridecafluorohexyl)sulfonyl]glycinate (EtFHxSAA-K) | 67584-53-6 |
| | N-乙基-N-[(十三氟己基)磺基]甘氨酸鈉 (EtFHxSAA-Na) Sodium N-ethyl-N-[(tridecafluorohexyl)sulphonyl]glycinate (EtFHxSAA-Na) | 68555-70-4 |
| PFHpA, 及其鹽 (PFHpA, its salts) | 全氟庚酸 (Perfluoroheptane acid) (PFHpA) | 375-85-9 |
| | 全氟庚酸鈉 (PFHpA-Na) Sodium perfluoroheptanoate (PFHpA-Na) | 20109-59-5 |
| | 全氟庚酸鉀 (PFHpA-K) Potassium perfluoroheptanoate (PFHpA-K) | 21049-36-5 |
| | 全氟庚酸銨 (PFHpA-NH ₄) Ammonium perfluoroheptanoate (PFHpA-NH ₄) | 6130-43-4 |
| | 全氟庚酸銫 (PFHpA-Cs) Cesium perfluoroheptanoate (PFHpA-Cs) | 171198-24-6 |
| | 全氟庚酸銀 (PFHpA-Ag) Silver perfluoroheptanoate (PFHpA-Ag) | 424-05-5 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



測試報告

Test Report

號碼(No.): ETR24303943A01

日期(Date): 24-Apr-2024

頁數(Page): 28 of 37

緯富科技工業股份有限公司 (MCSIGN COATING TECHNOLOGY INC.)

台北市內湖區內湖路一段360巷15號7樓 (7F, NO.15 LN.360, SEC.1, NEIHU RD., NEIHU DIST., TAIPEI CITY 114, TAIWAN R.O.C.)

| 群組名稱 (Group Name) | 物質名稱 (Substance Name) | CAS No. |
|--|--|-------------|
| PFHpA, 及其鹽 (PFHpA, its salts) | 全氟庚酸鋰 (PFHpA-Li) Lithium perfluoroheptanoate (PFHpA-Li) | 60871-90-1 |
| | 全氟庚酸鹽 Perfluoroheptanoate (anion) | 120885-29-2 |
| HPFHpA, 及其鹽 (HPFHpA, its salts) | 7H-十二氟庚酸 (7H-Dodecanefluoroheptane acid) (HPFHpA) | 1546-95-8 |
| | 7H-十二氟庚酸鈉 (HPFHpA-Na) Sodium 2,2,3,3,4,4,5,5,6,6,7,7-dodecafluoroheptanoate (HPFHpA-Na) | 2264-25-7 |
| | 7H-十二氟庚酸銨 (HPFHpA-NH ₄) Ammonium 2,2,3,3,4,4,5,5,6,6,7,7-dodecafluoroheptanoate (HPFHpA-NH ₄) | 376-34-1 |
| PFHpS, 及其鹽 (PFHpS, its salts) | 全氟庚基磺酸 (Perfluoroheptane sulfonate) (PFHpS) | 375-92-8 |
| | 全氟庚基磺酸鈉 (PFHpS-Na) Perfluoroheptanesulfonate Na-salt (PFHpS-Na) | 21934-50-9 |
| | 全氟庚基磺酸鉀 (PFHpS-K) Potassium perfluoroheptanesulfonate (PFHpS-K) | 60270-55-5 |
| | 全氟庚基磺酸銨 (PFHpS-NH ₄) Ammonium perfluoroheptanesulfonate (PFHpS-NH ₄) | 68259-07-4 |
| | 全氟庚基磺酸鋰 (PFHpS-Li) Lithium perfluoroheptanesulfonate (PFHpS-Li) | 117806-54-9 |
| | 全氟庚基磺酸-雙(2-羥乙基)銨 (1:1) 1-Heptanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,7-pentadecafluoro-, compd. with 2,2'-iminobis[ethanol] (1:1) | 70225-15-9 |
| | 全氟庚基磺酸鹽 Perfluoroheptane sulfonate (anion) | 146689-46-5 |
| PFOS, 及其鹽&衍生物 (PFOS, its salts & derivatives) | 全氟辛烷磺酸 (Perfluorooctane sulfonates) (PFOS) | 1763-23-1 |
| | 全氟辛基磺酸鉀 (PFOS-K) Potassium perfluorooctanesulfonate (PFOS-K) | 2795-39-3 |
| | 全氟辛基磺酸鋰 (PFOS-Li) Perfluorooctanesulfonic acid, lithium salt (PFOS-Li) | 29457-72-5 |
| | 全氟辛基磺酸銨 (PFOS-NH ₄) Perfluorooctanesulfonic acid, ammonium salt (PFOS-NH ₄) | 29081-56-9 |
| | 全氟辛基磺酸二乙醇銨 (PFOS-NH(OH) ₂) Perfluorooctane sulfonate diethanolamine salt (PFOS-NH(OH) ₂) | 70225-14-8 |
| | | |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



測試報告

Test Report

號碼(No.): ETR24303943A01 日期(Date): 24-Apr-2024 頁數(Page): 29 of 37

緯富科技工業股份有限公司 (MCSIGN COATING TECHNOLOGY INC.)
台北市內湖區內湖路一段360巷15號7樓 (7F, NO.15 LN.360, SEC.1, NEIHU RD., NEIHU DIST., TAIPEI CITY 114, TAIWAN R.O.C.)

| 群組名稱 (Group Name) | 物質名稱 (Substance Name) | CAS No. |
|--|--|-------------|
| PFOS, 及其鹽&衍生物 (PFOS, its salts & derivatives) | 全氟辛基磺酸四乙基銨 (PFOS-N(C ₂ H ₅) ₄) Perfluorooctanesulfonic acid,tetraethylammonium salt (PFOS-N(C ₂ H ₅) ₄) | 56773-42-3 |
| | 全氟辛基磺酸二癸二甲基銨 (PFOS-DDA) N-decyl-N,N-dimethyldecyl-1-aminium 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctane-1-sulfonate (PFOS-DDA) | 251099-16-8 |
| | 全氟辛基磺酸四丁基銨 (PFOS-N(C ₄ H ₉) ₄) TetrabutylAmmonium perfluorooctanesulfonate (PFOS-N(C ₄ H ₉) ₄) | 111873-33-7 |
| | 全氟辛基磺酰氟 (POSF) Perfluorooctane sulfonyl fluoride (POSF) | 307-35-7 |
| | 全氟辛基磺酸鎂 (PFOS-Mg) Perfluorooctanesulfonic acid, magnesium salt (PFOS-Mg) | 91036-71-4 |
| | 全氟辛基磺酸鈉 (PFOS-Na) Perfluorooctanesulfonic acid, sodium salt (PFOS-Na) | 4021-47-0 |
| | 全氟辛基磺酸哌啶 Piperidine 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctanesulfonate | 71463-74-6 |
| PFOSA, 及其鹽 (PFOSA, its salts) | 全氟辛基磺酰胺 (Perfluorooctanesulfonamide) (PFOSA) | 754-91-6 |
| | 全氟辛基磺酰胺鋰鹽 (1:1) (PFOSA-Li) Perfluorooctanesulfonamide lithium salt (1:1) (PFOSA-Li) | 76752-79-9 |
| | 全氟辛基磺酰胺鈉鹽 (1:1) (PFOSA-Na) Perfluorooctanesulfonamide Sodium salt (1:1) (PFOSA-Na) | 76752-78-8 |
| | 全氟辛基磺酰胺鉀鹽 (1:1) (PFOSA-K) Perfluorooctanesulfonamide Potassium salt (1:1) (PFOSA-K) | 76752-70-0 |
| | 全氟辛基磺酰胺銨鹽 (1:1) (PFOSA-NH ₄) Perfluorooctanesulfonamide Ammonium salt (1:1) (PFOSA-NH ₄) | 76752-72-2 |
| PFOA, 及其鹽&衍生物 (PFOA, its salts & derivatives) | 全氟辛酸 (Perfluorooctanoic acid) (PFOA) | 335-67-1 |
| | 全氟辛酸鈉 (PFOA-Na) Sodium perfluorooctanoate (PFOA-Na) | 335-95-5 |
| | 全氟辛酸鉀 (PFOA-K) Potassium perfluorooctanoate (PFOA-K) | 2395-00-8 |
| | 全氟辛酸銀 (PFOA-Ag) Silver perfluorooctanote (PFOA-Ag) | 335-93-3 |
| | 全氟辛氟 (PFOA-F) Perfluorooctanoyl fluoride (PFOA-F) | 335-66-0 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



測試報告

Test Report

號碼(No.): ETR24303943A01 日期(Date): 24-Apr-2024 頁數(Page): 30 of 37

緯富科技工業股份有限公司 (MCSIGN COATING TECHNOLOGY INC.)
台北市內湖區內湖路一段360巷15號7樓 (7F, NO.15 LN.360, SEC.1, NEIHU RD., NEIHU DIST., TAIPEI CITY 114, TAIWAN R.O.C.)

| 群組名稱 (Group Name) | 物質名稱 (Substance Name) | CAS No. |
|--|---|-------------|
| PFOA, 及其鹽&衍生物 (PFOA, its salts & derivatives) | 全氟辛酸鉍 (APFO) Ammonium pentadecafluorooctanoate (APFO) | 3825-26-1 |
| | 全氟辛酸鋰 (PFOA-Li) Lithium perfluorooctanoate (PFOA-Li) | 17125-58-5 |
| | 全氟辛酸鈷 (PFOA-Co) Cobalt perfluorooctanoate (PFOA-Co) | 35965-01-6 |
| | 全氟辛酸銫 (PFOA-Cs) Cesium perfluorooctanoate (PFOA-Cs) | 17125-60-9 |
| | 全氟辛酸鉻 (PFOA-Cr(3+)) Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-, chromium(3+) (PFOA-Cr(3+)) | 68141-02-6 |
| | 全氟辛酸-哌嗪(2:1) PFOA-NH(C ₄ H ₁₀ N) Pentadecafluorooctanoic acid--piperazine (2/1)PFOA-NH(C ₄ H ₁₀ N) | 423-52-9 |
| | 全氟辛酸鹽 Pentadecafluorooctanoate (anion) | 45285-51-6 |
| | 全氟辛酸酐 Perfluorooctanoic Anhydride | 33496-48-9 |
| 8:2 FTS, 及其鹽 (8:2 FTS, its salts) | 1H,1H,2H,2H-全氟癸磺酸 (1H,1H,2H,2H-Perfluorodecanesulfonic acid) (8:2 FTS) | 39108-34-4 |
| | 1H, 1H, 2H, 2H-全氟癸磺酸鉀 (8:2 FTS-K) 1H,1H,2H,2H-Perfluorodencane sulfonate acid Potassium salt (8:2 FTS-K) | 438237-73-1 |
| | 1H, 1H, 2H, 2H-全氟癸磺酸鉍 (8:2 FTS-NH ₄) 1H,1H,2H,2H-Perfluorodencane sulfonate acid Ammonium salt (8:2 FTS-NH ₄) | 149724-40-3 |
| | 1H, 1H, 2H, 2H-全氟癸磺酸鈉 (8:2 FTS-Na) 1H,1H,2H,2H-Perfluorodencane sulfonate acid Sodium salt (8:2 FTS-Na) | 27619-96-1 |
| PFNA, 及其鹽 (PFNA, its salts) | 全氟壬酸 (Perfluorononan-1-oic acid) (PFNA) | 375-95-1 |
| | 全氟壬酸鈉 (PFNA-Na) Perfluorononanoate Na-salt (PFNA-Na) | 21049-39-8 |
| | 全氟壬酸鉍 (APFN) Perfluorononanoate ammounium salt (APFN) | 4149-60-4 |
| | 全氟壬酸鉀 (PFNA-K) Potassium perfluorononanoate (PFNA-K) | 21049-38-7 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



測試報告

Test Report

號碼(No.): ETR24303943A01 日期(Date): 24-Apr-2024 頁數(Page): 31 of 37

緯富科技工業股份有限公司 (MCSIGN COATING TECHNOLOGY INC.)
台北市內湖區內湖路一段360巷15號7樓 (7F, NO.15 LN.360, SEC.1, NEIHU RD., NEIHU DIST., TAIPEI CITY 114, TAIWAN R.O.C.)

| 群組名稱 (Group Name) | 物質名稱 (Substance Name) | CAS No. |
|--------------------------------|--|-------------|
| PFNA, 及其鹽 (PFNA, its salts) | 全氟壬酸鋰 (PFNA-Li) Perfluorononanoate Li-Salt (PFNA-Li) | 60871-92-3 |
| | 全氟壬酸銀 (PFNA-Ag) Silver perfluorononanoate (PFNA-Ag) | 7358-16-9 |
| | 全氟壬酸甲烷銨 (PFNA-NH ₃ (CH ₃)) Methanaminium perfluorononanoate (PFNA-NH ₃ (CH ₃)) | 77032-23-6 |
| | 全氟壬酸-N-乙基乙胺 (1:1) (PFNA-NH ₂ (C ₂ H ₅) ₂) Nonanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,9-heptadecafluoro-, compd. with N-ethylethanamine (1:1) PFNA-NH ₂ (C ₂ H ₅) ₂ | 77032-27-0 |
| | 全氟壬酸-N-甲基甲胺 (1:1) (PFNA-NH ₂ (CH ₃) ₂) Nonanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,9-heptadecafluoro-, compd. with N-methylmethanamine (1:1) (PFNA-NH ₂ (CH ₃) ₂) | 77032-24-7 |
| | 全氟壬酸-N · N-二乙基乙醯胺 (1:1) (9CI) (PFNA-NH(C ₂ H ₅) ₃) Nonanoic acid, heptadecafluoro-, compd. with N,N-diethylethanamine (1:1) (9CI) (PFNA-NH(C ₂ H ₅) ₃) | 327176-80-7 |
| | 全氟壬酸-哌啶 (1:1) (9CI) (PFNA-NH ₂ (C ₅ H ₁₀)) Nonanoic acid, heptadecafluoro-, compd. with piperidine (1:1) (9CI) (PFNA-NH ₂ (C ₅ H ₁₀)) | 95682-66-9 |
| | 全氟壬酸-苯胺 (1:1) (PFNA-NH ₃ (C ₆ H ₅)) Nonanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,9-heptadecafluoro-, compd. with benzenamine (1:1) (PFNA-NH ₃ (C ₆ H ₅)) | 95682-67-0 |
| | 全氟壬酸-環己胺 (1:1) (9CI) ((PFNA-NH ₃ (C ₆ H ₁₁)) Nonanoic acid, heptadecafluoro-, compd. with cyclohexanamine (1:1) (9CI) (PFNA-NH ₃ (C ₆ H ₁₁)) | 328531-06-2 |
| | 全氟壬酸鹽 Perfluorononanoate (anion) | 72007-68-2 |
| PFDA, 及其鹽 (PFDA, its salts) | 全氟癸酸 (Perfluorodecane acid) (PFDA) | 335-76-2 |
| | 全氟癸酸鈉 (PFDA-Na) Perfluorodecanoate Na-salt (PFDA-Na) | 3830-45-3 |
| | 全氟癸酸氫 (APFDA) Perfluorodecanoate ammonium salt (APFDA) | 3108-42-7 |
| | 全氟癸酸鉀 (PFDA-K*) Potassium perfluorodecanoate (PFDA-K*) | 51604-85-4 |
| | 全氟癸酸銀 (PFDA-Ag) Silver perfluorodecanoate (PFDA-Ag) | 5784-82-7 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



測試報告

Test Report

號碼(No.): ETR24303943A01

日期(Date): 24-Apr-2024

頁數(Page): 32 of 37

緯富科技工業股份有限公司 (MCSIGN COATING TECHNOLOGY INC.)

台北市內湖區內湖路一段360巷15號7樓 (7F, NO.15 LN.360, SEC.1, NEIHU RD., NEIHU DIST., TAIPEI CITY 114, TAIWAN R.O.C.)

| 群組名稱 (Group Name) | 物質名稱 (Substance Name) | CAS No. |
|------------------------------------|--|-------------|
| PFDA, 及其鹽 (PFDA, its salts) | 全氟癸酸鋰 (PFDA-Li) Lithium perfluorodecanoate (PFDA-Li) | 84743-32-8 |
| | 全氟癸酸鹽 Perfluorodecanoate (anion) | 73829-36-4 |
| PFUnDA, 及其鹽 (PFUnDA, its salts) | 全氟十一烷酸 (Perfluoroundecanoic acid) (PFUnDA) | 2058-94-8 |
| | 全氟十一烷酸銨 (PFUnDA-NH ₄) Ammonium perfluoroundecanoate (PFUnDA-NH ₄) | 4234-23-5 |
| | 全氟十一烷酸鈉 (PFUnDA-Na) Perfluoroundecanoic acid sodium salt (PFUnDA-Na) | 60871-96-7 |
| | 全氟十一烷酸鉀 (PFUnDA-K) Potassium perfluoroundecanoate (PFUnDA-K) | 30377-53-8 |
| | 全氟十一烷酸鈣 (PFUnDA-Ca) Calcium perfluoroundecanoate (PFUnDA-Ca) | 97163-17-2 |
| | 全氟十一烷酸鹽 Perfluoroundecanoate (anion) | 196859-54-8 |
| PFDODA, 及其鹽 (PFDODA, its salts) | 全氟十二烷酸 (Perfluorododecanoic acid) (PFDODA) | 307-55-1 |
| | 全氟十二烷酸銨 (APFDODA) Ammonium perfluorododecanoate (APFDODA) | 3793-74-6 |
| | 全氟十二烷酸鈉 (PFDODA-Na) Sodium perfluorododecanoate (PFDODA-Na) | 60872-01-7 |
| | 全氟十二烷酸鹽 Perfluorododecanoate (anion) | 171978-95-3 |
| PFTrDA, 及其鹽 (PFTrDA, its salts) | 全氟十三烷酸 (Pentacosfluorotridecanoic acid) (PFTrDA) | 72629-94-8 |
| | 全氟十三烷酸銨 (PFTrDA-NH ₄) Ammonium perfluorotridecanoate (PFTrDA-NH ₄) | 4288-72-6 |
| | 全氟十三烷酸鹽 Perfluorotridecanoate (anion) | 862374-87-6 |
| PFTDA, 及其鹽 (PFTDA, its salts) | 全氟十四烷酸 (Perfluorotetradecanoic acid) (PFTDA) | 376-06-7 |
| | 全氟十四烷酸鹽 Perfluorotetradecanoate (anion) | 365971-87-5 |
| PFNS, 及其鹽 (PFNS, its salts) | 全氟壬烷磺酸 (Perfluorononane sulfonic acid) (PFNS) | 68259-12-1 |
| | 全氟壬烷磺酸鈉 (PFNS-Na*) Sodium perfluoro-1-nonanesulfonate (PFNS-Na*) | 98789-57-2 |
| | 全氟壬烷磺酸銨 (PFNS-NH ₄) Ammonium nonadecafluorononanesulphonate (PFNS-NH ₄) | 17202-41-4 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



測試報告

Test Report

號碼(No.): ETR24303943A01 日期(Date): 24-Apr-2024 頁數(Page): 33 of 37

緯富科技工業股份有限公司 (MCSIGN COATING TECHNOLOGY INC.)
台北市內湖區內湖路一段360巷15號7樓 (7F, NO.15 LN.360, SEC.1, NEIHU RD., NEIHU DIST., TAIPEI CITY 114, TAIWAN R.O.C.)

| 群組名稱 (Group Name) | 物質名稱 (Substance Name) | CAS No. |
|------------------------------------|--|--------------|
| PFNS, 及其鹽 (PFNS, its salts) | 全氟壬烷磺酸鉀 (PFNS-K*) Potassium perfluorononanesulfonate (PFNS-K*) | 29359-39-5 |
| | 全氟壬烷磺酸鹽 Perfluorononane sulfonate (anion) | 474511-07-4 |
| PFUnDS, 及其鹽 (PFUnDS, its salts) | 全氟十一烷磺酸 (Perfluoroundecane sulfonic acid) (PFUnDS) | 749786-16-1 |
| | 全氟十一烷磺酸鹽 Perfluoroundecanesulfonate (anion) | 441296-91-9 |
| PFDoDS, 及其鹽 (PFDoDS, its salts) | 全氟十二烷磺酸 (Perfluorododecane sulfonic acid) (PFDoDS) | 79780-39-5 |
| | 全氟十二烷磺酸鈉 (PFDoDS-Na*) Sodium perfluoro-1-dodecanesulfonate (PFDoDS-Na*) | 1260224-54-1 |
| | 全氟十二烷磺酸鉀 (PFDoDS-K) Potassium perfluorododecanesulfonate (PFDoDS-K) | 85187-17-3 |
| | 全氟十二烷磺酸鹽 Perfluorododecane sulfonate (anion) | 343629-43-6 |
| PFTrDS, 及其鹽 (PFTrDS, its salts) | 全氟十三烷磺酸 (Perfluorotridecane sulfonic acid) (PFTrDS) | 791563-89-8 |
| | 全氟十三烷磺酸鈉 (PFTrDS-Na*) Sodium perfluoro-1-tridecanesulfonate (PFTrDS-Na*) | 174675-49-1 |
| PFDS, 及其鹽 (PFDS, its salts) | 全氟癸烷磺酸 (Perfluorodecane sulfonate) (PFDS) | 335-77-3 |
| | 全氟癸烷磺酸鈉 (PFDS-Na) Perfluorodecanesulfonate Na-salt (PFDS-Na) | 2806-15-7 |
| | 全氟癸烷磺酸鉀 (PFDS-K) Perfluorodecanesulfonate K-salt (PFDS-K) | 2806-16-8 |
| | 全氟烷基磺酸銨 (PFDS-NH ₄) Perfluoroaliphatic dean-sulfonate salt of NH ₄ (PFDS-NH ₄) | 67906-42-7 |
| | 全氟烷基磺酸鹽 Perfluorodecane sulfonate (anion) | 126105-34-8 |
| ADONA, 及其鹽 (ADONA, its salts) | 4,8-二氧雜-3H-全氟壬酸 (4,8-Dioxa-3H-perfluorononanoic acid) (ADONA) | 919005-14-4 |
| | 4,8-二氧雜-3H-全氟壬酸銨 (ADONA-NH ₄) Ammonium 4,8-dioxa-3H-perfluorononanoate (ADONA-NH ₄) | 958445-44-8 |
| | 4,8-二氧雜-3H-全氟壬酸鈉 (ADONA-Na) Sodium 4,8-dioxa-3H-perfluorononanoate (ADONA-Na) | 2250081-67-3 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



測試報告

Test Report

號碼(No.): ETR24303943A01 日期(Date): 24-Apr-2024 頁數(Page): 34 of 37

緯富科技工業股份有限公司 (MCSIGN COATING TECHNOLOGY INC.)
台北市內湖區內湖路一段360巷15號7樓 (7F, NO.15 LN.360, SEC.1, NEIHU RD., NEIHU DIST., TAIPEI CITY 114, TAIWAN R.O.C.)

| 群組名稱 (Group Name) | 物質名稱 (Substance Name) | CAS No. |
|--|---|--------------|
| H2PFDA, 及其鹽 (H2PFDA, its salts) | 2H,2H-全氟癸酸 (2H,2H-Perfluorodecane acid) (H2PFDA) | 27854-31-5 |
| | 四丁基磷2H,2H-全氟癸酸酯 Tetrabutylphosphonium 2H,2H-Perfluorodecanoate | 882489-14-7 |
| HFPO-DA, 及其鹽&衍生物 (HFPO-DA, its salts & derivatives) | 2,3,3,3-四氟-2-(七氟丙氧基)丙酸 (2,3,3,3-tetrafluoro-2-(heptafluoropropoxy)propionic acid) (HFPO-DA) | 13252-13-6 |
| | 2,3,3,3-四氟-2-(七氟丙氧基)丙酸鉀 2,3,3,3-tetrafluoro-2-(heptafluoropropoxy) propionicacid, K- salts | 67118-55-2 |
| | 2,3,3,3-四氟-2-(七氟丙氧基)丙酸銨 2,3,3,3-tetrafluoro-2-(heptafluoropropoxy) propionicacid, ammonium salts | 62037-80-3 |
| | 2,3,3,3-四氟-2-(七氟丙氧基)丙酸鹽基氟化物 2,3,3,3-tetrafluoro-2-(heptafluoropropoxy) propionicacid, its acyl halides | 2062-98-8 |
| 4:2 FTS, 及其鹽 (4:2 FTS, its salts) | 1H,1H,2H,2H-全氟己磺酸 (1H,1H,2H,2H-Perfluorohexanesulfonic acid) (4:2 FTS) | 757124-72-4 |
| | 1H,1H,2H,2H-全氟己烷磺酸鈉 1H,1H,2H,2H-perfluorohexane sulfonate acid sodium salt | 27619-93-8 |
| 4HPFUnA, 及其鹽 (4HPFUnA, its salts) | 2H,2H,3H,3H-全氟癸酸 (2H,2H,3H,3H-Perfluoroundecanoic Acid) (4HPFUnA) | 34598-33-9 |
| | 2H,2H,3H,3H-全氟癸酸鉀 (H4PFUnA-K) Potassium 2H,2H,3H,3H-Perfluoroundecanoate (H4PFUnA-K) | 83310-58-1 |
| PFPeS, 及其鹽 (PFPeS, its salts) | 全氟戊磺酸 (Perfluoropentane sulfonic acid) (PFPeS) | 2706-91-4 |
| | 全氟戊磺酸鈉 (PFPeS-Na*) Sodium perfluoro-1-pentanesulfonate (PFPeS-Na*) | 630402-22-1 |
| | 全氟戊磺酸鉀 (PFPeS-K) Potassium perfluoropentane-1-sulphonate (PFPeS-K) | 3872-25-1 |
| | 全氟戊磺酸銨 (PFPeS-NH ₄ *) Ammonium perfluoropentanesulfonate (PFPeS-NH ₄ *) | 68259-09-6 |
| | 全氟戊磺酸-雙(2-羥乙基)銨 Bis(2-hydroxyethyl) ammonium 1,1,2,2,3,3,4,4,5,5,5-undecafluoropentane-1-sulphonate | 70225-17-1 |
| | 全氟戊磺酸鋰 (PFPeS-Li) Undecafluoropentane-1-sulfonic acid lithium salt (PFPeS-Li) | 1046864-81-6 |
| | 全氟戊磺酸鹽 Perfluoropentane sulfonate (anion) | 175905-36-9 |
| | | |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



測試報告

Test Report

號碼(No.): ETR24303943A01 日期(Date): 24-Apr-2024 頁數(Page): 35 of 37

緯富科技工業股份有限公司 (MCSIGN COATING TECHNOLOGY INC.)
台北市內湖區內湖路一段360巷15號7樓 (7F, NO.15 LN.360, SEC.1, NEIHU RD., NEIHU DIST., TAIPEI CITY 114, TAIWAN R.O.C.)

| 群組名稱 (Group Name) | 物質名稱 (Substance Name) | CAS No. |
|--|--|-------------|
| 8:2diPAP, 及其鹽 (8:2diPAP, its salts) | 雙(1H,1H,2H,2H-全氟癸基)磷酸酯 (Bis(1H,1H,2H,2H-Perfluorodecyl)phosphate) (8:2diPAP) | 678-41-1 |
| | 雙(1H,1H,2H,2H-全氟癸基)磷酸酯鈉 (8:2diPAP-Na) Sodium bis(1H,1H,2H,2H-perfluorodecyl)phosphate (8:2diPAP-Na) | 114519-85-6 |
| 11H-PFUnDA, 及其鹽 (11H-PFUnDA, its salts) | 11H-全氟十一烷酸 (11H-Perfluoroundecanoic acid) (11H-PFUnDA) | 1765-48-6 |
| | 11H-全氟十一烷酸鉀 (11H-PFUnDA-K) potassium 2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11-icosafleuroundecanoate (11H-PFUnDA-K) | 307-71-1 |
| | 11H-全氟十一烷酸銨 (11H-PFUnDA-NH ₄) Ammonium 2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11-icosafleuroundecanoate (11H-PFUnDA-NH ₄) | 5081-02-7 |
| PFPrA, 及其鹽 (PFPrA, its salts) | 五氟丙酸 (Pentafluoropropionate acid) (PFPrA) | 422-64-0 |
| | 五氟丙酸鈉 (PFPrA-Na) Sodium pentafluoropropionate (PFPrA-Na) | 378-77-8 |
| | 五氟丙酸銀 (PFPrA-Ag) Silver pentafluoropropionate (PFPrA-Ag) | 509-09-1 |
| | 五氟丙酸鉀 (PFPrA-K) Potassium pentafluoropropionate (PFPrA-K) | 378-76-7 |
| | 五氟丙酸銨 (PFPrA-NH ₄) Ammonium pentafluoropropionate (PFPrA-NH ₄) | 2730-58-7 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告

Test Report

號碼(No.): ETR24303943A01


日期(Date): 24-Apr-2024

頁數(Page): 36 of 37

緯富科技工業股份有限公司 (MCSIGN COATING TECHNOLOGY INC.)

台北市內湖區內湖路一段360巷15號7樓 (7F, NO.15 LN.360, SEC.1, NEIHU RD., NEIHU DIST., TAIPEI CITY 114, TAIWAN R.O.C.)

全氟化合物(包含全氟辛酸/全氟辛烷磺酸/其相關化合物等等)分析流程圖 / Analytical flow chart – PFAS (including PFOA/PFOS/its related compound, etc.)



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告

Test Report

號碼(No.): ETR24303943A01

日期(Date): 24-Apr-2024

頁數(Page): 37 of 37


緯富科技工業股份有限公司 (MCSIGN COATING TECHNOLOGY INC.)

台北市內湖區內湖路一段360巷15號7樓 (7F, NO.15 LN.360, SEC.1, NEIHU RD., NEIHU DIST., TAIPEI CITY 114, TAIWAN R.O.C.)

* 照片中如有箭頭標示，則表示為實際檢測之樣品/部位。*

(The tested sample / part is marked by an arrow if it's shown on the photo.)

ETR24303943



** 報告結尾 (End of Report) **

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.