

DESIGNED FOR THE FUTURE

PROFESSIONAL EQUIPMENT FOR HOTELS AND RESTAURANTS





A man with a beard, wearing a dark blue suit and a striped shirt, is seated at a dark wooden desk. He is looking down at a small, light-colored card he is holding in his right hand. The background is a warm, dimly lit room with a large, glowing spherical lamp hanging from the ceiling. The overall mood is professional and sophisticated.


THE NUMBER ONE CHOICE

Welcome to Dometic!

Whether it's a family-run Bed & Breakfast or the world's first 7-star hotel, the hospitality industry trusts us to deliver high-quality solutions for enhanced guest satisfaction. Today you can find millions of Dometic minibars, room safes and wine cellars in hotels of all star categories across the world – something we are very proud of. The best products are now here for you to explore.

Welcome to our new catalogue – enjoy browsing and let us know what we can do for you.






Choose from our comprehensive range of minibars. Find the solution to suit the requirements of your guests the style of your interior.

MINIBARS

Introduction	6 – 13
New HiPro Minibars	14 – 17
Drawer Minibars	18 – 19
Minibar Installation Guide	20 – 21
HiPro Exchange Guide	34



Enhance the well-being of your guests by giving them the peace of mind that their valuables are safely stored.

SAFES

Introduction	22 – 25
ProSafe Premium Class	26 – 29
ProSafe Standard Class	30 – 33

DOMETIC ON THE WEB

Here's where you can find the complete Dometic range, with detailed information about all products. Plus, interesting facts about our company and download links for all our catalogues.

DOMETIC.COM/PROFESSIONAL





CLIMATE

FOOD & BEVERAGE

HYGIENE & SANITATION

POWER & CONTROL

SAFETY & SECURITY

PIONEERING INDUSTRY

GIVE YOUR GUESTS AN UNFORGETTABLE STAY

You will find more Dometic minibars and safes than any other make in first-class hotels across the world. Why? Know-how accumulated over 50 years, a track record of innovation as well as leading design solutions are the three main reasons.

The top of the line new Dometic HiPro Evolution and Alpha range minibars are developed with your business experience in mind. A sustainable minibar is a smart minibar. The new HiPro Alpha and Evolution range is just that. Boasting precise temperature control, world class efficiency and the best minibar cooling capacity, the premium Dometic HiPro range ensures absorption technology checks in for a clean, sustainable future in your hotel.



THE HOTEL AGAIN.

NEW DOMETIC HIPRO MINIBARS

The next generation of minibars

The state-of-the-art design of Dometic HiPro will help you create a premium in-room feeling. With sleek design, elegant illumination and crystal clear doors, invite your guests to treat themselves to something special.

Sustainably checking in

Sustainability means doing more with less. It's a philosophy we put into action with an outstanding energy efficient minibar range on the market. The all new HiPro range delivers more powerful cooling with up to 40% less energy consumption, making a visible difference OPEX for hotel owners.

Read more on this on p.13



DRAWER MINIBARS

Unique design, outstanding construction

Our drawer minibars are a class of their own in terms of design, size and functionality. Efficient cooling, convenient slide-out access.

Read more on this on p.18

SUSTAINABILITY AND EFFICIENCY: RECOGNIZED EXCELLENCE

At Dometic, we are proud to lead the way in sustainability, efficiency, and innovation in the hospitality industry. Our efforts have been widely recognized with several prestigious awards and certifications.

MOST EFFICIENT 2025 – ENERGY STAR®

Our minibars have been awarded the “Most Efficient 2025” label by ENERGY STAR® in the USA. This accolade reflects our commitment to creating products that deliver exceptional energy performance, helping hoteliers reduce operating costs and environmental impact.



LEADER LEVEL – MINDCLICK SUSTAINABILITY ASSESSMENT PROGRAM (MSAP)

The MindClick MSAP evaluates suppliers based on their environmental and social performance. Our minibars achieved the highest “Leader Level” rating, acknowledging our excellence in hotel impact, end-of-use considerations, packaging, and sustainable production practices.



DOUBLE STAR AWARD

Our Dometic HiPro minibar generation was voted gold in the Food & Beverage category of the Star Awards, a recognition chosen by readers and decision-makers in the hospitality sector. The Dometic MoBar also earned gold in the Technik category, reinforcing our reputation for combining innovation and functionality.



PLUS X AWARD

The Dometic HiPro Absorption minibars have been honored with the prestigious Plus X Award, celebrating excellence in High Quality, Design, Ease of Use, Functionality, and Ecology. As the first chromate-free absorption minibar, this innovation is a milestone in sustainable design and performance.



WHY IT MATTERS

Each recognition we receive drives us further in our mission to provide high-quality, energy-efficient, and sustainable solutions that exceed guest expectations. These achievements inspire us to continue setting new standards for sustainability and operational excellence in hospitality.





WE DEVELOPED HIPRO WITH HOTEL GUESTS IN MIND

A well-stocked minibar is an expected and appreciated hotel room feature for well-travelled hotel guests. Let's have a deeper look at some outstanding features we offer to the market with the all-new HiPro minibar generation:



1

Lower energy consumption

Dometic's new HiPro range will reduce energy consumption by up to 40%.

2

Premium guest experience

New HiPro will be an attractive and sales-promoting feature in the guest room.

3

Improved cooling power

Improved cooling capabilities with updated and optimised functionality.


4

A strong partner

With more than 50 years of experience and more than 6 million installed units; we are a proven partner.



A sustainable minibar is a smart minibar. The new Dometic HiPro range is just that. It's also more efficient with improved cooling and up to 40% less energy consumption. After more than 50 years in the hotel business and 6 million installed units, we're proud to say that we're pioneering the hotel industry. Again.



A40S



1. Aluminium handle

Stylish aluminium handle for all Evolution models.









2. Control panel

Easy to use control panel with status LED.



3. Door racks

Included in all type of doors, also for the transparent doors.

TECHNICAL DATA						
MODEL	EVOLUTION A30S	EVOLUTION A40S	EVOLUTION C40S	EVOLUTION C40G	EVOLUTION C60S2	EVOLUTION C60G2
Cooling technology	Absorption	Absorption	Compressor	Compressor	Compressor	Compressor
Model class (l)	30	40	40	40	60	60
Volume (l)	26	33	33	33	49	49
Door type	Solid door	Solid door	Solid door	Glass door	Solid door	Glass door
Product dimensions W × H × D (mm)	384 × 520 × 446	405 × 550 × 466	405 × 550 × 481	405 × 550 × 481	490 × 565 × 510	490 × 565 × 510
Weight (kg)	13.7	15.3	17.5	20.1	19.5	22.5
Sliding hinge kit	Yes	Yes	Yes	-	Yes	-
Can be built-in/integrated	With ventilation	With ventilation	With ventilation	With ventilation	With ventilation	With ventilation
Variable door hinge	Yes	Yes	Yes	Yes	Yes	Yes
LED interior light	Ambient top + bottom					
Input rating (W)	60–70	60–70	45	45	45	45
Energy consumption (EU Std, kWh/annum)	193	210	47	56	53	80
Noise level (db[A])	0	0	33	33	36	36
Features	<ul style="list-style-type: none"> Noiseless Ambient illumination 1 x door rack with decorative trim 1 x tempered glass shelf Aluminium handle Adjustable shelf Decorative panel on evaporator Long lasting technology 	<ul style="list-style-type: none"> Noiseless Ambient illumination 2 x door racks with decorative trim 2 x tempered glass shelves Aluminium handle Adjustable shelves Decorative panel on evaporator Long lasting technology 	<ul style="list-style-type: none"> High performance Integrated silent mode[^] Ambient illumination 2 x door racks with decorative trim 2 x tempered glass shelves Adjustable shelves Aluminium handle 	<ul style="list-style-type: none"> High Performance Integrated silent mode[^] Ambient illumination 2 x door racks with decorative trim 2 x tempered glass shelves Adjustable shelves Aluminium handle 	<ul style="list-style-type: none"> High Performance Integrated silent mode[^] Ambient illumination 2 x door racks with decorative trim 2 x tempered glass shelves Adjustable shelves Aluminium handle 	<ul style="list-style-type: none"> High Performance Integrated silent mode[^] Ambient illumination 2 x door racks with decorative trim 2 x tempered glass shelves Adjustable shelves Aluminium handle
Options	Key lock	Key lock	Key lock	Key lock	Key lock	Key Lock
Ref No.	9600029248 (Right Hinge) 9600029249 (Left Hinge)	9600029098 (Right Hinge) 9600029099 (Left Hinge)	9600029110 (Right Hinge) 9600029109 (Left Hinge)	9600029114 (Right Hinge) 9600029113 (Left Hinge)	9620001774 (Right Hinge) 9620001769 (Left Hinge)	9620001754 (Right Hinge) 9620001766 (Left Hinge)

[^] Manual activation



EVOLUTION A30S



EVOLUTION A40S



EVOLUTION C40S



EVOLUTION C40G



EVOLUTION C60S2



EVOLUTION C60G2

See the replacement guide on p.34 which new HiPro can replace your existing minibar.



DEVELOPED WITH YOUR BUSINESS EXPERIENCE IN MIND

HIPRO ALPHA

Many business travellers are constantly on the move living a suitcase life. Most days represent hard work with long hours – arriving late to the room preparing for the next day’s meeting while burning the midnight oil. That’s why the minibar is a much appreciated feature offering cold beverages and energising snacks. For the leisure tourist, the hotel minibar is an opportunity to enjoy a cold beverage at the late arrival check-in, after a long city excursion and while getting ready for a fun night out – or perhaps waking up with a need to quench the thirst.



C40S









1. Black handle
Luxury black handle for all Alpha models.



2. Plastic door racks
Adjustable transparent door racks.



3. Control panel
Easy to use control panel with status LED.

TECHNICAL DATA						
MODEL	ALPHA A30S	ALPHA A40S	ALPHA C40S	ALPHA C40G	ALPHA C60S1	ALPHA C60G1
Cooling technology	Absorption	Absorption	Compressor	Compressor	Compressor	Compressor
Model class (l)	30	40	40	40	60	60
Volume (l)	26	33	33	33	49	49
Door type	Solid door	Solid door	Solid door	Glass door	Solid door	Glass door
Product dimensions W × H × D (mm)	384 × 520 × 446	405 × 550 × 466	405 × 550 × 481	405 × 550 × 481	490 × 565 × 510	491 × 565 × 510
Weight (kg)	13.7	15.3	17.5	20.1	19.5	22.5
Sliding hinge kit	Yes	Yes	Yes	-	Yes	-
Can be built-in/integrated	With ventilation	With ventilation	With ventilation	With ventilation	With ventilation	With ventilation
Variable door hinge	Yes	Yes	Yes	Yes	Yes	Yes
LED interior light	LED top light					
Input rating (W)	60–70	60–70	45	45	45	45
Energy consumption (EU Std, kWh/annum)	193	210	47	56	53	80
Noise level (db[A])	0	0	33	33	36	36
Features	<ul style="list-style-type: none"> Noiseless 1 x door rack 1 x plastic shelf Adjustable shelf Long lasting technology 	<ul style="list-style-type: none"> Noiseless 2 x door racks 1 x plastic shelf Adjustable shelf Long lasting technology 	<ul style="list-style-type: none"> High Performance Integrated silent mode[^] 2 x door racks 1 x plastic shelf Adjustable shelf 	<ul style="list-style-type: none"> High Performance Integrated silent mode[^] 2 x door racks 1 x plastic shelf Adjustable shelf 	<ul style="list-style-type: none"> High Performance Integrated silent mode[^] 2 x door racks 1 x plastic shelf Adjustable shelf 	<ul style="list-style-type: none"> High Performance Integrated silent mode[^] 2 x door racks 1 x plastic shelf Adjustable shelf
Options	Key lock	Key lock	Key lock	Key lock	Key lock	Key Lock
Ref No.	9600028960 (Right Hinge) 9600028961 (Left Hinge)	9600028964 (Right Hinge) 9600028965 (Left Hinge)	9600049599 (Right Hinge) 9600049600 (Left Hinge)	9600029283 (Right Hinge) 9600029284 (Left Hinge)	9620001768 (Right Hinge) 9620001758 (Left Hinge)	9620001773 (Right Hinge) 9620001770 (Left Hinge)

[^] Manual activation

ALPHA A30S



ALPHA A40S



ALPHA C40S



ALPHA C40G



ALPHA C60S1



ALPHA C60G1

See the replacement guide on p.34 which new HiPro can replace your existing minibar.



PATENTED DESIGN

DRAWER MINIBARS

Convenient slide-out access, quiet operation, low energy consumption: Dometic drawer minibars set new standards in design and efficiency. Dometic DM 50 provides 50 litres capacity in an award-winning design featuring an automatic slide-out tray for snacks and mini bottles and an adjustable drawer for bottles and cans.

- Unique design for convenient slide-out access
- Patented and design awarded technology



TECHNICAL DATA	  		  	
	MODEL	DM 50CD	DM 50CF	
Refrigeration technology	Compressor		Compressor	
Volume (l)	50		50	
Product dimensions W × H × D (mm)	550 × 423 × 508		550 × 423 × 478	
Weight (kg)	24.5		23.4	
Refrigerant type	R600a		R600a	
LED interior light	Yes		Yes	
Colour	Black		Black	
Thermostat control	Electronic thermostat		Electronic thermostat	
Noise level (db[A])	39		39	
Features	<ul style="list-style-type: none"> • Mini drawer with rotatable dividers for mini bottles or snacks • Main drawer with 4 bottle fingers and multiple sized dividers for flexible storage 		<ul style="list-style-type: none"> • Mini drawer with rotatable dividers for mini bottles or snacks • Main drawer with 4 bottle fingers and multiple sized dividers for flexible storage 	
Ref No.	9600049502		9600028688	



1. Sliding rails

Perfect workmanship – removable and smooth running sliding rails for convenient use.



2. Interior lights

LED interior light – nicely features the snacks and beverages inside.



3. Sliding drawers

Simply slides out and self closing drawer provides easy access to the contents.



D Version



F Version

D models with Dometic front panel – F models with a front panel of your choice

D Version: Door with anthracite grey Dometic front panel and handle


F Version: Door with plain front allowing the designer and furniture manufacturer to complete the door finish with a custom front panel based on our specifications (dimensions/ thickness/weight)

VENTILATION GUIDELINES

HIPRO MINIBARS AND HIPRO CARE MINIFRIDGES

Dometic absorption fridges are equipped with an electrically heated cooling unit which is virtually silent in operation. The heat which the cooling unit extracts from the refrigerator interior is emitted at the back of the fridge. If you have a free-standing model, sufficient ventilation is provided in most cases. If you want to integrate the fridge into a piece of furniture, however, the following instructions need to met.






	A	B	C	D
A30	384 mm	446 mm	520 mm	356 mm
N30	384 mm	415 mm	520 mm	356 mm
A40	405 mm	466 mm	550 mm	376 mm
N40	405 mm	435 mm	550 mm	376 mm
C40	405 mm	481 mm	550 mm	376 mm



Please note that there must be sufficient room for ventilation behind the refrigerator to prevent heat build-up. During installation, make sure that the refrigerator is standing on a stable, level surface, and not directly near a heat source.


You can find all our documents, manuals and guidelines at documents.dometic.com.

	A	B	C	D
A30SBI	384 mm	-	520 mm	446 mm
A40SBI	405 mm	-	550 mm	466 mm
C60SBI	490 mm	-	565 mm	510 mm
A30SFS	384 mm	463 mm	550 mm	356 mm
A40SFS	405 mm	483 mm	580 mm	376 mm
C60SFS	490 mm	519 mm	595 mm	410 mm




	Air inlet	Air outlet
N30, N40	≥ 200 cm ²	200 cm ²
A30, A40, C40	≥ 150 cm ²	200 cm ²

DM50 DRAWER MINIBARS



RH & DM20 MINIBARS



#	DM50 Minibars	#	DM20 Minibars	#	RH Minibars
2	Min. 15 mm*	2	Approx. 10 mm*	2	Min. 20 mm*
		3	Min. 10.5 mm	3	Min. 10.5 mm

*Between the minibar's back (incl. the cooling unit) and the surrounding structure

Important note

Please read these instructions carefully and follow all instructions, guidelines, and warnings included in all our product manuals in order to ensure that you install, use, and maintain our products properly at all times.

By using our products, you hereby confirm that you have read all instructions, guidelines, and warnings carefully and that you understand and agree to abide by the terms and conditions as set forth herein. You agree to use our products only for the intended purpose and application and in accordance with the instructions, guidelines, and warnings as set forth in the product manuals as well as in accordance with all applicable laws and regulations. A failure to read and follow the instructions and warnings set forth herein may result in an injury to yourself and others, damage to your product or damage to other property in the vicinity. Our product manuals, including the instructions, guidelines, and warnings, and related documentation, may be subject to changes and updates. For up-to-date product information, please visit dometic.com.





ES


CLIMATE

FOOD & BEVERAGE

HYGIENE & SANITATION

POWER & CONTROL

SAFETY & SECURITY



FROM STANDARD TO PREMIUM


The range of Dometic ProSafe models

Security is an essential requirement for hotel guests, and one of the main reasons for choosing or discarding a destination and a hotel. The Dometic Group, aware of this, is always developing and improving all of its products in order to meet the needs of customers.

The latest product innovation Dometic has launched is a ProSafe range which goes one step further in terms of design, functionality, technology and security. This ProSafe range has a very modern design with a colour display, an illuminated keypad, the latest anti-tampering system and a new website platform which offers the

possibility to operate the safe with the strictest security. The elegant cabinets of the new ProSafe generation have rounded corners and edges for enhanced safety. Contemporary design.

- Master key
- LED interior light
- iAudit system – unique in the industry
- Remote Emergency Opening System (REOS 2.0)
– ultimate security and user comfort
- Battery level check



Premium Class

Excellence in form and function: Dometic innovations like iAudit tracking and the REOS Remote Emergency Opening System ensure security on all levels.



Standard Class

High security level combined with easy operation for perfect comfort and convenience.

PRODUCT FINDER – THE QUICK WAY TO FIND THE RIGHT PRODUCT

Laser-cut door

Our doors are precisely cut and crafted by a laser beam. This allows us to achieve 100% accuracy in dimensions and an extremely small clearance between the door and casing, making the door impossible to pry open.

Anti-Tamper system

With the anti-tampering system, Dometic offers a unique security feature for their models. All anti-tampering manipulation attempts are recorded in the electronic of the safe and can be tracked back at any time.

REOS code

REOS stands for Dometic's Remote Emergency Opening System. The emergency opening system from Dometic is based on an innovative encoding system. The unique solution combines advanced electronics with state-of-the-art online technology to allow simple yet highly secure emergency opening by authorised hotel staff.

Premium iAudit

All operations effected on a safe must be documented – for your own security and for your insurance provider.

This is where Dometic's Premium iAudit system offers a truly convenient solution: the integrated microchip provides storage capacity for the last 1,000 events.

SAM

The unique Dometic Safe Management System (SAM) allows for iAudit Trail and one time emergency code generation (REOS) from a user friendly but PIN secured internet based software tool.

● Yes / – No / ○ Optional

WHAT'S IMPORTANT TO YOU?	PREMIUM CLASS	STANDARD CLASS
Easy operation	●	●
Motorised opening	●	●
LED interior light	●	●
LED display	●	●
Emergency opening with master key	●	●
Emergency opening with master code	●	●
Emergency opening with REOS code	○	–
Anti-tampering system	○	–
Premium iAudit	●	–
SAM	○	–
Laser-cut door	●	–
From page	28	32



DOMETIC PREMIUM CLASS SAFES

Protection for more privacy – comfortably and with absolute reliability. With a Dometic Premium Class ProSafe, a hotel room becomes a perfectly private haven for the guest. A safe place for storage, conceived and implemented according to the newest standards. Its innovative and customisable design suits every hotel in a stylish way. Smooth surfaces and rounded edges make it easy to look after and give it long-lasting character. A colour display and the integrated soft-touch keypad make operation easy. And a Premium

Class ProSafe also breaks new ground when it comes to protective properties: pioneering technology like the unique iAudit and the anti-tampering system ensure security on all levels. The demand for contemporary security systems with added convenience is supported by special features such as REOS 2.0 software with its emergency code-opening system (optional).

- LED interior light
- Laser-cut door and frame
- iAudit for convenient documentation
- Emergency opening with key and master code
- Remote Emergency Opening System (REOS 2.0)
– ultimate security and user comfort (optional)



WIDE CHOICE OF MODELS AND SIZES

Dometic ProSafe MD series Premium Class safes are available in various sizes to suit different capacity demands, interior designs and installation conditions. Sizes range from 8.2 to 29 litres.




1. Batteries powered

Batteries included – Dometic safes come ready to use.



2. Automatic door

Automatic opening – Safe door opens automatically.



3. Fixing kit

Fixing kit – Optional fixing kit for secure fastening.

SAFETY & SECURITY
PROSAFE PREMIUM CLASS

TECHNICAL DATA			
	MD 283	MD 363	MD 383
Type of product	Electronic safe		
Capacity (liters)	8.2	24	28
Exterior dimensions W × H × D (mm)	280 × 165 × 235	360 × 190 × 410	380 × 190 × 450
Interior dimensions W × H × D (mm)	277 × 162 × 185	357 × 187 × 360	377 × 187 × 400
Steel thickness (mm)	Door: 5.0 / Body 1.2	Door: 5.0 / Body 1.5	Door: 5.0 / Body 1.5
Net weight (kg)	6.1	10.2	11.3
Keypad	ADA-compliant rubber keypad		
Display	White LED colour display, 4-digit guest code, English language		
Locking mechanism	Two 18 mm solid steel bolts		
Locking system	Motorised with automatic opening		
Power	4 LR6/AA 1.5 V batteries (incl.)		
Cabinet colour	Anthracite		
FEATURES			
LED interior light	●	●	●
Laser cut technology	●	●	●
Masterkey opening*	●	●	●
Mastercode opening	●	●	●
Anti-tampering system	○	○	○
REOS	○	○	○
iAudit	●	●	●
Laptop size	–	15"	17"
OPTIONS			
	<ul style="list-style-type: none">• Left-hand hinge• Two steps emergency code opening (REOS)• Fixing Kit• Master key	<ul style="list-style-type: none">• Left-hand hinge• Two steps emergency code opening (REOS)• Integrated socket (EU)• Fixing Kit• Master key	<ul style="list-style-type: none">• Left-hand hinge• Two steps emergency code opening (REOS)• Integrated socket (EU)• Fixing Kit• Master key
Ref No.	9600025507	9600025509	9600025515

*Master keys are optional, must be ordered separately, and are model-specific.

● Yes / – No / ○ Optional

TECHNICAL DATA					
	MODEL		MODEL		
		MD 408		MD 493	
Type of product		Electronic safe			
Capacity (liters)		22.5		29	
Exterior dimensions W × H × D (mm)		405 × 190 × 350		490 × 190 × 370	
Interior dimensions W × H × D (mm)		402 × 187 × 300		487 × 187 × 320	
Steel thickness (mm)		Door: 5.0 / Body 1.5		Door: 5.0 / Body 1.5	
Net weight (kg)		10.4		12.4	
Keypad		ADA-compliant rubber keypad			
Display		White LED colour display, 4-digit guest code, English language			
Locking mechanism		Two 18 mm solid steel bolts			
Locking system		Motorised with automatic opening			
Power		4 LR6/AA 1.5 V batteries (incl.)			
Cabinet colour		Anthracite			
FEATURES					
LED interior light		●		●	
Laser cut technology		●		●	
Masterkey opening*		●		●	
Mastercode opening		●		●	
Anti-tampering system		○		○	
REOS		○		○	
iAudit		●		●	
Laptop size		15"		17"	
OPTIONS					
		<ul style="list-style-type: none">• Left-hand hinge• Two steps emergency code opening (REOS)• Integrated socket (EU)• Fixing Kit• Master key		<ul style="list-style-type: none">• Left-hand hinge• Two steps emergency code opening (REOS)• Integrated socket (EU)• Fixing Kit• Master key	
Ref No.		9600025517		9600025524	

*Master keys are optional, must be ordered separately, and are model-specific.

● Yes / – No / ○ Optional

DOMETIC STANDARD CLASS SAFES

Robustly made with user-friendly features and functions

It puts hotel guests' mind at rest to have a safe place for their valuables while travelling. Providing a secure space for important or valuable objects yet it is a distinctive feature when choosing a hotel room or suite. With a Standard Class ProSafe, you can create a reliable spot in a guest room that is worth every penny. Security and functionality are paramount with all Dometic safe models. The Standard Class safe models offer your guests a high level of security thanks to their robust construction. Their simple and intuitive usability provides perfect comfort and convenience.

- Robust and reliable
- LED display
- LED interior light
- Master key and master code emergency opening
- Wide choice: vertical, horizontal, top-opening

WIDE CHOICE OF MODELS AND SIZES



DOMETIC PROSAFE MD 310 / 390 / 450

SAFE INVESTMENT

The doors on all the Standard Class safe models are precisely cut and crafted. Their robust construction and a locking system with extra-strong steel bolts leave no point of attack for burglars. The LED interior light minimises the risk of forgotten valuables. Fast and secure emergency opening is possible with a master key or master code (depending on the model).

- Robust, reliable construction for optimal safety
- LED interior light makes the contents visible at a glance
- Emergency opening with master key or master code




DOMETIC PROSAFE MDT TOP-OPENING SAFE

Part of the Dometic Standard Class range, the Dometic ProSafe MDT 400 X top-opening safe provides a simple, yet ingenious solution that is easy to operate and safe to use. The top-opening drawer safe can be integrated in an existing furniture drawer and provides easy access to guests' valuables. At the same time it meets the highest demands on ergonomic design, comfort and security with an LED inside light for standard, master key and master code opening possibility in case of emergency, digital LED illuminated keypad, four-digit code and top-opening stabilizer arm. An audio signal confirms that the safe is securely locked.

- Convenient access from above
- LED interior light makes the contents visible at a glance
- Enough room to fit laptop and tablet computers
- Ideal for installation into existing hotel room drawer
- Stabilizer arm for smooth opening and closing of the lid



SAFETY & SECURITY
PROSAFE STANDARD CLASS

		
TECHNICAL DATA		
MODEL	MD 310	MD 390
Type of product	Electronic safe	
Capacity (litres)	9	31.5
Exterior dimensions W x H x D (mm)	310 x 165 x 235	390 x 200 x 470
Interior dimensions W x H x D (mm)	306 x 161 x 182	386 x 196 x 418
Steel thickness (mm)	Door: 5.0 / Body 2	Door: 5.0 / Body 2
Net weight (kg)	7.1	14.3
Keypad	Rubber keypad	
Display	Red LED 4-digit guest code, English language	
Locking mechanism	Two 19 mm steel bolts	
Locking system	Motorised with automatic opening	
Power	4 LR6/AA 1.5 V batteries (incl.)	
Cabinet colour	Anthracite	
FEATURES		
Confirmation buzzer	●	●
LED interior light	●	●
Door handle opening	–	–
Masterkey opening*	●	●
Mastercode opening	●	●
Anti-tampering system	–	–
REOS	–	–
iAudit	–	–
Laptop size	–	17"
OPTIONS		
	<ul style="list-style-type: none">• Left-hand hinge• Fixing kit• Master key	<ul style="list-style-type: none">• Left-hand hinge• Fixing kit• Master key
Ref No.	9106601372	9108300290

*Master keys are optional, must be ordered separately, and are model-specific.

● Yes / – No / ○ Optional

TECHNICAL DATA				
	MODEL		MODEL	
	MD 450		MDT 400X	
Type of product	Electronic safe			
Capacity (litres)	30.4		9.7	
Exterior dimensions W x H x D (mm)	450 x 200 x 410		400 x 130 x 350	
Interior dimensions W x H x D (mm)	446 x 196 x 348		390 x 75 x 300	
Steel thickness (mm)	Door: 5.0 / Body 2		Door: 3.0 / Body 1.5	
Net weight (kg)	14.5		9	
Keypad	Rubber keypad			
Display	Red LED 4-digit guest code, English language		White LED 4-digit guest code, English language	
Locking mechanism	Two 19 mm steel bolts			
Locking system	Motorised with automatic opening			
Power	4 LR6/AA 1.5 V batteries (incl.)			
Cabinet colour	Anthracite			
FEATURES				
Confirmation buzzer	●		●	
LED interior light	●		●	
Door handle opening	–		–	
Masterkey opening*	●		●	
Mastercode opening	●		●	
Anti-tampering system	–		–	
REOS	–		–	
iAudit	–		–	
Laptop size	15"		15"	
OPTIONS				
	<ul style="list-style-type: none">• Left-hand hinge• Fixing kit• Master key		<ul style="list-style-type: none">• Integrated socket (EU)• Fixing kit• Master key	
Ref No.	9108300294		9106601394	

*Master keys are optional, must be ordered separately, and are model-specific.

● Yes / - No / ○ Optional



HIPRO REPLACEMENT GUIDE

Which new Dometic HiPro minibar can replace your old minibar

OLD MODEL	PRODUCT DIMENSIONS W × H × D (mm)	COOLING TECHNOLOGY	NEW MODEL	PRODUCT DIMENSIONS W × H × D (mm)
HiPro 3000	388 × 527 × 418	Absorption	HiPro Evolution A30S	384 × 520 × 446
			ALTERNATIVE	
HiPro 4000	405 × 559 × 452	Absorption	HiPro Alpha A30S	384 × 520 × 446
			HiPro Evolution A40S	405 × 550 × 466
			ALTERNATIVE	
			HiPro Alpha A40S	405 × 550 × 466
RH 430 LD	384 × 522 × 410	Absorption	HiPro Evolution C40S	405 × 550 × 481
			HiPro Alpha A30S	384 × 520 × 446
			HiPro Evolution A30S	384 × 520 × 446
RH 440 LD	401 × 554 × 446	Absorption	HiPro Alpha A40S	405 × 550 × 466
			HiPro Evolution A40S	405 × 550 × 466
			ALTERNATIVE	
			HiPro Alpha C40S	405 × 550 × 481
			HiPro Evolution C40S	405 × 550 × 481
CL 440 LDC	401 × 554 × 440	Compressor	HiPro Alpha C40S	405 × 550 × 481
			HiPro Evolution C40S	405 × 550 × 481
CL 440 LGC (Glass Door)	401 × 554 × 450	Compressor	HiPro Alpha C40G	405 × 550 × 481
			HiPro Evolution C40G	405 × 550 × 481
RH460LD DP	486 × 563 × 474	Absorption	HiPro Alpha C60S	490 × 565 × 510
			HiPro Evolution C60S	490 × 565 × 510
CL460LDC	485 × 562 × 475	Compressor	HiPro Alpha C60S	490 × 565 × 510
			HiPro Evolution C60S	490 × 565 × 510
CL460LGC	485 × 562 × 485	Compressor	HiPro Alpha C60G	490 × 565 × 510
			HiPro Evolution C60G	490 × 565 × 510



AUSTRALIA
DOMETIC AUSTRALIA PTY LTD.

Victoria

PO Box 1140
CLAYTON SOUTH VIC 3169
Tel +61 (03) 9239 1000
Fax +61 (03) 9239 1099
Email lodging@dometic.com.au

Queensland

PO Box 2495
BURLEIGH BC QLD 4220
Tel +61 (07) 5507 6000
Fax +61 (07) 5507 6001
Email lodging@dometic.com.au

Western Australia

12 Prosperity Ave
WANGARA WA 6065
Tel +61 (08) 9303 3555
Fax +61 (08) 9303 3577
Email lodging@dometic.com.au

NEW ZEALAND
DOMETIC NEW ZEALAND LTD.

Auckland

PO Box 12011
PENROSE, AUCKLAND 1642
Tel +64 (9) 622 1490
Fax +64 (9) 622 1573
Email customerservices@dometic.co.nz

We distribute our products in around 100 markets. Please mail us at: hospitality@dometic.com, or check our website dometic.com/hospitality