




SHELVING CATALOG

INDUSTRIAL SHELVING

PROVIDING STORAGE AND ORGANIZATION SPACE



FREE QUOTATION ON REQUEST LARGE STOCKS

FRENCH AND EUROPEAN MATERIALS



FAST SHIPPING

CONTENTS



- INFORMATION..... PAGE 3
 - PAGE 4.5
- ARCHIVE SHELVING.....
- RAYONNAGE LEGER " Self-stable profiled shelving " PAGE 6.7.8
 - MEDIUM-HEAVY PAGE 9
 - SHELVING..... PAGE 10
 - LIGHT WEIGHT RAYING "special for plant protection" PAGE 11
 - galvanized" medium-weight racks PAGE 12
 - MI LOURD RAYING " Epoxy "
- TIRE RACK..... PAGE 13.14
- ETABLI..... PAGE 15
 - PAGE 16
- WORK TABLE..... PAGE 17
- SERVANTE D'ATELIER..... PAGE 18
- PALLET RACK.....
 - ACCESSORIES AND SAFETY PALLET RACK..... PAGE 19.20
- CANDLE RACK..... PAGE 21
- CANTILEVER E LEGER..... PAGE 22
- SEMI-HEAVY/HEAVY CANTILEVER..... PAGE 23
- MODULAR PLATFORM..... PAGE 24
- OUR ACHIEVEMENTS..... PAGE 25.26



Archiving suspension files

Storage and filing of boxes and binders Can be used on both sides of the rack

Sendzimir galvanized (anticorrosion) or Epoxy-painted (on request)

High-performance and technical, good value for money

Single storage (350mm depth) and double storage (700mm depth) Available heights: 1800mm / 2000mm / 2250mm / 2500mm / 3000mm Adjustable in 25mm increments

Decking in 3mm natural Isorel , plastic feet Quick and easy tool-free assembly





SIMPLE ARCHIVING

Depth 350mm, Sendzimir galvanized, Height 2000mm, Isorel decking				
Levels	Length 1250mm 110kgs max UR* load		Length 1000mm 135kgs max UR* load	
3	Start module	Next module	Start module	Next module
4				
5				
6				
7				

DOUBLE ARCHIVING

Depth 700mm, Sendzimir galvanized, Height 2000mm, Isorel decking				
Levels	Length 1250mm 160kgs max UR* load		Length 1000mm 200kgs max UR* load	
3	Start module	Next module	Start module	Next module
4				
5				
6				
7				



Other available heights :

- Height 1800mm
- Height 2250mm
- Height 2500mm
- Height 3000mm

LIGHT SHELVING R.A.P.

Self-stable profiled shelving



UP TO 200KGS LOAD PER LEVEL...

Economical, aesthetically pleasing and easy-to-handle, it can be integrated into wide variety of locations.

Made in France

Sendzimir galvanized or Epoxy-painted uprights (optional). Upright width 40mm
Available heights: 1800mm / 2000mm / 2250mm / 2500mm / 3000mm Available depths:
350mm / 400mm / 500mm / 600mm / 700mm / 800mm / 1000mm / 1200mm

25mm pitch radius adjustment

3mm Isorel panel decking (or galvanized sheet metal top as an option) Plastic feet (or metal as an option)

Quick and easy tool-free assembly by simply snapping together

LIGHT SHELVING R.A.P.

Self-stable profiled shelving

Depth 400mm, Sendzimir galvanized, Height 2000mm, Isorel decking				
Levels	Length 1250mm 110kgs max UR* load		Length 1000mm 135kgs max UR* load	
3	Start module	Next module	Start module	Next module
4				
5				
6				
7				
Depth 500mm, Sendzimir galvanized, Height 2000mm, Isorel decking				
Levels	Length 1250mm 160kgs max UR* load		Length 1000mm 200kgs max UR* load	
3	Start module	Next module	Start module	Next module
4				
5				
6				
7				
Depth 600mm, Sendzimir galvanized, Height 2000mm, Isorel decking				
Levels	Length 1250mm 160kgs max UR* load		Length 1000mm 200kgs max UR* load	
3	Start module	Next module	Start module	Next module
4				
5				
6				
7				

*UR: uniformly distributed

Next module



Start module



Other available heights :

- Height 1800mm
- Height 2250mm
- Height 2500mm
- Height 3000mm

RAYONNAGE LEGER R.A.P. Auto-stable Shelving Profile

Depth 700mm, Sendzimir galvanized, Height 2000mm, Isorel decking				
Levels	Length 1250mm 160kgs max UR* load		Length 1000mm 200kgs max UR* load	
3	Start module	Next module	Start module	Next module
4				
5				
6				
7				

Depth 800mm, Sendzimir galvanized, Height 2000mm, Isorel decking				
Levels	Length 1250mm 150kgs max load UR*.		Length 1000mm 150kgs max load UR*.	
3	Start module	Next module	Start module	Next module
4				
5				
6				
7				

Depth 1000mm, Sendzimir galvanized, Height 2000mm, Isorel decking				
Levels	Length 1250mm 150kgs max load UR*.		Length 1000mm 150kgs max load UR*.	
3	Start module	Next module	Start module	Next module
4				
5				
6				
7				

Depth 1200mm, Sendzimir galvanized, Height 2000mm, Isorel decking				
Levels	Length 1250mm 150kgs max load UR*.		Length 1000mm 150kgs max load UR*.	
3	Start module	Next module	Start module	Next module
4				
5				
6				
7				

*UR: uniformly distributed

At Option: with decking
galvanized sheet metal: consult us

MEDIUM-HEAVY SHELVING



UP TO 850KGS LOAD PER LEVEL

Perfect solution for manual storage of medium-sized and medium-weight goods. It guarantees strength, solidity, durability and maximum stability.

Available beam lengths :

1200mm / 1500mm / 1800mm / 2000mm / 2100mm / 2400mm

Available heights: from 1800mm to 6000mm

Available depths: from 400mm to 1200mm Adjustable in

50mm increments

2 finishes available: Senzimir galvanized or Epoxy-painted 19mm chipboard or metal decking. Metal feet Simple assembly, with screws and assembly instructions supplied.

GALVANIZED MEDIUM-HEAVY SHELVING

with metal decking

Sendzimir galvanized ladder from 1800mm to 3000mm
Depth: 600mm or 800mm
Galvanized shelf Width: 300mm
PROTECTION


SPECIAL FOR PLANT

LADDER, Sendzimir galvanized, Thickness 50mm				
Depth mm	Height mm			
600	1800	2100	2400	3000
800				

Pair of rails, Sendzimir galvanized	
Length mm	Max. load / UR* level
1200	850kgs
1500	800kgs
1800	600kgs
2100	550kgs
2400	480kgs

*UR: uniformly distributed

METAL FLOORING, built-in galvanized shelves, Width 300mm					
Depth mm	Length mm				
	1200 (4 shelves)	1500 (5 shelves)	1800 (6 shelves)	2100 (7 shelves)	2400 (8 shelves)
600	4 shelves	5 shelves	6 shelves	7 shelves	8 shelves
800	4 shelves	5 shelves	6 shelves	7 shelves	8 shelves



GALVANIZED MEDIUM-HEAVY SHELVING

with wood decking

UP TO 850KGS LOAD PER LEVEL

LADDER, Sendzimir galvanized, Thickness 50mm				
Depth mm	Height mm			
400	1800	2100	2400	3000
500				
600				
800				
1000				
1200				

Pair of rails, Sendzimir galvanized	
Length mm	Max. load UR* level
1200	850kgs
1500	800kgs
2000	550kgs
2400	480kgs

*UR: uniformly distributed



REINFORCING CROSS-MEMBER
Depth mm
800
1000
1200

recommended from 800mm depth



WOODEN PANELING, 19mm thick				
Depth mm	Length mm			
400	1200	1500	2000	2400
500				
600				
800				
1000				
1200				

MI-LOURD RAYONNAGE Epoxy

AVAILABLE DEPTHS FROM 400mm TO 1200mm

ECHELLE, Epoxy blue, Thickness 50mm					
Depth mm	Height mm				
400	2000	2500	3000	4000	4500
500					
600					
800					
1000					
1200					

PAIR OF SMOOTHES, orange / white Epoxy	
Length mm	ge max / UR* level
1200 (Z61)	750kgs
1500 (Z64)	700kgs
2000 (Z64)	500kgs
2400 (Z74)	500kgs

*UR: uniformly distributed

SUPPORT BRACKET (recommended for depths of 800mm and more)	
Depth mm	
800	
1000	
1200	

WOODEN PANELING, 19mm thick				
Depth mm	Length mm			
400	1200	1500	2000	2400
500				
600				
800				
1000				
1200				



TIRE RACK

Epoxy

Ideal and practical for storing all types of light vehicle tires (single or rim-mounted) Blue epoxy ladder - Orange runner

Depth: 500mm

Available heights: from 2000mm to 4000mm

UP TO 10 VL TIRES PER LEVEL

ECHELLE, blue Epoxy, Width 500mm, Thickness 50mm					
Height mm	2000	2500	3000	4000	4500
Nb levels	3	4	5	6	7

PAIR OF SMOOTHES, orange Epoxy		
Length mm	Max. load / UR* level	Average number of tires / level
1200	750kgs	5/6 VL tires
1500	700kgs	7/8 VL tires
2000	500kgs	9/10 LV tires

*UR: uniformly distributed



TIRE RACK

Galvanized

IDEAL AND PRACTICAL FOR STORING ALL TYPES OF LIGHT TRUCK TIRES (SINGLE OR RIM-MOUNTED)

Depth: 500mm
Available heights: from 1800mm to 4000mm



LADDER, Sendzimir galvanized, Width 500mm, Thickness 50mm				
Height mm	1800	2100	2400	3000
Nb levels	3	3	4	5

Available in greater heights: consult us

Pair of rails, Sendzimir galvanized		
Length mm	Weight max / UR* water	Average number of tires / level
1200	850kgs	5/6 VL tires
1500	800kgs	7/8 VL tires
1800	600kgs	8/9 VL tires
2000	500kgs	9/10 LV tires
2100	480kgs	10/11 VL tires

*UR: uniformly distributed

COMPLETE, READY-TO-INSTALL KIT

1 medium tray 690x1850mm - Thickness 30mm Legs
600x1500mm
1 shelf with chipboard panel - Thickness 19mm Screws
included+ feet - Height 93mm (floor/platter)



Made in France



...with 1 additional level



SLIDING-SCALE PRICES BASED ON QUANTITY: PLEASE CONSULT US

WORK TABLE

2 ladders with feet - Height 1000mm 2 or 3
pairs of side rails
2 or 3 pairs of 19mm chipboard trays Level
adjustment in 50mm increments

Other dimensions:
please consult us

2 models to choose from: Epoxy-painted blue/orange OR galvanized

Width mm x Length mm	Max. load / UR* level
600x1300	700kgs
600x1600	650kgs
600x2100	500kgs
600x2500	500kgs
800x1300	700kgs
800x1600	650kgs
800x2100	500kgs
800x2500	500kgs
1000x1300	700kgs
1000x1600	650kgs
1000x2100	500kgs
1000x2500	500kgs



WORKSHOP TROLLEY ON CASTORS

2 ladders with swivel castors (2 freewheels - 2 braked wheels - wheel diameter: 100mm)
Height 1120mm
2 or 3 pairs of stringers
2 or 3 pairs of 19mm chipboard trays Level adjustment in 50mm increments
Maximum load UR* unit: 200kgs Available widths: 600mm or 800mm Available lengths: 1300mm or 1600mm

Width mm x Length mm
600x1300
600x1600
800x1300
800x1600

* UR: uniformly distributed

Other dimensions: please consult us



PALLET RACK

THE SOLUTION FOR STORING HEAVY LOADS ON PALLETS

Galvanized Senzimir ladder with base plates
Available heights: from 2500mm to 6500mm
Available depths: 800mm / 1000mm / 1100mm Available
orange Epoxy rails: from 1850mm to 3600mm Storage 2, 3 or 4
pallets / level
Safety pins included
Mechanical anchor TYPE M12X100mm

SCALE, Sendzimir galvanized, 80mm barrel		
Height mm	Depth mm	
2500 (XS10) - 10t	800	1100
3000 (XS10) - 10t		
3500 (XS20) - 12t		
4000 (XS20) - 12t		
4500 (XS30) - 14t		
5500 (XS30) - 14t		
6500 (XS30) - 14t		

PAIR OF SMOOTHES (50mm wide)		
Section mm (useful length)	No. of pallets / level	Max UR* load / level
80x1850	2 (80x120)	2000kgs - tube M08051
100x2250	2 (100x120)	2000kgs-tube M10051
90x2700	3 (80x120)	1350kgs-tube M09051
120x2700	3 (80x120)	2250kgs-tube M12051
130x2700	3 (80x120)	3000kgs-tube MN13051
150x3300	3 (100x120)	3200kgs-tube MN15051
125x3600	4 (80x120)	2000kgs-tube MN12551
150x3600	4 (80x120)	3400kgs-dble C 1551

*UR: uniformly distributed



ACCESSORIES AND SAFETY PALLET RACK



AJOURE WOOD DECKING


Rough-glazed fir

890x800	
890x1000	
890x1100	
	No guaranteed load between beams

WIRE DECKING

Dropped edges-3 reinforcements-800kgs between

880x800
880x1000
880x1100



beams

Other dimensions: please consult us

GRATING DECKING

GALVANIZED FLUSH-MOUNTED SUPPORT BRACKET 1100mm
(other lengths on request)



ACCESSORIES AND SAFETY PALLET RACK




LADDER PROTECTION SHOE
Height 400mm / 4 anchors



CORNER PROTECTION



ENTRE-ECHELLE



DOUBLE SIDE
PROTECTION
2500xH400



POST FOR SIDE
PROTECTION



SINGLE SIDE PROTECTION



PALLET STOP
(Rear stop for one pallet, offset 50mm)

1850	2700	3600
------	------	------



FALL-PREVENTION GRID OR SAFETY NET



MECHANICAL DOWEL
FOR FIXING TO
CONCRETE FLOOR
TYPE M12X100mm



GALVA CANDLE RACK

IDEAL FOR OVERHEAD STORAGE OF PALLETS OR LONG LENGTHS

SINGLE VERSION :

Base: 1200x1600mm

Stanchion height: 1500mm

Stackable 3 on 1



The candle rack is a piece of storage that offers its users many advantages.

For temporary, mobile and modular storage, it's the ideal tool for professionals with seasonal activities who need to optimize space in their workshops, warehouses or outdoor areas.

As the stanchion rack can be dismantled, once the stanchions have been removed it takes up very little space: racks without stanchions can easily be stacked on top of each other, and the stanchions stored in a rack that has not been dismantled...

Capacity= 1500kgs



DOUBLE VERSION :

Base: 1200x2035mm

Stanchion height: 1500mm

Stackable 2 on 1. Fork guides.



CANTILEVER E LEGER

Horizontal or vertical storage

Ideal for storing small, lightweight lengths: wood, aluminium, PVC, copper, etc.



Horizontal storage :

Height= 2500mm Width = 1100mm

Arm and base useful length= 600mm Max load per arm = 100kgs

Optional arm stop or H150mm leg

Available in single- or double-sided

TARIFS : NOUS CONSULTER

Optimizes height, takes up little floor space...

Vertical storage :


Height= 2500mm Width = 1100mm

Base length = 600mm Divider length= 600mm

Adjustable separator spacing Base stop angle

Available in single- or double-sided


Made in France



SEMI-HEAVY/HEAVY CANTILEVER

CUSTOMIZED QUOTE: PLEASE CONTACT US

FOR INDOOR



Made in France



FOR OUTSIDE




FINISH: Galvanized or Epoxy-painted

COLUMN: Standard height from 2000mm to 8000mm.

PIETEMMENT: single-sided or double-sided.

ARMS: Lengths from 400mm to 2000mm, load capacity defined according to requirements. Fastened by key. Adjustable in 75mm increments.

Roofing on request,
depending on region



SELF-SUPPORTING PLATFORM


ALLOWS YOU INCREASE FLOOR SPACE &
OPTIMIZE SPACE IN YOUR PREMISES



SAS
A PALLET

CUSTOM-MADE
ESTIMATES ON
REQUEST

PORTILLON



STAIRCASE

BODYGUARD



Modular platform for all business sectors.
Specially designed for **storing** and **extending** surfaces of all types.
Double or **triple** the available surface area.

OUR ACHIEVEMENTS



OUR ACHIEVEMENTS



INDUSTRIAL SHELVING STORAGE AND ORGANIZATION SPACE

