


Changing roc	oms			10 10 10 10 10 10
Clean Industry Dirty industry Multicases Coin-operated locker Closet Galvanized Vintage industry Classic desk	03 04 05-09 10 11 12 13	Comfort office Maintenance Door Z Ski Stainless steel Emergency Center Compact laminate Multicases quadri	15 16 17 18 19 20 21	
Cabinets		A4 MULTI		
Designer wardrobe Visitables & Collector Maintenance Swing doors Workshop swing doors Closet desk	24 25 26 27 28 29	Secured 1-door brooms 1-door storage 2-door storage unit Valves	30 31 32 33 34	
Lockers				
Multibox Half-case	36 37	Plastic eXtreme® Plastic OonCub®	38 39	
Filing cabinet	S			
Suspension file drawers	41	Credenza	42	
Accessories				1 10 1 1000
Accessories	44-46			
Locking syste	ems			
Custom manufacturing	48			
Color charts	63 64		3	1
Custom manufacturing	50			



## Changing







- O Reinforced metal body. 300 mm wide column.
- Door mufflers for greater user comfort. Exclusive anti-jamming system,
- O with 180° swing door.
- Full-height reinforced back ventilation. Complies with AFNOR D 65-760 standard.
- O Workshop changing rooms are subject to the following regulations
- o accordance with article 232-2 of the French Labor Code.
- Padlock hasp or key lock, others on request.

0

Removable	:	Tim	e to	installation	<b>4</b> 3'
Designation	Weight	Top.	Width	Deep.	Usable width
Start column	21,7	1800	300	500	246
Next column	17,5	1800	300	500	246
				* Info	ormative notions

Monobloc									
Designation	Weight	Тор.	Width	Deep.	Usable width				
Monobloc 1 col.	24,3	1800	300	500	246				
Monobloc 2 col.	43,7	1800	600	500	246**				
Monobloc 3 col.	63,1	1800	900	500	246**				
Monobloc 4 col.	82,5	1800	1200	500	246**				

\*\* Per column

#### Available colors

7035 GRAY BODY - 5005 BLUE DOOR, RED 3003, ANTHRACITE 7016, GREY 7035



#### Other colors


BEIGE 1013 / 1015, WHITE 9010, BLUE 5017, BROWN 1019, ALUMINUM 9006, BLACK 9005, RED 3020, YELLOW 1018, GREEN 6018 / 6034. ORANGE 2011, GREY 7040, GREY-BROWN 8019



#### The must-have

Indispensable whatever your activity, it's the workshop locker par excellence. Sturdiness and resistance for your clean industry changing rooms.

This metal locker is designed above all for intensive use.



#### Highlights

- Adhesive plastic label holder.
- 1 shelf with hanger rail and coat hook
- Metal body with structural reinforcement.
- Door with **mufflers** for greater user comfort. Top and bottom ventilation.
- Optimized full-height back ventilation, 40% higher than standard.
- Door with vertical reinforcement omega and additional hook.
- Padlock hasp locking system.
- Exclusive anti-deflating system, 180° door travel.
  - In the disassembled version,  $\mbox{CO}_2\,\mbox{emissions}$  during transport are divided by 6 compared to the monoblock version.
- Sheet thickness 7/10<sup>th</sup> as standard. 10/10<sup>(th</sup>) to order
- Compliant with AFNOR D 65-760 standard.

#### Available accessories





















- Anti-deflating system.
- O Full-height back ventilation. 180° swing door,
- closed or open.
- Metal body with reinforced structure.
- Workshop changing rooms are subject to the regulations set out in article 232-2 of the French Labor Code.
- Padlock hasp or key lock, others on request.

Removable		Tim	e to	installation	<b>3</b> '
Designation	Weight	Top.	Width	Deep.	Usable width
Start column	27,7	1800	400	500	346
Next column	23,8	1800	400	500	346

	010	,
*	Informative	notione

Monobloc									
Designation	Weight	Height	Width	Depth	Usable width				
Monobloc 1 col.	31,6	1800	400	500	346				
Monobloc 2 col.	58,2	1800	800	500	346**				
Monobloc 3 col.	85,0	1800	1200	500	346**				

\*\* Per column

#### Available colors

7035 GRAY BODY - 5005 BLUE DOOR, RED 3003, ANTHRACITE 7016, GREY 7035



#### Other colors


BEIGE 1013 / 1015, WHITE 9010, BLUE 5017, BROWN 1019, ALUMINUM 9006, BLACK 9005, RED 3020, YELLOW 1018, GREEN 6018 / 6034, ORANGE 2011, GREY 7040, GREY-BROWN 8019



#### Regulatory separation essential

Sturdiness and resistance for your professional dirty industry changing rooms.

This metal locker enables you to use it intensively, while maintaining the necessary separation. and regulations between work and civilian clothing.



#### Highlights

- Adhesive plastic label holder.
- 1 shelf with hanger rail and coat hook.
- Metal body with structural reinforcement.
- Door fitted with mufflers for greater user comfort. Top and bottom ventilation.
- Optimized full-height back ventilation, 40% higher
- Door with vertical reinforcement omega and additional hook
- Padlock hasp locking system.
- Anti-deflating system with 180° door travel.
- Interior clean/dirty linen partition, 1/3 2/3.
  - In the disassembled version,  $CO_2$  emissions during transport are divided by 6 compared to the monoblock version.
- Sheet thickness 7/10th as standard. 10/10(th) to order. Compliant with AFNOR D 65-760 standard.

#### Available accessories



















- O Width 300 mm or 400 mm per column. Height per
- O rack: 900 mm.
- Padlock hasp, key, code or coin-operated lock.
   Door mufflers for greater user comfort.
- O Exclusive anti-deflating system, with 180° door travel.
- O Adapts to visitable locker with hasp option + passkey allowing access to the locker without removing the padlock.

	Tim	e to	installation	<b>3</b> '
Weight	Тор.	Width	Deep.	Usable width
22,0	1800	300	500	246
18,0	1800	300	500	246
25,0	1800	400	500	346
21,0	1800	400	500	346
	22,0 18,0 25,0	Weight         Top.           22,0         1800           18,0         1800           25,0         1800	22,0 1800 300 18,0 1800 300 25,0 1800 400	Weight         Top.         Width         Deep.           22,0         1800         300         500           18,0         1800         300         500           25,0         1800         400         500

Monobloc					
Designation	Weight	Height	Width	Deep.	Usable width
Mutlicases 1 col. 2 cases	22,0	1800	300	500	246
Mutlicases 2 col. 2 cases	40,0	1800	600	500	246**
Mutlicases 3 col. 2 cases	58,0	1800	900	500	246**
Mutlicases 4 col. 2 cases	76,0	1800	1200	500	246**
Mutlicases 1 col. 2 cases	25,0	1800	400	500	346
Mutlicases 2 col. 2 cases	45,0	1800	800	500	346**
Mutlicases 3 col. 2 cases	66,0	1800	1200	500	346**

#### Available colors

GRAY 7035 BODY - BLUE 5005, RED 3003 DOOR, ANTHRACITE 7016, GREY 7035



#### Other colors


BEIGE 1013 / 1015, WHITE 9010, BLUE 5017, BROWN 1019, BLACK 9005, ALUMINIUM 9006, YELLOW 1018, GREEN 6018 / 6034, ORANGE 2011, RED 3020, GREY 7040, GREY-BROWN 8019.



## The Multicase Locker with multiple options

The Vestiaire Multicases 2 cases allows you to optimize your space while you something to hang your clothes on.

Also available in Multicases 3 cases, 4 cases and Multicases 5 cases.



#### Highlights

- Adhesive plastic label holder
- shelves with hanger rail and coat hook.
- Metal body with structural reinforcement.
- door with mufflers for your comfort.
- Optimized full-height back ventilation.
- Door with vertical reinforcement omega.
- Locking system with padlock-holder hasp and key lock.
- Exclusive anti-deflating system, 180° door travel.
- In the disassembled version,  $\infty$  emissions during transport are divided by 6 compared to the monoblock version.
- Sheet thickness  $7/10^{\text{th}}$  as standard.  $10/10^{\text{(th)}}$ ) to order.

#### Available accessories

















#### 2-compartment multi-purpose locker for dirty metal industry





#### To remember

- O Width 400 mm per column. Height
- O per rack: 900 mm.
- O Locker with internal partition 1/3 2/3.
- Padlock hasp, key, code or coin-operated lock.
   Door mufflers for greater user comfort.
- O Exclusive anti-deflating system, with 180° door travel.
- O Adapts to visitable locker with hasp option
- + passkey allowing access to the locker
- without removing the padlock.

Removable		Time to		installation	<b>4</b> 3'
Designation	Weight	Top.	Width	Deep.	Usable width
Start column	24,7	1800	400	500	346
Next column	20,7	1800	400	500	346

*	Informative	notions

Monobloc								
Designation	Weight	Top.	Width	Deep.	Usable width			
Mutlicases 1 col. 2 cases	24,7	1800	400	500	346			
Mutlicases 2 col. 2 cases	45,0	1800	800	500	346**			
Mutlicases 3 col. 2 cases	66,0	1800	1200	500	346**			

\*\* Per column

#### Available colors

GRAY 7035 BODY - BLUE 5005, RED 3003 DOOR, ANTHRACITE 7016, GREY 7035



#### Other colors

BEIGE 1013 / 1015, WHITE 9010, BLUE 5017, BROWN 1019, BLACK 9005, ALUMINIUM 9006, YELLOW 1018, GREEN 6018 / 6034, ORANGE 2011, RED 3020, GREY 7040, GREY-BROWN 8019.




## The dirty industry version of the 2-compartment locker

The Multicases 2-compartment dirty industry locker optimizes space, provides support for clothing and interior separation.

In 400 mm width, it separates clean clothes from dirty clothes. Also available in a Clean

Industry version.



#### Highlights

- Adhesive plastic label holder.
- shelves with hanger rail and coat hook.
- Metal body with structural reinforcement.
- Door equipped with sound absorbers for your comfort.
- Optimized full-height back ventilation.
- Door with vertical reinforcement omega.
- Locking system with padlock-holder hasp and key lock.
- Exclusive anti-deflating system, 180° door travel.
- Interior partition wall.
- In the disassembled version, co2 emissions during transport are divided
- by 6 compared to the monoblock version.
- Sheet thickness 7/10<sup>th</sup> as standard. 10/10<sup>(th</sup>) to order.

#### Available accessories





















- O Column: width 300 mm or 400 mm. Height per
- O rack: 600 mm.
- Locking system with padlock hasp, key, code or coinoperated lock.
- O Door mufflers for greater user comfort.
- Exclusive anti-deflating system, with 180° door travel.

Adapts to visitable locker with hasp option

O + passkey allowing access to the locker without removing the padlock.

Removable		Time	e to	installation *	<b>3</b> '
Designation	Weight	Тор.	Width	Deep.	Top. Useful
Start column	23,0	1800	300	500	246
Next column	19,0	1800	300	500	246
Start column	26,0	1800	400	500	346
Next column	22,0	1800	400	500	346

\* Informative notions

Monobloc					
Designation	Weight	Top.	Width	Deep.	Usable width
Mutlicases 1 col. 3 cases	23,0	1800	300	500	246
Mutlicases 2 col. 3 cases	42,0	1800	600	500	246**
Mutlicases 3 col. 3 cases	62,0	1800	900	500	246**
Mutlicases 4 col. 3 cases	81,0	1800	1200	500	246**
	26.0		400		346
Mutlicases 2 col. 3 cases	48,0	1800	800	500	346**
Mutlicases 3 col. 3 cases	70,0	1800	1200	500	346**

\*\* Per column

#### Available colors

GRAY 7035 BODY - BLUE 5005, RED 3003, ANTHRACITE 7016, GRAY 7035 DOOR.



#### Other colors


BEIGE 1013 / 1015, WHITE 9010, BLUE 5017, BROWN 1019, BLACK 9005, GREEN 6018 / 6034, ALUMINIUM 9006, YELLOW 1018, ORANGE 2011, RED 3020, GREY 7040, GREY-BROWN 8019



### 3 racks are better than 2 and almost 4

The Vestiaire Multicases 3-compartment locker allows you to store your personal and professional belongings.

Our Multicase range is available in two widths: 300 mm or 400 mm to best suit your needs. Available in 2, 4 and 5 compartments per column.



#### **Highlights**

- Adhesive plastic label holder.
- Shelves with hanger rail and coat hook.
- Metal body with structural reinforcement.
- Muffler door for your comfort.
- Optimized full-height back ventilation.
- Door with vertical reinforcement omega
- Padlock hasp locking system.
- Exclusive anti-deflating system,  $180^{\circ}$
- door travel.
- In the disassembled version,  $\cos 2$  emissions during transport are divided by 6 compared to the monoblock version.
- Sheet thickness  $7/10^{\text{th}}$  as standard.  $10/10^{\text{(th)}}$ ) to order.

#### Available accessories





















- O Column: width 300 mm or 400 mm.
- O Height per rack: 450 mm.
- Locking system with padlock hasp, key, code or coinoperated lock.
- O Door mufflers for greater user comfort
- O Exclusive anti-deflating system, with 180° door travel.
- Adapts to visitable locker with hasp option
   + Pass key for visiting the locker without removing the padlock

Removable		Tim	e to i	nstallatior *	3'
Designation	Weight	Тор.	Width	Deep.	Top. Useful
Start column	24,0	1800	300	500	246
Next column	20,0	1800	300	500	246
Start column	28.0	1800	400	500	3/16

-		
*	Informative	notions

Monobloc					
Designation	Weight	Тор.	Width	Deep.	Usable width
Mutlicases 1 col. 4 cases	24,0	1800	300	500	246
Mutlicases 2 col. 4 cases Mutlicases 3 col. 4 cases	44,0 vo,u	1800 1800	600 900	500 ວບບ	246** ∠40***
Mutlicases 4 col. 4 cases	85,0	1800	1200	500	246**
Mutlicases 1 col. 4 cases	28,0	1800	400	500	346
Mutlicases 2 col. 4 cases	51,0	1800	800	500	346**
Mutlicases 3 col. 4 cases	75,0	1800	1200	500	346**

\*\* Per column

#### Available colors

GRAY 7035 BODY - BLUE 5005, RED 3003, ANTHRACITE 7016, GRAY 7035 DOOR.



#### Other colors

BEIGE 1013 / 1015, WHITE 9010, BLUE 5017, BROWN 1019, BLACK 9005, GREEN 6018 / 6034, ALUMINIUM 9006, YELLOW 1018, ORANGE 2011, RED 3020, GREY 7040, GREY-BROWN 8019




## The metal locker for communities par excellence

The Multicase 4-stack locker is ideal for public facilities (schools, sports halls, etc.).

Often used to hold school books or backpacks, the 400 mm wide Multicases 4 compartments can also be used to store a motorcycle helmet.

Also available in 2, 3 and 5-bin versions.



#### Highlights

- Adhesive plastic label holder
- Metal body with structural reinforcement.
- Door with mufflers for your comfort.
- Optimized full-height back ventilation.
- Padlock hasp.
- Exclusive anti-deflating system, 180°
- door travel.
- In the disassembled version,  $_{\rm CO2}$  emissions during transport are divided by 6 compared to the monoblock version.
- Sheet thickness 7/10<sup>th</sup> as standard. 10/10<sup>(th</sup>) to order.

#### Available accessories





















- O Width 300 mm or 400 mm per column.
- O Height per rack: 360 mm.
- O Locking system with padlock hasp, key, code or coin-operated
- O Door mufflers for greater user comfort.
- O Exclusive anti-deflating system, with 180° door travel.
- O Adapts to visitable locker with hasp option + passkey allowing access to the locker without removing the padlock.

Removable	Assembly time*:					
Designation	Weight	Тор.	Width	Deep.	Top. Useful	
Start column	26,0	1800	300	500	246	
Next column	22,0	1800	300	500	246	
Start column	29,0	1800	400	500	346	
Next column	25,0	1800	400	500	346	

\* Informative notions

Monobloc					
Designation	Weight	Тор.	Width	Deep.	Usable width
Mutlicases 1 col. 5 cases	26,0	1800	300	500	246
Mutlicases 2 col. 5 cases	48,0	1800	600	500	246**
Mutlicases 3 col. 5 cases	70,0	1800	900	500	246**
Mutlicases 4 col. 5 cases	92,0	1800	1200	500	246**
Mutlicases 1 col. 5 cases	29,0	1800	400	500	346
Mutlicases 2 col. 5 cases	54,0	1800	800	500	346**
Mutlicases 3 col. 5 cases	79,0	1800	1200	500	346**

\*\* Per column

#### Available colors

7035 GRAY BODY - 5005 BLUE DOOR, RED 3003, ANTHRACITE 7016, GREY 7035.



#### Other colors

BEIGE 1013 / 1015, WHITE 9010, BLUE 5017, BROWN 1019, BLACK 9005, ALUMINIUM 9006, YELLOW 1018, GREEN 6018 / 6034, ORANGE 2011, RED 3020, GREY 7040, GREY-BROWN 8019




#### Metal lockers with small compartments large capacity

The Vestiaire Multicases 5-compartment locker provides a large amount of storage space, while keeping your budget low.

It's perfect for securing

your personal belongings, handbags..

The range also includes Multicases 2-bay, 3-bay and Multicases 4-bay stacking units to meet all your needs.



#### Highlights

- Adhesive plastic label holder.
- Metal body with structural reinforcement.
- Door mufflers for your comfort.
- Optimized full-height back ventilation.
- Padlock hasp.
- Exclusive anti-deflating system, 180°
- door travel.
- In the disassembled version,  $_{\mbox{\scriptsize CO2}}\mbox{\ensuremath{\mbox{emissions}}}$  during transport are divided by 6 compared to its monoblock counterpart.
- Sheet thickness 7/10th as standard. 10/10(th) to order.

#### Available accessories





















- Reinforced metal structure.
- O Coin-operated lock with captive key.

  Other on request

  (code, key lock or padlock hasp) 6 mm thick
- o methacrylate door.
- Full-face helmet storage. Full-height reinforced
- back ventilation.

#### **Dismountable or Monobloc**

#### Packaging

Placed on an individual pallet, each crate is protected by angles, a base and a cardboard top, then filmed and strapped.

Removable		Tim	e to	installation	: 4 3'
Designation	Weight	Top.	Width	Deep.	Top. Useful
Start column 2 boxes	24,7	1800	400	500	346
Start column 3 squares	26,0	1800	400	500	346
Start column 4 squares	27,5	1800	400	500	346
Start column 5 squares	28,9	1800	400	500	346
Start column 6 squares	30,0	1800	400	500	346
				* Infor	mative notions

Monobloc					
Designation	Weight	Тор.	Width	Deep.	Usable width
1 column 2 boxes	24,7	1800	400	500	346
1 column 3 boxes	26,0	1800	400	500	346
1 column 4 boxes	27,5	1800	400	500	346

1800

400

28,9

30.0

346
\*\* On request

500

#### Available colors

1 column 5 squares

1 column 6 squares

GREY 7035 BODY - METHACRYLATE DOOR



#### Other colors

BEIGE 1013 / 1015, WHITE 9010, BLUE 5005 / 5017, BROWN 1019, ALUMINUM 9006, BLACK 9005, RED 3003 / 3020, YELLOW 1018, GREEN 6018 / 6034, ORANGE 2011, ANTHRACITE 7016, GREY 7040, GREY-BROWN 8019

### ONANGE 2011, ANTHIOAGITE 7010, ORE 17040, ORE 1-BROWN 0010

#### Available accessories

Feet - Benches - Headdresses - Benches - Wall & Bench Hangers - Locks & Padlocks - Hangers & Coat Hangers


















#### Safety for public places

The Coin Locker Locker offers storage space for your bags, suitcases, valuables... Its transparent doors provide a quick overview of the contents, in line with the vigipirate plan.

The Locker Locker is often used in public places (supermarkets, museums, etc.).



- Reinforced steel structure 7/10th.
- Coin-operated lock with captive key.
- Exclusive anti-deflating system, 180° door travel.
- 4 muffled doors for your comfort.
- Full-height back ventilation.



- O Ideal for community, school and office use.
- O Compartment width 300 mm or 400 mm.
- $\ \bigcirc$  Padlock hasp, key, code or coin-operated lock.

Door mufflers for greater user comfort. Adhesive plastic label

- O holder.
- O Doors with vertical reinforcement omega.

0

Removable		Time to in	stallation :	15'
Designation	Weight	Height	Width	Depth
2 x 4 lockers	70	1800	1200	500
2 x 4 lockers	73	1800	1400	500
2 x 5 lockers	74	1800	1200	500
2 x 5 lockers	77	1800	1400	500

\* Informative notions

Monobloc				
Designation	Weight	Height	Width	Depth
2 x 4 lockers	70	1800	1200	500
2 x 4 lockers	73	1800	1400	500
2 x 5 lockers	74	1800	1200	500
2 x 5 lockers	77	1800	1400	500

#### Available colors

7035 GRAY BODY - 5005 BLUE DOOR, RED 3003, ANTHRACITE 7016, GREY 7035



#### Other colors

BEIGE 1013 / 1015, WHITE 9010, BLUE 5017, BROWN 1019, ALUMINUM 9006, BLACK 9005, RED 3020, YELLOW 1018, GREEN 6018 / 6034, ORANGE 2011, GREY 7040, GREY-BROWN 8019



#### Available accessories

Benches - Wall & Bench Hangers - Locks & Padlocks - Hangers & Coat Hangers












#### For the whole team, a Wardrobe combining open space and personal compartments

This community locker room is designed to improve storage of your personal and/or professional belongings. Its metal structure ensures sturdiness and durability.



- Adhesive plastic label holder.
- 1 large shelf with hanger rail.
- Metal body with structural reinforcement.
- Muffler door for your comfort.
- Optimized full-height back ventilation.
- « Key lock system
  - or padlock hasps, others on request.
- Exclusive anti-deflating system, 180° door travel.
- Door with vertical reinforcement omega.
- In the disassembled version, co2 emissions during transport are
- divided by 6 compared to the monoblock version.
- Sheet thickness  $7/10^{th}$  as standard.  $10/10^{(th)}$ ) to order. The 400 mm width is suitable for full-face helmets.
- Shelf height: flexible fastening to suit your needs



- O Column: width 300 mm or 400 mm.
- $\bigcirc\,$  Padlock hasp, key lock or code lock. Door mufflers for greater user  $\bigcirc\,$  comfort.
- Exclusive anti-jamming system, with 180° door travel.
- O Full-height back ventilation. Galvanized for
- Workshop changing rooms are subject to the regulations
- O set out in article 232-2 of the French Labor Code.

Removable		Tim	e to	installatior	5'
Designation	Weight	Top.	Width	Deep.	Usable width
Start column	22	1800	300	500	246
Next column	18	1800	300	500	246
Start column	28	1800	400	500	346
Next column	24	1800	400	500	346
Start column	22	1800	300	500	246
Next column	18	1800	300	500	246

\* Informative notions

Monobloc					
Designation	Weight	Тор.	Width	Deep.	Usable width
Industrie Propre 1 col.	29	1800	300	500	246
Industrie Propre 2 col.	55	1800	600	500	246**
Industrie Propre 3 col.	76	1800	900	500	246**
Industrie Propre 4 col.	100	1800	1200	500	246**
Dirty industry 1 col.	37	1800	400	500	346
Dirty industry 2 col.	69	1800	800	500	346**
Dirty industry 3 col.	100	1800	1200	500	346**
Multicases 1 col. 2 cases	29	1800	300	500	246
Multicases 2 col. 2 cases	55	1800	600	500	246**
Multicases 3 col. 2 cases	76	1800	900	500	246**
Multicases 4 col. 2 cases	100	1800	1200	500	246**
					** Per column

#### Available colors

HOT-DIP GALVANIZING



#### Available accessories

Feet - Benches - Headdresses - Benches - Wall & Bench Hangers - Locks & Padlocks - Hangers & Coat Hangers


















## Galvanized for environments sensitive to industrial design

Like the eXtreme® locker, or the stainless steel locker, the galvanized locker uses a durable, recyclable material. Used wisely, galvanizing provides long-lasting protection against corrosion.

What's more, your lockers have a shiny, industrial look that's highly decorative.



- Adhesive plastic label holder.
- 1 shelf with coat rail and 1 coat hook
- Metal body with structural reinforcement.
- Door mufflers for your comfort. Top and bottom
- **Optimized** full-height back **ventilation**, 40% higher than standard.
- Door with vertical reinforcement omega with additional hook.
- Locking system with padlock hasp or key lock, others on request.
- Exclusive anti-deflating system, 180° door travel.
- In the disassembled version,  $\cos$  emissions during transport are divided by 6 compared to the monoblock version.
- Sheet thickness 7/10 $^{\text{th}}$  as standard. 10/10 $^{\text{(th)}}$ ) to order. Compliant with AFNOR D 65-760 standard.



- Monobloc on feet, metal body in high-quality sheet steel with folded edges.
- Anti-burglary hinges with 180° rotation.
   Stylish adjustable feet with plastic jacks.
- O 3-year warranty, ISO 9001 and 14001 certified.

0

#### Monobloc

#### Packaging

Plastic film, cardboard corner protectors. Palletization on request.

#### Assembly

Our lockers are ready use after unpacking. They are pre-punched on the back and sides. to create homogeneous sets. Each foot is fitted with stability jacks for perfect adjustment.

#### Clean industry

Designation	Weight	Тор.	Width	Deep.	Usable width
1-column locker	21	1800	322	500	232
2-column locker	34	1800	615	500	232**
3-column locker	47	1800	907	500	232**
4-column locker	59	1800	1200	500	232**

#### Dirty industry

Designation	Weight	Top.	Width	Deep.	Usable width
1-column locker	26	1801	420	500	330
2-column locker	46	1801	810	500	330**
3-column locker	63	1801	1200	500	330**

#### Available colors


RAL1003, RAL1015, RAL2004, RAL3001, RAL3003, RAL5010, RAL5012, RAL5015, RAL6018



#### The metal checkroom Monobloc retro-structure design

This product is the ideal answer to with its comfortable 420 mm width, interior partition and additional low shelf.

With its Vintage design, opt for subtle colors.



#### Highlights

- Deep-drawn label-holder.
- 1 shelf with hanger rail.
- Reinforced one-piece metal body.
- Top and bottom ventilation.
- Towel rail.
- Locking system with key, others on request.
- 180° swing door with anti-burglary system.
- integrated, adjustable feet.
- Sheet thickness 6/10<sup>th</sup> as standard. Smooth epoxy paint.
- The 400 mm width is suitable for a full-face helmet. Optional low shelf.

Workshop changing rooms are subject to the regulations article 232-2 of the French Labor Code. Please note that some images may not be contractual.

#### Available accessories

















- O Compartment width 300 mm (see also Vestiaire Confort) Hanger
- O rail, coat hook, label holder. Key lock or hasp lock.
- O Door mufflers for greater user comfort.

0

Removable		Time	e to	installation	<b>3</b> '
Designation	Weight	Top.	Width	Deep.	Usable width
Start column	21,6	1800	300	500	246
Next column	18,0	1800	300	500	246

\* Informative notions

Monobloc					
Designation	Weight	Top.	Width	Deep.	Usable width
Vest. Mono. Office 1 Col.	21,6	1800	300	500	246
Vest. Mono. Office 2 Col.	39,2	1800	600	500	246**
Vest. Mono. Office 3 Col.	56,8	1800	900	500	246**
Vest. Mono. Office 4 Col.	79,0	1800	1200	500	246**
Vest. Mono. Office 1 Col. 22	.0	1980	300	450	246

\*\* Per column

#### Available colors

GREY BODY - GREY 7035 DOOR



#### Other colors

BEIGE 1013 / 1015 / 1019, WHITE 9010, BLUE 5005 / 5017, BROWN 8019, ALUMINIUM 9006, BLACK 9005, RED 3003, YELLOW 1018, GREEN 6018, ORANGE 2011, ANTHRACITE 7016



#### Available accessories

Feet - Benches - Headdresses - Benches - Wall & Bench Hangers - Locks & Padlocks - Hangers & Coat Hangers

### 0 0 0
















## Office locker: a personal space for everyone

To match your furniture, offers discreet, practical storage.

This model is also available in a Vestiaire Confort width 500 mm or height version.



- Adhesive plastic label holder.
- 1 shelf with coat rail and 1 coat hook
- Metal body with structural reinforcement.
- 4 Muffler door for your comfort.
- Optimized full-height back ventilation, 40% higher than the norm.
- Door with vertical reinforcement omega and additional hooks.
- Locking system with key, others on request.
- Exclusive anti-deflating door system with 180° door travel.
- In the disassembled version,  $\cos 2$  emissions during transport are divided by 6 compared to its monoblock counterpart.
- Sheet thickness  $7/10^{th}$  as standard.  $10/10^{(th)}$  to order.



- O Compartment 500 mm wide and deep.
- O Hanger rail, coat hook, label holder.
- Key lock or hasp lock with padlock, others on request.
   Door mufflers for greater user comfort. Exclusive anti-jamming system.
   180° swing door.

0

Removable		Time to		nstallation *	<b>3</b> '
Designation	Weight	Тор.	Width	Deep.	Usable width
Start column	28	1800	500	500	446
Next column	24	1800	500	500	446

\* Informative notions

Monobloc					
Designation	Weight	Тор.	Width	Deep.	Usable width
1 column	28	1800	500	500	446
2 columns	52	1800	1000	500	446**
					** per column

#### Available colors

BODY GREY 7035 - DOOR GREY 7035



#### Other colors

BEIGE 1013 / 1015, WHITE 9010, BLUE 5005 / 5017, BROWN 1019, ALUMINUM 9006, BLACK 9005, RED 3003 / 3020, YELLOW 1018, GREEN 6018 / 6034, ORANGE 2011, ANTHRACITE 7016, GREY 7040, GREY-BROWN 8019



### Available accessories Feet - Benches - Headdresses - Benches - Wall & Bench Hangers - Locks & Padlocks - Hangers & Coat Hangers

















## Metal office locker: large capacity to match your furniture

As its name suggests, the dimensions of this model give you ease of use and more space.

Here, comfort has pride of place.

It offers ample storage space, both aesthetically pleasing and practical.



- Adhesive plastic label holder.
- 1 shelf with hanger rail and coat hook.
- Metal body with structural reinforcement.
- 4 Door with mufflers for your comfort.
- Door with vertical reinforcement omega and additional hooks.
- Locking system with key.
- Exclusive, patented anti-deflating system, 180° door travel.
- In the disassembled version,  $\text{CO}_2\text{emissions}$  during transport are divided by 6 compared to its monobloc counterpart.
- Sheet thickness 7/10<sup>th</sup> as standard. 10/10<sup>(th</sup>) to order.



- O RIGHT: Shelf with coat rail and coat hook.
- O LEFT: 3 height-adjustable shelves.
- O Padlock hasp, key lock (identical) or code lock.
- O Adhesive plastic label holder.

Doors with vertical and horizontal reinforcement omegas.

O Door mufflers for greater user comfort.

#### Removable

Assembly time\*



#### Packaging

Wrapped in plastic film and strapped double-flute cardboard box. 12 pieces per pallet, shrink-wrapped and strapped.

#### Assembly

Quick and easy: after unpacking, 8 minutes per column, no tools required.

Nylon rivets are supplied for perfect stability. Colored POP® aluminum rivets are available on request to transform your Demountable lockers into Monobloc lockers

Designation	Weight	Height	Width	Depth	Usable width	
Removable Maintenance	51.8	1800	800	500	346	

#### \* Informative notions

#### Monobloc

#### Packaging

Placed on an individual pallet, each changing room is protected by angle irons, a base and a cardboard top, then filmed and circled.

#### Assembly

Our lockers are ready use after unpacking.

They are pre-punched on the back and sides.

to create homogeneous sets

Designation	Weight	Тор.	Width	Deep.	Usable width
Monobloc Maintenance	51.8	1800	800	500	346

#### Available colors

BODY GREY 7035- DOOR GREY 7035



#### Other colors

BEIGE 1013 / 1015, WHITE 9010, BLUE 5005 / 5017, BROWN 1019, ALUMINUM 9006, BLACK 9005, RED 3003 / 3020, YELLOW 1018, GREEN 6018 / 6034, ORANGE 2011, ANTHRACITE 7016, BROWN GREY 8019



#### Available accessories

Feet - Bench Plinths - Headdresses - Benches - Wall & Bench Hangers - Locks & Padlocks - Hangers & Coat Hangers


















#### Functional above all!

Essential storage for well-equipped surface technicians.



#### **Highlights**

Adhesive plastic label holder.

- 1 shelf with clothes hanger rail and 1 coat hook for the right-hand column and 3 shelves with a height of can be set for the left-hand column.
  - Doors with vertical reinforcement omega.
  - They are fitted with mufflers for greater user comfort.
- Additional hook on right-hand door reinforcement.
- Full-height back ventilation.
- Exclusive, patented anti-deflating system, door can be closed or opened 180°.
- Metal body with structural reinforcement.
- Locking system with identical keys embedded in a plastic bowl.
  - In the disassembled version,  $CO_2$  emissions during transport are divided by 6 compared to the monoblock version.
  - Sheet thickness 7/10th as standard. 10/10(th) to order.



- O Monobloc welded construction, sheet thickness 7/10th.
- 1 closet with hanging rod and storage locker.
   Locking by padlock-holder hasp or key lock recessed in plastic bowl.
- O Feet with optional adjusting screws. Sloping roof on request.
- O Workshop changing rooms are subject to the regulations set out in
- O article 232-2 of the French Labor Code.
- O Z checkroom in 300mm width available on request.

0

Removable		Time	to ins	allation :	5'
Designation	Weight	Top.	Width	Deep.	Usable width
Start column	33,7	1800	400	500	165**
Next column	29,0	1800	400	500	165**

#### Monobloc

#### Packaging

Each checkroom is protected by cardboard corner protectors, bullpack and stretch film.

Designation	Weight	Top.	Width	Deep.	Usable width
Vest. Mono. 1 Col. Z-door	33,7	1800	400	500	165**
Vest. Mono. 2 Col. Z-door	62,7	1800	800	500	165**
Vest. Mono. 3 Col. Z-door	91,7	1800	1200	500	165**

<sup>\*\*</sup> some dimensions may be subject to variation.

#### Available colors

BODY GREY 7035 - DOOR GREY 7035, BLUE 5005, RED 3003, ANTHRACITE 7016




#### Other colors

BEIGE 1013 / 1015, WHITE 9010, BLUE 5017, BROWN 1019, BLACK 9005, ALUMINIUM 9006, YELLOW 1018, GREEN 6018 / 6034, ORANGE 2011, RED 3020, GREY 7040, GREY-BROWN 8019



#### Vestiaire Z : The absolute 2-in-1

This model is ideal for storing long garments while saving space. You'll save up to 30% on floor space while benefiting from real closet space.



#### Highlights

- Monobloc welded construction, sheet thickness 7/10th
- 2 doors with adhesive plastic label holders.
- 1 closet with hanging rod and storage locker.
- Optimized full-height back ventilation, 40% higher than standard.
- Locking system with padlock hasp or key lock, others on request.
- Doors with vertical reinforcement omega.
- 7 Doors equipped with mufflers for greater user comfort.
- Exclusive anti-jamming system and patented EVP, 180° swing door.

#### Available accessories



















- 1-point chrome-plated padlock (to be locked with a padlock with a 6 mm diameter shackle)
- One compartment for ski storage and 4 levels for boot storage.
- O Degreasing by phosphate leaching.
- Body and doors lacquered in two-component acrylopolyurethane baked paint.
- O Shelf and partition in unpainted, hot-dip galvanized sheet metal.

Monobloc					
Designation	Weight	Height	Width	Depth U	Jsable width
1 column	45,7	1800	450	500	430
2 columns	79,6	1800	900	500	430
Set of 4 ABS feet	2	125	-	500	430



#### Available colors

BODY GREY 7035 - DOOR BLUE 5015



#### Other colors

GRAY 7035 / 7004 / 2024, BLACK, BEIGE 1015, WHITE 9003, METAL GREY 9006



#### Available accessories

Feet - Benches - Wall & Bench Hangers - Locks & Padlocks - Hangers & Coat Hangers














### For well-ordered skiers!

This ski locker has a 1-point locking system to keep your equipment safe.

Well-designed, with shelves for boots to dry out, and a ski storage area that's just the right size.



- One-piece welded construction, thickness 10/10<sup>(in),</sup> in sheet metal electro-galvanized on both sides to prevent corrosion.
- <sup>2</sup> Hinged door (180-degree opening).
- Door without ventilation reinforced by an omega.
- Drain holes in base.
- Available in 1 and 2-column versions





- O AISI 304 or AISI 441 stainless steel (EN 1.4301 EN 1. 4509).
- O 0.8 mm thick sheet metal, 2G satin finish (Scotch Brite).
- Sloped, dust-proof roof (Flat roof on request, i.e. 1800 mm high). Perforated base.
- O Removable round feet Ø 38 mm.

0

#### Monobloc

#### Packaging

Placed on an individual pallet, each changing room is protected by corner protectors, a cardboard base and top, then filmed and strapped.

#### Assembly

Our lockers are ready use after unpacking.

They are pre-punched on back and sides to enable the creation of homogeneous sets.

Each foot is fitted with stability jacks for perfect adjustment.

Designation	Weight	Тор.	Width	Deep.
Vest. Inox 1 Col. Ind. Clean	45	2000	325	400
Vest. Inox 2 Col. Ind. Clean	55	2000	610	400
Vest. Inox 3 Col. Ind. Clean	82	2000	910	400
Vest. Inox 4 Col. Ind. Clean	145	2000	1200	400
Vest. Inox 1 Col. Ind. Dirty	50	2000	325	400
Vest. Inox 2 Col. Ind. Dirty	60	2000	610	400
Vest. Inox 3 Col. Ind. Dirty	84	2000	910	400

#### Available colors

STAINLESS STEEL



#### Available accessories

Benches - Wall & Bench Hangers - Locks & Padlocks - Hangers & Coat Hangers












#### Perfect hygiene

One-piece locker for environments where hygiene demands perfect cleaning or disinfection, such as the food or pharmaceutical industries.

Depending on your "hygiene plan" and basic NF standards, you'll find the stainless steel locker and cabinet model 's right for you.



- sloping, dust-proof top.
- With or without interior partition.
- 1 clothes hook per compartment.
- One shelf above and one below.
- Top and bottom vents and deep-drawn label holder.
- Padlock hasp or key lock on request.
- Door with reinforcing omega.
- Complies with the most stringent regulations in the agri-food and pharmaceutical sectors.
- Made-to-measure possible.



- O Metal body with reinforced structure
- O 1 mailbox.
- O 2 Additional hooks inside the door. Suitable for full-
- o face helmets.
- O Full-height reinforced back ventilation. 180° swing
- O door with vertical reinforcement.

#### Removable

fro installation



#### Packaging

Wrapped in plastic film and strapped double-flute cardboard box. 14 pieces per pallet, shrink-wrapped and strapped.

#### Assembly

Quick and easy:

After unpacking, 8 minutes and no tools required. Nylon rivets are supplied for perfect stability. Colored POP® aluminum rivets are available on request to transform your demountable lockers into one-piece units.

The start column can be combined with as many subsequent columns as required.

Assembly instructions included, see video on www.evp.fr

Designation	Weight	Top.	Width	Deep.	Usable width
Start column	40,5	1980	500	500	447
Next column	35,4	1980	500	500	447

\* Informative notions

#### Monobloc

#### Packaging

Placed on an individual pallet, each locker is protected from the elements. with angle irons, a base and a cardboard top, then filmed and strapped.

#### Assembly

Our lockers are ready use after unpacking. They are pre-punched on the back and sides to create homogeneous sets.

Designation	Weight	Top.	Width	Deep.	Usable width
1 column	40,1	1980	500	500	447
2 columns	75,9	1980	1000	500	447**


\*\* Per column

#### Le Vestiaire des soldats du feu

The metal rescue center locker (or firefighter's locker) is designed to equip our firefighters.

It offers a wide range of facilities.

It's also the tallest and sturdiest in our range.



#### Highlights

- Adhesive plastic label holder.
- Mailbox without flap, photo non-contractual.
- 1 shelf with hanger rail.
- 2 additional hooks on the door reinforcement.
- Locking system with padlock hasp or key, code or coinoperated lock.
- Door with vertical reinforcement omega, equipped with sound absorbers.
- Top and bottom vents. Improved ventilation through back vents.
- Removable shoe polish box.

#### Available colors

GRAY 7035 BODY - RED 3003 DOOR.



#### Other colors

BEIGE 1013 / 1015, WHITE 9010, BLUE 5005 / 5017, BROWN 1019, BLACK 9005, ALUMINIUM 9006, YELLOW 1018, GREEN 6018 / 6034, ORANGE 2011, RED 3020, ANTHRACITE 7016, GREY 7040, GREY-BROWN 8019



#### Available accessories



















- O Composition by groups of 1, 2 or 3 columns maximum. Moisture- and
- O scratch-resistant.
- O Very easy maintain.
- O Adjustable feet in grey-lacquered stainless steel for easy floor cleaning.
- Flat or sloping roof.
- Key lock system (padlock holder or coin slot available on request).

#### Monobloc

This locker is available in Demountable.

#### Assembly

For this range, we offer you professional delivery and special assembly adapted to your needs. Please contact us.

Designation	Weight	Тор.	Width	Deep.	Usable width
1 column 2 boxes L	41	1950	320	500	300
2 columns 4 boxes L	65	1950	620	500	300**
3 columns 6 boxes L	85	1950	920	500	300**
3 columns 2 boxes	83	1950	920	500	300
3 columns 3 boxes	83	1950	920	500	300**
3 columns 4 boxes	83	1950	920	500	300**
3 columns 5 boxes	83	1950	920	500	300**

\*\* Per column

#### Available colors

ANTHRACITE 7016, BEIGE 1013 / 1015 / 1019, WHITE 0085, SPECKLED WHITE 0558M,

ARCTIC BLUE 0718M, GREY 0074, SUN YELLOW 0212 BROWN, BLACK 9005, RED 3002, LIGHT GREEN 0610



#### Available accessories

Feet - Benches - Headdresses - Benches - Wall & Bench Hangers - Locks & Padlocks - Hangers & Coat Hangers

















#### A complete range of phenolic lockers and locker units for wet environments, schools and rugged durability


This Compact L-door locker offers a real closet. minimum of floor space.

Perfectly suited to wet environments, it is the ultimate pool locker, just like the eXtreme® locker.

Also highly resistant to vandalism,

these changing rooms are suitable for frequent cleaning.

They are the answer to absolute hygiene requirements.



#### Highlights

- 1 Flat or sloping roof.
- 2 Stainless steel hinges.
- Locking system with key or padlock hasp
- Adjustable feet in grey-lacquered stainless steel.
- Stainless steel rod. Rear

#### ventilation.

Engraved numbering on request. Rated M2 as standard or M1 on request.

Stainless steel screws.

Also available in Multicasier version.

Other modulations on request.



- O Monobloc on feet, metal body in high-quality sheet steel with folded edges.
- Anti-burglary hinges with 180° rotation.
   Stylized adjustable feet with plastic glides. Square
- O handle with card holder.

0

#### Monobloc

#### Packaging

Plastic film, cardboard corner protectors. Palletization on request.

#### Assembly

Our lockers are ready use after unpacking. They are pre-punched on the back and sides. to create homogeneous sets. Each foot is fitted with stability jacks for perfect adjustment.

Designation	Weight Height	Width Depth Usable	width
Vest. Mono. Multic. Quadri 1 Col. 4 Cases 31,	3 1800 420	500	330
Vest. Mono. Multic. Quadri 2 Col. 4 Cases 48.	7 1800 810	500	330**
Vest. Mono. Multic. Quadri 3 Col. 4 Cases 67.	5 1800 1200	500	330**

Designation	Weight Height Width Depth Usable width
Vest. Mono. Multic. Quadri 1 Col. 2 Cases	28,4 1800 420 500 330
Vest. Mono. Multic. Quadri 2 Col. 2 Cases	es 45,0 1800 810 500 330**
Vest. Mono. Multic. Quadri 3 Col. 2 Cases	s 64,0 1800 1200 500 330**

\*\* Per column

#### Available colors


IVORY 1015, YELLOW 1003, ORANGE 2004, RED 3001 / 3003, BLUE 5012 / 5015 / 5021, GREEN 6018



#### One, two, four, sun!

This large Monobloc Locker in 2 or 4 superimposed compartments is the answer for sports or school environments where space is at a premium. ample storage space.

With its original design, choose from a range of colors refined and warm.



#### Highlights

- Integrated plastic label holder.
- 2 1 shelf with hanger rail on 2-bay models.
- Reinforced one-piece metal body.
- 4 Full-door ventilation.
- Locking system with key, others on request.
- 180° swing door with anti-burglary system.
- Integrated adjustable feet.
  - Sheet thickness 6/10<sup>th</sup> as standard with folded edges. Smooth epoxy paint

#### Available accessories

















## Cabinets





One-piece metal cabinet

## The subtle charm for your Storage

#### To remember

- O Design ventilation over the entire door surface.
- Optimized three-point locking system and key lock with 2,000 combinations.
- O Feet with adjustable Height 20 mm or 150 mm.

Monobloc					
Designation	Weight	Height	Width	Depth	Usable width
1-door cabinet	54	1820/1950	600	500	500

#### Highlights

- Metal body with reinforced structure.
- 2 Door with double omega vertical reinforcement and mufflers for greater user comfort.
- Design ventilation over the entire door surface.
- Adjustable feet Height 20 mm or 150 mm.
- Optimized three-point locking system and key lock with 2000 combinations.
- height-adjustable shelves. 125° swing



One-piece metal cabinet

## The subtle charm for your Storage

#### To remember

- O Design ventilation over the entire door surface. Key lock
- O with 2000 combinations.
- O Feet with adjustable Height 20 mm or 150 mm.

Monobloc					
Designation	Weight	Height	Width	Depth	Usable width
4-bin locker	48	1820/1950	450	500	350

#### Highlights

- Metal body with reinforced structure
- <sup>2</sup> Door with double vertical reinforcement omegas, equipped with mufflers for greater user comfort.
- Design ventilation over the entire door surface
- Adjustable feet, height 20 mm or 150 mm, with Design castor option.
- <sup>5</sup> Key lock with 2000 combinations.
- Door with 125° travel.

#### Available accessories

Headdresses - Benches - Locks & Padlocks - Hangers & Coat Hangers













#### 5- and 10-bin visitable cabinets

- One-piece 7/10<sup>th</sup> construction, 7/10<sup>(th</sup>) shelves and 7/10<sup>(th</sup>) doors.
- O 3-point key lock for frame, key lock or padlock for doors.

#### Dirty linen collector

One-piece construction, 10/10th thick, equipped with a  $\rm O$  recovery bag holder.

The 8/10th thick trap door is hinged on an invisible pin and oreinforced with an omega.

The bottom door is hinged on two hinges, and is fail-safe in both open and closed positions.

#### Visitable cabinets

#### Monobloc

#### Packaging

Placed on an individual pallet, each cabinet is protected by angle irons, a base and a cardboard top,

then filmed and strapped.

Designation	Height	Height	Width	Depth	Usable width
1 Column 5 Cases	20.0	1980	415	500	265
1 Column 10 Cases	37.0	1980	415	500	265
Distri. Linen Green. 3 x 2 Cases.	67.8	1980	660	500	145
Distri. Linen Green. 4 x 2 Cases.	72.0	1980	660	500	100
Feet	2,1	135	-	-	-

\*\* On request

#### Collector

Monobloc					
Designation	Weight	Height	Width	Depth	Usable width
1 column	34.5	1800	415	500	350
Feet	2,1	135	-	-	-

#### Available colors

BODY AND DOOR GREY 7035, BODY GREY 7035 - DOOR BLUE 5005



#### Other colors

BEIGE 1013 / 1015, WHITE 9010, BLUE 5005 / 5017, BROWN 1019, BLACK 9005, ALUMINUM 9006, RED 3003 / 3020, YELLOW 1018, GREEN 6018 / 6034, ORANGE 2011, ANTHRACITE 7016, GREY 7040, GREY-BROWN 8019

#### Available accessories

Feet - Headdresses - Benches - Wall & Bench Hangers - Locks & Padlocks - Hangers & Coat Hangers
















## For collection and linen distribution, for example

This range contract cabinets is designed for professional linen or other belongings.



#### Highlights

#### 5- and 10-bin visitable cabinets

- A One-piece construction with 7/10th sheet thickness.
- B 7/10th doors.
- Special concealed hinges.
- Deep-drawn label holder.
- Wicket doors and main door locked by key.

#### Dirty linen collector

- One-piece construction with 10/10th sheet thickness.
- 2 8/10<sup>th</sup> thick deposit trap.
- « Key lock.
  - Recovery bag (optional).



- O Load capacity: 40 kg per shelf. Door
- o reinforcement omega.
- O Very functional storage space.
- $_{\hbox{\scriptsize O}}$  Ample space for brooms and clothes. Handle closure with 2-point
- o lock.
- O Height-adjustable shelves.

#### Monobloc

Premium-quality cold-rolled sheet steel.

Textured 60% Epoxy paint, 80 microns thick.

#### Packaging

Cornerboard, bullpack, stretch film.

Designation	Weight	Тор.	Width	Deep.	Usable width
2-door cabinet	46.4	1950	920	420	880

#### Available colors

BODY AND DOOR GREY 7035



#### Other colors

CONSULT US

#### Available accessories

Benches - Wall & Bench Hangers - Locks & Padlocks - Hangers & Coat Hangers












## Everything at your fingertips!

Large storage capacity of all your cleaning products and equipment. Let's be practical and pragmatic, this is how the cabinet is designed. It's up to you to make most of it!



- Reinforced shelves (40 kg load).
- Space designed to hold all your bottles.
- Omega reinforcements on each door.
- 2-point locking handle.
- Ample space for bulky items.
- Reinforced, corrosion-resistant base. Small, height-adjustable shelves.



- O Load capacity: 80 kg per shelf. Door
- oreinforcement omega.
- O Shelves for hanging files. 2-point locking
- O handle. Optional drawer on ball bearing slides.

0

#### Monobloc

Premium-quality cold-rolled sheet steel. Textured 60% Epoxy paint, 80 microns thick.

Designation	Weight	Тор.	Width	Deep.	Usable width
Swing doors	26,3	1200	900	440	850
Swing doors	51,3	1980	900	440	850
Feet	2,1	150	900	440	-

#### Your storage partner

This cabinet is suitable for all spaces and needs (offices, workshops, warehouses, stores, local authorities, etc.).

With its professional strength and resistance, this metal cabinet is the ideal solution for to any type of checkroom, including hanging file storage.



#### Highlights

- Reinforced shelves (80 kg load), height-adjustable.
- <sup>2</sup> Omega reinforcements on each door.
- 2-point locking handle.
- Reinforced, corrosion-resistant base.
- Drawer on optional ball bearing slides.

#### Available colors

BODY AND DOOR GREY 7035



#### Other colors

CONSULT US

#### Available accessories

Feet - Benches - Wall & Bench Hangers - Locks & Padlocks - Hangers & Coat Hangers















- O Load capacity: 80 kg per shelf. Door
- o reinforcement omega.
- O Height-adjustable shelves. 2-point locking
- O handle. Option: telescopic drawer.

 $\bigcirc$ 

#### Monobloc


Premium-quality cold-rolled sheet steel.

Textured 60% Epoxy paint, 80 microns thick.

Designation	Weight	Тор.	Width	Deep.	Usable width
Workshop cabinet	66,0	1950	920	500	880
Feet	2,1	150	920	420	-

#### Ideal workshop storage

Large-capacity workshop cabinet for product and tool storage.



#### Highlights

- Reinforced shelves (80 kg load), height-adjustable.
- Omega reinforcements on each door.
- 2-point locking handle.
- Reinforced, corrosion-resistant base.

#### Available colors

BODY AND DOOR GREY 7035



#### Other colors

CONSULT US

#### Available accessories

Feet - Benches - Wall & Bench Hangers - Locks & Padlocks - Hangers & Coat Hangers















- O One-piece welded construction, sheet thickness 7/10<sup>(th)</sup>, with electro-galvanized base.
- O 1 full-width storage shelf. 1 closet side.
- 1 side with 3 shelves.
- (Hanging files can be hung on 4 levels).

#### Monobloc

#### Packaging

Cornerboard, bullpack, stretch film.

Designation	Weight	Тор.	Width	Deep.	Usable width
Hanging File Cabinet	52	1800	900	450	866



#### Available colors

BODY AND DOOR IN GREY 7035



#### Other colors

CONSULT US

#### Available accessories

Feet - Wall & Bench Hangers - Locks & Padlocks - Hangers & Coat Hangers












## The wardrobe multifunction desktop

This closet is an office and storage checkroom.

a multifunction filing cabinet.

Much more spacious than the office checkroom, it has been designed for safe, professional storage in intensive use

Also discover the 500 mm wide Confort office locker.



- Base treated for corrosion resistance by electro-galvanizing.
- <sup>2</sup> swing doors on invisible pivots.
- full-height Omega.
- 2-point lock with folding key.
- 3 suspension file shelves.



- O One-piece welded construction with 10/10<sup>(th</sup>) sheet metal body and doors.
- O 4 shelves 10/10th, 100 Kg per shelf. Option:
- O Telescopic drawer.

Monobloc					
Designation	Weight	Тор.	Width	Deep.	Vol.m³
2-door security cabinet with 3-point lock	69,0	1945	1200	420	1,10
Feet	2,1	150	1200	420	-



#### Available colors

BODY AND DOOR GREY 7035



#### Other colors

CONSULT US

#### Available accessories

Feet - Benches - Wall & Bench Hangers - Locks & Padlocks - Hangers & Coat Hangers














#### Storage of sensitive products

Designed for your sensitive and valuable products, this extremely sturdy cabinet is the economical solution for storing them.



- One-piece welded construction in 10/10<sup>(th)</sup>) sheet metal with electro-galvanized base.
- 4 shelves 10/10<sup>th</sup> adjustable in 50 mm increments. Maximum weight of 100 kg per shelf.
- Door is fail-safe in open and closed position.
- 3-point locking handle, plus left-hand doorstop.



- O 5 storage levels. Height-
- O adjustable shelves.
- O Load capacity: 50 kg per shelf. 2-point locking
- O handle.



# Monobloc Premium-quality cold-rolled sheet steel. Textured 60% Epoxy paint, 80 microns thick. Designation Weight Height Width Depth 1-door Monobloc Broom Cabinet 33,5 1800 600 400 Feet 2,1 150 - -

#### Available colors

**BODY AND DOOR IN GREY 7035** 



#### Other colors

BEIGE 1013 / 1015, WHITE 9010, BLUE 5005 / 5017, BROWN 1019, BLACK 9005, ALUMINUM 9006, YELLOW 1018, GREEN 6018 / 6034, ORANGE 2011, ANTHRACITE 7016, RED 3003 / 3020, GREY 7040, GREY-BROWN 8019



#### Available accessories

Feet - Benches - Wall & Bench Hangers - Locks & Padlocks - Hangers & Coat Hangers













## The essential Broom Cupboard

Functional and practical, it's essential storage. Everything at your fingertips for storing all your cleaning products and materials.



- Height-adjustable reinforced shelves (50 kg load).
- <sup>2</sup> Metal body with structural reinforcements.
- 2-point locking handle. 5 storage levels.
- Space designed to hold all types of products. Adhesive plastic label holder.
- Capacity optimized fit your space.



- O 5 storage levels. Height-
- o adjustable shelves.
- O Load capacity: 50 kg per shelf. 2-point locking
- O handle.

#### Removable mounting\*: Assembly Quick and easy: After unpacking, 8 minutes per column, no tools required. Nylon rivets are supplied for perfect stability. On request, colored aluminum POP® rivets can be used to transform your Demountable locker room into a Monobloc. Weight Height Width 33,5 1-door demountable storage cabinet 1800 600 400 Feet 2,1 150 \* Informative notions

## Monobloc Premium-quality cold-rolled sheet steel. Textured 60% Epoxy paint, 80 microns thick. Designation Weight Height Width Deep

33.5

1800

600

400

Monobloc 1-door storage cabinet

#### Available colors

BODY AND DOOR GREY 7035



#### Other colors

BEIGE 1013 / 1015, WHITE 9010, BLUE 5005 / 5017, BROWN 1019, BLACK 9005, ALUMINUM 9006, YELLOW 1018, GREEN 6018 / 6034, ORANGE 2011, ANTHRACITE 7016, RED 3003 / 3020, GREY 7040, GREY-BROWN 8019



#### Available accessories

Feet - Benches - Wall & Bench Hangers - Locks & Padlocks - Hangers & Coat Hangers













#### The all-purpose wardrobe

Sturdy and resistant, this cabinet adapts to any space and any need (offices, workshops, warehouses...).



- Height-adjustable reinforced shelves (50 kg load).
- <sup>2</sup> Metal body with structural reinforcements.
- 2-point locking handle. 5 storage levels.
- Space designed to hold all types of products. Adhesive plastic label holder.
- Capacity optimized fit your space.

#### EXISTS IN REMOVABLE VERSION



#### Your storage partner

This cabinet is suitable for all spaces and needs (offices, workshops, warehouses, stores, local authorities, etc.).

With its professional strength and resistance, this metal cabinet is the ideal solution for to any type of checkroom, including hanging file storage.

#### To remember : Storage cabinet

- O Load capacity: 80 kg per shelf. Door
- o reinforcement omega.
- O 2-point locking handle.


Removable	Set-up tin	ne*	: 🖵 15'		
Designation	Weight	Top.	Width	Deep.	
Demountable Storage Cabinet	36,7	1800	800	400	
Feet	2,1	150	-	-	

\* For information only - \*\*Without telescopic drawer option

Monobloc				
Designation	Weight	Тор.	Width	Deep.
One-piece storage cabinet	36,7	1800	800	400
Feet	2,1	150	-	-

 $^{\star}$  For information only -  $^{\star\star}\mbox{Without telescopic drawer option}$ 





#### Highlights

- Load capacity: 80 kg per shelf.
- Door reinforcement omega.
- 2-point locking handle.

#### Available colors

BODY AND DOOR GREY 7035



#### Other colors

CONSULT US

#### Available accessories

Feet - Benches - Wall & Bench Hangers - Locks & Padlocks - Hangers & Coat Hangers















#### Flat grading

Ideal for all your large files.
Flap doors for total access to contents.

# To remember O One-piece welded construction, sheet thickness 7/10<sup>th</sup> Large door flap cabinet O Reinforced shelves. O Door is non-releasable in open or closed position. Handle with O 3-point lock and 2 keys.

#### 5- and 10-bay flap cabinets Large

- O integrated handle. Removable doors. Riveted
- O magnet closure.
- Adhesive plastic label holder. Optional
- key lock for each door.

#### Monobloc

Premium-quality cold-rolled sheet steel.

Textured 60% Epoxy paint, 80 microns thick.

#### Packaging

Placed on an individual pallet, each cabinet is protected by angle irons, a base and a cardboard top, then filmed and strapped.

Designation	Weight	Тор.	Width	Deep.	Usable width
10-slot door cabinet	27,0	1980	410	345	370
10-valve cabinet	27,0	1980	410	345	370
5-valve cabinet	14,7	1050	410	345	370
10-valve lockable cabinet	27,0	1980	410	345	370
5-valve lockable cabinet	14,7	1050	410	345	370

#### Highlights

- Large integrated handle.
- Adhesive plastic label holders.

345

1980

- Riveted magnet closure.
  - Hinged flaps for full access to contents.
  - Removable doors with 170° development for greater safety.
- Holes in back and sides for assembly

#### Available colors

BODY AND DOOR IN GREY 7035, BEIGE 1015, BLACK 9005



#### Other colors

BEIGE 1013 / 1015, WHITE 9010, BLUE 5005 / 5017, BROWN 1019, BLACK 9005, ALUMINUM 9006, YELLOW 1018, GREEN 6018 / 6034, ORANGE 2011, ANTHRACITE 7016, RED 3003 / 3020, GREY 7040, GREY-BROWN 8019



#### Available accessories

Benches - Wall & bench hooks










## Lockers







- O Stackable and stackable by quick and easy nesting without tools.
- O Multiple optional locking solutions (minimum 20 pieces).
- O Ultra-modular.
- O Reinforced door.

#### Monobloc

#### Packaging

Plastic film, corner angles.


Palletized: 100 x 120 - Strapped and shrink-wrapped.

Designation	Weight	Top.	Width	Deep.	Usable width
One-piece locker	5,6	350	318	500	240
One-piece locker	7,5	450	450	450	370
Base for locker	1,0	50	318	500	-
Base for locker	1,3	50	450	450	-

#### The compact, modular Multibox locker

full-face helmet.

The Cloakroom Locker designed to modulate your space. The Multibox is perfect for those with evolving needs. Ideal for storing small items. The 450 version is ideal for storing a



#### Highlights

- Quick and easy key assembly system.
- Optional 50 mm extension base.
- Padlock hasp or key lock.
- Invisible hinges.

#### Available colors

7035 GRAY BODY AND DOOR.



#### Other colors

BEIGE 1013 / 1015, WHITE 9010, BL EU 5005 / 5017, BROWN 1019, BLACK 9005, ALUMINIUM 9006, YELLOW 1018, GREEN 6018 / 6034, ORANGE 2011, ANTHRACITE 7016, RED 3003 / 3020, GREY 7040, GREY-BROWN 8019

















#### Available accessories

Benches - Wall & Bench Hangers - Locks & Padlocks













- O Quick and easy to fit together.
- O Modular to suit your needs. Top door
- O ventilation.
- O Key lock or padlock hasp, others on request. Exclusive anti-unhinge system.
- On request, also available in 415 mm width for
- motorcycle helmets.


Monobloc				
Designation	Weight	Top.	Width	Deep.
One-piece locker	13,0	875	310	500
One-piece locker	14,0	875	415	500
Base for width 310	1,0	50	310	500
Base for width 415	1,2	50	415	500

#### Le Demi-Casier

The Half-Case Monobloc is ideal for small, high spaces.

Modular, it can be stacked and can be easily juxtaposed using a quick and simple assembly system.

Rod, hook and all, it's ready to use.



#### Highlights

- Hanger rail and coat hook.
- Door with comfort dampers and top ventilation slots.
- Locking system with key or padlock hasp, others on request.
- Exclusive anti-deflating system with 180° door travel.
- Sheet thickness 7/10th as standard. 10/10(th) to order.
- Door with reinforcing omega.

#### Available colors

BODY GREY 7035 - DOOR GREY 7035, BLUE 5005



#### Other colors

BEIGE 1013 / 1015, WHITE 9010, BLUE 5017, BROWN 1019, BLACK 9005, ALUMINIUM 9006, YELLOW 1018, GREEN 6018 / 6034, ORANGE 2011. ANTHRACITE 7016, RED 3003 / 3020, GREY 7040, GREY-BROWN 8019



#### Available accessories

Feet - Benches - Wall hooks - Hook benches - Locks & padlocks - Hangers & hanger stands















- O Quick and easy to assemble with snap-fit connectors.
- O Anti-UV treatment, 5-YEAR warranty.
- O Available in 3 heights and 4 colors. Ultra-
- O resistant rigid polyethylene, ideal for use outdoors and in damp environments.
- O Pre-drilled holes on back for wall mounting.

#### Monobloc

#### Packaging

Plastic film, on strapped and shrink-wrapped pallet.

Per 28 pcs in 450.

Per 21 pcs in 600

Per 14 pcs in 900.

Supplied with screws for assembly or rivets on request.

Designation	Weight	Top.	Width	Deep.	Usable width
HDPE crate	5,5	450	320	460	237
HDPE crate	6,8	600	320	460	237
HDPE crate	9,2	900	320	460	237



#### Available colors

BODY GREY 7042 - DOOR RED 3020, GREEN 6005, BLUE 5011, YELLOW 1003 (approximate RAL correspondences)



#### Available accessories

Feet - Caps - Plinths - Padlocks









### The long-term community locker par excellence


The eXtreme® changing room doesn't rust. Maintenance-free and totally recyclable!

It is resistant to extreme temperatures, detergents and most acids and greases.

For use in humid environments, swimming pools, saunas, etc...

It's sturdy and washable. With its double-walled door and heavy-duty hinges, it protects

our children's schoolbags, flippers and snorkels...



#### **Highlights**

Simple interlocking assembly.

Heavy-duty double-wall door.

Heavy-duty hinges (320 kg before breaking).

Locking system with key or padlock hasp.

Coin slot or code available on request.

Drain for indoor washing.

Hook inside crate, height 900 mm.

In humid environments, coin lock / hasp with padlock or stainless steel key lock.

Optional:

Numbered plate and bracelet.

#### OonCub crate® polyethylene







#### To remember

- O Stackable by nesting. UV protection guaranteed for 5 YEARS.
- O High-density polyethylene, ultra-resistant and fully recyclable.
- Padlock hasp, key, code or coin-operated lock.
- O Available in 16 colors.

#### Monobloc

#### Packaging

Palletized in 16 pieces, shrink-wrapped and strapped.

Designation	Weight	Top.	Width	Deep.	Usable width
Locker 450	8.4	450	450	450	374

#### Available colors

ANISE 1016, YELLOW 1003, ORANGE 2008, RED 3020 PINK 4003, VIOLET 4005, BLUE 5002, GREY 7016, KHAKI 6025 BLACK 9005, GREEN 6029, LIGHT GREEN 6019, YELLOW 1018, CHRISTAL, BLUE GREEN 6027, BLUE 5012, GREEN BLUE 5021



#### Available accessories

eXtreme Feet - Benches - Wall Pegs - Peg Benches - OonCub Locks & Locks












# When your company's image matters as much as user comfort!

Uncompromising craftsmanship. Designed and built with the utmost care,


this heavy-duty locker will be part of your everyday comfort. Its soft, dynamic design

to its durable, functional qualities will give you the peace of mind and satisfaction you're looking for.



#### Highlights

- Ultra-breaking-resistant double-skin door.
- Designed for smooth operation.
- Integral ventilation prevents unwanted objects from entering.
- Perfectly integrated locking system for key, code, padlock hasp and coin-operated locks.
- Aesthetic structural reinforcement.
- Heavy-duty 170° deflection hinge. Nickel-plated, adjustable in 3 dimensions.
- Pilot holes on back for wall mounting. Anti-UV treatment guaranteed for 5 years. M2 fire-retardant



## Filing cabinets





- O A4 drawers with solid bottom and sides.
- O Integrated label holder.
- O Load-bearing capacity of 32 kg per drawer.
- O Lock for all drawers. 100% extraction.
- O Anti-tilt device.

0

#### Monobloc

#### Packaging

Base, top and cardboard angles double-fluted, in plastic film.

Designation	Weight	Top.	Width	Deep.	Usable width
2-drawer filing cabinet	24	771	413	622	326
3-drawer filing cabinet	33	1009	413	622	326
4-drawer filing cabinet	42	1321	413	622	326


## All your files at hand in a minimum of space

Combining function with design, this binder is a perfect blend of retro and contemporary style.

Treated as a totem object, its integrated handles make this piece of furniture an element image. For filing suspension files

mounted on telescopic slides.

Either 2 front rows in 800 mm width or 3 front rows in 1200 mm width. A model with 2 A3 front rows per drawer is also available.



#### Highlights

- Anti-tilt device.
- Lock for all drawers.
- 100% drawer extraction on telescopic slides.
- Label holder.
- Load-bearing capacity of 32 kg per drawer.
- A4 drawers for filing suspension files. Drawers with solid sides and bottoms.
- Optional separations.

#### Available colors

GREY 7035 - BEIGE 1015 - BLACK 9005



Other colors
CONSULT US

Accessories

See accessories pages



- O Wire handles with translucent label holders on front.
- O Full-extraction ball bearing slides.
- O Safety anti-tilt system and central locking. Solid-sided drawers for filing
- O all types of documents.
- O Master key lock, supplied with two numbered keys.

  Made 40% recycled steel and 99% recyclable.

0

#### Monobloc

#### Width 80 cm

After unpacking, 8 minutes per column without tools. Internal drawer dimensions: H  $26 \times$  W  $72 \times$  D 39 cm. Total empty weight: 78 kg (2 drawers); 89 kg (3 drawers) and 110 kg (4 drawers).

Up to 60 suspension files per drawer. Maximum load of 40 kg per drawer.

#### Width 120 cm

Internal dimensions of drawers: H 26 x W 110 x D 39 cm. Total empty weight: 100 kg (3 drawers). Up to 90 suspension files per drawer. 55 kg maximum load per drawer.

#### Options


Master key.

Designation	Weight	Тор.	Width	Deep.	Usable width
Backrest credenza	78	700	800	470	720
A4 hangers, 2 drawers					
Backrest credenza	89	1010	800	470	720
A4 hangers, 3 drawers					
Backrest credenza	110	1310	800	470	720
A4 hangers, 4 drawers					
Backrest credenza	89	1010	1200	470	1120
A4 hangers, 3 drawers					

### Space-saving, optimized filing

Ideal for filing suspension files that need to be consulted frequently.

The BS credenza has extra capacity 30% more filing space than a drawer file. Its 440 mm opening is particularly suitable for small spaces. Each drawer offers either side-by-side filing, 2 front rows in 800 mm width or 3 front rows in 1200 mm width. A model with 2 A3 front rows per drawer is also available.



#### **Highlights**

- Monobloc welded a single sheet 8/10<sup>th</sup> thick steel, smooth back for space separation.
- $\label{locking system} \mbox{ Central locking system for all drawers. Numbered lock with 2 keys.}$
- Safety anti-tilt system with selective drawer opening and counterweight
- Wired handle with translucent label holders integrated into the front panel.
- drawers with solid sides and bottoms to hold all types of documents.
- Telescopic ball bearing slides with total extraction.
- 4 jacks to compensate for uneven floors when aligning furniture. Possibility of 2 front rows of DS in L.80 cm and 3 rows
- in L.120 cm.
- Side-by-side DS reading with adjustable rail to accommodate :
- A4 (spacing 39 cm), dutch folio (36.5 cm) or foolscap (39 cm).

#### Available colors

GREY 7035 - BEIGE 1015 - BLACK 9005





## Accessories





Peg benches with high shelf								
Designation	Weight	Top.	Width	Deep.	Nb Hook			
Single-Sided Peg Box	9,3	420/1780	1200	330	4			
Single-Sided Peg Box	12,5	420/1780	1500	330	5			
Single-Sided Peg Box	26,7	420/1780	2000	330	6			
Double-Sided Peg Box	16,3	420/1780	1200	660	4 x 2			
Double-Sided Peg Box	22,7	420/1780	1500	660	5 x 2			
Double-Sided Peg Box	26.7	420/1780	2000	660	6 x 2			



## Ideal customization for all your equipment

They are an integral part of our changing rooms and are made with the same care.
Our accessories provide an ideal fit to different businesses and uses.

Peg benches					
Designation	Weight	Тор.	Width	Deep.	Nb Hook
Single-Sided Peg Box	7,3	420/1780	1200	330	4
Single-Sided Peg Box	9,8	420/1780	1500	330	5
Single-Sided Peg Box	11,0	420/1780	2000	330	6
Double-Sided Peg Box	13,1	420/1780	1200	660	4 x 2
Double-sided pegboard 17.	3 420/1780	1500		660	5 x 2
Double-sided pegboard 19.3	7 420/1780	2000		660	6 x 2



Metal bench and	locker ba	ases						
Solid pine slats, 30 x 30 metal tubing with stability jacks.								
Designation	Weight	Top.	Width	Deep.				
Base Wooden bench	7,0	420	300	780				
Base Wooden bench	8,5	420	400	780				
Base Wooden bench	9,0	420	500	780				
Base Wooden bench	7,0	420	600	780				
Base Wooden bench	8,5	420	800	780				
Base Wooden bench	9,0	420	900	780				
Base Wooden bench	10,5	420	1000	780				
Base Wooden bench	11,2	420	1200	780				
Melamine slats								
Designation	Weight	Top.	Width	Deep.				
Base Melamine bench	7,0	420	600	780				
Base Melamine bench	8,5	420	800	780				
Base Melamine bench	9,0	420	900	780				
Base Melamine bench	11,2	420	1200	780				







Metal rack caps				
Designation	Weight	Height	Width	Depth
Headdress	2,3	200	300	500
Headdress	2,7	200	400	500
Headdress	3,1	200	500	500
Headdress	3,1	200	600	500
Headdress	3,8	200	800	500
Headdress	4,2	200	900	500
Headdress	5,3	200	1000	500
Headd	5,3	200	1200	500
ress				



### Ideal customization for all your equipment

the perfect complement to our changing rooms, and made with the same care.
Our accessories provide an ideal fit to different businesses and uses.

eXtreme rack feet®				
Designation	Weight	Top.	Width	Deep.
Stainless-steel feet for 1 column	0,2	125	-	-
Polyethylene feet for 2 columns	0,5	150	620	460
Polyethylene feet for 3 columns	0,8	150	940	460
Polyethylene feet for 4 columns	1,0	150	1260	460

Metal rack feet				
Designation	Weight	Тор.	Width	Deep.
Footwork	2,1	150	-	-
Set of stainless steel feet	2,1	150	-	-



eXtreme locker cover®				
Designation	Weight	Height	Width	Depth
Header for 1 column	1.8	150	320	460








Adjustable adhesive label holder.

Benches					
The benches are available in grey melamine or solid wood.					
Designation	Weight	Top.	Width	Deep.	
Grey melamine bench	9,0	420	1000	290	
Solid wood bench	9,0	420	1000	290	
Grey melamine bench	9,3	420	1200	290	
Solid wood bench	9,3	420	1200	290	
Grey melamine bench	10,5	420	1500	290	
Solid wood bench	10,5	420	1500	290	
Grey melamine bench	12,8	420	2000	290	
Solid wood bench	12,8	420	2000	290	



### Ideal customization for all your equipment

They are an integral part of our changing rooms and are made with the same care. Our accessories provide an ideal fit to different businesses and uses.

Wall hooks		
Designation	Weight	Length
Wooden Coat hooks - 3 Coat hooks	0,5	800
Wooden Pegs - 6 Pegs	1,0	1500
Wooden Coat hooks - 9 Coat hooks	1,5	2000

#### Metal hanger on wheels

Up to 70 hangers. 4 swivel castors. Gray epoxypainted tubes.

Designation	Height	Width	Depth
Coat rack	1700	1500	450

#### Hangers



#### Riveting



POP® Colored aluminum (gray or beige) optional, but recommended for mounting on feet.



Portable riveter for professional assembly

#### Laundry bag

For Linen Cupboard












PVC garbage can





## Locking systems



#### for Metal Racks

#### Standard closures :

Lock Key or Hasp Padlock Door



Other locking systems



Single-user 3-wheel code lock

Multi-user 3-wheel code

#### **Padlock**



Double-locking padlock brass body and 6 mm diameter steel shackle. Indispensable for our Hasps.

3-wheel, 10-digit code padlock with 1,000 combinations in zinc alloy. Reinforced steel handle, diameter 4.7 mm.

#### **NEW**

#### Visitable Hasp

Allows the locker to be visited with a passkey without removing the user's padlock. So, based on our Clean Industry, Dirty Industry and Multicase Lockers (Pages 3 to 9), you can turn each model into a low-cost Visitable Locker. Padlock handles, Ø 6 mm recommended.

#### Resettable Electronic Code Locks

(each time a door is opened or fixed code+ pass).









Coin-operated or token lock (0.50€ and 1 €)



**Numbered Bracelet** 

#### **OPTIONS:**

### for Polyethylene racks

#### eXtreme®

#### Standard closures:

Hasp for Padlock or Key Lock





Other locks: Code lock

Coin Lock



#### OonCub



Padlock hasp Free



Multi-user code lock and single-user



Visitable hasp with padlock and passthrough



Key lock





Coin-operated Piggy-bank option



## Color charts



#### Color charts

