



TCC

TECHNICAL CHEMICAL COMPANY



FULL-LINE CATALOG

ONE COMPANY. QUALITY BRANDS.

JOHNSEN'S®**6 - 23**

BRAKE CLEANERS	6
BRAKE FLUIDS	7
CARB & INTAKE CLEANERS	8
CLEANERS	9
POWER STEERING FLUIDS	10
AUTOMATIC TRANSMISSION FLUIDS	10
LUBRICANTS	11
FUEL ADDITIVES	12
OIL ADDITIVES	13
RADIATOR PRODUCTS	14
BATTERY PRODUCTS	14
WINTER PRODUCTS	15 -16
REFRIGERANTS	17-18
PREMIUM R-134a	19
A/C LUBRICANTS	20
A/C TREATMENTS	21
OIL CHARGES	22
R134a ACCESSORIES	23

BLUE MAGIC®**24-30**

INTERIOR PRODUCTS	24
LEATHER PRODUCTS	25
TOWELETTES	26
HEADLIGHT LENS RESTORER	27
METAL POLISH	28
AUTOMOTIVE, WHEEL, TIRE	29
REPAIR PRODUCTS	30

TURBO 108®**31**

OCTANE BOOSTERS	31
DIESEL ADDITIVES	31
FUEL ADDITIVES	31

QUIKSTEEL®**32-33**

EPOXY PUTTY	32
EPOXY PASTE	32
REPAIR KITS	33
THERMOSTEEL	33

PURE CITRUS®**34**

AIR FRESHENERS	34
ODOR REMOVERS	34
ORANGE CLEANER	34

SPRAY-X®**35**

FOAMING GLASS CLEANER	35
-----------------------	----

BRAKE CLEANERS	2418NC	10 OZ.	Original Formula	2418C	10 OZ.	50 State Formula
	2413	14 OZ.	Original Formula	2417C	13 OZ.	50 State Formula
	2435	5 GAL.	Original Formula	2415C	5 GAL.	50 State Formula
	2413-55	55 GAL.	Original Formula	2417C-55	55 GAL.	50 State Formula
	2418	10 OZ.	45 % VOC Compliant	2421	13 OZ.	SCAQMD RULE 1171
	2417	14 OZ.	45 % VOC Compliant	2421-55	55 GAL.	SCAQMD RULE 1171
	2415	5 GAL.	45 % VOC Compliant	2420	16 OZ.	Non-Flammable Formula
CARB CLEANERS	2456	55 GAL.	45 % VOC Compliant	2420-55	55 GAL.	Non-Flammable Formula
	4641NC	10 OZ.	Original Formula	4642-55	55 GAL.	45 % VOC Compliant
	4642NC	16.25 OZ.	Original Formula	4641C	10 OZ.	50 State Formula
	4641NC-55	55 GAL.	Original Formula	4642C	16.25 OZ.	50 State Formula
	4641	10 OZ.	45 % VOC Compliant	4720	10 OZ.	Throttle Body & AIC - 50 State
	4642	16.25 OZ.	45 % VOC Compliant	4724	10 OZ.	Throttle Body & AIC - 45% VOC
	BRAKE FLUIDS	2212-8	7 OZ.	Synthetic DOT 3	5012	12 OZ.
2212		12 OZ.	Synthetic DOT 3	5032	32 OZ.	Synthetic DOT 4
2224		12 OZ.	Synthetic DOT 3	5034	1 GAL.	Synthetic DOT 4
2232		32 OZ.	Synthetic DOT 3	5055	55 GAL.	Synthetic DOT 4
2234		1 GAL.	Synthetic DOT 3	7012-6	12 OZ.	Silicone DOT 5
2241		5 GAL.	Synthetic DOT 3	7032	32 OZ.	Silicone DOT 5
2255		55 GAL.	Synthetic DOT 3	7055	55 GAL.	Silicone DOT 5
POWER STEERING FLUIDS	2812-8	8 OZ.	Power Steering Fluid	2932	32 OZ.	Universal PSF
	2812	12 OZ.	Power Steering Fluid	2912-55	55 GAL.	Universal PSF
	4610	32 OZ.	Power Steering Fluid	2813	12 OZ.	PS Sealer/Conditioner
	4611	1 GAL.	Power Steering Fluid	2612	12 OZ.	Honda/Acura PSF
	2855	55 GAL.	Power Steering Fluid	2612-55	55 GAL.	Honda/Acura PSF
	2912	12 OZ.	Universal PSF			
	AUTOMATIC TRANS FLUIDS	2512	12 OZ.	Automatic Transmission Fluid	4617	12 OZ.
2532		32 OZ.	Automatic Transmission Fluid	4617-55	55 GAL.	ATF Sealer/Conditioner
2512-55		55 GAL.	Automatic Transmission Fluid			
2512-8		7 OZ.	ATF with Stop Leak			
CLEANERS		4600	10 OZ.	Electronics Cleaner	4644	16 OZ.
	4607	10 OZ.	152A Duster	4644-55	55 GAL.	Engine Degreaser
	4750	10 OZ.	DetailAir Duster	4721	10 OZ.	Mass Air Flow Sensor Cleaner
	4645	10 OZ.	Engine Degreaser	4910	32 OZ.	Concrete & Masonry Cleaner
	LUBRICANTS	2300	8 OZ.	Synthetic Brake Caliper Grease	4723	10 OZ.
2301		8 OZ.	Ceramic Brake Caliper Grease	5593	8 OZ.	2 Cycle Oil
4602		10 OZ.	Penetrating Oil	5594	32 OZ.	Jack Oil
4555		55 GAL.	Penetrating Oil	5596	55 GAL.	Jack Oil
4603		10 OZ.	Silicone Spray	5597	32 OZ.	Jack Oil
4604		11 OZ.	White Lithium Grease			
FUEL ADDITIVES		4679-8	6 OZ.	Gas Treatment	4688-8	6 OZ.
	4679	12 OZ.	Gas Treatment	4688-55	55 GAL.	Octane Booster
	4656	55 GAL.	Gas Treatment	4695-6	6 OZ.	Carb & FIC
	4684-8	6 OZ.	Fuel Injector Cleaner	4695	12 OZ.	Carb & FIC
	4684	12 OZ.	Fuel Injector Cleaner	4690	16 OZ.	Fuel Stabilizer
	4684-55	55 GAL.	Fuel Injector Cleaner	4685-6	6 OZ.	Ethanol Fuel Treat
	4688	12 OZ.	Octane Booster			
OIL ADDITIVES	4609	12 OZ.	Engine Flush - Concentrate	4625	12 OZ.	Oil Stop Leak
	4608	32 OZ.	Engine Flush	4624-55	55 GAL.	Oil Treatment
	4624	12 OZ.	Oil Treatment	4626	14.5 OZ.	Smoke Eliminator
	4609-55	55 GAL.	Engine Flush	4628	14.5 OZ.	Smoke Eliminator w/ Stop Leak
	4624-8	7 OZ.	Semi-Synthetic Oil Treatment			
TIRE SEALER	3516	16OZ	BM Quick Tire Sealer			
	3575	1 GAL.	BM Quick Tire Sealer			
RADIATOR PRODUCTS	4618	12 OZ.	Radiator Pump Lube	4917-8	7 OZ.	Radiator Flush
	4618-8	7 OZ.	Radiator Pump Lube	4917-55	55 GAL.	Radiator Flush
	4618-55	55 GAL.	Radiator Treatment	4918	12 OZ.	Radiator Stop Leak
	4917	12 OZ.	Radiator Flush	4918-8	7 OZ.	Radiator Stop Leak

BATTERY PRODUCTS

4605	7.5 OZ.	Battery Terminal Protector
4606	9 OZ.	Battery Terminal Protector

WINTER PRODUCTS

2940	1 GAL.	Low VOC W/W Mix	3280	32 OZ.	Spray De-icer
2941	6 OZ.	W/W Solvent	3282	10 OZ.	De-icer
2942	12 OZ.	W/W Concentrate	3283	15 OZ.	De-icer with Scraper Top
2943	12 OZ.	50 State W/W	5000	12 OZ.	Diesel Fuel Conditioner
2944	16 OZ.	W/W Concentrate	5100	32 OZ.	Air Brake Antifreeze
2952	12 OZ.	Gas Line Antifreeze	5101	1 GAL.	Air Brake Antifreeze
2955	55 GAL.	Low VOC W/W Mix	6732	7.2 OZ.	50% Starting Fluid
2962	12 OZ.	IPA Gas Line Antifreeze	6752	10.7 OZ.	50% Starting Fluid
2962-55	55 GAL.	IPA Gas Line Antifreeze	6762	10.7 OZ.	Starting Fluid
2965	55 GAL.	W/W Concentrate			

R-134a REFRIGERANTS

6400	12 OZ.	FREEZE R-134a+	6330	30lb	R-134a
6610	12 OZ.	FREEZE R-134a+ FOR CA	6335	30lb	R-134a - MADE IN THE USA
6401	14 OZ.	FREEZE R-134a+ WITH HOSE	6344	12 OZ.	R-134a CALIFORNIA
6611	14 OZ.	FREEZE R-134a+ W/HOSE FOR CA	6313	12 OZ.	134a Glow-Charge
6402	14 OZ.	FREEZE R-134a+ (2 PACK)	6614	12 OZ.	134 Glow-Charge - CA
6412	14 OZ.	JHN FRZ R-134a+ (2PK for CA)	6331	30 LB	134a Glow-Charge
6407	18 OZ.	JHN FRZ+ W/ Hose/Gauge Assembly	EZF-1	20 OZ.	R134a+With Trigger/Gauge
6413	18 OZ.	JHN FRZ+ W/ Hose/Gauge Assb. CA	EZF-2	18 OZ.	R134a+With AccuFill®
6542	13 OZ.	High Mileage 134a Treatment			
6312	12 OZ.	R-134a			

A/C LUBRICANTS

6708-6	12 OZ.	Ester 100	6823-6	32 OZ.	PAG 150
6710-6	32 OZ.	Ester 100	6824	1 GAL.	PAG 150
6711	1 GAL.	Ester 100	6856	55 GAL.	PAG 150
6808-6	8 OZ.	Ester 100	6830	8 OZ.	Hybrid Vehicle AC Lubricant
6755	55 GAL.	Ester 100	6710UV-6	32 OZ.	Ester W. UV
6812-6	8 OZ.	PAG 46	6808UV-6	8 OZ.	Ester W. UV
6813-6	32 OZ.	PAG 46	6812UV-6	8 OZ.	PAG 46 W. UV
6814	1 GAL.	PAG 46	6816UV-6	8 OZ.	PAG 100 W/UV
6855	55 GAL.	PAG 46	6822UV-6	8 OZ.	PAG 150 W/UV
6816-6	8 OZ.	PAG 100	6915	12 OZ.	Vacuum Pump Oil
6817-6	32 OZ.	PAG 100	6912-6	32 OZ.	Refrigeration (Mineral) Oil
6818	1 GAL.	PAG 100	6913	1 GAL.	Refrigeration (Mineral) Oil
6857	55 GAL.	PAG 100	6955	55 GAL.	Refrigeration (Mineral) Oil
6822-6	8 OZ.	PAG 150	6846	8 OZ.	1234YF Lubricant

A/C TREATMENTS

6544	1 GAL.	A/C Flush	6574	14 OZ.	R134a Maxi Charge
6545-6	32 OZ.	A/C Flush	6564	3 OZ.	R134a Stop Leak
6555	55 GAL.	A/C Flush	6540	12 OZ.	R134a With Leak Sealer
6644	1 GAL.	Non-Flammable A/C Flush	6615	12 OZ.	R134a With Leak Sealer
6645-6	32 OZ.	Non-Flammable A/C Flush			

OIL CHARGES

6430	3 OZ.	EZ Fill Leak Stop	6535	12 OZ.	Oil Charge for Retrofit
6434	3 OZ.	AC Quick Charge	6435	12 OZ.	Oil Charge for Retrofit - CA
6425	3 OZ.	PAG 134a Charge	6725	3 OZ.	Ester 134a Charge

R-134a ACCESSORIES

8013	EA	R-134A E-Z TAPPER	90038	EA	ADAPTER, HIGHSIDE 3/16" FF X 1/4" MF
8015	EA	UNIV EZ TAPPER W. Inserts	90051	EA	R134a EZ Tapper
8323	CS	R134a Quick Charge	90081	EA	EZ Tapper Bulk
8324	EA	R134A Quick Charge - Plastic	8939	EA	R-134a DISPENSING VALVE FOR CA
8908	EA	R134A Manifold Gauge Set	S13024	EA	LOWSIDE MF GAUGE R-134a BLUE
8917	EA	R134A Hose Conversion Kit	S13025	EA	HIGHSIDE MF GAUGE R-134a RED
8014	EA	R-134A TO R-12 HOSE ADAPTER	S13038	EA	ADAPTER, 1/4" MF X 1/2" ACME FEMALE
			S19331	EA	VALVE CORES-STANDARD

OTHER REFRIGERANTS

6404	24 LB.	R404 Refrigerant Cylinder	6410	26 LB.	R410 Refrigerant Cylinder
6407C	25 LB.	R407c Refrigerant Cylinder	6507	25 LB.	R507 Refrigerant Cylinder
6846	8 FL. OZ.	1234yf Lubricant	6848	8 OZ.	1234yf Can
6123	10 LB.	1234yf Cylinder	6849	EA	Brass Dispensing Valve

INTERIOR PRODUCTS

840-06	8 OZ.	Interior Detailer	914-06	22 OZ.	Heavy Foam Upholstery Cleaner
841-06	16 OZ.	Interior Detailer	910-06	19 OZ.	Glass Cleaner
900-06	22 OZ.	Carpet Stain and Spot Lifter			

LEATHER PRODUCTS

800-06	16 OZ.	Leather & Vinyl Cleaner	901-06	8.7 OZ.	Upholstery Stain & Spot Lifter
850-06	16 OZ.	Leather Cream Conditioner	905-06	23 OZ.	Carpet Stain & Spot Lifter w/Trigger
855-06	8 OZ.	Leather Cleaner & Conditioner	909-06	22 OZ.	Multi-Purpose Cleaner
860-06	23 OZ.	Leather Care Gel	912-06	22 OZ.	Heavy Foam Carpet Cleaner

TOWELETTES

NA110	24 PK	Glass Cleaner	NA119	24 PK	BUG & TAR Remover
NA1110	100 PK	Glass Cleaner	NA1119	100 PK	BUG & TAR Remover
NA115	24 PK	VINYL 'N' MORE Protectant	NA125	24 PK	RAIN VISION Towelette
NA1115	100 PK	VINYL 'N' MORE Protectant	NA1125	100 PK	RAIN VISION Towelette
NA116	24 PK	VINYL 'N' MORE Cleaner	NA127	24 PK	BLACK JACK Tire Shine
NA1116	100 PK	VINYL 'N' MORE Cleaner	NA1127	100 PK	BLACK JACK Tire Shine
NA117	24 PK	JUST FOR LEATHER Conditioner	NA128	24 PK	NEVER FOG Towelette
NA1117	100 PK	JUST FOR LEATHER Conditioner	NA1128	100 PK	NEVER FOG Towelette
NA118	24 PK	JUST FOR LEATHER Cleaner	NA250	24 PK	Glass Wipes
NA1118	100 PK	JUST FOR LEATHER Cleaner			

HEADLIGHT LENS RESTORER

725-06	8 OZ.	Headlight Lens Restorer	730PK	.75 OZ.	Headlight Lens Sealer
725PK	.75 OZ.	Headlight Lens Restorer	725CD-06	6 PK	HL Restorer Counter Display
730-06	8 OZ.	Headlight Lens Sealer	730CD-06	6 PK	HL Sealer Counter Display

METAL POLISH

100-12	3.5 OZ.	Metal Polish Box Display	300-12	3.5 OZ.	Metal Polish Blister Tube
200-06	8 OZ.	Metal Polish Flip Cap	400-06	7 OZ.	Metal Polish Display Jar
230-06	10 OZ.	Metal Polish Quick Shine Aerosol	500-06	38 OZ.	Metal Polish Jar
235PK	.75 OZ.	Metal Polish Packet	550-02	4.5lb	Metal Polish Pail

AUTO, WHEEL, TIRE

NA647	8 OZ.	Black Again	780-06	32 OZ.	Supreme W&T Cleaner Refill
680-06	15 OZ.	Supreme Tire Shine	781-06	23 OZ.	Supreme W&T Cleaner Spray
685-06	23 OZ.	Supreme Tire Shine Spray	778-06	32 OZ.	Super Strength Wheel Cleaner
690-06	8 OZ.	Supreme Tire Shine - Wipe on	750-06	8 OZ.	Plastic and Plexi Cleaner
707-06	16 OZ.	Convertible Top Cleaner w/Trigger	875-06	8 OZ.	Bug and Tar Remover

REPAIR PRODUCTS

BOT55TRI	4 OZ.	Brush On Elect. Tape Black-B/C	5215-12	5 OZ.	Invisible Glove® Hanger Tube
BOT58TRI	4 OZ.	Brush On Elect. Tape-Red B/C	12A-6	16 OZ.	Tr-3® Resin Glaze
BOT59TRI	4 OZ.	Brush On Elect. Tape-White B/C	975	12 OZ.	Non-Flam. Flat Fixer w/ Cone Top
1008-24	11.4 OZ.	Seal-Up® (Liquid Glass) Permanent Engine Block, Head And Radiator Sealer	976	16 OZ.	Non-Flam. Flat Fixer w/ Hose/Cap Assy
1116-24	22.8 OZ.	Seal-Up® (Liquid Glass) Permanent Engine Block, Head & Radiator Sealer	977	20 OZ.	Non-Flam. Flat Fixer w/ Hose/Cap

QUIKSTEEL® REPAIR PRODUCTS

6002TRI-12	2 OZ.	Quiksteel Self Display Box	16002TRI	2 OZ.	Quiksteel Repair Blister Card
6002TRI-24	2 OZ.	Quiksteel Self Display Box	16562TRI	2 OZ.	Xtreme Heat Putty
6002ADTRI	2 OZ.	Quiksteel Acrylic Display	16302US	2 OZ.	Copper Repair Blister Card
6004TRI	4 OZ.	Quiksteel Professional Size	16402US	2 OZ.	Aluminum Repair Blister Card
6022KTRI	2 OZ.	Metal Tank Repair Kit	16502TRI	2 OZ.	Plastic Repair Blister Card
6502TRI-12	2 OZ.	Quiksteel Tri Plastic	17002TRI	2 OZ.	Quiksteel Paste Steel B/C
6502TRI-24	2 OZ.	Quiksteel Tri Plastic	17502TRI	2 OZ.	Quiksteel Paste White B/C
6502ADTRI	2 OZ.	Plastic Repair Self Display Box	16532TRI	2 OZ.	Aquasteel Putty
6522KTRI	2 OZ.	Plastic Tank Repair Kit	18003TRI	3 OZ.	Thermosteel Blister Cards
16001-6	1 OZ.	Quiksteel Singles Epoxy Putty	18022KTRI	2 OZ.	Exhaust System Repair Kit
16552TRI	2 OZ.	Fuel Tank Repair	17532TRI	2 OZ.	Aquasteel Paste

PURE CITRUS®

NA229-6	4 OZ.	Pure Citrus® Blend	NA90-6	8 OZ.	PC® Orange Solid Air Freshener
NA230-6	4 OZ.	Pure Citrus® Lemon	NA91-6	8 OZ.	PC® Blend Solid Air Freshener
NA228-6	4 OZ.	Pure Citrus® Orange	NA92-6	8 OZ.	PC® Lemon Solid Air Freshener
NA200	32 OZ.	Pure Citrus® Orange Cleaner	NA93-6	8 OZ.	PC® Fresh Linen Solid Air Fresh

TURBO 108®

NA30	16 OZ.	TURBO 108 Octane Boost	NA34-06	16 OZ.	T-108 Mega Mileage Improver
NA31	32 OZ.	TURBO 108 Octane Boost	NA35	16 OZ.	T-08 Racing Fuel Concentrate
NA32	16 OZ.	TURBO 108 Fuel Injector Cleaner	NA37	32 OZ.	T-108 Racing Fuel Concentrate
NA33-06	16 OZ.	TURBO 108 Turbo Enhancer	NA301	1 GAL.	T-108 8 IN 1 Diesel Cleaner
NA34-06	16 OZ.	TURBO 108 Emissions Reducer	NA302	32 OZ.	T-108 8 IN 1 Diesel Cleaner

SPRAY-X®

SPX10GC	10 OZ.	Foaming Glass Cleaner	SPX19GC	19 OZ.	Foaming Glass Cleaner
SPX15GC	15 OZ.	Foaming Glass Cleaner			

**BRAKE CLEANER****ORIGINAL FORMULA NON-CHLORINATED**

Removes oil, grease, brake fluid and contaminants quickly and with no residue. For use on all ABS, disc and drum brakes.

For sale in areas that do not regulate the VOC content of consumer products.

2418NC	10 OZ.	12 PER CASE
2413	14 OZ.	12 PER CASE
2435	5 GALLON	ONE EACH
2413-55	55 GALLON	ONE EACH



2413

2418NC



2418

2417

OTC COMPLIANT NON-CHLORINATED**BRAKE CLEANER**

Removes oil, grease, brake fluid and contaminants quickly and with no residue.

For use on all ABS, disc and drum brakes.

For sale in areas that restrict the VOC content of consumer products to 45%.

2418	10 OZ.	12 PER CASE
2417	14 OZ.	12 PER CASE
2415	5 GALLON	ONE EACH
2456	55 GALLON	ONE EACH

**BRAKE CLEANER****50 STATE FORMULA**

Removes oil, grease, brake fluid and contaminants quickly and with no residue. For use on all ABS, disc and drum brakes.

Formulated to meet VOC requirements in all 50 states.

2418C	10 OZ.	12 PER CASE
2417C	13 OZ.	12 PER CASE
2415C	5 GALLON	ONE EACH
2417C-55	55 GALLON	ONE EACH



2417C

2418C

NON -FLAMMABLE**BRAKE CLEANER**

2420

Fast-drying, non-flammable formula evaporates quickly and leaves no residue. For use on all ABS, disc and drum brakes.

Not for sale or use in California or New Jersey.

2420	16 OZ.	12/CASE
2420-55	55 GAL.	1 EACH

**SCAQMD COMPLIANT****BRAKE CLEANER**

2421

Removes oil, grease, brake fluid and contaminants quickly and with no residue. For use on all ABS, disc and drum brakes.

Formulated to meet South Coast Air Quality Management District Rule 1171.

2421	13 OZ.	12/CASE
2421-55	55 GAL.	1 EACH





BRAKE FLUID / SYNTHETIC DOT 3

Synthetic DOT 3 Brake Fluid has a minimum boiling point of 450°F. Meets and exceeds DOT 3 and all other Federal and SAE specifications and standards for motor vehicle brake fluids. Mixes with all DOT 3 approved brake fluids. Designed for use in disc, drum and ABS brake systems.

2212-8	7 FL. OZ.	12 PER CASE
2212	12 FL. OZ.	12 PER CASE
2224	12 FL. OZ.	24 PER CASE
2232	32 FL. OZ.	12 PER CASE
2234	1 GALLON	4 PER CASE
2241	5 GALLON	ONE EACH
2255	55 GALLON	ONE EACH



PREMIUM SYNTHETIC DOT 4 / BRAKE FLUID

A premium, synthetic quality brake fluid that contains special ingredients to guard against vapor lock and moisture absorption. Exceeds requirements for both DOT 3 and DOT 4 brake fluids. Specially formulated for DOT 4 brake fluid applications. Designed for use in disc, drum and ABS brake systems.



5012	12 FL. OZ.	12 PER CASE
5032	32 FL. OZ.	12 PER CASE
5034	1 GALLON	4 PER CASE
5055	55 GALLON	ONE EACH

BRAKE FLUID / SILICONE DOT 5

Specially formulated hydraulic brake fluid that provides superior benefits. Johnsen's Silicone DOT 5 Brake Fluid is essentially non-hygroscopic compared to conventional DOT 3 or DOT 4 brake fluids, absorbing less than one percent by weight of water. Not to be used in ABS system.

7012-6	12 FL. OZ.	6 PER CASE
7032	32 FL. OZ.	6 PER CASE
7055	55 GALLON	ONE EACH



CERAMIC & SYNTHETIC BRAKE CALIPER GREASE / BRAKE PRODUCTS

Wide operating temperature range. Not affected by salt or water. Prevents rust and corrosion. Reduces noise.



2300	SYNTHETIC	8 FL. OZ.	12 PER CASE
2301	CERAMIC	8 FL. OZ.	12 PER CASE



CARB & AIR INTAKE CLEANER ORIGINAL FORMULA

Removes varnish, sludge, and other deposits from carburetor, linkage, PCV valves, automatic choke and air intake.

For sale in areas that do not regulate the VOC content of consumer products.

4641NC	10 OZ.	12 PER CASE
4642NC	16.25 OZ.	12 PER CASE
4641NC-55	55 GALLON	ONE EACH



4642NC



4642

OTC COMPLIANT CARB & AIR INTAKE CLEANER

Removes varnish, sludge, and other deposits from carburetor, linkage, PCV valves, automatic choke and air intake.

For sale in areas that restrict the VOC content of consumer products to 45%.

4641	10 OZ.	12 PER CASE
4642	16.25 OZ.	12 PER CASE
4642-55	55 GALLON	ONE EACH



CARB & AIR INTAKE CLEANER 50 STATE FORMULA

Removes varnish, sludge, and other deposits from carburetor, linkage, PCV valves, automatic choke and air intake.

Formulated to meet VOC requirements in all 50 states.

4641C	10 OZ.	12 PER CASE
4642C	16.25 OZ.	12 PER CASE
4641C-55	55 GALLON	ONE EACH



4642C

THROTTLE BODY & AIR INTAKE 50 STATE



4720

Formulated for modern fuel injected engines. Cleans fuel injected air intake openings and assemblies; cleans butterfly/throttle valve; helps improve hard starting and performance. Safe on metal intake plastic surfaces, 360° valve ensures product sprays in any position.

Formulated to meet VOC requirements in all 50 states.

4720	10 OZ.	12/CASE
------	--------	---------

THROTTLE BODY & AIR INTAKE OTC



4724

Formulated for modern fuel injected engines. Cleans fuel injected air intake openings and assemblies; cleans butterfly/throttle valve; helps improve hard starting and performance. Safe on metal intake plastic surfaces, 360° valve ensures product sprays in any position.

For sale in areas that restrict the VOC content of consumer products to 45%.

4724	10 OZ.	12/CASE
------	--------	---------



MASS AIR FLOW SENSOR CLEANER ORIGINAL FORMULA

Helps improve performance and fuel economy, dissolves grease, removes dirt and flux and helps to restore engine performance. Fast acting and drying formula, safe for plastics, leaves no residue. Can be used at every air filter change. 360° valve ensures product sprays in any position.

4721 10 OZ. 12 PER CASE



4721 (Front)

4721 (Back)



CLEANERS

FOAMING ENGINE DEGREASER

CLEANERS



4644

4645

A premium, foaming, water-based, degreaser which is self emulsifying. Two active ingredients mix with both oil and water. When sprayed on and washed off, the water actually pulls oil and grease off the surface of the engine. VOC compliant.

4645 10 OZ. 12 PER CASE
 4644 16 OZ. 12 PER CASE
 4644-55 55 GALLON ONE EACH



CLEANERS

ELECTRONIC CLEANER



4600

Instantly removes oil, grease and dirt from a wide range of electrical components without leaving a residue. VOC compliant.

4600 10 OZ. 12/CASE



CLEANERS

HIGH POWER DUSTER



4607

Use for cleaning dashboards, automotive electronics and engine components. Also great for home and office use.

4607 10 OZ. 6/CASE

CONCRETE & MASONRY CLEANER

CLEANERS

Dissolves grease, oil and dirt from driveways and garage floors. Also cleans brick and stone.

4910 32 FL. OZ. 6 PER CASE



POWER STEERING FLUID ORIGINAL FORMULA

A high quality power steering fluid and conditioner. Mixes with most factory power steering fluids. Helps stop pump squealing, protects seals and helps prevent unusual wear.

2812-8	7 FL. OZ.	12 PER CASE
2812	12 FL. OZ.	12 PER CASE
4610*	32 FL. OZ.	12 PER CASE
4611*	1 GALLON	4 PER CASE
2855	55 GALLON	ONE EACH

*(WITH CONDITIONERS)



POWER STEERING FLUID UNIVERSAL

Meets domestic and import vehicle specifications including Ford®, GM®, Chrysler®, Honda®, Toyota®, and Nissan®. Helps stop pumps squealing, protects seals and helps prevent unusual wear.

2912	12 FL. OZ.	12 PER CASE
2932	32 FL. OZ.	12 PER CASE
2912-55	55 GALLON	ONE EACH



2912 2932

POWER STEERING FLUID LEAK SEALER & CONDITIONER

A high quality power steering fluid with conditioner and leak stop additives. Mixes with most factory power steering fluids. Helps maintain seals and o-rings soft and pliable to provide maximum sealing of the power steering system.

2813	12 FL. OZ.	12 PER CASE
2813-55	55 GAL.	ONE EACH



2813 2812

POWER STEERING FLUID HONDA® & ACURA®

A specifically formulated power steering fluid for Honda® and Acura® vehicles. Specially designed to provide maximum performance for Honda® and Acura® power steering systems.

2612	12 FL. OZ.	12 PER CASE
2612-55	55 GALLON	ONE EACH

AUTOMATIC TRANSMISSION FLUID MULTI-PURPOSE

A multi-purpose automatic transmission fluid used for top-off applications.

2512-8*	7 FL. OZ.	12 PER CASE
2512	12 FL. OZ.	12 PER CASE
2532	32 FL. OZ.	12 PER CASE
2512-55	55 GALLON	ONE EACH

*(WITH STOP LEAK)



2512 2512-8 2532

AUTOMATIC TRANSMISSION FLUID SEALER & CONDITIONER

Stops leaks due to dried or cracked transmission seals. Blended with proprietary additives to help recondition and revitalize seals and o-rings.

4617	12 FL. OZ.	12 PER CASE
4617-55	55 GALLON	ONE EACH

4617



LUBRICANTS / HEAVY DUTY PENETRATING OIL

VOC COMPLIANT

A lubricant and penetrant with special additives that loosen rust and soak into subsurface areas. VOC compliant.

4602 10 OZ. 12 PER CASE



LUBRICANTS / SILICONE LUBRICANT

VOC COMPLIANT

Specifically formulated to provide superior all-purpose lubrication and protection. Prolongs life, prevents squeaks and lubricates. Use on door hinges, seat racks, wiper linkage, carburetor linkage, window channels, and more. Safe to use on food processing equipment where there is no direct contact to food. NSF & VOC compliant.

4603 10 OZ. 12 PER CASE



LUBRICANTS / WHITE LITHIUM GREASE

All-purpose lubricant that protects against rust and makes surfaces friction resistant. Withstands moisture, freezing, and high heat. For use on various automobile parts, process equipment and hand tools, as well as many items in the home.

4604 11 OZ. 12 PER CASE

CHAIN & CABLE LUBE / LUBRICANTS



4723

A special blend of lubricants and solvents designed to keep chains and cables in peak operating condition; helps in preventing rust corrosion. Can be used on low speed conveyors, drive chains, hoists, pulleys, rollers, garage doors, bushings, seals, o-rings and many other applications requiring lubrication.

4723 10 OZ. 12/CASE

2 CYCLE ENGINE OIL / LUBRICANTS



5593

Multi-purpose oil for all air cooled engines. Designed to reduce smoking, spark plug fouling and reduce deposits.

5593 8 FL. OZ. 24/CASE

LUBRICANTS / HYDRAULIC JACK OIL

Formulated to perform at a wide range of temperatures. Contains anti-foam additives and rust inhibitors. Use in hydraulic jacks, refillable shock absorbers, and light to medium duty hydraulics. It is mixable with other standard hydraulic jack oils.

5594 32 FL. OZ. 12 PER CASE
5597 32 FL. OZ. 6 PER CASE



5597



EASY POUR FOR STANDARD AND CAPLESS FUEL TANKS

FUEL INJECTOR & CARBURETOR CLEANER

FUEL ADDITIVES



4695

4695-6

4684

4684-8

Cleans fuel injectors and carburetors to help improve fuel economy and performance. Helps reduce exhaust emissions.

4695	12 FL. OZ.	12 PER CASE
4695-6*	6 FL. OZ.	12 PER CASE

*(CONCENTRATED)

FUEL INJECTOR CLEANER

FUEL ADDITIVES

Super concentrated formula to improve engine performance. Cleans fuel injectors, allows vehicles to start easier, idle smoother and accelerate without hesitation.

4684	12 FL. OZ.	12 PER CASE
4684-8*	6 FL. OZ.	12 PER CASE

*(CONCENTRATED)

FUEL ADDITIVES

GAS TREATMENT

Dissolves sludge that accumulates in the carburetor, intake valves, and manifold.

4679	12 FL. OZ.	12 PER CASE
4679-8*	6 FL. OZ.	12 PER CASE

*(CONCENTRATED)

FUEL ADDITIVES

OCTANE BOOSTER

Formulated to help stop knocking caused by low octane fuels.

4688	12 FL. OZ.	12 PER CASE
4688-8*	6 FL. OZ.	12 PER CASE

*(CONCENTRATED)

EASY POUR FOR STANDARD AND CAPLESS FUEL TANKS



4679

4679-8

4688

4688-8

FUEL ADDITIVES

ETHANOL FUEL TREATMENT & STABILIZER

Super concentrated fuel additive formulated to counteract the harmful effects of Ethanol in fuel. It will stabilize fuel, prevent corrosion caused in the fuel system caused by ethanol, help to remove moisture to prevent phase separation and will clean injectors and other fuel system components.

4685-6*	6 FL. OZ.	12 PER CASE
---------	-----------	-------------

*(CONCENTRATED)

FUEL ADDITIVES

FUEL STABILIZER

Specially formulated to keep fuel fresh and clean during storage periods. It will aid in quick and easy starts after storage. Safe for use in all gasoline.

4690	16 FL. OZ.	12 PER CASE
------	------------	-------------



4685-6

4690



OIL ADDITIVES / **HIGH VISCOSITY OIL TREATMENT**

Improves Viscosity Index of oil in gasoline and diesel engines. Helps worn engines run smoother and quieter. Coats moving parts with a tough film that decreases friction and increases power.

4624 **12 FL. OZ.** **12 PER CASE**

OIL ADDITIVES / **SEMI-SYNTHETIC OIL TREATMENT**

Semi-synthetic formula will stop oil leaks in gasoline and diesel engines. The added lubricity will help reduce friction and increase power.

4624-8 **7 FL. OZ.** **12 PER CASE**

OIL ADDITIVES / **ENGINE OIL STOP LEAK**

Formulated oil additive designed to reduce or eliminate oil leaks from old worn out seals and gaskets that have shrunk due to temperature wear.

4625 **12 FL. OZ.** **12 PER CASE**



4624-8

4624

4625



4626

4628

SMOKE ELIMINATOR / **OIL ADDITIVES**

Formulated to help reduce exhaust smoke, quiet lifters, restore compression and improve performance in oil burning engines. Reduces oil consumption caused by blow-by in the combustion chamber.

4626 **14.5 FL. OZ.** **12 PER CASE**

SMOKE ELIMINATOR WITH LEAK STOP / **OIL ADDITIVES**

Formulated to help reduce exhaust smoke, quiet lifters, restore compression and improve performance in oil burning engines. An additional oil additive is included to reduce or eliminate oil leaks from worn out seals and gaskets. Reduces oil consumption caused by blow-by in the combustion chamber.

4628 **14.5 FL. OZ.** **12 PER CASE**

OIL ADDITIVES / **ENGINE FLUSH**

A premium crankcase cleaner. While some products are only a solvent, Johnsen's Engine Flush also contains a special residue solubilizer and high quality oil. Use prior to changing oil. Engine flushing provides better oil flow and helps maintain engine power.

4609* **12 FL. OZ.** **12 PER CASE**

4608 **32 FL. OZ.** **12 PER CASE**

*(CONCENTRATED)



4609

4608



RADIATOR PRODUCTS

RADIATOR TREATMENT & WATER PUMP LUBRICANT

Formulated to help in the prevention of rust and corrosion in automotive cooling systems. This product may be used in all cooling systems. Designed to protect aluminum, copper, iron and other parts of the cooling system.

4618-8	7 FL. OZ.	12 PER CASE
4618	12 FL. OZ.	12 PER CASE



4618-8

4618

RADIATOR FLUSH

RADIATOR PRODUCTS



4917

4917-8

Removes sludge, rust, scale and corrosion deposits. Formulated for today's cooling systems and helps prevent engine overheating. Fast, easy, safe, convenient and one bottle treatment.

4917-8	7 FL. OZ.	12 PER CASE
4917	12 FL. OZ.	12 PER CASE

RADIATOR PRODUCTS

RADIATOR STOP LEAK

Quickly finds and seals leaks. Mix directly in vehicle's coolant. It is a non-clogging formula when used as directed.

4918-8	7 FL. OZ.	12 PER CASE
4918	12 FL. OZ.	12 PER CASE



4918-8

4918

BATTERY

TERMINAL PROTECTOR



4605

Provides a lead-free protective coating, which protects terminals from corrosion. Improves starting and promotes longer battery life.

4605	7.5 OZ.	12/CASE
------	---------	---------

BATTERY

CLEANER WITH ACID INDICATOR



4606

A specially formulated product to help remove corrosion, neutralize acid spills and ensure maximum battery current flow.

4606	10 OZ.	12/CASE
------	--------	---------

WINTER PRODUCTS

PREMIUM STARTING FLUID

50% ether blend. Helps start stubborn engines fast in cold weather, saves batteries, contains upper cylinder lubricant. Performs to -65°F. Works great in passenger cars, diesel engines, lawn mowers, chain saws, outboard motors and fractional horse power engines. This diesel fuel additives complies with federal low sulfur content requirements for use in diesel motor vehicles and non-road engines.

6732 fits injector systems found in heavy duty engines.

6732	7.2 OZ.	12 PER CASE
6752	10.7 OZ.	12 PER CASE



WINTER PRODUCTS

STARTING FLUID

WINTER PRODUCTS

Helps start stubborn engines fast in cold weather, saves batteries, contains upper cylinder lubricant. Performs to -65°F. Works great in passenger cars, diesel engines, lawn mowers, chain saws, outboard motors and fractional horse power engines. This diesel fuel additives complies with federal low sulfur content requirements for use in diesel motor vehicles and non-road engines.

6762	10.7 OZ.	12 PER CASE
------	----------	-------------



WINTER PRODUCTS

DE-ICER

For frozen windshields, locks, and doors. Removes frost and ice from windshields, locks, doors, and mirrors.

3282	10 OZ.	12 PER CASE
3283	15 OZ. w/ Scraper	12 PER CASE
3280	32 FL. OZ. Trigger	6 PER CASE



**WINTER PRODUCTS****WINDSHIELD WASHER SOLVENT**

Cleans windshields for better visibility. Contains ammonia.

2941*	6 FL. OZ.	24 PER CASE	*(CONCENTRATED)
2940	1 GALLON	6 PER CASE	



2941

WINTER PRODUCTS**50 STATE WINDSHIELD WASHER CONCENTRATE**

Cleans windshield and prevents freezing to 28°F. Formulated to meet VOC requirements in all 50 states.

2943	12 FL. OZ.	12 PER CASE
------	------------	-------------

**WINTER PRODUCTS****WINDSHIELD WASHER CONCENTRATE**

Cleans windshield and prevents freezing to -58°F when used according to chart on product label.

2942	12 FL. OZ.	12 PER CASE
2944	16 FL. OZ.	24 PER CASE

CONCENTRATE (FL. OZ.)	WATER (FL. OZ.)	FREEZING POINT (DEG. F)	VOC (WEIGHT %)
8	12	-25°	35%
8	21	-4°	23.5%
2	160	33°	1%



2943



2942



2944

WINTER PRODUCTS**PREMIUM ISOPROPYL GAS LINE ANTIFREEZE**

Recommended for fuel-injected vehicles. Isopropyl alcohol combines with fuel system moisture to form a combustible mixture and reduce the risk of ice formation.

2962	12 FL. OZ.	12 PER CASE
------	------------	-------------

WINTER PRODUCTS**GAS LINE ANTIFREEZE**

Prevents frozen gas lines and carburetor icing. Aids in quick starting. Eliminates moisture in gasoline.

2952	12 FL. OZ.	12 PER CASE
------	------------	-------------



2952



2962

DIESEL FUEL CONDITIONER**WINTER PRODUCTS**

Everything you need in a diesel additive blend to clean injectors, disperse moisture, prevent sludge and freezing, lower pour point, prohibit rust and corrosion. Contains no harmful methanol. Regular use of will help maintain clean injectors. Use year round for performance improvements all seasons.



5000

5000	12 FL. OZ.	12 PER CASE
------	------------	-------------

WINTER PRODUCTS**AIR BRAKE ANTIFREEZE**

Heavy duty blend that removes moisture and dissolves ice on contact. Provides year round air brake system protection.

5100	32 FL. OZ.	12 PER CASE
5101	1 GALLON	4 PER CASE



5100



5101

For use in factory installed and/or retrofitted R-134a auto A/C systems. Comes with standard ACME threaded cap. Meets AHRI 700-2006 and SAE J 2276 purity standards.

6312	12 OZ.	12 PER CASE
6344*	12 OZ.	12 PER CASE
6330	30 LB. CYLINDER	ONE EACH
6335**	30 LB. CYLINDER	ONE EACH

*(FOR CALIFORNIA)

** (MADE IN THE USA)



6312



6344



6330



6335

A fast and easy method to recharge an A/C system and detect leaks using UV dye. May be used in any vehicle that uses R-134a refrigerant, including systems that were originally equipped with R-134a and those that have been retrofitted from R-12 to R-134a.

6313	12 OZ.	12 PER CASE
6614*	12 OZ.	12 PER CASE
6331	30 LB. CYLINDER	ONE EACH

*(FOR CALIFORNIA)



6313



6314



6331



404A REFRIGERANT BLEND REFRIGERANTS

A blend of R-125, R-143a, and R-134a intended for low and medium temperature refrigeration applications where R-502 was previously used. R-404A requires polyolester (POE) lubricant, which is usually charged into new equipment. If retrofitting existing equipment, the original oil must be replaced with POE.

6404 24 LB. CYLINDER ONE EACH

REFRIGERANTS **410A REFRIGERANT BLEND**

A blend of R-32 and R-125 that nearly forms an azeotrope, which means it has extremely low temperature glide and almost no fractionation potential. R-410A will require POE lubricants. Retrofitting R-22 equipment is not recommended under any circumstances.

6410 25 LB. CYLINDER ONE EACH



407C REFRIGERANT BLEND REFRIGERANTS

A blend of R-32, R-125, and R-134a that has very similar properties to R-22 in air conditioning equipment. R-407C has the closest property match to R-22 in an air conditioning retrofit project compared to other blends on the market. It can also be used in medium temperature R-22 refrigeration systems.

6407C 25 LB. CYLINDER ONE EACH

REFRIGERANTS **507 REFRIGERANT BLEND**

An azeotropic blend of R-125 and R-143a intended for low and medium temperature refrigeration systems. There will be slightly higher pressures and capacity with R-507 compared to R-404A. R-507 requires polyolester (POE) lubricant, which is usually charged into new equipment. If retrofitting existing equipment, the original oil must be replaced with POE.

6507 25 LB. CYLINDER ONE EACH



1234yf PRODUCTS REFRIGERANTS

Synthetic Low viscosity PAG lubricant for 1234yf Auto A/C systems. Specifically formulated for optimum performance in 1234yf A/C systems.

LUBRICANT 6846 8 FL. OZ. 6 PER CASE

1234yf refrigerant is a low GWP, zero ODP refrigerant which meets EU F-gas regulations. Thermally stable under extreme use conditions, similar operating conditions as R-134a.

Comparable energy efficiency and capacity compared to R-134a.

8 OZ. CAN	6848	8 OZ.	4 PER CASE
BRASS DISPENSING VALVE	6849	CLAM SHELL	4 PER CASE
10 LB. CYLINDER	6123	10 LB.	ONE EACH

6846

REFRIGERANTS

FREEZE™ R-134a PLUS PRODUCTS

Johnsen's FREEZE R-134a Plus products make it easy to add refrigerant, lubricant and a performance booster to any R-134a mobile A/C system. These uniquely blended products produce cold air fast by including R-134a refrigerant, a premium synthetic A/C lubricant/conditioner and a leak sealer. Complete A/C recharging just got easier!

6400	12 OZ.	12 PER CASE
6610*	12 OZ.	12 PER CASE
6401	14 OZ. W/ CHARGING HOSE	12 PER CASE
6611*	14 OZ. W/CHARGING HOSE	12 PER CASE
6402	(2) 14 OZ. W/ PREMIUM CHARGING HOSE & GLOW GAUGE	6 PER CASE
6412*	(2) 14 OZ. W/ PREMIUM CHARGING HOSE & GLOW GAUGE	6 PER CASE
6407	18 OZ. W/ PREMIUM CHARGING HOSE & GLOW GAUGE	6 PER CASE
6413*	18 OZ. W/ PREMIUM CHARGING HOSE & GLOW GAUGE	6 PER CASE

*(FOR CALIFORNIA)



PREMIUM R-134a

A/C TREATMENTS

EZ FREEZE

R-134a refrigerant plus A/C performance boosters. Synthetic A/C lubricant and conditioner. Seals leaks. No Tools needed!

EZF-1	20 OZ.	6 PER CASE
-------	--------	------------



EZF-2

Premium R-134a refrigerant plus A/C performance boosters. Includes trigger and high pressure gauge assembly with wireless AccuFill® technology. Synthetic A/C lubricant, conditioner and leak sealer.

AccuFill® is the most advanced A/C recharge system that allows instant, wireless reading of the A/C's output temperature using RFID technology. Prevent overfilling with a more accurate and reliable read than traditional wired A/C recharge systems. No additional tools or accessories needed. Includes new self-sealing valve to ensure safe storage of remaining refrigerant for future use.



EZF-1

EZF-2	18 OZ.	6 PER CASE
-------	--------	------------



Wireless Vent Clip



Wireless Digital Monitor



*(AccuFill® US Patent No. US 9,981,637 B2. Additional patents pending.)



A/C LUBRICANTS

ESTER LUBRICANTS

A synthetic polyolester (POE) lubricant formulated with a proprietary additive package. Its unique chemistry allows it to be used in R-12 or R-134a A/C systems.

6808-6	8 FL. OZ.	6 PER CASE
6708-6	12 FL. OZ.	6 PER CASE
6710-6	32 FL. OZ.	6 PER CASE
6711	1 GALLON	4 PER CASE



6708-6 6710-6 6711 6806-6



6710UV-6 6808UV-6

ESTER LUBRICANTS with UV DYE

A/C LUBRICANTS

A premium synthetic polyolester (POE) lubricant formulated with a proprietary additive package and SAE-approved UV dye for fast and efficient A/C leak detection.

6808UV-6	8 FL. OZ.	6 PER CASE
6710UV-6	32 FL. OZ.	6 PER CASE

A/C LUBRICANTS

PAG LUBRICANTS

Premium polyalkylene glycol (PAG) in three viscosity grades for R-134a systems, provides superior protection against compressor wear and prevents lubricant breakdown even under extreme conditions.

6812-6	ISO 46	8 FL. OZ.	6 PER CASE
6813-6	ISO 46	32 FL. OZ.	6 PER CASE
6814	ISO 46	1 GALLON	4 PER CASE
6816-6	ISO 100	8 FL. OZ.	6 PER CASE
6817-6	ISO 100	32 FL. OZ.	6 PER CASE
6818	ISO 100	1 GALLON	4 PER CASE
6822-6	ISO 150	8 FL. OZ.	6 PER CASE
6823-6	ISO 150	32 FL. OZ.	6 PER CASE
6824	ISO 150	1 GALLON	4 PER CASE



6813-6 6814 6812-6

PAG LUBRICANTS with UV DYE

A/C LUBRICANTS

Three different viscosity grades of premium polyalkylene glycol (PAG) lubricants formulated for R-134a A/C systems. An SAE-approved UV dye is included to make A/C leak detection fast and efficient.

6812UV-6	ISO 46	8 FL. OZ.	6 PER CASE
6816UV-6	ISO 100	8 FL. OZ.	6 PER CASE
6822UV-6	ISO 150	8 FL. OZ.	6 PER CASE



6816UV-6 6812UV-6 6822UV-6



MINERAL LUBRICANTS

A/C LUBRICANTS

A premium mineral lubricant made specifically for R-12 A/C systems.

6912-6	32 FL. OZ.	6 PER CASE
6913	1 GALLON	4 PER CASE

HYBRID ELECTRIC A/C LUBRICANT

A/C LUBRICANTS

A premium synthetic lubricant designed specifically for electrically-driven R-134a compressors on hybrid vehicles.

6830	8 FL. OZ.	2 CANS PER CASE
------	-----------	-----------------

A/C LUBRICANTS

VACUUM PUMP OIL

Johnsen's vacuum pump oil improves cold start performance, maintains maximum viscosity at high operating temperatures and promotes internal sealing for good vacuum. It also absorbs unwanted vapors from evacuated units.

6915	12 FL. OZ.	12 PER CASE
------	------------	-------------

A/C TREATMENTS

MAXI-CHARGE

R-134a refrigerant with a performance booster, leak sealer, and conditioner. Good for all R-134a A/C systems.

6574	14 OZ.	12 PER CASE
------	--------	-------------

A/C TREATMENTS

LEAK STOP

Helps to seal and detect most common A/C leaks in R-134a systems. For use in factory installed and/or retrofitted R-134a auto A/C systems. Comes with standard ACME threaded cap.

6564	3 OZ.	12 PER CASE
------	-------	-------------

A/C TREATMENTS

R-134a WITH LEAK SEALER

R-134a with Leak Sealer helps to recharge a low R-134a A/C system and detect/seal most common A/C leak in o-rings or gaskets. For use in factory installed and/or retrofitted R-134a auto A/C systems. Comes with standard ACME threaded cap.

6540	12 OZ.	12 PER CASE
6615*	12 OZ.	12 PER CASE

*(FOR CALIFORNIA)



HIGH MILEAGE R-134a

A/C TREATMENTS

High mileage R-134a refrigerant. Extra protection for older cars. With leaks stop and lubricant.

6542	13 OZ.	12 PER CASE
------	--------	-------------

6542



A/C TREATMENTS

A/C FLUSH

A/C Flush is a fast and effective way to remove debris and sludge from A/C systems. Use with standard flush gun and shop air. A/C Flush is compatible with R12, R-134a, mineral, ester and PAG oils.

6544 **1 GALLON** **4 PER CASE**



6645-6

6544

A/C TREATMENTS

COMPLETE A/C FLUSH

Non-flammable and non-ozone depleting replacement for R-141b. Strong cleaning action. Evaporates quickly. Safe for machines. Strong cleaning action, removes mineral oil, residue refrigerant and contaminants.

6645-6 **32 FL. OZ.** **6 PER CASE**

PAG OIL CHARGE

OIL CHARGES

PAG oil charge contains a universal PAG oil for use in all R-134a auto A/C systems

6425 **3 OZ.** **12 PER CASE**



6430

6434

6425

OIL CHARGE KITS

OIL CHARGES

6430 **3 OZ.** **6 PER CASE**

6434 **3 OZ.** **6 PER CASE**

OIL CHARGES

ESTER OIL CHARGES

Ester oil charge contains a universal Ester oil for use in all retrofitted R-134a auto A/C systems.

6535 **12 OZ.** **12 PER CASE**

6435* **12 OZ.** **12 PER CASE**

6725 **3 OZ.** **12 PER CASE**

*(FOR CALIFORNIA)



6725

6535

A/C ACCESSORIES

R-134a RECHARGE KIT

Designed for easy recharging of R-134a A/C systems using 12 OZ. cans. Contains dispensing valve, hose and low side quick coupler.

8323	BRASS	RETAIL PACKAGED	12 PER CASE
8324	PLASTIC	RETAIL PACKAGED	12 PER CASE
8325*	PLASTIC	RETAIL PACKAGED	12 PER CASE
8326*	BRASS	RETAIL PACKAGED	12 PER CASE

*(FOR SELF-SEALING VALVES)



8324

8323



8917

R-12 TO R-134a HOSE CONVERSION KIT

A/C ACCESSORIES

Quickly converts your existing R-12 charging hoses over for use with R-134a systems. Includes high and low side quick couplers, a common service hose and shutoff valves to prevent the release of refrigerant. Shutoff valves will attach to any 1/4" female SAE flare fitting.

8917	RETAIL PACKAGED	6 PER CASE
------	-----------------	------------

A/C ACCESSORIES

PROFESSIONAL DISPENSING VALVE

For use with R-134a 12 OZ. cans with self-sealing valves. Includes large handle for easy operation.

8939	RETAIL PACKAGED	12 PER CASE
------	-----------------	-------------



8939



8013



8015

EZ TAPPER*

A/C ACCESSORIES

The unique design makes servicing A/C systems with 12 OZ. cans of refrigerant fast and easy. EZ Tappers include an adapter for 4 OZ. can of oil charge and #8015 includes an additional adapter and fitting for R-12 Cans.

8013	FOR R-134a	RETAIL PACKAGED	6 PER CASE
8015	FOR R-12 & R-134a	RETAIL PACKAGED	6 PER CASE
90051	FOR R-134a		1 PER CASE
90081	FOR R-12 & R-134a		1 PER CASE

*(U.S. patent #6,041,0810 and #6,655,407)

INTERIOR PRODUCTS

INTERIOR DETAILER WITH DUST GUARD

Cleans and protects interior surfaces. Repels dust.

- 840-06 8 OZ. BOTTLE 6 PER CASE
- 841-06 16 FL. OZ. 6 PER CASE



840-06 841-06 910-06

INTERIOR PRODUCTS

FOAMING GLASS CLEANER

Streak free formula. Safe for tinted windows. 100% ammonia free.

- 910-06R 19 OZ. 6 PER CASE

UPHOLSTERY STAIN & SPOT LIFTER

INTERIOR PRODUCTS

Concentrated gel formula. Lifts out tough stains. Works when others fail.

- 901-06 8.7 OZ. 6 PER CASE



901-06 914-06

HEAVY FOAM UPHOLSTERY CLEANER

INTERIOR PRODUCTS

Cleaner with Stain Guard. Removes stubborn stains. Cleans & brightens upholstery. Prevents spills from penetrating.

- 914-06 22 OZ. 6 PER CASE

INTERIOR PRODUCTS

CARPET STAIN & SPOT LIFTER

Instant — No vacuuming. Works when others fail. Lifts coffee, grease, pet stains & dozens more.

- 900-06 22 OZ. AEROSOL 6 PER CASE
- 905-06 23 FL. OZ. SPRAY 6 PER CASE



900-06 905-06



909-06 912-06

MULTI-PURPOSE CARPET & UPHOLSTERY

INTERIOR PRODUCTS

Works great in high traffic areas, including on carpet & upholstery. Foaming & deep cleaning. Cleans ketchup, mustard, ink, wine, coffee, pet stains & more.

- 909-06 22 OZ. 6 PER CASE

HEAVY FOAM CARPET CLEANER

INTERIOR PRODUCTS

Cleaner with Stain Guard. Penetrates deep into fibers and lifts out tough stains. Seals carpet against spills.

- 912-06 22 OZ. 6 PER CASE

LEATHER & VINYL CLEANER

LEATHER PRODUCTS

Lifts ground-in dirt and removes stains. Unique pH balance safely cleans all leather and vinyl surfaces. For use on auto and truck interiors, furniture, saddlery, luggage and briefcases, shoes and boots, sports equipment, and more.

800-06 16 FL. OZ. 6 PER CASE



800-06

850-06

LEATHER CREAM CONDITIONER

LEATHER PRODUCTS

Restores leather & vinyl. Prevents cracking, moisturizes and softens. Contains a natural sunblock to help prevent fading and cracking. Keeps leather and vinyl soft and supple. Great for cars, trucks, furniture, saddlery, luggage, apparel, boots, and more.

850-06 16 FL. OZ. 6 PER CASE

LEATHER PRODUCTS

LEATHER CLEANER & CONDITIONER

Deep cleans, conditions, and protects auto and truck interiors, furniture, saddlery, luggage and briefcases, shoes and boots, sports equipment, and more.

855-06 8 FL. OZ. 6 PER CASE

LEATHER PRODUCTS

LEATHER CARE GEL

Deep cleans, conditions, and protects. Advanced gel formula. Superior UV inhibitors and protection. Rich, new leather scent. For use on auto and truck interiors, furniture, saddlery, luggage and briefcases, shoes and boots, sports equipment, and more.

860-06 23 FL. OZ. 6 PER CASE



855-06

860-06

TOWELETTES VINYL 'N MORE CLEANER

Ready-to-use towelette. Deep cleans.
Safe for all leather and vinyl surfaces.

NA116 24 PER CASE NA1116 100 PER CASE

TOWELETTES VINYL 'N MORE PROTECTANT

Ready-to-use towelette. Restores, preserves, and moisturizes. Safe for all leather & vinyl surfaces.

NA115 24 PER CASE NA1115 100 PER CASE



NA116



NA115



NA117



NA118

JUST FOR LEATHER CLEANER TOWELETTES

Ready-to-use towelette. Deep cleans all leather.
Safe for all leather and vinyl surfaces.

NA118 24 PER CASE NA1118 100 PER CASE

JUST FOR LEATHER CONDITIONER TOWELETTES

Ready-to-use towelette. Restores, preserves, and moisturizes. Safe for all leather & vinyl surfaces.

NA117 24 PER CASE NA1117 100 PER CASE

TOWELETTES RAIN VISION RAIN REPELLENT

Ready-to-use towelette. Easy to use. Improves visibility.

NA125 24 PER CASE NA1125 100 PER CASE

TOWELETTES NEVER FOG


Ready-to-use towelette. Prevents interior glass & mirrors from fogging.

NA128 24 PER CASE NA1128 100 PER CASE

TOWELETTES GLASS CLEANER

Ready-to-use towelette. Keep in your car, truck, boat or RV to keep windows & mirrors sparkling clean & clear.

NA110 24 PER CASE NA1110 100 PER CASE



NA125



NA128



NA110



NA119



NA127

BUG & TAR REMOVER TOWELETTES

Ready-to-use towelette. Safe for all finishes.
Quickly removes tar & bugs.

NA119 24 PER CASE NA1119 100 PER CASE

BLACK JACK™ TIRE SHINE SPONGE TOWELETTES

Easy to use sponge. Makes tires & trim look like new.

NA127 24 PER CASE NA1127 100 PER CASE

PACKETTE HEADLIGHT LENS RESTORER

Removes yellowing. Restores optical clarity.
Eliminates haze. Improves visibility & safety.

725PK .75 FL. OZ. PACKETTE 100 PER CASE

PACKETTE HEADLIGHT LENS SEALER

For new and restored lenses. Keeps lens clear and bright.
Protects lens from UV rays. Seals out dirt & grime.
Prevents yellowing & hazing.

730PK .75 FL. OZ. PACKETTE 100 PER CASE



725PK



730PK



725-06



730-06

HEADLIGHT LENS RESTORER HLR

Removes yellowing. Restores optical clarity.
Eliminates haze. Improves visibility & safety.

725-06 8 FL. OZ. 6 PER CASE
725CD-06 COUNTER DISPLAY 6 PER CASE

HEADLIGHT LENS SEALER HLR

For new and restored lenses. Keeps lens clear and bright.
Protects lens from UV rays. Seals out dirt & grime.
Prevents yellowing & hazing.

730-06 8 FL. OZ. 6 PER CASE
730CD-06 COUNTER DISPLAY 6 PER CASE



725CD-06



730CD-06



- WIPE ON, WIFE OFF
- NO SPECIAL TOOLS REQUIRED
- ELIMINATES COSTLY REPAIRS

METAL POLISH / METAL POLISH CREAM

For all metal surfaces. Non-abrasive. Great on brass, copper, sterling silver, aluminum, stainless steel, or gold. Removes tarnish & oxidation. Can be used with buffers and polishers. Provides lasting protective coating.



400-06	7 OZ. JAR	6 PER CASE	
500-06	19.38 OZ. JAR	6 PER CASE	
550-02	4.5 LB. JAR	2 PER CASE	
550-06	4.5 LB. JAR	6 PER CASE	
300-12	3.5 OZ. TUBE	BLISTER CARD	12 PER CASE
100-12*	3.5 OZ. TUBE	12 CT. COUNTER DISPLAY	12 PER CASE

*(NOT SHOWN)

LIQUID METAL POLISH / METAL POLISH

For all metal surfaces, chrome, or alloy wheels. Great on brass, copper, sterling silver, aluminum, stainless steel or gold. Non-abrasive. Also recommended for plastic and fiberglass. Leaves a sealant that bonds to the surface.



200-06



235PK

200-06	8 FL OZ. BOTTLE	6 PER CASE
235PK	.75 OZ. PACKETTE	100 PER CASE

METAL POLISH / QUICK SHINE METAL POLISH

For all metal surfaces, chrome, or alloy wheels. Spray on. Buff off. Instantly renews shine. Removes tarnish & oxidation.

230-06	10 OZ. AEROSOL	6 PER CASE
--------	----------------	------------



230-06

AUTOMOTIVE CONVERTIBLE TOP CLEANER & PROTECTANT

Cleans, brightens, and protects. Great for convertible tops, vinyl tops, and canvas. Great for boat curtains and truck bed covers.

707-06 16 FL. OZ. 6 PER CASE

AUTOMOTIVE PLASTIC/PLEXI CLEANER & POLISH

Cleans and protects. Removes scratches & hazing. Restores optical clarity.

750-06 8 OZ. BOTTLE 6 PER CASE



707-06

750-06

SUPREME TIRE SHINE AEROSOL AUTOMOTIVE

Instant high gloss shine. Long lasting, fast drying, no sling.

680-06 15 OZ. 6 PER CASE

SUPREME TIRE SHINE SPRAY AUTOMOTIVE

Instant high gloss shine. Long lasting. Premium silicone formula.

685-06 23 FL OZ. 6 PER CASE

SUPREME TIRE SHINE WIPE-ON AUTOMOTIVE

Instant high gloss. Long lasting. Premium silicone formula.

690-06 8 FL OZ. 6 PER CASE



680-06

690-06

685-06

AUTOMOTIVE SUPREME WHEEL & TIRE CLEANER

Thick gel formula. Safe for all wheels and tires. Dissolves grease, grime, and brake dust.

781-06 23 FL. OZ. SPRAY 6 PER CASE

780-06 32 OZ. REFILL 6 PER CASE

AUTOMOTIVE SUPER STRENGTH WHEEL CLEANER

Super strength. Safe for all wheels and tires. Dissolves grease, grime, and brake dust.

778-06 32 OZ. 6 PER CASE



781-06

780-06

778-06

BUG & TAR REMOVER AUTOMOTIVE

Special gel formula safely removes road tar, bugs, bird droppings and tree sap. Thick gel will not run.

875-06 8 FL OZ. BOTTLE 6 PER CASE

NA119 SINGLE PACK TOWELETTE 24 PER CASE

NA119 SINGLE PACK TOWELETTE 100 PER CASE

BLACK JACK® BLACK AGAIN AUTOMOTIVE

Cleans, renews, protects all color exterior trim.

NA647 8 FL OZ. 6 PER CASE



875-06

NA119

NA647

REPAIR PRODUCTS

BRUSH-ON® ELECTRICAL TAPE

Use anywhere a dependable weatherproof connection is required. Great for hard to tape places. Quick drying formula.

BOT55TRI	4 FL. OZ.	BLACK	12 PER CASE
BOT58TRI	4 FL. OZ.	RED	12 PER CASE
BOT59TRI	4 FL. OZ.	WHITE	12 PER CASE



BOT55TRI



BOT58TRI



BOT59TRI

REPAIR

FLAT FIXER



977

975

976

Non-flammable formula. Seals and inflates instantly.

975	12 OZ.	6/CASE
976	16 OZ.	6/CASE
977	20 OZ.	6/CASE

REPAIR

TIRE SEALANT



3517

3575

Prevents and repairs punctures. Tire sensor safe. Rubber-fuse technology. No mess formula.

3517	16 FL. OZ.	6/CASE
3575	1 GALLON	4/CASE

REPAIR

LIQUID GLASS METALLIC SEAL-UP®



1116-24

1008-24

Permanent cooling system sealer. Liquid glass and copper formula. Forms permanent copper-ceramic seal. Seal withstands up to 2000°F/1093°C and 3000 PSI. 11.4 OZ. bottle is for use in systems up to 6 gallons. 22.8 OZ. bottle is for use in systems up to 12 gallons.

1008-24	11.4 OZ.	24/CASE
1116-24	22.8 OZ.	24/CASE

REPAIR

INVISIBLE GLOVE®



5215-12

Protects hands from grease, oil, dirt, paint, chemicals, and inks. Thin film protects pores, cracks, and fingernails. Non-greasy — Improves grip on tools. Easy clean up with just soap and water. Contains no harsh or dangerous chemicals.

5215-12	5 OZ.	12/CASE
----------------	--------------	----------------

REPAIR

TR-3® RESIN GLAZE POLISH



12A-6

World's best selling resin glaze. Restores old, faded, and oxidized finishes to new in one easy application. Cleans, shines, protects. Can be used with buffers and polishers.

12A-6	16 FL. OZ.	6/CASE
--------------	-------------------	---------------

REPAIR

PURE RUBBER COATING



950-06

Pure rubber — Contains no asphalt. Works as a sealer, sound deadener and best undercoat money can buy. Fast drying, paintable, will not bleed.

950-06	15 OZ.	6/CASE
---------------	---------------	---------------

TURBO 108® / OCTANE BOOST

Increases octane level and “anti-knock” effectiveness

NA30	16 FL. OZ.	12 PER CASE
NA31	32 FL. OZ.	12 PER CASE



NA35

NA37



NA31

NA30

RACING FUEL / TURBO 108®

Increases octane by 7 points. Contains MMT, the most effective octane booster known. For off-road and racing use only.

NA35	16 FL. OZ.	6 PER CASE
NA37	32 FL. OZ.	12 PER CASE

TURBO 108® / 8 IN 1 DIESEL POWERCLEAN



NA301

NA302

Complete diesel performance additive addresses eight key areas to improve fuel and fuel system.

NA302	32 FL. OZ.	6/CASE
NA301	1 GAL.	4/CASE

TURBO 108® / FUEL INJECTOR CLEANER



NA32

Specially formulated to provide maximum engine performance in F/I gasoline engines. Unclogs dirty injectors. Eliminates hard starting and poor acceleration.

NA32	16 FL. OZ.	12/CASE
------	------------	---------

TURBO 108® / TURBO ENHANCER

Formulated to improve performance. Restores engine performance, lost power and acceleration. Helps reduce hesitation and rough idle.

NA33-06	16 FL. OZ.	6 PER CASE
---------	------------	------------

TURBO 108® / MEGA MILEAGE IMPROVER

Specially formulated to improve fuel economy by up to 5.7%. Treats up to 18 gallons of gasoline.

NA34-06	16 FL. OZ.	6 PER CASE
---------	------------	------------

TURBO 108® / EMISSIONS REDUCER

Formulated to help reduce Hydrocarbon and Carbon Monoxide emissions. Helps clean fuel injectors, intake valves, and combustion chambers, prior to emissions testing.

NA43-06	16 FL. OZ.	6 PER CASE
---------	------------	------------



NA33-06

NA34-06

NA43-06

QUIKSTEEL®

EPOXY PUTTY



16002TRI



16001

- Withstands Up To 500°F/260°C Temperature
- Can Be Drilled, Tapped, Filed, Machined, Sanded, & Painted
- Bonds To All Metals, Fiberglass, Plastics, Glass Wood, Ceramics, Brick — Almost Anything Except Rubber
- Sets In 5 Minutes
Steel Hard In 15 Minutes
Full Cure In 1 Hour

METAL REPAIR

QUIKSTEEL®

16001	GRAY	1.75 OZ. SINGLES	48 PER CASE
16002TRI	GRAY	2 OZ. PUTTY	48 PER CASE

QUIKSTEEL®

XTREME HEAT

16562TRI	GRAY	2 OZ. PUTTY	48/CASE
----------	------	-------------	---------

QUIKSTEEL®

FUEL TANK REPAIR

16552TRI	GRAY	2 OZ. PUTTY	48/CASE
----------	------	-------------	---------

QUIKSTEEL®

PLASTIC REPAIR

16502TRI	WHITE	2 OZ. PUTTY	48/CASE
----------	-------	-------------	---------

QUIKSTEEL®

AQUASTEEL®

16532TRI	WHITE	2 OZ. PUTTY	48/CASE
----------	-------	-------------	---------



16562TRI



16552TRI



16532TRI



16502TRI

QUIKSTEEL®

EPOXY PASTE



17502TRI



17532TRI

METAL REPAIR

QUIKSTEEL®

17002TRI	GRAY	2 OZ. PASTE	48 PER CASE
----------	------	-------------	-------------

PLASTIC REPAIR

QUIKSTEEL®

17502TRI	WHITE	2 OZ. PASTE	48 PER CASE
----------	-------	-------------	-------------

AQUASTEEL®

QUIKSTEEL®

17532TRI	WHITE	2 OZ. PASTE	48 PER CASE
----------	-------	-------------	-------------

- Withstands Up To 500°F/260°C Temperature
- Sets In 5 Minutes, Steel Hard In 15 Minutes, Full Cure In 1 Hour
- Can Be Drilled, Tapped, Filed, Machined, Sanded, & Painted
- Bonds To All Metals, Fiberglass, Plastics, Glass, Wood, Ceramics, Brick — Almost Anything Except Rubber

QUIKSTEEL®

TANK REPAIR KITS



6022KTRI



6522KTRI

- Includes Everything Needed To Repair Larger Leaks In Tanks Or Housings
- Impervious To Gasoline, Diesel Fuel, Oil, Automotive Fluids, Water, Coolant, And Solvents
- Can Be Drilled, Tapped, Filed, Machined, Sanded & Painted

METAL TANK REPAIR

QUIKSTEEL®

6022KTRI GRAY 2 OZ. KIT 48 PER CASE

PLASTIC TANK REPAIR

QUIKSTEEL®

6522KTRI WHITE 2 OZ. KIT 48 PER CASE

THERMOSTEEL HIGH TEMPERATURE METAL REPAIR

QUIKSTEEL®

- High Temperature Metal Repair Withstands Up To 2400°F/1300°C
- Welds Holes And Cracks In Iron And Steel. Works Great On Exhaust Manifolds, Catalytic Converters, Crossovers, Mufflers, Exhaust Pipes, Home, Office, Farm And Industrial Furnace, Fire Boxes, Heat Exchange, And Much More
- Can Be Drilled, Tapped, Filed, Machined, Sanded And Painted
- ThermoSteel Repair Kit (18022Ktri) Contains Everything Needed For Larger Repairs



18003TRI



18022KTRI

18003TRI 3 OZ. 48 PER CASE

18022KTRI 2 OZ. KIT 48 PER CASE

QUIKSTEEL®

ACRYLIC & COUNTER DISPLAYS



6002ADTRI



6502ADTRI



6002TRI



6502TRI

METAL REPAIR

QUIKSTEEL®

6002TRI GRAY 2 OZ. PUTTY COUNTER DISPLAY 96/CASE

6002ADTRI GRAY 2.0Z. PUTTY ACRYLIC DISPLAY 96/CASE

6004TRI GRAY 4 OZ. PUTTY COUNTER DISPLAY 48/CASE

PLASTIC REPAIR

QUIKSTEEL®

6502TRI WHITE 2 OZ. PUTTY COUNTER DISPLAY 96/CASE

6502ADTRI WHITE 2 OZ. PUTTY ACRYLIC DISPLAY 96/CASE

PURE CITRUS®

AIR FRESHENERS — NON-AEROSOL SPRAY

All natural non-aerosol air freshener.

The strongest and most effective odor eliminator available.

Non man-made chemicals, heavy perfumes, or artificial ingredients.

NA228-6	4 OZ.	ORANGE	6 PER CASE
NA229-6	4 OZ.	CITRUS BLEND	6 PER CASE
NA230-6	4 OZ.	LEMON	6 PER CASE



NA228-6

NA229-6

NA230-6



NA93-6

NA90-6

NA91-6

NA92-6

ODOR REMOVERS

PURE CITRUS®

Eliminates odors for 30 days.

Perfect for vehicles or anywhere in the home or office.

NA90-6	8 OZ.	ORANGE	6/CASE
NA91-6	8 OZ.	CITRUS BLEND	6/CASE
NA92-6	8 OZ.	LEMON	6/CASE
NA93-6	8 OZ.	FRESH LINEN	6/CASE

PURE CITRUS®

ORANGE CLEANER

All natural — All purpose cleaner.

Cleans everything inside and outside your home and office.

Citrus powered for deep cleaning.

Orange scent.

NA200	32 FL. OZ. SPRAY	6 PER CASE
-------	------------------	------------



NA200



PURE CITRUS® FLOOR DISPLAY

PURE CITRUS®

All natural non-aerosol air freshener.

The strongest and most effective odor eliminator available.

No man-made chemicals, heavy perfumes, or artificial ingredients.

NA2027SK	24/ 4 OZ.
----------	-----------

INCLUDES: ORANGE, LEMON, AND CITRUS BLEND

SPRAY-X®**FOAMING GLASS CLEANER — 10 OZ.**

Heavy-duty foam clings to vertical surfaces. Sprays in any position. Streak free formula, guaranteed to leave no film. Great on windshields, mirrors, chrome, windows, glass, tile, granite, stone, glass stove tops, porcelain and more. Safe for use on plastics, plexiglass, carbon fiber, fiberglass and other non-porous surfaces. Ammonia free.

SPX10GC 10 OZ. 12 PER CASE

**SPX10GC****SPRAY-X®****FOAMING GLASS CLEANER — 15 OZ.****SPRAY-X®****SPX15GC**

Heavy-duty foam clings to vertical surfaces. Sprays in any position. Streak free formula, guaranteed to leave no film. Great on windshields, mirrors, chrome, windows, glass, tile, granite, stone, glass stove tops, porcelain and more. Safe for use on plastics, plexiglass, carbon fiber, fiberglass and other non-porous surfaces. Ammonia free.

SPX15GC 15 OZ. 12 PER CASE

SPRAY-X®**FOAMING GLASS CLEANER — 19 OZ.**


Heavy-duty foam clings to vertical surfaces. Sprays in any position. Streak free formula, guaranteed to leave no film. Great on windshields, mirrors, chrome, windows, glass, tile, granite, stone, glass stove tops, porcelain and more. Safe for use on plastics, plexiglass, carbon fiber, fiberglass and other non-porous surfaces. Ammonia free.

SPX19GC 19 OZ. 12 PER CASE

**SPX19GC**

VOC LIMITS OF BRAKE & CARB CLEANERS BY STATE

MAY 2018



NOT RESTRICTED

10% VOC

CT, CA, DE, MD, NH, UT

45% VOC

DC, IL, IN, MA, ME, MI, NJ, NY, OH, PA, RI, VA

3% VOC (25 GRAMS/LITER)

ALL OF ORANGE COUNTY AND THE URBAN PORTIONS OF LOS ANGELES, RIVERSIDE, AND SAN BERNARDINO COUNTIES.

Safety Data Sheets (SDS) available online at JOHNSENS.COM or contact your JOHNSEN'S representative.

CONTACT YOUR JOHNSEN'S REPRESENTATIVE FOR EXPORT OPPORTUNITIES.

Also available are displays and promotional advertising products. Planogram assistance from your JOHNSEN'S representative. Floor Display unit Part No. 1000D, Side Stack Display unit Part No. 1000S, available co-op advertising funds can be used to purchase these displays.

TECHNICAL CHEMICAL COMPANY

3327 Pipeline Road, Cleburne, TX 76033

800.598.6582 | 817.645.6088



MADE IN U.S.A.

D/S