DRY TONER MEDIA ROLL STOCK LIST

Wausau Coated offers an assortment of pressure-sensitive roll products that are engineered specifically for Dry Toner printers and presses. Select from a variety of paper, film, or specialty facestocks to fit your specific needs. We continue to expand our digital product offerings and work closely with OEMs (Original Equipment Manufacturers) such as Konica Minolta, Afinia, Arrow, Centra, Xeikon-Cheetah, and Spectrum to ensure that our products will consistently perform to your expectations.

The items listed on the following pages are stocked and available for immediate shipment with a low minimum order quantity. Trial rolls are available and recommended to determine the suitability of any product for a particular application. In addition to our stocked items, we can mix and match many of our facestocks with various adhesive technologies and liner options.

Disclaimer: Due to the variety of OEMs, print engine technologies, and printer settings, we strongly advise users to test the performance of our materials on their specific press prior to purchasing. It is the customer's responsibility to test and approve all materials under real application conditions before placing an order.

For more information about our line of Dry Toner media, stocked locations or minimum order requirements, please contact our Customer Solutions Team at 800-345-8039 or visit wausaucoated.com.



DRY TONER MEDIA Stocked Roll Item List



	_ , `						
o N	Есо	Wt.	Facestock	Adhesive	Liner	Catalog	Trim Free
				PCT-242	52# Laser	W002329	
1		50#	Premium Uncoated Laser	T-650 BO	52# Laser	W002330	
				241	40#	W002378	
2		60#	Matte w/ Wet Strength	H-318	44# PK	W027759	
				PTC-242	52# Laser	W037101	
				241	40#	W036883	✓
3	0,	60#	Semi Gloss, FSC® Certified	H-318	44# PK	W037091	
				842	40#	W037095	
				R-201	40#	W037099	
			60# High Gloss	R-201	40#	W017740	
4		60#		241	40#	W019028	
				H-318	44# PK	W027669	
5	0,	60#	Estate Label* #4 w/ Wet Strength, FSC* Certified	H-318	44# PK	W027827	✓
Ĺ		00#	Estate Laber 17 W/ Wee Stieringth, 199 Gertined	11-310	40#	W028890	
6	0	60#	Estate Label® #8 w/ Wet Strength, FSC® Certified	H-318	1.2 mil PET	W025550	✓
			, ,		44# PK	W026462	✓
7	(h)	60#	Estate Label® #9 w/ Wet Strength, FSC® Certified	H-318	44# PK	W027834	
8	0,	70#	Bright White Felt 30% PCW, w/ Wet Strength, FSC® Certified	H-318	44# PK	W026460	✓
				i8021	1.2 mil PET	W037846	
9	(h)	70#	Eggshell Felt 30% PCW, w/ Wet Strength, FSC® Certified	H-318	44# PK	W027650	✓
10	C,	70#	Natural Felt 30% PCW, w/ Wet Strength, FSC® Certified	H-318	44# PK	W027800	✓
11	6	60#	Avon Brilliant White Classic Crest® w/ Wet Strength, FSC® Certified	H-318	44# PK	W027805	✓
12	(h)	60#	Avon Brilliant White Classic Linen, w/ Wet Strength, FSC® Certified	H-318	44# PK	W027802	✓
		55#	Natural Kraft	950	52# Laser	W018488	
13	(h)	55#	TC 100% Recycled Natural Kraft	245	40#	W033578	
14	0,	60#	420 Vellum - 50% Hemp - 50% PCW, w/ Wet Strength, FSC* Certified	i8017	1.2 mil 90% r-PET	W033743	
15	0,	50#	Aged Agave 100% PCW, w/ Wet Strength, FSC® Certified	H-318	1.2 mil 90% r-PET	W035046	
16		60#	Black Vellum w/ Wet Strength	H-318	44# PK	W027896	
17	(h)	60#	TC Starlight w/ Wet Strength, FSC® Certified	H-318	44# PK	W033579	
18		12 pt	Birch Wood Veneer	i8017	1.2 mil PET	W032189	
19		12 pt	Cherry Wood Veneer	i8017	1.2 mil PET	W031551	
			l.				

Disclaimer: Due to the variety of OEMs, print engine technologies, and printer settings, we strongly advise users to test the performance of our materials on their specificpress prior to purchasing. It is the customer's responsibility to test and approve all materials under real application conditions before placing an order.

DRY TONER MEDIAStocked Roll Item List



No.	Eco	Wt.	Facestock	Adhesive	Liner	Catalog	Trim Free
20		12 pt	Oak Wood Veneer	i8017	1.2 mil PET	W035385	
21		60#	Red Fluorescent	PCT-242	52# Laser	W014793	
22		60#	Orange Fluorescent	PCT-242	52# Laser	W014794	
23		60#	Green Fluorescent	PCT-242	52# Laser	W014795	
24		60#	Chartreuse Fluorescent	PCT-242	52# Laser	W014796	
25		60#	Pink Fluorescent	PCT-242	52# Laser	W014797	
26	A	3 mil	MTX VersaPly®, FSC® Certified	H-311	3 mil MTX VersaPly®, FSC® Certified	W029112	
27	()	7 mil	3 mil Gloss VersaPly®, FSC® Certified	H-311	80#	W023826	
		3 11111		R-214	80# Layflat	W035231	
		63#	Bright Silver Metalized Paper	241	40#	W012035	
28			Bright Silver Metalized Luper	245	44# PK	W012899	
			TC Bright Silver Metalized Paper	245	40#	W025154	
33	•	2 mil	Shimless Rainbow Holographic PET w/ 30% PCR	AT-2060	50# SC	W016187	
34		2.3 mil	TC White Polypropylene	AT-2060	40#	W027926	
				AT-2060	40#	W024469	
					40#	W027927	
					44# PK	W028173	
35		2.6 mil TC White Polypropylene		80# (3/4" Score)	W038223		
				6 mil Layflat	W034394		
			R-218	40#	W035316		
					40#	W025420	
36		2 mil	TC Metalized Polypropylene	AT-2060	1.2 mil PET	W026292	
					50#	W028783	
37		3.2 mil	TC Clear Glossy Polypropylene (Inkjet/Laser)	AT-2060	40#	W024557	
38		2 mil	Clear Glossy Laser Inkjet Polyester	CP300	50#	W013956	
39		3.4 mil	TC White Flexible Vinyl	i8308	80# Layflat	W037008	

VersaPly® is a trademark of Wausau Coated Products, Inc.
Estate Label® and Classic Crest® are registered trademarks of Neenah, Inc.
Look for our FSC®Certified products
FSC® is a registered trademark of the Forest Stewardship Council®FSC® C008943

Trim Free Program Guidelines

• Minimum Order Quantity - 1 roll x 2,500 lf, and/or 5,000 or 10,000 lf

• Minimum width - 4" roll

• Minimum width - 4" roll • 1 splice per 2,500 - 5,000 lf

Warehouse availability, master widths, and minimum order quantities are available upon quote. For more information, please reach out to our Customer Solutions Specialists at 800-345-8039.

Disclaimer: Due to the variety of OEMs, print engine technologies, and printer settings, we strongly advise users to test the performance of our materials on their specificpress prior to purchasing. It is the customer's responsibility to test and approve all materials under real application conditions before placing an order.

DRY TONER MEDIAAfinia LT5-C Stock List



Wausau Coated offers an assortment of pressure sensitive roll products that have been tested on the LT5C 5-Color LED Toner Printer. The items listed below are stocked and ready to ship with low minimum order quantities.

Есо	Wt.	Facestock	Adhesive	Liner	Catalog	Trim Free
			241	40#	W002378	
	50#	Premium Uncoated Laser	PCT-242	52# Laser	W002329	
			T-650 BO	52# Laser	W002330	
	60#	High Gloss	241	40#	W019028	
	60#	Red Fluorescent	PCT-242	52# Laser	W014793	
	60#	Orange Fluorescent	PCT-242	52# Laser	W014794	
	60#	Green Fluorescent	PCT-242	52# Laser	W014795	
	60#	Chartreuse Fluorescent	PCT-242	52# Laser	W014796	
	60#	Pink Fluorescent	PCT-242	52# Laser	W014797	
	55#	Natural Kraft	6950	52# Laser	W018488	
6	60#	Avon Brilliant White Classic Linen, w/ Wet Strength, FSC* Certified	H-318	44# PK	W027802	✓
		Cherry Wood Veneer	i8017	1.2 mil PET	W031551	
		Birch Wood Veneer	i8017	1.2 mil PET	W032189	
0,	70#	Natural Felt 30% PCW, w/ Wet Strength, FSC® Certified	H-318	44# PK	W027800	✓
6	60#	420 Vellum - 50% Hemp - 50% PCW, w/ Wet Strength	i8017	1.2 mil 90% r-PET	W033743	
0,	60#	TC Starlight w/ Wet Strength, FSC® Certified	H-318	44# PK	W033579	
	60#	Black Vellum w/ Wet Strength	H-318	44# PK	W027896	
•	2 mil	TC Shimless Rainbow Holographic PET w/ 30% PCR	AT-2060	50# SC	W016187	
	2.6 mil	TC White Polypropylene	AT-2060	40#	W027927	
	2.3 mil	TC White Polypropylene	AT-2060	40#	W027926	
	2 mil	TC Metalized Polypropylene	AT-2060	40#	W025420	
6	3 mil	MTX VersaPly®, FSC® Certified	H-311	3 mil MTX VersaPly®, FSC® Certified	W029112	
0,	3 mil	Gloss VersaPly*, FSC* Certified	H-311	80#	W023826	

VersaPly® is a trademark of Wausau Coated Products, Inc.
Estate Label® and Classic Crest® are registered trademarks of Neenah, Inc.
Look for our FSC®Certified products

FSC® is a registered trademark of the Forest Stewardship Council® FSC® C008943

Trim Free Program Guidelines

 \bullet Roll length can very by +/- 5% \bullet Minimum Order Quantity - 1 roll x 2,500 lf, and/or 5,000 or 10,000 lf

• Minimum width - 4" roll • 1 splice per 2,500 - 5,000 lf

• 1 splice per 2,500 - 5,000 lf • Palletizing is Customer Preference

Warehouse availability, master widths, and minimum order quantities are available upon quote. For more information, please reach out to our Customer Solutions Specialists at 800-345-8039.

Disclaimer: Due to the variety of OEMs, print engine technologies, and printer settings, we strongly advise users to test the performance of our materials on their specificpress prior to purchasing. It is the customer's responsibility to test and approve all materials under real application conditions before placing an order.

DRY TONER MEDIA Arrow Any-002 Stock List



Wausau Coated offers an assortment of pressure sensitive roll products that have been tested on the Arrow Any-002 Toner Printer. The items listed below are stocked and ready to ship with low minimum order quantities.

Eco	Wt.	Facestock	Adhesive	Liner	Catalog	Trim Free
	60#	Semi Gloss, FSC® Certified	241	40#	W036883	✓
(h)			R-201	40#	W037099	
(h)	60#	Estate Label® #8 w/ Wet Strength, FSC® Certified	H-318	44# PK	W026462	✓
0,	3 mil	MTX VersaPly®, FSC® Certified	H-311	3 mil MTX VersaPly®	W029112	

VersaPly® is a trademark of Wausau Coated Products, Inc. Estate Label® and Classic Crest® are registered trademarks of Neenah, Inc. Look for our FSC®Certified products FSC® is a registered trademark of the Forest Stewardship Council® FSC® C008943 **Trim Free Program Guidelines**

 • Roll length can very by +/- 5% • Minimum Order Quantity - 1 roll x 2,500 lf, and/or 5,000 or 10,000 lf • Minimum width - 4" roll • 1 splice per 2,500 - 5,000 lf

• Palletizing is Customer Preference

Warehouse availability, master widths, and minimum order quantities are available upon quote. For more information, please reach out to our Customer Solutions Specialists at 800-345-8039.

Disclaimer: Due to the variety of OEMs, print engine technologies, and printer settings, we strongly advise users to test the performance of our materials on their specificpress prior to purchasing. It is the customer's responsibility to test and approve all materials under real application conditions before placing an order.

DRY TONER MEDIA

Centra HS Label Systems by Allen Datagraph Stock List



Wausau Coated offers an assortment of pressure sensitive roll products that have been tested on the HS Label Systems by Allen Datagraph Toner Printer. The items listed below are stocked and ready to ship with low minimum order quantities.

Eco	Wt.	Facestock	Adhesive	Liner	Catalog	Trim Free
			241	40#	W002378	
	50#	Premium Uncoated Laser	PCT-242	52# Laser	W002329	
			T-650 BO	52# Laser	W002330	
		D# Semi Gloss, FSC® Certified	241	40#	W036883	✓
0	60#		R-201	40#	W037099	
			PCT-242	52# Laser	W037101	
	55#	Natural Kraft	6950	52# Laser	W018488	
	60#	# Estate Label* #8 w/ Wet Strength, FSC* Certified	H-318	44# PK	W026462	✓
(h)			H-310	1.2 mil PET	W025550	✓
0,	60#	Avon Brilliant White Classic Crest® w/ Wet Strength, FSC® Certified	H-318	44# PK	W027805	✓
	3.2 mil	TC Clear Glossy Polypropylene (Inkjet/Laser)	AT-2060	40#	W024557	
	3.4 mil	TC White Flexible Vinyl	i8308	80# Layflat	W037008	
•	3 mil	Gloss VersaPly®, FSC® Certified	R-214	80# Layflat	W035231	

VersaPly® is a trademark of Wausau Coated Products, Inc.
Estate Label® and Classic Crest® are registered trademarks of Neenah, Inc.
Look for our FSC®Certified products
FSC® is a registered trademark of the Forest Stewardship Council®FSC® C008943

Trim Free Program Guidelines
• Minimum Order Quantity - 1 roll x 2,500 lf, and/or 5,000 or 10,000 lf
• Minimum width - 4" roll

• Minimum width - 4" roll • 1 splice per 2,500 - 5,000 lf

Warehouse availability, master widths, and minimum order quantities are available upon quote. For more information, please reach out to our Customer Solutions Specialists at 800-345-8039.

Disclaimer: Due to the variety of OEMs, print engine technologies, and printer settings, we strongly advise users to test the performance of our materials on their specificpress prior to purchasing. It is the customer's responsibility to test and approve all materials under real application conditions before placing an order.

DRY TONER MEDIA Konica Minolta Stock List



Wausau Coated offers an assortment of pressure sensitive roll products that have been tested on Konica Minolta Presses. The items listed below are stocked and ready to ship with low minimum order quantities.

Eco	Wt.	Facestock	Adhesive	Liner	Catalog	Trim Free
			241	40#	W019028	
	60#	High Gloss	R-201	40#	W017740	
			H-318	44# PK	W027669	
		0# Semi Gloss, FSC® Certified	241	40#	W036883	✓
	60#		H-318	44# PK	W037091	
(C)	60#		R-201	40#	W037099	
			PCT-242	52# Laser	W037101	
	60#	Estate Label* #4 w/ Wet Strength, FSC* Certified	H-318	40#	W028890	
(C)	60#	Estate Laber #4 w/ Wet Strength, FSC Certified	H-318	44# PK	W027827	✓
•	60#	Estate Label® #8 w/ Wet Strength, FSC® Certified	H-318	44# PK	W026462	✓
0,	60#	Estate Label® #9 w/ Wet Strength, FSC® Certified	H-318	44# PK	W027834	
0,	60#	Avon Brilliant White Classic® Linen w/ Wet Strength, FSC® Certified	H-318	44# PK	W027802	✓
0,	70#	Bright White Felt - 30% PCW w/ Wet Strength, FSC® Certified	H-318	44# PK	W026460	✓
	67#	Duinht Cilian Mateliand Danier	241	40#	W012035	
	63#	Bright Silver Metalized Paper	245	44# PK	W012899	
(h)	3 mil	Gloss VersaPly®, FSC® Certified	H-311	80#	W023826	
		Cherry Wood Veneer	i8017	1.2 mil Clear PET	W031551	
		Birch Wood Veneer	i8017	1.2 mil Clear PET	W032189	
	2.6 mil	White TC Polypropylene	AT-2060	40#	W024469	

VersaPly® is a trademark of Wausau Coated Products, Inc. Estate Label® and Classic Crest® are registered trademarks of Neenah, Inc. Look for our FSC®Certified products FSC® is a registered trademark of the Forest Stewardship Council® FSC® C008943

• Minimum width - 4" roll

• 1 splice per 2,500 - 5,000 lf

Warehouse availability, master widths, and minimum order quantities are available upon quote. For more information, please reach out to our Customer Solutions Specialists at 800-345-8039.

Disclaimer: Due to the variety of OEMs, print engine technologies, and printer settings, we strongly advise users to test the performance of our materials on their specificpress prior to purchasing. It is the customer's responsibility to test and approve all materials under real application conditions before placing an order.

DRY TONER MEDIAXeikon Cheetah Stock List



Wausau Coated offers an assortment of pressure sensitive roll products that have been tested on the Xeikon Cheetah Press. The items listed below are stocked and ready to ship with low minimum order quantities.

Есо	Wt.	Facestock	Adhesive	Liner	Catalog	Trim Free
			H-318	44# PK	W027669	
			R-201	40#	W017740	
			241	40#	W036883	✓
	60#		H-318	44# PK	W037091	
(C)	60#	Semi Gloss, FSC® Certified	R-201	40#	W037099	
			PCT-242	52# Laser	W037101	
	60#	Matte w/ Wet Strength	H-318	44# PK	W027759	
•	60#	Estate Label* #4 w/ Wet Strength, FSC* Certified	H-318	44# PK	W027827	✓
0,	60#	Avon Brilliant White Classic Crest® w/ Wet Strength, FSC® Certified	H-318	44# PK	W027805	✓
0,	70#	Bright White Felt 30% PCW, w/ Wet Strength, FSC* Certified	H-318	44# PK	W026460	✓
•	70#	Eggshell Felt 30% PCW, w/ Wet Strength, FSC® Certified	H-318	44# PK	W027650	✓
	63#	Bright Silver Metalized Paper	241	40#	W012035	
	63#	TC Silver Metalized Paper	245	40#	W025154	
•	2 mil	TC Shimless Rainbow Holographic PET w/ 30% PCR	AT-2060	50# SC	W016187	
				40#	W027927	
	2.6 mil	TC White Polypropylene	AT-2060	40#	W024469	
				44# PK	W028173	
	2.3 mil	TC White Polypropylene	AT-2060	40#	W027926	
	4 mil	TC Metalized Polypropylene	AT-2060	1.2 mil PET	W026292	
•	3 mil	Gloss VersaPly®, FSC® Certified	H-311	80#	W023826	

VersaPly® is a trademark of Wausau Coated Products, Inc.
Estate Label® and Classic Crest® are registered trademarks of Neenah, Inc.
Look for our FSC®Certified products
FSC® is a registered trademark of the Forest Stewardship Council®FSC® C008943

Trim Free Program Guidelines

Minimum Order Quantity - 1 roll x 2,500 lf, and/or 5,000 or 10,000 lf

Minimum width - 4" roll

1 splice per 2,500 - 5,000 lf

Warehouse availability, master widths, and minimum order quantities are available upon quote. For more information, please reach out to our Customer Solutions Specialists at 800-345-8039.

Disclaimer: Due to the variety of OEMs, print engine technologies, and printer settings, we strongly advise users to test the performance of our materials on their specificpress prior to purchasing. It is the customer's responsibility to test and approve all materials under real application conditions before placing an order.