


ROBERT KITTO

Lighting



Original artwork of Thomas Edison with globe.
By Alexandra Galbraith, © 2018 All Rights Reserved

This image or any replica of it may not be copied, manipulated, used or reproduced
in any way without express permission of the owner, Alexandra Galbraith.

Table of contents:

Foreword		Page 5
Product Disclaimer		Page 6
Metalware Finishes		Page 7
LAMPS		
- Table Lights		Page 10 - 31
- Floor Stanards		Page 32 - 35
WALL LIGHTING		
- Lanterns		Page 36 - 41
- Brackets		Page 42 - 79
ACCESSORIES		
- Shades		Page 80 - 119
- Parts, Globes & Flush fittings		Page 120 - 143
CEILING LIGHTS		
- Suspensions		Page 144 - 197
- Float Lamps		Page 198 - 203
- Lanterns		Page 204 - 231
- Pendants		Page 232 - 283
Glossary		Page 296 - 297
Freight Information		Page 298
Terms and Conditions		Page 299 - 300
Privacy Policy		Page 301 - 302

FOREWORD

It is with great pleasure that I announce our 6th Edition of 'Catalogue of Lighting' in 2019.

Robert Kitto Lighting is continuously working on adding new fittings to our already extensive range. You may have already seen some of these lights, however, many of our fittings have been created recently, and we are proud to give them the attention they deserve, alongside some of our classics like the Frome pendant and wall bracket.

Robert Kitto's aim is to provide the best quality residential light fittings in the country. In doing so we focus on a combination of custom in house assembly, hand finished to order, by our selected team of skilled craftsmen.

We also offer a select range of imported fittings, pre-assembled ready to ship, built by companies who uphold similar values of skilled craftsmanship and quality materials. I sincerely hope you enjoy browsing the pages of this 6th edition of our catalogue.



Henry Kitto
Henry Kitto
Managing Director





READ FIRST

Check the dimensions before you order, Your fitting will be made to order, so it is essential the right model and finish are chosen. It is unlikely you will be able to cancel, exchange or refund your order once production has commenced. We will not restock products which are incorrectly ordered, as in most cases the light you receive is one made especially for you.

Dimensions, Sizing and Proportions;

It's important to note that all images Robert Kitto Pty. Ltd. displays, including images on our website, in emails we send, our brochures and all other printed images have not necessarily been created to scale with each other and may not be all in correct proportions. It is your responsibility to check the correct size and shape of fittings before you place your order.

To assist in understanding the shape and size of the fittings we offer, measurements are provided in millimetres. If you ever require more information about a certain product, visit our website or contact us, we will try with our best efforts to explain the shape size, colour and materials which are used in our products.

WIDTH

The width of the fitting is between the centre of the globe holders without the shade. Shade widths are measured at the widest cross section. (Width in round items is the diameter).

DEPTH

The depth of a wall bracket or wall lantern is also known as the projection which is measured from the wall to the centre of globe holder, (not including the shade).

HEIGHT

The height of the fitting from the point where the suspension rod connects to the fitting to the lowest point, this doesn't include the shade height (unless otherwise stated), as the shades are usually your choice. The height of a table lamp or floor lamp is from the base to the globe holder.

SUSPENSION

The suspension is the diameter x length of tube for rod fittings. e.g. 12.7 x 750, would refer to a suspension 12.7mm in diameter and 750mm in height. (This may be variable, e.g. in counterweight cord suspensions).

WEIGHT

The gross weight of the fitting in kilograms. This may vary slightly by process and finish. (Weights don't include separate glasses or shades).

Please note: to get the total height for any given fitting, you will need to sum the suspension with the height, Then the height of the shades chosen may also need to be added to this.



Polished Brass (-PB)

A traditional lustrous finish highlighting the brilliant compound of which our fittings are made from. We carefully polish each piece of brass and coat it in an UV protective, high gloss lacquer, to prevent the finish from ageing.

To maintain polished brass metal, never rub anything abrasive to the surface, and dust lightly with a soft cloth.

Old Brass (-OB)

An aged effect with character and soul. Old brass metalware is lightly buffed and prepared for treating, which we carefully apply by hand ageing chemicals to give the brass a deep honey coloured texture. The finish varies with each fitting made, not unlike wine vintages, due to different chemical strengths and temperatures. The old brass metalware is unique to each fitting. Also coated in a UV protective, high gloss lacquer, to prevent the finish from changing its appearance from its first days. To maintain old brass metal, never rub anything abrasive to the surface, and dust lightly with a soft cloth.



Black Bronze (-BB)

A traditional deep dark glossy finish which stands out on smooth surfaces and modestly masks overly decorative designs. The gleam of the chemically treated brass lustres with a coating of UV protective, high gloss lacquer, to prevent the finish from tarnishing or oxidising further.

To maintain bronze finished metal, never rub anything abrasive to the surface, and dust lightly with a soft cloth.

Antique Bronze (-AB)

An aged effect with character and soul, brass metalware is lightly roughened and prepared for treating, which we carefully apply by hand, with ageing chemicals to give the metal a rich chocolate coloured finish, the finish varies with each fitting made, not unlike wine vintages, due to different chemical strengths and temperatures. Unlike other metalware finishes, antique bronze is not lacquered, allowing the finish to continue to naturally age and patina. To care for antique bronze metal, only lightly dust it. Avoid touching the metalware as there is no lacquer to prevent finger marks. Otherwise allow the fitting to naturally patina.



Antique Nickel (-AN)

A traditional electroplated finish. We carefully polish each piece of brass, plate it in pearl satin nickel, then carefully and lightly buff the plated metal to highlight the detail in the pieces. This takes away the flat, dull finish and results in a beautiful warm antique finish, which has an excellent balance of lustre and old world feel.

To maintain antique nickel metal, never rub anything abrasive to the surface, and dust lightly with a soft cloth. Antique nickel can occasionally be cleaned with Silvo to refresh the finish.

Satin Nickel (-SN)

A modern brushed dull effect, designed to enhance sleek lines and smooth contemporary components. Satin Nickel metalware is buffed and prepared for electroplating, which we then satinise to provide depth to the finish adding the modern brushed lines whilst maintaining the contemporary satin colour. Also coated in a UV protective, high gloss lacquer, to protect the finish and its smooth appearance. To maintain satin nickel metalware, never rub anything abrasive to the surface, and dust lightly with a soft cloth.



Bright Chrome (-BC)

A modern lustrous finish highlighting in detail the ornateness of decorative castings or the sleek smooth lines of simple pressed pieces. We carefully prepare each piece of brass and have it electroplated in this bright finish. The finish is bonded tightly to the raw material making it extremely durable, hence it is often recommended in humid areas including kitchens and bathrooms. To maintain bright chrome metal, never rub anything abrasive to the surface, and wipe lightly with a soft cloth.

Lamps

Wall Lighting

Wall Lighting

Page 12	Seymour, Kilkenny
Page 13	Christine, Suzanne
Page 14	Isobel, Chatswood, Randwick, Bronte
Page 15	Bellevue, Watson, Waverley
Page 16	Cremorne, Lonsdale
Page 17	Dulwich, Cheltenham
Page 18	Brompton, Elliot
Page 19	Clayton, Lucinda, Loxton
Page 20	Ashbourne, Lyndhurst
Page 21	Lindfield, Killara
Page 22	Beverley, Findon
Page 23	Henley, Kidman
Page 24	Gilberton, Thorngate, Camden
Page 25	Henry, Hamish, Harold
Page 26	Stewart, Harvey,
Page 27	John, Norman, Maxwell
Page 28	Russell, James, George, Philip
Page 29	Annabel, Victoria
Page 30	Monroe, Timothy Lydon, Samuel, Denva
Page 31	Nova, Nelson, Winslow
Page 34	Osmond, Eton, Hamilton
Page 35	Owen, Ferguson, Cheltenham
Page 36	Wall Lanterns

Page 46	Carrington (exterior), Chesser (exterior)
Page 47	Bellmore, Medford
Page 48	Magill, Highgate
Page 49	Magill, St. Louis, Kentish, Mackinnon
Page 50	McLaren
Page 51	Coromandel, Regent, Kew
Page 52	Paddington (exterior), Clarendon (exterior)
Page 53	Hamlet, Vincent
Page 54	Surface Mounts
Page 56	Carrington, Gawler, Leigh, Halifax
Page 57	Grange, Gilles, Gilbert, Hindley, Waymouth
Page 58	Fisher, Pirie, Liverpool
Page 59	Clarendon, Frome, Hindmarsh
Page 60	Killara, Lindfield Walkerville
Page 61	Burnside, Norwood, Hyde
Page 62	Brighton, Glenelg
Page 63	Malvern, Hawthorn, Aldgate
Page 64	Winged Siren, Stratford
Page 65	Juliet, Veneto,
Page 66	Buxton, Millswood
Page 67	Hertfordshire
Page 68	Goodwood, Wayville, Blackwood

Page 69	Mayo, Lincoln
Page 70	Library, Kenton
Page 71	Blackburn
Page 72	Chelsea, Dover, Netherby
Page 73	Glenbrook, Hurtle, Edward
Pages 74	Wall Sconces
Page 76	Twickenham
Page 77	Verandah, Twickenham
Page 78	Whitmore, Wellington
Page 79	Wellington, Woollahra, Vintage
Page 80	Murray, Morgan, Callington



Ceiling Lighting

Page 246 Plumbing pendants

Page 248 Basket chandeliers

Page 250 Stepped basket

Page 251 Chandelier

Page 252 Rustic chandelier

Page 274 Gilles, Gilbert, Leabrook

Page 275 Grange, Fisher, Liverpool

Page 276 Frome, Hindley, Currie

Page 292 Walkerville, Veneto

Page 293 Verona

Page 294 Winged Siren, Millswood

Page 295 Winged Siren



Page 253 Netherby, Northgate

Page 254 Edward, Dover

Page 255 William

Page 256 Chatham, Clarendon

Page 257 Staten, Brooklyn

Page 258 Murray, Brooklyn

Page 259 Staten, Brooklyn

Page 260 Verandah

Page 262 Twickenham

Page 265 Gloucester

Page 266 Brockworth, Highgate

Page 267 Magill

Page 268 Albert, Whitmore

Page 269 Hyde, Belair

Page 270 Stirling

Page 271 Fulham, McLaren

Page 272 Lindfield

Page 273 Killara, Paddington

Page 277 Waymouth, Kingston

Page 278 Angas

Page 279 Grenfell, Keswick

Page 280 Wakefield, Flinders, Devonshire

Page 281 Halifax, Morphett Leigh, Carrington

Page 282 Angas, Richmond

Page 283 Chesser, Nelson

Page 284 Cleveland, Tusmore

Page 285 Malvern, Clifton

Page 286 Hayborough, Kensington

Page 287 Trinity

Page 288 Burnside, Norwood

Page 289 Hawthorn, Conway Aldgate

Page 290 Glenelg, Brighton

Page 291 Ascot, Flemington



Lamps - Table



There is no better way to decorate your entrance hall, living room or bedroom than with a quality Australian designed and constructed table lamp. Robert Kitto Lighting produces Australia's best table lamps merging quality, safety and refined styles. Whether it be lighting for focused work like reading, stylish mood lamps for bedside tables or tall ornate lamps to add a touch of luxury highlighting the best of your household's décor, our collection at Robert Kitto is sure to have the perfect fit for you. From simple and functional designs, to elaborate and contemporary styles, our lamps can be an integral part of



Two winged siren table lights
finished in polished brass, with
S1060 glass shades, shown in a
South Australian private residence

your home with our wide range of stylistic elements for you to choose from. Our new Findon or Beverley models are perfect as reading lights in your home, incorporating either a modern, industrial style, or a more elegant lamp for your space. The Kilkenny model, designed specifically to provide a focused, bright light, features a flexible, adjustable arm to make manoeuvring simple, and is a versatile piece both practically and visually.

Browse our vast range of products here or visit a Robert Kitto stockist to experience them for yourself.



TLC1130

Seymour bright chrome table lamp shown with an **S1130** shade.
Bases and shades only available in sets of two.

Wiring: 1x B22 (BC), 100 watt maximum globe holder(s).
With 2.1 metres of black PVC cable with inline switch and plug.

Lamp shade dimensions:

Width: 400mm **Depth:** 400mm
Height: 550mm **Weight:** 2.3Kg.

Table lamp base dimensions:

Width: 320mm **Depth:** 320mm
Height: 216mm. **Weight:** 0.7Kg

Total Height: 690mm.



TLC1

Kilkenny table lamp shown in old brass with an **SMD150** old brass shade.
Hand finished in either polished brass (-PB), old brass (-OB),
black bronze (-BB), satin nickel (-SN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 40 watt maximum switched globe holder(s).
With two metre cable and plug. Approved to Australian standards.

Width: 143mm **Depth:** 143mm
Height: 545mm **Weight:** 2.0Kg.



TLC3

Christine table lamp shown in old brass with an **SP1168** shade.

Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum switched globe holder(s).

With two metre cable and plug.
Approved to Australian standards.

Width: 165mm **Depth:** 165mm

Height: 600mm **Weight:** 2.9Kg.



TLC4

Suzanne table lamp shown in old brass with an **SP1SL** shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum switched globe holder(s).

With two metre cable and plug. Approved to Australian standards.

Width: 165mm **Depth:** 165mm

Height: 480mm **Weight:** 1.5Kg.





TLC5

Isobel table lamp shown in old brass with an **S504** glass shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum switched globe holder(s). With two metre cordset and plug. Approved to Australian standards.

Width: 160mm **Depth:** 160mm
Height: 460mm **Weight:** 2.6Kg.



TLC6

Bronte table lamp shown in polished brass with a **G2F** polished brass gallery and an **S501-1** glass shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s). With two metre switched cordset and plug. Approved to Australian standards.

Width: 120mm **Depth:** 120mm **Height:** 530mm **Weight:** 2.3Kg.



TLC7

Chatswood table lamp shown in antique nickel with an **S3004** glass shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s). With two metre switched cordset and plug. Approved to Australian standards.

Width: 120mm **Depth:** 120mm **Height:** 310mm **Weight:** 1.5Kg.



TLC8

Randwick table lamp shown in antique nickel with an **S1509** glass shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s). With two metre switched cordset and plug. Approved to Australian standards.

Width: 120mm **Depth:** 120mm **Height:** 310mm **Weight:** 1.5Kg.



TLC9

Bellevue table lamp shown in polished brass.

Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum switched globe holder(s). With two metre cable and plug. Approved to Australian standards.

Width: 130mm **Depth:** 130mm

Height: 420mm **Weight:** 1.2Kg.

TLC10


Watson table lamp shown in antique nickel.

Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum switched globe holder(s). With two metre cable and plug. Approved to Australian standards.

Width: 130mm **Depth:** 130mm

Height: 390mm **Weight:** 1.3Kg.



TLC11

Waverley table lamp shown in antique nickel. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum switched globe holder(s). With two metre cable and plug. Approved to Australian standards.

Width: 130mm **Depth:** 130mm **Height:** 420mm **Weight:** 1.1Kg.





TLC12

Cremorne table lamp shown in antique bronze. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC) or powder coated (-PC).

Wiring: 1x B22 (BC), 60 watt maximum switched globe holder(s). With two metre cable and plug. Approved to Australian standards.

Width: 120mm **Depth:** 120mm

Height: 340mm **Weight:** 1.8Kg.



TLC13

Lonsdale table lamp shown in old brass. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum switched globe holder(s). With two metre cable and plug. Approved to Australian standards.

Width: 120mm **Depth:** 120mm

Height: 390mm **Weight:** 1.9Kg.



TLC14

Dulwich table lamp shown in old brass. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum switched globe holder(s). With two metre cable and plug. Approved to Australian standards.

Width: 120mm **Depth:** 120mm **Height:** 410mm **Weight:** 2.6Kg.



TLC15

Cheltenham table lamp shown in old brass. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum switched globe holder(s). With two metre cable and plug. Approved to Australian standards.

Width: 135mm **Depth:** 135mm **Height:** 550mm **Weight:** 1.9Kg.



TLC16

Brompton table lamp shown in old brass. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum switched globe holder(s). With two metre cable and plug. Approved to Australian standards.

Width: 145mm **Depth:** 145mm **Height:** 370mm **Weight:** 1.6Kg.



TLC17

Elliot table lamp shown in old brass with a **T.SH706-CR** fabric shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum switched globe holder(s). With two metre cable and plug. Approved to Australian standards.

Width: 165mm **Depth:** 165mm
Height: 520mm **Weight:** 1.8Kg.



TLC18

Clayton table lamp shown in antique nickel.
Hand finished in either polished brass (-PB),
old brass (-OB), black bronze (-BB),
antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum switched
globe holder(s). With two metre cable and plug.
Approved to Australian standards.

Width: 90mm **Depth:** 90mm
Height: 410mm **Weight:** 0.6Kg.



TLC20

Loxton table lamp shown in antique bronze.
Hand finished in either polished brass (-PB),
old brass (-OB), black bronze (-BB),
antique bronze (-AB), antique nickel (-AN),
or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum
switched globe holder(s). With two metre cable
and plug. Approved to Australian standards

Width: 130mm **Depth:** 130mm
Height: 430mm **Weight:** 1.5Kg.



TLC19

Lucinda table lamp shown in polished brass.
Hand finished in either polished brass (-PB),
old brass (-OB), black bronze (-BB),
antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum
switched globe holder(s). With two metre
cable and plug. Approved to Australian
standards.

Width: 110mm **Depth:** 110mm
Height: 410mm **Weight:** 0.6Kg.



TLC21

Ashbourne table lamp shown in polished brass. With an **S163** glass shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum switched globe holder(s). With two metre cable and plug. Approved to Australian standards.

Width: 120mm **Depth:** 120mm
Height: 430mm **Weight:** 2.2Kg.



TLC22

Lyndhurst table lamp shown in old brass with an **S1020-OG** glass shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum switched globe holder(s). With two metre cable and plug. Approved to Australian standards.

Width: 165mm **Depth:** 165mm
Height: 550mm **Weight:** 1.9Kg.





TLC23

Lindfield table lamp shown in old brass with a **G2F** old brass gallery and an **S8044-6** glass shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum switched globe holder(s). With two metre cable and plug. Approved to Australian standards.


Width: 120mm **Depth:** 120mm
Height: 340mm **Weight:** 1.6Kg.

TLC24

Killara table lamp shown in old brass. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum switched globe holder(s). With two metre cable and plug. Approved to Australian standards.

Width: 120mm **Depth:** 120mm
Height: 340mm **Weight:** 1.6Kg.





TLC25

Findon table lamp shown in antique nickel with an **SMD150** antique nickel shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s). With two metre switched cordset and plug. Approved to Australian standards.

Width: 143mm **Depth:** 143mm
Height: 545mm **Weight:** 3.3Kg.



TLC26

Beverly table lamp shown in polished brass with an **S310** glass shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s). With two metre switched cordset and plug. Approved to Australian standards.

Width: 143mm **Depth:** 143mm
Height: 545mm **Weight:** 3.3Kg.





TLC28

Henley table lamp shown in antique nickel with an **S944** faux leather shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum switched globe holder(s). With two metre cable and plug. Approved to Australian standards.

Width: 165mm **Depth:** 165mm **Height:** 340mm **Weight:** 1.3Kg.



TLC29

Kidman table lamp shown in old brass. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum switched globe holder(s). With two metre cable and plug. Approved to Australian standards.

Width: 165mm **Depth:** 165mm
Height: 340mm **Weight:** 1.4Kg.



TLC30

Gilberton table lamp shown in antique nickel. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum switched globe holder(s). With two metre cable and plug. Approved to Australian standards.

Width: 165mm **Depth:** 165mm
Height: 570mm **Weight:** 2.6Kg.



TLC32

Camden table lamp shown in old brass. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum switched globe holder(s). With two metre cable and plug. Approved to Australian standards.

Width: 112mm **Depth:** 112mm
Height: 450mm **Weight:** 1.9Kg.



TLC31

Thorngate table lamp shown in old brass. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum switched globe holder(s). With two metre cable and plug. Approved to Australian standards.

Width: 165mm **Depth:** 165mm **Height:** 480mm **Weight:** 2.5Kg.



**TLC33**

Hamish table lamp shown in polished brass with an **SP1158** shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum switched globe holder(s). With two metre cable and plug. Approved to Australian standards.

Width: 140mm **Depth:** 140mm
Height: 320mm **Weight:** 3.0Kg.

**TLC35**

Harold table lamp shown in black bronze with a **CG130** black bronze cast gimbal and an **S4747** glass shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum switched globe holder(s). With two metre cable and plug. Approved to Australian standards.


Width: 140mm **Depth:** 140mm
Height: 350mm **Weight:** 3.0Kg.

TLC34

Henry table lamp shown in antique nickel with an **S601** glass shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s). With two metre switched cordset and plug. Approved to Australian standards.

Width: 140mm **Depth:** 140mm
Height: 320mm **Weight:** 3.0Kg.





TLC36

Stewart table lamp shown in antique nickel with a **G2** antique nickel gallery and an **S3133** glass shade (left), and in antique nickel with a **G4** antique nickel gallery and an **S54** glass shade (right). Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum switched globe holder(s). With two metre cable and plug. Approved to Australian standards.

Width: 140mm **Depth:** 140mm
Height: 330mm **Weight:** 2.0Kg.



TLC37

Harvey table lamp shown in polished brass with an **ABG130** polished brass gimbal and a **SGC12-OG** glass shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum switched globe holder(s). With two metre cable and plug. Approved to Australian standards.

Width: 140mm **Depth:** 140mm
Height: 330mm **Weight:** 2.0Kg.

**TLC38**

John table lamp shown in black bronze with a **G2** black bronze gallery and an **S901** glass shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum switched globe holder(s). With two metre cable and plug. Approved to Australian standards.

Width: 140mm **Depth:** 140mm
Height: 330mm **Weight:** 2.2Kg.

**TLC39**

Norman table lamp shown in polished brass with an **SF8-3** polished brass spider and an **S4528-MO** glass shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum switched globe holder(s). With two metre cable and plug. Approved to Australian standards.


Width: 140mm **Depth:** 140mm
Height: 330mm **Weight:** 2.0Kg.

**TLC40**

Maxwell table lamp shown in old brass with an **SP61116** parchment shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum switched globe holder(s). With two metre cable and plug. Approved to Australian standards.

Width: 300mm **Depth:** 140mm
Height: 415mm **Weight:** 2.5Kg.

**TLC41**

Russell table lamp shown in polished brass with a **G2** polished brass gallery and an **S501-4** glass shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum switched globe holder(s). With two metre cable and plug. Approved to Australian standards.

Width: 140mm **Depth:** 140mm
Height: 230mm **Weight:** 1.9Kg.

**TLC42**

James table lamp shown in black bronze with a **G2** black bronze gallery and an **S901** glass shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum switched globe holder(s). With two metre cable and plug. Approved to Australian standards.

Width: 140mm **Depth:** 140mm
Height: 230mm **Weight:** 1.9Kg.

**TLC43**

George table lamp shown in polished brass with a **G2** polished brass gallery and an **S2170** glass shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum switched globe holder(s). With two metre cable and plug. Approved to Australian standards.

Width: 140mm **Depth:** 140mm
Height: 230mm. **Weight:** 1.9Kg.

**TLC44**

Philip table lamp shown in polished brass with a **G4** polished brass gallery and an **S94030** glass shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum switched globe holder(s). With two metre cable and plug. Approved to Australian standards.

Width: 140mm **Depth:** 140mm
Height: 230mm. **Weight:** 2.2Kg.



TLC45

Annabel table lamp shown in antique nickel with a **G2F** antique nickel gallery and an **S501-1** glass shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum switched globe holder(s). With two metre cable and plug. Approved to Australian standards.

Width: 140mm **Depth:** 140mm **Height:** 415mm. **Weight:** 2.0Kg.

TLC46

Victoria table lamp. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum switched globe holder(s). With two metre cable and plug. Approved to Australian standards.

Width: 140mm **Depth:** 140mm
Height: 370mm. **Weight:** 1.4Kg.



Shown in polished brass with a **G2F** polished brass gallery and an **S92720** glass shade



Shown in polished brass with an **S1702** glass shade



Shown in polished brass with a **G2F** polished brass gallery and an **S96930** glass shade



Shown in black bronze with a **G2** black bronze gallery and an **S404** glass shade

**TL1**

Monroe table lamp.
Spun steel finished in satin
nickel, with timber column.

Wiring: 1x B22 (BC), 60
watt maximum switched
globe holder(s). With two
metre cable and plug.
Approved to Australian
standards.

Width: 140mm **Depth:**
140mm **Height:** 420mm.
Weight: 1.0Kg.

**TL3**

Samuel table lamp. Spun steel base and
cigar shaped column finished in satin nickel.

Wiring: 1x B22 (BC), 60 watt maximum
switched globe holder(s). With two metre
cable and plug. Approved to Australian
standards.

Width: 140mm **Depth:** 140mm
Height: 350mm. **Weight:** 1.0Kg.

**TL5**

Timothy table lamp. Spun steel
finished in satin nickel.

Wiring: 1x B22 (BC), 60 watt
maximum switched globe holder(s).
With two metre cable and plug.
Approved to Australian standards.

Width: 140mm **Depth:** 140mm
Height: 420mm. **Weight:** 0.9Kg.

**TL2**

Lyndon table lamp. Spun steel finished in satin
nickel, with timber column.

Wiring: 1x B22 (BC), 60 watt maximum switched
globe holder(s). With two metre cable and plug.
Approved to Australian standards.

Width: 140mm **Depth:** 140mm
Height: 420mm **Weight:** 1.1Kg.

TL4

Denva table lamp. Spun steel finished in satin nickel.

Wiring: 1x B22 (BC), 60 watt maximum switched
globe holder(s). With two metre cable and plug.
Approved to Australian standards.

Width: 140mm **Depth:** 140mm
Height: 420mm **Weight:** 1.1Kg.





TL540CND

Nova table lamp. Oak wood base and column with tall candle.

Wiring: 1x B22 (BC), 60 watt maximum switched globe holder(s). With two metre cable and plug. Approved to Australian standards.

Width: 130mm **Depth:** 130mm
Height: 540mm. **Weight:** 1.0Kg.



TL515BAM

Winslow (short) table lamp. Oak bamboo base and column with tall candle.

Wiring: 1x B22 (BC), 60 watt maximum switched globe holder(s). With two metre cable and plug. Approved to Australian standards.

Width: 130mm **Depth:** 130mm
Height: 515mm. **Weight:** 1.0Kg.



TL610CND

Nelson table lamp. Oak wood base and column.

Wiring: 1x B22 (BC), 60 watt maximum switched globe holder(s). With two metre cable and plug. Approved to Australian standards.

Width: 130mm **Depth:** 130mm
Height: 610mm.
Weight: 1.9Kg.

TL700BAM

Winslow (tall) table lamp. Oak bamboo base and column with tall candle.

Wiring: 1x B22 (BC), 60 watt maximum switched globe holder(s). With two metre cable and plug. Approved to Australian standards.

Width: 130mm
Depth: 130mm
Height: 700mm.
Weight: 1.2Kg.



Lamps - Floor

Utilising your floor for lighting in the house is a great way to make the most of your floor space, whilst also adding visual interest. Floor lamps are often neglected when planning lighting, but there is no denying that the look and ambience provided by floor lights are second to none. Take a look at our special catalogue of floor lamps that provide great illumination and add class and style to your rooms.

At Robert Kitto, we are aware of the importance of design, and each of our floor lights are designed to satisfy modern and emerging trends, as well as traditional styles to suit all ranges of décor.


For more simplistic or minimalist design, our Owen and Eton floor lamps are a perfect addition in this style. These renowned, time-tested designs work well in any setting, and are available with your choice of our range of hand metal finishes including aged nickel, antique bronze, polished brass, old brass and bright chrome. While the Eton lamp is extremely simple in design, the Owen has just a touch of decorativeness that can create an elegant, understated impact in your room. The sharp angles and edges of the Hamilton model make it truly versatile, and the opaque shade delivers a soft and subtle illumination. For those looking for more modern or contemporary styles, we have our special Cheltenham and Ferguson floor lamp models, both designed to fit perfectly in modern households. These lamps do away with curves and angles featuring straight, slender mounts with the light source fitted on top.

For a mix of traditional and modern styles, our Osmond floor lamp, which features an ornamentally designed cover for the light fixture is a perfect addition.

With our quality range of designs, it suffices to say that for high quality floor lights, Robert Kitto is the right place to look.



FSFSA floor standard fluted swing arm,
Hamilton finished in Old Brass with a
SP61116 parchment shade, shown in a
South Australian Private Residence.



FSPTGN

Owen floor lamp shown in old brass with a **SP1SL** shade.

Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum switched globe holder(s). With two metre cable and plug. Approved to Australian standards.

Width: 240mm **Depth:** 240mm
Height: 1560mm
Weight: 9.5Kg.

Available with fluted tube in the Hallet model, (FSFGN).



FS2

Eton floor lamp shown in old brass. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum switched globe holder(s). With two metre cable and plug. Approved to Australian standards.

Width: 240mm **Depth:** 240mm
Height: 1500mm + flexible arm **Weight:** 9.1Kg.



FSFSA

Hamilton floor lamp shown in black bronze with a **SP61116** shade.

Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum switched globe holder(s). With two metre cable and plug. Approved to Australian standards.

Width: 240mm **Depth:** 240mm
Height: 1420mm **Weight:** 9.8Kg.

-AN & -BC finishes have a white candle cover not cream.

Available with patterned tube in the Oxley model, (FSPTSA).



FSPT

Osmond floor lamp
shown in antique nickel

Hand finished in either
polished brass (-PB),
old brass (-OB), black
bronze (-BB), antique
nickel (-AN), or bright
chrome (-BC).

Wiring: 1x B22 (BC),
60 watt maximum
switched globe holder(s).
With two metre cable
and plug. Approved to
Australian standards.

Width: 240mm

Depth: 240mm

Height: 1500mm

Weight: 9.5Kg.

Available with fluted tube
in the Austin model, (FSF).



FS4

Cheltenham floor lamp
shown in polished brass.

Hand finished in either
polished brass (-PB), old
brass (-OB), black bronze
(-BB), antique nickel (-AN),
or bright chrome (-BC).

Wiring: 1x B22 (BC), 60
watt maximum switched
globe holder(s). With two
metre cable and plug.
Approved to Australian
standards.

Width: 240mm

Depth: 240mm

Height: 1500mm

Weight: 9.5Kg.



FS3

Ferguson floor lamp shown
in old brass with an **SP61116**
shade. Hand finished in either
polished brass (-PB), old
brass (-OB), black bronze
(-BB), antique nickel (-AN),
or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt
maximum switched globe
holder(s). With two metre
cable and plug. Approved to
Australian standards.

Width: 240mm

Depth: 240mm

Height: 1500mm

+ flexible arm

Weight: 9.1Kg.



Wall - Lanterns

Using wall lanterns is a great way to provide decorative lighting to a setting that needs it. For different parts of your exteriors, using a wall lantern doesn't just highlight and accent the walls of the building but it enlightens and improves the facades of the property. Wall lanterns carry a certain charisma and they possess old world charm, yet also enhance security and safety at night time. Lanterns bring the old-world charm and poise that has been associated with them for centuries and with the help of modern technology, wall lanterns can really be creatively used to enhance your exteriors or undercover outdoor areas. At Robert Kitto, we have a collection of delicately designed wall lanterns that will suit the tastes of even the most discerning users. Our products are constructed with long, durable use in mind, and we always use the best quality of materials available.

Our wall lanterns bring beautiful designs and comfortable, relaxed mood lighting to the table. For simplicity, take a look at our black wall lantern models. Made with reinforced metal and sporting a classy matte black finish, these lanterns can be effectively used both inside your house and outside. While the WL2011 design sports the classic box look, the WL2003 and WL-F10 designs are tapered, giving them a regal flavor. The WL102 has been a favourite of our users for years, sporting a classic design and an antique silver finish. The WL105 has a slight taper and crowning at the top, and you can choose between antique brass, bronze or nickel finishes for just the kind of look you want. The WL108 and WL2000 are perfect if you want a lantern for a retro-themed room, and the antique metal finishes will elevate and brighten surroundings. At Robert Kitto, we have a wide range of products to suit your wall lantern needs.



WLF10 Wall Lantern frustum shape in Bronze Shown on a verandah of a SA private residence.



WL-F10-BZ

Black bronze frustum wall lantern with bevelled tapered glass panels, shown with VIN-ST64-60-ES (globe, separate item).

Wiring: 1x E27 (ES), 60 watt maximum globe holder(s).

Mounting plate dimensions:

Width: 105mm **Depth:** 15mm **Height:** 200mm

Total Dimensions:

Width: 185mm **Depth:** 170mm

Height: 335mm **Weight:** 1.3Kg.
(Not tested for IP rating).



WL-F10-SN

Satin nickel frustum wall lantern with bevelled tapered glass panels, shown with VIN-ST64-60-ES (globe, separate item).

Wiring: 1x E27 (ES), 60 watt maximum globe holder(s).

Mounting plate dimensions:

Width: 105mm **Depth:** 15mm **Height:** 200mm

Total Dimensions:

Width: 185mm **Depth:** 170mm

Height: 335mm **Weight:** 1.3Kg.
(Not tested for IP rating).





WL2003

Matt black wall lantern with two side panes and a front pane of plain clear glass in a traditional styled hinged door for globe access.

Wiring: 1x E14 (SES), 60 watt maximum globe holder(s).

Width: 260mm

Depth: 275mm

Height: 550mm

Weight: 5.5Kg.

(Not tested for IP rating).



WL2000-AS

WL2000

Wall lantern with two side and one front toughened plain clear glass panes in a traditional styled hinged door for globe access. Available in either matt black (-MB), antique brass (-AB), or antique silver (-AS).

Wiring: 1x E14 (SES), 60 watt maximum globe holder(s). (Meets IP44 standards).

Width: 288mm **Depth:** 175mm

Height: 450mm **Weight:** 4.5Kg.



WL2000-MB



WL102-MB



WL102-AS

WL102

Wall lantern with two side and one front toughened plain clear glass panes in a traditional styled hinged door for globe access. Available, and shown, in either matt black (-MB), antique brass (-AB), or antique silver (-AS).

Wiring: 2x E14 (SES), 60 watt maximum globe holder(s). (Meets IP44 standards).

Width: 330mm **Depth:** 230mm **Height:** 530mm **Weight:** 6.3Kg.



WL102-AB



WL105-AB

Antique brass wall lantern with two side and one front toughened plain clear glass panes in a traditional styled hinged door for globe access, shown with **VIN-LED-C35T-E14** (globe, separate item).

Wiring: 1x E14 (SES), 60 watt maximum globe holder(s).

Width: 140mm **Depth:** 170mm
Height: 355mm **Weight:** 2.1Kg
(Meets IP13 standards).



WL105-AS

Antique silver wall lantern with two side and one front toughened plain clear glass panes in a traditional styled hinged door for globe access, shown with **VIN-LED-C35T-E14** (globe, separate item).

Wiring: 1x E14 (SES), 60 watt maximum globe holder(s).

Width: 140mm **Depth:** 170mm
Height: 355mm **Weight:** 2.1Kg
(Meets IP13 standards).



WL105-MB

Matt black wall lantern with two side and one front toughened plain clear glass panes in a traditional styled hinged door for globe access, shown with **VIN-LED-C35T-E14** (globe, separate item).

Wiring: 1x E14 (SES), 60 watt maximum globe holder(s).

Width: 140mm **Depth:** 170mm
Height: 355mm **Weight:** 2.1Kg
(Meets IP13 standards).





WL2011-AB

Antique brass wall lantern with two side and one front toughened plain clear glass panes in a traditional styled hinged door for globe access, shown with **VIN-LED-C35T-E14** (globe, separate item).

Wiring: 1x E14 (SES), 60 watt maximum globe holder(s).

Width: 200mm **Depth:** 110mm

Height: 355mm **Weight:** 2.2Kg
(Meets IP35 standards).



WL2011-AS

Antique silver wall lantern with two side and one front toughened plain clear glass panes in a traditional styled hinged door for globe access, shown with **VIN-LED-C35T-E14** (globe, separate item).

Wiring: 1x E14 (SES), 60 watt maximum globe holder(s).

Width: 200mm **Depth:** 110mm

Height: 355mm **Weight:** 2.2Kg
(Meets IP35 standards).



WL2011-MB

Matt black wall lantern with two side and one front toughened plain clear glass panes in a traditional styled hinged door for globe access, shown with **VIN-LED-C35T-E14** (globe, separate item).

Wiring: 1x E14 (SES), 60 watt maximum globe holder(s).

Width: 200mm **Depth:** 110mm

Height: 355mm **Weight:** 2.2Kg
(Meets IP35 standards).



WB36 - Sign Light
shown in Matt Black

IP13 rated
(included two piece

Wiring: 1x B22 60 watt
maximum globe holder

Projection 320mm



with SC10 shade.

100mm backplate)

et
(s)

Photographed at St. Louis House of Fine Ice Cream & Dessert, Adelaide





WBU6-G3DS-E



Carrington exterior wall bracket with an integrated **G3DS** gallery, shown in powder coated matt black with an **SPH150-OG** glass shade. Meets IP44 standards. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 100mm **Depth:** 210mm **Height:** 140mm



WBU6-G3DS-E

Carrington exterior wall bracket with an integrated **G3DS** gallery, shown in powder coated matt black with an **S211** glass shade. Meets IP44 standards. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 100mm **Depth:** 210mm **Height:** 140mm



WBU348-G4DS-E

Chesser exterior wall bracket with an integrated **G4DS** gallery, shown in powder coated matt black with an **SPH200-OM** glass shade. Meets IP44 standards. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 108mm **Depth:** 270mm **Height:** 190mm



WB200-BGS-E

Medford Cast aluminium wall bracket powder coated in satin black. Includes blown glass small with ring and finial.

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).
Meets IP44 standards.

Width: 140mm **Depth:** 185mm **Height:** 350mm

Also available in larger size with medium blown glass, **WB400-BGSM:**

Width: 140mm **Depth:** 230mm **Height:** 435mm
or with a larger blown glass, **WB400-BGL:**

Width: 140mm **Depth:** 255mm **Height:** 510mm

The Medford is also available as a brass casting, the Bellmore model, in varying sizes, WB100-BGS, WB300-BGM, WB-300-BGL, with a larger range of finishes.



WB300-BGM-E

Bellmore Cast brass wall bracket shown in polished brass. Includes medium blown glass with brass ring and finial. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC) or powder coated (-PC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).
Meets IP44 standards.

Width: 140mm **Depth:** 230mm **Height:** 435mm

Also available in a smaller size, **WB100-BGS:**

Width: 140mm **Depth:** 185mm **Height:** 350mm

or with larger glass, ring and finial, **WB300-BGL:**

Width: 140mm **Depth:** 255mm **Height:** 510mm

The Bellmore is also available in a powder coated satin black aluminium fitting as the Medford model in varying sizes, WB200-BGS, WB400-BGM, WB400-BGL.





WB35-E

Magill exterior wall bracket shown in antique bronze with a **SMC11-AB** shade. Hand finished in either old brass (-OB), antique bronze (-AB), iron rust (-IR), satin nickel (-SN), or powder coated (-PC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 100mm **Depth:** 290mm (Meets IP13 standards).



WB35-E

Magill exterior wall bracket shown in iron rust with a **SML10-IR** shade. Hand finished in either old brass (-OB), antique bronze (-AB), iron rust (-IR), satin nickel (-SN), or powder coated (-PC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 100mm **Depth:** 290mm (Meets IP13 standards).



WB44-E

Highgate exterior wall bracket shown in antique bronze with an **SML14-AB** shade. Hand finished in either old brass (-OB), antique bronze (-AB), or satin nickel (-AN).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 100mm (Meets IP13 standards).



**WB35-G2DS-E**

Magill exterior wall bracket with an integrated **G2DS** gallery, shown in antique bronze with a **SGC10-OG** shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), iron rust (-IR) or powder coated (-PC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 100mm **Depth:** 290mm
(Meets IP13 standards).

**WB36-E**

St. Louis sign light wall bracket shown in powdercoated gloss black with a **SMC10-PC** gloss black shade. Waterproof back plate.

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 100mm

**WB37-E**

Mackinnon exterior wall bracket shown in old brass with an **SMD150-OB** shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 100mm **Depth:** 620mm **Height:** 620mm
(Meets IP13 standards).

**WB38-E**

Kentish exterior wall bracket shown in antique nickel with an **SMC150-AN** shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 100mm **Depth:** 570mm **Height:** 570mm
(Meets IP13 standards).



WBSN-E

McLaren exterior wall bracket shown in powder coated indian red with an **SMC8-PC** indian red shade.

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 100mm **Depth:** 210mm **Height:** 125mm
(Meets IP13 standards).



WBSN-G3DS-E

McLaren exterior wall bracket with an integrated **G3DS** gallery, shown in powder coated gloss black with an **S211** glass shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 100mm
Depth: 210mm
Height: 145mm
(Meets IP44 standards).



WBSN-G3DS-E

McLaren exterior wall bracket with an integrated **G3DS** gallery, shown in powder coated gloss black with an **SPH150-OG** glass shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 100mm **Depth:** 210mm
Height: 145mm (Meets IP44 standards).



WBUGC-E

Coromandel exterior wall bracket shown in powder coated heritage green with an **SMC8-PC** green shade.

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 100mm **Depth:** 210mm **Height:** 325mm
(Meets IP13 standards).



WBGN-E

Regent exterior wall bracket shown in powder coated classic cream with an **SMC8-PC** cream shade.

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 100mm **Depth:** 240mm **Height:** 120mm
(Meets IP13 standards).



WB34SN-E

Kew exterior wall bracket shown in powder coated heritage green with an **SMC10-PC** green shade.

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 100mm
Depth: 300mm
(Meets IP13 standards).

**WBH2-E**

Paddington exterior wall bracket shown in antique bronze with a **SMC11-AB** shade.

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 100mm **Depth:** 290mm
Height: 130mm
(Meets IP13 standards).

**WBR2DS-E**

Clarendon exterior wall bracket shown in powder coated gloss black with an **SMC10-PC** gloss black shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 100mm **Depth:** 230mm **Height:** 120mm
(Meets IP13 standards).

**WBZ1080**

Hamlet die cast wall bracket picture light shown in polished brass. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC) or powder coated (-PC). 90mm die cast back plate.

Wiring: 2x B22 (BC), 40 watt maximum globe holder(s).

Width: 305mm **Depth:** 220mm **Height:** 150mm.

WBPL

Vincent wall bracket picture light shown in polished brass. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC) or powder coated (-PC). 80mm pressed back plate.

Wiring: 2x B22 (BC), 40 watt maximum globe holder(s).

Width: 330mm **Depth:** 210mm **Height:** 180mm.

**WBPL600**

Vincent wide wall bracket picture light shown in polished brass.

Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC) or powder coated (-PC).

Wiring: 3x B22 (BC), 40 watt maximum globe holder(s).

Width: 600mm **Depth:** 210mm **Height:** 180mm.

Back plate dimensions: **Width:** 250mm **Height:** 57mm.



SM7-140-6

Surface mount with 140mm disk and deep globe holder, shown in bright chrome with 1x **VIN-G95-60-B22** (globe, separate item, left) and with 1x **VIN-ST64-60-B22** (globe, separate item, right). Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), satin nickel (-SN), bright nickel (-BN), bright chrome (-BC), or powder coated (-PC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 140mm **Height:** 140mm



SM7-300-6

Surface mount with 300mm disk and deep globe holder, shown in satin nickel with 1x **VIN-G125-60-B22** (globe, separate item). Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), satin nickel (-SN), bright nickel (-BN), bright chrome (-BC), or powder coated (-PC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 300mm **Height:** 300mm





SM7-140-G4DS

Surface mount with 140mm disk and integrated G4DS gallery, shown in polished brass with a **SPH300-OM** glass shade (separate item). Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), satin nickel (-SN), bright nickel (-BN), bright chrome (-BC), or powder coated (-PC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 140mm **Height:** 140mm

Also available with larger 300mm disk (SM7-300-G4DS).

SM7-300-G3S

Surface mount with 300mm disk and integrated G3S gallery, shown in old brass with a **SPH150-OG** glass shade (separate item). Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), satin nickel (-SN), bright nickel (-BN), bright chrome (-BC), or powder coated (-PC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 300mm **Height:** 300mm

Also available with smaller 140mm disk (SM7-140-G3S).





WBU6

Carrington wall bracket shown in polished brass with a **G4** polished brass gallery and an **SPH150-OG** shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).
Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).
Width: 100mm **Depth:** 185mm
Height: 200mm

WBU3

Gawler wall bracket shown in polished brass with an **S1700** shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).
Width: 80mm **Depth:** 120mm **Height:** 130mm



WBU384

Leigh wall bracket shown in polished brass with an **S92426** shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).
Width: 100mm **Depth:** 150mm **Height:** 200mm



WBU6D

Halifax wall bracket shown in polished brass with a **G3** polished brass gallery and an **SPH150-AE** shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s). **Width:** 80mm **Depth:** 185mm
Height: 200mm

**WBSD-2**

Gilles twin wall bracket shown in polished brass with 2x **S1702** shades. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 420mm **Depth:** 250mm **Height:** 195mm

Available as a single wall bracket (WBSD)

Width: 100mm **Depth:** 270mm **Height:** 155mm

WBMD

Grange wall bracket shown in polished brass with a **G2F** polished brass gallery and an **S03-037** shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

WBG

Waymouth wall bracket shown in polished brass with an **S163** shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 100mm

Depth: 210mm

Height: 265mm

**WBS**

Gilbert wall bracket shown in polished brass with an **S163** shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 100mm **Depth:** 270mm **Height:** 155mm

WBGDS

Hindley wall bracket shown in polished brass with a **G2F** polished brass gallery and an **S2740** shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 100mm **Depth:** 210mm **Height:** 265mm





WBF

Fisher wall bracket shown in polished brass with an **G2F** shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).



WBD67

Liverpool wall bracket shown in polished brass with a **G2F** polished brass gallery and an **G2F** shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

WBLS

Pirie wall bracket shown in polished brass with a **G2F** polished brass gallery and an **G2F** shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).





WB34R-G2DS

Hindmarsh wall bracket with an integrated **G2DS** gallery, shown in polished brass with an **SGC12-OG** shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 100mm **Depth:** 210mm **Height:** 120mm



WBUGS

Frome wall bracket shown in polished brass with a **G2F** polished brass gallery and an **S2758** shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 100mm **Depth:** 300mm **Height:** 250mm



WBR2DDC

Clarendon wall bracket with integrated decorative cup shown in polished brass with an **S4745** shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 100mm

Depth: 220mm

Height: 130mm





WBF2-G2GS

Lindfield wall bracket with an integrated **G2GS** gallery, shown in old brass with an **S8044-6** shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 100mm



WBP2-G2GS

Killara wall bracket with an integrated **G2GS** gallery, shown in old brass with an **S8044-6** shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 100mm

WBH183-G4GS

Walkerville wall bracket with an integrated **G4GS** gallery, shown in polished brass with an **S94030** shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s)

Width: 90mm **Depth:** 175mm **Height:** 135mm



WBH183

Walkerville wall bracket shown in polished brass with a **G2F** polished brass gallery and an **S94030** shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).


Width: 90mm **Depth:** 175mm **Height:** 135mm

**WBH190**

Burnside wall bracket shown in polished brass with a **G2F** polished brass gallery and an **S96928** shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 90mm **Depth:** 220mm **Height:** 210mm

**WBT3-G2DS**

Hyde wall bracket with an integrated **G2DS** gallery, shown in polished brass with an **SGC10-G** shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 100mm

Depth: 370mm

Height: 480mm

**WBH191**

Norwood wall bracket shown in antique nickel with a **G2** antique nickel gallery and an **S1509** shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 90mm

Depth: 220mm

Height: 210mm



WBH228

Brighton wall bracket shown in polished brass with a **G3** polished brass gallery and an **S94029** shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 90mm **Depth:** 10mm **Height:** 135mm



WBH288

Glenelg wall bracket shown in polished brass with a **G4G** polished brass gallery and an **S604** shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 90mm



**WBA51-G2FS**

Malvern wall bracket with an integrated **G2FS** gallery, shown in polished brass with an **S3138** shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 110mm **Depth:** 310mm **Height:** 220mm

WBA50-G4GS

Hawthorn wall bracket with an integrated **G4GS** gallery, shown in polished brass with an **S603** shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 110mm **Depth:** 330mm **Height:** 190mm

**WBA53**

Aldgate wall bracket shown in polished brass with a **G4G** polished brass cast open gallery and an **S602** shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 100mm **Depth:** 210mm



WB21-2CNDL

Stratford french empire two arm wall bracket shown in bright nickel with white short candle covers. Hand finished in either polished brass (-PB), or bright nickel (-BN).

Wiring: 2x E14 (SES), 60 watt maximum globe holder(s).



WBH27-G3GS

Winged Siren wall bracket with inbuilt cast G3GS open gallery shown in bright nickel with an **S1060** glass shade. Hand finished in either polished brass (-PB), or bright nickel (-BN). Other finishes available.

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Weight: 1.93Kg. **Width:** 115mm **Depth:** 170mm **Height:** 270mm.



WBH551-2G3GS

Veneto, Italian diecast brass two arm wall bracket with 2x integrated **G3GS** galleries, shown in antique bronze with 2x **S1060** glass shades. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright nickel (-BN), or bright chrome (-BC).

Wiring: 2x B22 (BC), 60 watt maximum globe holder(s).

Width: 170mm

Depth: 155mm

Height: 360mm

Weight: 1.93Kg.

WBH551-2CNDL

Juliet, Italian diecast brass two arm wall bracket shown in bright nickel. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright nickel (-BN), or bright chrome (-BC).

Wiring: 2x E14 (SES), 60 watt maximum globe holder(s).

Weight: 1.81Kg. **Width:** 170mm

Depth: 155mm **Height:** 360mm.

Available with B22 candle globe holders as the Rosaline model, (WBH551-2CB22), suits shade.



**WBH427**

Buxton, art deco cast wall bracket shown in black bronze with a **G2** black bronze gallery and an **S3004** glass shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright nickel (-BN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Weight: 1.10Kg. **Width:** 100mm **Depth:** 140mm **Height:** 150mm.

**WBH427-G2GS-CNDL**

Buxton, art deco cast wall bracket with an integrated **G2GS** gallery shown in old brass with an **S901P** glass shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright nickel (-BN), or bright chrome (-BC).

Wiring: 1x E14 (SES), 60 watt maximum globe holder(s).

Weight: 1.10Kg. **Width:** 100mm
Depth: 140mm **Height:** 165mm.

(-AN, -BN & -BC models are made with white candle cover instead of cream).

**WBH463-CB22**

Millswood, art deco cast wall bracket shown in antique bronze.

Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright nickel (-BN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Weight: 1.10Kg. **Width:** 100mm **Depth:** 260mm **Height:** 320mm.

Suits shade, (-AN, -BN & -BC models are made with white candle cover instead of cream).



**WB768-G2GS-CNDL**

Hertfordshire wall bracket with an integrated **G2GS** gallery shown in black bronze with an **S901P** glass shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright nickel (-BN), or bright chrome (-BC).

Wiring: 1x E14 (SES), 60 watt maximum globe holder(s).

Width: 125mm **Depth:** 150mm **Height:** 405mm.

Weight: 3.25Kg.

(-AN, -BN & -BC models are made with a white candle cover).

**WB768**

Hertfordshire wall bracket shown in bright nickel with an **S5-WSQ** shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright nickel (-BN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 125mm

Depth: 150mm

Height: 370mm.

Weight: 3.10Kg.





WB504

Goodwood wall bracket shown in bronze with an **S5-W** shade. Finished in either antique brass (-AB), or bronze (-BZ).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 110mm **Depth:** 220mm **Height:** 350mm.

WB42S-G2GS

Wayville square tube wall bracket shown in black bronze with an **S801P** shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN) or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 110mm

Depth: 260mm

Height: 450mm.



WB1121-G2GS-CNDL

Blackwood wall bracket with an integrated **G2GS** gallery shown in polished brass with an **S801P** shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN) or bright chrome (-BC).

Wiring: 1x E14 (SES), 60 watt maximum globe holder(s).

Back plate Width: 110mm **Height:** 210mm.


**WBSA145**

Mayo swing arm wall bracket shown in antique nickel. Double action. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique nickel (-AN) or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 170mm **Depth:** 50mm - 515mm


Also available in a smaller size WBSA146 (double action) maximum. **Width:** 150mm **Depth:** 50mm - 300mm

**WBSA144**

Mayo swing arm wall bracket shown in polished brass. Single action. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique nickel (-AN) or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 90mm **Depth:** 50mm - 280mm **Height:** 150mm.

**WBSA6031**

Lincoln decorative diecast swing arm wall bracket shown in polished brass. Double action. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique nickel (-AN) or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 95mm **Depth:** 50mm - 380mm **Height:** 160mm.

**WBSA6030**

Lincoln decorative diecast swing arm wall bracket shown in polished brass. Single action. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique nickel (-AN) or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 95mm **Depth:** 50mm - 380mm **Height:** 160mm.



WBSA147

Library light swing arm wall bracket shown in antique bronze. Hand finished in either antique bronze (-AB), or antique nickel (-AN).

Wiring: 1x B22 (BC), 60 watt maximum switched globe holder(s). With two metre cable and plug.



Width: 80mm **Depth:** 270mm

Height: 590mm. **Weight:**

3.10Kg.



WBSAMR

Kenton wall bracket swing arm with metal reflector bearing type shown in satin nickel. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique nickel (-AN) or satin nickel (-SN).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Depth: 380mm **Height:** 240mm.

Back plate Width: 80mm **Height:** 125mm.



WBSA

Kenton wall bracket swing arm bearing type shown in polished brass. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique nickel (-AN) or satin nickel (-SN).

Wiring: 1x B22 (BC), 60 watt maximum switched globe holder(s).

Depth: 185mm **Height:** 240mm.

Back plate Width: 80mm **Height:** 125mm.



WBSARA

Blackburn wall bracket swing arm raised arm shown in polished brass. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique nickel (-AN) or satin nickel (-SN).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Depth: 295mm **Height:** 185mm.

Back plate Width: 80mm **Height:** 125mm.



WBSADA

Blackburn wall bracket swing arm double action shown in polished brass. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique nickel (-AN) or satin nickel (-SN).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Depth: 380mm

Back plate Width: 80mm **Height:** 125mm.

WBSASA

Blackburn wall bracket swing arm single action shown in polished brass. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique nickel (-AN) or satin nickel (-SN).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Back plate Width: 80mm **Height:** 125mm.





WBR73-2CNDL



Chelsea twin wall bracket shown in polished brass. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC) or powder coated (-PC).

Also available in a single wall bracket (WBR73-1CNDL).

Wiring: 2x E14 (SES), 60 watt maximum globe holder(s).

Width: 300mm **Depth:** 85mm **Height:** 165mm.

(-AN, -BC and -PC) finishes come with white candle covers.

WBH132-2CNDL

Netherby twin wall bracket shown in antique bronze. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC). Also available in a single wall bracket (WBH132-1CNDL).

Wiring: 2x E14 (SES), 60 watt maximum globe holder(s).

Width: 270mm **Depth:** 120mm **Height:** 135mm.
(-AN, -BC and -PC) finishes come with white candle covers.



WBFL-CRYS-2CNDL

Dover twin wall bracket shown in old brass. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC) or powder coated (-PC). Also available in a single wall bracket, (WBFL-CRYS-1CNDL).

Wiring: 2x E14 (SES), 60 watt maximum globe holder(s).

Width: 270mm **Depth:** 120mm **Height:** 135mm.

Made with Egyptian lead crystal.
(-AN, -BC and -PC) finishes come with white candle covers.



**WBFL-2CNDL**

Edward twin wall bracket shown in polished brass.

Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC) or powder coated (-PC).

Also available in a single wall bracket (WBFL-1CNDL).

Wiring: 2x E14 (SES), 60 watt maximum globe holder(s).

(-AN, -BC and -PC) finishes come with white candle covers.

WB01-2CNDL

Glenbrook twin wall bracket shown in old brass.

Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC) or powder coated (-PC). Also available in a single wall bracket (WB01-1CNDL).

Wiring: 2x E14 (SES), 60 watt maximum globe holder(s).

Width: 180mm **Depth:** 110mm **Height:** 140mm.

(-AN, -BC and -PC) finishes come with white candle covers.

**WBU4D-2CNDL**

Hurtle twin wall bracket shown in antique bronze.

Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC) or powder coated (-PC).

Also available in a single wall bracket (WBU4D-1CNDL).

Wiring: 2x E14 (SES), 60 watt maximum globe holder(s).

Width: 270mm

Depth: 160mm

Height: 145mm.

100mm pressed back plate.

(-AN, -BC and -PC) finishes come with white candle covers.






WBS31

Wall bracket including frosted glass shade shown in antique nickel.
Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB),
antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 300mm **Depth:** 150mm



WBS28-OM

Wall bracket including opal matt glass shade shown in antique nickel. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 300mm **Depth:** 150mm
Also available with acid frost glass (WBS28AF)



WBS27-OM

Wall bracket including opal matt glass shade shown in antique nickel.
Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB),
antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 300mm **Depth:** 150mm
Also available with acid frost glass (WBS278AF)





WBS33

Wall bracket including acid frost glass shade shown in polished brass. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 250mm **Depth:** 75mm

Also available with a larger glass (WBS33L).

Width: 300mm **Depth:** 85mm

WBS2837

Flash gold wall bracket including frosted glass shade.

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).



WBS2789



Wall bracket including fluted frosted glass shade shown in polished brass. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).



WBR5-G2GS

Twickenham wall bracket with an integrated **G2GS** gallery.
Hand finished in either polished brass (-PB),
old brass (-OB), black bronze (-BB), antique bronze (-AB),
antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 100mm **Depth:** 120mm



Shown in antique bronze
with an **S1017-O** shade.



Shown in antique nickel
with an **S1017-C** shade.



Shown in antique nickel
with an **S1801-O** shade.

Shown in antique bronze
with an **S1801-C** shade.





WBR4-CNDL

Verandah wall bracket shown in antique bronze. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC). (-AN and -BC) finishes come with white candle covers.

Wiring: 1x E14 (SES), 60 watt maximum globe holder(s).

Width: 100mm **Depth:** 120mm



WBR5-3SPYS

Twickenham wall bracket with an integrated 3 way spider, shown in bright chrome with an **S6752T** shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 100mm **Depth:** 120mm

WBR4-CB22

Verandah wall bracket shown in antique bronze with an **S152-WL** shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 100mm
Depth: 120mm
Height: 120mm.

White Candle cover with all finishes.



WBR4-2G2DS

Verandah twin wall bracket shown in bright chrome with 2x **S2515** shades. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 2x B22 (BC), 60 watt maximum globe holder(s).

Width: 210mm **Depth:** 120mm



WBRC



Whitmore wall bracket shown in black bronze with an **S92720** glass shade.

Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC) or powder coated (-PC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 100mm **Depth:** 160mm **Height:** 120mm.

WBRC-CNDL



Whitmore wall bracket shown in bright chrome. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 1x E14 (SES), 60 watt maximum globe holder(s).

Width: 100mm **Depth:** 160mm

Height: 120mm.

(-PB, -OB, -BB and -AB) finishes come with cream candle covers.

WBM39

Wellington decorative wall bracket shown in antique nickel. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC) or powder coated (-PC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 80mm **Depth:** 110mm **Height:** 120mm.



**WBM40**

Wellington wall bracket shown in antique nickel with a **G2** antique nickel gallery and an **S3004** shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC) or powder coated (-PC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 80mm **Depth:** 110mm **Height:** 90mm.

**WBM41-CNDL**

Wellington wall bracket shown in bright chrome. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 1x E14 (SES), 60 watt maximum globe holder(s).

Width: 100mm **Depth:** 175mm **Height:** 120mm.

(-PB, -OB, -BB and -AB) finishes come with cream candle covers.

**WB43**

Woollahra wall bracket shown in antique bronze with an **SMC150** antique bronze shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 80mm

WB-CP6A

Vintage wall bracket shown in antique bronze with a **VIN-ST64-60-E27** vintage globe. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 80mm





WBL68

Callington round tube wall bracket shown in bright chrome with an **S5-W** silk shade available in bright chrome (-BC), and stain nickel (-SN).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 105mm
Depth: 180mm
Height: 210mm
Back plate Height: 155mm.



WBL69

Callington square tube wall bracket shown in bright chrome with an **S5-B** silk shade available in bright chrome (-BC), and stain nickel (-SN).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 105mm
Depth: 180mm
Height: 210mm
Back plate Height: 155mm.



WB45-G3DS

Morgan round tube wall bracket shown in bright chrome with an **S2295** shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC) or powder coated (-PC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 80mm
Depth: 130mm
Height: 200mm



WBR3

Murray round tube wall bracket shown in antique bronze with an **S5-WSQ** silk square shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC) or powder coated (-PC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 80mm **Depth:** 130mm **Height:** 210mm **Weight:** 1.1Kg **Back plate Height:** 125mm.



WBL6037

Bright chrome wall bracket with included glass shade.
Available only in bright chrome.

Wiring: 1x E27 (ES), 60 watt maximum globe holder(s).

Height: 295mm **Depth:** 140mm

Back plate diameter: 120mm

READY
TO SHIP



READY
TO SHIP

WB2978-2

Two light plumbing wall bracket, available only in galvanised bronze.
Shown with 2x **VIN-ST64-E27** vintage globes.

Wiring: 2x E27 (ES), 60 watt maximum globe holder(s).

Height: 150mm

READY
TO SHIP

WB2978-1

Plumbing wall bracket, available only in galvanised bronze.
Shown with a **VIN-T45-E27** vintage globes.

Wiring: 1x E27 (ES), 60 watt maximum globe holder(s).

Height: 150mm

Accessories - Shades

To highlight a particular area of your room with subtle, subdued lighting, the use of shades is a perfect way to achieve a toned-down ambience. At Robert Kitto, our extensive collection of light shades come in various shapes and colours and, with our variety of materials, there is sure to be a shade to match your desired aesthetic or purpose in a room. Our premium quality products are made from the best materials available, and our designs range from classical to modern, chic styles. The lamp shades reflect the quality and thought put into each of our products, and you will not be disappointed from the choices in our extensive catalogue.

Glass stands as the most popular material for light shades and our extensive range of glass shades, perfectly represent the diversity and versatility of our repertoire. Choose from one of our clear glass shades to achieve a bright diversified illumination, which spreads around large rooms, or select one of our frosted glass designs for a more even and subdued lighting effect. If you like abstract, modern styles, our frosted or coloured glass shades would be a great addition to enhance the overall look and feel of your room.

Among other materials, browse our equally popular metal shades, ranging from stylish satin nickel, which can be powder coated to your choice of colour to match your decor, to durable and affectionate brass shades hand finished in South Australia, also adjustable to suit your setting. Metal shades provide more focused lighting, reflecting more light than glass shades and are ideal in settings such as above bench tops, where bright light is essential. Our designs can fit all requirements from retro themes to modern homes and corporate buildings. Choosing the perfect shade is easy with the large number of high quality options that we provide at Robert Kitto Lighting.



SMC11-AB

Brass spun conical shade finished in antique bronze.

Neck: 30mm (BC)

Height: 85mm.

Width: 290mm

Depth: 290mm




SMD150

Brass spun side entry dome shade, shown in polished brass. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB) or antique nickel (-AN), bright chrome (-BC).

Neck: 30mm (BC) **Height:** 90mm.

Width: 150mm **Depth:** 150mm



SMC150

Brass spun conical shade, shown in old brass. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN) or bright chrome (-BC).

Neck: 30mm (BC)

Height: 170mm.

Width: 170mm

Depth: 170mm



**SML10-SN**

Steel spun dome shade, finished in satin nickel.
White inside (underneath).

Weight: 0.43Kg. **Neck:** 30mm (BC)
Height: 130mm. **Width:** 240mm **Depth:** 240mm
Also available in painted colours (SML10-PC)

Also spun in brass, hand finished inside and out in
old brass (-OB), antique bronze (-AB) or iron rust (-IR)

SML14-OB

Brass spun dome shade, shown in old brass.
Hand finished in either old brass (-OB),
antique bronze (-AB) or iron rust (-IR).

Neck: 30mm (BC) **Height:** 165mm.
Width: 360mm **Depth:** 360mm
Weight: 0.72Kg.

Also spun in steel, and finished in
satin nickel (SML14-SN) or available
in painted colours (SML10-PC).
White inside (underneath).

**SML18-AB**

Brass spun dome shade, shown in antique
bronze. Hand finished in either
old brass (-OB), antique bronze (-AB),
or iron rust (-IR).

Neck: 30mm (BC)
Height: 220mm.
Width: 460mm
Depth: 460mm
Weight: 1.48Kg.

Also spun in steel,
and finished in
satin nickel
(SML14-SN).
White inside (underneath).





SMC8-PC

Painted steel conical shade.

Weight: 0.1Kg. **Neck:** 30mm (BC)

Height: 85mm. **Width:** 220mm **Depth:** 220mm

Shown in matt black (white inside). Also available in other painted colours or in satin nickel (SMC8-SN)



SMC10-PC Green

Painted steel conical shade.

Weight: 0.31Kg. **Neck:** 30mm (BC)

Height: 110mm. **Width:** 260mm **Depth:** 260mm.

Shown in green (white inside). Also available in other painted colours or in satin nickel (SMC10-SN).

SMC12-PC White

Painted steel conical shade.

Weight: 0.23Kg. **Neck:** 30mm (BC)

Height: 130mm. **Width:** 310mm

Depth: 310mm

Shown in white (white inside). Also available in other painted colours or in satin nickel (SMC12-SN).



SMC14-SN

Steel conical shade, finished in satin nickel
White inside (underneath).

Weight: 0.66Kg. **Neck:** 30mm (BC)

Height: 150mm. **Width:** 370mm **Depth:** 370mm

Also available in painted colours (SMC14-PC).



S152-BL

Six inch black round linen bottom mount shade.
Top dimensions 89mm diameter.

Width: 152mm **Depth:** 152mm **Height:** 178mm.
Neck: 30mm (BC), **Weight:** 0.2Kg.

S152-WL

Six inch white round linen bottom mount shade.
Top dimensions 89mm diameter.

Width: 152mm **Depth:** 152mm **Height:** 178mm.
Neck: 30mm (BC), **Weight:** 0.2Kg.





S5-WSQ

Five inch white square silk bottom mount shade.
Top dimensions 85mm x 85mm.

Width: 125mm **Depth:** 125mm **Height:** 125mm.
Neck: 30mm (BC), **Weight:** 0.1Kg.



S5

Five inch white round silk bottom mount shade.
Top dimensions 85mm diameter.

Width: 125mm **Depth:** 125mm **Height:** 125mm.
Neck: 30mm (BC), **Weight:** 0.1Kg.

Available in white (-W), black (-B) and cream (-C).



S1801-C

Clear rounded glass.

Neck: 57mm (G2) **Height:** 180mm.
Width: 180mm **Depth:** 180mm

S1801-OG

Opal gloss rounded glass.

Neck: 57mm (G2) **Height:** 180mm.
Width: 180mm **Depth:** 180mm





S1017-OG

Opal gloss conical glass.

Neck: 57mm (G2) **Height:** 170mm.

Width: 170mm **Depth:** 170mm

Also available in clear (S1017-C).

S1029

Clear conical glass.

Neck: 57mm (G2) **Height:** 290mm.

Width: 290mm **Depth:** 290mm

Also available in opal gloss (S1030).





S1020-OG

Opal gloss conical glass.

Neck: 30mm (BC)

Height: 70mm. **Width:** 200mm **Depth:** 200mm

Also available in green (S1020-G).



S1044

Clear conical glass.

Neck: 83mm (G3)

Height: 440mm. **Width:** 440mm

Depth: 440mm



SGC10-C

Cream conical glass.

Neck: 57mm (G2) **Height:** 115mm. **Width:** 250mm **Depth:** 250mm

Also available in two larger sizes (SGC12-C) and (SGC14-C).
(SGC12-C) **Height:** 140mm. **Width:** 300mm **Depth:** 300mm
(SGC14-C) **Height:** 150mm. **Width:** 350mm **Depth:** 350mm



SGC10-OG

Opal gloss conical glass.

Neck: 57mm (G2) **Height:** 115mm. **Width:** 250mm **Depth:** 250mm

Also available in two larger sizes (SGC12-OG) and (SGC14-OG).
(SGC12-OG) **Height:** 140mm. **Width:** 300mm **Depth:** 300mm
(SGC14-OG) **Height:** 150mm. **Width:** 350mm **Depth:** 350mm

SGC10-G

Green conical glass.

Neck: 57mm (G2) **Height:** 115mm. **Width:** 250mm **Depth:** 250mm

Three other sizes available (SGC8-G) (SGC12-G) and (SGC14-G).
(SGC8-G) **Height:** 100mm. **Width:** 200mm **Depth:** 200mm
(SGC12-G) **Height:** 140mm. **Width:** 300mm **Depth:** 300mm
(SGC14-G) **Height:** 150mm. **Width:** 350mm **Depth:** 350mm



SGC10-OM

Opal matt conical glass.

Neck: 57mm (G2) **Height:** 115mm. **Width:** 250mm **Depth:** 250mm

Also available in two larger sizes (SGC12-OG) and (SGC14-OG).
(SGC12-OM) **Height:** 140mm. **Width:** 300mm **Depth:** 300mm
(SGC14-OM) **Height:** 150mm. **Width:** 350mm **Depth:** 350mm

SGC10-A

Amber conical glass.

Neck: 57mm (G2) **Height:** 115mm. **Width:** 250mm **Depth:** 250mm
Also available in two larger sizes (SGC12-C) and (SGC14-C).

(SGC12-A) **Height:** 140mm. **Width:** 300mm **Depth:** 300mm
(SGC14-A) **Height:** 150mm. **Width:** 350mm **Depth:** 350mm





S6835-W

Round glass bowl.

Height: 90mm.

Width: 350mm

Depth: 350mm

Neck: 3x10mm holes for studs.

Also available in acid frost (-AF).



S1565-40

Round acid frost glass bowl.

Height: 150mm.

Width: 400mm

Depth: 400mm

Neck: 3x10mm holes for studs.

Also available in a larger size S1565-50.

Width: 500mm

Depth: 500mm

Height: 200mm.



S4530

Round fluted acid frost glass bowl.

Height: 175mm.

Width: 300mm

Depth: 300mm

Neck: 3x4mm holes for studs.

Also available in a larger size, (S4531).

Height: 235mm.

Width: 400mm

Depth: 400mm



S1018

Round glass acid frost bowl.

Width: 330mm

Depth: 330mm

Height: 110mm.

Neck: 3x4mm holes for studs.



S128

Round glass acid frost bowl.

Width: 330mm

Depth: 330mm

Height: 110mm.

Neck: 3x4mm holes for studs.



S709

Round acid frost glass bowl.

Height: 135mm.

Width: 300mm

Depth: 300mm

Neck: 3x4mm holes for studs.



S4972

Round glass opal matt bowl.

Width: 270mm

Depth: 270mm

Height: 180mm.

Neck: 210mm (G8), or gravity hooks.



S018-AF

Round glass acid frost bowl.

Width: 400mm

Depth: 400mm

Height: 200mm.

Neck: gravity hooks.

Also available in matt opal S018-OM.

And also available in a smaller size,
(S017-AF) acid frost, (S017-OM) opal matt.

Height: 160mm.

Width: 300mm

Depth: 300mm



S4528

Round matt opal glass bowl.

Height: 190mm.

Width: 300mm

Depth: 300mm

Neck: 210mm (G8), or gravity hooks.





S1222-OM

Round opal matt glass bowl.

Height: 180mm.

Width: 330mm

Depth: 330mm

Neck: gravity hooks.

Available in acid frost (S1222-AF).



S900

Round opal matt glass bowl.

Height: 140mm.

Width: 300mm

Depth: 300mm

Neck: gravity hooks.

Available in a larger size (S920)

Height: 180mm.

Width: 400mm

Depth: 400mm



S6946

Round opal matt glass bowl.

Height: 200mm.

Width: 350mm

Depth: 350mm

Neck: gravity hooks.





S76424-AF

Acid frost glass shade.

Height: 210mm.

Width: 275mm

Depth: 275mm

Neck: 108mm (G4)

Also available in opal matt (S76424-OM).



S71191-AF

Acid frost glass shade.

Height: 420mm. **Width:** 200mm

Depth: 200mm **Neck:** 108mm (G4)

Also available in opal matt (S71191-OM).

S9012

Opal gloss glass shade

Height: 200mm.

Width: 260mm

Depth: 260mm

Neck: 108mm (G4)

Also available in larger size (S9014).

Height: 360mm.

Width: 400mm

Depth: 400mm

Neck: 159mm (G6)





S016-OM

Opal matt glass shade.

Height: 200mm.

Width: 260mm

Depth: 260mm

Neck: 108mm (G4)

Also available in acid frost (S016-AF).

SVL1

Acid etched glass shade.

Neck: 108mm (G4)



S950

Opal matt glass shade.

Height: 200mm.

Width: 260mm

Depth: 260mm

Neck: 108mm (G4)



S6032-OM

Acid frost glass shade

Height: 200mm.

Width: 420mm

Depth: 420mm

Neck: 108mm (G4)

Also available in acid frost (S6032-AF).



S601

Clear cut glass. **Neck:** 108mm (G4)
Height: 115mm. **Width:** 180mm **Depth:** 180mm



S602

Frost and clear cut glass. **Neck:** 108mm (G4)
Height: 115mm. **Width:** 180mm. **Depth:** 180mm



S603

Clear cut glass. **Neck:** 108mm (G4)
Height: 115mm. **Width:** 180mm **Depth:** 180mm



S604

Acid frost cut glass. **Neck:** 108mm (G4)
Height: 115mm. **Width:** 180mm **Depth:** 180mm



S605

Acid etched glass. **Neck:** 108mm (G4)
Height: 115mm. **Width:** 180mm **Depth:** 180mm



S706

Acid etched glass. **Neck:** 57mm (G2)
Height: 135mm. **Width:** 155mm **Depth:** 155mm



S501-1

Clear cut glass.

Neck: 57mm (G2) **Height:** 120mm.

Width: 120mm **Depth:** 120mm



S501-2

Frost and clear cut glass.

Neck: 57mm (G2) **Height:** 120mm.

Width: 120mm **Depth:** 120mm



S501-3

Clear cut glass.

Neck: 57mm (G2) **Height:** 120mm.

Width: 120mm **Depth:** 120mm



S501-4

Acid frost cut glass.

Neck: 57mm (G2) **Height:** 120mm.

Width: 120mm **Depth:** 120mm



S501-5

Acid etched glass.

Neck: 57mm (G2) **Height:** 120mm.

Width: 120mm **Depth:** 120mm



S163

Double etched glass.

Neck: 30mm (BC)

Height: 120mm.

Width: 130mm

Depth: 130mm

S1121

Acid etched glass.

Neck: 45mm (ES)

Height: 220mm.

Width: 275mm

Depth: 275mm





S165

Double etched glass.

Neck: 30mm (BC)

Height: 120mm. **Width:** 130mm **Depth:** 130mm



S1700

Acid etched glass.

Neck: 30mm (BC)

Height: 120mm. **Width:** 130mm **Depth:** 130mm

Also available with amber tip (S1701), or with ruby tip (S1702).



S1587

Pink frosted glass.

Neck: 30mm (BC)

Height: 100mm. **Width:** 135mm **Depth:** 135mm



S205

Acid etched glass.

Neck: 30mm (BC)

Height: 100mm. **Width:** 135mm **Depth:** 135mm

Also available in inverse pattern, i.e. clear etched (S204).

S505

Acid etched glass.

Neck: 30mm (BC)

Height: 140mm. **Width:** 130mm **Depth:** 130mm

Also available in inverse pattern, i.e. clear etched (S504).





S1509

Acid frost and clear glass.

Neck: 57mm (G2)

Height: 95mm. **Width:** 160mm **Depth:** 160mm



S96930

Acid ruby glass.

Neck: 57mm (G2)

Height: 90mm. **Width:** 145mm **Depth:** 145mm

Also available in acid frost (S93254).

Also available in acid amber (S96928).



S03-037

Acid pink glass.

Neck: 57mm (G2)

Height: 110mm. **Width:** 160mm **Depth:** 160mm

Also available in acid frost (S01-037).



S404

Acid frost glass.

Neck: 57mm (G2)

Height: 130mm. **Width:** 130mm **Depth:** 130mm



S930

Opal matt glass.

Neck: 57mm (G2)

Height: 100mm. **Width:** 150mm **Depth:** 150mm



S2170

Opal matt glass.

Neck: 57mm (G2)

Height: 140mm. **Width:** 160mm **Depth:** 160mm



S77273-OG

Opal gloss glass.

Neck: 57mm (G2)

Height: 100mm. **Width:** 150mm **Depth:** 150mm

Also available in acid frost (S77273-AF).



S3133

Acid etched glass.

Neck: 57mm (G2)

Height: 115mm. **Width:** 180mm **Depth:** 180mm

S3138

Acid etched glass.

Neck: 57mm (G2)

Height: 145mm. **Width:** 180mm **Depth:** 180mm



S2295

Opal gloss glass.

Neck: 83mm (G3)



S2740

Acid frost glass.

Neck: 57mm (G2)

Height: 150mm. **Width:** 110mm **Depth:** 110mm



S93036

Opal matt glass.

Neck: 57mm (G2)

Height: 140mm. **Width:** 130mm **Depth:** 130mm



S93039

Opal matt glass. **Neck:** 57mm (G2)

Height: 130mm. **Width:** 110mm **Depth:** 110mm



S92719

Acid frost glass. **Neck:** 57mm (G2)
Height: 140mm. **Width:** 110mm **Depth:** 110mm

S2758

Acid frost glass.
Neck: 57mm (G2)
Height: 180mm.
Width: 105mm
Depth: 105mm



S7598

Acid pink glass.
Neck: 57mm (G2)
Height: 145mm. **Width:** 140mm **Depth:** 140mm
Also available in acid frost (S2766).





S3004

Acid frost patterned.

Neck: 57mm (G2)

Height: 90mm.

Width: 110mm

Depth: 110mm



S211

Opal gloss glass.

Neck: 83mm (G3)

Height: 180mm. **Width:** 140mm **Depth:** 140mm



S31723

Opal matt glass.

Neck: 57mm (G2)

Height: 180mm. **Width:** 140mm **Depth:** 140mm



SPH150-AF

Acid frost sphere.

Neck: 83mm (G3)

Height: 150mm. **Width:** 150mm **Depth:** 150mm

Larger sizes available with **Neck:** 108mm (G4)

SPH200-AF 200mm sphere

SPH250-AF 250mm sphere



SPH150-OM

Opal matt sphere.

Neck: 83mm (G3)

Height: 150mm. **Width:** 150mm **Depth:** 150mm

Larger sizes available with **Neck:** 108mm (G4)

SPH200-OM 200mm sphere

SPH250-OM 250mm sphere

SPH300-OM 300mm sphere



SPH150-OG

Opal gloss sphere.

Neck: 83mm (G3)

Height: 150mm. **Width:** 150mm **Depth:** 150mm

Larger sizes available with **Neck:** 108mm (G4)

SPH200-OG 200mm sphere

SPH250-OG 250mm sphere

SPH300-OG 300mm sphere

SPH150-AE

Acid etched sphere.

Neck: 83mm (G3)

Height: 150mm. **Width:** 150mm **Depth:** 150mm

Larger sizes available with **Neck:** 108mm (G4)

SPH200-AE 200mm sphere

SPH250-AE 250mm sphere



S801

Clear diamond cut glass.

Neck: 57mm (G2)

Height: 200mm.

Width: 125mm

Depth: 125mm

Also available in grape (S802)
and plain (S801P)



S1

Acid diamond cut glass.

Neck: 57mm (G2)

Height: 200mm. **Width:** 125mm **Depth:** 125mm





S901

Clear diamond cut glass.

Neck: 57mm (G2)

Height: 230mm.

Width: 155mm

Depth: 155mm

Also available in plain (S901P).



S902

Clear grape glass.

Neck: 57mm (G2)

Height: 230mm.

Width: 155mm

Depth: 155mm

S1061

Acid frost cut glass.

Neck: 83mm (G3)

Height: 170mm.

Width: 110mm

Depth: 110mm



S1060

Acid frost diamond cut glass.

Neck: 83mm (G3)

Height: 170mm. **Width:** 110mm **Depth:** 110mm

S94029

Acid frost flame glass.

Neck: 83mm (G3)

Height: 170mm. **Width:** 130mm **Depth:** 130mm





S94030

Acid frost flame glass.

Neck: 108mm (G4)

Height: 240mm. **Width:** 180mm **Depth:** 180mm



S2702

Acid frost cut glass.

Neck: 108mm (G4)

Height: 270mm. **Width:** 180mm **Depth:** 180mm

S987

Acid etched glass with
10mm hole for F7 finial,
specify colour.

Neck: 108mm (G4)

Height: 280mm.

Width: 220mm

Depth: 220mm



S2705

Acid frost cut glass.

Neck: 108mm (G4)

Height: 270mm. **Width:** 180mm **Depth:** 180mm

S1122

Acid etched glass.

Neck: 108mm (G4)

Height: 275mm. **Width:** 230mm **Depth:** 230mm





S982

Opal matt glass.
Neck: 210mm (G8)
Height: 190mm.
Width: 250mm
Depth: 250mm



S190

Opal gloss glass.
Neck: 57mm (G2)
Height: 100mm. **Width:** 225mm **Depth:** 225mm.

Larger size available (S191).
Height: 125mm. **Width:** 280mm **Depth:** 280mm.





S92720

Acid frost fluted glass.

Neck: 30mm (BC)

Height: 140mm. **Width:** 120mm **Depth:** 120mm

S4745

Acid frost fluted glass.

Neck: 45mm (ES)

Height: 105mm. **Width:** 180mm **Depth:** 180mm

Also available in two larger sizes.

(S4746) **Height:** 125mm. **Width:** 300mm **Depth:** 300mm

(S4747) **Height:** 140mm. **Width:** 400mm **Depth:** 400mm



S92110

Acid frost glass. **Neck:** 45mm (ES)

Height: 140mm. **Width:** 300mm **Depth:** 300mm

Also available in a larger size (S92111).

Height: 140mm. **Width:** 400mm **Depth:** 400mm





S310

Matt opal glass.

Neck: 30mm (BC)

Height: 105mm. **Width:** 180mm **Depth:** 180mm



S92137

Acid frost glass.

Neck: 30mm (BC)

Height: 135mm. **Width:** 95mm **Depth:** 95mm



S92426

Acid frost fluted glass.

Neck: 45mm (ES)

Height: 100mm. **Width:** 160mm **Depth:** 160mm



S92474

Acid frost fluted glass.

Neck: 45mm (ES)

Height: 150mm.

Width: 400mm

Depth: 400mm





S8044-9

Clear fluted Holophane style glass.

Neck: 57mm (G2)

Height: 150mm. **Width:** 400mm **Depth:** 400mm

S1550

Clear fluted Holophane style glass.

Neck: 108mm (G4)

Height: 150mm. **Width:** 300mm **Depth:** 300mm





S8044-6

Clear fluted Holophane style glass.

Neck: 57mm (G2)

Height: 150mm. **Width:** 400mm **Depth:** 400mm



S2515

Clear fluted Holophane style glass.

Neck: 57mm (G2)

Height: 105mm. **Width:** 180mm **Depth:** 180mm

S1279

Clear fluted Holophane style glass.

Neck: 45mm (ES)

Height: 400mm. **Width:** 400mm **Depth:** 420mm





S40

Opal gloss schoolhouse style glass.

Neck: 159mm (G6)

Height: 450mm. **Width:** 400mm **Depth:** 400mm



S2250

Opal gloss schoolhouse style glass.

Neck: 108mm (G4)

Height: 170mm.

Width: 250mm

Depth: 250mm

Larger size available (S2400)

Neck: 159mm (G6)

Height: 230mm.

Width: 400mm

Depth: 400mm



S4154

Opal gloss schoolhouse style glass.

Neck: 159mm (G6)

Height: 200mm.

Width: 400mm

Depth: 400mm

S1300

Opal gloss schoolhouse style glass.

Neck: 108mm (G4)

Height: 170mm.

Width: 300mm

Depth: 300mm

Smaller size available (S1100)

Height: 150mm.

Width: 225mm

Depth: 225mm

Larger size available (S1400)


Neck: 159mm (G6)

Height: 230mm.

Width: 400mm

Depth: 400mm





Accessories, Parts & Globes

Light design is one of the most important aspects of your home décor. For your interiors to look and feel good, it's important to choose not only the right light fittings, but the right accessories and parts. At Robert Kitto, we have a wide range of lighting accessories and parts to bring out the best from your lights. Choose from our extensive selection of galleries and glasses to create the perfect pendant or suspension light. We stock a vast range of cast pressed

and spun brass components as well as a wide selection of electrical and other parts to repair or redesign your light fittings if needed. Whether you want your table light rewired with an in line switch or a switch on the lamp holder instead, Robert Kitto Lighting can repair and adjust your lamps whilst meeting all safety standards and approvals.

The first light globe was invented over two hundred years ago, it was dull, expensive



VIN-ST64-60-E27 globes shown outside, and S2400 glass shades seen on the interior, at Bistro Blackwood in Adelaide's CBD.

and only lasted a day. It was not until the late 19th century when Thomas Edison made filament globes which lasted over one thousand hours and after George Westinghouse's large-scale manufacturing plant took control, globes were able to be produced on a commercial scale and thus, the electric lighting industry began. Now, 100 years since Edison's filament lights were produced, they are still shining

in style at Robert Kitto Lighting. With all sorts of shapes and sizes the long fine filaments within our vintage globes glow a beautiful bright amber. Now a modern addition, as history repeats, try our vintage globe lights, available with a range of cord suspensions available in many colours and designs. We at Robert Kitto strive to deliver quality and reliability, and our products accessories, and service are sure to satisfy.

DL-ZR1078

Round Italian decorative die cast solid brass downlight shown in old brass with a LED Module.

Recommended for posh cafes, fine dining restaurants, swanky bar bulkheads, European styled villas, or any other space that deserves a quality fitting but lacks the room required for hanging fittings.

Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Cutout: 90mm.



DL-ZR1084

Square Italian decorative die cast solid brass downlight shown in old brass with a LED Module. Recommended for posh cafes, fine dining restaurants, swanky bar bulkheads, European styled villas, or any other space that deserves a quality fitting but lacks the room required for hanging fittings.

Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Cutout: 90mm.

F1228

7 Watt Dimmable LED Module. Fits our range of brass downlights as well as being a complete module to retro fit many existing halogen downlights. 80CRI 60 degree beam angle 3000k Warm white 720 lumen output 50 000 hour lifespan.

Cutout: 50mm (MR16 size).



**DL6340**

Italian pressed brass downlight shown in bright chrome with a LED Module, Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Cutout: 90mm.

**DL6320**

Italian pressed brass downlight shown in bright chrome with a LED Module, Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC). **Cutout:** 90mm.

**DL6320**

Italian pressed brass downlight shown in black bronze with a LED Module, Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Cutout: 90mm.

**DL6420**

Italian pressed brass downlight shown in antique nickel with a LED Module, Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC). **Cutout:** 90mm.

**DL6240**

Italian pressed brass downlight shown in antique nickel with a LED Module, Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC). **Cutout:** 90mm.

**DL6040**

Italian pressed brass downlight shown in old brass with a LED Module, Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC). **Cutout:** 90mm.



VIN-LED-C35-B15

4 Filament,
Non-Dimmable
vintage LED globe,
B15 (SBC) brass base
240 Volt 0.0133 Amp (3.2 Watt)
2200 Kelvin (Warm White)
175 Lumen output.

VIN-LED-ST64-B22

Non-Dimmable vintage LED globe,
B22 (BC) brass base 4 Filaments,
240 Volt 0.017 Amp (4 Watt)
2200 Kelvin (Warm White)
270 Lumen output.



VIN-LED-ST64-B22

4 Filament
Non-Dimmable
vintage LED globe,
B22 (BC) brass base
240 Volt 0.017 Amp (4 Watt)
2200 Kelvin (Warm White)
270 Lumen output.



VIN-LED-C35T-B15

4 Filament,
Non-Dimmable
vintage LED globe,
B15 (SBC) brass base
240 Volt 0.0133 Amp (3.2 Watt)
2200 Kelvin (Warm White)
175 Lumen output.



VIN-LED-ST64-E27

4 Filament,
Non-Dimmable
vintage LED globe,
E27 (ES) brass base
240 Volt 0.017 Amp (4 Watt)
2200 Kelvin (Warm White)
270 Lumen output.



VIN-LED-G125-E27

Non-Dimmable vintage LED globe,
E27 (ES) brass base 4 Filaments,
240 Volt 0.017 Amp (4 Watt)
2200 Kelvin (Warm White)
270 Lumen output.



VIN-LED-C35-E14

4 Filament,
Non-Dimmable
vintage LED globe,
E14 (SES) brass base
240 Volt 0.0133 Amp (3.2 Watt)
2200 Kelvin (Warm White)
175 Lumen output.



VIN-LED-C35T-E14

4 Filament,
Non-Dimmable
vintage LED globe,
E14 (SES) brass base
240 Volt 0.0133 Amp (3.2 Watt)
2200 Kelvin (Warm White)
175 Lumen output.



VIN-T9-60-B22

Vintage incandescent globe
B22 (BC) brass base 12 Anchors
240 Volt 0.25 Amp (60 Watt)
Dimmable



VIN-ST64-60-B22

Dimmable vintage incandescent globe,
B22 (BC) brass base 19 Anchors,
240 Volt 0.25 Amp (60 Watt)




VIN-T45-60-B22

Vintage incandescent globe, B22 (BC) brass base
15 Anchors, 240 Volt 0.25 Amp (60 Watt) Dimmable



VIN-ST64-60-E27

Vintage incandescent globe,
E27 (ES) brass base 19 Anchors,
240 Volt 0.25 Amp (60 Watt)
Dimmable



VIN-T45-60-E27

Vintage incandescent globe,
E27 (ES) brass base 15 Anchors,
240 Volt 0.25 Amp (60 Watt)
Dimmable



VIN-T9-60-E27

Vintage incandescent globe,
E27 (ES) brass base 12 Anchors,
240 Volt 0.25 Amp (60 Watt)
Dimmable



VIN-G125-60-E27

Vintage incandescent globe,
E27 (ES) brass base 29 Anchors,
240 Volt 0.25 Amp (60 Watt)
Dimmable



VIN-G125-60-B22

Vintage incandescent globe,
B22 (BC) brass base 29 Anchors,
240 Volt 0.25 Amp (60 Watt)
Dimmable



VIN-G95-60-B22

Vintage incandescent globe,
B22 (BC) brass base 29 Anchors,
240 Volt 0.25 Amp (60 Watt)
Dimmable.





VIN-G95D-E27

Dimmable vintage incandescent globe,
E27 (ES) brass base 19 Anchors,
240 Volt 0.17 Amp (40 Watt)
Diamond Cut.



VIN-G95B-E27

Dimmable vintage incandescent globe,
E27 (ES) brass base 19 Anchors,
240 Volt 0.17 Amp (40 Watt)
Balloon shape Cut.

VIN-G95-60-E27

Vintage incandescent globe,
E27 (ES) brass base 19 Anchors,
240 Volt 0.25 Amp (60 Watt)
Dimmable

VIN-G95-SF-E27

Vintage incandescent globe,
E27 (ES) brass base Squirrel Filament,
240 Volt 0.1 Amp (25 Watt)
Dimmable



**CABLE-3CLFBLC**

250 Volt 7.5 Amp rated black cotton filled flexible cable. 100M roll x 7.5mm diameter double insulated 3 x 0.75mm 24/0.2 strands

**CABLE-3CLFBC**

250 Volt 7.5 Amp rated brown cotton filled flexible cable. 100M roll x 7.5mm diameter double insulated 3x 0.75mm 24/0.2 strands

**CABLE-3CLFGC**

250 Volt 7.5 Amp rated gold cotton filled flexible cable. 100M roll x 7.5mm diameter double insulated 3 x 0.75mm 24/0.2 strands

**CABLE-3CLFGYC**


250 Volt 7.5 Amp rated grey cotton filled flexible cable. 100M roll x 7.5mm diameter double insulated 3 x 0.75mm 24/0.2 strands

**CABLE-3CLFRC**

250 Volt 7.5 Amp rated red cotton filled flexible cable. 100M roll x 7.5mm diameter double insulated 3 x 0.75mm 24/0.2 strands

**CABLE-CLFWC**

250 Volt 7.5 Amp rated white cotton filled flexible cable.
100M roll x 7.5mm diameter double insulated 3 x 0.75mm 24/0.2 strands

**CABLE-3CBW**

250 Volt 7.5 Amp rated B&W cotton filled flexible cable.
100M roll x 7.5mm diameter double insulated 3 x 0.75mm 24/0.2 strands

**CABLE-3CLFB**

250 Volt 7.5 Amp rated black PVC flexible cable. 100M roll x 7.5mm diameter double insulated 3 x 0.75mm 24/0.2 strands

**CABLE-3CLFC**

250 Volt 7.5 Amp rated clear PVC flexible cable. 100M roll x 7.5mm diameter double insulated 3 x 0.75mm 24/0.2 strands

**CABLE-3CLFG**

250 Volt 7.5 Amp rated gold PVC flexible cable. 100M roll x 7.5mm diameter double insulated 3 x 0.75mm 24/0.2 strands

**CABLE-3CLFW**

250 Volt 7.5 Amp rated white PVC flexible cable. 100M roll x 7.5mm diameter double insulated 3 x 0.75mm 24/0.2 strands

**CABLE-3CT-BLACK**

250 Volt 7.5 Amp rated black twisted Italian silk flexible cable. 50M roll double insulated 3 x 0.75mm 24/0.2 strands

**CABLE-3CT-BROWN**

250 Volt 7.5 Amp rated brown twisted Italian silk flexible cable. 50M roll double insulated 3 x 0.75mm 24/0.2 strands

**CABLE-3CT-GOLD**

250 Volt 7.5 Amp rated gold twisted Italian silk flexible cable. 50M roll double insulated 3 x 0.75mm 24/0.2 strands



CABLE-2CFB

250 Volt 7.5 Amp rated black PVC flat flexible cable. 100M roll x 7.5mm diameter double insulated 2 x 0.75mm 24/0.2 strands



CABLE-2CFC

250 Volt 7.5 Amp rated clear PVC flat flexible cable. 100M roll x 7.5mm diameter double insulated 2 x 0.75mm 24/0.2 strands



CABLE-2CFG

250 Volt 7.5 Amp rated gold PVC flat flexible cable. 100M roll x 7.5mm diameter double insulated 2 x 0.75mm 24/0.2 strands



CABLE-2CFW

250 Volt 7.5 Amp rated white PVC flat flexible cable. 100M roll x 7.5mm diameter double insulated 2 x 0.75mm 24/0.2 strands

CABLE-2CLFC



250 Volt 7.5 Amp rated clear PVC flexible cable. 100M roll x 7.5mm diameter double insulated 2 x 0.75mm 24/0.2 strands



SW-KS1-BLACK

Black 250 Volt 2.0 Amp rated serviceable cordline switch.



SW-KS1-CLEAR

Clear 250 Volt 2.0 Amp rated serviceable cordline switch.



SW-KS1-GOLD

Gold 250 Volt 2.0 Amp rated serviceable cordline switch.



SW-KS1-WHITE

White 250 Volt 2.0 Amp rated serviceable cordline switch.

FS-KS2-BLACK

Black 250 Volt 2.0 Amp rated serviceable cordline foot switch.




**CABLE-3CPSB**

Black 3 core PVC cordset, molded plug, inline switch. 2.5 metres.
250 Volt 7.5 Amp rated, double insulated 3 x 0.75mm 24/0.2 strands.

**CABLE-3CPSG**

Gold 3 core PVC cordset, molded plug,
inline switch. 2.5 metres. 250 Volt 7.5 Amp rated,
double insulated 3 x 0.75mm 24/0.2 strands.

**CABLE-3CPSW**


White 3 core PVC cordset, molded plug, inline switch.
2.5 metres. 250 Volt 7.5 Amp rated, double insulated 3 x 0.75mm 24/0.2 strands.

CABLE-TLCS

Brown 3 core cotton filled table lamp cordset with molded plug,
2.5 metres, 250 Volt 7.5 Amp rated, double insulated 3 x 0.75mm
24/0.2 strands.

**CABLE-3CPG**

Gold 3 core PVC table lamp cordset with molded plug.
2.5 metres. 250 Volt 7.5 Amp rated, double insulated
3 x 0.75mm 24/0.2 strands. Also available in black (3CPB).

**CABLE-FSCS**

Black 3 core PVC floor lamp cordset with molded plug. 4.0 metres.
250 Volt 7.5 Amp rated, double insulated 3 x 0.75mm 24/0.2 strands.

**CABLE-3CFS**


Black 3 core PVC cordset, molded plug, inline foot
switch. 4.3 metres. 250 Volt 2.5 Amp rated, double
insulated 3 x 0.75mm 24/0.2 strands.






CABLE-2CPSG

Gold 2 core PVC cordset, molded plug, inline switch. 2.5 metres. 250 Volt 7.5 Amp rated, double insulated 2 x 0.75mm 24/0.2 strands.



CABLE-2CPSB

Black 2 core PVC cordset, molded plug, inline switch. 2.5 metres. 250 Volt 7.5 Amp rated, double insulated 2 x 0.75mm 24/0.2 strands.



CABLE-2CPSW

White 2 core PVC cordset, molded plug, inline switch. 2.5 metres. 250 Volt 7.5 Amp rated, double insulated 2 x 0.75mm 24/0.2 strands.



CABLE-2C2MB

Black 2 core PVC cordset with molded plug. 2.5 metres. 250 Volt 7.5 Amp rated, double insulated 2 x 0.75mm 24/0.2 strands.

CABLE-2C2G

Gold 2 core PVC cordset with molded plug. 2.5 metres. 250 Volt 7.5 Amp rated, double insulated 2 x 0.75mm 24/0.2 strands.



CABLE-2C2MC

Clear 2 core PVC cordset with molded plug. 2.5 metres. 250 Volt 7.5 Amp rated, double insulated 2 x 0.75mm 24/0.2 strands.





LHGP016C-BRASS

Brass 5 Piece globe holder
Bayonet Cap - B22 (BC) M10x1
entry, no earth. with 30mm
shade ring. 250 Volt 2.0 Amp
rated. 60 Watt maximum.



LHGP016C-BRONZE

Brass 5 Piece globe holder
Bayonet Cap - B22 (BC) M10x1
entry, no earth with 30mm shade
ring. 250 Volt 2.0 Amp rated.
60 Watt maximum.



LHGP016C-NICKEL

Brass 5 Piece globe holder
Bayonet Cap - B22 (BC) M10x1
entry, no earth with 30mm shade
ring. 250 Volt 2.0 Amp rated.
60 Watt maximum.



LHGP018C-BRASS

Brass 5 Piece globe holder
Bayonet Cap - B22 (BC) M10x1 entry,
earthed. With 30mm shade ring. 250 Volt
2.0 Amp rated. 60 Watt maximum.
Available with 12.7mm entry
(LHGP018C-12).



LHGP018C-BRONZE

Brass 5 Piece globe holder
Bayonet Cap - B22 (BC)
M10x1 entry, earthed.
with 30mm shade ring.
250 Volt 2.0 Amp rated.
60 Watt maximum.



LHGP018C-NICKEL

Brass 5 Piece globe holder
Bayonet Cap - B22 (BC)
M10x1 entry, earthed.
with 30mm shade ring.
250 Volt 2.0 Amp rated.
60 Watt maximum.



LH1413E

Brass Bayonet Cap switched
globe holder - B22 (BC)
M10x1 entry, earthed.
with plain body no ring.
250 Volt 2.0 Amp rated.
60 Watt maximum.



LH3413E

Brass Bayonet Cap switched
globe holder - B22 (BC)
12.7mm entry, earthed.
with 30mm shade ring.
250 Volt 2.0 Amp rated.
60 Watt maximum.



LHGP018BT-BRASS

Brass batten fix globe holder
Bayonet Cap - B22 (BC)
M10x1 entry, earthed.
with 30mm shade ring.
250 Volt 2.0 Amp rated.
60 Watt maximum.



LHGP05C

Aluminium 2P Bayonet Cap
globe holder - B22 (BC)
M10x1 entry, no earth.
Golden anodised finish
250 Volt 2.0 Amp rated.
60 Watt maximum.

**LHGPE27-P**

Aluminium 3 Piece globe holder Bayonet Cap - E27 (ES) 12.7mm 26TPI entry, earthed with plain body no ring. 250 Volt 2.0 Amp rated. 60 Watt maximum.

**LHGPE27-C**

Aluminium 5 Piece globe holder Bayonet Cap - E27 (ES) 12.7mm 26TPI entry, no earth with 45mm shade rings. 250 Volt 2.0 Amp rated. 60 Watt maximum.

**LHGP014P-BRASS**

Brass 4 Piece globe holder Small bayonet cap - B15 (SBC) M10x1 entry, no earth with plain body no ring. 250 Volt 2.0 Amp rated. 60 Watt maximum.

**LHB15-W**

White 4 Piece globe holder Small bayonet cap - B15 (SBC) M10x1 entry, no earth with 30mm shade ring. 250 Volt 2.0 Amp rated. 60 Watt maximum.

**LHB22S-B**

Black switched Bayonet Cap globe holder - B22 (BC) M10x1 entry, no earth. with shade ring skirt. 250 Volt 2.0 Amp rated. 60 Watt maximum.

**LHB22S-W**

White switched Bayonet Cap globe holder - B22 (BC) M10x1 entry, no earth. with shade ring skirt. 250 Volt 2.0 Amp rated. 60 Watt maximum.

**LHB22-B**

Black 3 Piece Bayonet Cap globe holder - B22 (BC) M10x1 entry, no earth. with shade ring skirt. 250 Volt 2.0 Amp rated. 60 Watt maximum.

**LHB22-W**

White 3 Piece Bayonet Cap globe holder - B22 (BC) M10x1 entry, no earth. with shade ring skirt. 250 Volt 2.0 Amp rated. 60 Watt maximum.

**LHE14**

Black 3 Piece globe holder Small Edison screw, E14 (SES) M10x1 entry, no earth. with shade ring skirt. 250 Volt 2.0 Amp rated. 60 Watt maximum.

**LHE27WB**

Plastic globe holder Edison Screw - E27 (ES) L shaped bracket, no earth. with plain body no ring. 250 Volt 2.0 Amp rated. 60 Watt maximum.

**LHE27-B**

Black 4 Piece globe holder Edison Screw - E27 (ES) M10x1 entry, no earth. with 45mm shade ring. 250 Volt 4.0 Amp rated. 60 Watt maximum.

**LHE27-W**

White 4 Piece globe holder Edison Screw - E27 (ES) M10x1 entry, no earth. with 45mm shade ring. 250 Volt 4.0 Amp rated. 60 Watt maximum.



LHE14L

Black long 3 piece candle globe holder Small edison screw - E14 (SES). M10x1 integrated lock nut with earth. 250 Volt 2.0 Amp rated. 60 Watt maximum.

Height: 105mm Ø 28mm



LAGG10-W

Italian opaque white imitation candle cover for LHE14L globe holder.

Height: 105mm. Ø 30mm.



LAGG10-C

Italian opaque cream imitation candle cover for LHE14L globe holder.

Height: 105mm. Ø 30mm.



LAGG10-A

Italian opaque antique imitation candle cover for LHE14L globe holder.

Height: 105mm. Ø 30mm.



LHE14S

Black short 3 piece candle globe holder Small edison screw - E14 (SES). M10x1 integrated lock nut with earth. 250 Volt 2.0 Amp rated. 60 Watt maximum.

Height: 70mm Ø 28mm



LAGG7-W

Italian opaque white imitation candle cover for LHE14S globe holder.

Height: 70mm. Ø 30mm.



LAGG7-C

Italian opaque cream imitation candle cover for LHE14S globe holder.

Height: 70mm. Ø 30mm.



LAGG7-A

Italian opaque antique imitation candle cover for LHE14S globe holder.

Height: 70mm. Ø 30mm.

**BTDD105**

Italian brass drip imitation candle cover for LHE14L globe holder, shown in black bronze. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), satin nickel (-SN), bright nickel (-BN), bright chrome (-BC), or powder coated (-PC).

Height: 105mm. Ø 30mm.

**BTDD70**

Italian brass drip imitation candle cover for LHE14S globe holder, shown in polished brass. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), satin nickel (-SN), bright nickel (-BN), bright chrome (-BC), or powder coated (-PC).

Height: 70mm. Ø 30mm.

**BTP105**

Italian brass plain imitation candle cover for LHE14L globe holder, shown in bright chrome. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), satin nickel (-SN), bright nickel (-BN), bright chrome (-BC), or powder coated (-PC).

Height: 105mm. Ø 30mm.

**BTP70**

Italian brass plain imitation candle cover for LHE14L globe holder, shown in satin nickel. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), satin nickel (-SN), bright nickel (-BN), bright chrome (-BC), or powder coated (-PC).

Height: 70mm. Ø 30mm.

**BER58-0500**

Brass Extension rod 5/8" x 500mm threaded both ends 5mm x 26TPI with straight through coupling, shown in antique bronze.

Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), satin nickel (-SN), bright nickel (-BN), bright chrome (-BC), or powder coated (-PC).

Also available in lengths of 750mm (BER58-0750), and 1000mm (BER58-1000).

BER12-0500

Brass Extension rod 1/2" x 500mm threaded both ends 5mm x 26TPI with straight through coupling, shown in polished brass.

Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), satin nickel (-SN), bright nickel (-BN), bright chrome (-BC), or powder coated (-PC).

Also available in lengths of 750mm (BER12-0750), and 1000mm (BER12-1000).

BER34-0500

Brass Extension rod 3/4" x 500mm threaded both ends 5mm x 26TPI with straight through coupling, shown in antique nickel. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), satin nickel (-SN), bright nickel (-BN), bright chrome (-BC), or powder coated (-PC).

Also available in lengths of 750mm (BER34-0750), and 1000mm (BER34-1000).

BER38-0500

Brass Extension rod 3/8" x 500mm threaded both ends 5mm x 26TPI with straight through coupling, shown in satin nickel. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), satin nickel (-SN), bright nickel (-BN), bright chrome (-BC), or powder coated (-PC).

Also available in lengths of 750mm (BER38-0750), and 1000mm (BER38-1000).



ROV-C6-11



Light duty rectangular link nickel coloured steel chain, 1000mm lengths.

ROV-C6-33



Light duty rectangular link brass coloured steel chain, 1000mm lengths.

ROV-C6-43



Light duty rectangular link bronze coloured steel chain, 1000mm lengths.

ROV-C9-11



Regular duty oval link nickel coloured steel chain, 1000mm lengths.

ROV-C9-33



Regular duty oval link brass coloured steel chain, 1000mm lengths.

ROV-C9-43



Regular duty oval link bronze coloured steel chain, 1000mm lengths.

ROV-C8-11



Heavy duty rectangular link nickel coloured steel chain, 1000mm lengths.

ROV-C8-33



Heavy duty rectangular link brass coloured steel chain, 1000mm lengths.

ROV-C8-43



Heavy duty rectangular link bronze coloured steel chain, 1000mm lengths.

GH-C7-04



Heavy duty 4mm rectangular link raw brass chain, 475mm lengths.

GH-C7-05



Heavy duty 5mm rectangular link raw brass chain, 475mm lengths.

GH-C3



Regular duty oval link decorative raw brass chain, 475mm lengths.

GH-C5



Heavy duty rectangular link decorative raw brass chain.



VP3

Brass adapter for B22 (BC) globe holder to 45mm shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC). Also shown VP3D (Deeper for thick glass shades).



G4G

Cast brass 4.25" (108mm) gallery with 30mm entry for a B22 (BC) globe holder. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).



G6DS

Spun brass 6.25" (159mm) gallery with 10mm entry for intergrating into a fitting. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC). Available in 4.25", 3.25" and 2.25" sizes each with three screws instead of four. (G4DS), (G3DS) and (G2DS) respectively.



G2F

Pressed brass 2.25" (57mm) open gallery with 30mm entry for a B22 (BC) globe holder. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).



G3GS

Cast brass 3.25" (83mm) gallery with 10mm entry for intergrating into a fitting. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Available in 4.25", 3.25" and 2.25" sizes (G4GS), (G3GS) and (G2GS) respectively.



G5S

Pressed brass 5.25" (133mm) gallery with 10mm entry for intergrating into a fitting. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC). Available in 4.25" and 3.25" sizes (G4S) and (G3S) respectively.



G8

Pressed brass 8.25" (210mm) gallery with 30mm entry for a B22 (BC) globe holder. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC). Available in 6.25", 5.25", 4.25", 3.25" and 2.25" sizes each with three screws instead of four. (G6), (G5), (G4), (G3) and (G2) respectively.

**CPD145**

Pressed ceiling plate with cast decorative column and sconce cup and globe holder shown in old brass. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

**CPD102**

Cast ceiling plate with cast decorative column and sconce cup and globe holder shown in black bronze. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

**CG130**

Cast Gimbal brass 130mm height with 30mm entry for a B22 (BC) globe holder. 2.25" (57mm) top shade support. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

**ABG130**

Brass Gimbal 130mm height with 30mm entry for a B22 (BC) globe holder. 2.25" (57mm) top shade support. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

**ROV N60**

60mm zinc plated steel all threaded tube M10x1mm. Available in lengths of 10mm, 15mm, 20mm, 25mm, 30mm, 40mm, 45mm, 50mm, 60mm, 70mm, 80mm, 90mm, 100mm, 125mm, 150mm, 300mm & 1000mm.

ET3

Earth tag with 10mm hole for earthing multiple globe holder metal pendants or fittings with a non-metal globe holder.

MISCL-CUP-HOOK

Steel hook for ceiling mounting hanging fittings which are fitted with a Suspension hook.

**SF8**

Cast brass decorative 8.25" (210mm) spider with 30mm entry for a B22 (BC) globe holder. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

ROV LN9

Zinc plated steel M10x1mm lock nut 13mm hexagonal.



CPOLH

100mm ceiling plate offset swivel and B22 (BC) globe holder attached to a 120mm stained woodblock. Hand finished in polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).



CPHD

Deep ceiling plate and hook mounted on a 85mm stained woodblock. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).



CP

100mm ceiling plate with 30mm hole to cover a batten fix B22 (BC) globe holder. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).



CPLH3

75mm ceiling plate, sconce cup and B22 (BC) globe holder. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).



CPLH4

100mm ceiling plate, sconce cup and B22 (BC) globe holder. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).



CPH

100mm ceiling plate and hook mounted on a 120mm stained woodblock. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).



WB1

85mm stained woodblock



WB50

120mm stained woodblock with 50mm hole.



CPLH3C

75mm diecast decorative ceiling plate, sconce cup and B22 (BC) globe holder. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).



CPO

100mm ceiling plate offset swivel mounted on a 120mm stained woodblock. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).



CPOLH3C

75mm diecast decorative ceiling plate, offset swivel sconce cup and B22 (BC) globe holder. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).



**CA44-34**

100mm spun brass ceiling canopy with 19.050mm hole, Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC). Available in 3/4" (CA44-34) Available in 5/8" (CA44-58) Available in 1/2" (CA44-12) Available in 3/8" (CA44-10)

**CA44-10SG**

100mm ceiling canopy with 10mm hole, 90mm x 10mm stem and brass cord grip. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

**CA44-10SH**

100mm ceiling canopy with 10mm hole, 90mm x 10mm stem and brass hook. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

**CA44-10SL**

100mm ceiling canopy with 10mm hole, 90mm x 10mm stem and brass loop. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC). Available in 3/4" (CA44-34SL)

**CA45-10**

100mm brass ceiling canopy with 10mm hole, shown in black bronze. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC). Available in 1/2" (CA45-12)

**CA72-10**

60mm brass ceiling canopy with 10mm hole, shown in polished brass. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC). Available in 1/2" (CA72-12)

**CA19-10**

90mm brass ceiling canopy with 10mm hole, shown in polished brass. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

**CA15-10**

90mm brass ceiling canopy with 10mm hole, shown in old brass. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).





FF200-BG

Brass flush fitting with glass ring and finial, shown in powder coated satin black. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).



FF-GOUGER-12

Gouger flush fitting 2xB22 (BC) shown in polished brass with an S4495 shade. Also available in a one light, smaller size FF-GOUGER-10.



CP3001

B22 BC ornate cast head with a solid offset swivel and cast decorative back plate. Shown in black bronze. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

CP6

B22 BC batten fix 80mm ceiling plate deep globe holder cover shown in antique bronze with a **VIN-ST64-60-B22**. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).



CPZ183

12Volt B22 BC batten fix 80mm ceiling plate deep globe holder cover shown in antique bronze. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).



CPZ130

12 Volt B22 BC batten fix 80mm ceiling plate deep globe holder cover shown in antique bronze. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).





FF4-G

Gold batten fix cover 4.25" (108mm) gallery with 30mm entry for a B22 (BC) globe holder.



FF3-G

Gold batten fix cover 3.25" (83mm) gallery with 30mm entry for a B22 (BC) globe holder.



FF4-S

Silver batten fix cover 4.25" (108mm) gallery with 30mm entry for a B22 (BC) globe holder.



FF3-S

Silver batten fix cover 3.25" (83mm) gallery with 30mm entry for a B22 (BC) globe holder. Shown with **S211** glass shade.



FF4-W

White batten fix cover 4.25" (108mm) gallery with 30mm entry for a B22 (BC) globe holder. Shown with **S2250** glass shade.



FF3-W

White batten fix cover 3.25" (83mm) gallery with 30mm entry for a B22 (BC) globe holder.



Ceiling - Suspensions

Many houses today are not seeing wide offerings of choice when it comes to lighting, especially over kitchen benches and main living spaces, lacking the character to reflect the home and the people living in it.

Hanging suspension lights are a fantastic way to liven up your home, adding colour, style and more light to brighten up your home. Our extensive range of suspensions is continuously growing, featuring glass shades, metal shades and shadeless cord suspensions. It is clear that hanging suspensions are a great addition to create a more illuminated and comfortable home.

Suspended lights are a delight to use in any setting and add a new dimension to your home lighting needs. These lights look and feel good, and add a large dose of class and style to the surroundings. There is a range of styles and purposes for suspension lights and there is no better place to look than Robert Kitto. We offer a wide range of the best products, meticulously constructed with well thought-out designs.

Take a look at our basic models in the Brass Cord Suspension (BCS) and Brass Rod Suspension (BRS) series of suspension lights. These are simply constructed and sport an easygoing, minimalist look, providing great illumination for rooms that require some extra lighting. The BC models are available with your choice of metal finish, and the BR models feature decorative chain adornments giving them a classy and regal look. If you are looking for fashionable working lights for your kitchen or work area, consider our Tom Dixon replica models, which are specially made using design influences from Indian cookware for an additional hint of style. The copper fittings and the matt black finish give these a modern and contemporary look. Need a more retro or rustic ambience and want a little extra old school class? Take a look at our special range of iron rust hanging lights. Specially finished by hand so that no two units are the same, these sport the old-world charm and feel to elevate your interiors to the next level. When looking for suspension lights, shop at Robert Kitto, and you can be guaranteed of complete satisfaction.



PD10S
Ceiling Suspensions
Finished in Antique Bronze
with S1029 shades.

On display at 'The Springfield 242'
Rossdale Homes Virginia Display Village.



BCS3

Brass cord Suspension with an integrated G2D gallery shown in polished brass with an **SGC12-OG** glass shade.

Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC) or powder coated (-PC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 120mm **Depth:** 120mm

Height: 100mm + **Suspension:** 1000mm brown cotton standard.

-AN, -BC and -PC finishes have black cotton cable as standard.



BCS1

Brass cord Suspension shown in black bronze with a **G4** black bronze gallery and an **S2250** shade.

Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC) or powder coated (-PC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 120mm **Depth:** 120mm

Height: 100mm +

Suspension: 1000mm brown cotton standard.

-AN, -BC and -PC finishes have black cotton cable as standard.



BCS4

Brass cord Suspension shown in polished brass with an **SMC14-PC** Green shade.

Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC) or powder coated (-PC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 120mm **Depth:** 120mm

Height: 100mm +

Suspension: 1000mm brown cotton standard.

-AN, -BC and -PC finishes have black cotton cable as standard.




BCS5

Brass cord Suspension shown in satin nickel with an **S2188** shade.

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 80mm **Depth:** 80mm

Height: 80mm + **Suspension:** 1000mm brown cotton standard.



BCS5

Brass cord Suspension shown in iron rust with an **SML14-IR** shade.


Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC) powder coated (-PC), or iron rust (-IR).


Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 80mm **Depth:** 80mm

Height: 80mm + **Suspension:** 1000mm brown cotton standard.

-AN, -BC and -PC finishes have black cotton cable as standard.



**BCS3**

Brass cord suspension with an integrated G2D gallery shown in polished brass. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC) or powder coated (-PC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 120mm **Depth:** 120mm
Height: 130mm + **Suspension:** 1000mm brown cotton standard.
-AN, -BC and -PC finishes have black cotton cable as standard.


BCS1

Brass cord suspension shown in polished brass. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC) or powder coated (-PC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 120mm **Depth:** 120mm
Height: 100mm + **Suspension:** 1000mm brown cotton standard.

-AN, -BC and -PC finishes have black cotton cable as standard.

**BCS5**

Brass cord suspension shown in polished brass. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC) or powder coated (-PC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 80mm **Depth:** 80mm
Height: 80mm + **Suspension:** 1000mm brown cotton standard. -AN, -BC and -PC finishes have black cotton cable as standard.

BCS4

Brass cord suspension shown in polished brass. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC) or powder coated (-PC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 120mm **Depth:** 120mm
Height: 130mm + **Suspension:** 1000mm brown cotton standard.
-AN, -BC and -PC finishes have black cotton cable as standard.

**BCS6**

Brass cord suspension shown in antique bronze with Black cotton cable and a **VIN-G95-60-B22** vintage globe. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 80mm **Depth:** 80mm
Height: 90mm + **Suspension:** 1000mm brown cotton standard.

**BCS6**

Brass cord suspension shown in antique bronze with black cable and a **VIN-ST64-60-B22** vintage globe. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).


Width: 80mm **Depth:** 80mm

Height: 80mm + **Suspension:** 1000mm brown cotton standard.

-AN, -BC and -PC finishes have black cotton cable as standard.

**BCS6**

Also shown in antique nickel with red cable and a **VIN-G125-60-B22** vintage globe.

**BCS7**

Brass cord suspension shown in antique bronze. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 80mm **Depth:** 80mm

Height: 120mm +

Suspension: 1000mm brown cotton standard.

**BCS8**

Brass cord suspension shown in old brass. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 275mm **Depth:** 80mm

Height: 310mm +

Suspension: 1000mm brown cotton standard.





BCS2

Brass pendant suspension with black cotton flex, an integrated deep cup and loop shown in antique bronze with an antique bronze **SMC11** shade.

Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC) or powder coated (-PC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 100mm **Depth:** 100mm

Height: 250mm + **Suspension:** 1000mm Cotton cable

BCS2-G2GS-ELH

Brass pendant suspension with black cotton flex, an integrated G2GS cast gallery and an extended lamp holder shown in antique nickel with an **S1029** shade.

Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC) or powder coated (-PC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 100mm **Depth:** 100mm

Height: 300mm + **Suspension:** 1000mm Cotton cable

-PB, -OB, -BB, -AB finishes
come with brown cotton flex.
Other colours optional.





BCS2TS

Brass pendant suspension with black twisted italian silk flex, an integrated deep cup and loop shown in antique bronze with an **SML14-AB** shade. Hand finished in either old brass (-OB), antique bronze (-AB), satin nickel (-SN), or powder coated (-PC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s). **Width:** 100mm **Depth:** 100mm
Height: 250mm + **Suspension:** 1000mm Cotton cable



BCS2TS

Brass pendant suspension with black twisted italian silk flex, an integrated deep cup and loop shown in satin nickel with an **SML18-SN** shade. Hand finished in either old brass (-OB), antique bronze (-AB), satin nickel (-SN), or powder coated (-PC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s). **Width:** 100mm **Depth:** 100mm
Height: 250mm + **Suspension:** 1000mm Cotton cable



BRS1275-G2GS

Brass rod suspension with an integrated G2GS cast gallery, shown in antique nickel with an **S1801-OG** glass shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Weight: 0.7Kg. **Width:** 100mm **Depth:** 100mm

Height: 60mm + **Suspension:** 12.700mm x 750mm




BRS1275-G2GS

Brass rod suspension with integrated G2GS cast gallery shown in old brass with an **S1017-OG** shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 100mm **Depth:** 100mm

Height: 150mm + **Suspension:** 12.700mm x 750mm.





BRS5875-G3DS-ELH

Brass rod suspension with integrated extended lamp holder and G3DS gallery. Shown in antique nickel with an **S1044** shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC) or powder coated (-PC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 100mm **Depth:** 100mm

Height: 375mm + **Suspension:** 15.875mm x 750mm



BRS1275-G2GS-ELH

Brass rod suspension with integrated G2GS cast gallery and extended lamp holder shown in antique nickel with an **S1030** shade.

Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 100mm **Depth:** 100mm

Height: 300mm + **Suspension:** 12.700mm x 750mm






BRS1275CDSC-E27

Brass rod suspension with a decorative spindle and cup, shown in bright chrome with an **S1121** glass shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x E27 (ES), 60 watt maximum globe holder(s).

Weight: 0.9Kg. **Width:** 100mm **Depth:** 100mm
Height: 230mm + **Suspension:** 12.700mm x 750mm



BRS1275CDSC-B22

Brass rod suspension with decorative cast spindle and bell cup, shown in old brass with an **SML14-OB** shade. Hand finished in either old brass (-OB), antique bronze (-AB), or satin nickel (-SN).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Weight: 0.9Kg. **Width:** 100mm **Depth:** 100mm
Height: 230mm + **Suspension:** 12.700 x 750mm

BRS1275CDSC-E27

Brass rod suspension with a decorative spindle and cup, shown in antique nickel with an **S1279** glass shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x E27 (ES), 60 watt maximum globe holder(s).

Weight: 0.9Kg. **Width:** 100mm **Depth:** 100mm
Height: 230mm + **Suspension:** 12.700mm x 750mm



BRS1275CDS-G4DS

Brass rod suspension with decorative cast spindle and integrated **G4DS** gallery, shown in antique nickel with an **S1550** glass shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Weight: 0.9Kg. **Width:** 100mm **Depth:** 100mm

Height: 245mm +

Suspension: 12.700 x 750mm



BRS125-SN

Brass rod suspension shown in satin nickel with an **S2188** shade.

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Weight: 0.4Kg. **Width:** 100mm **Depth:** 100mm

Height: 50mm + **Suspension:** 12.700 x 500mm.

BRASS SUSPENSION RODS

Brass rod suspensions available in 3/8", 1/2", 5/8" and 3/4", in lengths of 500mm, 750mm and 1000mm. Available in all finishes; polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), satin nickel (-SN), bright nickel (-BN), bright chrome (-BC) or powder coated (-PC).



CS3-G6DS-ELHC

Heavy duty brass chain set with an integrated G6DS deep gallery and an extended globe holder cluster. Shown in black bronze with an **SPH350-CLEAR** glass shade. Hand finished in either polished brass (-PB), black bronze (-BB), or bright chrome (-BC),

Wiring: 3x B15 (SBC), 40 watt maximum globe holder(s).

Width: 159mm **Depth:** 159mm

Height: 120mm + **Suspension:** C8 Chain x 1000mm.

BCS2-G6DS

Brass cord suspension with integrated G6DS deep gallery. Shown in Bright Chrome with clear PVC cable and a **SPH350-CLEAR** glass shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 159mm **Depth:** 159mm

Height: 120mm + **Suspension:** 1000mm.



**BRS-MOSMAN**

Brass rod set 15.875mm (5/8") by 750mm with a three globe holder cluster plus a band and finial set to suit to 2x **S1279** glass shades.

Shown in black bronze with 2x S1279 glass shades

Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 3x B22 (BC), 60 watt maximum globe holder(s).

Weight: 1.1Kg **Width:** 120mm **Depth:** 120mm

Height: 500mm + **Suspension:** 15.875mm x 500mm.

**BRS5875-G6DS-BAF**

Brass rod set 15.875mm (5/8") by 750mm plus a band and finial set to fit a 350mm sphere. Shown in black bronze with an **SPH350-OG** glass shade.

Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 120mm **Depth:** 120mm

Height: 120mm + **Suspension:** 15.875mm x 750mm.





CWS-G2DS

Counter weight suspension with gallery cup (G2DS) shown in two tone, polished brass and powder coated brunswick green gloss with a **SGC12-G** shade.

Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC) or powder coated (-PC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Depth: 120mm

Height: 250mm + **Suspension:** 2500mm brown cotton standard, allows for variable height from one to two metres.

-AN, -BC and -PC finishes have black cotton cable as standard.

CWS

Counter weight suspension shown in polished brass with a **SMC14-PC** indian red shade.

Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Depth: 120mm

Height: 250mm + **Suspension:** 2500mm brown cotton standard allows for variable height from one to two metres.

-AN and -BC finishes have black cotton cable as standard.





CWSGC

Counter weight suspension shown in antique bronze with an **SMC11** shade.

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Depth: 120mm

Height: 250mm + **Suspension:** 2500mm brown cotton standard, allows for variable height from one to two metres.



CWSGC


Counter weight suspension shown in antique bronze with an **SML14-AB** shade. Hand finished in either old brass (-OB), antique bronze (-AB), or satin nickel (-SN).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Depth: 120mm **Height:** 250mm + **Suspension:** 2500mm brown cotton standard, allows for variable height from one to two metres.

-SN finish has black cotton cable as standard.





CWSCB-G2DS

Counter weight suspension with fluted die cast body and an integrated G2DS gallery shown in antique bronze with a **S191** shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC). -AN and -BC finishes have black cotton cable as standard.

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 195mm **Depth:** 120mm **Height:** 250mm + **Suspension:** 2500mm cotton standard, allows for variable total height from one to two metres.



CWSCB-2G2FS

Twin counter weight suspension with fluted die cast body and two integrated G2FS galleries shown in antique bronze with 2x **S191** shades. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC). -AN and -BC finishes have black cotton cable as standard.

Wiring: 2x B22 (BC), 60 watt maximum globe holder(s).

Width: 640mm **Depth:** 120mm **Height:** 250mm + **Suspension:** 2500mm cotton standard, allows for variable height from one to two metres.



BRS-ST_LEONARDS

St Leonards rise and fall chain suspension shown in polished brass with an **S6032-AF** glass. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Depth: 120mm **Height:** 700mm (including glass) + **Suspension:** 12.700 x 500mm.



BRS-ST_PETERS

St Peters rise and fall chain suspension shown in polished brass with an **S71191-AF** glass. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Depth: 120mm **Height:** 660mm (including glass) + **Suspension:** 12.700 x 500mm.



PD300R-BGL

Brass rod suspension with decorative spindle and integrated G4S gallery, ring and finial encasing a large blown glass. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 240mm **Depth:** 240mm

Height: 380mm + **Suspension:** 12.700 x 750mm

Also available on chain PD300C-BGL.

Also available with medium blown glass.
(PD300R-BGM and PD300C-BGM).



PD400C-BGM

Satin black powder coated aluminium chain suspension with integrated G4S gallery, ring and finial encasing a medium blown glass.

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 240mm **Depth:** 240mm

Height: 280mm + **Suspension:** 1000m decorative C3 chain.

Also available on rod PD400R-BGM.
Also available with Large blown glass.
(PD400C-BGL and PD400R-BGL).





BRS343SR

Cromwell brass rod suspension shown in polished brass with a **G4** polished brass gallery and an **S76424-OM** shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 210mm **Depth:** 210mm

Height: 500mm + **Suspension:** 19.050mm x 300mm

BRS3SC

Blyth brass rod suspension shown in black bronze with a **G8** black bronze gallery and an **S4972-OM** shade.

Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 210mm **Depth:** 210mm

Height: 500mm + **Suspension:** 12.700mm x 300mm





SL1

Claremont surround light suspension shown in polished brass with a **G2** polished brass gallery and an **S3133** shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 315mm **Depth:** 100mm

Height: 390mm + **Suspension:** 12.700mm x 750mm



SL2-G2DS

Claremont surround light suspension with an integrated G2DS gallery shown in polished brass with an **S3138** shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 315mm **Depth:** 100mm

Height: 390mm + **Suspension:** 12.700mm x 750mm



BRS1275-G6DS

Brass rod suspension with integrated G6DS gallery shown in black bronze shown with an **S40** shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC) or powder coated (-PC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 160mm **Depth:** 160mm

Height: 180mm + **Suspension:** 12.700mm x 750mm



BRS125S-G4GS

Brass decorated rod suspension with integrated G4GS gallery shown in polished brass with a **BER125** polished brass extension rod and joiner and an **S987** shade and **F7** finial. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC) or powder coated (-PC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 100mm **Depth:** 100mm

Height: 125mm +

Suspension: 12.700mm x 750mm



BRS1275CDS

Cast rod spindle shown in polished brass with a **G2** polished brass gallery and an **SGC12-C** shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC) or powder coated (-PC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 100mm **Depth:** 100mm

Height: 125mm + **Suspension:** 12.700mm x 750mm



BRS1275DS-3

Brass rod suspension with three way decorative scroll shown in bright chrome. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Height: 125mm +

Suspension: 12.700mm x 750mm



BRS3475DS

Brass rod suspension with three way decorative scroll shown in polished brass. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Suspension: 19.050mm x 750mm



BRS1275DS

Brass rod suspension with two way decorative scroll shown in polished brass and also in polished brass with a **G4** polished brass gallery and an **SPH200-AE** shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s)

Depth: 100mm

Suspension: 12.700mm x 750mm




BRS125D2-3

Brass rod suspension with cast decorative three way scroll, shown in polished brass and in polished brass with a **G4** polished brass gallery and an **S950** shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 100mm **Depth:** 100mm
Suspension: 12.700mm x 500mm



BRS125D2-2

Brass rod suspension with cast decorative two way scroll, shown in polished brass. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Depth: 100mm

Suspension: 12.700mm x 500mm


BRSO125

Brass rod suspension with offset swivel ceiling plate and woodblock. Shown in polished brass. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 120mm **Depth:** 120mm

Height: 120mm + **Suspension:** 12.700mm x 500mm





BRS1275D6IGT

Brass rod suspension with decorative scroll and gas tap shown in polished brass with a **G2F** polished brass gallery and an **S3138** shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Depth: 100mm

Suspension: 12.700mm x 750mm



BRS1275IGT

Brass rod suspension with imitation gas tap shown in polished brass with a **G4** polished brass gallery and an **SPH200-OG** shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Depth: 100mm

Suspension: 12.700mm x 750mm





BRS1275D

Brass rod suspension with decorative spindle shown in bright chrome.

Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 100mm
Depth: 100mm
Height: 60mm +
Suspension: 12.700mm x 750mm

Also available in lengths of 300mm (BRS123D), 500mm (BRS125D), 900mm (BRS129D) and 1000mm (BRS121D).



BRS1275D

Brass rod suspension with decorative spindle shown in polished brass with a **G4** polished brass gallery and an **SPH200-AE** shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 100mm **Depth:** 100mm
Height: 60mm + **Suspension:** 12.700mm x 750mm

Also available in lengths of 300mm (BRS123D), 500mm (BRS125D), 900mm (BRS129D) and 1000mm (BRS121D).



BRS121D

Brass rod suspension with decorative spindle, shown in bright chrome with a **G4** bright chrome gallery and an **S9012** shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 100mm **Depth:** 100mm
Suspension: 12.700mm x 1000mm



BRS345D-G6DS

Brass rod suspension with decorative spindle and integrated G6DS gallery shown in black bronze. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Height: 125mm + **Suspension:** 19.050mm x 500mm

Width: 160mm **Depth:** 160mm

Also available in lengths of 750mm (BRS3475D-G6DS), and 1000mm (BRS341D-G6DS).



BRS3475D

Brass rod suspension with a decorative spindle, shown in black bronze with a **G6** black bronze gallery and an **S1400** shade.

Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 100mm **Depth:** 100mm

Height: 60mm + **Suspension:** 19.050mm x 750mm

BRS3475D-G6DS

Brass rod suspension with a decorative spindle and an integrated G6DS gallery, shown in black bronze with an **S9014** shade.

Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 100mm **Depth:** 100mm

Height: 200mm + **Suspension:** 19.050mm x 750mm



BRS345

Brass rod suspension shown in polished brass with a **G8** polished brass gallery and an **S4528MO** shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Height: 90mm + **Suspension:** 19.050mm x 500mm

Width: 210mm **Depth:** 210mm



BRS345

Brass rod suspension shown in polished brass with a **G8** polished brass gallery and an **S4972** shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 210mm **Depth:** 210mm

Height: 90mm +

Suspension: 19.050mm x 500mm



**BRS345D**

Brass rod suspension with decorative spindle shown in black bronze. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 100mm **Depth:** 100mm

Height: 70mm + **Suspension:** 19.050mm x 500mm

Also available in lengths of 750mm (BRS3475D), and 1000mm (BRS341D).

**BRS3475D145**

Brass rod suspension with decorative column. Shown in polished brass with a **G8** polished brass gallery and an **S982** glass shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 210mm **Depth:** 210mm

Height: 170mm + **Suspension:** 19.050mm x 750mm

**BRS3475D-DC**

Brass rod suspension with a decorative spindle and a decorative cup shown in polished brass with an **S4746** glass shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 100mm **Depth:** 100mm

Height: 80mm + **Suspension:** 19.050mm x 750mm



**BRS5875D145**

Brass rod suspension with a cast decorative column, shown in black bronze with a **G4** black bronze gallery and an **S1122** shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 100mm **Depth:** 100mm

Height: 200mm + **Suspension:** 15.875mm x 750mm

**BRS3475D102-G6DS**

Brass rod suspension with a cast decorative column and integrated G6DS gallery, shown in antique bronze with an **S4154** shade.

Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 160mm **Depth:** 160mm

Height: 200mm +

Suspension: 19.050mm x 750mm

BRS3475D102

Brass rod suspension with a cast decorative column, shown in polished brass with a **G4** polished brass gallery and an **S2705** shade.

Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 100mm **Depth:** 100mm

Height: 200mm +

Suspension: 19.050mm x 750mm





CS3-G6DS

Chain suspension, C8 heavy steel chain and brown cotton flex, with an integrated G6DS deep gallery. Shown in black bronze with an **S40** shade. Hand finished in either polished brass (-PB), black bronze (-BB), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 160mm **Depth:** 160mm

Height: 200mm + **Suspension:** C8 chain x 1000mm

-BC comes standard with black cotton flex cable.



CS3

Chain suspension, C8 heavy steel chain and brown cotton flex, shown in black bronze with a **G6** black bronze gallery and an **S2400** shade. Hand finished in either polished brass (-PB), black bronze (-BB), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 160mm **Depth:** 160mm

Height: 100mm + **Suspension:** C8 chain x 1000mm

-BC comes standard with black cotton flex cable.



CS1

Chain suspension, C9 steel oval link chain, shown in polished brass with brown cotton flex. Hand finished in either polished brass (-PB), black bronze (-BB), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 120mm **Depth:** 120mm

Height: 120mm +

Suspension: C9 chain x 1000mm

-BC comes standard with black cotton flex cable.



CS2

Chain suspension, C9 steel oval link chain, shown in polished brass with brown cotton flex. Hand finished in either polished brass (-PB), black bronze (-BB), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 120mm **Depth:** 120mm

Height: 120mm +

Suspension: C9 chain x 1000mm

-BC comes standard with black cotton flex cable.



CS3

Chain suspension, C8 heavy steel chain, shown in black bronze with brown cotton flex. Hand finished in either polished brass (-PB), black bronze (-BB), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 120mm **Depth:** 120mm

Height: 120mm +

Suspension: C8 chain x 1000mm

-BC comes standard with black cotton flex cable.



CS4

Chain suspension C9 oval link chain, shown in black bronze with brown cotton flex. Hand finished in either polished brass (-PB), black bronze (-BB), or bright chrome (-BC).


Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 80mm **Depth:** 80mm

Height: 065mm +

Suspension: C9 chain x 1000mm

-BC comes standard with black cotton flex cable.




BLCS3

Brass link three chain suspension, shown in black bronze with an **S4528** glass shade and brown cotton flex cable. Hand finished in either polished brass (-PB), black bronze (-BB), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Height: 90mm + **Suspension:** C6 chain x 1000mm

-BC comes standard with black cotton flex cable.



BLCS3

Brass link three chain suspension, shown in black bronze with brown cotton flex cable. Hand finished in either polished brass (-PB), black bronze (-BB), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Height: 90mm + **Suspension:** C6 chain x 1000mm

-BC comes standard with black cotton flex cable.



BLCS3


Brass link three chain suspension, shown in black bronze with an **S018** glass shade and brown cotton flex cable. Hand finished in either
either
polished brass (-PB), black bronze (-BB),
or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Height: 90mm +

Suspension: C6 chain x 1000mm

-BC comes standard with black cotton flex cable.



BLCS3

Brass link three chain suspension, shown in polished brass with an **S1222-OM** glass shade and brown cotton flex cable. Hand finished in either polished brass (-PB), black bronze (-BB), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Height: 90mm + **Suspension:** C6 chain x 1000mm

-BC comes standard with black cotton flex cable.



BLCS6


Brass link three chain suspension with hooks, shown in black bronze with an **S900** glass shade with brown cotton flex cable. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN) or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Height: 100mm + **Suspension:** C475 chain x 3 x 1000mm

-AN and -BC finishes has black cotton flex cable.




**BLCS11**

Brass link three chain suspension, shown in polished brass with brown cotton flex cable. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Suspension: C475 chain x 3 x 1000mm

-AN and -BC finishes has black cotton flex cable.

**BLCS5**

Brass link three chain suspension with studs, shown in polished brass with an **S1018** glass shade and brown cotton flex cable. Hand finished in either polished brass (-PB), black bronze (-BB), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Height: 90mm +

Suspension: C475 chain x 3 x 1000mm

-BC finish has black cotton flex cable.


BLCS7

Brass link three chain suspension, shown in polished brass with brown cotton flex cable. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Height: 100mm +

Suspension: C475 chain x 3 x 1000mm





BRS1213CS

Brass rod suspension 12.7mm (1/2") x 1000mm with 3 chains and studs, shown in polished brass with an **S1565-40** glass shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 100mm **Depth:** 100mm

Height: 500mm + **Suspension:** 3x C475 chain x 500mm



BRS-FITZROY

Fitzroy brass rod suspension 1/2" patterned tube with 3 chains and patterned tube ring to hold glass. Shown in antique bronze with an **S6946** glass shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 350mm **Depth:** 350mm

Height: 500mm + **Suspension:** 12.700mm x 500mm patterned.



**BRS1213S**

Brass rod suspension 1/2" x 1 metre with 3 stays and hooks, shown in polished brass. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 100mm **Depth:** 100mm

Height: 500mm + **Suspension:** 12.700mm x 500mm.

Also available as shown below with studs (BRS1213SS) shown with an **S4530** glass shade.

**BRS1213LC**

Brass rod suspension 1/2" x 1 metre with 3 links of chain and hooks shown in antique nickel with an **S018-OM** shade, and above in polished brass. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 100mm **Depth:** 100mm

Height: 500mm + **Suspension:** 12.700mm x 500mm.






BRS-GOUGER

Gouger Brass suspension with 1/2" rod and 3 stays and hooks attached to a ring to hold a glass shade, shown in polished brass with an **S4495** glass. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 2x B22 (BC), 60 watt maximum globe holder(s).

Width: 120mm **Depth:** 120mm

Suspension: 12.700mm x 500mm and 3 stays.



BS10

Brass suspension with 1/2" rod and 3 links of C475 chain and hooks shown in polished brass with an **S4972-OM** shade, and above in polished brass. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 120mm **Depth:** 120mm

Suspension: 12.700mm x 500mm and 3x C475 chains.

Also available with studs instead of hooks (BS10S).



**BS12**

Brass suspension with 1/2" rod and 3 stays and hooks shown in polished brass Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 120mm **Depth:** 120mm

Height: 100mm + **Suspension:** 12.700mm x 500mm and 3 stays.

BS12S

Brass suspension with 1/2" rod and 3 stays and studs. shown in polished brass with an **S1565-40** shade. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 120mm **Depth:** 120mm

Height: 100mm + **Suspension:** 12.700mm x 500mm and 3 stays.





BRS3CRG

Clarence Brass rod set 12.7mm (1/2") by 500mm with 3 side chain suspensions and ring and finial fitting to suit an S92111 glass shade. Shown in polished brass with an **S92111** glass bowl (separate item). Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Weight: 1.1Kg **Width:** 450mm **Depth:** 450mm

Height: 600mm + **Suspension:** 12.700mm x 500mm.



BRS3SRG

Pitt Brass rod set 12.7mm (1/2") by 500mm with 3 side stay suspensions and ring and finial fitting to suit an S92111 glass shade. Shown in polished brass with an **S92111** glass bowl (separate item) Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s)

Width: 450mm **Depth:** 450mm **Weight:** 1.1Kg
Height: 600mm + **Suspension:** 12.700mm x 500mm.

**BRS12-3LH**

Brass rod suspension 12.700mm (1/2") by 500mm with 3 offset swivel globe holders. Shown in polished brass. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 3x B22 (BC), 60 watt maximum globe holder(s).

Weight: 1.1Kg **Width:** 120mm **Depth:** 120mm

Height: 500mm +

Suspension: 15.875mm x 500mm.

**BRS3R3LH**

York brass rod set 12.7mm (1/2") by 500mm with 3 side stay suspensions and a 3 globe holder plate to suit an S92111 glass. Shown in polished brass with an **S92111** glass bowl (separate item)

Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 3x B22 (BC), 60 watt maximum globe holder(s).

Weight: 1.1Kg **Width:** 120mm **Depth:** 120mm
Height: 500mm + **Suspension:** 15.875mm x 500mm.

**BRS3LHF**

Brass rod suspension with three globe holders fixed and bottom plate and finial. Shown in polished brass with an **S92474** glass bowl (separate item). Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 3x B22 (BC), 60 watt maximum globe holder(s).

Width: 100mm **Depth:** 100mm

Height: 200mm + **Suspension:** 12.700mm x 500mm.



BRS5813SS

Brass rod set 15.875mm (5/8") by one metre with 3 side stays suspension fitting shown in polished brass brass and below in polished brass with a **S1564-50** glass bowl (separate item; left) as well as in antique bronze with a **S4531** glass bowl (separate item; right). Includes three side stays. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 3x B22 (BC), 60 watt maximum globe holder(s).

Weight: 1.1Kg **Width:** 120mm **Depth:** 120mm

Height: 500mm + **Suspension:** 15.875mm x 500mm.





BRS5813LC

Brass rod set 15.875mm (5/8") by one metre with 3 lengths of chain suspension fitting shown in polished brass and in old brass with a **S920** glass bowl (separate item). Includes three lengths 19mm thick welded brass chain. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 3x B22 (BC), 60 watt maximum globe holder(s).

Weight: 1.1Kg **Width:** 120mm **Depth:** 120mm

Height: 500mm + **Suspension:** 15.875mm x 500mm.



SS1-E27 + S1279

Modern wire ceiling suspension with a holophane styled glass dome shade

Wiring: 1x E27 (ES), 60 watt maximum globe holder(s).

Weight: 1.3Kg **Width:** 350mm **Depth:** 350mm
Height: 210mm + **Suspension:** 1000mm SS wire + Clear PVC.



SS1-G2GS-ELH

Stainless steel wire suspension with clear pvc flex, an integrated G2GS cast gallery and an extended lamp holder shown in satin nickel with an **S1030** shade.

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 100mm **Depth:** 100mm
Height: 300mm + **Suspension:** 1000mm SS wire.


SS2-3SPYS

Modern stainless steel ceiling suspension.
Shown with **S6835-W** white shade.

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Weight: 1.2Kg **Width:** 355mm **Depth:** 355mm
Height: 200mm + **Suspension:** 1000mm Clear PVC





SS2-3SPY

Modern stainless steel ceiling suspension. Shown with **S6752T** glass shade

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 355mm

Depth: 355mm

Weight: 1.2Kg

Height: 200mm +

Suspension: 1000mm Clear PVC


FM27-C14 Suspension: 2400mm Cotton Covered Cord in Brown

FM27-C19 Suspension: 2400mm Cotton Covered Cord in Black Twisted

FM27-C2 Suspension: 2400mm Cotton Covered Cord in Black

FM27-C29 Suspension: 2400mm Cotton Covered Cord in Black & White

Globes shown not included, available separately, see page 126-131.





FM7014-1

Turret, Jeremy Pyles replica stylish glass ceiling suspension, North American hand blown tear drop glass design inspired by iconic towers that decorate Moorish architecture. Shown with a **VIN-T9-60-ES** (Globe, separate item).

Wiring: 1x E27 (ES), 60 watt maximum globe holder(s).

Weight: 1.4Kg **Width:** 175mm **Depth:** 175mm

Height: 300mm + **Suspension:** 1800mm Black Cotton flex.



FM7015-1


Minaret, Jeremy Pyles replica stylish glass ceiling suspension, North American hand blown tear drop glass design inspired by iconic towers that decorate Moorish architecture. Shown with a **VIN-T45-60-ES** (Globe, separate item).

Wiring: 1x E27 (ES), 60 watt maximum globe holder(s).

Weight: 1.2Kg **Width:** 285mm **Depth:** 285mm

Height: 210mm +

Suspension: 1800mm Black Cotton flex.




FM7035-1

Aurora, Jeremy Pyles replica stylish glass ceiling suspension, North American design featuring a hand blown lipped curvature glass body. Shown with a **VIN-T45-60-ES** (Globe, separate item).

Wiring: 1x E27 (ES), 60 watt maximum globe holder(s).

Weight: 1.1Kg **Width:** 315mm **Depth:** 315mm

Height: 190mm + **Suspension:** 1800mm Black Cotton flex.





FM24-2 Yellow cotton covered cord suspension with black canopy

FM24-3 Orange cotton covered cord suspension with black canopy

FM24-5 Black & White cotton covered cord suspension with black canopy

FM24-6 White cotton covered cord suspension with black canopy

FM24-7 Black cotton covered cord suspension with black canopy

FM24-12 Pink cotton covered cord suspension with black canopy

FM24-14 Turquoise cotton covered cord suspension with black canopy

FM24-15 Blue cotton covered cord suspension with black canopy

FM2PB Black cotton covered cord suspension, porcelain globe holder & SS plate.

FM2PP White cotton covered cord suspension with porcelain ceiling plate.

FM26 - The same colour cord suspension with a white E27 globe holder with shade ring and white canopy.

Wiring: 1x E27 (ES), 60 watt maximum globe holder(s).

Weight: 0.4Kg **Width:** 100mm **Depth:** 100mm

Height: 160mm + **Suspension:** 2500mm Cotton.

**ROV-2019S + S4746**

Contemporary wire ceiling suspension, with an **S4746** fluted column acid frost glass shade.


Wiring: 1x E27 (ES), 60 watt maximum globe holder(s).

Width: 300mm **Depth:** 300mm

Weight: 1.5Kg

Height: 145mm +

Suspension: 1000mm SS wire + Clear PVC

**ROV-2019S + S1279**

Contemporary wire ceiling suspension with a holophane styled glass dome shade.

Wiring: 1x E27 (ES), 60 watt maximum globe holder(s)


Weight: 1.3Kg

Width: 350mm

Depth: 350mm

Height: 210mm +

Suspension: 1000mm SS wire + Clear PVC.

**ROV-2019S + S92474**

Contemporary wire ceiling suspension, with an **S92474** fluted column acid frost glass shade.

Wiring: 1x E27 (ES), 60 watt maximum globe holder(s).

Weight: 1.5Kg

Width: 400mm **Depth:** 400mm

Height: 170mm +

Suspension: 1000mm SS wire + Clear PVC





MK-SUSPENSION + SMC14-SN

Industrial satin nickel conical shade ceiling suspension.

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Weight: 1.2Kg

Width: 355mm **Depth:** 355mm

Height: 200mm + **Suspension:** 1000mm Clear PVC



MK-SUSPENSION + SML14-SN

Industrial satin nickel dome shade ceiling suspension.

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Weight: 1.3Kg

Width: 355mm **Depth:** 355mm

Height: 210mm + **Suspension:** 1000mm Clear PVC



PD2102

Contemporary conical glass dome ceiling suspension, shown with VIN-ST64-60-ES (globe, separate item). Available in black with clear glass only.

Wiring: 1x E27 (ES), 60 watt maximum globe holder(s).

Weight: 1.9Kg

Suspension: 1000mm black PVC



PD1279

Contemporary holophane style glass dome ceiling suspension, shown in bright chrome also available in satin nickel.

Wiring: 1x E27 (ES), 60 watt maximum globe holder(s).

Weight: 3.2Kg **Width:** 365mm **Depth:** 365mm

Height: 255mm + **Suspension:** 1000mm oval chain



PD2199-SN




PD2199-BZ

Industrial ribbed dome ceiling suspension, with frosted glass diffuser. Available in satin nickel and black bronze. Includes three joining rods for adjustable total height plus a swivel for angled ceilings.

Wiring: 1x E27 (ES), 60 watt maximum globe holder(s).

Weight: 2.2Kg **Width:** 350mm **Depth:** 350mm

Height: 320mm + **Suspension:** 1150 max

**PD3946A**

Contemporary wide matt black Tom Dixon replica ceiling suspension, with copper inside, English design inspired by indian cookware.

Wiring: 1x E27 (ES), 60 watt maximum globe holder(s).

Weight: 0.9Kg **Width:** 365mm **Depth:** 365mm
Height: 180mm + **Suspension:** 1000mm Black PVC.

**PD3946C**

Contemporary skinny matt black Tom Dixon replica ceiling suspension, with copper inside, English design inspired by indian cookware.

Wiring: 1x E27 (ES), 60 watt maximum globe holder(s).

Weight: 0.6Kg **Width:** 185mm **Depth:** 185mm
Height: 380mm + **Suspension:** 1000mm Black PVC.

**PD3946B**

Contemporary fat matt black Tom Dixon replica ceiling suspension, with copper inside, English design inspired by indian cookware.

Wiring: 1x E27 (ES), 60 watt maximum globe holder(s).

Weight: 0.8Kg **Width:** 240mm **Depth:** 240mm
Height: 300mm + **Suspension:** 1000mm Black PVC.



PD6119

Contemporary black bronze square tube round cage ceiling suspension.

Wiring: 3x B15 (SBC), 60 watt maximum globe holder(s).

Weight: 3.6Kg **Width:** 415mm **Depth:** 415mm
Height: 425mm + **Suspension:** 1000mm oval chain



PD2140

Contemporary black bronze soldered pipe star ceiling suspension, shown with **VIN-T9-60-E27** (globe, separate item).

Wiring: 1x E27 (ES), 60 watt maximum globe holder(s).

Weight: 3.1Kg **Width:** 400mm **Depth:** 400mm
Height: 425mm + **Suspension:** 1000mm oval chain





PD0187P-6A

Inspirational contemporary Matt Black orb shaped ceiling suspension.

Wiring: 6x E14 (SES), 60 watt maximum globe holder(s).

Weight: 5.3Kg **Width:** 500mm **Depth:** 500mm

Height: 500mm + **Suspension:** 1000mm chain





PD038P

Large industrial contemporary Matt Black dome suspension with golden interior.

Wiring: 1x E27 (ES), 60 watt maximum globe holder(s).

Weight: 4.3Kg **Width:** 540mm **Depth:** 540mm

Height: 230mm + **Suspension:** 1000mm suspension wire.

Ceiling - Float Lights

The right kind of lighting is often the best way to really spruce up a section of your interior. For areas needing a subtle, dim ambience to highlight your décor, a float light may be a perfect fit. Float lights deliver a soft, delicate illumination which provides an even, subdued light; a great way to provide a gentle yet noticeable elevation in ambience.

At Robert Kitto, our premium collection of float lights are constructed with extreme care and designed to perfection. These lights can highlight the best from your interiors, with our range encapsulating a variety of requirements.

Similar to our pendant lighting, float lamps are now progressively entering the modern market. Our new Côte d'Azur style glass lamps displays this contemporary style, finished in bright chrome, the metal ware is made to precisely fit the stylish ribbed glass completing an amazing modern float lamp.

In addition to contemporary styles, we still have our range of traditional brass float lamps, hand assembled here in Australia. The brass metal ware can be customised with our range of beautiful finishes including; old brass, antique bronze and antique nickel.

Robert Kitto Lighting is proud to offer a wide selection of glass patterns and sizes, with five glass sizes between 180 millimetres and 400 millimetres wide in plain glass or with decorative diamond or grape patterns also available.

With our hand assembled float lamps made here in Australia, a high range of customisation is available in a timely manner, allowing your Robert Kitto float light to grace your ceilings in a short period of time.

The PD series of lamps offers yet another lighting experience. Our PD models are great for a stylish and rustic ambience, with their optical effects from their glass exteriors perfect for heightening and enhancing features and elements of your space. In addition, the suspensions and chains used, are made from high quality material, which means these lights are not only attractive and practical, but also durable allowing years of use without the need for repairs or replacement.

At Robert Kitto Lighting, we can provide the right lighting solutions for all your lighting requirements.

The Crafers Hotel, South Australia.
5 Float Lamps of varying glass
patterns and sizes clustered together
and hanging on chain.



**FL-PD1057**

Tall decorative framed rustic bronze ceiling float lamp, with plain clear glass.

Wiring: 3x B15 (SBC), 60 watt maximum globe holder(s).

Weight: 6.5Kg **Width:** 290mm **Depth:** 290mm
Height: 875mm + **Suspension:** 1000mm oval chain

**FL-PD1065-3C**

Traditional rustic bronze ceiling float lamp, with diamond cut glass.

Wiring: 3x B15 (SBC), 60 watt maximum globe holder(s).

Weight: 4.9Kg **Width:** 255mm **Depth:** 255mm
Height: 390mm + **Suspension:** 1000mm oval chain.

Larger size also available (**PD1065-3CL**).

Weight: 6.3Kg **Width:** 330mm

Depth: 330mm

Height: 440mm + **Suspension:** 1000mm oval chain.

**FL-PD1068S**

Large French provincial styled rustic bronze ceiling float lamp. With seeded clear glass. Available with plain clear glass (FL PD1068P).

Wiring: 4x B15 (SBC), 60 watt maximum globe holder(s).

Weight: 6.5Kg **Width:** 475mm **Depth:** 475mm
Height: 760mm + **Suspension:** 1000mm oval chain





FL-PD137

Côte d'Azur style medium bright chrome ceiling float lamp. With chrome finial, band and chain cap and wide ribbed clear glass.

Wiring: 4x E14 (SES), 60 watt maximum globe holder(s).

Weight: 6.0Kg **Width:** 300mm **Depth:** 300mm

Height: 600mm + **Suspension:** 1000mm oval chain



FL-PD137XL

Côte d'Azur style X-Large bright chrome ceiling float lamp. With chrome finial, band and chain cap and wide ribbed clear glass.

Wiring: 4x E14 (SES), 60 watt maximum globe holder(s).

Weight: 10.0Kg **Width:** 400mm **Depth:** 400mm
Height: 900mm + **Suspension:** 1000mm oval chain



FL1-G

One light hundi ceiling float lamp shown in polished brass with grape glass.
Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB),
antique bronze (-AB), antique nickel (-AN), bright chrome (-BC),
or powder coated (-PC).
Available with plain glass (FL1-P) and fern glass (FL1-F).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Weight: 4.9Kg **Width:** 200mm **Depth:** 200mm
Height: 390mm + **Suspension:** 12.700 x 750mm



FL3S-D

Small hundi ceiling float lamp shown in antique bronze with diamond cut glass.
Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB),
antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).
Available with plain glass (FL3S-P) or grape glass (FL3S-G).

Wiring: 3x B15 (SBC), 60 watt maximum globe holder(s).

Weight: 6.5Kg **Width:** 255mm **Depth:** 255mm
Height: 470mm + **Suspension:** 12.700 x 750mm



FL3M-G

Medium hundi ceiling float lamp shown in polished brass with grape glass.
Hand finished in either polished brass (-PB), old brass (-OB),
black bronze (-BB), antique bronze (-AB), antique nickel (-AN),
bright chrome (-BC), or powder coated (-PC).
Available with plain glass (FL3M-P) or diamond cut glass (FL3M-D).

Wiring: 3x B15 (SBC), 60 watt maximum globe holder(s).

Weight: 7.6Kg **Width:** 305mm **Depth:** 305mm

Height: 570mm + **Suspension:** 12.700 x 750mm



FL3L-P

Large hundi ceiling float lamp shown in antique nickel with plain glass.
Hand finished in either polished brass (-PB), black bronze (-BB),
antique nickel (-AN), or bright chrome (-BC).
Available with grape glass (FL3L-G).

Wiring: 3x B15 (SBC), 60 watt maximum globe holder(s).

Weight: 9.7Kg **Width:** 400mm **Depth:** 400mm

Height: 875mm + **Suspension:** 15.875 x 750mm



Ceiling - Lanterns

At Robert Kitto, we are aware of the popularity that lanterns have gathered over time, and our range of specially made lanterns, with innovative designs are sure to satisfy.

Ranging from more traditional Georgian period brass lanterns to modern chrome, black or bronze tapered lanterns, our range created with durable materials, provides a unique mix of old school classic style and modern chic. This allows for unique finishings whilst providing optimal illumination and visibility for a room or space.

Featured from our old classic designs are the inimitable square and hexagonal Charles and Elizabeth Lanterns with your choice of etched, cut or beveled glass exterior. All held within our unique durable double edged cut frame, these designs are proven, and built to last.

For a unique rounded lantern look, our Bevington or St George range could be perfect for your space.

All of our Traditional lanterns come in a variety of finishes including brass, bronze and nickel to suit any type of area. Many of our classic models also come with



three or five-light fitting capabilities for additional visibility to brighten larger rooms.

For something more innovative and modern, our Frustum style collection of lanterns come with trapezoidal glass, with a noticeable taper from bottom to top displaying a more modern approach to this traditional style of fixture.

Robert Kitto Lighting strives to provide you with an extensive quality and customisable range of lanterns.

Modified Charles Large Hexagonal Lantern, photographed in
Adelaide's Chinatown, Property of Adelaide City Council,



HL-PD0074P-4

Stunning Bright Chrome diamond shaped ceiling lantern with glass door for access to change the four globes.

Wiring: 4x E14 (SES), 60 watt maximum globe holder(s).

Weight: 7.3Kg

Width: 380mm **Depth:** 380mm

Height: 800mm + **Suspension:** 1000mm chain



HL-PD0112P-4

Traditional Georgian style ceiling lantern in black with glass door to change the four globes.

Wiring: 4x E14 (SES), 60 watt maximum globe holder(s).

Weight: 7.3Kg **Width:** 380mm **Depth:** 380mm
Height: 800mm + **Suspension:** 1000mm chain





HL-PD0113P-3

French provincial style black round ceiling lantern.

Wiring: 3x E14 (SES), 60 watt maximum globe holder(s).

Weight: 4.3Kg

Width: 350mm

Depth: 350mm

Height: 620mm + **Suspension:** 1000mm chain



HL-PD0115P-4M

Brilliant spherical shaped ceiling lantern in antique brass with glass door to change the four globes.

Wiring: 4x E14 (SES), 60 watt maximum globe holder(s).

Weight: 7.3Kg

Width: 430mm

Depth: 430mm

Height: 630mm + **Suspension:** 1000mm chain



HL-PD0118P-4

Brilliant egg shaped ceiling lantern in antique brass with glass door for globe access.

Wiring: 4x E14 (SES), 60 watt maximum globe holder(s).

Weight: 7.3Kg

Width: 360mm

Depth: 360mm

Height: 800mm + **Suspension:** 1000mm chain





HL-PD6037-3-BC

Stylish spherical ceiling lantern in bright chrome with three arms and opal glass cylinders inside.

Wiring: 3x E27 (ES), 60 watt maximum globe holder(s).

Weight: 7.3Kg

Width: 495mm **Depth:** 495mm

Height: 540mm +

Suspension: 1000mm oval chain

Also available in a four light larger sized frame (HL-PD6037-4-BC).

Wiring: 4x E27 (ES), 60 watt maximum globe holder(s).

Weight: 11.1Kg

Width: 795mm **Depth:** 795mm

Height: 800mm + **Suspension:** 1000mm oval chain



HL-115

Tapered bright nickel ceiling lantern with four pieces of clear glass and a traditional styled hinged door for globe access.

Wiring: 3x E14 (SES), 60 watt maximum globe holder(s).

Width: 290mm **Depth:** 290mm

Height: 640mm + **Suspension:** 1000mm C9 chain



HL-118

Square ceiling lantern with four pieces of plain clear glass and a traditional styled hinged door for globe access. Shown in antique silver (-AS), also available in polished brass (-PB) and antique brass (-AB).

Wiring: 3x E14 (SES), 60 watt maximum globe holder(s).

Width: 290mm **Depth:** 290mm

Height: 640mm + **Suspension:** 1000mm C9 chain

**HL-119**

Square ceiling lantern with four pieces of plain clear glass and a traditional styled hinged door for globe access. Shown in antique silver (-AS), also available in polished brass (-PB) and antique brass (-AB).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 260mm **Depth:** 260mm

Height: 450mm + **Suspension:** 1000mm C9 chain

**HL-120**

Aintree round antique silver ceiling lantern with four pieces of curved clear glass and a traditional styled hinged door for globe access.

Wiring: 4x E14 (SES), 60 watt maximum globe holder(s).

Width: 290mm **Depth:** 290mm

Height: 630mm + **Suspension:** 1000mm C9 chain

HL-125

Arlington spherical bronze ceiling lantern with ten pieces of curved clear glass with door for globe access.

Wiring: 4x E14 (SES), 60 watt maximum globe holder(s).

Width: 410mm **Depth:** 410mm

Height: 700mm + **Suspension:** 1000mm C8 chain



HL-123

Narrow pointed six sided bronze ceiling lantern with twelve pieces of curved clear glass with door for globe access.

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Weight: 6.0Kg **Width:** 300mm **Depth:** 300mm

Height: 700mm + **Suspension:** 1000mm C9 chain





HL-1136-4M

Decorative square bronze ceiling lantern with clear glass.

Wiring: 4x B15 (SBC), 60 watt maximum globe holder(s).

Weight: 4.8Kg **Width:** 300mm **Depth:** 300mm
Height: 700mm + **Suspension:** 1000mm oval chain

Available in a smaller size (HL-1136-4S).

Weight: 3.9Kg **Width:** 230mm **Depth:** 230mm
Height: 590mm + **Suspension:** 1000mm oval chain

Available in a larger size (HL-1136-4L).

Weight: 6.3Kg **Width:** 325mm **Depth:** 325mm
Height: 860mm + **Suspension:** 1000mm oval chain



HL-191-BC

Grosvenor ceiling lantern shown in blackened copper with clear glass with door for globe access. Also available in bright nickel (HL-191-BN).

Wiring: 3x E14 (SES), 60 watt maximum globe holder(s).

Weight: 4.8Kg **Width:** 300mm **Depth:** 300mm
Height: 830mm + **Suspension:** 750mm C8 chain





HL-873-BZ

Decorative round black bronze ceiling lantern with clear glass.

Wiring: 4x B15 (SBC), 60 watt maximum globe holder(s).

Weight: 4.8Kg **Width:** 280mm **Depth:** 280mm
Height: 560mm + **Suspension:** 1000mm oval chain



HL-PD1074-3-BZ

Small round bronze ceiling lantern with plain clear glass.

Wiring: 3x B15 (SBC), 60 watt maximum globe holder(s).

Weight: 3.5Kg **Width:** 200mm **Depth:** 200mm
Height: 380mm + **Suspension:** 750mm oval chain

Also available with diamond cut glass (HL-PD1074-3A-BZ).



HL-PD3302P-BC

Modern round bright chrome ceiling lantern with plain clear glass. Also available with diamond cut glass (HL-PD3302D-BC).

Wiring: 3x E14 (SES), 60 watt maximum globe holder(s).

Weight: 3.5Kg **Width:** 200mm **Depth:** 200mm
Height: 380mm + **Suspension:** 1000mm oval chain



HL-PD3305P-BC

Modern round bright chrome ceiling lantern with plain clear glass.

Wiring: 4x B15 (SBC), 60 watt maximum globe holder(s).

Weight: 6.4Kg **Width:** 320mm **Depth:** 320mm
Height: 600mm + **Suspension:** 1000mm oval chain





HL-PD3304P-BC

Modern round ceiling lantern shown in bright chrome with plain clear glass and 4x **VIN-LED-C35T-E14** (globes, separate items). Also available with fluted glass (HL-PD3304F), or diamond cut glass (HL-PD3304D). Hand finished in bright chrome (-BC), or bronze (-BZ).

Wiring: 4x E14 (SES), 60 watt maximum globe holder(s).

Weight: 4.2Kg **Width:** 280mm **Depth:** 280mm

Height: 430mm + **Suspension:** 1000mm oval chain



HL-PD3304P-BZ

Modern round ceiling lantern shown in bronze with plain clear glass and 4x **VIN-LED-C35T-E14** (globes, separate items).

Also available with fluted glass (HL-PD3304F), or diamond cut glass (HL-PD3304D). Hand finished in bright chrome (-BC), or bronze (-BZ).

Wiring: 4x E14 (SES), 60 watt maximum globe holder(s).

Weight: 4.2Kg **Width:** 280mm **Depth:** 280mm
Height: 430mm + **Suspension:** 1000mm oval chain





HL-PD3304F-BC

Modern round ceiling lantern shown in bright chrome with fluted glass. Also available with plain clear glass (HL-PD3304P) or diamond cut glass (HL-PD3304D). Hand finished in bright chrome (-BC), or bronze (-BZ).

Wiring: 4x E14 (SES), 60 watt maximum globe holder(s).

Weight: 4.2Kg **Width:** 280mm **Depth:** 280mm
Height: 430mm + **Suspension:** 1000mm oval chain



HL-PD3306P-BC

Modern round bright chrome ceiling lantern with plain clear glass. Also available in fluted glass (HL-PD3306F-BC).

Wiring: 4x E14 (SES), 60 watt maximum globe holder(s).

Weight: 8.5Kg **Width:** 440mm **Depth:** 440mm
Height: 690mm + **Suspension:** 1000mm oval chain



HL-PD9003-SN

Modern square satin nickel ceiling lantern with bevelled glass.

Wiring: 3x E14 (SES), 60 watt maximum globe holder(s).

Weight: 3.3Kg **Width:** 270mm **Depth:** 270mm
Height: 475mm + **Suspension:** 1000mm oval chain



HL-PD9003-BZ

Modern square black bronze ceiling lantern with bevelled glass.

Wiring: 3x E14 (SES), 60 watt maximum globe holder(s).

Weight: 3.3Kg **Width:** 270mm **Depth:** 270mm
Height: 475mm + **Suspension:** 1000mm oval chain



HL-PD9015-3-BC

Stylish bright chrome ceiling lantern with eight pieces of bevelled trapezoidal clear glass. Shown with 3x **VIN-LED-C35-E14** (globes, separate item).

Wiring: 3x E14 (SES), 60 watt maximum globe holder(s).

Weight: 3.9Kg **Width:** 290mm **Depth:** 290mm

Height: 530mm + **Suspension:** 1000mm oval chain



HL-PD9015-3-BZ

Stylish black bronze ceiling lantern with eight pieces of bevelled trapezoidal clear glass. Shown with 3x **VIN-LED-C35-E14** (globes, separate item).

Wiring: 3x E14 (SES), 60 watt maximum globe holder(s).

Weight: 3.9Kg **Width:** 290mm **Depth:** 290mm

Height: 530mm + **Suspension:** 1000mm oval chain



HL-PD9015-4-BZ

Stylish black bronze ceiling lantern with eight pieces of bevelled trapezoidal clear glass. Shown with 4x **VIN-LED-C35-E14** (globes, separate item).

Wiring: 4x E14 (SES), 60 watt maximum globe holder(s).

Weight: 6.5Kg **Width:** 430mm **Depth:** 430mm

Height: 595mm + **Suspension:** 1000mm oval chain





HL-PD9015-4-BC

Stylish bright chrome ceiling lantern with eight pieces of bevelled trapezoidal clear glass. Shown with 4x **VIN-LED-C35T-E14** (globes, separate item).

Wiring: 4x E14 (SES), 60 watt maximum globe holder(s).

Weight: 6.5Kg **Width:** 430mm **Depth:** 430mm
Height: 595mm + **Suspension:** 1000mm oval chain





HL-F10-SN

Contemporary square frustum satin nickel ceiling lantern with bevelled glass. Shown with 1x VIN-T45-40-ES (globe, separate item).

Wiring: 1x E27 (ES), 60 watt maximum globe holder(s).

Weight: 3.9Kg **Width:** 275mm **Depth:** 275mm
Height: 280mm + **Suspension:** 1000mm oval chain



HL-F11-SN

Contemporary square frustum satin nickel ceiling lantern with clear glass.
Shown with 1x VIN-ST64-60-ES (globe, separate item).

Wiring: 1x E27 (ES), 60 watt maximum globe holder(s).

Weight: 5.7Kg **Width:** 400mm **Depth:** 400mm
Height: 400mm + **Suspension:** 1000mm oval chain



HL-F11-BZ

Contemporary square frustum black bronze ceiling lantern with clear glass. Shown with 1x VIN-ST64-60-ES (globe, separate item).

Wiring: 1x E27 (ES), 60 watt maximum globe holder(s).

Weight: 5.7Kg **Width:** 400mm **Depth:** 400mm
Height: 400mm + **Suspension:** 1000mm oval chain

READY
TO SHIP



HL-F10-BZ

Contemporary square frustum black bronze ceiling lantern with bevelled glass. Shown with 1x VIN-T45-40-ES (globe, separate item).

Wiring: 1x E27 (ES), 60 watt maximum globe holder(s).

Weight: 3.9Kg **Width:** 275mm **Depth:** 275mm
Height: 280mm + **Suspension:** 1000mm oval chain



**HL-F28-SN**

Contemporary round frustum satin nickel ceiling lantern
with clear glass.

Shown with 1x VIN-ST64-60-ES (globe, separate item)

Wiring: 1x E27 (ES), 60 watt maximum globe holder(s).

Weight: 3.9Kg **Width:** 280mm **Depth:** 280mm
Height: 280mm + **Suspension:** 1000mm oval chain

**HL-F40-SN**

Contemporary round frustum satin nickel ceiling
lantern with clear glass. Shown with 3x VIN-ST64-60-ES
(globes, separate item).

Wiring: 3x E27 (ES), 60 watt maximum globe holder(s).

Weight: 5.7Kg **Width:** 400mm **Depth:** 400mm
Height: 400mm + **Suspension:** 1000mm oval chain



HL-F28-BZ

Contemporary round frustum black bronze ceiling lantern with clear glass.

Shown with 1x VIN-ST64-60-ES (globe, separate item).

Wiring: 1x E27 (ES), 60 watt maximum globe holder(s).

Weight: 3.9Kg **Width:** 280mm **Depth:** 280mm

Height: 280mm + **Suspension:** 1000mm oval chain



HL-F40-BZ

Contemporary round frustum black bronze ceiling lantern with clear glass.

Shown with 3x VIN-ST64-60-ES (globes, separate item).

Wiring: 3x E27 (ES), 60 watt maximum globe holder(s).

Weight: 5.7Kg **Width:** 400mm **Depth:** 400mm

Height: 400mm + **Suspension:** 1000mm oval chain



HL-F40-AB

Contemporary round frustum antique brass ceiling lantern with clear glass. Shown with 3x VIN-ST64-60-ES (globes, separate item).

Wiring: 3x E27 (ES), 60 watt maximum globe holder(s).

Weight: 5.7Kg **Width:** 400mm **Depth:** 400mm
Height: 400mm + **Suspension:** 1000mm oval chain



HL-F28-AB

Contemporary round frustum antique brass ceiling lantern with clear glass. Shown with 1x VIN-ST64-60-ES (globe, separate item).

Wiring: 1x E27 (ES), 60 watt maximum globe holder(s).

Weight: 3.9Kg **Width:** 280mm **Depth:** 280mm
Height: 280mm + **Suspension:** 1000mm oval chain





HL-PD1150

Matt black hexagonal ceiling lantern with bevelled glass.

Wiring: 3x B15 (SBC), 60 watt maximum globe holder(s).

Weight: 3.9Kg **Width:** 330mm **Depth:** 330mm

Height: 800mm + **Suspension:** 1000mm oval chain

Also shown with bottom arms removed for a more minimal appearance.

Height: 590mm





HLXS-GB

Charles small hexagonal ceiling lantern shown in polished brass with bevelled glass and cream candle covers. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC) or powder coated (-PC).

Wiring: 3x E14 (SES), 60 watt maximum globe holder(s) .

Weight: 9.0Kg **Width:** 315mm **Depth:** 315mm
Height: 540mm + **Suspension:** 12.700 x 750mm

-AN, -BC and -PC finishes come with cream candle covers.



HLXM-GB

Charles medium hexagonal ceiling lantern shown in antique nickel with bevelled glass and white candle covers. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC) or powder coated (-PC)

Wiring: 3x E14 (SES), 60 watt maximum globe holder(s).

Weight: 14.5Kg **Width:** 420mm **Depth:** 420mm
Height: 620mm + **Suspension:** 15.875 x 750mm

-PB, -OB, -BB and -AB finishes come with cream candle covers.



HLXL-GB

Charles large hexagonal ceiling lantern shown in antique bronze with bevelled glass and cream candle covers.

Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC) or powder coated (-PC).

Wiring: 3x E14 (SES), 60 watt maximum globe holder(s).

Weight: 19.5Kg **Width:** 480mm **Depth:** 480mm

Height: 760mm + **Suspension:** 19.050 x 750mm

-AN, -BC and -PC finishes come with white candle covers.





HL-GE

Charles square ceiling lantern shown in polished brass with etched glass. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Weight: 6.1Kg **Width:** 210mm **Depth:** 210mm
Height: 405mm + **Suspension:** 12.700 x 750mm

Also available with cut glass (HL-GC) or with beveled glass (HL-GB).

-AN, -BC and -PC finishes come with white candle covers



HL3-GB

Charles three light square ceiling lantern shown in polished brass with bevelled glass. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 3x E14 (SES), 60 watt maximum globe holder(s).

Weight: 6.7Kg
Width: 210mm
Depth: 210mm
Height: 405mm +
Suspension: 12.700 x 750mm

Also available with cut glass (HL3-GC) or with etched glass (HL3-GE).

-AN, -BC and -PC finishes come with white candle covers



HLB-GB

Charles tall square ceiling lantern shown in polished brass with bevelled glass. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 3x E14 (SES), 60 watt maximum globe holder(s).

-AN, -BC and -PC finishes come with white candle covers.



HLL-GB

Charles square ceiling lantern shown in polished brass with bevelled glass. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN) bright chrome (-BC), or powder coated (-PC).

Wiring: 3x E14 (SES), 60 watt maximum globe holder(s).

Weight: 9.4Kg **Width:** 300mm **Depth:** 300mm

Height: 630mm +

Suspension: 19.050 x 750mm

-AN, -BC and -PC finishes come with white candle covers.



HLS82

Small Washington pentagonal ceiling lantern with tapered clear glass shown in polished brass. Hand finished in either polished brass (-PB), black bronze (-BB), or bright chrome (-BC).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Weight: 4.8Kg **Width:** 220mm **Depth:** 220mm

Height: 330mm + **Suspension:** 1000mm C8 chain



HLLC-GB

Alfred square ceiling lantern shown in antique bronze with bevelled glass. Hand finished in either polished brass (-PB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 3x E14 (SES), 60 watt maximum globe holder(s).

Weight: 8.8Kg **Width:** 300mm **Depth:** 300mm

Height: 630mm + **Suspension:** 1000mm C8 chain

Also available in a larger model (HLLLC-GB).

Weight: 11.9Kg **Width:** 400mm **Depth:** 400mm

Height: 750mm

-AN and -BC finishes come with white candle covers.



HL-F300-MB

Powder coated (matt black) aluminium square ceiling lantern, complete with bevelled glass.

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Weight: 6.3Kg **Width:** 300mm **Depth:** 300mm
Height: 380mm + **Suspension:** 1000mm C8 Chain



HL-F300-PA

Polished aluminium square ceiling lantern, complete with bevelled glass.

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Weight: 6.3Kg **Width:** 300mm **Depth:** 300mm
Height: 380mm + **Suspension:** 1000mm C8 Chain



HL460

Large Bevington round ceiling lantern shown in antique bronze. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 3x E14 (SES), 60 watt maximum globe holder(s).

Weight: 15.0Kg **Width:** 460mm **Depth:** 460mm
Height: 800mm + **Suspension:** 15.875 x 750mm



HL260

Small Bevington round ceiling lantern shown in polished brass.

Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 3x E14 (SES), 60 watt maximum globe holder(s).

Weight: 9.0Kg **Width:** 260mm **Depth:** 260mm
Height: 530mm + **Suspension:** 15.875 x 750mm



HLS1004

Small St George round ceiling lantern shown in old brass.
Hand finished in either polished brass (-PB), old brass (-OB),
black bronze (-BB), antique bronze (-AB), antique nickel (-AN),
bright chrome (-BC), bright nickel (-BN), or powder coated (-PC).

Wiring: 3x B15 (SBC), 60 watt maximum globe holder(s).

Weight: 7.6Kg **Width:** 190mm **Depth:** 190mm
Height: 400mm + **Suspension:** 12.700 x 750mm



HLS1005

Medium St George round hanging lantern shown in old brass
with cream candle covers.

Hand finished in either polished brass (-PB), old brass (-OB),
black bronze (-BB), antique bronze (-AB), antique nickel (-AN),
bright chrome (-BC), bright nickel (-BN), or powder coated (-PC).

Wiring: 3x E14 (SES), 60 watt maximum globe holder(s).

Weight: 14.1Kg **Width:** 340mm **Depth:** 340mm
Height: 530mm + **Suspension:** 500mm C8

-AN, -BN, BC and -PC finishes have white candle covers.



HLS1008

Large St George round ceiling lantern shown in bright chrome with white candle covers. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), bright nickel (-BN), or powder coated (-PC).

Wiring: 6x E14 (SES), 60 watt maximum globe holder(s).

Weight: 24.2Kg **Width:** 625mm **Depth:** 625mm

Height: 1195mm + **Suspension:** 500mm C8

-PB, -OB, BB and -AB finishes have cream candle covers.



Ceiling - Pendants

Pendant lights give elegant and sophisticated illumination, which can be perfect for providing style and finesse to your rooms. As a popular option for both small and large rooms, pendant lights come in a range of forms and sizes, and can add a depth of character to your room. Robert Kitto have an extensive selection of hanging pendant lights that give you the freedom to experiment and get creative in your space. From smaller two or three-light hanging models, to sophisticated and elaborate chandeliers, our extensive range of pendant lights provide a comprehensive assortment of lighting options, sure to fit with any desired requirements or appearance.

Beyond form, our pendant fixtures can be finished in a number of effects, from a traditional style with polished brass or an old brass finish to add a refined, aged effect. For a more modern appearance, a bronze or chrome finish may fit best with your décor. For something timeless and minimal, see our tried and tested Gloucester or Magill series of pendant lights. These two or three-light pendant models are both basic old school designs, often completed with simple glass or metal shades. In contrast, the P10 Ascot, Albert and Flemington lights are regal, classy designs, perfect to match these styles of décor.

For larger areas, and a more opulent look, browse our range of chandeliers. Able to house a large number of lights, our chandeliers are built to last, featuring old, traditional and basket-style designs to lavishly brighten your home.

The latest in pendant lights from Robert Kitto are the Brooklyn and Staten range, featuring contemporary and intriguing designs. These lights are available in polished brass or bright chrome finishes or, for a more reserved feel, they can be finished in old brass or powder coated in matt black.

For more simple singular light fittings see our ceiling suspensions which provide good lighting and appeal, whilst occupying less space than other, more elaborate, pendant lights in our range. In addition to your choice of colour, the fitting and shade are separate, and often independent of each other, allowing increased freedom to pick the metal or glass shade to perfectly match your fitting.

No matter your pendant light preference, the extensive range and customisation from Robert Kitto is sure to have the perfect fittings for you and your home.



Four Light Staten Pendant, photographed at The Parkside Hotel, in Adelaide, South Australia.



Twin Wall Light also
available, see page 81.



PD2978-3

Three light plumbing pendant, available only in galvanized bronze.
Shown with 3x VIN-ST64-E27 vintage globes.

Wiring: 3x E27 (ES), 60 watt maximum globe holder(s).

Weight: 2.0Kg **Width:** 600mm **Depth:** 55mm

Height: 150mm + **Suspension:** Variable (4x extension rods) max 1150mm

Globes not included but readily available



PD2978-5

Five light plumbing pendant, available only in galvanized bronze. Shown with 5x VIN-ST64-E27 vintage globes.

Wiring: 3x E27 (ES), 60 watt maximum globe holder(s).

Weight: 2.0Kg **Width:** 840mm **Depth:** 55mm

Height: 150mm + **Suspension:** 2x 1M lengths of chain

Single Wall Light also available, see page 81.



READY
TO SHIP



Globes not included but readily available



CH-O240

240mm Egyptian lead crystal basket chandelier pendant shown in nickel. Select your finish from brass (-BRASS), bronze (-BRONZE) or nickel (-NICKEL).

Wiring: 1x B22 (BC), 60 watt maximum globe holder(s).

Width: 240mm **Depth:** 240mm

Height: 700mm + **Suspension:** 1000mm C9 oval link chain.



CH-O400

400mm Egyptian lead crystal basket chandelier pendant shown in bronze. Select your finish from brass (-BRASS), bronze (-BRONZE) or nickel (-NICKEL).

Wiring: 4x B22 (BC), 60 watt maximum globe holder(s).

Optional (Shown): 6x B22 (BC), 60 watt maximum globe holder(s).

Width: 400mm **Depth:** 400mm

Height: 700mm + **Suspension:** 1000mm C8 heavy link chain.



CH-O600

600mm Egyptian lead crystal basket chandelier pendant shown in nickel. Select your finish from brass (-BRASS), bronze (-BRONZE) or nickel (-NICKEL).

Wiring: 6x B22 (BC), 60 watt maximum globe holder(s).

Width: 600mm **Depth:** 600mm

Height: 1050mm + **Suspension:** 1000mm C8 heavy link chain.



CH-599181C

500mm K9 lead crystal stepped basket chome chandelier pendant.

Wiring: 12x E14 (SES), 60 watt maximum globe holder(s).

Width: 500mm **Depth:** 500mm

Height: 750mm + **Suspension:** 1000mm C8 heavy link chain.





In South Australia this product
is exclusively available from
Mitcham Antique Gallery

CH-SS1118

500mm K9 lead crystal French style antique brass
chandelier pendant.

Wiring: 12x E14 (SES), 60 watt maximum globe holder(s).

Width: 800mm **Depth:** 800mm

Height: 1000mm + **Suspension:** 1000mm C8 heavy link
chain.





CH-1018-6

Rustic Bronze chandelier frame decorated with Egyptian lead crystals.

Wiring: 6x B15 (SBC), 40 watt maximum globe holder(s).

Weight: 6.0Kg **Width:** 650mm **Depth:** 650mm
Height: 850mm + **Suspension:** 1000mm





P7H132-5

Five arm Netherby pendant shown in old brass with cream candle covers. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 5x E14 (SES), 60 watt maximum globe holder(s).

Width: 380mm **Depth:** 380mm

Height: 130mm + **Suspension:** 12.7mm x 500mm

-AN, -BC and -PC finishes are made with white candle covers.

P12U68-5

Five arm Northgate pendant shown in antique nickel with white candle covers and 5x **S901P** glass shades. Hand finished in either polished brass (-PB), black bronze (-BB), antique nickel (-AN), bright chrome (-BC).

Wiring: 5x E14 (SES), 40 watt maximum globe holder(s).

Width: 850mm **Depth:** 850mm

Height: 610mm + **Suspension:** 1000mm C7-04 chain

-PB and -BB finishes are made with cream candle covers.





P6FL-5

Five arm Edward pendant shown in polished brass with cream candle covers. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC).

Wiring: 5x E14 (SES), 40 watt maximum globe holder(s).

Weight: 6.2Kg **Width:** 500mm **Depth:** 500mm
Height: 300mm + **Suspension:** 1000mm C3 decorative chain

-AN and -BC finishes are made with white candle covers.



P1FL-3CRS

Three arm Dover pendant shown in old brass with cream candle covers, complete with Egyptian lead crystal cups and drops. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright nickel (-BN), bright chrome (-BC), or powder coated (-PC).

Wiring: 3x E14 (SES), 40 watt maximum globe holder(s).

Weight: 5.3Kg **Width:** 500mm **Depth:** 500mm
Height: 300mm + **Suspension:** 1000mm C7-04 oval link chain

-AN, -BN, -BC and -PC finishes are made with white candle covers.





P10FL-7

Seven arm William pendant shown in polished brass with cream candle covers. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 7x E14 (SES), 40 watt maximum globe holder(s).

Width: 800mm **Depth:** 800mm
Height: 370mm + **Suspension:** 1000mm
 C3 decorative chain

-AN, -BC and -PC finishes are made with white candle covers.

P10FL-9

Nine arm William pendant shown in polished brass with cream candle covers.

Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC) or powder coated (-PC).

Wiring: 9x E14 (SES), 40 watt maximum globe holder(s).

Width: 800mm **Depth:** 800mm
Height: 520mm + **Suspension:** 1000mm
 C3 decorative chain

-AN, -BC and -PC finishes are made with white candle covers.





P7T2-2

Two arm Chatham pendant shown in satin nickel with two **S1020-OG** glass shades. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), satin nickel (-SN), bright chrome (-BC) or powder coated (-PC).

Wiring: 2x B22 (BC), 60 watt maximum globe holder(s).

Width: 465mm **Depth:** 465mm

Height: 100mm + **Suspension:** 12.7mm x 750mm

P7T2-3G4GS

Three arm Clarendon pendant with 3x integrated **G4GS** galleries, shown in antique nickel with three **S605** glass shades. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC) or powder coated (-PC).

Wiring: 3x B22 (BC), 60 watt maximum globe holder(s).

Width: 465mm **Depth:** 465mm

Height: 120mm + **Suspension:** 12.7mm x 750mm

P7T2-3DDC

Three arm Clarendon pendant with integrated decorative cups, shown in polished brass with three **S4745** glass shades. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 3x B22 (BC), 60 watt maximum globe holder(s).

Width: 465mm

Depth: 465mm

Height: 100mm +

Suspension: 12.7mm x 750mm





P-BROOKLYN-10L

Brooklyn ten light long arm pendant shown in old brass with 10x **VIN-LED-G125-B22** globes. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC) or powder coated (-PC).

Wiring: 10x B22 (BC), 60 watt maximum globe holder(s).

Width: 1150mm **Depth:** 1150mm

Height: 575mm + **Suspension:** 12.7mm x 750mm

Also available as a Staten ten light, with integrated G3DS galleries (**P-STATEN-10L**).



P-STATEN-6L

Staten six light long arm pendant with 6x integrated **G3DS** galleries shown in bright chrome with 6x **SPH150-OG** glass shades. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC) or powder coated (-PC).

Wiring: 6x B22 (BC), 60 watt maximum globe holder(s).

Width: 1150mm **Depth:** 1150mm

Height: 575mm + **Suspension:** 12.7mm x 750mm

Also available as a Brooklyn six light, (**P-BROOKLYN-6L**).



P6R3-4L

Murray four long arm pendant shown in antique nickel with 4x **S152-BL** black linen shades. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 4x B22 (BC), 60 watt maximum globe holder(s).

Weight: 3.1Kg

Width: 520mm

Depth: 520mm

Suspension: 12.700mm x 750mm

Also available as a three arm pendant (P6R3-3L), and as a five arm pendant (P6R3-5L).



P-BROOKLYN-4

Brooklyn four light pendant shown in powder coated matt black with 4x **VIN-T9-60-B22** globes. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC) or powder coated (-PC).

Wiring: 4x B22 (BC), 60 watt maximum globe holder(s).

Width: 1150mm **Depth:** 1150mm

Height: 575mm + **Suspension:** 12.7mm x 750mm

Also available as a Staten four light, with integrated G3DS galleries (**P-STATEN-4**).





P-STATEN-3



Staten three light pendant with 3x integrated **G3DS** galleries shown in powder coated matt black with 3x **SPH150-OG** glass shades.

Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC) or powder coated (-PC).

Wiring: 6x B22 (BC), 60 watt maximum globe holder(s).

Width: 1150mm

Depth: 1150mm

Height: 575mm + **Suspension:** 12.7mm x 750mm

Also available as a Brooklyn three light, (**P-BROOKLYN-3**).

P-BROOKLYN-2



Brooklyn two light pendant shown in antique bronze with 2x **VIN-LED-ST64-B22** globes. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC) or powder coated (-PC).

Wiring: 2x B22 (BC), 60 watt maximum globe holder(s).

Width: 1150mm **Depth:** 1150mm

Height: 575mm + **Suspension:** 12.7mm x 750mm

Also available as a Staten two light, with integrated G3DS galleries, (**P-STATEN-2**).



P-VER4

Four light Verandah cross pendant shown in antique nickel with four **S152-WL** linen shades. Hand finished in either antique bronze (-AB) or antique nickel (-AN).

Wiring: 4x B22 (BC), 60 watt maximum globe holder(s).

Width: 1060mm **Depth:** 1060mm

Height: 820mm + **Suspension:** 12.7mm x 500mm

(In NSW, this product is available exclusively from Magins Classical Lighting).

P-VER5

Five light Verandah straight pendant shown in antique bronze with four **S152-WL** linen shades.

Hand finished in either antique bronze (-AB) or antique nickel (-AN).

Wiring: 5x B22 (BC), 60 watt maximum globe holder(s).

Width: 1570mm **Depth:** 515mm

Height: 860mm + **Suspension:** 12.7mm x 500mm

(In NSW, this product is available exclusively from Magins Classical Lighting).





P-VER6

Six light Verandah round pendant shown in antique bronze with four **S152-WL** linen shades. Hand finished in either antique bronze (-AB) or antique nickel (-AN).

Wiring: 6x B22 (BC), 60 watt maximum globe holder(s).

Width: 800mm **Depth:** 800mm

Height: 820mm + **Suspension:** 12.7mm x 500mm

Also available as an eight light pendant, hand finished in antique nickel (**P-VER8-AN**).

Wiring: 8x B22 (BC), 60 watt maximum globe holder(s).

Suspension: 12.7mm x 500mm

(In NSW, this product is available exclusively from Magins Classical Lighting).





P-TWICK3R-3SPY-AB

Three light Twickenham round pendant with 3x integrated 3 way spiders, shown with three **S6752T** glass shades. Hand finished in antique bronze (-AB).

Wiring: 3x B22 (BC), 60 watt maximum globe holder(s).

Width: 515mm **Depth:** 515mm

Height: 820mm + **Suspension:** 12.7mm x 500mm

P-TWICK6-G2GS

Six light Twickenham round pendant with 6x integrated **G2GS** galleries shown in antique bronze with six **S1017C** glass shades. Hand finished in either antique bronze (-AB) or antique nickel (-AN).

Wiring: 6x B22 (BC), 60 watt maximum globe holder(s).

Width: 800mm **Depth:** 800mm

Height: 820mm + **Suspension:** 12.7mm x 500mm





P-TWICK8-G2GS

Eight light Twickenham round pendant with 8x integrated **G2GS** galleries, shown in antique nickel with eight **S1801C** glass shades. Hand finished in either antique bronze (-AB) or antique nickel (-AN).

Wiring: 8x B22 (BC), 60 watt maximum globe holder(s).

Width: 1150mm **Depth:** 1150mm

Height: 820mm + **Suspension:** 12.7mm x 500mm






P-TWICK3S-G2GS

Three light Twickenham straight pendant with 2x integrated **G2GS** galleries shown in antique nickel with three **S1017C** glass shades and finished in either antique bronze (-AB) or antique nickel (-AN).

Wiring: 3x B22 (BC), 60 watt maximum globe holder(s).

Width: 800mm **Depth:** 800mm

Height: 100mm + **Suspension:** 2x 12.7mm x 750mm



P-TWICK2-G2GS

Two light Twickenham straight pendant with 2x integrated **G2GS** galleries, shown in antique bronze with two **S1017C** glass shades. Hand finished in either antique bronze (-AB) or antique nickel (-AN).

Wiring: 2x B22 (BC), 60 watt maximum globe holder(s).

Width: 800mm **Depth:** 800mm

Height: 100mm + **Suspension:** 12.7mm x 750mm





P-GLO-3G4DS

Gloucester three light pendant with 3x integrated **G4DS** galleries shown in antique nickel with 3x **S1550** ribbed glass shades. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 3x B22 (BC), 60 watt maximum globe holder(s).

Width: 1200mm **Depth:** 100mm

Height: 145mm + **Suspension:** 2x 19.050mm x 750mm (spaced 500mm apart)


P-GLO-3

Gloucester three light pendant shown in old brass with 3x **SML10** old brass shades. Hand finished in either old brass (-OB), antique bronze (-AB), satin nickel (-SN), or powder coated (-PC).

Wiring: 3x B22 (BC), 60 watt maximum globe holder(s).

Width: 1200mm **Depth:** 100mm

Height: 85mm + **Suspension:** 2x 19.050mm x 750mm (spaced 500mm apart).





P-BRO-3G4DS

Brockworth three light pendant with 3x integrated **G4DS** galleries shown in antique nickel with 3x **S1550** glass shades. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 2x B22 (BC), 60 watt maximum globe holder(s).

Suspension: 15.875mm x 750mm



P35H44-3

Highgate three light pendant shown in satin nickel with 3x **SML14-SN** shades. Hand finished in either old brass (-OB), antique bronze (-AB), satin nickel (-SN) or powder coated (-PC).

Wiring: 2x B22 (BC), 60 watt maximum globe holder(s).

Suspension: 15.875mm x 750mm

Available as a two arm pendant (P35H44-2).





P35-3

Magill three light pendant shown in old brass with 3x **SML14** old brass shades. Hand finished in either old brass (-OB), antique bronze (-AB), satin nickel (-SN), or powder coated (-PC).

Wiring: 3x B22 (BC), 60 watt maximum globe holder(s).

Width: 1380mm **Depth:** 50mm

Height: 225mm + **Suspension:** 15.875mm x 750mm



P35-2

Magill two light pendant shown in antique bronze with 2x **SML10** antique bronze shades. Hand finished in either old brass (-OB), antique bronze (-AB), satin nickel (-SN), or powder coated (-PC).

Wiring: 2x B22 (BC), 60 watt maximum globe holder(s).

Width: 900mm **Depth:** 50mm

Height: 225mm + **Suspension:** 15.875mm x 750mm





P10T5T-3G2DS



Albert three light pendant with 3x integrated **G2DS** galleries shown in polished brass with 3x **SGC12-OG** glass shades. Hand finished in either polished brass (-PB) old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 3x B22 (BC), 60 watt maximum globe holder(s).

Width: 1220mm **Depth:** 100mm

Height: 550mm + **Suspension:** 19.050mm x 500mm

Also available as a two light pendant, (P10T3T-2G2DS).

P7T3-2G2DS

Whitmore two light pendant with 2x integrated **G2DS** galleries shown in polished brass with 2x **SGC12-G** glass shades. Hand finished in either polished brass (-PB) old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC) or powder coated (-PC).

Wiring: 2x B22 (BC), 60 watt maximum globe holder(s).

Width: 760mm **Depth:** 70mm

Height: 445mm +

Suspension: 12.700mm x 500mm

Also available as a three light pendant
(P7T5-3G2DS)

Width: 1200mm





P12T3-2G2DS

Hyde two light pendant with 2x integrated **G2DS** galleries, shown in polished brass with 2x **SGC12-C** glass shades. Hand finished in either polished brass (-PB) old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 2x B22 (BC), 60 watt maximum globe holder(s).

Width: 835mm **Depth:** 120mm

Height: 620mm + **Suspension:** 19.050mm x 500mm



P1200-3G2DS

Belair three light satin nickel pendant shown with 3x **SMC12-PC** gloss black shades .

Wiring: 3x B22 (BC), 60 watt maximum globe holder(s).

Width: 1200mm **Depth:** 100mm

Height: 70mm + **Suspension:** 2x SS wires x 1000mm + clear cable





P7T3D-2G2DS

Stirling two light pendant with 2x integrated **G2DS** galleries shown in antique bronze with 2x **SGC12-OG** glass shades. Hand finished in either polished brass (-PB) old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC) or powder coated (-PC).

Wiring: 2x B22 (BC), 60 watt maximum globe holder(s).

Width: 750mm **Depth:** 70mm

Height: 370mm + **Suspension:** 15.875mm x 500mm



P7T5D-3G2DS

Stirling three light pendant with 3x integrated **G2DS** galleries shown in antique bronze with 3x **SGC12-OG** glass shades. Hand finished in either polished brass (-PB) old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 3x B22 (BC), 60 watt maximum globe holder(s).

Width: 1200mm **Depth:** 70mm

Height: 370mm + **Suspension:** 15.875mm x 500mm



**P5R73-3**

Fulham three arm pendant shown in satin nickel with 3x **S310** glass shades. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), satin nickel (-SN), or bright chrome (-BC).

Wiring: 3x B22 (BC), 60 watt maximum globe holder(s).

Width: 500mm **Depth:** 500mm

Height: 120mm + **Suspension:** 12.700mm x 500mm

**P8SN-3**

McLaren three arm pendant shown in antique bronze with 3x **S310** glass shades. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), satin nickel (-SN), or bright chrome (-BC).

Wiring: 3x B22 (BC), 60 watt maximum globe holder(s).

Width: 500mm **Depth:** 500mm

Height: 160mm +

Suspension: 12.700mm x 500mm

**P8SN-5**

McLaren five arm pendant shown in black bronze with 5x **G2** black bronze galleries and 5x **S2170** glass shades. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), satin nickel (-SN), or bright chrome (-BC).

Wiring: 5x B22 (BC), 60 watt maximum globe holder(s).

Width: 500mm **Depth:** 500mm

Height: 160mm +

Suspension: 12.700mm x 500mm





P8F2-2G2GS

Lindfield two arm pendant with 2x integrated **G2GS** galleries, shown in antique nickel with 2x **S8044-9** ribbed glass shades. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 2x B22 (BC), 60 watt maximum globe holder(s).

Width: 510mm **Depth:** 80mm

Height: 150mm + **Suspension:** 19.050mm x 750mm (fluted).



P8F2-3G2GS

Lindfield three arm pendant with 3x integrated **G2GS** galleries, shown in old brass with 3x **S8044-6** ribbed glass shades. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 3x B22 (BC), 60 watt maximum globe holder(s).

Width: 510mm **Depth:** 510mm

Height: 150mm + **Suspension:** 19.050mm x 750mm (fluted).





P8P2-4G2GS

Killara four arm pendant with 4x integrated **G2GS** galleries, shown in old brass with 4x **S8044-6** ribbed glass shades. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 4x B22 (BC), 60 watt maximum globe holder(s).

Width: 510mm **Depth:** 510mm

Height: 150mm + **Suspension:** 19.050mm x 750mm (patterned).



P8H2-3

Paddington three arm pendant shown in antique bronze with 3x **G2** antique bronze galleries and 3x **S2515** ribbed glass shades. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 3x B22 (BC), 60 watt maximum globe holder(s).

Width: 465mm **Depth:** 465mm

Height: 150mm + **Suspension:** 19.050mm x 750mm





P7S-3D

Gilles three arm pendant shown in polished brass with 3x **S1702** glass shades. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC) or powder coated (-PC).

Wiring: 3x B22 (BC), 60 watt maximum globe holder(s).

Width: 560mm **Depth:** 560mm

Height: 170mm + **Suspension:** 12.700mm x 750mm

Also available as a two arm (P7S-2D) and as a five arm (P7S-5D).



P10H377-3

Leabrook three arm pendant shown in polished brass with 3x **G2F** polished brass galleries and 3x **S93254** glass shades. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 3x B22 (BC), 60 watt maximum globe holder(s).

Width: 560mm **Depth:** 560mm

Height: 230mm +

Suspension: 12.700mm x 750mm

Also available as a five arm (P10H337-5).



P7S-3

Gilbert three arm pendant shown in polished brass with 3x **S1700** glass shades. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 3x B22 (BC), 60 watt maximum globe holder(s).

Width: 560mm **Depth:** 560mm

Height: 170mm + **Suspension:** 12.700mm x 750mm Also available as a two arm (P7S-2) and as a five arm (P7S-5).





P7F-3

Fisher three arm pendant shown in polished brass with 3x **S92137** glass shades. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC) or powder coated (-PC).

Wiring: 2x B22 (BC), 60 watt maximum globe holder(s).

Width: 400mm **Depth:** 400mm

Height: 130mm + **Suspension:** 12.700mm x 750mm

Also available as a two arm (P7F-2) and as a five arm (P7F-5).



P8MD-5

Grange five arm pendant shown in polished brass with 5x **S92720** glass shades. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC) or powder coated (-PC).

Wiring: 5x B22 (BC), 60 watt maximum globe holder(s).

Width: 590mm **Depth:** 590mm

Height: 240mm + **Suspension:** 12.700mm x 750mm,

Also available as a three arm (P8MD-3) and as a two arm (P8MD-2).



P5D67-2

Liverpool two arm pendant shown in polished brass with 2x **G2F** polished brass galleries and 2x **S2758** glass shades. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 2x B22 (BC), 60 watt maximum globe holder(s).

Width: 500mm **Depth:** 500mm

Height: 280mm + **Suspension:** 12.700mm x 750mm,

Available as a three arm (P5D67-3) and as a five arm (P5D67-5).





P8UGS-5

From five arm pendant shown in polished brass with 5x **G2F** polished brass galleries and 5x **S2758** glass shades. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 5x B22 (BC), 60 watt maximum globe holder(s).

Width: 640mm **Depth:** 640mm

Height: 175mm + **Suspension:** 12.700mm x 750mm,
Also available as a three arm (P8UGS-3).

P7G-3D

Currie three arm pendant shown in polished brass with 3x **S1701** glass shades. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC).

Wiring: 3x B22 (BC), 60 watt maximum globe holder(s).

Width: 435mm **Depth:** 435mm

Height: 290mm +

Suspension: 12.700mm x 750mm,

Also available as a two arm (P7G-2D) and as a five arm (P7G-5D).



P7G-3DS

Hindley three arm pendant shown in polished brass with 3x **G2** polished brass galleries and 3x **S93039** glass shades. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC).

Wiring: 3x B22 (BC), 60 watt maximum globe holder(s).

Width: 435mm **Depth:** 435mm

Height: 290mm + **Suspension:** 12.700mm x 750mm

Also available as a two arm (P7G-2DS) and as a five arm (P7G-5DS).





P7G-3DST

Kingston three arm pendant shown in polished brass with 3x **G2F** polished brass galleries and 3x **S2740** glass shades. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 3x B22 (BC), 60 watt maximum globe holder(s).

Width: 435mm **Depth:** 435mm

Height: 290mm + **Suspension:** 12.700mm x 750mm

Also available as a two arm (P7G-2DST) and as a five arm (P7G-5DST).

P7G-3

Waymouth three arm pendant shown in polished brass with 3x **G2F** polished brass galleries and 3x **S7598** glass shades. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 3x B22 (BC), 60 watt maximum globe holder(s).

Width: 435mm **Depth:** 435mm

Height: 290mm + **Suspension:** 12.700mm x 750mm,

Also available as a two arm (P7G-2) and as a five arm (P7G-5).





P12U12-9

Angas nine arm pendant shown in polished brass with 9x **G4** polished brass galleries and 9x **SPH250-AE** glass shades. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 9x B22 (BC), 60 watt maximum globe holder(s).

Width: 760mm **Depth:** 760mm

Height: 540mm + **Suspension:** 19.050mm x 1000mm

Also available as a one tier pendant with 3, 5 or 7 arms, (see page 282).



P12U34-7

Grenfell seven arm pendant shown in polished brass with 7x **G4** polished brass galleries and 7x **SPH250-AE** glass shades.

Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 7x B22 (BC), 60 watt maximum globe holder(s).

Width: 760mm **Depth:** 760mm

Height: 325mm +

Suspension: 19.050mm x 1000mm

Also available with 3 arms or 5 arms or as a two tier 9 arm, P12U34-3, P12U34-5 and P12U34-9 respectively.



P12U34-5DG4GS

Keswick five arm pendant with 5x integrated **G4GS** galleries shown in polished brass with 5x **SPH250-AE** glass shades. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 5x B22 (BC), 60 watt maximum globe holder(s).

Width: 760mm **Depth:** 760mm

Height: 630mm + **Suspension:** 19.050mm x 750mm.





P10U8-3

Wakefield three arm pendant shown in polished brass with 3x **G4** polished brass galleries and 3x **SPH200-OG** glass shades. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 3x B22 (BC), 60 watt maximum globe holder(s).

Width: 560mm **Depth:** 560mm

Height: 275mm +

Suspension: 19.050mm x 1000mm,
Available as a 2 arm (P10U8-2)
or as a 5 arm (P10U8-5).



P10U8S-3

Devonshire three arm pendant shown in polished brass with 3x **S4745** glass shades. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 3x B22 (BC), 60 watt maximum globe holder(s).

Width: 560mm **Depth:** 560mm

Height: 275mm +

Suspension: 19.050mm x 1000mm
Also available as a 2 arm (P10U8S-2)
or as a 5 arm (P10U8S-5).



P8U8-3D

Flinders three arm pendant shown in polished brass with 3x **G4** polished brass galleries and 3x **SPH200-AE** glass shades. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 3x B22 (BC), 60 watt maximum globe holder(s).

Width: 560mm **Depth:** 560mm

Height: 275mm + **Suspension:** 19.050mm x 1000mm,

Also available as a 2 arm (P8U8-2D)
or as a 5 arm (P8U8-5D).



P7U6-3D

Halifax three arm pendant shown in polished brass with 3x **G3** polished brass galleries and 3x **SPH150-AE** glass shades. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 3x B22 (BC), 60 watt maximum globe holder(s).

Width: 425mm **Depth:** 425mm

Height: 185mm + **Suspension:** 12.700mm x 750mm,

Available as a 2 arm (P7U6-2D)
or as a 5 arm (P7U6-5D).



P8U384-3

Leigh three arm pendant shown in polished brass with 3x **S92426** glass shades. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 3x B22 (BC), 60 watt maximum globe holder(s).

Width: 370mm **Depth:** 370mm

Height: 170mm + **Suspension:** 12.700mm x 750mm.

P7U4-3

Morphett three arm pendant shown in polished brass with 3x **G2** polished brass galleries and 3x **S3004** glass shades. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 3x B22 (BC), 60 watt maximum globe holder(s).

Width: 370mm

Depth: 370mm

Height: 170mm +

Suspension: 12.700mm x 750mm,

Also available as a 5 arm (P7U4-5).



P7U6-3

Carrington three arm pendant shown in polished brass with 3x **G3** polished brass galleries and 3x **SPH150-OG** shades. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 3x B22 (BC), 60 watt maximum globe holder(s).

Width: 425mm **Depth:** 425mm

Height: 185mm + **Suspension:** 12.700mm x 750mm.





P12U12-5

Angas five arm pendant shown in polished brass with 5x **G4** polished brass galleries and 5x **SPH250-OG** glass shades. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 5x B22 (BC),
60 watt maximum
globe holder(s).

Width: 760mm

Depth: 760mm

Height: 320mm +

Suspension: 19.050mm x 1000mm,
Also available as a 3 arm (P12U12-3)
or as a 7 arm (P12U12-7) and as a nine arm
two tier pendant (P12U12-9, see page 278).



P14U16-5G4GS

Richmond five arm pendant with 5x integrated **G4GS** galleries shown in polished brass with 5x **SPH250-AE** glass shades. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 5x B22 (BC), 60 watt maximum globe holder(s).

Width: 940mm **Depth:** 940mm

Height: 320mm +

Suspension: 19.050mm x 1000mm.

Also available as a 3 arm
(P14U14-3) or as a 7 arm
(P14U14-7) and available
as a nine arm two tier
pendant (P14U14-9)
and a twelve arm two tier
pendant (P14U14-12).





P12U348-5

Chesser five arm pendant shown in polished brass with 5x **G4** polished brass galleries and 5x **SPH200-OG** glass shades. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), bright chrome (-BC), or powder coated (-PC).

Wiring: 5x B22 (BC), 60 watt maximum globe holder(s).

Width: 620mm

Depth: 620mm

Height: 300mm +

Suspension: 19.050mm x 750mm,
Also available as a 3 arm (P12U348-3)
or as a 7 arm (P12U348-7).



P10U8-5DSC

Nelson five arm pendant shown in polished brass with 5x **G4** polished brass galleries and 5x **SPH200-AE** glass shades. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 5x B22 (BC), 60 watt maximum globe holder(s).

Width: 600mm

Depth: 600mm

Height: 265mm +

Suspension: 19.050mm
x 1000mm

Also available as a 3 arm
(P10U8-3).





P8A52-3G2GS

Cleveland three arm pendant with 3x integrated **G2GS** galleries shown in polished brass with 3x **S2170** glass shades. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 3x B22 (BC), 60 watt maximum globe holder(s).

Width: 710mm **Depth:** 710mm

Height: 330mm + **Suspension:** 12.700mm x 750mm,
Also available as a two arm (P8A52-2), a four arm (P8A52-4)
and as a five arm (P8A52-5).



P12H351-5G4GS

Tusmore five arm pendant with 5x integrated **G4GS** galleries shown in polished brass with 5x **SPH200-AE** glass shades. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 5x B22 (BC), 60 watt maximum globe holder(s),

Width: 680mm **Depth:** 680mm

Height: 480mm + **Suspension:** 19.050mm x 750mm,
Also available as a three arm (P12H351-3).





P10CW-3G4GS

Clifton three arm pendant with 3x integrated **G4GS** galleries, shown in polished brass with 3x **S605** glass shades. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 3x B22 (BC), 60 watt maximum globe holder(s).

Weight: 4.XKg **Width:** 680mm **Depth:** 680mm

Height: 470mm + **Suspension:** 12.700mm x 300mm,

Also available as a two arm (P10CW-2) and as a four arm (P10CW-4).



P10A51CW-5G2GS

Malvern five arm pendant with 5x integrated **G2GS** galleries, shown in polished brass with 5x **S3133** glass shades. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 5x B22 (BC), 60 watt maximum globe holder(s).

Weight: 6.5Kg **Width:** 700mm **Depth:** 700mm

Height: 680mm + **Suspension:** 12.700mm x 300mm,

Also available as a two arm (P10A51CW-2) and as a three arm (P10A51CW-3).





P12H246-5

Hayborough five arm pendant shown in old brass with 5x **G4G** old brass galleries and 5x **S604** glass shades. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 5x B22 (BC), 60 watt maximum globe holder(s).

Weight: 9.0Kg **Width:** 760mm **Depth:** 760mm
Height: 350mm + **Suspension:** 19.050mm x 750mm,
Also available as a three arm (P12H246-3).



P10H221-5

Kensington five arm pendant shown in polished brass with 5x **G4G** polished brass galleries and 5x **S603** glass shades. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 5x B22 (BC), 60 watt maximum globe holder(s).

Weight: 8.5Kg **Width:** 640mm **Depth:** 640mm
Height: 380mm + **Suspension:** 19.050mm x 750mm,
Also available as a three arm (P10H221-3).





P14H245-5G4GS

Trinity five arm pendant with 5x integrated **G4GS** galleries, shown in old brass with 5x **S602** glass shades. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 5x B22 (BC), 60 watt maximum globe holder(s).

Weight: 11.5Kg **Width:** 630mm **Depth:** 630mm

Height: 400mm + **Suspension:** 19.050mm x 750mm,
Also available as a three arm (P14H245-3).



P10FH190-3

Burnside three arm pendant shown in polished brass with 3x **G2F** polished brass galleries and 3x **S96930** glass shades. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 3x B22 (BC), 60 watt maximum globe holder(s).

Weight: 4.0Kg **Width:** 470mm **Depth:** 470mm

Height: 400mm + **Suspension:** 12.700mm x 750mm,
Also available as a five arm (P10FH190-5).



P8FH191-3

Norwood three arm pendant shown in polished brass with 3x **S163** glass shades. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 3x B22 (BC), 60 watt maximum globe holder(s).

Weight: 3.5Kg **Width:** 470mm **Depth:** 470mm

Height: 370mm +

Suspension: 12.700mm x 750mm,
Also available as a five arm (P8FH191-5).





P35A50-2G2FS

Hawthorn two arm pendant with 2x integrated **G2FS** galleries, shown in polished brass with 2x **S930** glass shades. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 2x B22 (BC), 60 watt maximum globe holder(s).

Weight: 2.5Kg **Width:** 640mm **Depth:** 65mm

Height: 190mm + **Suspension:** 12.700mm x 750mm,

Also available as a three, four or five arm pendant. (P35A50-3 P35A50-4, P35A50-5 respectively).



P35A53-3G4GS

Aldgate three arm pendant with 3x integrated **G4GS** galleries, shown in polished brass with 3x **S601** glass shades. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 3x B22 (BC), 60 watt maximum globe holder(s).

Weight: 3.0Kg **Width:** 500mm **Depth:** 500mm

Height: 380mm +

Suspension: 12.700mm x 750mm,

Also available as a two, four or five arm pendant (P35A53-2, P35A53-4, P35A53-5 respectively).

P35A49-3G2FS

Conway three arm pendant with 3x integrated **G2FS** galleries, shown in polished brass with 3x **S93036** glass shades. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 3x B22 (BC), 60 watt maximum globe holder(s).

Weight: 5.5Kg **Width:** 500mm **Depth:** 500mm

Height: 380mm + **Suspension:** 12.700mm x 750mm

Also available as a two, four or five arm pendant (P35A49-2 P35A49-4, P35A49-5 respectively).





P10FH288-3

Glenelg three arm pendant shown in polished brass with 3x **G2F** polished brass galleries and 3x **S93039** glass shades. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 3x B22 (BC), 60 watt maximum globe holder(s).

Weight: 6.0Kg **Width:** 580mm **Depth:** 580mm
Height: 240mm + **Suspension:** 19.050mm x 1000mm
Also available as a five arm pendant (P10FH288-5).



P8FH228-3

Brighton three arm pendant shown in polished brass with 3x **S505** glass shades. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 3x B22 (BC), 60 watt maximum globe holder(s).

Weight: 5.0Kg **Width:** 580mm **Depth:** 580mm
Height: 240mm +
Suspension: 12.700mm x 750mm
Also available as a five arm pendant (P8FH228-5).





P10H299-3

Ascot three arm pendant shown in old brass with 3x **G2F** old brass galleries and 3x **S1509** glass shades. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 3x B22 (BC), 60 watt maximum globe holder(s).

Weight: 4.0Kg **Width:** 520mm **Depth:** 520mm
Height: 250mm + **Suspension:** 19.050mm x 750mm
 Also available as a five arm pendant (P10FH299-5).



P10H300-5

Flemington five arm pendant shown in antique bronze with 5x **G4G** antique bronze galleries and 5x **S706** glass shades. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 5x B22 (BC), 60 watt maximum globe holder(s).

Weight: 7.5Kg **Width:** 720mm **Depth:** 720mm
Height: 290mm + **Suspension:** 19.050mm x 750mm





P35H183-3

Walkerville three arm pendant shown in old brass with 3x **G3** old brass galleries and 3x **S1060** glass shades. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 3x B22 (BC), 60 watt maximum globe holder(s).

Weight: 4.5Kg **Width:** 295mm **Depth:** 295mm

Height: 110mm + **Suspension:** 12.700mm x 750mm



P8H551-3G3GS

Veneto three arm Italian die cast pendant with 3x integrated **G3GS** galleries, shown in old brass with 3x **S1060** glass shades. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 3x B22 (BC),
60 watt maximum globe holder(s).

Weight: 6.0Kg **Width:** 360mm **Depth:** 360mm

Height: 240mm +

Suspension: 19.050mm x 750mm (patterned),

Available with candle globe holders instead of gas galleries as the Rosaline model, (P8H551-3CB22), suits shade, and as the Juliet model, with E14 globe holders, (P8H551-3CNDL).





P8H553-5G4GS

Verona five arm Italian die cast pendant with 5x integrated **G4GS** galleries, shown in old brass with 5x **SVL1** glass shades. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 5x B22 (BC), 60 watt maximum globe holder(s).

Weight: 11.0Kg **Width:** 680mm **Depth:** 680mm
Height: 320mm + **Suspension:** 19.050mm x 750mm (patterned),

Available with candle globe holders instead of gas galleries as the Mercutio model, (P8H553-5CB22), suits shade and with B15 globe holders as the Romeo model, (P8H553-5CNDL).





P14H27-3G3GS

Winged Siren three light pendant with 3x integrated **G3GS** galleries, shown in bright nickel with 3x **S1060** glass shades. Hand finished in either polished brass (-PB), or bright nickel (-BN). Other finishes available.

Wiring: 3x B22 (BC), 60 watt maximum globe holder(s).

Weight: 11.0Kg **Width:** 680mm **Depth:** 680mm

Height: 320mm + **Suspension:** 19.050 x 1000mm (patterned).



P14H463-3G3S

Millswood three light pendant with 3x integrated **G3GS** galleries shown in black bronze with 3x **S94029** glass shades. Hand finished in either polished brass (-PB), old brass (-OB), black bronze (-BB), antique bronze (-AB), antique nickel (-AN), or bright chrome (-BC).

Wiring: 3x B22 (BC), 60 watt maximum globe holder(s).

Weight: 7.1Kg **Width:** 480mm **Depth:** 480mm

Height: 340mm + **Suspension:** 19.050 x 750mm





P300H27-6G3GS

Winged Siren six light pendant with 6x integrated **G3GS** galleries, shown in polished brass with 6x **S1060** glass shades. Hand finished in either polished brass (-PB), or bright nickel (-BN). Other finishes available.

Wiring: 6x B22 (BC), 60 watt maximum globe holder(s).

Weight: 25.0Kg **Width:** 840mm **Depth:** 840mm
Height: 1150mm + **Suspension:** 500mm x C5 chain.

Glossary

Back plate

A metal piece which fixes to a wall or ceiling and is joined to the arm(s) of a wall light or suspension of a ceiling light. Unlike a canopy this piece is not adjustable along a tube, making a rod suspension mounted by a back plate fixed in length.

Canopy

The decorative cover piece which grips to the suspension rod or top stem above chain or cord. The purpose is to hide the terminating wires and suspension hook, at the top of the fitting.

Centre

The round metal piece which is used to terminate the wires and hold the arms of pendant lights. Often this piece is larger for fittings with more or larger arms. The piece often is covered with a decorative cup, a finial below and a column above it.

Column

A metal decorative piece above the centre of a fitting but below the suspension. Can range from tall, elaborate and ornate castings to small pressed pieces, if anything at all, in a pendant fitting.

Arm

The metalware piece of a multiple light pendant where the light sources are projected from a centre. Similarly an arm can be from the back plate of a wall bracket.

Gallery

A round metal piece attached to the arms of the fitting. Either in built before the globe holder or held by the shade ring, the round metal piece comes in various sizes and serves the purpose of holding and displaying with the aid of gallery screws a glass shade.

Shade

An attachment to a fitting covering illuminating sources to reduce, diffuse or reflect light from the source. Shades are made from glass, metal or fabric and come in various shapes and sizes sometimes with ornate patterns or decorations.

Shade Ring

A ring which tightens a gallery down, or a shade in the case of a fitting without a gallery.

Suspension

The top of a pendant fitting which drops the centre and arms to the desired height. Suspensions can be in the form of a rod, chain or simply restrained electrical cable. Suspensions can often be shortened upon installation to allow a fitting to correctly hang at the desired height.

Lumen

A standard unit for measuring the total quantity of visible light emitted by a source. Fittings with higher lumen outputs, are brighter than those with lower lumen outputs.

Watt

A standard unit of power or the rate of energy consumed. Fittings with lower wattages use less power for the same amount of use as a fitting with higher wattages. However watts should not be confused with lumens, watts being only a unit of power.

Kelvin

A standard measure of thermodynamic temperature. Used to measure light sources appearances. Lower temperatures (2000-4000) are warmer and yellower in colour, used mostly for intimate and decorative lighting, whereas higher kelvin temperatures appear whiter or bluer and are used more so in commercial settings for focus and task oriented lighting.

Die Cast

A manufacturing process where molten metal is poured in to a precisely engineered steel mould, resulting in solid and accurate metal pieces which can be extremely detailed and ornate.

Sand Cast

A manufacturing process where molten metal is poured into a mould made of sand. Compared to a die cast this allows for cheaper costs, however pieces can be slightly less precise.

Pressed

A stamping process where sheet metal is put under great force between two moulding pieces. Pressed metal is stronger thinner and lighter, however it may be more prone to denting or bending.

Spun

A cost effective metal forming process which gives metal similar properties to pressed metal. Spinning lines, however, often have a noticeable pattern in the metalware, unlike pressed metal.

IP rating

An International Protection (IP) marking is a two digit code given to a product upon testing its ability to protect against liquid ingress and solid particles from entering the casing or frame of an object. Solids protection is rated from 0-6, where 0 is no protection and 6 is completely dust tight (no openings at all). Liquid ingress is rated from 0-8 where 0 is no protection and 8 is continuously immersible in water at least 1m deep.

Globe Holder

The base of the fitting which is wired to allow a light source to attach. On pendants there is more than one globe holder, usually fitted to the end of each arm. Ceiling lanterns and float lamps may have clusters of three four or more globe holders, close to each other.

B22 (BC)

A Bayonet Cap globe holder with a 22mm diameter. It is the most commonly used globe holder and globe base for fittings produced in Commonwealth nations including Australia.

B15 (SBC)

A Small bayonet cap globe holder with only a 15mm base diameter. It is less common than the B22 (BC) and usually used in clusters for lanterns and float lamps to allow smaller globes to be closer together.

E27 (ES)

An Edison Screw globe holder with a 27mm diameter, The standard European style globe holder, more common in our range of imported fittings.

E14 (SES)

A smaller size edison screw globe holder (14mm diameter). Like the small bayonet globe holder, the SES is often used in clusters, and more commonly from imported fittings.

LED

Light Emitting Diode, an energy efficient illuminating source, producing low amounts of heat, allowing for longer life spans and lower watts used per lumens output.

Incandescent

A more traditional style of globe which is low in cost. A filament is burned to produce light, which is less efficient yet can be easily dimmed to suit intimate situations and at full strength, bright enough for task oriented situations like reading.



Electroplated

A complex multi-stage process where a metal is bonded to the outside of another, typically brass in light fittings.

Powder Coated

A durable, consistent dry painting process where metal is covered in a coloured powder and then heated to set the colour.

Chemically Treated

A treatment process to brass which darkens the finish. Old brass, black bronze and antique bronze are finishes which we offer by preparing raw brass, then chemically treating it.

Size (Height)

The total height of the fitting which is the sum of the suspension height, the fitting height and possibly the height of any shades if they extrude these dimensions. This calculation can be required to determine where back plates are used instead of a sliding canopy

Finish

The final appearance of the metalware in a fitting, resulting from hand skilled processes to the metalware's surface. The majority of our fittings are made of brass, which can be processed in various finishes. The finish includes colour and reflectiveness and can greatly affect the aesthetics of the metalware. Our standard finishes are displayed and described throughout the catalogue.

Region	Order Amount (AUD)	Cost (AUD)	Shipping Method & Time (business days)
Adelaide.	\$ 500+	Free In Store	Same Day Local Delivery
SA, VIC, Sydney and Melbourne.	\$ 500+	Free In Store	Startrack Road Express 1-2 business days ²
Brisbane, Perth and NSW.	\$ 500 - \$ 999 \$ 1000 +	\$ POA Free In Store	Startrack Road Express 3-5 business days ²
WA, QLD, TAS and Hobart.	\$ 500 +	\$ POA	Startrack Road Express 5-10 business days ²
Nation Wide	\$ 100 +	\$ 30 + GST	Startrack Air Premium 1 business day ² Items under 5 Kg & Boxed no larger than 29cm ³

Please allow for Assembly and Processing time. Built to order goods lead time varies by demand.

Pre-Assembled goods may take up to 2 days. All Items will be shipped together, no split deliveries will be made.



We only freight to commercial addresses, please ensure there will be someone available to receive your goods at your place of business,

We provide Startrack Express Pty Limited an Authority to Leave (ATL) for all consignments, so it is your responsibility to make sure someone from your organisation is able to receive goods between the hours of 09:00 - 17:00 local time, otherwise Startrack may leave goods in what they deem a safe and secure location on your premises.

*This is an expected delivery time frame provided by Startrack, Actual Times may vary.

Robert Kitto Pty Ltd *** Terms of Trade. ***

1. Definitions

In these terms “Company” means Robert Kitto Pty Ltd (ABN 58 008 210 526) and the “Customer” means the entity or person receiving goods and/or services from the Company.

2. Application of Terms

These terms govern the supply of goods and services by the Company to the Customer. They supersede all prior representations and agreements unless otherwise agreed in writing by the Company.

3. Delivery and Transportation

The Company will use its best efforts to supply goods or services by the date/s identified in accepted orders but does not represent or warrant that it will do so. The Company will arrange transportation of goods to the Customer at the Customer's cost, unless agreed otherwise.

4. Return and Credits

No return of goods will be accepted unless the Company has previously agreed in writing. If the Company agrees to the return of goods, they must be delivered at the cost of the Customer to the Company's premises.

5. Dispatch Errors, Shortages and Breakage

The Company will not be liable for dispatch errors, shortages and breakages unless they are reported to the Company by the Customer in writing within 48 hours of goods being delivered to the address nominated by the Customer.

6. Orders

Orders must be confirmed in writing by the Customer by either by fax or e-mail. The Company will not be liable for dispatch errors for orders placed by the Customer verbally.

7. Payment

The Customer must pay the amount invoiced including any Australian Goods and Services Tax (“GST”), without setoff, within 14 days from the end of the month in which the invoice is sent to the Customer. The Customer will pay interest on overdue amounts compounding daily, at an annual rate being the ATO GIC (Australian Taxation Office General Interest Charge rate for overdue payments) from the due date until the date of payment. In addition to interest a late payment fee of \$15+GST applies to cover the Company's administrative costs. This fee will be charged once for each and every month that a Customer does not pay an invoiced amount in full. The Customer will be responsible for all costs incurred to recover the payment from the Customer on an indemnity basis.

8. Title

Title in goods passes to the Customer on payment in full for the goods. Until full payment is made, the Customer holds the goods as bailee for the Company. At any time before full payment is received, the Company may enter the premises of the Customer and take possession of the goods. If the Customer has sold goods for which the Company has not been paid in full, the Customer holds those proceeds on trust for the Company and will pay to the Company the proceeds of that sale.

9. Warranty and Liability

No warrant is given in respect of the supply or state, quality, condition or purpose of the use of any goods. The Company shall have no liability (including liability in negligence) to any person or entity for failure to supply or loss or damage consequential or otherwise suffered or incurred by any person in relation directly or indirectly to any defect, deficiency, failure or breakdown of any kind of the goods.

10. Force Majeure

Where an event or circumstance beyond the control of the Company occurs, which prevents the Company from complying with any of its obligations under these Terms of Trade, including but not limited to:-

- a force of nature;
- labour shortage;
- the temporary disconnection of power, internet and/or phone services; and
- any act or omission on the part of the Customer, its agents or employees.

The Company will not be considered in breach of these Terms of Trade or any contract between the parties to the extent that performance is prevented in these circumstances.

11. Customer Default

In the event that:

a. The Customer fails to pay when due any amount owing to the Company or breaches any other provision of these terms;

b. The Customer ceases to be able to pay its debts as they become due or to carry on business;-

Then the Company may do any or all of the following (in addition to any other rights the Company may have):

i. Require the Customer to pay immediately all amounts invoiced or unpaid or to pay in advance of or on delivery of goods;

ii. Suspend or cease supplying goods and services to the Customer (whether or not the Customer has ordered goods or services that have not yet been supplied); and

iii. Enter the Customers premises and take possession of goods for which payment has not been made.

12. Cancellation of Order

Any order placed with us may only be cancelled by the Customer with the written consent of the Company.

13. Export

The Company has no liability for duties, taxes or other amounts charged or levied by third parties on the sale of goods outside of Australia. The Customer is responsible for ascertaining what duties or taxes may be payable and ensuring that they make payment in full of those duties and taxes.

14. Governing Law

These Terms of Trade will be governed by and interpreted according to the laws of South Australia. Both parties agree to submit to the exclusive jurisdiction of South Australia.

15. Severance

If any provision set out in these Terms of Trade is held to be invalid by a Court of law, the other remaining provisions will remain valid.

16. Variation of Terms of Trade

These Terms of Trade may only be amended or varied by written agreement between the Customer and the Company.

17. Non-Assignment

The Customer may not assign any of its rights or obligations under these Terms of Trade without the Company's prior written consent.

The Company's failure, delay or neglect to enforce a term of these Terms of Trade is not to be taken as a waiver of that term or the Company's rights, or a consent to, a waiver of, or any excuse for any different, continuing, or subsequent breach.

Robert Kitto Pty Ltd Privacy Policy

This policy explains how Robert Kitto Pty Ltd collect, store, use and disclose personal information that is provided to us through our operation as a business.

This policy explains our obligations to ensure the privacy of personal information and the steps we take to ensure that the information held by us is kept private.

Please read this policy carefully. Please contact us if you have any questions.

Types of personal information collected

Robert Kitto Pty Ltd collect various types of 'personal information' from clients and third parties.

Personal information is information that identifies or is likely to identify an individual. The types of personal information Robert Kitto Pty Ltd collect includes the following:

- Name
- Address
- Telephone number
- Email address
- Date of birth
- Bank account and credit card details

'Sensitive information' is personal information that includes information about racial or ethnic origin, political opinion, religious beliefs, membership to groups, sexual orientation, criminal records etc. If also includes health information or biometric information. Robert Kitto Pty Ltd do not usually collect this type of information in the course of their activity however this information may be collected from time to time inadvertently.

Collection and Storage of personal information

Where possible, Robert Kitto Pty Ltd collect personal information from you directly in the course of our business engagement, usually verbally or in writing.

Personal information is obtained indirectly where it is not practicable or possible to obtain the information from you. Information may be collected through documents, research or other people. We may also collect personal information from external professionals, suppliers, contractors or agents.

We only collect, store and disclose sensitive information where it is necessary for us to do so in order to provide our services to you and if you have consented to us doing so or as the law allows us to do so.

Data storage

We store all personal information within our office in physical format and electronically as appropriate.

We endeavour to keep all information safe by taking all reasonable steps to ensure the protection of information from misuse, loss, unauthorised access, modification or unauthorised disclosure.

Purposes for collecting, storing, using and disclosing personal information

We will only collect, store, use or disclose personal information where it is necessary for us to perform our services for you and in you have consented to the use of the personal information. There may be occasions where we are bound by law to collect and disclose personal information.

Robert Kitto Pty Ltd Privacy Policy

We collect, store, use or disclose personal information to:

- Provide our distribution and wholesale services;
- To communicate and contact you;
- To complete orders and deliveries;
- For internal record keeping;
- To provide quotes;
- To obtain the services of third parties;
- Where we are otherwise required or authorise to do so by law; and
- To otherwise run our business.

Disclosures

We may disclose personal information in the following circumstances:

- In the course of providing order and delivery information to third parties, such as couriers;
- To insurers;
- Others where you have provided us consent to do so.

We do not routinely disclose personal information overseas. We only disclose personal information overseas when it is specifically appropriate or relevant to providing our services for a particular customer or client.

In the event that we do have to disclose information, where it is lawful and appropriate, we ensure that the recipient is bound by an obligation of confidentiality.

We do not disclose any personal information (including your email address) to any third party for the purpose of allowing them to market their products or services to you (unless you have provided your prior express consent).

Client/Customer Rights and Access

You have the right to contact Robert Kitto Pty Ltd to correct and update any personal information we hold for you. If we refused to correct the information, we will provide you with a written notice of our refusal and how you can complain about the refusal.

Individuals have the right to contact Robert Kitto Pty Ltd to request what personal information about the individual is collected and how it is stored by Robert Kitto Pty Ltd.

Individuals have the right to contact Robert Kitto Pty Ltd to permit, consent or request to prohibit the use of personal information.

You can contact Robert Kitto Pty Ltd by writing to:

Robert Kitto Pty Ltd
50 Richmond Road
Keswick SA 5035

Or emailing:
info@robertkitto.com.au

You can also call the office between 10:30 – 16:00 (ACST) on +61 8 8297 4122 Monday to Friday.

Notes:

Notes:

Notes:

Notes: